

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 1, 1885. VOL. XLVI.] WEEK ENDING SATURDAY, JANUARY 10. [Price 1½d.

*General Register Office, Somerset House,
12th January, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 24·9 per 1000 of their aggregate population, which is estimated at 8,906,416 persons in the middle of this year. The deaths registered in each of the past four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.		Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.
Birkenhead	21·8	13·2	26·4	26·3	Liverpool - -	22·8	25·0	28·1	27·5
Birmingham	19·4	20·8	22·8	23·7	London - -	20·7	18·6	24·9	25·0
Blackburn -	26·9	19·4	26·4	23·2	Manchester -	25·1	26·5	26·4	30·9
Bolton -	21·5	19·6	22·0	19·0	Newcastle-on-Tyne	23·4	20·7	29·3	27·6
Bradford -	21·2	19·4	22·9	20·4	Norwich -	27·1	24·8	32·9	28·0
Brighton -	18·5	16·2	24·9	19·1	Nottingham -	21·9	18·3	25·2	22·7
Bristol -	22·0	18·9	21·8	25·6	Oldham -	24·2	16·6	25·5	23·9
Cardiff -	29·0	25·7	34·6	36·0	Plymouth -	23·5	13·8	20·0	30·2
Derby -	23·2	18·5	21·4	20·4	Portsmouth -	20·0	16·9	21·2	21·3
Halifax -	24·6	25·9	21·8	22·3	Preston -	34·1	28·3	32·5	34·8
Huddersfield	19·4	19·4	20·0	22·7	Salford -	20·9	15·9	28·8	22·2
Hull -	19·9	26·8	22·2	27·5	Sheffield -	20·7	18·2	22·4	19·6
Leeds -	20·7	20·2	23·9	20·5	Sunderland -	23·3	28·4	22·0	22·1
Leicester -	25·5	32·2	24·8	31·0	Wolverhampton -	19·3	22·0	26·6	30·3

The highest annual death-rates from measles, measured by last week's mortality, were 2·7 in Newcastle-upon-Tyne, 4·2 in Leicester, and 12·9 in Cardiff; from whooping-cough, 1·2 in Sheffield and 4·0 in Wolverhampton; from scarlet fever, 1·1 in Leeds and 2·7 in Halifax; and from "fever," 1·0 in Newcastle-upon-Tyne. The 42 deaths from diphtheria in the twenty-eight towns included 26 in London, 4 in Bristol, and 3 in Liverpool. Small-pox caused 48 deaths in London and its outer ring of suburban districts, one in Liverpool, and one in Newcastle-upon-Tyne.

LONDON.

In LONDON 2816 BIRTHS and 1956 DEATHS were registered. Allowing for increase of population, the births exceeded by 270, and the deaths by 52, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·7, 18·6, and 24·9 in the three preceding weeks, further rose last week to 25·0. During the thirteen weeks ending 27th ult., the death-rate averaged only 19·8 per 1000, against 21·6 in the corresponding periods of the five years 1879-83.

The 1956 deaths included 34 from small-pox, 14 from measles, 16 from scarlet fever, 26 from diphtheria, 38 from whooping-cough, 15 from enteric fever, 1 from an ill-defined form of continued fever, 11 from diarrhoea and dysentery, and not one either from typhus or from cholera; thus, 155 deaths were referred to these diseases, being 102 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 32 and 33 in the two preceding weeks, were 34 last week, and exceeded the corrected weekly average by 9. These 34 deaths exclude 8 deaths of London residents from this disease recorded in the Metropolitan Asylum Hospitals situated outside London.

Of the 42 fatal cases, 32 were recorded in the Metropolitan Asylum Hospitals, 2 in the Highgate Small-pox Hospital, and 8 in private dwelling-houses. After distributing the hospital cases, 4 belonged to Pancras, 5 to Islington, 5 to Newington, 2 to Bermondsey, 3 to Rotherhithe, 4 to Lambeth, and 3 to Greenwich and Deptford. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1079 and 1013 on the two preceding Saturdays, further declined to 1001 at the end of last week; the admissions, which had been 244, 161, and 171 in the three previous weeks, rose again to 224 last week. The Highgate Small-pox Hospital contained 87 patients on Saturday last, 22 cases having been admitted during the week.

The 14 fatal cases of *measles* showed a further decline from recent weekly numbers, and were 41 below the corrected weekly average; 2 occurred in Camberwell, and 2 in Deptford. The 16 deaths from *scarlet fever* were 12 fewer than those in the previous week, and were 34 below the corrected average; after distributing the hospital cases, 2 belonged to Pancras, 2 to Hackney, 3 to Stepney, and 2 to Mile End Old Town. The Metropolitan Asylum Hospitals contained 315 scarlet fever patients on Saturday last, 33 having been admitted during the week, against 19 in the previous week. The 26 deaths from *diphtheria* were within 2 of the high number in the previous week, and were double the corrected average; after distributing the hospital cases, 2 belonged to Marylebone, 2 to Hampstead, 6 to Islington, and 2 to Lambeth. The 38 fatal cases of *whooping-cough* showed a further increase upon the low numbers in recent weeks, but were 34 below the corrected average. The 11 deaths attributed to *diarrhoea* and *dysentery* were 3 below the corrected average, 5 being of children under five years, and 6 of persons aged upwards of 60 years.

The 15 deaths referred to *enteric fever* showed a further increase upon the low numbers in the two previous weeks, but were 6 below the corrected average; after distributing the hospital cases, 4 belonged to the North, and 4 to the South groups of registration districts. In the Metropolitan Asylum Hospitals, 61 cases of enteric fever and 4 of typhus, were under treatment on Saturday last; 7 cases of enteric fever and not one of typhus were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 416, 370, and 537 in the three preceding weeks, further rose to 609 last week, and exceeded the corrected weekly average by 93.

Different forms of violence caused 57 deaths; 47 were the result of negligence or accident, among which were 21 from fractures and contusions, 8 from burns and scalds, 2 from drowning, 2 from poison, and 11 of infants under one year of age from suffocation. The 21 deaths from fractures and contusions were thus returned:—male, aged 12 years, and female 64, run over by cab; male 34 (intoxicated), run over by carriage; male 16, fell from van; female 49, thrown from van; male 55, run over on Chatham and Dover Railway through leaving train in motion; male 23, by collision on Midland Railway; male 53, crushed on South-Western Railway; male 54, crushed by buffers on railway; males 40, 60, and female 62, fell down stairs or steps; male 11 months, fell from chair; male 28, fell down well of lift; male 73, fell in street; male 52, fell into hold of vessel; male 36, fell from height; male 21, by fall of bank; male 43, female 2, by fall; and female 63, by blow or fall. An inquest was held in each of these 21 cases.

GREATER LONDON.

In Greater London 3656 births and 2408 deaths were registered, equal to annual rates of 36·7 and 24·2 per 1000 of the population. In the Outer Ring 14 deaths from small-pox, 11 from whooping-cough, and 9 from diphtheria, were registered. Twelve fatal cases of small-pox belonged to West Ham; and of the 9 deaths from diphtheria, 3 occurred in Willesden and 2 in Ilford sub-districts.

On pages 3-4 will be found Dr. Frankland's report upon the quality of the waters supplied to the Metropolis by the various water companies during December. The Thames waters delivered by the five companies drawing their supply from that source showed, in all cases excepting that of the Chelsea Company, a very marked increase in the amount of organic impurity; the amount was not, however, above the average for the time of the year, and all the samples were bright and clear. Of the waters drawn from the Lea, and distributed by the East London and New River Companies, the former showed a similar increase of impurity, while the latter

was of very superior quality, and equal as regards the small amount of organic impurity to the best of the deep-well waters; both waters were delivered clear and bright. The deep-well waters supplied by the Kent and Colne Valley Companies, and by the Tottenham Local Board, were of their usual excellent quality for drinking; and that supplied by the Colne Valley Company, having been softened with lime, had thus been rendered suitable for all domestic purposes.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·77 in.; the lowest reading was 29·85 in. on Monday afternoon, and the highest 30·23 in. on Wednesday at noon. The mean temperature of the *air* was 38°·0, and 0°·3 above the average in the corresponding week of the 20 years ending 1868. The mean showed an excess on Monday, Thursday, and Saturday, but was below the average on each of the other days of the week. The general direction of the *wind* was S.W., and the horizontal movement of the air averaged 12·3 miles per hour, which was 0·9 of a mile below the average in the corresponding week of 16 years. *Rain* fell on four days of the week, to the aggregate amount of 0·57 of an inch. The duration of registered bright sunshine in the week was 7·1 hours, against 10·2 hours at Glynde Place, *Lewes*.

THE REGISTRAR GENERAL has to acknowledge the courtesy of the LONDON WATER COMPANIES who have furnished him with the average daily quantity of Water supplied during the month of DECEMBER 1884; according to their returns 144,141,614 gallons or 654,901 cubic metres of water (equal to about as many *tuns* by measure, *tons* by weight,) were supplied daily; or 211 gallons (95·9 decalitres), rather less than a *ton* by weight, to each house, and 27·0 gallons (12·3 decalitres) to each person, against 26·6 gallons during December 1883.

COMPANIES.	Number of Houses, &c. supplied in		Average daily Supply of Water in Gallons (including that for Manufactures and for various purposes other than for domestic consumption) during the Month of	
	DECEMBER. 1883.	DECEMBER. 1884.	DECEMBER. 1883.	DECEMBER. 1884.
TOTAL SUPPLY . . .	664,065	688,893	137,796,953	144,141,614
From Thames	321,228	331,397	69,758,507	72,719,351
From Lea and from other Sources . .	342,837	352,496	68,038,446	71,422,263
THAMES.				
Chelsea	32,544	33,245	9,153,200	9,880,400
West Middlesex	63,310	65,619	11,919,047	12,612,656
Southwark and Vauxhall	100,854	103,267	20,381,832	20,929,482
Grand Junction	48,130	50,014	13,070,714	14,166,413
Lambeth	76,330	79,252	14,642,714	15,130,400
LEA AND OTHER SOURCES.				
New River	140,353	143,007	26,437,000	26,593,000
East London	142,273	146,374	32,230,697	35,252,127
Kent	60,211	63,115	9,370,749	9,577,186

Note.—The Return for December 1884, as compared with that for the corresponding month of 1883, shows an increase of 19,828 houses, and of 6,344,661 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING DECEMBER.

Grove House, Pembroke Square, W.,
9th January, 1885.

SIR,

I HAVE to report to you in the following Table the results of the chemical analyses of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of December.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity contained in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Colne Valley 0·9, Kent 0·9, New River 0·9, Tottenham 1·4, Chelsea 2·7, West Middlesex 3·6, Southwark 4·3, Grand Junction 4·7, Lambeth 4·8.

The Thames water sent out by the Chelsea, West Middlesex, Southwark, Grand Junction, and Lambeth Companies exhibited in all cases, excepting that of the Chelsea Company, a very marked increase in the amount of organic matter; the proportion, although considerably greater than in the previous month, is not in excess of what is usual at this time of the year. All the samples were clear and bright.

Of the water drawn from the Lea and distributed by the New River and East London Companies, the East London Company's water experienced the same increase in organic matter as the

Thames waters, whilst the New River Company's supply fully maintained the quality of the previous month's samples, and ranked, as regards the proportion of organic matter, with the best of the deep well waters. Both waters were clear and bright on delivery.

The deep-well water furnished by the Kent and Colne Valley Companies, and by the Tottenham Local Board of Health was of its usual excellent quality for drinking, and the Colne Valley Company by softening their supply with lime, thereby rendered it also well fitted for washing and all other domestic uses.

Seen through a stratum two feet deep, the waters presented the following appearances:—Kent, Colne Valley, Tottenham, and New River, clear and colourless; Chelsea and West Middlesex, clear and very pale yellow; East London, Southwark, Grand Junction, and Lambeth, clear and pale yellow.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that town was "clear and the organic matter comparatively small."

Dr. Mills, F.R.S., of Anderson's College, Glasgow, reports that the water supplied to that city from Loch Katrine "contained very little suspended matter."

I am, &c.

The Registrar General, &c. &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Mat- ter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.		°								
	Chelsea - - -	{ December 19th, Cab Rank, Horseguards, Whitehall. }	7·4	27·48	·132	·034	0	·215	·249	1·8	18·9
	West Middlesex -	{ December 19th, Cab Rank, Portland-road. }	7·3	28·24	·173	·037	0	·210	·247	1·8	19·1
	Southwark - - -	{ December 19th, Cab Rank, St. George's Church, Borough. }	7·0	30·14	·231	·025	0	·254	·279	1·9	19·4
	Grand Junction -	{ December 19th, Cab Rank, Uxbridge-rd., near Marble Arch. }	6·0	29·24	·243	·035	0	·253	·288	1·9	19·4
	Lambeth - - -	{ December 19th, Cab Rank, St. George's- road. }	7·4	30·16	·249	·037	0	·257	·294	1·9	19·4
Outer Circle.	LEA.										
	New River - - -	{ December 19th, Cab Rank, Tottenham Court-road. }	7·1	30·60	·044	·012	0	·312	·324	1·7	20·0
	East London - -	{ December 19th, Fire Brigade Station, Commercial-road, E. }	7·7	29·10	·229	·025	0	·262	·287	1·9	19·1
	DEEP WELLS.										
	Kent - - - - -	{ December 22nd, Greenwich Police Station, Blackheath-road. }	13·6	41·12	·042	·012	0	·551	·563	2·6	28·6
	{ Colne Valley - -	{ December 19th, Bushey. }	—	12·24	·038	·013	0	·383	·396	1·7	5·0
{ Tottenham - - -	{ December 15th, Tottenham. }	—	35·58	·062	·018	·060	0	·068	2·2	19·4	
Corporation of Birming- ham* - - - - -		{ December 3rd, 42, Winsor Green-road. }	9·4	31·50	·037	·028	·002	·163	·194	1·5	18·3
Corporation of Glasgow†		{ December 15th, Loch Katrine Water. }	5·8	3·06	·140	·022	0	·006	·028	·7	1·0
Column 1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, Medical Officer of Health and Analyst to the Borough.

† Analysed by Dr. E. J. Mills, F.R.S., of Anderson's College, Glasgow.

The numbers in columns 4–11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 19th December at the Horseguards cab rank, had a temperature of 7·4° C.; 100,000 lbs. of it contained 27·48 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·132 lb. of carbon and ·034 lb. of nitrogen. The above quantity of water also contained no ammonia, and ·215 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·249 lb. The above weight of water also contained 1·8 lb. of chlorine; and 18·9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY in 28 GREAT TOWNS, during the Week ending 10th January, 1885.

CITIES AND BOROUGHES.	Cols.	POPULATION estimated to the middle of the Year 1885.		Registered during the Week ending 10th Jan., 1886.		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.						RAINFALL.		CITIES AND BOROUGHES.
		Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1,000 corresponding to the		Fahrenheit.		In Inches.	In Centi- meters.		
																	From All Causes.	From Colds, &c.	Highest.	Lowest.			Mean.	
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	
28 TOWNS.	8,806,446	6376	4255	813	1212	36	88	51	42	91	37	27	143	305	740	113	24.9	2.2	51.0	24.6	37.6	3.12	0.59	1.50
LONDON.	4,083,928	2816	1356	334	636	34	14	16	26	38	16	11	67	144	445	29	25.0	2.0	50.6	26.6	38.0	3.33	0.57	1.45
BRIGHTON.	114,672	57	42	8	10	-	-	-	1	-	-	-	3	2	7	2	19.1	0.5	47.0	30.5	38.1	3.39	0.83	2.11
PORTSMOUTH.	134,659	101	55	14	19	-	-	-	1	-	-	-	3	6	7	2	21.3	0.4	-	-	-	-	-	-
NORWICH.	91,215	58	49	9	18	-	-	-	-	2	1	-	1	2	5	-	28.0	1.7	-	-	-	-	-	-
PLYMOUTH.	76,045	49	44	8	16	-	-	-	-	-	1	-	1	3	7	-	30.2	0.7	51.0	28.5	38.5	3.61	0.69	1.75
BRISTOL.	218,169	128	107	19	35	-	4	1	4	1	-	-	6	13	22	-	25.6	2.4	51.0	27.2	38.6	3.67	0.60	1.52
WOLVERHAMPTON.	79,185	71	46	6	11	-	-	1	1	6	-	1	2	3	4	-	30.3	5.9	46.9	24.6	34.6	1.45	0.56	1.42
BIRMINGHAM.	427,769	249	194	42	55	-	3	1	1	8	3	2	5	19	23	5	23.7	2.2	-	-	-	-	-	-
LEICESTER.	136,147	99	81	14	15	-	11	-	2	-	-	1	2	4	9	-	31.0	5.4	-	-	-	-	-	-
NOTTINGHAM.	211,424	152	92	30	24	-	-	-	-	-	-	-	4	5	5	-	22.7	0.5	47.8	27.5	36.2	2.33	0.21	0.53
DERBY.	89,631	60	35	10	8	-	-	-	1	-	-	-	1	4	1	2	20.4	0.6	-	-	-	-	-	-
BIRKENHEAD.	93,093	75	47	10	12	-	-	-	-	-	-	-	3	6	3	3	28.3	0.0	-	-	-	-	-	-
LIVERPOOL.	579,724	420	305	62	54	1	10	6	3	4	3	4	24	27	49	25	27.5	2.8	50.0	31.6	41.0	5.00	0.69	1.75
BOLTON.	110,085	96	40	8	8	-	1	-	1	-	-	1	3	4	1	1	19.0	1.4	47.3	35.9	35.9	2.17	1.76	4.47
MANCHESTER.	337,342	280	200	40	47	-	3	3	1	3	-	-	10	21	42	1	30.9	1.5	-	-	-	-	-	-
SALFORD.	204,075	161	87	18	18	-	-	2	1	2	2	1	2	3	13	5	22.2	1.8	-	-	-	-	-	-
OLDHAM.	126,830	104	58	14	18	-	-	1	-	1	-	-	4	4	12	11	23.9	0.8	-	-	-	-	-	-
BLACKBURN.	112,574	82	50	10	16	-	-	-	-	-	-	-	-	6	2	23.2	0.5	-	-	-	-	-	-	-
PRESTON.	100,406	76	67	17	20	-	-	-	-	-	-	-	-	1	7	4	34.8	1.0	46.0	32.0	37.8	3.23	0.55	1.40
HUDDERSFIELD.	87,827	65	38	14	8	-	3	-	-	-	-	-	-	1	1	4	23.7	2.4	-	-	-	-	-	-
HALIFAX.	77,378	49	33	6	6	-	-	-	-	-	-	-	-	2	8	2	22.3	3.4	-	-	-	-	-	-
BRADFORD.	214,431	139	84	16	26	-	2	1	-	3	2	-	-	2	7	3	20.4	1.9	47.2	31.4	38.5	3.61	0.15	0.38
LEEDS.	333,139	281	131	19	35	-	-	7	-	4	1	-	7	11	17	4	20.5	1.9	50.0	32.0	38.7	3.72	0.07	0.18
SHEFFIELD.	305,716	242	115	26	30	-	-	2	-	7	3	1	1	6	12	5	19.6	2.2	-	-	-	-	-	-
HULL.	186,292	156	98	17	29	-	3	-	-	2	1	2	3	4	10	3	27.5	2.2	47.0	27.0	35.5	1.95	0.39	0.99
SUNDERLAND.	125,827	101	53	9	11	-	2	2	1	2	1	-	2	3	4	2	22.1	3.3	-	-	-	-	-	-
NEWCASTLE.	153,209	130	81	12	22	1	8	2	1	-	3	-	1	2	11	1	27.6	5.1	-	-	-	-	-	-
CARDIFF.	37,034	95	67	21	5	-	24	1	1	2	-	-	1	3	4	-	36.0	15.1	-	-	-	-	-	-
EDINBURGH.	250,616	164	143	33	38	-	-	2	1	3	1	2	8	?	21	30	29.8	1.9	49.6	29.5	38.5	3.61	0.30	0.76
GLASGOW.	519,965	459	355	78	54	-	19	8	4	16	2	4	7	?	38	45	35.6	5.3	51.0	31.0	39.9	4.39	0.96	2.44
DUBLIN.	353,982	199	211	34	61	-	3	6	2	2	5	1	5	6	70	29	31.2	2.8	52.3	28.0	40.2	4.55	0.72	1.83

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FIRST Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2853	2448	2819	2878	2899	2570	2913	2799	3044	2926	3069.5	2816
Males	1451	1251	1456	1460	1471	1278	1533	1412	1538	1503	1565.1	1415
Females	1402	1197	1363	1418	1428	1292	1380	1387	1506	1423	1504.4	1401
TOTAL Deaths	2296	1526	1507	1892	1900	1754	1510	1853	1556	1663	1901.2	1956
Males	1110	746	804	926	894	867	751	933	831	844	954.8	945
Females	1186	780	703	966	1006	887	759	875	725	819	949.4	1011

* The numbers in this column are the average weekly numbers in the first week of the ten years 1875-84, raised by 9.646 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.
TOTAL Births	2812	2694	2745	2502	2558	2409	2587	2385	2614	2631	1832	3283	2816
TOTAL Deaths	1517	1463	1503	1516	1507	1521	1716	1764	1638	1595	1430	1918	1956
0-20	696	625	652	681	672	695	732	719	695	721	571	796	666
20-40	211	221	237	231	235	228	218	254	221	216	215	261	252
40-60	279	286	284	260	275	272	336	327	294	280	248	331	402
60-80	280	273	268	290	266	270	332	388	347	804	338	429	511
at 80 years & upwards	51	58	62	54	59	56	98	76	81	74	58	101	125
Deaths of children { Under 1 year	369	332	336	354	359	333	387	375	327	346	284	406	334
{ 1-5	229	197	224	234	209	223	237	247	238	262	198	248	225
{ 5-20	98	96	92	93	104	139	103	97	130	113	89	142	107
Deaths from Small-pox*	23	21	37	29	49	46	40	61	69	44	34	56	42
" " Measles	12	16	22	32	19	14	31	28	23	33	20	22	14
" " Scarlet Fever	27	22	28	32	36	36	27	23	22	26	16	28	16
" " Diphtheria	21	22	22	17	17	31	16	29	27	28	20	28	26
" " Whooping-cough	15	12	13	19	16	24	17	23	31	31	22	33	38
" " Typhus	-	-	-	1	2	2	1	1	-	1	1	-	-
" " Enteric fever	17	12	22	20	21	20	16	16	15	15	9	11	15
" " Simple Cont'd fever	1	3	5	2	1	1	3	-	1	4	1	-	1
" " Diarrhoea and Dysentery	44	27	26	22	19	15	7	12	6	9	7	15	11
" " Cholera	-	-	-	-	-	-	-	-	-	-	-	1	-
Deaths from the above-mentioned Diseases*	165	135	175	174	180	189	158	193	194	191	130	194	163
" " Dis. of Respiratory System	286	274	348	357	370	354	511	499	457	416	370	537	609
" " Phthisis	175	201	203	177	167	185	194	170	163	159	159	198	200
" " Dis. of Circulatory System	106	97	120	110	86	119	123	152	121	109	132	127	169
Violent Deaths	50	52	50	52	54	57	53	45	56	50	36	94	57
Inquest Cases	100	94	97	114	107	105	110	132	117	116	101	198	144
Deaths in Public Institutions	327	348	322	342	325	389	417	347	366	348	300	420	445
TEMPERATURE OF THE AIR:													
Mean	50.3	47.5	48.2	49.4	45.0	33.8	36.4	42.4	46.5	41.2	36.5	33.2	38.0
Mean of Highest readings	56.3	55.8	55.8	57.0	49.9	43.1	40.9	47.3	50.8	47.0	33.8	35.7	42.7
Mean of Lowest readings	44.5	39.1	41.0	41.6	40.8	33.7	37.0	37.0	41.6	35.1	34.1	30.3	31.9
Humidity of the Air	85	86	79	86	83	86	86	88	87	84	85	88	92
Rain-fall in inches	0.08	0.00	0.27	0.66	0.01	0.08	0.02	1.23	0.68	0.81	0.03	0.00	0.57
Registered Sunshine (in hours)	6.2	13.9	18.2	21.4	9.6	3.5	4.1	3.6	1.2	6.1	2.4	0.0	7.1

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharpley, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Philliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIRST Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 1st Weeks of the 10 Years 1875-84.	In the Week ending Saturday, 10th January, 1885.								CAUSES OF DEATH.	Corrected Averages for the 1st Weeks of the 10 Years 1875-84.	In the Week ending Saturday, 10th January, 1885.																		
		Deaths of Persons of the Ages										Deaths of Persons of the Ages																		
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.				80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.		80 Years and upwards.									
			0-1.	1-5.	5-20.			0-1.	1-5.					5-20.	0-1.	1-5.			5-20.											
ALL CAUSES - -	1904.2	1956	334	225	107	252	402	511	125	Diseases of Organs of Special Sense † - -	2.3	2	-	2	-	-	-	-	-	Diseases of Circulatory System - - -	116.8	169	-	-	10	25	59	64	11	
Small-pox { Vaccinated †	25.3	3	-	-	-	3	-	-	-	Croup - - -	15.8	23	2	17	4	-	-	-	-	-	Bronchitis - - -	327.7	404	57	35	2	7	92	176	35
Unvaccinated		20	3	1	6	6	4	-	-	Pneumonia - - -	112.8	127	17	29	3	19	30	26	3	-	Pleurisy - - -	5.6	11	-	1	1	3	1	4	1
No Statement		11	-	4	3	2	2	-	-	Other Diseases of Respiratory System - -	54.5	44	8	4	2	2	11	14	3	-	Dentition † - - -	17.0	17	12	5	-	-	-	-	-
Measles - - -	55.2	14	-	13	1	-	-	-	-	Quinsy, Sore Throat †	2.3	7	-	-	-	-	-	-	-	-	Enteritis - - -	6.3	7	2	-	1	2	1	1	-
Scarlet Fever - -	49.8	16	1	8	7	-	-	-	-	Peritonitis - - -	6.4	6	-	-	1	2	2	1	-	-	Diseases of Liver -	31.7	35	1	-	1	7	14	12	-
Typhus - - -	1.9	-	-	-	-	-	-	-	-	Other Diseases of Digestive System -	30.8	27	4	1	-	3	7	10	2	-	Diseases of Lymphatic System & of Ductless Glands † - -	2.0	1	-	-	-	-	-	1	-
Relapsing Fever †	0.0	-	-	-	-	-	-	-	-	Diseases of Urinary System - - -	34.3	51	-	2	1	7	15	23	-	-	Diseases of Generative System -	6.0	1	-	-	-	-	1	-	-
Influenza - - -	0.7	-	-	-	-	-	-	-	-	Accidents of Childbirth -	5.7	5	-	-	1	4	-	-	-	-	Diseases of Locomotive System † - -	8.7	2	-	-	1	-	1	-	-
Whooping-cough -	72.2	38	7	31	-	-	-	-	-	Diseases of Integumentary System - -	7.9	4	2	-	1	-	-	1	-	-	VIOLENT DEATHS.‡									
Diphtheria - - -	13.1	26	2	15	9	-	-	-	-	(ACCIDENT.)											Fracture and Contusion	29.5	21	1	1	2	5	7	5	-
Simple Continued and Ill-defined Fever -	4.4	1	-	1	-	-	-	-	-	Gunshot Wound - -	0.1	-	-	-	-	-	-	-	-	-	Cut, Stab - - -	0.7	1	1	-	-	-	-	-	-
Enteric Fever - -	20.5	15	-	-	5	8	2	-	-	Burn and Scald - -	11.9	8	-	4	2	-	2	-	-	-	Poison - - -	1.9	2	-	1	-	1	-	-	-
Cholera - - -	0.5	-	-	-	-	-	-	-	-	Drowning - - -	5.9	2	-	-	-	-	-	1	1	-	Suffocation - - -	19.4	13	11	1	-	-	-	-	-
Diarrhoea, Dysentery	14.4	11	3	2	-	-	6	-	-	Otherwise - - -	4.8	-	-	-	-	-	-	-	-	-	(HOMICIDE.)									
Remittent Fever †	0.3	-	-	-	-	-	-	-	-	Murder & Manslaughter	1.9	-	-	-	-	-	-	-	-	-	(SUICIDE.)									
Hydrophobia - -	0.1	-	-	-	-	-	-	-	-	Gunshot Wound - -	1.0	1	-	-	-	1	2	-	-	-	Cut, Stab - - -	0.8	3	-	-	-	-	2	1	-
Glanders - - -	0.0	-	-	-	-	-	-	-	-	Cut, Stab - - -	1.6	1	-	-	-	-	-	-	-	-	Poison - - -	1.3	1	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination † -	0.0	-	-	-	-	-	-	-	-	Drowning - - -	1.8	-	-	-	-	-	-	-	-	-	Hanging - - -	1.9	1	-	-	-	-	1	-	-
Venereal Affections	10.0	15	12	1	-	1	-	1	-	Otherwise - - -	0.2	4	-	-	1	-	-	-	3	-	(EXECUTION.)									
Erysipelas - - -	10.5	7	-	-	-	3	4	-	-	Hanging - - -	0.3	-	-	-	-	-	-	-	-	-	OTHER CAUSES † - -	63.3	63	53	4	1	2	2	1	-
Pyæmia and Septicæmia †	2.0	4	-	-	1	2	-	1	-																					
Puerperal Fever -	8.6	11	-	-	4	7	-	-	-																					
Other Zymotic Diseases †	2.3	3	1	2	-	-	-	-	-																					
Thrush - - -	1.4	2	2	-	-	-	-	-	-																					
Worms and other Parasitical Diseases - -	0.3	-	-	-	-	-	-	-	-																					
Starvation, Want of Breast-milk † -	3.7	3	2	-	-	1	-	-	-																					
Alcoholism - - -	6.4	4	-	-	-	1	3	-	-																					
Rheumatic Fever and Rheumatism of Heart	12.9	3	-	-	1	1	1	-	-																					
Rheumatism - - -		5	-	-	-	-	1	4	-																					
Gout - - -		2.4	5	-	-	-	1	3	1	-																				
Rickets † - - -	1.3	2	1	1	-	-	-	-	-																					
Cancer - - -	46.3	53	-	-	-	10	20	19	4																					
Tabes Mesenterica	25.1	10	9	1	-	-	-	-	-																					
Tubercular Meningitis	26.9	20	11	5	4	-	-	-	-																					
Phthisis - - -	175.1	200	1	7	15	97	68	12	-																					
Serofula, Tuberculosis	13.6	6	2	1	2	-	1	-	-																					
Other Constitutional Diseases †	10.0	14	-	-	1	2	6	5	-																					
Premature Birth -	31.8	46	46	-	-	-	-	-	-																					
Atelectasis † - -	1.3	2	2	-	-	-	-	-	-																					
Congenital Malformations - -	7.9	9	9	-	-	-	-	-	-																					
Old Age - - -	69.8	86	-	-	-	-	40	46	-																					
Apoplexy - - -	54.2	62	2	-	1	3	20	26	10																					
Epilepsy - - -	7.2	10	-	-	3	4	1	1	1																					
Convulsions - - -	59.4	42	38	6	-	-	-	-	-																					
Other Diseases of Brain and Nervous System †	96.3	121	11	19	9	9	16	48	9																					

* The numbers in this column are the average weekly Deaths at the ten years 1875-84, raised by 9.048 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

¶ Exclusive of 8 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of															
				Deaths from															
				Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes.	
LONDON	3,816,433	2816	1956	334	636	34	14	16	26	38	-	15	1	11	57	144	445	29	
WEST DISTRICTS.																			
St. Mary Paddington WHH	G.J. & W.M.	66688	87	38	5	11	-	1	-	2	-	-	-	-	-	-	2	3	-
St. John Paddington H	- G.J.	37330	17	19	2	6	-	-	-	-	-	-	-	-	2	-	6	3	-
Kenington Town WW	- W.M.	120141	64	64	9	34	-	-	-	1	-	-	1	-	1	1	29	-	-
Brompton H	- W.M. & C.	48010	17	17	1	5	-	-	-	-	-	-	-	-	-	-	6	-	-
St. Peter Hammersmith	- W.M.	7299	1	4	-	4	-	-	-	-	-	-	-	-	1	1	-	-	-
St. Paul Hammersmith H	W.M. & G.J.	64340	48	33	8	7	-	-	-	1	-	-	-	-	1	4	1	1	-
Fulham WWH	- W.M. & C.	42000	64	26	6	8	1	-	-	-	-	1	-	1	-	2	5	-	-
Chelsea South HHH	- C.	30396	25	17	5	8	-	-	-	-	-	-	-	-	1	1	-	-	-
Chelsea North-west WHHHH	- C.	24925	19	25	3	9	-	-	-	-	-	-	-	-	1	1	-	-	-
Chelsea North-east	- C.	32807	33	16	4	7	-	-	-	1	-	-	-	-	1	1	16	-	-
Hanover Square H	- G.J.	16862	5	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
May Fair WH	- G.J.	13191	4	8	-	5	-	-	-	-	-	-	-	-	-	-	7	-	-
Belgrave HH	- C.	59220	27	29	4	10	-	-	1	-	-	-	-	-	1	1	9	1	-
St. John Westminster HH	- C.	35496	24	17	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster H	- C.	24679	9	7	-	3	-	-	-	-	-	-	-	-	1	1	2	-	-
St. James Westminster WH	N.R. & G.J.	29641	12	11	2	3	-	1	-	-	1	-	-	-	-	1	1	-	-
St. Anne Soho HHHHH	- N.R.	16668	7	8	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-
NORTH DISTRICTS.																			
All Souls Marylebone HHHH	- W.M.	26759	8	10	1	2	-	-	2	-	-	1	-	-	-	1	5	-	-
Camden Square HHH	- W.M.	14881	6	8	1	1	-	-	-	-	-	-	-	-	-	3	-	-	-
Rectory Marylebone WH	G.J. & W.M.	24809	13	12	2	5	-	1	-	-	-	-	-	1	-	-	2	-	-
St. Mary Marylebone HHH	G.J. & W.M.	21118	21	9	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Christchurch Marylebone H	- W.M.	33700	25	14	4	5	-	-	1	-	-	-	-	-	-	-	-	-	-
St. John Marylebone H	- W.M.	33683	12	13	2	7	-	-	-	1	-	-	-	-	-	-	-	-	-
Hampstead WWHHH	N.R. & W.M.	45432	31	22	4	11	4	-	2	-	-	-	-	-	-	2	5	-	-
Regent's Park Paneras H	- W.M.	39115	18	11	1	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Tottenham-court WHHH	N.R. & W.M.	27729	21	23	6	3	1	-	-	-	-	-	-	-	1	2	6	-	-
Gray's Inn Lane HHH	- N.R.	30247	21	23	6	3	-	1	-	-	-	-	-	-	1	4	4	-	-
Somers Town H	- N.R.	34369	19	24	3	12	-	-	-	-	-	-	-	-	-	1	4	-	-
Camden Town WH	- N.R.	17311	63	42	13	13	-	-	-	-	-	1	-	-	1	3	14	4	-
Kenish Town W	- N.R.	37487	40	47	2	19	2	-	5	2	-	-	-	-	-	1	1	15	-
Upper Holloway WWHH	- N.R.	67946	71	33	2	15	2	-	-	1	-	-	-	-	-	1	4	1	-
Islington South-west H	- N.R.	100076	42	34	6	12	-	-	-	-	-	-	-	-	-	1	1	-	-
Islington South-east	- N.R.	61823	33	14	4	3	-	1	-	1	-	1	-	-	-	2	3	-	-
Highbury H	- N.R.	53048	11	7	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Stoke Newington H	- N.R.	22781	10	4	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Stamford Hill	- E.L.	9277	28	10	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-
West Hackney	- N.R.	37610	57	57	12	22	6	-	-	-	-	-	-	-	-	-	-	-	-
Hackney WWHHHL	- E.L. & N.R.	76911	27	10	1	1	-	1	-	1	-	1	-	-	-	1	1	30	-
South Hackney	- E.L.	39883																	
CENTRAL DISTRICTS.																			
St. George Bloomsbury	- N.R.	14681	7	6	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-
St. Giles South WH	- N.R.	14864	17	18	1	7	-	-	1	-	-	-	-	-	-	-	11	-	-
St. Giles North	- N.R.	13837	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HHH	N.R. & C.	17508	10	11	3	2	-	-	-	-	-	-	-	-	-	1	2	5	1
St. Mary-le-Strand H	- N.R.	7515	6	3	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-
St. Clement Danes H	- N.R.	8559	6	7	-	2	-	-	-	-	-	-	-	-	-	2	2	6	-
St. George-the-Martyr HHHHHH	N.R.	18671	7	12	4	1	-	1	-	-	-	-	-	-	-	-	-	5	-
St. Andrew Eastern W	- N.R.	10706	2	5	2	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Saffron Hill H	- N.R.	6533	12	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkwell	- N.R.	17516	15	7	3	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Amwell Clerkwell	- N.R.	19281	16	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville	- N.R.	14773	16	8	1	1	-	-	-	-	-	1	-	-	-	-	2	-	-
Goswell-street	- N.R.	17506	12	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Old-street H	- N.R.	11541	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHL	- N.R.	18628	24	11	5	2	-	-	-	-	-	-	-	-	-	1	-	2	-
Whitecross-street	- N.R.	9217	9	6	3	2	-	-	-	1	-	1	-	-	-	-	-	-	-
Flussbury	- N.R.	7463	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H	- N.R. & E.L.	11174	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate	- N.R.	7193	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H	- N.R.	3353	1	20	-	5	-	-	-	-	-	1	-	-	-	3	5	16	-
St. Bride W	- N.R.	8396	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking	- N.R.	13606	2	6	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Broad Street H	- N.R.	5652	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. the Kent Company.

REGISTRATION, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT day, the 10th January, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include													
					Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Stomach con- taminated Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
EAST DISTRICTS.																		
Well Shoreditch	N.R. & E.L.	7376	5	4	1	2	-	-	-	-	-	-	-	-	1	-	-	-
Edward Shoreditch	N.R.	14967	8	7	-	3	-	-	-	-	-	-	-	-	-	-	-	1
on New Town	N.R.	29887	18	17	3	6	-	-	-	-	1	-	-	-	-	-	7	-
on Old Town	N.R.	28036	22	17	5	5	-	-	-	-	1	-	-	-	-	-	2	-
erston	N.R. & E.L.	46275	34	24	2	8	-	-	-	-	-	1	-	-	-	-	4	7
ney-road	H	26738	23	5	1	3	-	-	-	-	-	-	-	-	-	1	-	-
n, Bethnal Green	WHL	47982	34	29	7	5	1	-	-	-	-	-	-	-	-	-	13	-
ch, Bethnal Green	-	29981	23	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
n, Bethnal Green	-	19310	19	11	1	6	-	-	-	-	-	-	1	-	-	-	-	-
fields	H	22585	15	11	5	2	-	-	-	-	-	-	-	-	-	1	-	-
End New Town	W	15473	16	14	1	6	-	1	-	-	-	-	-	-	-	-	8	-
chapel Church	H	17490	10	25	1	3	-	-	-	-	-	-	-	2	2	20	-	-
man's Fields	-	9713	6	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
ate	-	6102	6	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-
George's North	-	88747	39	17	3	3	-	-	-	-	1	-	-	-	2	4	-	-
ohn, St. George East	W	8410	3	8	-	5	-	-	1	-	-	-	-	-	-	7	-	-
well	H	16395	9	9	3	1	-	1	-	-	1	-	-	-	-	-	5	1
ff	-	16107	14	5	2	1	-	-	1	1	-	-	-	-	-	-	-	-
house	-	32041	31	7	3	-	-	-	1	-	-	-	-	-	-	1	-	1
End Old Town West	-	87960	36	22	5	4	-	-	2	-	-	-	-	-	-	-	-	-
End Old Town East	WHL	67653	48	37	4	15	1	1	-	-	-	-	-	2	2	10	-	-
ley	WHL	37074	33	8	1	2	-	-	-	-	-	-	-	-	1	3	-	-
ar	WHL	64359	64	42	10	12	-	-	1	-	1	-	1	-	4	6	18	-
	-	55077	47	25	5	6	-	-	1	-	-	-	-	-	2	6	-	-
SOUTH DISTRICTS.																		
church Southwark	WHL	13663	11	16	1	7	-	-	-	-	-	-	-	-	-	-	4	1
aviour Southwark	H	14999	13	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
-road	-	21381	18	7	1	2	-	-	-	-	-	-	-	-	-	1	-	-
ugh-road	WHL	15693	10	7	-	-	-	-	-	-	-	-	1	-	-	-	1	-
on-road	HL	21318	12	9	2	4	-	-	-	-	1	-	-	-	-	-	-	-
ty Newington	-	26672	23	9	1	1	-	-	-	-	1	-	-	-	-	-	-	-
eter Walworth	W	55555	45	50	5	20	1	-	-	-	-	-	-	1	1	2	20	-
ary Newington	-	21623	16	18	4	2	1	-	-	1	1	-	1	-	-	1	-	1
ave	WHL	11956	9	11	3	1	-	-	-	-	-	-	-	-	1	1	8	-
er Market	-	16300	21	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ary Magdalen	W	15669	8	14	-	7	-	-	-	-	-	-	-	-	-	-	-	-
ames Bermondsey	-	54683	53	24	4	2	-	1	-	2	-	-	-	-	-	2	-	1
erithie	W	36024	27	18	3	6	-	-	1	1	-	-	-	-	1	3	6	-
orio-road 1st	H	15195	10	8	1	4	-	-	-	-	-	-	-	-	1	2	1	2
orio-road 2nd	H	18361	25	12	3	1	-	-	-	-	2	-	-	-	-	-	-	-
eth Church 1st	H	19876	16	18	2	6	-	-	-	-	-	-	-	-	3	3	9	-
eth Church 2nd	WHL	39859	35	29	4	9	-	-	-	-	2	-	-	-	2	2	15	-
ington 1st	-	45232	30	23	3	8	-	1	-	-	-	-	-	-	-	1	-	-
ington 2nd	-	35382	50	13	2	4	-	-	-	1	-	-	-	-	-	-	-	3
on	WHL	62887	26	26	5	11	1	-	-	-	-	1	-	-	2	3	2	-
ood	W	19017	16	6	2	2	-	-	1	1	-	-	-	-	-	-	-	-
am	H	36380	18	16	3	7	-	-	-	-	-	-	-	-	-	1	-	-
Battersea	-	54675	53	21	3	6	-	-	-	-	-	-	-	-	1	2	-	-
Battersea	WHL	52587	61	28	4	9	-	-	-	1	-	-	-	-	-	-	6	-
aworth	HL	28004	25	12	1	6	-	-	-	-	-	-	-	1	-	-	6	-
ey	-	13235	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tham	-	25563	18	14	3	6	-	-	-	-	-	-	-	-	-	-	-	1
ch	-	5590	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
erwell	WHL	59104	63	34	5	14	-	-	-	-	-	-	-	-	-	-	17	-
ham	W	71089	51	42	10	13	-	2	1	-	1	-	-	-	1	4	-	4
George Camberwell	-	50810	40	29	4	7	-	-	-	1	4	-	-	-	-	-	-	2
aul Deptford	WHL	76712	80	45	8	10	14	2	1	-	-	-	-	-	-	-	15	1
icholas Deptford	-	7901	6	6	2	2	-	-	-	-	-	-	-	-	-	-	-	1
nwich West	-	21972	14	8	1	3	-	-	-	-	1	-	-	-	-	-	-	-
nwich East	WHL	24608	21	21	-	8	-	-	-	-	1	-	-	-	-	-	9	-
am	H	3627	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ham	WHL	21579	15	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
ham	H	19865	20	7	1	4	-	1	-	-	-	-	-	-	-	-	1	1
ham	H	26076	15	11	3	4	-	-	-	-	1	-	1	-	1	-	-	-
ton	H	10980	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
nwich Dockyard	-	17617	20	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nwich Arsenal	HHH	19448	18	6	1	4	-	-	-	-	-	-	-	-	-	-	-	2
stead, West	H	14069	4	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
stead, East	W	19241	19	10	4	2	-	-	-	1	-	-	-	-	-	-	-	-

Following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by w:-

Central London Sick Asylum, in Tottenham Court-road sub-district.	London City Workhouse in Mile End Old Town Eastern sub-district.
London City Workhouse in Islington East sub-district.	Stepney Bromley sub-district.
Colborn Infirmary	Poplar & Stepney Sick Asylum
London City Workhouse	Westminster Union Industrial School in West Battersea sub-district.
Colborn	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Whitechapel	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 10th January, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, Includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON—OUTER RING		370,282	950,178	840	452	79	140	14	7	3	9	11	3	1	10	25	45	
30: 1	Carshalton <i>wL</i> - -	12228	21118	12	9	-	1	-	-	-	-	-	-	-	-	-	4	
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	5	3	-	2	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone (<i>part of</i>) * -	2754	1235	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon <i>WH</i> - -	20851	101241	81	42	4	14	1	2	-	-	2	1	-	1	1	11	
	Mitcham - -	11697	17932	16	5	-	1	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon <i>HHH</i> - -	3220	15950	10	8	4	3	-	-	-	-	-	-	-	-	-	-	
2	Kingston <i>WHH</i> - -	8549	36354	27	24	2	10	-	-	-	1	2	-	-	1	1	3	
3	Esher (<i>part of</i>) * -	6601	9221	10	1	-	1	-	-	-	-	-	-	-	-	-	-	
4	Hampton <i>H</i> - -	4573	13339	16	8	2	4	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond <i>WH</i> - -	2272	21302	0	8	2	1	-	-	-	-	1	1	-	-	-	1	
2	Mortlake - -	941	12331	11	3	-	1	-	-	-	-	-	-	-	-	-	-	
41: 1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	28	11	4	1	-	-	-	-	-	-	1	-	-	-	
2	Chislehurst(<i>pt. of</i>) * <i>WHH</i>	13665	15065	13	2	-	2	-	-	-	-	-	-	-	-	-	1	
42: 1	Bexley <i>H</i> - -	13437	24134	20	2	1	1	-	-	-	-	-	-	-	-	-	-	
124: 1	Sunbury <i>w</i> - -	11055	11685	6	5	2	1	-	-	-	-	-	-	-	1	1	-	
2	Staines <i>W</i> - -	13277	12089	12	4	-	3	-	-	-	-	-	-	-	-	1	-	
125: 1	Hillingdon <i>WH</i> - -	6029	10802	8	9	2	-	-	-	-	-	-	-	-	-	1	-	
2	Uxbridge - -	6178	5225	9	2	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>wHL</i> - -	14587	11523	4	7	1	2	-	-	-	-	1	-	-	-	-	3	
126: 1	Isleworth <i>W</i> - -	7008	22727	9	11	-	8	-	-	-	-	-	-	-	-	2	1	
2	Twickenham <i>H</i> - -	2477	12479	6	3	1	1	-	-	-	-	-	-	-	-	-	-	
3	Brentford <i>HL</i> - -	4345	27649	42	13	4	2	-	-	-	-	-	-	-	-	-	-	
4	Chiswick - -	1340	15975	11	5	1	2	-	-	-	-	1	-	-	1	1	-	
5	Acton <i>wH</i> - -	6083	22876	19	21	5	5	-	1	-	-	-	-	-	-	-	-	
127: 1	Harrow <i>H</i> - -	13809	12796	8	4	2	1	-	-	-	-	-	-	-	-	-	-	
2	Edgware <i>H</i> - -	6994	3749	6	2	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - -	4383	27453	22	20	2	6	-	-	-	3	-	-	-	-	1	-	
4	Hendon <i>W</i> - -	8382	10484	17	11	3	3	-	-	-	-	1	-	-	-	1	2	
128: 1	South Mimms - -	15599	6391	7	2	1	-	-	-	-	-	-	-	-	1	1	-	
2	Barnet † <i>W</i> - -	5433	10092	5	3	1	1	-	-	-	-	-	-	-	-	-	-	
3	Finchley <i>HL</i> - -	4688	17615	17	9	-	5	-	-	-	-	-	-	-	-	-	2	
129: 1	Hornsey <i>H</i> - -	3039	37078	27	9	1	3	-	-	-	1	-	-	-	-	-	-	
2	Tottenham <i>HH</i> - -	4642	46456	58	33	6	13	-	1	-	-	-	-	-	-	1	-	
3	Edmonton <i>Ww</i> - -	7483	23463	13	12	2	7	1	-	1	-	2	-	-	1	1	5	
4	Enfield <i>WH</i> - -	12653	19104	18	6	1	2	-	-	-	1	-	-	-	-	-	-	
5	Waltham Abbey - -	11017	5368	6	4	2	2	-	-	-	-	-	-	-	-	1	-	
6	Cheshunt - -	8480	7735	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield (<i>part of</i>) * -	3306	583	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey - -	9331	6621	3	1	-	1	-	-	-	-	-	-	-	-	-	-	
186: 1	Stratford - -	882	38606	31	16	1	5	-	-	1	-	-	-	-	1	2	-	
2	West Ham <i>wvwH</i> - -	7351	101053	111	65	14	16	12	-	1	-	1	-	-	-	6	4	
3	Leyton <i>WwL</i> - -	4372	32430	37	29	3	9	-	1	-	1	-	1	-	2	2	8	
4	Walthamstow <i>wH</i> - -	6520	28869	89	9	3	1	-	1	-	-	-	-	-	1	1	-	
187: 1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9669	11	2	1	-	-	-	-	-	-	-	-	-	-	-	
189: 1	Romford (<i>part of</i>) * -	6730	3411	6	1	-	1	-	-	-	-	-	-	-	-	-	-	
2	Ilford - -	8493	7645	4	3	-	-	-	1	-	2	-	-	-	-	-	-	
3	Barking Town - -	4127	9203	5	3	1	2	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Hoadley (pop. 1385); 37:1, the two parishes of Warlingham and Earle in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1963); 41:1, the whole of Bromley sub-district except the two parishes of Cudham and Knockholt (pop. 1813); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 187:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 189:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 10th January, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
ATER LONDON	448,334	5,093,995	24.2	2.0	2408	413	785	48	21	19	35	49	19	12	67	490	
INNER LONDON -	78,052	4,019,361	25.0	2.0	1956	334	636	34	14	16	26	38	16	11	57	445	
UTTER RING -	370,282	1,074,634	21.1	2.2	452	79	149	14	7	3	9	11	3	1	10	45	

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 522 square miles, which is equivalent to the area of a circle having a radius of 14,933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,017,632 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	November 22	-	307	38.9	Small-pox 2; fevers 108; cholera 51.
BOMBAY - -	773,196	December 2	-	446	28.1	Cholera 11; fevers 144.
MADRAS - -	398,777	November 21	291	384	50.0	Small-pox 3; fevers 90; cholera 3.
PARIS - - -	2,239,928	January 3	1162	1157	26.6	Typh. fev. 21; measles 28; cholera 3.
GENEVA - -	70,765	" 3	30	26	19.2	-
BRUSSELS - - (with 8 Faubourgs)	426,814	December 27	269	187	21.9	Croup 13; typhus and typhoid fever 3.
AMSTERDAM -	361,314	January 3	286	226	32.0	Scar. fev. 21; whooping-cough 10.
ROTTERDAM -	166,001	" 3	113	86	27.0	Scarlet fever 4; small-pox 1.
THE HAGUE -	131,417	" 3	99	53	21.0	Croup 6.
COPENHAGEN -	267,000	" 6	215	129	25.2	Measles 13; typhd. fev. 3.
STOCKHOLM -	181,738	December 27	120	101	27.6	Scarlet fever 6.
CHRISTIANIA -	124,000	January 3	70	52	21.5	Whooping-cough 5; diph. and croup 7.
ST. PETERSBURG	928,016	December 27	-	508	28.6	Typhoid fever 12; diphtheria 11.
BERLIN - -	1,242,407	" 20	820	580	24.0	Diphtheria 44; measles 22.
HAMBURG (State)	467,258	" 27	383	233	26.0	Diphtheria and croup 8; whooping-cough 7.
DRESDEN - -	236,000	" 27	138	100	24.0	Diphtheria 13; croup 4.
BRESLAU - -	292,000	" 27	195	128	22.7	Whooping-cough 4.
MUNICH - -	240,000	January 3	163	136	29.0	Measles 5.
VIENNA - -	759,849	December 27	509	357	24.4	Small-pox 3; diph. 4.
PRAGUE - -	272,333	January 3	-	149	28.5	Small-pox 4; scar. fev. 6; diph. and croup 5.
BUDA-PESTH -	416,474	December 20	290	212	26.5	Typhus and typhoid fever 4.
TRIESTE - -	148,245	" 6	-	-	-	-
ROME - -	318,658	" 6	212	155	25.4	Small-pox 1; malarial fever 4.
NAPLES - -	494,015	" -	-	-	-	-
TURIN - -	262,521	November 29	152	181	36.0	Small-pox 10; typhoid fever 5.
VENICE - -	144,888	December 27	83	103	37.1	Small-pox 8; typhoid fever 2.
MADRID - -	475,668	" 21	-	-	-	-
LISBON - -	203,681	" 6	65	168	43.0	Small-pox 7; typhoid fever 2.
ALEXANDRIA -	212,024	" 13	236	132	32.5	Typhus and typhoid fever 3.
NEW YORK -	1,348,375	" 13	-	658	25.3	Diph. 34; measles 16.
BROOKLYN -	644,526	" 13	-	290	23.5	Diphtheria 10; croup 13.
PHILADELPHIA	927,995	" 20	-	359	20.2	Scarlet fever 15; typhoid fever 12; diph. 12.
BALTIMORE -	408,520	" 20	-	141	18.0	Diphtheria 8.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 2. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, JANUARY 17. [Price 1½d.

General Register Office, Somerset House,
19th January, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 24·2 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the past four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.		Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.
Birkenhead	13·2	26·4	26·3	25·8	Liverpool -	25·0	28·1	27·5	24·5
Birmingham	20·8	22·8	23·7	27·6	London -	18·6	24·9	25·0	23·7
Blackburn -	19·4	26·4	23·2	29·7	Manchester -	26·5	26·4	30·9	29·7
Bolton -	19·6	22·0	19·0	31·3	Newcastle-on-Tyne	20·7	29·3	27·6	21·5
Bradford -	19·4	22·9	20·4	20·9	Norwich -	24·8	32·9	28·0	29·7
Brighton -	16·2	24·9	19·1	19·1	Nottingham -	18·3	25·2	22·7	20·2
Bristol -	18·9	21·8	25·6	27·3	Oldham -	16·6	25·5	23·9	23·9
Cardiff -	25·7	34·6	36·0	32·8	Plymouth -	13·8	20·0	30·2	31·6
Derby -	18·5	21·4	20·4	19·2	Portsmouth -	16·9	21·2	21·3	24·0
Halifax -	25·9	21·8	22·3	29·0	Preston -	28·3	32·5	34·8	29·6
Huddersfield	19·4	20·0	22·7	22·7	Salford -	15·9	28·8	22·2	22·2
Hull -	26·8	22·2	27·5	16·0	Sheffield -	18·2	22·4	19·6	20·8
Leeds -	20·2	23·9	20·5	22·4	Sunderland -	28·4	22·0	22·1	23·3
Leicester -	32·2	24·8	31·0	21·5	Wolverhampton -	22·0	26·6	30·3	31·6

The highest annual death-rates from measles, measured by last week's mortality, were 1·6 in Preston, 2·1 in Sunderland, 2·7 in Leicester, and 7·0 in Cardiff; from whooping-cough, 1·7 in Bristol, 2·6 in Wolverhampton, and 3·1 in Preston; from scarlet fever, 1·3 in Leeds and 2·0 in Halifax; and from "fever," 1·2 in Derby. The 34 deaths from diphtheria in the twenty-eight towns included 14 in London, 4 in Portsmouth, 2 in Manchester, and 2 in Salford. Small-pox caused 78 deaths in London and its outer ring of suburban districts, 2 in Liverpool, and one in Birmingham.

LONDON.

In LONDON 2876 BIRTHS and 1855 DEATHS were registered. Allowing for increase of population, the births and the deaths both exceeded by 42 the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·6, 24·9, and 25·0 in the three preceding weeks, declined to 23·7 last week.

The 1855 deaths included 47 from small-pox, 27 from measles, 21 from scarlet fever, 14 from diphtheria, 40 from whooping-cough, 8 from enteric fever, 1 from an ill-defined form of continued fever, 8 from diarrhoea and dysentery, 1 from cholera, and not one from typhus; thus, 167 deaths were referred to these diseases, being 82 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 33 and 34 in the two preceding weeks, further rose to 47 last week, and were 24 above the corrected weekly average. These 47 deaths exclude 23 deaths of London residents from this disease recorded in the Metropolitan Asylum Hospitals situated outside London. Of the 70 fatal cases, 47 were recorded in the Metropolitan Asylum Hospitals, 6 in the Highgate Small-pox Hospital, and 17 in private dwelling-houses. After distributing the hospital cases, 5 belonged to Islington, 5 to

Hackney, 3 to Bethnal Green, 4 to Whitechapel, 8 to Poplar district, 7 to Newington, 4 to Bermondsey, 7 to Camberwell, and 5 to Greenwich and Deptford. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1079, 1013, and 1001 on the three preceding Saturdays, were 1009 at the end of last week; the admissions, which had been 161, 171, and 224 in the three previous weeks, were 216 last week. The Highgate Small-pox Hospital contained 96 patients on Saturday last, 29 cases having been admitted during the week.

The 27 fatal cases of *measles* showed an increase of 13 upon the low number in the previous week, but were 20 below the corrected average weekly number; 4 occurred in Camberwell. The deaths from *scarlet fever*, which had been 28 and 16 in the two previous weeks, rose again to 21 last week, but were 32 below the corrected average; after distributing the hospital cases, 16 of the 21 belonged to the East group of registration districts, including 6 to Mile End Old Town, 3 to Whitechapel, 2 to Shoreditch, and 4 to Poplar District. The Metropolitan Asylum Hospitals contained 300 scarlet fever patients on Saturday last, 23 having been admitted during the week, against 19 and 33 in the two previous weeks. The 14 deaths referred to *diphtheria* showed a marked decline from the 28 and 26 returned in the two previous weeks, but were 2 above the corrected average; after distributing the hospital cases, 2 belonged to Islington, and 2 to Camberwell. The 40 fatal cases of *whooping-cough* showed a further slight increase upon the low numbers returned in recent weeks, but were 32 below the corrected average; 4 occurred in Kensington, and 4 in Islington. The 8 deaths attributed to *diarrhœa* and *dysentery* were 7 below the corrected average. The death of an adult in Chelsea, was referred to "English cholera, 2 days."

The 8 deaths referred to *enteric fever* showed a considerable decline from the numbers in recent weeks, and were 11 below the corrected average; after distributing the hospital cases, 2 belonged to Pancras, and 2 to Islington. The death of an adult in Gatliff Buildings, St. George Hanover Square, was indefinitely referred to "continued fever, 3 weeks." In the Metropolitan Asylum Hospitals, 56 cases of enteric fever, and 3 of typhus, were under treatment on Saturday last; 6 cases of enteric fever and one of typhus were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 370, 537, and 609 in the three preceding weeks, declined again last week to 552, but exceeded the corrected weekly average by 53.

Different forms of violence caused 65 deaths; 57 were the result of negligence or accident, among which were 16 from fractures and contusions, 19 from burns and scalds, 7 from drowning, and 12 of infants under one year of age from suffocation. The 16 deaths from fractures and contusions were thus returned:—males, aged 55 and 77 years, run over by cab; male 4, fell from van; male 40, crushed by buffers on railway; males 33, 77, female 49, fell in street; male 82, female 73, fell down stairs or steps; females 67, 74, fell in room; male 1, fell from chair; female 50, fell from bed; female 4 months, by blow against table; male 57, fell from window; and female 76, by fall. An inquest was held in each of these 16 cases. Seven cases of suicide were registered.

GREATER LONDON.

In Greater London 3598 births and 2306 deaths were registered, equal to annual rates of 36.1 and 23.1 per 1000 of the population. In the Outer Ring 31 fatal cases of small-pox, 11 of measles, and 7 of diphtheria, were registered; 28 of the deaths from small-pox were registered in West Ham sub-district, of which 9 occurred in the Metropolitan Asylum Hospital at Plaistow. Six of the 11 deaths from measles and 3 of the 7 fatal cases of diphtheria were returned in West Ham district.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29.56 in.; the lowest reading was 28.77 in. on Sunday morning, and the highest 29.92 in. at the end of the week. The mean temperature of the *air* was 35.1, and 3.2 below the average in the corresponding week of the 20 years ending 1868. The mean showed an excess on Sunday the 11th instant, but was below the average throughout the remainder of the week. The general direction of the *wind* was northerly, and the horizontal movement of the air averaged 21.0 miles per hour, which was 7.5 miles above the average in the corresponding week of 16 years. *Rain* fell on six days of the week, to the aggregate amount of 0.27 of an inch. The duration of registered bright sunshine in the week was 1.4 hours, against 6.6 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY in 28 GREAT TOWNS, during the Week ending 17th January, 1885.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the year 1885.	Registered during the Week ending 17th Jan., 1885.		The DEATHS registered in the Week include													TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGH.											
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from								Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unspecified Causes of Death.		Mean.		In Inches.	In Cent.							
						Small-pox.	7.	8.	9.	10.	11.	12.	13.												14.	15.			16.	17.	18.	19.	20.	21.	22.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.										
28 TOWNS-	8,506,446	6909	4127	828	1089	50	70	59	34	108	28	21	138	271	731	93	24-2	2-2	51-0	25-1	35-5	1-95	0-35	0-89	- 28 TOWNS.										
LONDON -	4,083,928	2876	1855	354	519	47	27	21	14	40	9	8	66	134	407	27	23-7	2-1	44-3	28-9	35-1	1-73	0-27	0-69	LONDON.										
BRIGHTON -	114,672	68	42	2	16	-	-	-	-	-	-	-	2	3	9	27	19-1	0-0	43-5	28-5	34-7	1-50	0-13	0-33	BRIGHTON.										
PORTSMOUTH -	134,659	99	62	7	24	-	-	-	4	-	-	-	2	2	12	3	24-0	1-9	-	-	-	-	-	-	PORTSMOUTH.										
NORWICH -	91,215	47	52	12	17	-	-	-	-	2	1	1	3	3	7	3	29-7	2-3	-	-	-	-	-	-	NORWICH.										
PLYMOUTH -	76,045	53	46	12	20	-	-	-	-	-	-	-	-	1	8	-	31-6	0-0	51-0	29-0	37-7	3-17	0-19	0-48	PLYMOUTH.										
BRISTOL -	218,169	141	114	19	41	-	2	2	-	7	2	1	2	6	17	-	27-3	3-3	44-8	27-5	34-9	1-61	0-38	0-97	BRISTOL.										
WOLVERHAMPTON -	79,185	71	48	7	19	-	-	-	-	4	-	-	4	4	13	-	31-6	2-6	49-5	25-1	34-0	1-11	0-10	0-25	WOLVERHAMPTON.										
BIRMINGHAM -	427,769	272	226	44	55	1	1	3	1	12	1	1	8	18	39	6	27-6	2-4	-	-	-	-	-	-	BIRMINGHAM.										
LEICESTER -	136,147	83	56	7	17	-	7	-	-	-	-	-	1	7	6	-	21-5	2-7	-	-	-	-	-	-	LEICESTER.										
NOTTINGHAM -	211,424	145	82	23	23	-	-	-	-	4	1	-	3	3	10	1	20-2	1-2	49-7	30-8	38-5	2-50	0-85	2-16	NOTTINGHAM.										
DERBY -	89,691	80	53	10	6	-	-	-	-	-	2	-	-	4	5	-	19-2	1-2	-	-	-	-	-	-	DERBY.										
BIRENHEAD -	93,093	57	46	5	15	-	-	1	1	-	-	-	1	2	6	2	25-8	1-1	-	-	-	-	-	-	BIRENHEAD.										
LIVERPOOL -	579,724	404	272	54	52	2	3	6	6	8	2	2	12	13	42	14	24-5	2-6	42-0	30-9	38-1	2-28	0-03	0-08	LIVERPOOL.										
BOLTON -	110,085	82	66	17	12	-	3	-	-	2	-	1	1	5	4	-	31-3	2-8	40-2	25-7	33-7	0-95	0-06	0-15	BOLTON.										
MANCHESTER -	337,342	261	192	39	38	-	1	3	2	7	2	-	9	17	42	6	29-7	2-3	-	-	-	-	-	-	MANCHESTER.										
SALFORD -	204,075	145	87	19	16	-	-	-	2	2	1	3	1	2	12	1	22-2	2-8	-	-	-	-	-	-	SALFORD.										
OLDHAM -	126,380	84	58	16	11	-	-	1	2	10	4	-	1	2	10	4	23-9	0-4	-	-	-	-	-	-	OLDHAM.										
BLACKBURN -	112,574	95	64	9	19	-	-	1	-	-	1	-	-	1	14	1	29-7	0-9	-	-	-	-	-	-	BLACKBURN.										
PRESTON -	100,406	95	57	19	13	-	3	1	1	6	-	-	-	4	2	29-6	5-7	47-0	29-0	37-0	2-78	0-28	0-71	PRESTON.											
HUDDESFIELD -	87,327	47	38	12	10	-	1	-	-	1	-	-	-	-	4	2	23-7	1-2	-	-	-	-	-	-	HUDDESFIELD.										
HALIFAX -	77,378	35	43	8	12	-	-	3	-	-	-	-	2	2	1	3	29-0	2-0	-	-	-	-	-	-	HALIFAX.										
BRADFORD -	214,451	126	86	19	21	-	-	2	-	4	2	1	2	11	6	2	20-9	2-2	49-0	29-0	35-9	2-17	0-64	1-63	BRADFORD.										
LEEDS -	333,139	186	143	29	32	-	-	8	1	6	-	-	4	8	14	4	22-4	2-3	51-0	31-0	36-7	2-61	0-51	1-30	LEEDS.										
SHEFFIELD -	305,716	242	122	32	33	-	1	-	-	-	2	-	-	6	12	10	20-8	0-5	43-0	30-0	35-1	1-73	0-35	0-84	SHEFFIELD.										
HULL -	186,292	126	57	10	13	-	1	-	1	-	-	-	2	2	9	1	16-0	0-6	41-0	27-0	33-9	1-06	0-80	2-03	HULL.										
SUNDERLAND -	125,327	100	56	11	20	-	5	1	1	1	-	-	1	1	5	1	23-3	3-7	-	-	-	-	-	-	SUNDERLAND.										
NEWCASTLE -	163,209	113	63	15	15	-	2	1	1	1	2	1	4	8	8	-	21-5	2-4	-	-	-	-	-	-	NEWCASTLE.										
CARDIFF -	97,034	82	61	17	10	-	13	2	-	1	-	-	2	6	5	-	32-8	8-6	-	-	-	-	-	-	CARDIFF.										
EDINBURGH -	250,615	144	108	14	29	-	-	-	-	5	7	-	2	9	18	24	22-5	2-5	46-7	30-3	35-4	1-89	0-49	1-24	EDINBURGH.										
GLASGOW -	519,965	410	344	70	47	-	14	3	3	8	2	6	8	9	29	52	34-5	3-6	43-0	25-0	34-4	1-33	0-37	0-34	GLASGOW.										
DUBLIN -	353,082	217	210	36	47	-	3	13	-	3	4	-	8	10	64	27	31-0	3-4	42-9	25-7	35-5	1-95	0-21	0-53	DUBLIN.										

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the SECOND Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2481	2431	2516	2681	2643	2595	2486	2665	2808	2681	2833·8	2876
Males . .	1220	1238	1319	1342	1303	1328	1268	1362	1425	1370	1436·7	1503
Females . .	1261	1193	1197	1339	1340	1267	1218	1303	1383	1311	1397·1	1373
TOTAL Deaths	1911	1590	1358	1760	1873	1730	1604	1737	1567	1493	1812·7	1855
Males . .	926	814	677	863	972	852	816	873	777	758	908·2	899
Females . .	985	776	681	897	901	878	788	864	790	735	904·5	956

* The-numbers in this column are the average weekly numbers in the second week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

			Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.
TOTAL Births	-	-	2694	2745	2502	2558	2409	2587	2385	2614	2631	1832	3283	2816	2876
TOTAL Deaths	-	-	1463	1503	1516	1507	1521	1716	1764	1638	1595	1430	1918	1956	1855
0—20	-	-	625	652	681	672	695	732	719	695	721	571	796	666	715
20—40	-	-	221	237	231	235	228	218	254	221	216	215	261	252	261
40—60	-	-	286	284	260	275	272	336	327	294	280	243	331	402	360
60—80	-	-	273	268	290	266	270	332	388	347	304	338	429	511	411
at 80 years & upwds.	-	-	58	62	54	59	56	98	76	81	74	58	101	125	108
Deaths of children { Under 1 year	-	-	332	336	354	359	333	387	375	327	346	284	406	334	354
{ 1—5	-	-	197	224	234	209	223	237	247	238	262	198	248	225	261
{ 5—20	-	-	96	92	93	104	139	108	97	130	113	89	142	107	100
Deaths from Small-pox*	-	-	21	37	29	49	46	40	61	69	44	34	56	42	70
" " Measles	-	-	16	22	32	19	14	31	23	23	33	20	22	14	27
" " Scarlet Fever	-	-	22	23	32	36	36	27	23	22	26	16	28	16	21
" " Diphtheria	-	-	22	22	17	17	31	16	29	27	28	20	28	26	14
" " Whooping-cough	-	-	12	13	19	16	24	17	23	31	31	22	33	38	40
" " Typhus	-	-	-	-	1	2	2	1	1	-	1	1	-	-	-
" " Enteric fever	-	-	12	22	20	21	20	16	16	15	15	9	11	15	18
" " Simple Cont ^d fever	-	-	3	5	2	1	1	3	-	1	4	1	-	1	1
" " Diarrhoea and Dysentery	-	-	27	26	22	19	15	7	12	6	9	7	15	11	8
" " Cholera	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Deaths from the above-mentioned Diseases*	-	-	135	175	174	180	189	158	198	194	191	130	194	163	190
" " Dis. of Respiratory System	-	-	274	348	357	370	354	511	499	457	416	370	537	609	552
" " Phthisis	-	-	201	203	177	167	185	194	170	163	159	159	198	200	186
" " Dis. of Circulatory System	-	-	97	120	110	86	119	123	152	121	109	132	127	169	155
Violent Deaths	-	-	52	50	52	54	57	53	45	56	50	36	94	57	66
Inquest Cases	-	-	94	97	114	107	105	110	132	117	116	101	198	144	134
Deaths in Public Institutions	-	-	348	322	342	325	389	417	347	366	348	300	420	445	407
TEMPERATURE OF THE AIR:															
Mean	-	-	47·5	48·2	49·4	45·0	33·8	36·4	42·4	46·5	41·2	36·5	33·2	38·0	35·1
Mean of Highest readings	-	-	55·8	55·8	57·0	49·9	48·1	40·9	47·3	50·8	47·0	38·8	35·7	42·7	37·5
Mean of Lowest readings	-	-	39·1	41·0	41·6	40·8	33·7	30·7	37·0	41·6	35·1	34·1	30·3	31·9	32·5
Humidity of the Air	-	-	86	79	86	83	86	86	88	87	84	85	88	92	83
Rain-fall in inches	-	-	0·00	0·27	0·66	0·01	0·08	0·02	1·23	0·68	0·81	0·03	0·00	0·57	0·27
Registered Sunshine (in hours)	-	-	13·9	18·2	21·4	9·6	3·5	4·1	3·6	1·2	6·1	2·4	0·0	7·1	1·4

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Camm Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SECOND Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 2nd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 17th January, 1885.										CAUSES OF DEATH.	Corrected Averages for the 2nd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 17th January, 1885.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
ALL CAUSES - -	1812·7	1855	354	261	100	261	300	411	108	Diseases of Organs of Special Sense † - -	3·7	1	-	-	-	-	-	1	-				
Small-pox † { Vaccinated † 23·2 { Unvaccinated No Statement										Diseases of Circulatory System - - -	110·0	155	1	1	9	24	45	66	9				
Measles - - -	47·4	27	5	20	2	-	-	-	-	Croup - - -	15·4	21	3	17	1	-	-	-	-				
Scarlet Fever - -	52·7	21	-	15	5	1	-	-	-	Bronchitis - - -	314·9	376	65	51	4	10	87	122	37				
Typhus - - -	2·8	-	-	-	-	-	-	-	-	Pneumonia - - -	110·7	102	17	20	4	17	21	19	4				
Relapsing Fever † -	0·0	-	-	-	-	-	-	-	-	Pleurisy - - -	6·3	6	-	-	3	1	2	-	-				
Influenza - - -	0·1	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - -	51·8	47	3	4	2	5	15	15	3				
Whooping-cough -	72·1	40	14	26	-	-	-	-	-	Dentition † - - -	15·0	21	13	8	-	-	-	-	-				
Diphtheria - - -	11·9	14	-	8	5	-	1	-	-	Quincy, Sore Throat † -	2·7	1	-	1	-	-	-	-	-				
Simple Continued and Ill-defined Fever -	4·5	1	-	-	-	1	-	-	-	Enteritis - - -	7·0	9	1	-	-	2	2	4	-				
Enteric Fever - -	18·8	8	-	-	5	2	1	-	-	Peritonitis - - -	7·9	4	-	-	2	1	1	-	-				
Cholera - - -	0·3	1	-	-	-	1	-	-	-	Diseases of Liver - -	30·6	24	2	1	-	5	12	2	2				
Diarrhoea, Dysentery -	15·0	8	3	2	-	-	-	1	2	Other Diseases of Digestive System -	30·5	40	9	5	4	7	4	10	1				
Remittent Fever † -	1·0	1	-	1	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands † - -	4·0	2	-	-	1	-	1	-	-				
Hydrophobia - -	0·0	-	-	-	-	-	-	-	-	Diseases of Urinary System - - -	32·6	41	-	3	3	9	12	12	2				
Glanders - - -	0·0	-	-	-	-	-	-	-	-	Diseases of Generative System - - -	5·6	5	-	-	-	3	2	-	-				
Cowpox and Effects of Vaccination † - -	0·7	-	-	-	-	-	-	-	-	Accidents of Childbirth -	4·8	4	-	-	-	4	-	-	-				
Venerical Affections -	10·8	11	7	-	-	-	3	1	-	Diseases of Locomotive System † - -	9·7	4	-	1	2	-	1	-	-				
Erysipelas - - -	8·8	16	5	-	-	3	6	1	1	Diseases of Integumentary System - -	7·3	3	-	-	-	-	1	1	1				
Pyæmia and Septicæmia †	0·7	1	-	-	1	-	-	-	-	VIOLENT DEATHS. §													
Puerperal Fever - -	7·5	9	-	-	9	-	-	-	-	(ACCIDENT.)													
Other Zymotic Diseases †	1·0	3	1	-	-	1	1	-	-	Fracture and Contusion -	24·1	16	1	2	-	1	5	6	1				
Thrush - - -	3·0	-	-	-	-	-	-	-	-	Gunshot Wound - - -	6·1	-	-	-	-	-	-	-	-				
Worms and other Parasitical Diseases - -	0·1	-	-	-	-	-	-	-	-	Cut. Stab - - -	0·7	1	-	-	-	-	1	-	-				
Starvation, Want of Breast-milk † - -	1·0	4	4	-	-	-	-	-	-	Burn and Scald - - -	9·4	19	2	8	2	2	1	4	-				
Alcoholism - - -	4·8	4	-	-	-	1	2	1	-	Poison - - -	1·0	1	-	-	-	-	-	-	-				
Rheumatic Fever and Rheumatism of Heart	11·1	9	-	1	3	5	-	-	-	Drowning - - -	3·8	7	-	-	-	3	2	2	-				
Rheumatism - - -	2·8	4	-	-	-	-	-	3	1	Suffocation - - -	13·4	12	12	-	-	-	-	-	-				
Gout - - -	2·3	1	-	1	-	-	-	-	-	Otherwise - - -	3·5	1	-	-	-	-	1	-	-				
Rickets † - - -	44·4	42	-	-	-	8	21	13	-	(HOMICIDE.)													
Cancer - - -	23·4	22	10	11	1	-	-	-	-	Murder & Manslaughter -	1·5	1	1	-	-	-	-	-	-				
Tabs Mesenterica -	26·5	17	3	11	3	-	-	-	-	(SUICIDE.)													
Tubercular Meningitis -	171·8	186	2	6	13	90	63	12	-	Gunshot Wound - - -	0·7	1	-	-	-	1	-	-	-				
Phthisis - - -	18·3	18	3	5	7	-	3	-	-	Cut. Stab - - -	1·3	-	-	-	-	-	-	-	-				
Scrofula, Tuberculosis -	13·0	12	1	-	1	2	4	4	-	Poison - - -	1·8	3	-	-	1	2	-	-	-				
Other Constitutional Diseases † - -	13·0	12	1	-	-	-	-	-	-	Drowning - - -	1·1	-	-	-	-	-	-	-	-				
Premature Birth - -	29·7	36	36	-	-	-	-	-	-	Hanging - - -	1·5	3	-	-	-	-	2	1	-				
Atelectasis † - - -	2·3	1	1	-	-	-	-	-	-	Otherwise - - -	0·8	-	-	-	-	-	-	-	-				
Congenital Malformations - -	8·0	8	8	-	-	-	-	-	-	(EXECUTION.)													
Old Age - - -	60·3	66	-	-	-	-	-	33	33	Hanging - - -	0·0	1	-	-	-	1	-	-	-				
Apoplexy - - -	55·2	43	-	1	-	3	10	20	5	OTHER CAUSES † - -	64·0	74	59	3	-	3	3	5	1				
Epilepsy - - -	8·1	4	-	-	-	-	-	1	3														
Convulsions - - -	55·3	52	42	8	1	-	-	1	-														
Other Diseases of Brain and Nervous System	90·5	106	16	15	8	8	13	45	1														

* The numbers in this column are the average weekly Deaths in the ten years 1875-84, raised by 9·048 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

¶ Exclusive of 23 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	3,816,483	2876	1855	354	519	47	27	21	14	40	-	8	1	8	66	134	407	27
WEST DISTRICTS	669,838	465	316	87	103	3	1	2	2	9	-	1	1	1	7	15	70	2
NORTH DISTRICTS	905,947	654	412	75	120	19	4	4	3	10	-	3	-	1	12	30	94	2
CENTRAL DISTRICTS	282,238	212	162	36	41	1	1	-	2	3	-	2	-	-	16	28	35	-
EAST DISTRICTS	692,738	542	382	71	83	2	7	13	2	1	-	-	-	3	17	33	105	1
SOUTH DISTRICTS	1,265,927	1003	603	115	167	22	14	3	5	17	-	2	-	3	14	28	108	22
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.	69888	51	32	6	12	1	1	-	1	1	-	-	-	-	1	2	6	-
St. John Paddington H - - G.J.	37330	17	22	1	13	-	-	-	-	-	-	-	-	-	-	-	5	-
Kensington Town WW - - W.M.	120141	60	51	9	17	-	-	-	-	4	-	-	-	-	2	3	12	-
Brompton H - - W.M. & C.	43010	11	15	5	3	-	-	-	1	-	-	-	-	-	-	-	1	-
St. Peter Hammersmith - - W.M.	7590	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.	64340	58	24	6	6	-	-	-	-	1	-	-	-	-	1	2	7	1
Fulham WH - - W.M. & C.	42900	59	23	6	4	2	1	-	-	1	-	-	-	-	-	-	-	-
Chelsea South HHH - - C.	30896	18	13	2	8	-	-	-	-	-	-	-	-	-	-	1	1	-
Chelsea North-west WHHHH - C.	24925	42	24	4	7	-	-	-	-	1	-	-	-	-	2	3	17	-
Chelsea North-east - - C.	32807	42	15	6	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Hanover Square H - - G.J.	16862	3	6	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-
May Fair WW - - G.J.	18491	1	9	1	9	-	-	-	-	-	-	-	-	-	-	-	9	-
Belgrave HH - - C.	59226	35	25	5	8	-	-	-	-	1	-	-	1	-	1	1	7	-
St. John Westminster HH - - C.	34496	35	9	3	1	-	-	-	-	-	-	1	-	-	-	-	3	-
St. Margaret Westminster H - - C.	24679	17	11	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-
St. James Westminster WH N.R. & G.J.	29941	13	10	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Anne Soho HHHHH - - N.R.	18608	9	10	2	3	-	-	-	-	-	-	-	-	-	-	-	1	1
NORTH DISTRICTS.																		
All Souls Marylebone HHHH - W.M.	26759	19	15	4	5	-	-	-	-	-	-	-	-	-	1	1	5	-
Clarendon Square HHH - W.M.	14841	3	6	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Rectory Marylebone WH G.J. & W.M.	24899	16	11	-	4	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Mary Marylebone HHH G.J. & W.M.	21118	26	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H - W.M.	33700	17	17	1	7	-	2	-	1	-	-	-	-	-	-	-	-	-
St. John Marylebone H - W.M.	33633	23	9	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Hampstead WWHH - N.R. & W.M.	45452	18	23	6	8	-	-	-	-	2	-	-	-	-	-	-	1	1
Regent's Park Pancras H - W.M.	39115	25	10	4	-	-	-	-	-	-	-	-	-	-	1	3	-	-
Tottenham-court WHH - N.R. & W.M.	27723	24	14	4	2	-	-	-	-	-	-	-	-	-	-	1	6	-
Gray's Inn Lane HHH - N.R.	30247	10	15	3	3	-	-	-	-	-	-	-	-	-	1	1	3	-
Somers Town H - - N.R.	34369	35	9	1	3	-	-	-	-	-	1	-	-	-	-	-	1	2
Camden Town WH - - N.R.	17311	18	24	-	15	-	-	-	-	-	-	-	-	-	2	3	22	-
Kentish Town W - - N.R.	87487	78	31	7	8	-	1	-	-	1	-	-	-	-	1	4	6	-
Upper Holloway WWWH - N.R.	67946	54	50	7	12	8	-	-	2	1	-	-	-	1	1	2	22	-
Islington South-west H - N.R.	100076	63	39	8	10	-	2	-	2	-	-	1	-	-	-	-	3	-
Islington South-east - - N.R.	61826	26	6	5	3	-	-	-	-	1	-	1	-	-	-	4	-	-
Highbury H - - N.R.	52048	36	26	4	10	-	1	-	-	1	-	-	-	-	1	1	-	-
Stoke Newington H - - N.R.	22781	22	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - E.L.	9277	30	17	4	6	-	-	-	-	2	-	-	-	-	-	-	-	-
West Hackney - - N.E.	37610	62	40	3	12	7	-	2	-	-	-	-	-	-	2	2	22	-
Hackney WWWH - E.L. & N.R.	76911	29	11	2	1	-	1	-	-	-	-	-	-	-	1	1	-	1
South Hackney - - E.L.	39833	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16681	7	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - - N.R.	14864	26	14	3	1	-	-	-	-	1	-	-	-	-	1	4	8	-
St. Giles North - - N.R.	13837	13	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.	17508	7	14	-	5	-	-	-	-	-	-	2	-	-	-	1	1	8
St. Mary-le-Strand H - - N.R.	7515	3	7	2	3	-	-	-	-	-	-	-	-	-	-	4	-	-
St. Clement Danes H - - N.R.	8559	4	4	1	1	-	-	-	-	-	-	-	-	-	1	2	3	-
St. George-the-Martyr HHHHHH N.R.	13671	9	11	2	2	-	-	-	1	-	-	-	-	-	-	-	3	-
St. Andrew Eastern W - - N.R.	10706	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Saffron Hill H - - N.R.	6533	5	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - N.R.	17516	18	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Amwell Clerkenwell - - N.R.	19281	18	8	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Pentonville - - N.R.	14773	13	6	2	3	-	-	-	-	-	-	-	-	-	2	2	-	-
Goodwell-street - - N.R.	17506	19	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Old-street H - - N.R.	11541	6	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHL - - N.R.	18628	21	13	4	1	-	1	-	-	2	-	-	-	-	-	1	2	-
Whitecross-street - - N.R.	9217	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Finsbury - - N.R.	7463	1	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Botolph H - - N.R. & E.L.	11174	4	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - N.R.	7193	4	3	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-
St. Sepulchre H - - N.R.	5358	4	17	2	3	-	-	-	1	-	-	-	-	-	2	3	13	-
St. Bride W - - N.R.	8396	6	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - N.R.	13666	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.	6652	4	6	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work-house; H—Hospital; L—Lunatic Asylum; &—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

ER, DIFTERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT day, the 17th January, 1885.

		The DEATHS registered in the Week include																								
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of												Deaths from									
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.							
EAST DISTRICTS.																										
Well Shoreditch	N.R. & E.L.	7376	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
onard Shoreditch	HL† - N.R.	14967	14	13	4	3	-	-	1	-	-	-	-	-	-	-	3	-								
on New Town	- - N.R.	26937	21	22	7	12	-	-	-	-	-	-	-	-	-	-	13	-								
on Old Town	- - N.R.	28036	26	13	2	4	-	1	-	-	-	-	-	-	-	-	-	-								
erston WH	- - N.R. & E.L.	46275	24	17	1	4	-	-	-	-	-	-	-	-	1	1	8	-								
ney-road H	- - E.L.	26738	23	9	1	2	-	-	-	-	-	-	-	-	-	1	-	-								
h, Bethnal Green	WH† - E.L.	47932	38	37	8	5	1	-	-	-	-	-	-	-	1	1	12	-								
h, Bethnal Green	- - E.L.	29981	21	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-								
h, Bethnal Green	- - E.L.	19810	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-								
Fields H	- - E.L. & N.R.	22585	5	5	1	2	-	-	-	-	-	-	-	-	-	1	3	1								
End New Town W	- - E.L.	15473	19	10	-	3	-	1	1	-	-	-	-	-	-	-	7	-								
chapel Church H	E.L. & N.R.	17490	9	24	3	3	-	-	-	1	-	-	-	-	2	2	19	-								
man's Fields	- - E.L.	9713	4	6	1	1	-	-	-	-	-	-	-	-	1	-	-	-								
ite	- - N.R. & E.L.	6102	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
George's, North	- - E.L.	38747	31	17	2	1	-	2	-	-	1	-	-	-	1	-	2	-								
hn, St. George East	W - E.L.	8410	6	16	1	7	-	-	-	-	-	-	-	-	-	2	13	-								
Well H	- - E.L. & N.R.	10993	8	8	2	-	-	-	-	-	-	-	-	-	-	-	4	-								
ff	- - E.L.	16107	9	9	1	1	-	-	1	1	-	-	-	-	1	1	-	-								
house	- - E.L.	32041	29	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-								
End Old Town West	- - E.L.	37960	35	20	7	3	-	1	2	-	-	-	-	-	-	1	2	1								
End Old Town East	WHH - E.L.	67553	40	31	4	9	-	-	3	-	-	-	-	-	1	2	2	-								
ley WHH	- - E.L.	37074	34	14	5	2	-	-	-	-	-	-	-	-	-	1	3	-								
r WH	- - E.L.	64359	60	37	7	15	-	1	2	-	-	-	-	-	1	3	5	23								
	- - E.L.	55077	42	30	9	7	1	1	2	-	-	-	-	-	4	7	-	-								
SOUTH DISTRICTS.																										
church Southwark	WH - L. & S.	13663	10	10	-	4	-	-	-	-	-	-	-	-	1	1	3	-								
vious Southwark	H - - S.	14999	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
road	- - S. & L.	21881	15	9	4	3	-	1	-	-	-	-	-	-	-	-	-	-								
igh-road	WH - - S. & L.	15953	10	8	3	2	-	1	-	-	-	-	-	-	-	-	1	-								
on-road	HL - - L. & S.	21318	27	12	3	2	-	-	-	-	-	-	-	-	-	2	3	-								
ry Newington	- - S. & L.	26672	19	6	1	1	-	-	1	-	1	-	-	-	1	1	1	-								
ster Walworth	W - - S. & L.	55555	61	30	5	10	2	-	-	-	-	-	-	-	-	1	13	1								
ary Newington	- - L. & S.	21623	18	12	3	1	-	-	-	-	-	-	-	-	-	1	-	1								
ave WH	- - S.	11956	10	15	1	3	-	-	-	-	1	-	-	-	1	3	9	-								
er Market	- - S. & L.	16900	9	10	5	2	-	-	-	-	-	1	-	-	-	-	-	-								
ary Magdalen	W - - S.	16689	15	7	3	2	-	-	-	-	-	-	-	-	-	-	3	-								
mes Bermondsey	- - S.	54683	46	28	4	9	1	2	-	-	2	-	-	-	-	-	-	-								
rhithe W	- - S. & K.	36024	34	25	5	5	-	2	1	1	1	-	-	-	-	1	2	1								
loo-road 1st	H - - L. & S.	15195	11	6	2	1	-	-	-	1	-	-	-	-	-	-	2	-								
loo-road 2nd	H - - L. & S.	16351	21	9	2	2	-	-	-	-	-	2	-	-	1	2	9	1								
eth Church 1st	H - - L. & S.	19376	18	17	3	1	-	-	-	-	-	-	-	-	1	2	11	1								
eth Church 2nd	WH - L. & S.	39359	33	25	1	9	-	-	-	1	-	-	-	-	1	1	2	-								
ngton 1st	- - S. & L.	45232	33	17	5	5	-	-	1	-	-	-	-	-	-	1	2	-								
ngton 2nd	- - S. & L.	35332	17	16	2	5	1	-	-	-	-	-	-	-	-	1	2	-								
on wv	- - L. & S.	62387	39	32	4	10	7	-	-	-	1	-	-	-	-	1	7	-								
ood W	- - L.	19017	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-								
nn H	- - S.	26560	22	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-								
Battersea	- - S.	54675	44	25	6	6	-	-	-	-	-	-	-	-	1	1	-	-								
Battersea Wv	- - S.	52587	70	29	6	6	-	2	-	1	1	-	-	-	-	-	6	2								
sworth HL	- - S.	28004	11	19	1	5	-	-	-	1	-	-	-	-	1	1	1	5								
y	- - S.	13235	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-								
ham	- - L.	25553	19	7	2	1	-	-	-	-	-	-	-	-	-	-	-	1								
ch	- - L. & S.	5590	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
erwell WL†L†	- - S. & L.	49104	45	40	9	13	-	-	-	-	1	-	-	-	1	2	10	-								
am W	- - S., L., & K.	71089	59	30	7	4	1	1	-	-	1	-	-	-	1	1	-	1								
George Camberwell	- - L. & S.	60310	38	26	7	7	1	3	-	1	1	-	-	-	1	-	2	-								
aul Deptford wv	- - K.	76752	67	34	6	10	9	1	-	-	-	-	-	-	-	1	2	8								
cholas Deptford	- - K.	7301	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
wich West	- - K.	21972	16	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-								
wich East WHH	- - K.	24608	27	15	1	8	-	-	-	-	1	-	-	-	-	-	8	-								
on H	- - K.	5827	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
ham WH	- - K.	21559	6	9	1	4	-	-	-	-	1	-	-	-	-	-	-	-								
ham H	- - K.	19865	16	14	5	5	-	-	-	-	-	-	-	-	-	-	1	-								
on H	- - L.	26076	20	10	4	3	-	-	-	-	1	-	-	-	-	-	-	-								
on H	- - K.	10930	5	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-								
wich Dockyard	- - K.	17617	7	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-								
wich Arsenal HHH	- - K.	19448	11	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-								
stead, West H	- - K.	14069	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
stead, East W	- - K.	19241	17	13	2	5	-	1	-	-	-	-	-	-	1	1	1	6								

Following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by w:-

Central London Sick Asylum, in Tottenham Court-road sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
London City Workhouse in Islington East sub-district.	Stepney - - - Bromley sub-district.
London City Workhouse " Hackney sub-district."	Poplar & Stepney Sick Asylum
London City Workhouse " Hoxton New Town sub-district."	Westminster Union Industrial School in West Battersea sub-district.
London City Workhouse " Mile End Old Town Eastern sub-dist."	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 17th January, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes	
LONDON—OUTER RING		370,282	950,178	722	451	83	155	31	11	-	7	5	3	3	14	24	67		
80:1	Carshalton <i>wL</i> - -	12223	21118	15	9	-	5	-	-	-	-	-	-	-	-	-	6		
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	9	4	-	4	-	-	-	-	-	-	-	-	-	-		
37:1	Godstone (<i>part of</i>) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
38:1	Croydon <i>WwH</i> - -	20851	101941	61	57	13	20	-	1	-	-	1	-	1	5	7	6		
	Mitcham - -	11697	17982	12	15	3	3	-	1	-	-	-	-	-	-	1	1		
39:1	Wimbledon <i>HHH</i> - -	3220	15950	14	8	-	4	-	-	-	-	-	-	-	1	1	-		
2	Kingston <i>WHH</i> - -	8549	36354	19	11	1	3	-	-	-	-	-	-	-	-	-	1		
3	Esher (<i>part of</i>) * - -	6601	9221	6	2	-	-	-	-	-	-	-	-	-	-	-	-		
4	Hampton <i>H</i> - -	4573	13539	8	1	1	-	-	-	-	-	-	-	-	-	-	-		
40:1	Richmond <i>WH</i> - -	2372	21302	10	13	1	6	-	-	-	-	-	-	-	1	1	4		
2	Mortlake - -	941	12331	8	3	1	1	-	-	-	-	-	-	-	-	-	-		
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	20	14	-	4	-	-	-	-	-	-	-	-	-	-		
2	Chislehurst(<i>pt. of</i>)* <i>WHH</i>	13665	15065	12	5	2	1	-	-	-	-	-	-	-	-	-	-		
42:1	Bexley <i>H</i> - -	13437	24134	17	14	1	6	-	-	-	1	-	-	-	-	1	-		
124:1	Sunbury <i>w</i> - -	11055	11685	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Staines <i>W</i> - -	13277	12089	8	6	-	1	-	-	-	1	-	1	-	-	-	2		
125:1	Hillingdon <i>WH</i> - -	6629	10802	7	12	1	6	-	-	-	-	-	1	-	-	1	1		
2	Uxbridge - -	6178	5225	2	1	-	1	-	-	-	-	-	-	-	-	-	-		
3	Hayes <i>wHL</i> - -	14587	11523	6	4	-	4	-	-	-	-	-	-	-	-	-	1		
126:1	Isleworth <i>W</i> - -	7003	22737	9	12	4	6	-	-	-	-	-	-	-	-	-	5		
2	Twickenham <i>H</i> - -	2477	12479	4	4	-	2	-	2	-	-	-	-	-	-	-	-		
3	Brentford <i>HL</i> - -	4345	27649	17	16	4	6	-	-	-	-	-	-	-	-	3	-		
4	Chiswick - -	1340	15975	14	6	1	2	-	-	-	-	-	1	-	-	-	-		
5	Acton <i>wH</i> - -	6083	22876	9	6	2	1	-	-	-	-	-	-	-	1	1	-		
127:1	Harrow <i>H</i> - -	13809	12796	9	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Edgware <i>H</i> - -	6994	3749	1	1	-	1	-	-	-	-	-	-	-	1	1	-		
3	Willesden - -	4383	27453	25	11	4	3	-	-	-	-	-	-	-	-	1	-		
4	Hendon <i>W</i> - -	8382	10484	13	4	1	2	-	-	-	-	-	-	-	-	-	2		
128:1	South Mimms - -	15599	6391	6	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet† <i>W</i> - -	5483	10092	7	5	1	3	-	-	-	-	-	-	-	-	-	-		
3	Finchley <i>HL</i> - -	4688	17615	14	8	-	4	-	-	-	-	-	-	-	-	-	2		
129:1	Hornsey <i>H</i> - -	3039	37078	24	16	4	4	-	1	-	2	-	-	-	-	1	-		
2	Tottenham <i>HH</i> - -	4642	46456	61	19	2	5	1	-	-	-	-	-	-	1	1	-		
3	Edmonton <i>Wwv</i> - -	7483	23463	18	14	2	8	1	-	-	-	-	-	-	-	-	8		
4	Enfield <i>WH</i> - -	12653	19104	10	8	3	3	-	-	-	-	-	-	1	-	-	-		
5	Waltham Abbey - -	11017	5393	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt - -	8480	7735	3	1	-	1	-	-	-	-	-	-	-	-	-	-		
130:1	Hatfield (<i>part of</i>) * -	3806	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137:1	Bushey - -	9331	6621	1	4	-	4	-	-	-	-	-	-	-	-	-	-		
138:1	Stratford - -	882	38606	34	18	6	6	-	-	-	1	2	-	-	1	1	-		
2	West Ham <i>wwwvH</i> - -	7351	101053	123	73	15	13	28	2	-	-	1	-	-	1	1	21		
3	Leyton <i>WwL</i> - -	4372	32430	32	25	6	9	1	-	-	1	1	-	-	1	1	7		
4	Walthamstow <i>wH</i> - -	6520	23869	29	15	4	3	-	4	-	1	-	1	-	-	-	-		
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9089	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
139:1	Romford (<i>part of</i>) * -	6730	3411	2	2	-	-	-	-	-	-	-	-	-	1	1	-		
2	Ilford - -	8493	7645	6	1	-	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town - -	4127	9203	8	1	-	-	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warringham and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chislefield (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 873); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 17th January, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1886.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,093,995	23·1	2·3	2306	437	674	78	38	21	21	45	12	11	80	474		
INNER LONDON -	78,052	4,019,361	23·7	2·1	1855	354	519	47	27	21	14	40	9	8	66	407		
OUTER RING -	370,282	1,074,634	21·1	2·8	451	83	155	31	11	-	7	5	3	3	14	67		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,030,796 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	November 29	-	262	32·0	Cholera 27; fevers 78.
BOMBAY - -	773,196	December 9	324	225	26·8	Fevers 124; cholera 14.
MADRAS - -	388,777	November 28	285	339	44·1	Fevers 81.
PARIS - - -	2,239,928	January 10	1292	1192	27·7	Typhd. fever 86; diph. and croup 45; meas. 38.
GENEVA - -	71,453	" 10	21	27	19·9	-
BRUSSELS - (with 8 Faubourgs)	426,814	" 3	270	193	24·1	Croup 6; measles 2.
AMSTERDAM -	361,314	" 10	280	238	33·7	Scar. fev. 23; whooping- cough 13.
ROTTERDAM -	169,477	" 10	124	91	27·9	Scarlet fever 4.
THE HAGUE -	131,417	" 10	89	75	29·7	Croup 7.
COPENHAGEN -	267,000	" 13	206	145	28·3	Measles 17.
STOCKHOLM -	181,738	" 3	119	110	30·1	Scarlet fever 7; diph- theria and croup 5.
CHRISTIANIA -	126,000	" 10	72	48	19·8	Diphtheria and croup 10; scarlet fever 4.
ST. PETERSBURG	928,016	" 3	-	475	26·7	Typhoid fever 10; small- pox 5.
BERLIN - -	1,242,407	December 27	827	574	23·8	Diphtheria 53; scarlet fever 14.
HAMBURG (State)	467,258	January 3	323	246	27·5	Scarlet fever 5; diph- theria and croup 7.
DRESDEN - -	236,000	" 3	150	125	27·5	Diphtheria 8.
BRESLAU - -	295,000	" 3	200	148	26·2	Diarrhoeal diseases 11.
MUNICH - -	244,000	" 10	158	142	30·3	Measles 6.
VIENNA - -	759,349	" 3	512	372	25·5	Small-pox 6; diph. 7.
PRAGUE - -	272,333	" 10	-	148	28·4	Scarlet fever 3; small- pox 1.
BUDA-PESTH -	416,474	December 27	277	238	29·7	Diphtheria and croup 5.
TRIESTE - -	148,245	" 27	-	130	45·8	Small-pox 45; diphtheria and croup 7.
ROME - - -	318,658	" 13	-	-	-	-
NAPLES - - -	494,015	-	-	-	-	-
TURIN - - -	262,521	December 6	158	165	32·8	Small-pox 12; croup 6.
VENICE - - -	144,888	January 3	-	-	-	-
MADRID - - -	475,668	December 21	321	372	40·8	Small-pox 4; diph. and croup 20; measles 16.
LISBON - - -	208,681	" 13	122	115	29·5	Small-pox 9.
ALEXANDRIA -	212,034	" 20	248	140	34·3	Typh. and typhd. fev. 6; diph. and croup 7.
NEW YORK - -	1,348,375	" 20	-	627	24·3	Diph. 24; scar. fev. 20; measles 27.
BROOKLYN - -	644,526	" 20	-	277	22·4	Croup 14; diphtheria 9.
PHILADELPHIA	927,995	" 27	-	390	21·9	Typhoid fever 9; diph- theria 29.
BALTIMORE -	408,520	" 27	-	158	20·2	Diphtheria 12.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 17th JANUARY, 1885.
[Under the Superintendence of the Astronomer Royal.]

[illegible]

SKY AND ATMOSPHERE.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	SKY AND ATMOSPHERE.
JANUARY.					
SUNDAY	11	m. P. generally; s. N. and s. P. between 3h. P.M. and 4h. P.M.	0.8	8.1	Fine in morning; cloudy till evening, and slight rain fell in afternoon; cloudless at night. Windy.
MONDAY	12	m. P. in morning; v. P. and v. N. during the remainder of the day.	0.6	8.2	Variable. Snow fell occasionally.
TUESDAY	13	v. P. with slight ex- ceptions throughout.	0.0	8.2	Overcast. Frequent snow.
WEDNESDAY	14	v. P. till 10h. P.M.; w. N. afterwards.	0.0	8.2	Generally cloudy. Snow in evening; occasional rain at night.
THURSDAY	15	v. N. and v. P. . . .	0.0	8.3	Overcast. Occasional rain.
FRIDAY	16	w. P. and w. N. till 2h. A.M.; v. P. after- wards.	0.0	8.3	Overcast. Windy. Slight rain in early morning; thin rain at night.
SATURDAY	17	w. P. in morning; m. P. till evening; v. P. at night.	0.0	8.3	Overcast generally. Rain fell in early morning.
			Sum 1.4	Sum 57.6	

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 4h, 8h, 12h, 16h, 20h, 24h, 28h, 32h, 36h, 40h, 44h, 48h, 52h, 56h, 60h, 64h, 68h, 72h, 76h, 80h, 84h, 88h, 92h, 96h, 100h, 104h, 108h, 112h, 116h, 120h, 124h, 128h, 132h, 136h, 140h, 144h, 148h, 152h, 156h, 160h, 164h, 168h, 172h, 176h, 180h, 184h, 188h, 192h, 196h, 200h, 204h, 208h, 212h, 216h, 220h, 224h, 228h, 232h, 236h, 240h, 244h, 248h, 252h, 256h, 260h, 264h, 268h, 272h, 276h, 280h, 284h, 288h, 292h, 296h, 300h, 304h, 308h, 312h, 316h, 320h, 324h, 328h, 332h, 336h, 340h, 344h, 348h, 352h, 356h, 360h, 364h, 368h, 372h, 376h, 380h, 384h, 388h, 392h, 396h, 400h, 404h, 408h, 412h, 416h, 420h, 424h, 428h, 432h, 436h, 440h, 444h, 448h, 452h, 456h, 460h, 464h, 468h, 472h, 476h, 480h, 484h, 488h, 492h, 496h, 500h, 504h, 508h, 512h, 516h, 520h, 524h, 528h, 532h, 536h, 540h, 544h, 548h, 552h, 556h, 560h, 564h, 568h, 572h, 576h, 580h, 584h, 588h, 592h, 596h, 600h, 604h, 608h, 612h, 616h, 620h, 624h, 628h, 632h, 636h, 640h, 644h, 648h, 652h, 656h, 660h, 664h, 668h, 672h, 676h, 680h, 684h, 688h, 692h, 696h, 700h, 704h, 708h, 712h, 716h, 720h, 724h, 728h, 732h, 736h, 740h, 744h, 748h, 752h, 756h, 760h, 764h, 768h, 772h, 776h, 780h, 784h, 788h, 792h, 796h, 800h, 804h, 808h, 812h, 816h, 820h, 824h, 828h, 832h, 836h, 840h, 844h, 848h, 852h, 856h, 860h, 864h, 868h, 872h, 876h, 880h, 884h, 888h, 892h, 896h, 900h, 904h, 908h, 912h, 916h, 920h, 924h, 928h, 932h, 936h, 940h, 944h, 948h, 952h, 956h, 960h, 964h, 968h, 972h, 976h, 980h, 984h, 988h, 992h, 996h, 1000h. The means of the dry-bulb thermometer, the wet-bulb thermometer, and the psychrometer are usually taken at 4h, 8h, 12h, 16h, 20h, 24h, 28h, 32h, 36h, 40h, 44h, 48h, 52h, 56h, 60h, 64h, 68h, 72h, 76h, 80h, 84h, 88h, 92h, 96h, 100h, 104h, 108h, 112h, 116h, 120h, 124h, 128h, 132h, 136h, 140h, 144h, 148h, 152h, 156h, 160h, 164h, 168h, 172h, 176h, 180h, 184h, 188h, 192h, 196h, 200h, 204h, 208h, 212h, 216h, 220h, 224h, 228h, 232h, 236h, 240h, 244h, 248h, 252h, 256h, 260h, 264h, 268h, 272h, 276h, 280h, 284h, 288h, 292h, 296h, 300h, 304h, 308h, 312h, 316h, 320h, 324h, 328h, 332h, 336h, 340h, 344h, 348h, 352h, 356h, 360h, 364h, 368h, 372h, 376h, 380h, 384h, 388h, 392h, 396h, 400h, 404h, 408h, 412h, 416h, 420h, 424h, 428h, 432h, 436h, 440h, 444h, 448h, 452h, 456h, 460h, 464h, 468h, 472h, 476h, 480h, 484h, 488h, 492h, 496h, 500h, 504h, 508h, 512h, 516h, 520h, 524h, 528h, 532h, 536h, 540h, 544h, 548h, 552h, 556h, 560h, 564h, 568h, 572h, 576h, 580h, 584h, 588h, 592h, 596h, 600h, 604h, 608h, 612h, 616h, 620h, 624h, 628h, 632h, 636h, 640h, 644h, 648h, 652h, 656h, 660h, 664h, 668h, 672h, 676h, 680h, 684h, 688h, 692h, 696h, 700h, 704h, 708h, 712h, 716h, 720h, 724h, 728h, 732h, 736h, 740h, 744h, 748h, 752h, 756h, 760h, 764h, 768h, 772h, 776h, 780h, 784h, 788h, 792h, 796h, 800h, 804h, 808h, 812h, 816h, 820h, 824h, 828h, 832h, 836h, 840h, 844h, 848h, 852h, 856h, 860h, 864h, 868h, 872h, 876h, 880h, 884h, 888h, 892h, 896h, 900h, 904h, 908h, 912h, 916h, 920h, 924h, 928h, 932h, 936h, 940h, 944h, 948h, 952h, 956h, 960h, 964h, 968h, 972h, 976h, 980h, 984h, 988h, 992h, 996h, 1000h. The means of the dry-bulb thermometer, the wet-bulb thermometer, and the psychrometer are usually taken at 4h, 8h, 12h, 16h, 20h, 24h, 28h, 32h, 36h, 40h, 44h, 48h, 52h, 56h, 60h, 64h, 68h, 72h, 76h, 80h, 84h, 88h, 92h, 96h, 100h, 104h, 108h, 112h, 116h, 120h, 124h, 128h, 132h, 136h, 140h, 144h, 148h, 152h, 156h, 160h, 164h, 168h, 172h, 176h, 180h, 184h, 188h, 192h, 196h, 200h, 204h, 208h, 212h, 216h, 220h, 224h, 228h, 232h, 236h, 240h, 244h, 248h, 252h, 256h, 260h, 264h, 268h, 272h, 276h, 280h, 284h, 288h, 292h, 296h, 300h, 304h, 308h, 312h, 316h, 320h, 324h, 328h, 332h, 336h, 340h, 344h, 348h, 352h, 356h, 360h, 364h, 368h, 372h, 376h, 380h, 384h, 388h, 392h, 396h, 400h, 404h, 408h, 412h, 416h, 420h, 424h, 428h, 432h, 436h, 440h, 444h, 448h, 452h, 456h, 460h, 464h, 468h, 472h, 476h, 480h, 484h, 488h, 492h, 496h, 500h, 504h, 508h, 512h, 516h, 520h, 524h, 528h, 532h, 536h, 540h, 544h, 548h, 552h, 556h, 560h, 564h, 568h, 572h, 576h, 580h, 584h, 588h, 592h, 596h, 600h, 604h, 608h, 612h, 616h, 620h, 624h, 628h, 632h, 636h, 640h, 644h, 648h, 652h, 656h, 660h, 664h, 668h, 672h, 676h, 680h, 684h, 688h, 692h, 696h, 700h, 704h, 708h, 712h, 716h, 720h, 724h, 728h, 732h, 736h, 740h, 744

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1868.

In reading the 17th and 25th columns it will be borne in mind that + is read "*higher*," and - "*lower*," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and

their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and

v. variable.
The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate

The results of all the meteorological observations are to be understood as applying to the gate duration of bright sunshine on each day.

The reading of the barometer decreased from 28·88 in. at the beginning of the week to 28·77 in. civil day, or from midnight to midnight.

by 10 h. A.M. on the 11th; increased to 29·54 in. by 9 h. P.M. on the 12th; decreased to 29·44 by 3 h. P.M. on the 13th; increased to 29·86 in. by 9 h. A.M. on the 16th; decreased to 29·74 in. by 3 p.m. on the same day, and increased to 29·90 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 3. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, JANUARY 24. [Price 1½d.

General Register Office, Somerset House,
26th January, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 24·0 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the past four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending—				TOWNS.	Weeks ending			
	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.		Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.
Birkenhead	26·4	26·3	25·8	20·7	Liverpool	28·1	27·5	24·5	28·2
Birmingham	22·8	23·7	27·6	26·0	London	24·9	25·0	23·7	23·1
Blackburn	26·4	23·2	29·7	17·6	Manchester	26·4	30·9	29·7	28·0
Bolton	22·0	19·0	31·3	23·7	Newcastle-on-Tyne	29·3	27·6	21·5	21·8
Bradford	22·9	20·4	20·9	20·0	Norwich	32·9	28·0	29·7	30·3
Brighton	24·9	19·1	19·1	16·4	Nottingham	25·2	22·7	20·2	23·4
Bristol	21·8	25·6	27·3	23·2	Oldham	25·5	23·9	23·9	20·2
Cardiff	34·6	36·0	32·8	40·9	Plymouth	20·0	30·2	31·6	25·4
Derby	21·4	20·4	19·2	18·0	Portsmouth	21·2	21·3	24·0	23·2
Halifax	21·8	22·3	29·0	24·3	Preston	32·5	34·8	29·6	29·1
Huddersfield	20·0	22·7	22·7	22·7	Salford	28·8	22·2	22·2	25·8
Hull	22·2	27·5	16·0	19·6	Sheffield	22·4	19·6	20·8	24·4
Leeds	23·9	20·5	22·4	21·0	Sunderland	22·0	22·1	23·3	26·2
Leicester	24·8	31·0	21·5	29·9	Wolverhampton	26·6	30·3	31·6	34·9

The highest annual death-rates from whooping-cough were 1·4 in Bristol, and 1·5 in Birmingham and in Leicester; from measles, 2·1 in Sunderland, 2·7 in Leicester, and 8·6 in Cardiff; from scarlet fever, 1·4 in Newcastle-upon-Tyne; and from "fever," 1·3 in Wolverhampton, and 1·7 in Norwich and in Derby. The 32 deaths from diphtheria in the twenty-eight towns included 12 in London, 5 in Liverpool, 2 in Bristol, and 2 in Bradford. Small-pox caused 61 deaths in London and its outer ring of suburban districts, one in Birmingham, one in Liverpool, and one in Bolton.

LONDON.

In LONDON 2803 BIRTHS and 1807 DEATHS were registered. Allowing for increase of population, the births were 41, and the deaths 107, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 25·0 and 23·7 in the two preceding weeks, further declined to 23·1 last week. During the first three weeks of the current quarter the death-rate averaged 23·9 per 1000, against 21·0 and 20·5 in the corresponding periods of 1883 and 1884.

The 1807 deaths included 43 from small-pox, 20 from measles, 18 from scarlet fever, 12 from diphtheria, 49 from whooping-cough, one from typhus, 9 from enteric fever, 8 from diarrhoea and dysentery, and not one either from an ill-defined form of continued fever or from cholera; thus, 160 deaths were referred to these diseases, being 88 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 34 and 47 in the two preceding weeks, were 43 last week, and exceeded the corrected weekly average by 19. These 43 deaths exclude 15 deaths of London residents from this disease recorded in the Metropolitan Asylum Hospitals situated outside London. Of the 58 fatal cases, 39 were recorded in the Metropolitan Asylum Hospitals in and around London, 5 in the Highgate Small-pox Hospital, and 14 in private

dwelling-houses. After distributing the hospital cases to the several sanitary areas, 7 belonged to Islington, 4 to Hackney, 3 to St. Giles, 3 to Mile End Old Town, 5 to Newington, 10 to Camberwell, and 4 to Greenwich and Deptford. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1001 and 1009 on the two preceding Saturdays, further rose to 1092 at the end of last week; the admissions, which had been 234 and 216 in the two previous weeks, rose to 287 last week. The Highgate Small-pox Hospital contained 99 patients on Saturday last, 25 cases having been admitted during the week.

The 20 fatal cases of *measles* showed a decline of 7 from the number in the previous week, and were 23 below the corrected weekly average; 9 occurred in South London. The deaths from *scarlet fever*, which had been 16 and 21 in the two previous weeks, declined again to 18 last week, and were 33 below the corrected average; after distributing the hospital cases, 3 belonged to Poplar, and 3 to Bermondsey and Rotherhithe. The Metropolitan Asylum Hospitals contained 312 scarlet fever patients on Saturday last, 38 having been admitted during the week, against 19, 33, and 23 in the three previous weeks. The 12 deaths referred to *diphtheria* showed a further decline from recent weekly numbers, but were one above the corrected average; after distributing the hospital cases, 4 belonged to Hackney, and 2 to Islington. The fatal cases of *whooping-cough*, which had increased from 22 to 40 in the four preceding weeks, further rose to 49 last week, but were 30 below the corrected average; 12 occurred in the North, and 19 in the South groups of registration districts. The 8 deaths attributed to *diarrhæa* and *dysentery* corresponded with the number in the previous week, and were 7 below the corrected average.

The deaths referred to *enteric fever*, which had been 15 and 8 in the two previous weeks, were 9 last week, and but half the corrected average; after distributing the hospital cases, 2 belonged to Lambeth. The fatal case of typhus was of an adult in the Homerton Fever Hospital, admitted from the Metropolitan Free Hospital in Whitechapel. In the Metropolitan Asylum Hospitals, 52 cases of enteric fever, and 2 of typhus, were under treatment on Saturday last; 11 cases of enteric fever and not one of typhus were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 609 and 552 in the two preceding weeks, further declined to 513 last week, and were 24 below the corrected weekly average.

Different forms of violence caused 66 deaths; 59 were the result of negligence or accident, among which were 24 from fractures and contusions, 10 from burns and scalds, 2 from drowning, and 16 of infants under one year of age from suffocation. The 24 deaths from fractures and contusions were thus returned:—male, aged 73 years, run over by van; male 49, run over by wagon; female 3, run over by vehicle; male 26, fell from van; male 37, fell from carriage; male 58, run over by railway carriage; male 55, run over by railway engine; males 13, 65, 74, female 77, fell in street; males 39, 53, females 65, 65, 78, fell down stairs or steps; male 52, fell while carrying timber; male 1, fell from bed; male 45, fell from sofa; male 44, fell from height; females 81, 84, by fall; female 8, by injury while at play; and male 63, by dislocation of shoulder. An inquest was held in each of these 24 cases. Five cases of suicide were registered.

GREATHER LONDON.

In Greater London 3612 births and 2237 deaths were registered, equal to annual rates of 36·3 and 22·4 per 1000 of the population. In the Outer Ring 18 fatal cases of small-pox, 10 of whooping-cough, and 8 of diphtheria, were registered. Of the deaths from small-pox, 13 occurred in West Ham district, of which 11 were local cases; and 2 in Croydon sub-district. Diphtheria caused 2 deaths in Acton, and 2 in Hornsey sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·91 in.; the highest reading was 30·06 in. on Monday morning, and the lowest 29·79 in. on Wednesday afternoon. The mean temperature of the *air* was 31°·9, and 7°·4 below the average in the corresponding week of the 20 years ending 1868. The mean was considerably below the average throughout the week; the coldest day was Wednesday, when the mean was only 28°·1, and was 11°·2 below the average. The general direction of the *wind* was E., and the horizontal movement of the air averaged 6·0 miles per hour, which was 7·8 miles below the average in the corresponding week of 16 years. No rain was measured during the week. The duration of registered bright sunshine in the week was 2·9 hours, against 4·7 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY IN 28 GREAT TOWNS, during the Week ending 24th January, 1885.

CITIES AND BOROUGHES.	POPULATION estimated middle of the year 1885.	Registered during the Week ending 24th Jan., 1885.			The DEATHS registered in the Week include													TEMPERATURE OF THE AIR.						RAINFALL.		CITIES AND BOROUGHES.	
		1.	2.	3.	Deaths of		Deaths from							Inquest Cases.	Annual Rate per 1000, corresponding to the Week's Deaths		Mean.			In Inches.	In Centi- meters.						
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhoid.	Violence.		Deaths in Public Institutions.	Uncertified Cause of Death.	From All Causes.	From Diseases in Col., 0.12.	Highest.			Lowest.	Fahrenheit.	Centigrade.			
Cols.					4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.	
28 TOWNS -	8,906,446	6231	4091		880	1077	46	69	47	32	112	38	28	158	294	798	53	24	24.0	2.2	46.8	21.0	33.2	0.67	0.06	0.15	- 28 TOWNS.
LONDON -	4,083,928	2803	1807		380	500	48	20	18	12	49	10	8	66	143	425	24	23.1	2.0	37.0	22.3	31.9	-0.06	0.00	0.00	LONDON.	
BRIGHTON -	114,672	68	36		8	16	-	-	-	1	-	1	-	1	2	3	1	16.4	1.4	39.1	24.8	33.4	0.78	0.00	0.00	BRIGHTON.	
PORTSMOUTH -	134,659	82	60		9	27	-	-	-	1	-	1	-	1	2	3	4	23.2	0.8	-	-	-	-	-	-	PORTSMOUTH.	
NORWICH -	91,215	65	53		8	25	-	-	-	1	2	3	-	2	3	4	1	30.3	3.4	-	-	-	-	-	-	NORWICH.	
PLYMOUTH -	76,045	46	37		4	13	-	1	-	-	-	-	-	4	8	4	1	25.4	1.4	46.8	32.8	38.8	3.78	0.17	0.45	PLYMOUTH.	
BRISTOL -	218,169	158	97		21	27	4	-	-	2	6	-	-	7	13	1	1	23.2	2.9	41.0	33.0	33.5	0.84	0.11	0.28	BRISTOL.	
WOLVERHAMPTON	79,185	65	53		13	17	-	-	-	1	2	-	-	2	4	7	1	34.9	2.0	35.8	21.2	30.2	-1.01	0.00	0.23	WOLVERHAMPTON.	
BIRMINGHAM -	427,769	283	213		36	54	1	1	-	1	12	4	3	8	12	37	6	26.0	2.7	-	-	-	-	-	-	BIRMINGHAM.	
LEICESTER -	136,147	104	78		27	18	-	7	2	-	4	-	2	-	8	10	2	29.9	5.7	-	-	-	-	-	-	LEICESTER.	
NOTTINGHAM -	211,424	172	95		24	25	-	-	-	-	2	1	-	6	7	7	2	23.4	1.2	37.5	25.6	32.4	0.22	0.02	0.05	NOTTINGHAM.	
DERBY -	89,691	67	31		4	15	-	-	-	-	-	-	-	-	7	-	-	18.0	2.3	-	-	-	-	-	-	DERBY.	
BIRKENHEAD -	93,063	78	37		8	11	-	1	-	-	-	-	-	3	5	3	3	20.7	0.6	-	-	-	-	-	-	BIRKENHEAD.	
LIVERPOOL -	579,724	358	313		64	75	1	4	2	5	10	3	3	12	13	54	15	28.2	2.5	38.7	26.6	32.4	0.22	0.03	0.08	LIVERPOOL.	
BOLTON -	110,085	87	50		9	12	1	2	-	-	-	-	-	-	3	5	-	23.7	1.4	38.5	21.7	32.0	0.00	0.02	0.05	BOLTON.	
MANCHESTER -	337,342	265	181		39	51	-	2	1	-	2	1	1	5	18	27	2	28.0	1.1	-	-	-	-	-	-	MANCHESTER.	
SALFORD -	294,075	155	101		24	15	-	-	1	-	4	-	-	1	2	12	3	25.8	1.5	-	-	-	-	-	-	SALFORD.	
OLDHAM -	126,390	75	49		12	12	-	-	-	-	-	-	-	1	2	9	2	20.2	0.8	-	-	-	-	-	-	OLDHAM.	
BLACKBURN -	112,574	73	38		10	5	-	-	-	-	-	-	-	-	1	8	1	17.6	0.5	-	-	-	-	-	-	BLACKBURN.	
PRESTON -	100,406	80	56		11	12	-	1	1	1	2	1	1	3	3	6	3	29.1	3.6	-	-	-	-	-	-	PRESTON.	
HUDDESFIELD -	87,327	54	38		10	7	-	2	-	-	-	-	-	-	9	4	2	22.7	1.2	-	-	-	-	-	-	HUDDESFIELD.	
HALIFAX -	77,378	39	36		2	12	-	-	-	1	-	-	-	1	1	7	-	24.3	2.0	-	-	-	-	-	-	HALIFAX.	
BRADFORD -	214,431	134	82		20	22	-	1	1	2	2	1	2	1	4	9	2	20.0	2.2	38.6	25.0	32.5	0.28	0.15	0.38	BRADFORD.	
LEEDS -	333,139	234	134		38	27	-	-	4	1	5	2	2	7	10	14	2	21.0	2.2	41.0	25.0	34.0	1.11	0.13	0.33	LEEDS.	
SHEFFIELD -	306,716	238	143		40	26	-	1	5	-	7	4	-	12	12	10	12	24.4	2.9	39.0	21.0	31.8	-0.11	0.08	0.20	SHEFFIELD.	
HULL -	186,392	150	70		12	26	-	-	2	-	-	-	-	6	6	11	1	19.6	0.8	40.0	23.0	33.5	0.84	0.00	0.00	HULL.	
SUNDERLAND -	125,927	97	63		17	9	-	5	1	1	-	-	-	9	10	8	2	20.2	2.9	41.0	27.0	34.7	1.50	0.00	0.00	SUNDERLAND.	
NEWCASTLE -	163,209	100	64		15	9	-	1	4	1	2	1	-	2	4	6	1	21.8	3.1	-	-	-	-	-	-	NEWCASTLE.	
CARDIFF -	97,034	101	76		15	9	-	16	1	1	-	-	1	2	4	6	1	40.9	10.2	-	-	-	-	-	-	CARDIFF.	
EDINBURGH -	250,616	130	97		17	19	-	2	1	-	3	3	2	4	9	23	19	20.2	2.3	40.3	22.0	33.5	0.84	0.02	0.05	EDINBURGH.	
GLASGOW -	519,965	389	327		82	63	-	16	4	4	9	3	5	12	9	52	67	32.8	4.1	41.0	22.0	32.4	0.22	0.00	0.00	GLASGOW.	
DUBLIN -	353,982	215	216		29	60	-	5	3	2	3	4	6	3	3	64	38	31.9	3.4	46.7	24.6	37.0	2.78	0.05	0.13	DUBLIN.	

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the THIRD Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2498	2627	2747	2563	2658	2644	2192	2629	2804	2718	2843·9	2803
Males . .	1314	1332	1446	1274	1358	1340	1127	1332	1416	1364	1450·6	1347
Females .	1184	1295	1301	1289	1300	1304	1065	1297	1388	1354	1393·3	1456
TOTAL Deaths	1569	1782	1491	1903	1947	1900	2016	1700	1663	1578	1913·7	1807
Males . .	799	852	791	971	983	931	1032	856	869	777	966·3	847
Females .	770	930	700	932	964	969	984	844	794	801	947·4	960

* The numbers in this column are the average weekly numbers in the third week of the ten years 1875-84, raised by 0·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.
TOTAL Births	2745	2502	2558	2409	2587	2385	2614	2631	1832	3283	2816	2876	2803
TOTAL Deaths	1503	1516	1507	1521	1716	1764	1638	1595	1430	1918	1956	1855	1807
0—20	652	681	672	695	732	719	695	721	571	796	666	715	693
20—40	237	231	235	228	218	254	221	216	215	261	252	261	251
40—60	284	260	275	272	336	327	294	280	243	331	402	360	363
60—80	268	290	266	270	332	388	347	304	338	429	511	411	404
at 80 years & upwards	62	54	59	56	93	76	81	74	58	101	125	108	96
Deaths of children { Under 1 year	336	354	359	333	387	375	327	346	284	406	334	354	380
{ 1—5	224	234	209	223	237	247	238	262	198	248	225	261	206
{ 5—20	92	93	104	189	103	97	130	113	89	142	107	100	107
Deaths from Small-pox *	37	29	49	46	40	61	69	44	34	56	42	70	58
" " Measles	22	32	19	14	31	28	23	33	20	22	14	27	20
" " Scarlet Fever	28	32	36	36	27	23	22	26	16	28	16	21	18
" " Diphtheria	22	17	17	31	16	29	27	28	20	28	26	14	12
" " Whooping-cough	13	19	16	24	17	28	31	31	22	33	38	40	49
" " Typhus	—	1	2	2	1	1	—	1	1	—	—	—	1
" " Enteric fever	22	20	21	20	16	16	15	15	9	11	15	8	9
" " Simple Cont'd fever	5	2	1	1	3	—	1	4	1	—	1	1	—
" " Diarrhoea and Dysentery	26	22	19	15	7	12	6	9	7	15	11	8	8
" " Cholera	—	—	—	—	—	—	—	—	—	1	—	1	—
Deaths from the above-mentioned Diseases	175	174	180	189	158	198	194	191	130	194	163	190	175
" " Dis. of Respiratory System	348	357	370	354	511	499	457	416	370	537	609	552	513
" " Phthisis	203	177	167	185	194	170	163	159	159	198	200	186	180
" " Dis. of Circulatory System	120	110	86	119	123	152	121	109	132	127	169	155	153
Violent Deaths	50	52	54	57	53	45	56	50	36	94	57	66	66
Inquest Cases	97	114	107	105	110	132	117	116	101	198	144	134	143
Deaths in Public Institutions	322	342	325	389	417	347	366	348	300	420	444	408	425
TEMPERATURE OF THE AIR:													
Mean	48·2	49·4	45·0	38·8	36·4	42·4	46·5	41·2	36·5	33·2	33·0	35·1	31·9
Mean of Highest readings	55·8	57·0	49·9	43·1	40·9	47·3	50·8	47·0	38·8	35·7	42·7	37·5	35·2
Mean of Lowest readings	41·0	41·6	40·8	33·7	30·7	37·0	41·6	35·1	34·1	30·3	31·9	32·5	27·7
Humidity of the Air	79	86	83	86	86	88	87	84	85	88	92	83	91
Rain-fall in inches	0·27	0·66	0·01	0·08	0·02	1·23	0·68	0·81	0·03	0·00	0·57	0·27	0·00
Registered Sunshine (in hours)	18·2	21·4	9·6	3·5	4·1	3·6	1·2	6·1	2·4	0·0	7·1	1·4	2·9

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.R.Met.Soc., Brighton; John Quinton, Jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., L.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, Jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Pillitter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, 1st Lt.; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRD Week of the Year 1885.

In the Week ending Saturday, 24th January, 1885.										In the Week ending Saturday, 24th January, 1885.									
Deaths of Persons of the Ages										Deaths of Persons of the Ages									
ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.				
	0-1.	1-5.	5-20.						0-1.	1-5.	5-20.								
CAUSES OF DEATH.										CAUSES OF DEATH.									
Corrected Averages for the 3rd Weeks of the 10 years 1875-84.										Corrected Averages for the 3rd Weeks of the 10 years 1875-84.									
ALL CAUSES - -										ALL CAUSES - -									
1913·7										1913·7									
1807										1807									
330										330									
206										206									
107										107									
251										251									
363										363									
404										404									
96										96									
Diseases of Organs of Special Sense † - -										Diseases of Organs of Special Sense † - -									
2·7										2·7									
2										2									
-										-									
2										2									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-										-									
-																			

* The numbers in this column are the average weekly Deaths: the ten years 1875-84, raised by 9·045 per cent. for increase of population.
† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 15 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

		The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of												Deaths from				
					Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON		3,816,483	2803	1807	380	500	43	20	18	12	49	1	9	-	8	66	143	425	24		
WEST DISTRICTS		669,733	453	293	51	99	6	1	2	-	8	-	3	-	-	12	25	73	2		
NORTH DISTRICTS		905,947	604	413	70	124	13	3	4	5	12	1	3	-	1	11	34	85	-		
CENTRAL DISTRICTS		282,238	150	129	23	21	1	1	1	-	5	-	1	-	-	7	12	37	-		
EAST DISTRICTS		692,738	590	358	89	95	3	6	6	1	5	-	-	-	3	18	36	117	8		
SOUTH DISTRICTS		1,265,927	1026	614	148	161	20	9	5	6	19	-	2	-	1	18	86	113	14		
WEST DISTRICTS.																					
St. Mary Paddington WHH G.J. & W.M.		69888	55	22	7	6	-	-	-	-	1	-	-	-	-	1	4	1	-		
St. John Paddington H - G.J.		37330	6	21	4	7	-	-	-	-	-	-	1	-	-	-	3	7	-		
Kensington Town WW - W.M.		120141	86	59	11	23	-	1	-	-	3	-	-	-	1	2	4	16	-		
Brompton H - W.M. & C.		43010	15	14	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Peter Hammersmith - W.M.		7599	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.		64340	54	37	8	11	-	-	-	-	1	-	-	-	1	4	6	4	-		
Fulham WHH - W.M. & C.		42400	57	28	2	11	5	-	2	-	1	-	1	-	-	-	-	12	-		
Chelsea South HHH - C.		80394	21	13	2	8	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North-west WHHHH - C.		24925	11	22	4	5	-	-	-	-	-	-	1	-	-	-	-	11	-		
Chelsea North-east - C.		32807	26	4	-	2	-	-	-	-	-	-	1	-	-	1	1	-	-		
Hanover Square H - G.J.		16862	7	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-		
May Fair WV - G.J.		18491	4	8	2	6	-	-	-	-	-	-	-	-	-	-	-	5	-		
Belgrave HH - C.		59220	23	24	2	7	-	-	-	-	-	-	-	-	1	2	2	9	-		
St. John Westminster HH - C.		35498	20	11	3	1	-	-	-	-	-	-	-	-	-	-	2	1	-		
St. Margaret Westminster H - C.		24679	9	6	2	-	-	-	-	1	-	-	-	-	1	1	1	2	-		
St. James Westminster WH N.R. & G.J.		29941	15	11	4	3	1	-	-	-	1	-	-	-	-	1	1	2	-		
St. Anne Soho HHHHH - N.R.		16608	9	6	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-		
NORTH DISTRICTS.																					
All Souls Marylebone HHHH - W.M.		26759	16	23	3	6	-	-	-	-	-	-	-	-	-	1	2	11	-		
Cavendish Square HHH - W.M.		14891	10	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-		
Rectory Marylebone WH G.J. & W.M.		24809	13	10	1	2	-	1	-	-	-	-	-	-	-	-	-	2	-		
St. Mary Marylebone HHH G.J. & W.M.		21118	32	13	5	2	-	-	-	-	-	-	-	-	-	1	2	-	-		
Christchurch Marylebone H - W.M.		33700	20	20	2	4	-	1	-	-	1	-	-	-	-	1	2	-	-		
St. John Marylebone H - W.M.		33633	11	14	4	6	-	-	-	-	-	-	-	-	-	1	1	-	-		
Hampstead WvHHH - N.R. & W.M.		45452	80	16	1	4	-	-	1	-	1	-	-	-	-	-	1	-	-		
Regent's Park Paneras H - W.M.		39115	23	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-		
Tottenham-court WHHH N.R. & W.M.		27729	10	23	2	5	-	-	-	-	1	-	-	-	-	-	-	14	-		
Gray's Inn Lane HHH - N.R.		20247	19	12	3	3	-	-	-	-	-	-	-	-	-	2	4	4	-		
Somers Town H - N.R.		34369	19	12	-	4	-	-	-	-	-	-	-	-	-	1	1	-	-		
Camden Town WH - N.R.		17311	14	12	3	5	-	-	-	-	-	-	-	-	-	-	2	9	-		
Kentish Town W - N.R.		87487	52	35	9	10	-	-	-	-	5	-	-	-	-	1	2	4	-		
Upper Holloway WvWH - N.R.		67946	47	55	6	16	5	-	-	2	1	-	-	-	1	1	3	25	-		
Islington South-west H - N.R.		100076	85	32	10	11	-	1	-	1	-	-	-	-	-	1	1	1	-		
Islington South-east - N.R.		61835	34	20	4	8	-	1	-	-	-	-	1	-	-	-	3	-	-		
Highbury H - N.R.		52048	26	16	1	6	-	-	1	-	1	-	-	-	-	-	1	-	-		
Stoke Newington H - N.R.		22781	13	7	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-		
Stamford Hill - E.L.		9277	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
West Hackney - N.R.		37610	28	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hackney WvWHHL - E.L. & N.R.		76011	53	45	6	17	6	-	1	1	1	1	1	1	-	1	4	15	-		
South Hackney - E.L.		39883	29	24	4	8	1	-	-	2	-	-	-	-	-	-	-	-	-		
CENTRAL DISTRICTS.																					
St. George Bloomsbury - N.R.		16681	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - N.R.		14864	5	8	1	4	-	-	-	-	-	-	-	-	-	-	-	7	-		
St. Giles North - N.R.		13837	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HH N.R. & C.		17508	4	11	1	1	-	-	-	-	1	-	1	-	-	2	2	6	1		
St. Mary-le-Strand H - N.R.		7515	2	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
St. Clement Dances H - N.R.		8559	2	6	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-		
St. George-the-Martyr HHHHHH N.R.		13871	7	11	2	2	-	-	1	-	-	-	-	-	-	-	-	2	-		
St. Andrew Eastern W - N.R.		10706	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2		
Saffron Hill H - N.R.		6533	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
St. James Clerkenwell - N.R.		17516	11	9	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - N.R.		19281	11	8	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-		
Fentonville - N.R.		14773	17	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Goosewell-street - N.R.		17506	18	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Old-street H - N.R.		11541	10	5	2	1	-	-	-	-	-	-	-	-	-	2	3	-	-		
City-road HHL - N.R.		18628	11	16	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-		
Whitecross-street - N.R.		9217	11	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
Finsbury - N.R.		7463	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - N.R. & E.L.		11174	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cripplegate - N.R.		7193	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - N.R.		5358	3	16	1	1	-	-	-	-	-	-	-	-	-	2	2	15	-		
St. Bride W - N.R.		8396	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Allhallows Barking - N.R.		13666	5	4	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-		
Broad Street H - N.R.		5682	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; &—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

FEVER, DYPHTHERIA, WHOOPING-COUGH, MEASLES, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 24th January, 1885.

		The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1881.	Total Deaths during the Week.	Total Deaths during the Week.	Deaths from															
					Deaths o	Deaths from														
					Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
EAST DISTRICTS.																				
Holywell Shoreditch	N.R. & E.L.	7376	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Leonard Shoreditch	HL†	14967	8	5	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
Hoxton New Town	W	29987	20	19	4	8	-	-	-	-	-	-	-	-	-	1	2	9	-	
Hoxton Old Town	-	28036	20	10	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	
Haggerston	WH	46275	38	32	9	8	-	-	-	1	1	-	-	-	-	-	1	9	1	
Hackney-road	H	26738	20	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
Green, Bethnal Green	WHL†	47932	38	25	7	9	-	-	-	-	-	-	-	-	-	4	5	14	-	
Church, Bethnal Green	-	29981	36	12	4	4	-	1	1	-	-	-	-	-	-	-	-	-	-	
Town, Bethnal Green	-	19810	21	7	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	
Spitalfields	H	22585	23	8	3	1	-	-	1	-	1	-	-	-	-	-	1	-	-	
Mile End New Town	W	18473	12	13	1	4	-	-	-	-	-	-	-	-	-	-	3	13	-	
Whitechapel Church	H	17490	10	24	4	3	-	1	-	-	-	-	-	-	1	6	6	23	-	
Goodman's Fields	-	9713	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Aldgate	-	6102	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George's, North	-	38747	32	17	7	2	-	-	2	-	-	-	-	-	-	-	1	-	-	
St. John, St. George East	W	5410	13	7	-	4	-	-	-	-	-	-	-	-	1	-	-	7	-	
Shadwell	H	16895	22	10	5	3	-	-	-	-	-	-	-	-	-	-	-	6	2	
Ratcliff	-	16107	7	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	
Limehouse	-	32041	23	8	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
Mile End Old Town West	-	37960	37	18	5	6	-	1	-	-	1	-	-	-	-	-	-	-	3	
Mile End Old Town East	WHW H	67653	61	40	4	16	2	-	-	-	-	-	-	-	-	1	1	15	-	
Bow	-	37074	26	14	4	1	-	-	1	-	1	-	-	-	-	-	3	-	-	
Bromley	WHW H	64859	53	46	11	13	1	-	-	-	-	-	-	-	-	3	6	18	-	
Poplar	WHW	55077	46	29	10	6	-	1	2	-	-	-	-	-	1	1	1	3	-	
SOUTH DISTRICTS.																				
Christchurch Southwark	WH	12663	14	12	4	4	-	-	-	-	1	-	-	-	-	-	-	3	2	
St. Saviour Southwark	H	14999	11	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kent-road	-	21381	16	7	2	1	-	-	-	-	-	-	-	-	-	-	2	-	-	
Borough-road	WH	16953	12	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
London-road	HL	14318	12	9	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	
Trinity Newington	-	26612	15	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Peter Walworth	W	30555	51	40	10	12	1	-	-	-	-	-	-	-	-	4	5	15	-	
St. Mary Newington	-	21623	15	10	4	2	1	-	-	-	-	-	-	-	-	1	1	-	1	
St. Olave	WH	11956	3	14	2	2	-	-	-	2	-	-	-	-	-	1	1	12	-	
Leather Market	-	16390	21	7	1	1	-	-	-	-	-	-	-	-	-	1	1	2	8	
St. Mary Magdalene	W	15689	9	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Bermondsey	-	55633	39	19	4	4	-	-	1	2	-	-	-	-	-	1	3	6	-	
Rotherhithe	W	36024	31	20	7	4	-	2	1	-	1	-	-	-	-	1	2	6	-	
Waterloo-road 1st	H	15195	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Waterloo-road 2nd	H	16361	15	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lambeth Church 1st	H	19876	16	18	4	5	-	-	1	1	-	-	-	-	-	-	-	10	-	
Lambeth Church 2nd	WHW	39859	30	25	3	11	-	-	-	-	-	-	-	-	-	-	-	11	-	
Kennington 1st	-	45332	59	17	5	3	-	-	-	-	2	-	-	-	-	-	-	-	2	
Kennington 2nd	-	33832	16	12	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Brixton	WHW	62837	43	18	1	9	1	-	1	-	-	-	1	-	-	-	-	1	-	
Norwood	W	19017	11	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Clapham	H	26380	31	18	4	8	-	-	-	-	-	-	-	-	-	-	1	-	-	
East Battersea	-	54675	36	19	6	2	-	-	-	2	-	-	-	-	-	1	1	-	1	
West Battersea	WHW	55387	45	25	13	5	-	-	-	-	-	-	-	-	-	-	-	6	-	
Wandsworth	HL	28004	27	19	2	5	1	-	-	1	2	-	-	-	1	1	1	5	-	
Putney	-	13235	14	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streatham	-	26553	23	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich	-	5590	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell	WL†L	59104	37	30	8	13	-	-	-	1	-	-	-	-	-	-	1	11	-	
Peckham	W	71089	61	32	5	7	1	1	-	1	1	-	-	-	-	-	-	-	2	
St. George Camberwell	-	40810	60	36	10	6	-	1	1	-	4	-	-	-	-	1	3	-	-	
St. Paul Deptford	WHW	76752	67	45	17	4	13	1	-	-	-	-	-	-	-	-	1	2	12	
St. Nicholas Deptford	-	7901	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West	-	21972	11	17	6	4	-	-	-	-	1	-	-	-	-	-	-	-	-	
Greenwich East	WHH	24606	24	12	4	7	-	-	-	1	-	-	-	-	-	1	1	12	2	
Eltham	H	5827	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lee	-	21559	9	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lewisham	WH	19865	23	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
Sydenham	H	26076	21	12	-	5	2	-	2	-	-	-	-	-	-	-	1	-	-	
Charlton	H	10930	8	7	1	2	-	-	-	-	-	-	-	-	-	-	-	2	1	
Woolwich Dockyard	-	17617	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Woolwich Arsenal	HHH	19048	14	7	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-	
Plumstead, West	H	14009	11	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Plumstead, East	W	19241	26	8	1	1	-	1	-	-	-	-	-	-	-	1	1	3	-	

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:—

Central London Sick Asylum, in Tottenham Court-road sub-district.		London City Workhouse in Islington East sub-district.		London City Workhouse in Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Holborn Infirmary	"	"	"	"
London City Workhouse	"	"	"	"
Holborn	"	"	"	"
Whitechapel	"	"	"	"

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 24th January, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes	
LONDON—OUTER RING		370,282	950,178	809	430	81	137	18	4	7	8	10	4	2	9	26	53	14	
30: 1	Carshalton <i>wL</i> - -	12238	21118	18	13	-	6	-	-	-	-	-	-	-	-	-	10	-	
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	5	2	-	-	-	-	-	1	-	-	-	1	1	1	-	
37: 1	Godstone (<i>part of</i>) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon <i>WwH</i> - -	20851	101241	78	51	7	17	2	3	-	1	2	-	-	2	3	13	-	
	Mitcham - -	11697	17932	12	6	1	-	-	-	-	-	-	-	-	-	-	-	1	
39: 1	Wimbledon <i>HHH</i> - -	3220	15950	11	8	-	2	-	1	-	-	-	1	-	-	-	-	-	
2	Kingston <i>WHH</i> - -	8549	36354	17	15	1	4	-	-	-	-	-	-	-	-	-	-	1	
3	Esher (<i>part of</i>) * - -	6601	9221	5	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton <i>H</i> - -	4573	13539	5	6	2	2	-	-	-	-	-	-	-	1	1	-	-	
40: 1	Richmond <i>WH</i> - -	2272	21302	11	12	-	-	-	-	-	-	-	-	-	-	-	4	-	
2	Mortlake - -	941	12331	10	5	2	-	-	-	-	-	-	-	-	-	-	-	-	
41: 1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	23	16	3	7	-	-	-	-	1	-	-	-	-	-	1	
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	13665	15065	14	5	1	2	1	-	-	-	-	-	-	-	-	-	3	
42: 1	Bexley <i>H</i> - -	13437	24134	16	7	1	4	-	-	-	-	-	-	-	-	-	-	-	
124: 1	Sunbury <i>w</i> - -	11055	11685	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines <i>W</i> - -	13277	12089	8	6	-	3	-	-	-	-	-	-	-	-	-	-	-	
125: 1	Hillingdon <i>WH</i> - -	6029	10802	12	6	1	2	-	-	-	-	-	-	-	-	-	3	-	
2	Uxbridge - -	6178	5225	9	4	3	-	-	-	-	-	1	-	-	-	-	-	-	
3	Hayes <i>wHL</i> - -	14587	11523	-	3	-	2	-	-	-	-	-	-	-	-	1	-	-	
126: 1	Isleworth <i>W</i> - -	7008	22727	21	12	-	8	-	-	-	-	-	-	-	-	1	4	-	
2	Twickenham <i>H</i> - -	2477	12479	9	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
3	Brentford <i>HL</i> - -	4345	27649	24	12	3	6	-	-	-	-	1	-	-	-	2	-	-	
4	Chiswick - -	1340	15975	10	-	-	1	-	-	-	-	-	-	-	-	2	-	1	
5	Acton <i>wH</i> - -	6083	22876	24	12	3	4	-	-	-	2	2	-	1	-	-	-	1	
127: 1	Harrow <i>H</i> - -	13809	12796	7	6	-	-	-	-	-	-	-	-	-	-	1	-	-	
2	Edgware <i>H</i> - -	6994	3749	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - -	4383	27453	0	21	4	-	-	-	-	-	1	-	1	-	2	-	-	
4	Hendon <i>W</i> - -	8382	10484	12	5	-	3	-	-	-	-	-	-	-	1	1	-	-	
128: 1	South Mimms - -	15599	6391	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet † <i>W</i> - -	5493	10092	7	-	-	-	-	-	-	-	-	-	-	-	-	3	-	
3	Finchley <i>HL</i> - -	4688	17615	17	8	1	-	-	-	-	-	-	-	-	-	-	4	-	
129: 1	Hornsey <i>H</i> - -	3039	37078	26	14	2	4	1	-	-	2	-	-	-	-	1	-	-	
2	Tottenham <i>HH</i> - -	4642	46456	44	16	4	5	-	-	1	-	1	1	-	-	1	-	1	
3	Edmonton <i>WwH</i> - -	7483	23463	18	11	2	6	-	-	-	-	-	-	-	-	1	3	-	
4	Enfield <i>WH</i> - -	12653	19104	26	11	3	6	-	-	-	-	-	-	-	-	1	-	-	
5	Waltham Abbey - -	11017	5368	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	
6	Cheshunt - -	8480	7735	8	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield (<i>part of</i>) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey - -	9331	6621	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
186: 1	Stratford - -	832	38606	37	22	11	1	-	-	-	-	-	1	-	2	3	-	1	
2	West Ham <i>wvwH</i> - -	7351	101053	118	50	11	3	12	-	3	-	1	-	-	1	2	2	1	
3	Leyton <i>WwL</i> - -	4872	32430	34	14	2	4	1	-	1	-	1	-	-	-	-	6	1	
4	Walthamstow <i>wH</i> - -	6520	25889	42	19	3	9	-	-	1	1	-	-	-	1	2	-	-	
187: 1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
189: 1	Romford (<i>part of</i>) * -	6730	3411	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - -	8493	7645	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town - -	4127	9203	10	3	1	1	1	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37: 1, the two parishes of Waringham and Farley in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1963); 41: 2, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813); 41: 2, the whole of Chislehurst sub-district, except the parish of Chelsfield (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 187: 1, the whole of Chigwell sub-district, except the parish of Theydon-Bois (pop. 375); 189: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 24th January, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Violence.	
						Infants under 1 Year of Age.	Persons aged 69 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
ATER LONDON	448,334	5,093,995	22·4	2·1	2237	461	637	61	24	25	20	59	14	10	75	478		
NNER LONDON -	78,052	4,019,361	23·1	2·0	1807	380	500	43	20	18	12	49	10	8	66	425		
UTER RING -	370,282	1,074,634	20·1	2·5	430	81	137	18	4	7	8	10	4	2	9	53		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 10,522 square miles, which is equivalent to the area of a circle having a radius of 14,933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,030,796 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA	453,219	December 6	—	251	32·1	Cholera 18; fevers 104.
BOMBAY	773,196	" 16	292	451	28·4	Fevers 129; cholera 2; small-pox 2.
MADRAS	398,777	" 5	311	362	47·1	Cholera 12; fevers 74.
PARIS	2,230,928	January 17	1192	1227	28·5	Typhd. fever 17; diph. and croup 38; meas. 33.
GENEVA	71,453	" 17	29	34	24·8	Diphtheria and croup 2.
BRUSSELS	426,814	" 10	278	201	25·0	Diphtheria 4; croup 4.
AMSTERDAM	361,314	" 17	271	222	31·5	Scar. fev. 9; measles 8.
ROTTERDAM	169,477	" 17	126	99	30·4	Whooping-cough 4.
THE HAGUE	131,417	" 17	90	56	22·2	Croup 4.
COPENHAGEN	267,000	" 20	225	111	21·7	Measles 11.
STOCKHOLM	190,115	" 10	131	99	27·1	Diphtheria and croup 7; scarlet fever 5.
CHRISTIANIA	126,000	" 17	81	63	26·0	Diphtheria and croup 8.
ST. PETERSBURG	928,016	" 10	—	527	29·6	Typhoid fever 8; diph- theria 15.
BERLIN	1,261,859	" 3	794	510	21·3	Diphtheria 41; meas. 16; scar. fev. 12.
HAMBURG (State)	467,253	January 10	330	256	28·6	Diphtheria and croup 6.
DRESDEN	236,000	" 10	153	115	25·3	Diphtheria 14.
BRESLAU	295,000	" 10	164	167	29·5	Whooping-cough 4.
MUNICH	244,000	" 17	154	121	25·8	Measles 3.
VIENNA	769,889	" 10	507	392	26·5	Scar. fev. 5; sm.-pox 3.
PRAGUE	272,333	" 17	—	154	29·5	Scarlet fever 8; diph- theria and croup 5.
BUDA-PESTH	416,474	" 3	232	228	28·3	Diphtheria and croup 6.
TRIESTE	148,245	" 3	—	100	35·2	Small-pox 21; diphtheria and croup 5.
ROME	318,653	December 13	103	194	31·8	Small-pox 8; typhoid fever 4.
NAPLES	494,015	—	—	—	—	—
TURIN	262,521	December 13	152	181	36·0	Small-pox 26; typhoid fever 4.
VENICE	144,888	January 3	—	—	—	—
MADRID	475,668	December 28	334	372	40·8	Diphtheria and croup 23; measles 24.
LISBON	203,681	" 20	103	142	36·4	Small-pox 17.
ALEXANDRIA	212,034	" 27	247	131	32·2	Typhoid fever 4; diph- theria and croup 6.
NEW YORK	1,348,375	" 27	—	—	—	—
BROOKLYN	644,526	" 27	—	—	—	—
PHILADELPHIA	927,995	January 3	—	471	26·5	Diphtheria 25; typhoid fever 17; scar. fev. 14.
BALTIMORE	408,520	" 3	—	179	22·9	Diphtheria 12; typhoid fever 4.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 24th JANUARY, 1885.
[Under the Superintendence of the Astronomer Royal.]

1885. MONTH AND DAY.	MOON.	METER.				READINGS OF THERMOMETERS.				DIFFERENCE.				WIND.				RAIN.			
		Barom.		Therm.		Wet Bulb.		Dry Bulb.		Between Dew Point and Air Temperature.		Between mean temperature of the day and mean temperature of the same day, being the same day, on an average of 20 years.		As deduced from Anemometers.		Oiler's.		Gauge in a place where the wind is blowing.		Gauge in a place where the wind is blowing.	
		in.		° F.		° F.		° F.		° F.		° F.		Miles.		Miles.		Miles.		Miles.	
		High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.
JANUARY.																					
SUN. 18	..	29.556	37.0	34.3	2.7	35.5	33.3	41.0	34.1	36.0	36.0	2.5	3.7	1.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
MON. 19	..	30.0.8	36.1	32.4	3.7	34.4	32.5	36.6	32.4	37.0	36.5	1.9	3.0	1.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5
TUES. 20	..	29.897	33.5	36.0	7.5	30.6	29.1	37.4	20.0	37.6	33.0	1.5	4.2	0.8	8.5	8.5	8.5	8.5	8.5	8.5	8.5
WED. 21	In Equinox	29.796	31.9	34.6	7.3	28.1	21.5	52.6	17.8	35.2	36.2	6.6	10.0	2.0	11.2	11.2	11.2	11.2	11.2	11.2	11.2
THURS. 22	..	29.838	35.8	32.3	13.0	30.8	29.7	40.5	16.9	36.5	36.5	1.1	4.0	0.0	8.7	8.7	8.7	8.7	8.7	8.7	8.7
FRI. 23	..	29.896	36.0	36.7	9.3	31.0	30.3	50.8	21.1	36.4	36.4	0.7	3.0	0.0	8.6	8.6	8.6	8.6	8.6	8.6	8.6
SAT. 24	Quarter	29.955	36.9	27.3	9.6	32.3	29.7	47.4	25.4	36.0	36.0	2.6	4.6	0.5	7.4	7.4	7.4	7.4	7.4	7.4	7.4
MEANS	..	29.912	35.2	27.7	7.6	31.9	29.4	43.8	24.0	36.5	36.2	2.4	4.6	0.8	7.4	7.4	7.4	7.4	7.4	7.4	7.4
No of Col.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
DATE.																					
JANUARY.																					
SUNDAY 18																					
MONDAY 19																					
TUESDAY 20																					
WEDNESDAY 21																					
THURSDAY 22																					
FRIDAY 23																					
SATURDAY 24																					
No. of Col.																					

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1888.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are -P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer increased from 29.92 in. at the beginning of the week to 29.96 in. by 9h. A.M. on the 19th; decreased to 29.79 in. by 3h. P.M. on the 21st; and increased to 29.99 in. by the end of the week.

SKY AND ATMOSPHERE.

Overcast.

Overcast. Very fine rain fell occasionally in afternoon and evening.

Overcast till evening; cloudless at night. Slight hoar frost.

Cloudy in morning; cloudless and fine till 9h. P.M.; overcast till 9h. P.M.; cloudless afterwards. Hoar frost.

Generally cloudy. Foggy at night. Hoar frost.

Dense fog prevailed in morning; fine and generally cloudless in afternoon; cloudy afterwards. Hoar frost.

Cloudy till evening; cloudless at night. Thin fog prevailed in morning. Hoar frost.

SUN.	18	0.0	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4
MON.	19	0.0	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4
TUES.	20	0.0	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4
WED.	21	2.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
THURS.	22	0.0	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6
FRI.	23	0.9	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6
SAT.	24	0.0	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7
Sum		2.9	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum
No. of Col.		29	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 4, 1885. VOL. XLVI.] WEEK ENDING SATURDAY, JANUARY 31. [Price 1½d.

General Register Office, Somerset House,
2nd February, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 24·5 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the past four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.		Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.
Birkenhead	26·3	25·8	20·7	13·5	Liverpool	27·5	24·5	28·2	27·1
Birmingham	23·7	27·6	26·0	23·7	London	25·0	23·7	23·1	24·1
Blackburn	23·2	29·7	17·6	26·4	Manchester	30·9	29·7	23·0	25·5
Bolton	19·0	31·3	23·7	21·8	Newcastle-on-Tyne	27·6	21·5	21·8	22·8
Bradford	20·4	20·9	20·0	22·6	Norwich	28·0	29·7	30·3	36·6
Brighton	19·1	19·1	16·4	20·9	Nottingham	22·7	20·2	23·4	25·2
Bristol	25·6	27·3	23·2	26·3	Oldham	23·9	23·9	20·2	28·5
Cardiff	36·0	32·8	40·9	34·9	Plymouth	30·2	31·6	25·4	30·2
Derby	20·4	19·2	18·0	18·0	Portsmouth	21·3	24·0	23·2	29·8
Halifax	22·3	29·0	24·3	22·9	Preston	34·8	29·6	29·1	32·7
Huddersfield	22·7	22·7	22·7	27·5	Salford	22·2	22·2	25·8	17·6
Hull	27·5	16·0	19·6	19·0	Sheffield	19·6	20·8	24·4	23·7
Leeds	20·5	22·4	21·0	25·8	Sunderland	22·1	23·3	26·2	27·5
Leicester	31·0	21·5	29·9	20·7	Wolverhampton	30·3	31·6	34·9	25·0

The highest annual death-rates from whooping-cough, measured by last week's mortality, were 1·9 in Bradford, and 2·3 in Norwich; from measles, 3·3 in Sunderland, and 6·5 in Cardiff; from scarlet fever, 1·4 in Newcastle-upon-Tyne, and 2·0 in Halifax; and from "fever," 1·0 in Preston, and 2·3 in Norwich. The 35 deaths from diphtheria in the twenty-eight towns included 15 in London, 4 in Liverpool, 2 in Nottingham, 2 in Bradford, and 2 in Cardiff. Small-pox caused 60 deaths in London and in its outer ring of suburban districts, and 2 in Liverpool.

LONDON.

In LONDON 2727 BIRTHS and 1885 DEATHS were registered. Allowing for increase of population, the births were 107, and the deaths 51, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 25·0, 23·7, and 23·1 in the three preceding weeks, rose again to 24·1 last week. During the first four weeks of the current quarter the death-rate averaged 24·0 per 1000, against 20·9 and 20·4 in the corresponding periods of 1883 and 1884.

The 1885 deaths included 29 from small-pox, 16 from measles, 19 from scarlet fever, 15 from diphtheria, 60 from whooping-cough, one from typhus, 13 from enteric fever, one from an ill-defined form of continued fever, 12 from diarrhoea and dysentery, and not one from cholera; thus, 166 deaths were referred to these diseases, being 95 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 47 and 43 in the two preceding weeks, declined to 29 last week, and exceeded the corrected weekly average by 2. These 29 deaths exclude 30 deaths of London residents from this disease recorded in the Metropolitan Asylum Hospitals situated outside London. Of the 59 fatal cases, 43 were recorded in the Metropolitan Asylum Hospitals in and around London, 4 in the Highgate Small-pox Hospital, and 12 in private dwelling-houses. After distributing the hospital cases to the several

sanitary areas, 11 belonged to Islington, 6 to Hackney, 6 to Poplar, and 4 to Lambeth; in all, 24 belonged to the North, 13 to the East, and 16 to the South groups of registration districts. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1009 and 1092 on the two preceding Saturdays, further rose to 1147 at the end of last week; the admissions, which had been 216 and 287 in the two previous weeks, were 253 last week. The Highgate Small-pox Hospital contained 97 patients on Saturday last, 22 cases having been admitted during the week.

The fatal cases of *measles* which had been 27 and 20 in the two previous weeks, further declined to 16 last week, and were 21 below the corrected weekly average; 5 occurred in East, and 8 in South London. The 19 deaths from *scarlet fever* exceeded the low number in the previous week by but one, and were 31 below the corrected average; after distributing the hospital cases, 9 belonged to East London, including 3 to Stepney. The Metropolitan Asylum Hospitals contained 295 scarlet fever patients on Saturday last (a further decline from the numbers in recent weeks), 38 having been admitted during the week. The 15 deaths referred to *diphtheria* showed an increase of 3 upon the number in the previous week, and exceeded the corrected average by 4; after distributing the hospital cases, 5 belonged to Islington, 2 to Newington, and 3 to Camberwell. The fatal cases of *whooping-cough*, which had steadily increased in the five preceding weeks from 22 to 49, further rose to 60 last week, but were 36 below the corrected average; after distributing the hospital cases, 5 belonged to Pancras, 5 to Islington, and 5 to St. George's, Southwark; 16 belonged to the North, and 19 to the South groups of districts. The 12 deaths attributed to *diarrhoea* and *dysentery* were 3 below the corrected average.

The deaths referred to *enteric fever*, which had been but 8 and 9 in the two previous weeks, rose to 13 last week, but were 6 below the corrected average; after distributing the hospital cases, 2 belonged to Marylebone, and 2 to Camberwell. The single death attributed to *typhus* was recorded at 42, Anthony Street, St. George-in-the-East. A death was indefinitely referred to "low fever." In the Metropolitan Asylum Hospitals, 53 cases of enteric fever, and not one of typhus, were under treatment on Saturday last; 10 cases of enteric fever were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 609, 552, and 513 in the three preceding weeks, rose again to 556 last week, and exceeded the corrected average by 16.

Different forms of violence caused 53 deaths; 50 were the result of negligence or accident, among which were 18 from fractures and contusions, 6 from burns and scalds, 6 from drowning, 2 of labourers at leadworks from lead poisoning, and 16 of infants under one year of age from suffocation. The 18 deaths from fractures and contusions were thus returned:—female 53, run over by cab; male 66, by horse falling upon him; male 50, struck by railway-engine; male 71, crushed between railway-truck and earth-bank; female 77, fell in street; males 46, 47, 55, fell down stairs or steps; male 48 (intoxicated), fell in passage; female 5, fell from chair; female 73, fell from table; female 71, fell in garden; male 67, crushed by machinery at wharf; female 80, by fracture of femur; male 11 months, by blow on head; males 8, 64, by fall; and male 46, by fracture. An inquest was held in each of these 18 cases except the last. Two cases of suicide were registered.

GREATER LONDON.

In Greater London 3488 births and 2326 deaths were registered, equal to annual rates of 35.0 and 23.3 per 1000 of the population. In the Outer Ring 31 fatal cases of small-pox, and 10 of whooping-cough, were registered. Of the 31 deaths from small-pox, 23 were returned in West Ham, 4 in Croydon, and 2 in Edmonton sub-districts; the 23 in West Ham sub-district included 8 in the Metropolitan Asylum Hospital at Plaistow.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29.48 in.; the highest reading was 29.99 in. at the beginning of the week, and the lowest 28.88 in. on Saturday afternoon. The mean temperature of the *air* was 43°.6, and 3°.5 above the average in the corresponding week of the 20 years ending 1868. The mean was below the average on Sunday and Monday, but showed a considerable excess throughout the remainder of the week. The general direction of the *wind* was southerly, and the horizontal movement of the air averaged 17.4 miles per hour, which was 3.4 miles above the average in the corresponding week of 16 years. *Rain* fell on five days of the week, to the aggregate amount of 0.58 of an inch. The duration of registered bright sunshine in the week was 5.5 hours, against 6.3 hours at Glyde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY in 28 GREAT TOWNS, during the Week ending 31st January, 1885.

CITIES AND BOROUGH.	CITIES AND BOROUGH.	Registered during the Week ending 31st Jan., 1885.		The DEATHS registered in the Week include														TEMPERATURE OF THE AIR.				RAINFALL.			
		1.	2.	3.	Deaths of Persons aged 1 Year of Age.		Small pox.	Measles.	Scarlet Fever.	Deaths from				Violence.	Deaths in Public Institutions.	(Cases of Death.)		Annual Rate per 1000, correcting to the Week of 1885.		Mean.		In Inches.	In Centi- meters.		
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.				Fever.	Diphtheria.	Whooping- cough.	Diarrhea.			From All Causes.	From All Causes.	Fahrenheit.	Fahrenheit.						
Cols.	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.
28 TOWNS.	-	8,906,446	6020	4188	897	1104	31	58	56	35	141	43	32	111	250	695	105	24.5	2.3	56.0	24.7	43.0	6.11	0.91	2.31
LONDON.	-	4,083,928	2727	1885	378	559	29	16	19	15	60	15	12	53	132	402	29	24.1	2.1	52.8	24.7	43.6	6.45	0.58	1.47
BRIGHTON.	-	114,672	53	46	10	16	-	-	1	1	-	-	-	3	4	6	1	20.9	0.9	48.0	31.9	42.6	5.90	0.85	2.16
PORTSMOUTH.	-	184,659	81	77	11	32	-	2	1	1	-	-	-	1	2	7	-	29.8	1.2	-	-	-	-	-	-
NORWICH.	-	81,215	70	64	8	28	-	-	1	1	4	4	-	1	2	4	-	36.6	5.7	-	-	-	-	-	-
PLYMOUTH.	-	76,045	35	44	9	18	-	-	1	1	1	-	-	1	2	7	1	30.2	1.4	52.0	42.5	47.8	8.78	1.13	2.87
BRISTOL.	-	218,180	137	110	15	43	-	1	1	1	3	-	1	2	6	19	1	26.3	1.4	53.4	34.0	45.8	7.67	1.64	4.17
WOLVERHAMPTON.	-	73,185	50	38	6	12	-	-	1	1	1	-	-	-	-	11	1	25.0	2.0	51.2	26.2	40.7	4.83	1.26	3.20
BIRMINGHAM.	-	427,769	278	194	56	38	-	-	-	1	14	2	2	7	23	25	4	23.7	2.3	-	-	-	-	-	-
LEICESTER.	-	136,147	103	54	15	16	-	2	1	-	2	-	-	1	5	10	1	20.7	1.9	-	-	-	-	-	-
NOTTINGHAM.	-	211,424	139	102	26	25	-	-	1	2	7	-	-	2	3	16	1	25.2	2.5	53.1	28.9	42.4	5.78	0.58	1.47
DERBY.	-	89,691	51	31	9	8	-	-	-	-	-	-	-	1	5	1	-	18.0	0.6	-	-	-	-	-	-
BIRKENHEAD.	-	13,063	62	24	7	3	-	2	-	-	-	-	-	2	4	4	1	13.5	1.1	-	-	-	-	-	-
LIVERPOOL.	-	579,724	428	301	66	51	2	4	4	4	13	5	3	7	11	51	19	27.1	3.2	54.1	32.4	44.7	7.06	0.70	1.78
BOLTON.	-	110,085	78	46	9	14	-	1	1	-	-	-	-	1	1	2	1	21.8	0.9	51.3	28.4	41.5	5.28	1.50	3.81
MANCHESTER.	-	337,342	265	171	38	53	-	3	1	-	6	1	2	3	10	40	1	26.5	2.0	-	-	-	-	-	-
SALFORD.	-	204,075	142	69	16	11	-	-	2	-	1	1	1	2	2	12	3	17.6	1.3	-	-	-	-	-	-
OLDHAM.	-	126,360	94	69	14	13	-	-	-	-	2	1	1	2	2	3	7	28.5	1.7	-	-	-	-	-	-
BLACKBURN.	-	112,574	76	57	17	10	-	-	2	-	-	2	4	1	1	6	2	26.4	3.7	-	-	-	-	-	-
PRESTON.	-	100,406	84	63	8	13	-	1	1	1	2	2	1	1	2	6	3	32.7	4.2	53.0	30.0	42.8	6.00	1.12	2.84
HUDDESFIELD.	-	87,327	50	46	13	10	-	1	-	-	-	-	-	2	2	6	3	27.5	1.2	-	-	-	-	-	-
HALIFAX.	-	77,378	43	34	9	8	-	-	3	-	-	-	-	1	1	1	2	22.9	2.0	-	-	-	-	-	-
BRADFORD.	-	214,431	112	93	21	18	-	-	-	-	2	8	-	3	4	6	1	22.6	2.7	53.8	28.0	41.8	5.45	0.78	1.98
LEEDS.	-	333,139	225	165	46	37	-	-	2	1	10	1	1	7	11	15	5	25.8	2.3	56.0	28.0	41.9	5.50	0.60	1.52
SHEFFIELD.	-	305,716	211	139	38	30	-	2	6	1	3	4	-	2	2	7	8	23.7	2.7	53.0	29.0	42.6	5.90	0.73	1.85
HULL.	-	186,292	115	68	14	14	-	1	3	-	-	-	-	3	3	5	2	19.0	1.4	-	-	-	-	-	-
SUNDERLAND.	-	125,327	104	66	8	14	-	8	1	-	1	-	-	1	2	6	3	27.5	4.6	53.0	31.0	41.1	5.06	0.39	0.99
NEWCASTLE.	-	153,209	126	67	17	14	-	2	4	-	1	1	-	-	4	7	6	22.8	2.7	-	-	-	-	-	-
CARDIFF.	-	97,034	81	65	13	16	-	12	1	-	2	-	-	3	5	10	1	34.9	10.8	-	-	-	-	-	-
EDINBURGH.	-	250,616	152	103	19	32	-	1	2	-	3	-	3	3	2	19	21	21.4	1.9	51.7	32.0	41.7	5.39	0.51	1.30
GLASGOW.	-	519,965	388	337	7	57	-	12	7	5	15	5	7	5	2	31	38	33.8	5.1	51.5	32.0	41.9	5.50	0.84	2.13
DUBLIN.	-	353,052	225	240	33	69	-	3	3	-	5	9	2	2	2	79	20	35.5	3.3	53.6	39.8	46.2	7.80	0.59	1.50

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK and in the FOURTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2567	2733	2572	2430	2641	2436	2864	2665	2670	2410	2333·9	2727
Males . .	1342	1412	1299	1245	1309	1275	1430	1341	1352	1224	1442·6	1391
Females .	1225	1321	1273	1185	1332	1161	1434	1324	1318	1186	1391·3	1336
TOTAL Deaths	1650	1637	1425	1864	1812	2200	2114	1971	1543	1531	1935·8	1885
Males . .	821	794	729	951	894	1034	1043	956	807	779	965·9	939
Females .	829	843	696	913	918	1116	1071	1015	741	752	969·9	946

* The numbers in this column are the average weekly numbers in the fourth week of the ten years 1875-84, raised by 0·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.
TOTAL Births	2502	2558	2409	2587	2385	2614	2631	1832	3283	2816	2876	2803	2727
TOTAL Deaths	1516	1507	1521	1716	1764	1638	1595	1430	1918	1956	1855	1807	1885
0-20	681	672	695	732	719	695	721	571	796	666	715	693	722
20-40	231	235	228	218	254	221	216	215	261	252	261	251	259
40-60	260	275	272	336	327	294	280	243	331	402	360	363	345
60-80	220	266	270	332	388	347	304	338	429	511	411	404	449
at 80 years & upwds.	54	59	56	98	76	81	74	58	101	125	108	96	110
Deaths of children { Under 1 year	354	359	333	387	375	327	346	284	406	334	354	330	378
{ 1-5	231	209	223	237	247	238	262	198	248	225	261	206	238
{ 5-20	93	104	139	108	97	130	113	89	142	107	100	107	106
Deaths from Small-pox *	29	49	46	40	61	69	44	34	56	42	70	58	59
" " Measles	32	19	14	31	28	23	33	20	22	14	27	20	16
" " Scarlet Fever	32	36	36	27	23	22	56	16	58	16	21	18	19
" " Diphtheria	17	17	31	16	29	27	28	20	28	26	14	12	15
" " Whooping-cough	19	16	24	17	28	31	31	22	33	38	40	49	60
" " Typhus	1	2	2	1	1	1	1	1	1	1	1	1	1
" " Enteric fever	20	21	20	16	16	15	15	9	11	15	8	9	13
" " Simple Cont ^d fever	2	1	1	3	1	1	4	1	1	1	1	1	1
" " Diarrhœa and Dysentery	22	19	15	7	12	6	9	7	15	11	8	8	12
" " Cholera	-	-	-	-	-	-	-	-	1	-	1	-	-
Deaths from the above-mentioned Diseases *	174	180	189	158	193	194	191	130	194	163	190	175	196
" " Dis. of Respiratory System	357	370	354	511	499	457	416	370	537	609	552	513	556
" " Phthisis	177	167	185	194	170	163	159	159	198	200	186	180	199
" " Dis. of Circulatory System	110	86	119	123	152	121	109	132	127	169	155	153	154
Violent Deaths	52	54	57	53	45	56	50	36	94	57	66	66	53
Inquest Cases	114	107	105	110	132	117	116	101	198	144	134	143	132
Deaths in Public Institutions	342	325	389	417	347	366	348	300	440	444	408	425	402
TEMPERATURE OF THE AIR:													
Mean	49·4	45·0	33·8	36·4	42·4	46·5	41·2	36·5	33·2	38·0	35·1	31·9	43·6
Mean of Highest readings	57·0	49·9	43·1	40·9	47·3	50·8	47·0	38·8	35·7	42·7	37·5	35·2	48·4
Mean of Lowest readings	41·6	40·8	33·7	30·7	37·0	41·6	35·1	34·1	30·3	31·9	32·5	27·7	38·7
Humidity of the Air	86	83	86	86	88	87	84	85	88	92	83	91	90
Rain-fall in inches	0·66	0·01	0·03	0·02	1·23	0·68	0·81	0·03	0·00	0·57	0·27	0·00	0·58
Registered Sunshine (in hours)	21·4	9·6	8·5	4·1	3·6	1·2	6·1	2·4	0·0	7·1	1·4	2·9	5·5

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.;—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool, The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filbiter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FOURTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 4th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 31st January, 1885.										CAUSES OF DEATH.	Corrected Averages for the 4th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 31st January, 1885.											
		Deaths of Persons of the Ages												Deaths of Persons of the Ages											
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.								
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.						
ALL CAUSES - -	1935·8	1885	378	238	106	259	345	440	110	Diseases of Organs of Special Sense † - -	1·0	1	-	-	1	-	-	-	-	-	-	-			
Small-pox { Vaccinated †	26·8 {	4	-	-	3	-	1	-	-	Diseases of Circulatory System - -	124·6	154	2	-	13	23	42	70	4	-	-				
Unvaccinated		11	3	4	3	-	-	-	-	Croup - - -	14·6	13	2	16	-	-	-	-	-	-	-				
No Statement	14	3	1	4	6	-	-	-	-	Bronchitis - - -	355·7	382	61	41	5	14	54	151	36	-	-				
Measles - - -	36·5	16	2	13	1	-	-	-	-	Pneumonia - - -	108·5	119	15	24	8	23	26	15	3	-	-				
Scarlet Fever - -	50·3	19	1	11	5	2	-	-	-	Pleurisy - - -	5·6	4	-	-	-	2	1	1	-	-	-				
Typhus - - -	2·2	1	-	-	-	-	1	-	-	Other Diseases of Respiratory System - -	55·7	53	10	7	2	3	16	13	2	-	-				
Relapsing Fever † -	0·0	-	-	-	-	-	-	-	-	Dentition † - -	18·0	20	11	9	-	-	-	-	-	-	-				
Infuenza - - -	0·9	-	-	-	-	-	-	-	-	Quinsy, Sore Throat † -	1·3	2	-	-	1	-	1	-	-	-	-				
Whooping-cough -	96·3	60	16	42	2	-	-	-	-	Enteritis - - -	6·5	8	2	1	1	2	1	1	-	-	-				
Diphtheria - - -	11·1	15	-	8	5	-	2	-	-	Peritonitis - - -	7·4	5	-	1	-	1	2	1	-	-	-				
Simple Continued and Ill-defined Fever -	3·8	1	-	-	-	1	-	-	-	Diseases of Liver - -	30·3	27	2	-	1	5	9	9	1	-	-				
Enteric Fever - -	19·2	13	-	1	4	5	2	1	-	Other Diseases of Digestive System - -	29·1	34	10	-	-	3	9	6	6	-	-				
Cholera - - -	0·1	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands † - -	1·0	2	-	-	2	-	-	-	-	-	-				
Diarrhoea, Dysentery	14·7	12	4	-	-	1	-	5	2	Diseases of Urinary System - -	34·7	37	1	-	2	4	13	15	2	-	-				
Remittent Fever † -	0·0	-	-	-	-	-	-	-	-	Diseases of Generative System - -	6·5	4	-	-	-	1	3	-	-	-	-				
Hydrophobia - -	0·4	1	-	-	1	-	-	-	-	Accidents of Childbirth -	7·1	3	-	-	-	3	-	-	-	-	-				
Glanders - - -	0·0	-	-	-	-	-	-	-	-	Diseases of Locomotive System † - -	11·0	14	-	3	5	3	3	-	-	-	-				
Cowpox and Effects of Vaccination † - -	0·0	-	-	-	-	-	-	-	-	Diseases of Integumentary System - -	8·1	8	4	-	-	1	1	1	1	-	-				
Venereal Affections	12·1	6	3	-	-	1	1	1	-	VIOLENT DEATHS.‡															
Erysipelas - - -	9·1	9	2	-	-	1	4	2	-	(ACCIDENT.)															
Pyæmia and Septicæmia †	3·3	7	2	-	1	4	-	-	-	Fracture and Contusion	18·3	18	1	-	2	-	7	7	1	-	-				
Puerperal Fever - -	7·9	12	-	-	1	8	3	-	-	Gunshot Wound - -	0·1	-	-	-	-	-	-	-	-	-	-				
Other Zymotic Diseases †	1·7	2	1	-	1	-	-	-	-	Cut, Stab - - -	0·4	-	-	-	-	-	-	-	-	-	-				
Thrush - - -	1·9	3	3	-	-	-	-	-	-	Burn and Scald - -	9·7	6	-	3	1	-	-	2	-	-	-				
Worms and other Parasitical Diseases - -	0·9	-	-	-	-	-	-	-	-	Poison - - -	1·2	2	-	-	-	-	-	-	-	-	-				
Starvation, Want of Breast-milk † - -	2·0	2	2	-	-	-	-	-	-	Drowning - - -	4·7	6	-	1	1	3	1	-	-	-	-				
Alcoholism - - -	2·4	3	-	-	-	2	1	-	-	Suffocation - - -	17·3	16	16	1	-	-	-	-	-	-	-				
Rheumatic Fever and Rheumatism of Heart	13·7 {	10	-	1	2	6	1	-	-	Otherwise - - -	3·7	2	1	-	-	-	1	-	-	-	-				
Rheumatism - - -		2	-	-	-	1	1	-	-	(HOMICIDE.)															
Gout - - -	3·7	6	-	-	-	3	3	-	-	Murder & Manslaughter	2·1	1	1	-	-	-	-	-	-	-	-				
Rickets † - - -	3·0	4	1	3	-	-	-	-	-	(SUICIDE.)															
Cancer - - -	47·4	52	-	-	-	2	23	24	3	Gunshot Wound - -	0·5	-	-	-	-	-	-	-	-	-	-				
Tabes Mesenterica	25·8	18	10	6	2	-	-	-	-	Cut, Stab - - -	1·0	-	-	-	-	-	-	-	-	-	-				
Tubercular Meningitis	30·6	20	11	8	1	-	-	-	-	Poison - - -	1·1	-	-	-	-	-	-	-	-	-	-				
Phthisis - - -	188·7	199	3	5	18	92	70	10	1	Drowning - - -	1·1	1	-	-	-	-	-	1	-	-	-				
Scrofula, Tuberculosis	11·9	17	4	6	4	1	-	2	-	Hanging - - -	1·1	1	-	-	-	-	-	-	-	-	-				
Other Constitutional Diseases † - -	9·3	16	-	-	2	3	5	5	1	Otherwise - - -	0·1	-	-	-	-	-	-	-	-	-	-				
Premature Birth - -	33·6	50	50	-	-	-	-	-	-	(EXECUTION.)															
Atelectasis † - -	1·7	4	4	-	-	-	-	-	-	Hanging - - -	0·0	-	-	-	-	-	-	-	-	-	-				
Congenital Malformations - -	8·9	9	8	1	-	-	-	-	-	OTHER CAUSES † - -	70·7	65	49	3	1	1	3	5	3	-	-				
Old Age - - -	71·3	71	-	-	-	-	-	37	34																
Apoplexy - - -	54·4	43	-	-	-	5	13	27	3																
Epilepsy - - -	7·9	11	-	-	1	6	1	3	-																
Convulsions - - -	57·2	47	39	8	-	-	-	-	-																
Other Diseases of Brain and Nervous System	97·5	97	20	12	3	7	18	30	7																

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9·048 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 30 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total BIRTHS during the Week.	Total DEATHS during the Week.	The DEATHS registered in the Week include														Deaths in Public Institutions.	Unclassified Causes
					Deaths of		Deaths from													
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.			
LONDON		3,816,463	2727	1885	378	559	29	16	19	15	60	1	13	1	12	53	132	402	28	
WEST DISTRICTS		669,638	432	351	75	113	8	2	4	2	13	-	-	-	2	2	17	82	3	
NORTH DISTRICTS		905,947	598	440	99	139	12	1	4	5	16	-	5	-	1	11	30	83	1	
CENTRAL DISTRICTS		282,238	168	126	18	32	-	-	1	-	6	-	1	-	1	5	10	36	-	
EAST DISTRICTS		692,738	548	362	57	100	4	5	8	1	6	1	5	-	5	19	37	91	9	
SOUTH DISTRICTS		1,265,927	981	606	129	175	10	8	2	7	19	-	2	1	3	16	88	110	16	
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		69888	43	23	4	10	-	-	-	-	-	-	-	-	-	1	1	3	-	
St. John Paddington H - - G.J.		37380	13	18	6	8	-	-	-	-	-	-	-	-	-	1	2	4	-	
Kensington Town WH - - W.M.		12041	79	82	5	87	-	-	1	-	1	-	-	-	-	-	3	26	-	
Brompton H - - W.M. & C.		48010	18	16	5	6	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. Peter Hammersmith - - W.M.		7769	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.		64340	45	37	11	12	-	-	1	-	-	-	-	-	1	-	-	-	-	
Fulham WH - - W.M. & C.		42900	39	29	9	4	3	-	-	-	3	-	-	-	-	1	2	-	-	
Chelsea South HHH - - C.		30396	24	10	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	
Chelsea North-west WHHHH - - C.		24925	36	25	6	7	-	-	-	-	1	-	-	-	-	3	10	-	-	
Chelsea North-east - - C.		32807	29	13	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	
Hanover Square H - - G.J.		16869	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
May Fair WH - - G.J.		13491	9	11	1	6	-	-	-	-	-	-	-	-	-	-	-	-	1	
Belgrave HH - - C.		59220	27	25	5	8	-	-	1	1	-	-	-	-	-	-	10	6	-	
St. John Westminster HH - - C.		35496	19	15	7	1	-	-	-	-	3	-	-	-	-	2	1	-	-	
St. Margaret Westminster H - - C.		24679	10	12	1	2	-	-	1	-	-	-	-	-	-	-	1	5	-	
St. James Westminster WH N.R. & G.J.		29941	9	19	4	10	-	-	-	-	1	-	-	-	1	-	1	7	1	
St. Anne Soho HHHHH - - N.R.		16608	17	8	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-	
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.		26789	14	8	1	2	-	-	-	-	1	-	-	-	-	-	1	5	-	
Cavendish Square HHH - W.M.		14891	2	9	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	
Rectory Marylebone WH G.J. & W.M.		24809	16	10	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Maryleb. HHH G.J. & W.M.		21118	18	4	1	-	-	-	-	-	1	-	-	-	-	-	-	5	-	
Christchurch Marylebone H - W.M.		38700	21	10	2	4	-	-	-	-	-	-	-	-	-	2	-	-	-	
St. John Marylebone H - W.M.		39638	20	15	2	7	-	-	-	-	-	-	-	-	-	2	-	-	-	
Hampstead WHHHH - N.R. & W.M.		45452	32	27	9	6	1	-	2	-	1	-	1	-	-	-	2	5	-	
Regent's Park Pancras H - W.M.		39115	22	14	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tottenham-court WHHH N.R. & W.M.		27729	22	20	6	5	-	-	-	-	1	-	-	-	-	1	1	-	-	
Gray's Inn Lane HHH - N.R.		30247	17	14	4	4	-	-	-	-	1	-	-	-	-	-	14	-	-	
Somers Town H - - N.R.		34369	24	19	8	3	1	-	-	-	-	-	-	-	-	-	1	-	-	
Camden Town WH - - N.R.		17311	17	10	1	5	1	-	-	-	-	-	-	-	-	1	5	-	-	
Kentish Town W - - N.R.		87487	61	44	14	14	-	-	-	-	3	-	-	-	-	4	6	4	1	
Upper Holloway WHWH - - N.R.		67946	56	55	10	20	4	-	-	1	3	-	-	-	-	-	1	4	25	
Islington South-west H - - N.R.		100976	68	46	7	13	-	1	-	1	1	-	1	-	-	1	2	2	-	
Islington South-east - - N.R.		61895	28	28	5	6	2	-	-	-	1	-	-	-	1	-	1	-	-	
Highbury H - - N.R.		82048	27	25	5	7	-	-	-	2	-	-	-	-	-	-	2	2	-	
Stoke Newington H - - N.R.		22781	13	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stamford Hill - - E.L.		9277	8	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
West Hackney - - N.R.		37610	36	13	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hackney WHWHHL - - E.L. & N.R.		76911	51	40	7	14	4	-	1	-	2	-	-	-	-	-	3	15	-	
South Hackney - - E.L.		39888	25	16	2	6	-	1	-	-	-	-	-	-	-	1	3	2	-	
CENTRAL DISTRICTS.																				
St. George Bloomsbury - - N.R.		16631	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - - N.R.		14864	13	9	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles North - - N.R.		13837	6	5	2	-	-	-	-	-	-	-	-	-	-	1	1	5	6	
St. Martin-in-the-Fields HH N.R. & C.		17508	7	9	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary-le-Strand H - - N.R.		7515	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	
St. Clement Danes H - - N.R.		8559	4	9	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-	
St. George-the-Martyr HHHHHH N.R.		18671	16	16	-	1	-	-	-	-	-	-	-	-	-	-	-	10	-	
St. Andrew Eastern W - - N.R.		10706	5	3	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
Saffron Hill H - - N.R.		6533	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - - N.R.		17516	11	6	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - - N.R.		19281	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fentonville - - N.R.		14773	18	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Goswell-street - - N.R.		17505	11	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Old-street H - - N.R.		11541	8	8	2	4	-	-	-	-	2	-	-	-	-	-	-	-	-	
City-road HHL - - N.R.		18628	14	9	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whitecross-street - - N.R.		9217	11	2	2	-	-	-	-	-	1	-	-	-	-	-	1	1	-	
Finsbury - - N.R.		7463	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
St. Botolph H - - N.R. & E.L.		11174	3	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - - N.R.		7193	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - - N.R.		5358	-	10	1	2	-	-	-	-	-	-	-	-	-	-	3	3	9	
St. Bride W - - N.R.		8396	3	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Allhallows Barking - - N.R.		13666	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - - N.R.		5652	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Work-house; *H*—Hospital; *L*—Lunatic Asylum; *W*—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—*G.J.* signifies Grand Junction Company; *W.M.* West Middlesex; *C.* Chelsea; *S.* Southwark and Vauxhall; *L.* Lambeth; *N.R.* New River; *E.L.* East London; and *K.* the Kent Company.

VER, DYPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
urday, the 31st January, 1885.

REGISTRATION		Enu- merated Popu- lation, 1881.	The DEATHS registered in the Week include														
SUB-DISTRICTS.			Total Births during the Week.	Total Deaths during the Week.	Deaths from												
					Infants under Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Meninge.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipels (Typhoid) Fever.	Stomach contaminated Fever.	Dysentery.	Violence.	Inquest Cases.
EAST DISTRICTS.																	
Woolwich Shoreditch	N.R. & E.L.	7376	3	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Leonard Shoreditch	N.R.	14967	14	7	1	1	-	-	-	-	-	-	-	-	-	1	-
Woolwich New Town	N.R.	29937	27	16	2	9	-	-	-	-	-	-	-	1	3	6	-
Woolwich Old Town	N.R.	28036	19	11	5	3	-	-	1	-	-	-	-	-	-	-	-
Woolwich Shoreditch	N.R. & E.L.	46276	34	33	3	13	-	-	1	1	1	-	1	4	13	-	-
Woolwich-road H	E.L.	27738	22	14	4	4	-	-	-	-	-	-	-	-	1	7	-
Woolwich-road W	E.L.	47932	25	35	9	14	-	-	-	-	-	-	-	3	2	20	-
Woolwich-road W	E.L.	29981	28	12	2	2	-	-	-	-	-	-	-	1	2	-	-
Woolwich-road W	E.L.	19310	18	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	E.L. & N.R.	22585	19	30	2	1	-	-	-	-	-	-	-	1	2	1	-
Woolwich-road W	E.L.	15473	20	12	2	4	-	-	-	-	-	-	-	2	3	10	-
Woolwich-road W	E.L. & N.R.	17490	7	13	-	5	-	-	-	1	-	-	-	3	3	9	-
Woolwich-road W	E.L.	9713	6	4	1	2	-	-	-	-	-	-	-	-	1	-	-
Woolwich-road W	N.R. & E.L.	6102	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	E.L.	38747	50	21	4	6	-	2	2	-	-	-	-	1	1	3	-
Woolwich-road W	E.L.	8410	7	7	1	2	-	-	-	-	-	-	-	-	4	-	-
Woolwich-road W	E.L. & N.R.	14395	10	4	-	-	-	-	-	-	-	-	-	2	2	3	-
Woolwich-road W	E.L.	16107	10	7	-	1	-	-	1	-	-	-	-	-	-	1	-
Woolwich-road W	E.L.	32041	23	17	2	3	-	2	-	1	-	-	-	1	-	-	-
Woolwich-road W	E.L.	37960	35	14	3	2	1	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	E.L.	67653	48	35	7	11	-	-	-	1	-	-	-	-	3	7	1
Woolwich-road W	E.L.	37074	58	15	5	2	1	-	1	-	-	-	-	1	-	-	-
Woolwich-road W	E.L.	64359	14	4	4	10	1	-	1	-	-	-	-	2	2	16	-
Woolwich-road W	E.L.	55077	47	27	6	5	1	-	1	-	-	-	-	1	3	1	-
SOUTH DISTRICTS.																	
Woolwich-road W	L. & S.	13663	9	4	1	3	-	-	-	-	-	-	-	-	-	2	-
Woolwich-road W	S.	14999	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	S. & L.	21381	11	14	4	3	-	1	-	-	-	-	-	1	1	-	-
Woolwich-road W	S. & L.	16953	12	5	2	3	-	-	-	1	-	-	-	-	2	-	-
Woolwich-road W	L. & S.	21318	12	2	2	4	-	2	-	4	-	-	-	-	-	-	-
Woolwich-road W	S. & L.	20672	14	10	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	S. & L.	20672	43	27	8	8	1	1	-	-	-	-	-	-	2	13	1
Woolwich-road W	L. & S.	21623	20	16	3	2	-	-	-	1	-	-	-	1	2	-	-
Woolwich-road W	S.	11956	4	15	1	2	-	-	2	-	-	-	1	-	-	11	-
Woolwich-road W	S. & L.	16300	15	8	1	2	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	S.	15639	18	6	4	4	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	S.	54683	10	10	4	6	-	1	-	2	-	-	-	2	3	-	-
Woolwich-road W	S. & K.	36024	25	11	3	2	-	-	1	-	-	-	-	-	2	1	-
Woolwich-road 1st H	L. & S.	15195	9	6	1	1	-	-	-	-	-	-	-	-	2	1	-
Woolwich-road 2nd H	L. & S.	16351	20	33	5	2	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road 1st H	L. & S.	19876	18	22	4	2	7	-	1	-	-	-	-	3	4	12	-
Woolwich-road 2nd W	L. & S.	39535	31	32	6	2	3	-	-	-	-	-	-	-	1	-	-
Woolwich-road 1st H	S. & L.	45322	27	8	2	7	-	-	-	-	-	-	-	-	1	-	-
Woolwich-road 2nd H	L. & S.	35332	14	18	2	7	-	-	-	-	-	-	-	-	2	-	-
Woolwich-road W	L. & S.	62337	32	27	5	10	5	-	-	-	-	-	-	-	1	6	-
Woolwich-road W	L.	19017	8	7	2	1	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	S.	36830	19	5	2	2	-	-	-	1	-	-	-	-	-	-	-
Woolwich-road W	S.	54675	61	21	6	5	-	-	-	-	-	-	-	2	3	-	-
Woolwich-road W	S.	45347	46	29	10	11	-	-	-	2	-	-	-	1	1	7	-
Woolwich-road W	S.	28004	26	11	2	3	1	2	-	1	-	-	-	1	3	-	-
Woolwich-road W	S.	13235	6	5	1	4	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	L.	25553	18	6	2	2	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	L. & S.	5590	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	S. & L.	59104	47	38	9	13	-	-	1	-	1	-	-	-	1	10	-
Woolwich-road W	S. L. & K.	71089	40	37	12	8	-	1	-	2	-	-	-	-	-	-	-
Woolwich-road W	L. & S.	50610	46	28	6	7	-	-	2	1	1	-	-	-	2	-	-
Woolwich-road W	K.	70752	33	43	11	13	1	-	1	-	-	-	-	3	4	-	-
Woolwich-road W	K.	7801	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	K.	21972	24	5	1	3	-	-	-	1	-	-	-	-	-	-	-
Woolwich-road W	K.	24608	22	14	3	8	2	-	-	2	-	-	-	-	1	13	-
Woolwich-road W	K.	5527	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	K.	21559	5	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	K.	19865	16	15	1	10	-	-	-	-	-	-	-	1	-	5	-
Woolwich-road W	L.	20076	18	9	3	4	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	K.	10930	7	6	1	-	-	-	-	-	-	-	-	-	-	3	-
Woolwich-road W	K.	17617	6	6	-	2	-	-	-	-	-	-	-	1	-	-	-
Woolwich-road W	K.	19048	13	7	-	2	-	-	-	1	-	-	-	-	1	-	-
Woolwich-road W	K.	14009	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Woolwich-road W	K.	19241	21	11	1	4	-	-	-	-	-	-	-	2	1	4	-

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Table by W:-	
Central London Sick Asylum, in Tottenham Court-road sub-district.	
London City Workhouse in Islington East sub-district.	
Holborn infirmary " "	
London City Workhouse " Hackney sub-district.	
Holborn " " Hoxton New Town sub-district.	
Whitechapel " " Mile End Old Town Eastern sub-dist.	
	London City Workhouse in { Mile End Old Town Eastern sub-dist. and
	Stepney { Bromley sub-district.
	Bromley sub-district.
	Poplar & Stepney Sick Asylum " "
	Westminster Union Industrial School in West Battersea sub-district.
	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul. Deodford sub-districts.

† Private Lunatic Asylums in which papers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA ; POPULATION : BIRTHS and DEATHS registered during the Week ending Saturday, 31st January, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include															
						Deaths of		Deaths from													
						Infants under 1 Year of Age.	Persons aged 16 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unnatural Causes.			
LONDON—OUTER RING						370,282	950,178	761	441	93	118	31	5	2	3	10	5	4	9	19	61
30:1	Carshalton <i>wL</i> - -	12223	21118	13	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	5	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37:1	Godstone (<i>part of</i>) * -	2754	1235	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon <i>WwH</i> - -	20851	101241	69	59	11	12	4	4	-	-	-	1	1	1	1	1	1	1	19	-
	Mitcham - -	11697	17932	14	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
39:1	Wimbledon <i>HHH</i> - -	3220	13950	12	5	-	3	-	-	-	-	-	-	1	-	1	-	1	1	1	1
2	Kingston <i>WHH</i> - -	5549	36351	22	14	2	3	-	-	-	1	-	1	-	-	1	1	1	1	2	-
3	Esher (<i>part of</i>) * -	6901	9221	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton <i>H</i> - -	4573	13539	12	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
40:1	Richmond <i>WH</i> - -	2272	21392	10	8	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2	Mortlake - -	911	12331	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	21	6	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	13065	15065	11	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
42:1	Bexley <i>H</i> - -	13437	24134	21	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124:1	Sunbury <i>w</i> - -	11055	11635	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines <i>W</i> - -	13277	12089	5	6	2	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-
125:1	Hillingdon <i>WH</i> - -	6029	10892	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
2	Uxbridge - -	6178	5225	4	5	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
3	Hayes <i>wHL</i> - -	14587	11523	14	7	2	1	-	-	-	-	-	-	-	-	-	1	1	1	2	-
126:1	Isleworth <i>W</i> - -	7008	22737	20	5	1	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-
2	Twickenham <i>H</i> - -	2477	12479	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford <i>HL</i> - -	4345	27649	9	7	1	2	-	-	-	-	-	-	-	-	-	1	4	-	-	-
4	Chiswick - -	1340	15675	10	10	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
5	Acton <i>wH</i> - -	6083	22876	13	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
127:1	Harrow <i>H</i> - -	13809	12796	3	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>H</i> - -	6994	3749	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden - -	4383	27453	33	14	6	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-
4	Hendon <i>W</i> - -	8382	10484	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128:1	South Mimms - -	15599	6391	2	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet † <i>W</i> - -	5433	10092	15	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley <i>HL</i> - -	4688	17615	9	13	-	3	-	-	-	-	-	-	-	-	-	-	-	-	8	-
129:1	Hornsey <i>H</i> - -	3039	37078	24	20	1	8	-	-	-	-	-	-	-	-	-	1	1	1	1	-
2	Tottenham <i>HHH</i> - -	4642	46456	54	24	5	6	1	-	1	-	-	-	-	-	-	-	2	1	-	-
3	Edmonton <i>WwH</i> - -	7483	23463	23	21	8	6	2	-	-	-	-	-	-	-	-	-	-	-	9	-
4	Enfield <i>WH</i> - -	12653	19104	10	12	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-
5	Waltham Abbey - -	11017	5368	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - -	3490	7735	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135:1	Hatfield (<i>part of</i>) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey - -	9331	6621	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136:1	Stratford - -	832	38603	43	14	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
2	West Ham <i>wvwH</i> - -	7351	101033	112	73	16	9	23	1	1	2	1	-	-	-	3	4	11	-	-	-
3	Leyton <i>WwL</i> - -	4372	32430	33	22	6	5	1	-	-	-	-	-	-	-	-	-	-	4	-	-
4	Walthamstow <i>wH</i> - -	6520	28869	27	12	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9631	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139:1	Romford (<i>part of</i>) * -	6730	3411	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - -	3493	7645	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town - -	4127	9203	11	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Hendley (pop. 1265); 37:1, the two parishes of Warlingham and Farley; in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1318); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 189:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 31st January, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
ATER LONDON	448,334	5,093,995	23·3	2·3	2326	471	677	60	21	21	18	70	20	16	62	463	
INNER LONDON -	78,052	4,019,361	24·1	2·1	1885	378	559	29	16	19	15	60	15	12	53	402	
UTER RING -	370,282	1,074,634	20·6	2·8	441	93	118	31	5	2	3	10	5	4	9	61	

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 0·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,074,163 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA -	433,219	December 13	-	277	35·6	Fevers 92; cholera 21.
BOMBAY -	773,196	" 23	271	448	28·2	Fevers 134; cholera 5.
MADRAS -	398,777	" 12	327	380	49·5	Sm.-pox 4; cholera 48; fevers 79.
PARIS -	2,239,928	January 24	1186	1200	27·9	Diph. & croup 36; measles 38; typhoid fever 19.
GENEVA -	71,453	" 24	33	35	25·6	-
BRUSSELS -	426,814	" 17	258	193	25·1	Measles 5; small-pox 1; diph. 4; croup 7.
AMSTERDAM -	366,812	" 24	266	209	29·6	Scar. fev. 15; whooping-cough 7.
ROTTERDAM -	169,477	" 24	123	106	31·5	Whooping-cough 5.
THE HAGUE -	131,417	" 24	108	73	28·9	-
COPENHAGEN -	267,000	" 27	186	156	30·5	Measles 11; small-pox 1.
STOCKHOLM -	190,115	" 17	125	129	35·3	Diphtheria and croup 12; scarlet fever 9.
CHRISTIANIA -	126,000	" 24	65	65	26·8	Diphtheria and croup 5.
ST. PETERSBURG	928,016	" 17	-	570	32·0	Typhus and typh. fev. 20; diphtheria and croup 11.
BERLIN -	1,261,859	" 10	854	554	22·9	Diph. 47; measles 19.
HAMBURG(State)	467,258	" 17	352	267	29·8	Typh. and typhd. fev. 5; diph. and croup 6.
DRESDEN -	236,000	" 17	162	111	24·5	Diphtheria 7; small-pox 1.
BRESLAU -	205,000	" 17	244	182	32·2	Diphtheria 4.
MUNICH -	244,000	" 24	179	121	25·8	Measles 8.
VIENNA -	769,889	" 17	431	422	28·5	Small-pox 9; whooping-cough 5.
PRAGUE -	272,333	" 24	-	138	26·4	Scar. fev. 5; sm.-pox 1.
BUDA-PESTH -	416,474	" 10	294	241	29·2	Diphtheria and croup 6.
TRIESTE -	148,245	" 10	-	131	45·4	Small-pox 16; diph. and croup 11.
ROME -	318,658	December 20	177	160	26·2	Sm.-pox 5; typhd. fev. 2.
NAPLES -	494,015	-	-	-	-	-
TURIN -	262,521	December 20	180	151	30·0	Sm.-pox 15; typhd. fev. 3.
VENICE -	144,888	January 17	76	115	41·4	Small-pox 6.
MADRID -	475,668	" 4	364	435	47·7	Typh. and typhd. fev. 21; diph. and croup 25.
LISBON -	203,681	December 27	121	152	33·0	Small-pox 10; typhoid fever 3.
ALEXANDRIA	212,024	January 3	261	141	35·3	Typhus and typhoid fever 7; diph. & croup 5.
NEW YORK -	1,348,375	December 27	-	664	25·7	Diph. 36; scarlet fev. 22.
BROOKLYN -	644,526	" 27	-	306	24·8	Croup 10; diphtheria 9.
PHILADELPHIA -	927,995	January 10	-	445	25·0	Diphtheria 15; typhoid fever 11; scar. fev. 12.
BALTIMORE -	408,520	" 10	-	183	23·4	Typhoid fever 9; diphtheria 5.

[Under the Superintendence of the Astronomer Royal.]

The height of the cistern of the barometer is considered to be 150 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1880 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Saunders's Hygro-metrical Tables.

The average temperature of the air is thus derived (1880).

Records made at Greenwich during the 20 years ending 1880.

In reading the 17th and 25th columns it will be borne in mind that + is read "*higher*," and - "*lower*," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are +, -, positive; N., negative; w., weak; m., moderate; s., strong; v., variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 29.49 in. at the beginning of the week to 29.05 in. by 3h. P.M. on the 27th; increased to 29.76 in. by 3h. P.M. on the same day; decreased to 28.38 in. by 3h. P.M. on the 28th; and was 28.33 in. at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 5. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, FEBRUARY 7. [Price 1½d.

*General Register Office, Somerset House,
9th February, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 21·8 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the past four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.		Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.
Birkenhead	25·8	20·7	13·5	15·1	Liverpool -	24·5	28·2	27·1	25·4
Birmingham	27·6	26·0	23·7	24·5	London -	23·7	23·1	24·1	20·3
Blackburn -	29·7	17·6	26·4	16·2	Manchester	29·7	28·0	26·5	29·1
Bolton -	31·3	23·7	21·8	23·2	Newcastle-on-Tyne	21·5	21·8	22·8	22·8
Bradford	20·9	20·0	22·6	19·5	Norwich -	29·7	30·3	36·6	27·5
Brighton -	19·1	16·4	20·9	25·9	Nottingham	20·2	23·4	25·2	21·2
Bristol	27·3	23·2	26·3	30·4	Oldham -	23·9	20·2	28·5	21·9
Cardiff	32·8	40·9	34·9	24·2	Plymouth -	31·6	25·4	30·2	21·3
Derby -	19·2	18·0	18·0	19·8	Portsmouth	24·0	23·2	29·8	20·9
Halifax -	29·0	24·3	22·9	20·2	Preston -	29·6	29·1	32·7	32·2
Huddersfield	22·7	22·7	27·5	19·7	Salford -	22·2	25·8	17·6	16·6
Hull -	16·0	19·6	19·0	21·6	Sheffield -	20·8	24·4	23·7	16·7
Leeds	22·4	21·0	25·8	20·2	Sunderland	23·3	26·2	27·5	26·6
Leicester -	21·5	29·9	20·7	23·8	Wolverhampton	31·6	34·9	25·0	25·0

The highest annual death-rates from whooping-cough, measured by last week's mortality, were 2·4 in Bristol, and 2·6 in Preston; from measles, 3·2 in Cardiff, and 5·0 in Sunderland; from scarlet fever, 1·2 in Sunderland, and 2·0 in Wolverhampton; and from "fever," 1·1 in Hull and in Cardiff, 1·4 in Plymouth, and 1·7 in Norwich. The 37 deaths from diphtheria in the twenty-eight towns included 19 in London, 3 in Liverpool, 3 in Birmingham, 2 in Manchester, and 2 in Newcastle-on-Tyne. Small-pox caused 63 deaths in London and in its outer ring of suburban districts, 3 in Birmingham, one in Liverpool, and one in Cardiff.

LONDON.

In LONDON 2806 BIRTHS and 1592 DEATHS were registered. Allowing for increase of population, the births were 101, and the deaths 473, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 23·1 and 24·1, in the two preceding weeks, fell last week to 20·3. During the first five weeks of the current quarter the death-rate averaged 23·2 per 1000, against rates declining from 30·3 to 20·4 in the corresponding periods of the five years 1880-84.

The 1592 deaths included 41 from small-pox, 16 from measles, 18 from scarlet fever, 19 from diphtheria, 41 from whooping-cough, 2 from typhus, 6 from enteric fever, 9 from diarrhoea and dysentery, and not one either from an ill-defined form of continued fever or from cholera; thus, 152 deaths were referred to these diseases, being 108 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 47, 43, and 29 in the three preceding weeks, rose again to 41 last week, and exceeded the corrected weekly average by 13. These 41 deaths exclude 19 deaths of London residents from this disease recorded in the Metropolitan Asylum Hospitals situated outside Registration London. Of the 60 fatal cases, 49 were recorded in the

Metropolitan Asylum Hospitals in and around London, 1 in the Highgate Small-pox Hospital, and 10 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 3 belonged to Marylebone, 9 to Islington, 3 to Stepney, 3 to Mile End Old Town, 3 to Poplar, 3 to St. George's Southwark, 4 to Rotherhithe, 5 to Camberwell, and 4 to Greenwich. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1009, 1092, and 1146 on the three preceding Saturdays, were 1144 at the end of last week; the admissions, which had been 287 and 253 in the two previous weeks, were 223 last week. The Highgate Small-pox Hospital contained 99 patients on Saturday last, 15 cases having been admitted during the week.

The 16 fatal cases of *measles* corresponded with the number in the previous week, and were 19 below the corrected weekly average; 5 occurred in the East, and 8 in the South groups of districts. The deaths from *scarlet fever*, which had ranged between 16 and 21 in the four preceding weeks, were 18 last week, and 25 below the corrected average; after distributing the hospital cases, 4 belonged to Shoreditch, 3 to St. George-in-the-East, and 3 to Greenwich. The Metropolitan Asylum Hospitals contained 306 scarlet fever patients on Saturday last (an increase of 11 upon the number in the previous week), 28 having been admitted during the week. The 19 deaths referred to *diphtheria* showed a further increase of 4 upon recent weekly numbers, and were 6 above the corrected average; after distributing the hospital cases, 2 belonged to Islington, 2 to Hackney, 4 to Lambeth, and 3 to Camberwell. The 41 fatal cases of *whooping-cough* showed a decline of 19 from those in the previous week, and were 63 below the corrected average; 5 belonged to Pancras, 4 to Islington, 3 to Bermondsey, and 5 to Camberwell. The 9 deaths attributed to *diarrhœa* and *dysentery* were 6 below the corrected average.

The deaths referred to *enteric fever*, which had been 9 and 13 in the two previous weeks, declined to 6 last week, and were 10 below the corrected weekly average; after distributing the hospital cases, 3 belonged to the North group of districts. The 2 deaths attributed to *typhus* were of a child, aged 14 years, at 44, Deptford Road, Rotherhithe; and of an adult at 792, Old Ford Road, Bow. In the Metropolitan Asylum Hospitals, 54 cases of enteric fever, and not one of typhus, were under treatment on Saturday last; 4 cases of enteric fever were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had ranged from 609 to 513 in the four preceding weeks, fell last week to 421, and were 226 below the corrected weekly average.

Different forms of violence caused 47 deaths; 40 were the result of negligence or accident, among which were 22 from fractures and contusions, 6 from burns and scalds, 3 from drowning, and 6 of infants under one year of age from suffocation. The 22 deaths from fractures and contusions were thus returned:—females, aged 46, 70, and 82 years, run over by cab; male 68, run over by vehicle; male 15, fell from van; male 14, run over on Tilbury and Southend Railway; male 31, run over on railway at Clapham Junction; male 57, run over by engine; female 70, knocked down in street; male 72, females 32, 53, fell in street; male 37, females 70, 81, fell down stairs or steps; male 52, fell from scaffold; male 17, by injury on ship; male 36, crushed by crane; female 70, fell in room; male 46, by fall; females 2, and 66, fell from chair. An inquest was held in each of these 22 cases except the last. Six cases of suicide were registered.

GREATER LONDON.

In Greater London 3624 births and 2018 deaths were registered, equal to annual rates of 36.4 and 20.3 per 1000 of the population. In the Outer Ring 22 fatal cases of small-pox, 11 of whooping-cough, and 8 of diphtheria, were registered. The 22 deaths from small-pox included 21 in West Ham sub-district, of which 18 were local cases, and 3 occurred in the Metropolitan Asylum Hospital at Plaistow.

On pages 45-46 will be found Dr. Frankland's report upon the quality of the waters supplied to the Metropolis by the various water companies during January. The Thames waters, delivered by the five companies drawing their supply from that source, showed proportions of organic impurity corresponding very generally with those contained in the samples supplied in December, and decidedly below the average for the time of the year; all the samples examined were bright and clear. Of the waters drawn from the Lea and distributed by the New River and East London Companies, the former showed greater purity than any of the other river waters,

while the latter was about equal in quality to the samples derived from the Thames; both waters were clear and bright. The deep-well waters supplied by the Kent and Colne Valley Companies, and by the Tottenham Local Board, were of their usual excellent quality for drinking; and that supplied by the Colne Valley Company, having been softened with lime, had thus been rendered suitable for all domestic purposes.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·25 in.; the lowest reading was 28·93 in. at the beginning, and the highest 29·72 in. at the end, of the week. The mean temperature of the *air* was 43°·6, and 3°·1 above the average in the corresponding week of the 20 years ending 1868. The mean was slightly below the average on Thursday, but showed an excess on each of the other days of the week. The general direction of the *wind* was S.W., and the horizontal movement of the air averaged 18·8 miles per hour, which was 4·7 miles above the average in the corresponding week of 16 years. *Rain* fell on each day of the week, to the aggregate amount of 0·61 of an inch. The duration of registered bright sunshine in the week was 9·7 hours, against 13·4 hours at Glynde Place, Lewes.

THE REGISTRAR GENERAL has to acknowledge the courtesy of the LONDON WATER COMPANIES who have furnished him with the average daily quantity of Water supplied during the month of JANUARY 1885; according to their returns 143,590,238 gallons or 652,396 cubic metres of water (equal to about as many *tuns* by measure, *tons* by weight,) were supplied daily; or 209 gallons (95·0 decalitres), rather less than a *ton* by weight, to each house, and 26·9 gallons (12·2 decalitres) to each person, against 26·8 gallons during January 1884.

COMPANIES.	Number of Houses, &c. supplied in		Average daily Supply of Water in Gallons (including that for Manufactures and for various purposes other than for do- mestic consumption) during the Month of	
	JANUARY. 1884.	JANUARY. 1885.	JANUARY. 1884.	JANUARY. 1885.
TOTAL SUPPLY . . .	664,521	685,417	138,715,395	143,590,238
From Thames . . .	321,849	331,844	70,869,659	71,876,323
From Lea and from other Sources . . .	342,672	353,573	67,845,736	71,713,915
THAMES.				
Chelsea	32,587	33,300	9,452,900	9,570,500
West Middlesex	63,500	65,070	12,225,785	12,392,463
Southwark and Vauxhall	101,009	103,383	20,575,317	20,517,569
Grand Junction	48,255	50,090	13,819,557	14,010,991
Lambeth	76,498	79,401	14,796,100	15,384,800
LEA AND OTHER SOURCES.				
New River	140,489	143,238	26,415,001	26,130,000
East London	141,972	147,081	31,983,500	35,485,888
Kent	60,211	63,254	9,447,235	10,098,077

Note.—The Return for January 1885, as compared with that for the corresponding month of 1884, shows an increase of 20,896 houses, and of 4,374,543 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JANUARY.

Grove House, Pembroke Square, W.,
6th February, 1885.

SIR,

I HAVE to report to you in the following Table the results of the chemical analyses of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of January.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity contained in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Kent 0·8, Colne Valley 0·9, Tottenham 1·2, New River 1·7, Chelsea 3·1, West Middlesex 3·4, Lambeth 3·8, East London 4·0, Southwark 4·6, Grand Junction 5·1.

The Thames water sent out by the Chelsea, West Middlesex, Southwark, Grand Junction, and Lambeth Companies contained, on the whole, the same proportion of organic matter as the previous month's samples, the amount being, except in the case of the Southwark and Grand Junction Companies, decidedly below the average for this time of the year. All the waters were delivered in a clear and bright condition.

Of the water drawn from the Lea and distributed by the New River and East London Companies, the New River Company's supply contained very much less organic matter than any of the

other river waters, whilst the East London Company's water resembled, in this respect, the average of the samples derived from the Thames. Both samples were clear and bright.

The deep-well water furnished by the Kent and Colne Valley Companies, and by the Tottenham Local Board of Health was of its usual excellent quality for drinking, and the Colne Valley Company by softening their supply with lime, thereby rendered it also well fitted for all domestic purposes.

Seen through a stratum two feet deep, the waters presented the following appearances :— Kent, Colne Valley, and Tottenham, clear and colourless; New River, clear and nearly colourless; Chelsea, West Middlesex, Southwark, Grand Junction, Lambeth, and East London, clear and pale yellow.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that town was "very slightly turbid and the organic nitrogen the same as in the previous month."

Dr. Mills, F.R.S., of Anderson's College, Glasgow, reports that the water supplied to that city from Loch Katrine was "faintly brown in colour and contained traces of suspended matter; the temperature and organic carbon were unusually low."

The Registrar General, &c. &c.

I am, &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Mat- ter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.										
	Chelsea - - -	{ January 19th, Cab Rank, Horseguards, Whitehall. }	3·8	30·78	·166	·017	0	·251	·268	1·8	20·6
	West Middlesex -	{ January 19th, Cab Rank, Portland-road. }	4·0	30·50	·171	·028	0	·267	·295	1·8	20·6
	Southwark - - -	{ January 19th, Cab Rank, St. George's Church, Borough. }	4·4	31·16	·221	·053	0	·291	·344	1·8	21·2
	Grand Junction -	{ January 19th, Cab Rank, Uxbridge-rd., near Marble Arch. }	2·8	27·90	·255	·043	0	·181	·224	1·8	18·6
	Lambeth - - -	{ January 19th, Cab Rank, St. George's- road, Southwark. }	3·7	25·50	·181	·046	0	·181	·227	1·7	18·0
Outer Circle.	LEA.										
	New River - - -	{ January 19th, Cab Rank, Tottenham Court-road. }	3·4	31·80	·085	·015	0	·326	·341	1·7	21·5
	East London - - -	{ January 19th, Fire Brigade Station, Commercial-road, E. }	3·8	35·54	·192	·043	0	·341	·384	2·2	23·3
	DEEP WELLS.										
	Kent - - - - -	{ January 19th, Greenwich Police Station, Blackheath-road. }	12·0	41·36	·039	·010	0	·463	·473	2·5	29·3
	{ Colne Valley - - -	{ January 19th, Bushey. }	—	13·50	·042	·012	0	·361	·373	1·8	5·6
{ Tottenham - - -	{ January 19th, Tottenham. }	—	35·86	·058	·013	·050	0	·054	2·3	20·0	
Corporation of Birming- ham* - - - - -		{ January 6th, 1, Court Thorp-street. }	5·6	26·12	·098	·027	·001	·275	·303	2·0	16·8
Corporation of Glasgow†		{ January 15th, Loch Katrine Water. }	3·8	2·90	·123	·017	0	·006	·023	·8	·8
Column 1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, Medical Officer of Health and Analyst to the Borough.

† Analysed by Dr. E. J. Mills, F.R.S., of Anderson's College, Glasgow.

The numbers in columns 4–11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 19th January at the Horseguards cab-rank, had a temperature of 3°·8 C.; 100,000 lbs. of it contained 30·78 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·166 lb. of carbon and ·017 lb. of nitrogen. The above quantity of water also contained no ammonia, and ·251 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·268 lb. The above weight of water also contained 1·8 lbs. of chlorine; and 20·6 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY in 28 GREAT TOWNS, during the Week ending 7th February, 1885.

CITIES AND BOROUGHES.	POPULATION estimated, middle of the Year 1885.			Registered during the Week ending 7th Feb., 1885.		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGHES.		
	1.	2.	3.	Deaths of		Deaths from							Deaths in		Annual Rate per 1,000 corresponding to the Week's Deaths		Mean.		In Inches.	In Centi- meters.					
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Dysentery.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	From All Causes.	From Diseases in Cols. 6-12.			Highest.	Lowest.		Fahrenheit.	
Cols.	8,906,446	6312	3714	763	924	46	53	53	37	104	34	29	122	244	672	81	21.8	2.1	54.1	28.8	41.5	5.28	0.84	2.13	
28 TOWNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LONDON.	4,088,928	2806	1592	307	444	41	16	18	19	41	8	9	47	109	356	21	29.3	1.9	54.1	32.4	43.6	6.45	0.61	1.55	
BRIGHTON.	114,672	75	57	9	17	-	-	1	-	1	-	-	-	-	13	9	25.9	0.9	50.2	33.4	42.1	5.62	0.65	1.65	
PORTSMOUTH.	134,659	99	54	10	19	-	-	1	-	-	-	-	-	-	5	1	20.9	1.2	-	-	-	-	-	-	
NORWICH.	91,215	83	48	6	18	-	-	1	-	2	-	-	1	-	5	1	27.5	4.0	-	-	-	-	-	-	
PLYMOUTH.	76,045	64	31	6	12	-	-	-	1	-	-	-	3	3	3	-	21.3	2.7	52.5	33.5	45.2	7.33	1.26	3.20	
BRISTOL.	218,169	153	127	26	37	-	-	1	-	10	-	-	2	5	17	2	30.4	3.1	53.0	34.0	43.4	6.33	1.08	2.74	
WOLVERHAMPTON.	79,185	59	38	8	9	-	-	3	-	2	-	-	2	2	10	1	25.0	3.3	50.0	29.1	39.2	4.00	0.66	1.68	
BIRMINGHAM.	427,769	309	201	44	44	3	-	2	3	8	1	-	16	22	46	5	24.5	2.1	-	-	-	-	-	-	
LEICESTER.	136,147	107	62	21	10	-	1	2	-	3	-	-	4	12	5	-	23.8	2.3	-	-	-	-	-	-	
NOTTINGHAM.	211,424	160	86	23	23	-	-	1	1	1	-	-	2	4	7	19	-	21.2	1.5	53.6	32.3	42.3	5.73	0.72	1.83
DERBY.	89,691	80	34	9	11	-	-	-	-	-	-	-	1	1	3	2	19.8	1.7	-	-	-	-	-	-	
BIRKENHEAD.	93,093	52	27	8	4	-	-	-	-	-	-	-	5	6	4	2	15.1	0.6	-	-	-	-	-	-	
LIVERPOOL.	479,724	415	282	46	57	1	8	6	3	5	-	-	6	8	48	12	25.4	2.4	50.8	33.4	41.5	5.28	0.75	1.90	
BOLTON.	110,065	74	49	10	9	-	-	-	1	-	2	1	-	-	4	1	23.2	1.9	49.1	28.8	38.9	3.83	1.51	3.84	
MANCHESTER.	337,342	254	188	38	36	-	3	3	2	4	-	-	7	15	39	4	29.1	2.3	-	-	-	-	-	-	
SALFORD.	204,075	164	65	16	16	-	-	1	-	4	1	-	2	4	9	3	16.6	1.5	-	-	-	-	-	-	
OLDHAM.	126,380	80	53	10	8	-	-	-	-	1	-	-	2	2	5	-	21.9	0.4	-	-	-	-	-	-	
BLACKBURN.	112,574	88	35	8	6	-	-	-	-	-	-	-	1	1	8	-	16.2	0.5	-	-	-	-	-	-	
PRESTON.	100,406	78	62	18	13	-	-	-	-	5	1	1	1	1	7	1	32.2	3.6	-	-	-	-	-	-	
HUDDESFIELD.	87,327	73	33	5	7	-	1	-	-	-	-	-	4	4	5	1	19.7	0.6	-	-	-	-	-	-	
HALIFAX.	77,378	40	30	2	9	-	-	-	-	-	-	-	-	-	8	2	20.2	0.7	-	-	-	-	-	-	
BRADFORD.	214,431	100	80	23	14	-	-	-	1	5	-	-	5	13	6	1	19.5	2.2	53.6	31.0	41.8	5.45	0.80	2.26	
LEEDS.	333,139	224	129	28	27	-	-	1	1	7	3	-	4	7	7	6	20.2	1.9	52.0	31.0	41.4	5.22	0.74	1.88	
SHEFFIELD.	305,716	241	98	25	24	-	-	-	3	1	-	-	3	3	15	3	16.7	1.5	51.0	30.0	40.5	4.72	0.96	2.44	
HULL.	186,292	141	77	15	15	-	-	1	2	2	1	-	2	2	3	6	21.6	2.8	53.0	31.0	40.2	4.55	0.98	2.40	
SUNDERLAND.	125,327	76	64	16	11	-	32	3	-	1	1	-	2	2	2	2	26.6	7.1	-	-	-	-	-	-	
NEWCASTLE.	153,209	117	67	14	18	-	-	2	2	-	1	1	1	4	14	2	22.8	2.0	50.0	32.0	39.7	4.28	0.14	0.36	
CARDIFF.	97,034	100	45	12	6	1	6	1	-	1	2	-	3	3	7	2	24.2	5.9	-	-	-	-	-	-	
EDINBURGH.	250,616	144	96	12	36	-	-	1	3	7	2	-	2	3	10	21	20.0	2.7	48.0	34.0	40.0	4.44	0.34	0.86	
GLASGOW.	519,965	378	301	69	87	-	21	7	1	12	2	3	11	9	34	45	30.2	4.7	50.0	33.1	40.6	4.78	0.80	2.26	
DUBLIN.	353,982	230	245	42	61	-	5	5	2	1	4	1	3	3	70	38	36.2	2.7	53.0	29.1	40.7	4.83	0.46	1.17	

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FIFTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2585	2577	2565	2560	2651	2684	2925	2775	2750	2587	2907·1	2806
Males . .	1307	1334	1313	1319	1300	1360	1467	1388	1375	1306	1468·8	1414
Females .	1278	1243	1252	1241	1351	1324	1458	1387	1375	1281	1438·3	1392
TOTAL Deaths	1552	1771	1528	1703	1821	3376	1926	2023	1643	1595	2065·1	1592
Males . .	729	929	800	848	917	1605	986	988	822	826	1030·5	812
Females .	823	842	728	855	904	1771	940	1035	821	769	1034·6	780

* The numbers in this column are the average weekly numbers in the fifth week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.
TOTAL Births	2558	2409	2587	2385	2614	2631	1832	3283	2816	2876	2803	2727	2806
TOTAL Deaths	1507	1521	1716	1764	1638	1595	1430	1918	1956	1855	1807	1886	1592
0-20	672	695	732	719	695	721	571	796	666	715	693	723	639
20-40	235	228	218	254	221	216	215	261	252	261	251	259	220
40-60	275	272	336	327	294	280	248	331	402	360	363	345	289
60-80	266	270	332	388	347	304	338	429	511	411	404	449	370
at 80 years & upwds.	59	56	98	76	81	74	58	101	125	108	96	110	74
Deaths of children													
Under 1 year	359	333	387	375	327	346	284	406	334	354	380	378	307
1-5	209	223	237	247	238	262	198	248	225	261	206	239	227
5-20	104	139	108	97	130	113	89	142	107	100	107	106	105
Deaths from Small-pox*	49	46	40	61	69	44	34	56	42	70	58	59	60
" " Measles	19	14	31	23	23	33	20	22	14	27	20	16	16
" " Scarlet Fever	36	36	27	23	22	26	16	28	16	21	18	19	18
" " Diphtheria	17	31	16	29	27	28	20	28	26	14	12	15	19
" " Whooping-cough	16	24	17	28	31	31	22	33	38	40	49	60	41
" " Typhus	2	2	1	1	1	1	1	1	1	1	1	1	2
" " Enteric fever	21	20	16	16	15	15	9	11	15	8	9	13	6
" " Simple Cont'd fever	1	1	3	1	1	4	1	1	1	1	1	1	1
" " Diarrhoea and Dysentery	19	15	7	12	6	9	7	15	11	8	8	12	9
" " Cholera	-	-	-	-	-	-	-	1	-	1	-	-	-
Deaths from the above- mentioned Diseases*	180	189	158	198	194	191	130	194	163	190	175	196	171
" " Dis. of Respira- tory System	370	354	511	499	457	416	370	537	609	552	513	556	421
" " Phthisis	167	185	194	170	163	159	159	198	200	186	180	199	145
" " Dis. of Circula- tory System	86	119	123	152	121	109	132	127	169	155	153	154	122
Violent Deaths	54	57	53	45	56	50	36	94	57	66	66	53	47
Inquest Cases	107	105	110	132	117	116	101	198	144	134	143	132	109
Deaths in Public Institutions	325	389	417	347	366	348	300	420	444	408	425	402	356
TEMPERATURE OF THE AIR:													
Mean	45·0	38·8	36·4	42·4	46·5	41·2	36·5	33·2	38·0	35·1	31·9	43·6	43·6
Mean of Highest readings	49·9	43·1	40·9	47·3	50·8	47·0	38·8	35·7	42·7	37·5	35·2	48·4	49·5
Mean of Lowest readings	40·8	33·7	30·7	37·0	41·6	35·1	34·1	30·3	31·9	32·5	27·7	38·7	37·6
Humidity of the Air	83	86	86	88	87	84	85	88	92	83	91	90	84
Rain-fall in inches	0·01	0·08	0·02	1·23	0·68	0·81	0·03	0·00	0·57	0·27	0·00	0·58	0·61
Registered Sunshine (in hours)	9·6	3·5	4·1	3·6	1·2	6·1	2·4	0·0	7·1	1·4	2·9	5·5	9·7

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 5th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 7th February, 1885.								CAUSES OF DEATH.	Corrected Averages for the 5th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 7th February, 1885.							
		Deaths of Persons of the Ages										Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
			0-1.	1-5.	5-20.								0-1.	1-5.	5-20.				
ALL CAUSES	2065*1	1592	307	227	105	220	239	370	74	Diseases of Organs of Special Sense †	2*0	1	-	-	-	1	-	-	-
Small-pox { Vaccinated †	23*1	6	-	-	-	6	-	-	-	Diseases of Circulatory System	127*6	122	1	1	8	15	38	55	4
Unvaccinated		23	5	4	8	5	1	-	-	Croup	17*4	9	3	5	1	-	-	-	-
No Statement		12	2	2	3	2	2	1	-	Bronchitis	436*8	288	60	43	3	14	28	107	13
Measles	34*7	16	2	13	1	-	-	-	-	Pneumonia	124*1	102	14	28	8	13	25	11	3
Scarlet Fever	42*9	18	1	12	4	1	-	-	-	Pleurisy	5*1	9	-	2	1	3	2	-	-
Typhus	2*3	2	-	-	1	-	1	-	-	Other Diseases of Respiratory System	63*8	23	1	4	2	3	7	14	2
Relapsing Fever †	0*3	-	-	-	-	-	-	-	-	Dentition †	15*7	11	7	4	-	-	-	-	-
Influenza	0*4	-	-	-	-	-	-	-	-	Quinsy, Sore Throat †	2*0	3	1	-	-	1	-	-	-
Whooping-cough	103*7	41	16	24	1	-	-	-	-	Enteritis	7*0	6	2	-	1	-	3	-	-
Diphtheria	13*3	19	2	13	3	1	-	-	-	Peritonitis	7*2	8	-	1	1	2	3	1	-
Simple Continued and Ill-defined Fever	3*3	-	-	-	-	-	-	-	-	Diseases of Liver	31*7	33	2	-	-	5	16	8	2
Enteric Fever	16*1	6	-	1	3	2	-	-	-	Other Diseases of Digestive System	23*4	29	6	3	1	4	9	6	-
Cholera	0*5	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands †	1*7	3	-	-	1	-	2	-	-
Diarrhoea, Dysentery	15*4	9	2	1	-	-	-	3	3	Diseases of Urinary System	36*9	55	-	-	3	10	20	18	4
Remittent Fever †	0*3	-	-	-	-	-	-	-	-	Diseases of Generative System	5*4	4	-	-	-	2	2	-	-
Hydrophobia	0*0	-	-	-	-	-	-	-	-	Accidents of Childbirth	6*0	4	-	-	-	4	-	-	-
Glanders	0*1	-	-	-	-	-	-	-	-	Diseases of Locomotive System †	7*7	3	-	-	1	-	2	-	-
Cowpox and Effects of Vaccination †	0*0	-	-	-	-	-	-	-	-	Diseases of Integumentary System	8*2	6	3	-	-	-	2	1	-
Venerical Affections	11*0	7	4	-	2	1	-	-	-	VIOLENT DEATHS.‡									
Erysipelas	6*7	5	-	1	-	1	2	1	-	(ACCIDENT.)									
Pyæmia and Septicæmia †	4*0	4	-	1	1	1	-	1	-	Fracture and Contusion	21*4	22	-	1	3	5	4	7	2
Puerperal Fever	6*7	19	-	-	2	16	1	-	-	Gunshot Wound	0*0	-	-	-	-	-	-	-	-
Other Zymotic Diseases †	2*0	1	1	-	-	-	-	-	-	Cut, Stab	0*4	-	-	-	-	-	-	-	-
Thrush	2*0	1	1	-	-	-	-	-	-	Burn and Scald	9*2	6	-	3	1	1	1	-	-
Worms and other Parasitical Diseases	0*7	2	-	1	-	-	1	-	-	Poison	1*4	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk †	2*3	-	-	-	-	-	-	-	-	Drowning	6*3	5	-	-	-	-	3	-	-
Alcoholism	5*9	5	-	-	-	2	1	2	-	Suboatation	16*0	7	6	1	-	-	-	-	-
Rheumatic Fever and Rheumatism of Heart	13*7	12	-	-	4	6	2	-	-	Otherwise	3*3	2	-	-	1	-	1	-	-
Rheumatism		4	-	-	-	1	1	2	-	(HOMICIDE.)									
Gout		5*0	4	-	-	-	1	-	3	Murder & Manslaughter	3*2	1	1	-	-	-	-	-	-
Rickets †	2*0	2	1	1	-	-	-	-	-	(SUICIDE.)									
Cancer	47*3	36	-	-	-	2	20	13	1	Gunshot Wound	0*9	1	-	-	-	-	1	-	-
Tabes Mesenterica	21*9	15	11	3	-	-	1	-	-	Cut, Stab	1*2	2	-	-	-	-	2	-	-
Tubercular Meningitis	29*1	32	7	18	7	-	-	-	-	Poison	1*2	2	-	-	-	-	-	-	-
Phthisis	202*7	145	-	3	18	74	40	10	-	Drowning	1*1	1	-	-	-	-	1	-	-
Serofula, Tuberculosis	13*4	10	3	6	1	-	-	-	-	Hanging	1*1	-	-	-	-	-	-	-	-
Other Constitutional Diseases †	9*3	12	1	-	3	4	3	1	-	Otherwise	0*8	-	-	-	-	-	-	-	-
Premature Birth	31*3	80	30	-	-	-	-	-	-	(EXECUTION.)									
Atelactasia †	3*0	3	3	-	-	-	-	-	-	Hanging	0*0	-	-	-	-	-	-	-	-
Congenital Malformations	7*5	9	9	-	-	-	-	-	-	OTHER CAUSES †	77*0	47	37	1	-	1	1	4	1
Old Age	74*2	66	-	-	-	-	-	33	33										
Apoplexy	51*4	50	3	-	-	2	18	26	1										
Epilepsy	7*9	7	-	-	1	3	1	2	-										
Convulsions	60*2	52	40	10	2	-	-	-	-										
Other Diseases of Brain and Nervous System	103*3	105	18	16	5	7	21	33	5										

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9*048 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

¶ Exclusive of 19 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include													Inquest Cases.	Deaths in Public Institutions.
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.			
LONDON		3,816,483	2806	1592	307	444	41	16	18	19	41	2	6	-	9	47	109	356	
WEST DISTRICTS		669,638	430	273	48	88	6	1	1	4	8	-	1	-	1	7	21	66	
NORTH DISTRICTS		905,947	618	386	69	113	12	2	4	5	13	-	3	-	1	8	19	86	
CENTRAL DISTRICTS		282,238	171	108	13	30	1	-	1	1	1	-	1	-	1	5	7	23	
EAST DISTRICTS		692,738	568	298	67	75	2	5	7	1	6	1	-	-	2	12	27	86	
SOUTH DISTRICTS		1,265,927	1019	529	110	138	20	8	5	8	13	1	1	-	4	15	35	95	
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.		69888	50	33	3	15	-	-	-	-	1	-	-	-	1	-	-	5	
St. John Paddington H - - G.J.		37380	12	10	-	4	-	1	-	-	1	-	-	-	-	1	-	2	
Kensington Town WW - - W.M.		120141	65	42	9	17	-	-	-	-	-	-	-	-	-	1	2	14	
Brompton H - - W.M. & C.		49010	17	9	-	4	-	-	-	-	-	-	-	-	-	-	1	1	
St. Peter Hammersmith - - W.M.		7599	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.		64340	55	31	9	8	-	-	-	-	2	-	-	-	-	2	5	4	
Fulham WH - - W.M. & C.		42900	64	22	6	1	6	-	-	-	-	-	-	-	-	-	2	6	
Chelsea South HHH - - C.		30396	19	14	5	3	-	-	-	-	-	-	-	-	-	1	4	1	
Chelsea North-west WHHH - C.		24925	17	11	1	3	-	-	-	-	-	-	-	-	-	-	1	6	
Chelsea North-east - - C.		32807	23	18	5	5	-	-	1	-	1	-	-	-	-	1	2	-	
Hanover Square H - - G.J.		16862	5	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
May Fair WW - - G.J.		18491	5	11	-	7	-	-	-	1	-	-	-	-	1	1	-	-	
Belgrave HH - - C.		59220	25	18	2	5	-	-	-	-	-	-	-	-	-	-	-	9	
St. John Westminster HH - C.		35496	23	14	3	1	-	-	-	1	1	-	-	-	-	-	1	6	
St. Margaret Westminster H - C.		24679	13	14	3	6	-	-	-	1	2	-	-	-	-	-	-	1	
St. James Westminster WH N.R. & G.J.		29941	16	12	1	4	-	-	-	-	-	1	-	-	-	-	-	6	
St. Anne Soho HHHHH - - N.R.		16608	9	6	-	2	-	-	-	-	-	-	1	-	-	-	1	3	
NORTH DISTRICTS.																			
All Souls Marylebone HHHH - W.M.		26759	10	12	-	3	-	-	-	-	-	-	-	-	-	-	1	8	
Cavendish Square HHH - W.M.		14881	4	6	-	2	-	1	-	-	-	-	1	-	-	1	1	-	
Rectory Marylebone WH G.J. & W.M.		24809	18	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Marylebone HHH G.J. & W.M.		21118	31	13	1	3	-	-	-	-	2	-	-	-	-	-	-	4	
Christchurch Marylebone H - W.M.		38700	29	11	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone H - W.M.		33683	25	13	1	6	-	1	-	-	-	-	-	-	-	-	-	-	
Hampstead WHHHH - N.R. & W.M.		45452	23	15	3	9	2	-	-	-	-	-	-	-	-	-	-	-	
Regent's Park Paneras H - - W.M.		39115	16	9	1	3	-	-	-	-	-	-	-	-	-	-	-	4	
Tottenham-court WHHH N.R. & W.M.		27729	12	16	3	3	-	-	-	1	-	-	-	-	-	-	-	-	
Gray's Inn Lane HHH - - N.R.		30247	13	8	2	3	-	-	-	1	-	-	-	-	-	-	-	8	
Somers Town H - - N.R.		34369	24	11	-	3	-	-	-	-	-	-	-	-	-	1	3	3	
Camden Town WH - - N.R.		17811	16	22	3	12	-	-	-	-	-	-	-	-	-	1	2	19	
Kentish Town W - - N.R.		87437	70	83	7	6	-	-	1	-	5	-	-	-	-	-	2	3	
Upper Holloway WHWH - - N.R.		67046	57	44	6	11	2	-	-	1	1	-	-	-	-	-	-	-	
Islington South-west H - - N.R.		100976	39	19	11	8	-	-	-	2	-	-	-	1	1	8	14	2	
Islington South-east - - N.R.		61895	35	16	1	6	-	-	-	1	1	-	-	-	-	-	-	-	
Highbury H - - N.R.		52048	39	15	5	2	-	-	-	1	-	-	-	-	-	-	-	1	
Stoke Newington H - - N.R.		22781	19	8	7	2	4	-	-	-	1	-	-	-	1	1	-	-	
Stamford Hill - - E.L.		9277	19	19	2	6	-	-	-	-	1	-	-	-	-	-	-	-	
West Hackney - - N.R.		37610	68	46	10	11	8	-	-	-	-	-	-	-	-	-	-	-	
Hackney WHWHHL - - E.L. & N.R.		76911	23	14	5	2	-	-	3	1	-	-	-	-	-	1	1	19	
South Hackney - - E.L.		39883	23	14	5	2	-	-	-	-	-	-	-	-	-	1	-	-	
CENTRAL DISTRICTS.																			
St. George Bloomsbury - - N.R.		16681	8	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - - N.R.		14864	19	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles North - - N.R.		18837	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	3	
St. Martin-in-the-Fields HH N.R. & C.		17508	7	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary-le-Strand H - - N.R.		7515	5	4	-	1	-	-	-	-	-	-	-	-	-	1	1	2	
St. Clement Danes H - - N.R.		8559	1	6	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
St. George-the-Martyr HHHHHH N.R.		18671	6	10	-	4	-	-	-	-	-	-	-	-	-	-	-	4	
St. Andrew Eastern W - - N.R.		10706	8	9	2	3	-	1	-	-	-	-	-	-	-	1	-	3	
Saffron Hill H - - N.R.		6533	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
St. James Clerkenwell - - N.R.		17516	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - - N.R.		19281	22	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Pentonville - - N.R.		14773	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Goswell-street - - N.R.		17606	7	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
Old-street H - - N.R.		11541	7	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
City-road HHL - - N.R.		18628	16	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whitecross-street - - N.R.		9217	19	4	-	2	1	-	-	-	-	-	-	-	-	-	-	-	
Finabury - - N.R.		7463	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - N.R. & E.L.		11174	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - - N.R.		7193	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. Sepulchre H - - N.R.		5353	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Bride W - - N.R.		8396	2	2	-	1	-	-	-	-	-	1	-	-	-	-	2	10	
Allhallows Barking - - N.R.		13666	7	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	
Broad Street H - - N.R.		5652	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work house; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifying Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. the Kent Company.

EVER, DITHTERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
tuesday, the 7th February, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include													Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
					Deaths of		Deaths from														
					Infants under 2 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhœa.	Violence.					
EAST DISTRICTS.																					
Polwell Shoreditch	-	N.R. & E.L.	7576	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-			
St. Leonard Shoreditch	HL†	-	N.R.	14967	7	3	-	-	-	-	-	-	-	-	-	-	-	-			
Hoxton New Town	W	-	N.R.	24937	40	16	5	8	-	-	-	1	-	-	-	1	1	7			
Hoxton Old Town	-	-	N.R.	28036	16	13	4	1	-	-	3	-	-	-	-	-	-	-			
Laggerston	WH	-	N.R. & E.L.	46275	40	24	6	5	-	-	1	-	1	-	-	-	2	4			
Hackney-road	H	-	-	E.L.	29738	33	4	-	3	-	-	-	-	-	-	-	1	-			
Green, Bethnal Green	WHL†	-	-	E.L.	47932	45	27	7	10	-	-	-	-	-	-	-	1	14			
Church, Bethnal Green	-	-	-	E.L.	29981	22	5	1	3	-	-	-	-	-	-	-	-	-			
Town, Bethnal Green	-	-	-	E.L.	18310	23	5	2	1	1	-	-	1	-	-	-	-	-			
Spitalfields	H	+	-	E.L. & N.R.	22685	18	9	3	1	-	-	-	-	-	-	-	2	3			
St. Giles End New Town	W	-	-	E.L.	15473	10	11	2	4	-	-	-	-	-	-	1	2	1			
Whitechapel Church	H	-	-	E.L. & N.R.	17490	9	16	1	2	-	1	-	1	-	-	3	3	8			
Goodman's Fields	-	-	-	E.L.	9713	8	2	-	1	-	-	-	-	-	-	-	-	14			
Aldgate	-	-	-	N.R. & E.L.	6102	1	2	-	-	-	-	-	-	-	-	-	1	-			
St. George's, North	-	-	-	E.L.	38747	37	21	8	2	-	1	1	-	-	-	-	2	1			
St. John, St. George East	W	-	-	E.L.	9410	5	16	2	6	-	-	1	-	-	-	-	1	9			
Shadwell	H	-	-	E.L. & N.R.	14395	12	10	2	2	-	-	-	-	-	-	-	2	5			
Catcliff	-	-	-	E.L.	16107	15	6	2	-	-	1	-	-	-	-	-	-	1			
Lincolnhouse	-	-	-	E.L.	32041	11	13	6	3	1	-	-	-	-	-	1	2	-			
Mile End Old Town West	-	-	-	E.L.	37660	20	8	-	5	-	-	-	1	-	-	-	2	-			
Mile End Old Town East	W & H	-	-	E.L.	67653	56	21	8	4	-	1	-	-	-	-	-	1	-			
Bow	-	-	-	E.L.	37074	28	6	1	1	-	-	-	-	1	1	-	1	-			
Bromley	W & H	-	-	E.L.	64359	50	41	3	12	-	1	-	-	-	-	2	22	-			
Poplar	W & W	-	-	E.L.	55077	33	16	5	1	-	-	1	-	-	-	1	2	-			
SOUTH DISTRICTS.																					
Christchurch Southwark	WH	-	L. & S.	13663	15	7	1	4	-	-	-	-	-	-	-	-	-	2			
St. Saviour Southwark	H	-	S.	14999	9	6	2	1	-	-	-	-	-	-	-	-	-	-			
Kent-road	-	-	S. & L.	21381	16	4	-	2	-	-	-	-	-	-	-	-	-	-			
Borough-road	WH	-	S. & L.	15953	15	9	2	-	2	1	1	-	-	-	-	1	2	1			
London-road	HL	-	L. & S.	21318	14	6	2	2	-	-	-	-	-	-	-	-	-	-			
Trinity Newington	-	-	S. & L.	26672	23	7	2	2	-	-	-	-	-	-	-	-	-	-			
St. Peter Walworth	W	-	S. & L.	59555	24	19	2	12	-	1	-	-	-	-	-	1	2	11			
St. Mary Newington	-	-	L. & S.	21623	19	4	2	-	-	-	-	-	-	-	-	2	-	-			
St. Olave	WH	-	-	S.	11956	7	13	-	1	-	-	-	-	-	-	3	5	9			
Leather Market	-	-	S. & L.	16300	12	6	1	1	-	-	-	-	-	-	-	-	-	-			
St. Mary Magdalen	W	-	-	S.	15669	15	8	3	1	-	1	-	-	-	-	-	2	-			
St. James Bermondsey	-	-	S.	54683	65	22	5	2	-	-	-	1	3	-	-	1	-	1			
Rotherhithe	W	-	S. & K.	36024	29	19	2	6	1	1	-	1	1	-	-	3	6	3			
Waterloo-road 1st	H	-	L. & S.	15195	9	5	1	2	-	-	-	-	-	-	-	-	-	-			
Waterloo-road 2nd	H	-	L. & S.	16551	16	13	3	4	-	-	-	3	-	-	-	-	1	2			
Lambeth Church 1st	H	-	L. & S.	19876	14	9	-	2	-	-	-	-	-	-	-	-	5	-			
Lambeth Church 2nd	W & W	-	L. & S.	39859	35	24	8	7	-	-	-	-	-	-	-	-	9	1			
Kennington 1st	-	-	S. & L.	45232	51	17	3	8	-	-	-	1	-	-	-	1	3	-			
Kennington 2nd	-	-	S. & L.	35332	25	8	3	3	-	-	-	-	-	-	-	-	-	-			
Brixton	W & W	-	L. & S.	62357	70	17	3	6	2	-	-	-	-	-	-	-	1	2			
Norwood	W	-	L.	19017	17	5	3	-	-	-	-	1	-	-	-	-	-	-			
Clapham	H	-	-	S.	36350	18	9	-	5	-	-	-	-	-	-	-	-	-			
East Battersea	-	-	-	S.	54675	48	17	-	4	-	-	-	1	-	-	1	-	1			
West Battersea	W & W	-	-	S.	52587	56	28	7	8	-	-	1	-	-	-	1	2	5			
Vandsworth	HL	-	-	S.	28004	17	21	2	5	-	-	-	-	-	-	-	2	7			
Tunney	-	-	-	S.	33235	9	2	1	-	-	-	-	-	-	-	-	-	1			
Streatham	-	-	-	L.	25533	20	9	2	2	-	-	-	-	-	-	-	-	-			
Dulwich	-	-	-	L. & S.	5590	3	-	-	-	-	-	-	-	-	-	-	-	-			
Camberwell	WL†L†	-	-	S. & L.	59104	52	19	3	12	-	-	-	1	-	-	-	-	9			
Peckham	W	-	-	S., L., & K.	71089	48	22	5	6	2	1	-	1	3	-	1	1	1			
St. George Camberwell	-	-	-	L. & S.	50810	35	20	5	4	-	-	-	1	2	-	1	1	1			
St. Paul Deptford	W & W	-	-	K.	76752	65	44	10	6	13	1	1	-	-	-	1	3	13			
St. Nicholas Deptford	-	-	-	K.	7901	6	3	2	1	-	-	-	-	-	-	-	1	-			
Greenwich West	-	-	-	K.	21972	15	10	1	3	-	1	2	-	-	-	-	-	-			
Greenwich East	WHH	-	-	K.	24605	19	15	4	5	1	-	-	-	-	-	1	-	-			
Eltham	H	-	-	K.	5827	3	2	2	-	-	-	-	-	-	-	-	-	-			
Lee	-	-	-	K.	21519	9	3	-	2	-	-	-	-	-	-	-	-	-			
Lewisham	WH	-	-	K.	19865	17	6	2	3	-	-	-	-	-	-	1	1	-			
Sydenham	H	-	-	L.	20076	14	12	4	1	-	-	-	-	-	-	-	-	-			
Charlton	H	-	-	K.	16930	8	7	-	2	-	-	-	-	-	-	-	2	-			
Woolwich Dockyard	-	-	-	K.	17617	22	7	2	1	-	-	-	-	-	-	-	-	-			
Woolwich Arsenal	HHH	-	-	K.	13045	11	6	3	1	-	-	-	-	-	-	-	-	1			
Plumstead, West	H	-	-	K.	14069	6	8	-	2	-	-	-	-	-	-	-	-	-			
Plumstead, East	W	-	-	K.	15241	16	11	1	3	-	-	-	-	-	-	1	4	-			

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Central London Sick Asylum in Tottenham Court-road sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Holborn City Workhouse in Islington East sub-district.	Stepney { Stepney Sick Asylum and Stepney Sick Asylum in West Battersea sub-district.
Holborn { London City Workhouse " Hackney sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hammersmith, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Holborn " Hoxton New Town sub-district.	
Whitechapel " Mile End Old Town Eastern sub-dist.	

† Private Lunatic Asylums in which paupers are received.

Area, Population, Births, Deaths, &c. in Outer Ring.

TABLE 6.—LONDON.—OUTER RING.—AREA ; POPULATION ; BIRTHS and DEATHS registered during the Week ending Saturday, 7th February, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING		370,282	950,178	818	426	93	127	22	7	2	3	11	4	1	17	22	64	2
80:1	Carshalton <i>wL</i> - -	12228	21118	15	13	1	3	-	-	-	-	-	-	-	1	1	11	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	7	8	-	2	-	-	-	-	-	-	-	-	1	5	-
37:1	Godstone (<i>part of</i>) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon <i>WwH</i> - -	20851	101241	68	51	15	13	-	4	-	1	1	-	1	1	1	7	-
	Mitcham - -	11697	17932	20	6	2	3	-	-	-	-	-	-	-	-	2	-	-
39:1	Wimbledon <i>HHH</i> -	3220	15950	12	4	2	2	-	-	-	-	-	-	-	-	-	-	-
2	Kingston <i>WHH</i> - -	8549	36354	27	19	4	6	-	-	-	1	1	1	-	2	2	3	-
3	Esher (<i>part of</i>) * -	6601	9221	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton <i>H</i> - -	4573	13539	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-
40:1	Richmond <i>WH</i> - -	2272	21302	13	11	2	3	-	-	-	-	-	-	-	3	3	3	-
2	Mortlake - -	941	12331	7	5	2	1	-	-	-	-	-	-	-	1	1	-	-
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	25	15	10	3	-	-	-	-	-	-	-	1	1	-	-
2	Chislehurst(<i>pt. of</i>)* <i>WHH</i>	13665	15065	21	10	-	2	1	-	-	-	-	-	-	1	1	1	-
42:1	Bexley <i>H</i> - -	18437	24134	12	5	-	3	-	-	-	-	1	-	-	-	-	-	-
124:1	Sunbury <i>w</i> - -	11055	11685	10	8	1	3	-	-	-	-	-	-	-	-	-	1	-
2	Staines <i>W</i> - -	13277	12089	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-
125:1	Hillingdon <i>WH</i> - -	6029	10802	6	4	1	2	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge - -	6178	5225	3	3	1	1	-	-	-	-	1	-	-	-	-	-	-
3	Hayes <i>wHL</i> - -	14587	11523	5	10	1	3	-	-	-	-	-	-	-	1	1	5	-
126:1	Isleworth <i>W</i> - -	7008	22727	10	7	-	4	-	-	-	1	-	-	-	-	-	2	-
2	Twickenham <i>H</i> - -	2477	12479	4	6	-	4	-	-	-	1	-	-	-	1	1	-	-
3	Brentford <i>HL</i> - -	4345	27649	28	8	1	3	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - -	1340	15975	13	5	2	2	-	-	-	-	-	-	-	1	1	-	-
5	Acton <i>wH</i> - -	6083	22876	19	15	5	1	-	-	-	-	3	-	-	-	-	-	-
127:1	Harrow <i>H</i> - -	13809	12796	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>H</i> - -	6994	3749	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden - -	4383	27453	28	14	6	4	-	-	-	-	-	-	-	1	2	-	-
4	Hendon <i>W</i> - -	8382	10484	7	11	-	9	-	-	-	-	-	-	-	-	-	9	-
128:1	South Mimms - -	15599	6391	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet† <i>W</i> - -	5483	10092	6	2	1	1	-	-	-	-	1	-	-	-	-	-	-
3	Finchley <i>HL</i> - -	4688	17615	13	11	1	5	-	-	-	-	-	-	-	-	-	6	-
129:1	Hornsey <i>H</i> - -	3039	37078	42	15	6	3	-	-	-	1	-	-	-	-	1	-	-
2	Tottenham <i>HH</i> - -	4642	46456	55	27	3	7	-	-	-	2	1	-	-	1	1	1	-
3	Edmonton <i>WwH</i> -	7483	23463	27	14	3	3	-	-	1	-	-	-	-	-	-	3	-
4	Enfield <i>WH</i> - -	12853	19104	10	5	2	1	-	-	-	-	-	-	-	-	-	-	-
5	Waltham Abbey - -	11017	5368	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - -	8480	7735	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
135:1	Hatfield (<i>part of</i>) * -	3306	583	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey - -	9331	6821	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
136:1	Stratford - -	882	38606	33	10	3	3	-	-	-	-	-	-	-	1	1	-	1
2	West Ham <i>wvwH</i> -	7351	101053	129	54	10	4	21	1	1	1	1	2	-	-	-	3	1
3	Leyton <i>WwL</i> - -	4372	32430	21	11	3	7	-	-	-	-	-	-	-	-	-	2	-
4	Walthamstow <i>wH</i> -	6520	28869	33	10	-	5	-	-	-	-	-	1	-	1	1	-	-
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	5	7	-	1	-	1	-	-	1	-	-	-	-	1	-
139:1	Romford (<i>part of</i>) * -	6730	3411	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - -	8493	7645	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town - -	4127	9203	15	5	2	1	-	1	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warlingham and Farley
 except the two parishes of Cudham and Knockholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chelsfield
 (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon-
 Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 7th February, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
			From All Causes.	From Diseases in Cols. 8-14.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.	Deaths in Public Institutions.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,093,995	20·3	2·1	2018	400	571	63	23	20	27	52	12	10	64	420		
INNER LONDON	78,052	4,019,361	20·3	1·9	1592	307	444	41	16	18	19	41	8	9	47	356		
OUTER RING	370,282	1,074,634	19·9	2·6	426	93	127	22	7	2	8	11	4	1	17	64		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,077,298 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA -	433,219	December 20	-	258	33·4	Sm.-pox 2; cholera 8; fevers 81.
BOMBAY -	773,196	" 30	-	401	25·2	Cholera 6; fevers 120.
MADRAS -	398,777	" 19	313	398	51·9	Fevers 87; cholera 27.
PARIS -	2,230,928	January 31	1198	1232	28·3	Diph. & croup 41; measles 33; typhoid fever 12.
GENEVA -	71,453	" 31	32	41	29·9	-
BRUSSELS -	426,814	" 24	245	208	26·9	Diphtheria 6; typhus and typhoid fever 3.
AMSTERDAM -	366,812	" 31	296	262	37·2	Scar. fev. 15; whooping-cough 15.
ROTTERDAM -	169,477	" 31	160	110	33·7	Scarlet fever 2.
THE HAGUE -	134,552	" 31	110	72	27·8	-
COPENHAGEN -	267,000	February 3	229	127	24·8	Measles 7; whooping-cough 6.
STOCKHOLM -	190,115	January 24	136	93	25·4	Scarlet fever 5; diphtheria and croup 9.
CHRISTIANIA -	126,000	" 31	78	49	20·2	Diphtheria and croup 10.
ST. PETERSBURG	928,016	" 24	-	523	29·4	Typhus and typh. fev. 14; small-pox 3.
BERLIN -	1,261,859	" 17	890	561	23·2	Diph. 45; measles 10.
HAMBURG (State)	467,258	" 24	341	259	28·9	Diphtheria and croup 10; typhoid fever 3.
DRESDEN -	236,000	" 24	155	125	27·5	Diphtheria 8; meas. 3.
BRESLAU -	295,000	" 24	187	152	27·2	Typhoid fever 2.
MUNICH -	244,000	" 31	176	164	35·0	Measles 4; diphtheria and croup 5.
VIENNA -	769,889	" 24	538	447	30·2	Small-pox 9; measles 5.
PRAGUE -	272,333	" 31	-	169	32·4	Scar. fev. 5; sm.-pox 2.
BUDA-PESTH -	416,474	" 17	292	238	28·8	Typh. and typhd. fev. 4; diph. and croup 8.
TRIESTE -	148,245	" 17	-	116	40·2	Small-pox 26.
ROME -	318,653	December 27	229	170	27·8	Small-pox 5.
NAPLES -	494,015	-	-	-	-	-
TURIN -	262,521	December 27	148	181	36·0	Sm.-pox 21; typhd. fev. 4.
VENICE -	144,888	January 24	82	89	32·0	Small-pox 6.
MADRID -	475,668	" 11	328	412	45·2	Typh. and typhd. fev. 15; diph. and croup 19.
LISBON -	203,681	" 3	-	-	-	-
ALEXANDRIA	212,034	" 10	230	142	34·8	Typhoid and typhus 5; sm.-pox 1.
NEW YORK -	1,348,375	" 3	-	709	27·4	Measles 22; diph. 29.
BROOKLYN -	644,526	" 3	-	252	20·4	Diphtheria 13.
PHILADELPHIA -	927,995	" 17	-	427	24·0	Diphtheria 18; typhoid fever 14.
BALTIMORE -	408,520	" 17	-	180	23·0	Scarlet fever 5; typhoid fever 3.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 7th FEBRUARY, 1885.
[Under the Superintendence of the Astronomer Royal.]

MOON.		METER.	READINGS OF THERMOMETERS.										DIFFERENCE				As deduced from Anemometers.				RAIN.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
PHASES OF MOON.	MONTH AND DAY.	in.	DRY.			Dew Point.	Highest in the sun, as shown by a self-registering thermometer.	Lowest in the shade, as shown by a self-registering thermometer.	In the Water of the Thames, as shown by a self-registering thermometer.		Between Dew Point and Air Temperature.		Degrees of Humidity, complete being sent by 100.		General Direction.				Oster's.			Amount of Horizontal Movement of Air on each day.	Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			High-est.	Low-est.	Range in day.				Mean daily value.	Mean daily value.	Least.	Mean temp-erature of the same day on an average of 20 years.	A. M.	P. M.	Great-est.	Least.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
																	High-est.	Low-est.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
FEBRUARY.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

The height of the cistern of the barometer is considered to be 139 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1868.

— "r" reading the 17th and 26th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and the observations are registered by the Clerk of the Market, under instructions from the Commissioners of the Port of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are: +, P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 29 derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day or from midnight to midnight.

The reading of the barometer increased from 29.93 in. at the beginning of the week to 29.11 in. by 8h. P.M. on the 1st; decreased to 29.96 in. by 9h. P.M. on the 2nd; increased to 29.23 in. by 8h. P.M. on the 4th; decreased to 29.10 in. by 9h. P.M. on the same day; increased to 29.64 in. by 9h. A.M. on the 6th; decreased to 29.40 in. by 9h. P.M. on the same day; and increased to 29.72 in. by the end of the week.

SKY AND ATMOSPHERE.

DATE.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	19	20	21	22	23	24	25	26	27
SUNDAY	1.0	9.1	1.0	9.1	1.0	9.1	1.0	9.1	1.0	9.1	1.0	9.1	1.0	9.1	1.0	9.1	1.0	9.1	1.0	9.1	1.0	9.1	1.0	9.1	1.0	9.1
MONDAY	1.2	9.2	1.2	9.2	1.2	9.2	1.2	9.2	1.2	9.2	1.2	9.2	1.2	9.2	1.2	9.2	1.2	9.2	1.2	9.2	1.2	9.2	1.2	9.2	1.2	9.2
TUESDAY	1.1	9.2	1.1	9.2	1.1	9.2	1.1	9.2	1.1	9.2	1.1	9.2	1.1	9.2	1.1	9.2	1.1	9.2	1.1	9.2	1.1	9.2	1.1	9.2	1.1	9.2
WEDNESDAY	1.7	9.3	1.7	9.3	1.7	9.3	1.7	9.3	1.7	9.3	1.7	9.3	1.7	9.3	1.7	9.3	1.7	9.3	1.7	9.3	1.7	9.3	1.7	9.3	1.7	9.3
THURSDAY	1.6	9.3	1.6	9.3	1.6	9.3	1.6	9.3	1.6	9.3	1.6	9.3	1.6	9.3	1.6	9.3	1.6	9.3	1.6	9.3	1.6	9.3	1.6	9.3	1.6	9.3
FRIDAY	0.1	9.4	0.1	9.4	0.1	9.4	0.1	9.4	0.1	9.4	0.1	9.4	0.1	9.4	0.1	9.4	0.1	9.4	0.1	9.4	0.1	9.4	0.1	9.4	0.1	9.4
SATURDAY	3.0	9.4	3.0	9.4	3.0	9.4	3.0	9.4	3.0	9.4	3.0	9.4	3.0	9.4	3.0	9.4	3.0	9.4	3.0	9.4	3.0	9.4	3.0	9.4	3.0	9.4
MEANS	9.7	64.9	9.7	64.9	9.7	64.9	9.7	64.9	9.7	64.9	9.7	64.9	9.7	64.9	9.7	64.9	9.7	64.9	9.7	64.9	9.7	64.9	9.7	64.9	9.7	64.9

ELECTRICITY.
(For explanation of symbols, see Note.)

1 w. P. generally; s. N. at times.

2 w. P. in morning; m. P. and w. N. afterwards.

3 w. P. in morning; m. N. in afternoon; w. P. till 4h. P.M.; s. N. and s. P. till 8h. P.M.; m. P. afterwards.

4 w. P. till 10h. A.M.; v. N. and v. P. till 5h. P.M.; m. P. afterwards.

5 w. P. generally; w. N. at times.

6 w. P. in morning; s. P. in afternoon; s. P. at night.

7 w. P. in morning; s. P. in afternoon; s. P. at night.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 6. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, FEBRUARY 14. [Price 1½d.

General Register Office, Somerset House,
16th February, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 20·9 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the past four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.		Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.
Birkenhead	20·7	13·5	15·1	13·5	Liverpool -	28·2	27·1	25·4	24·8
Birmingham	26·0	23·7	24·5	19·8	London -	23·1	24·1	20·3	19·5
Blackburn -	17·6	26·4	16·2	22·7	Manchester -	28·0	26·5	29·1	24·9
Bolton -	23·7	21·8	23·2	21·8	Newcastle-on-Tyne	21·8	22·8	22·8	26·2
Bradford -	20·0	22·6	19·5	19·0	Norwich -	30·3	36·6	27·5	27·5
Brighton -	16·4	20·9	25·9	16·8	Nottingham -	23·4	25·2	21·2	21·7
Bristol -	23·2	26·3	30·4	19·9	Oldham -	20·2	28·5	21·9	24·8
Cardiff -	40·9	34·9	24·2	32·3	Plymouth -	25·4	30·2	21·3	25·4
Derby -	18·0	18·0	19·8	15·1	Portsmouth -	23·2	29·8	20·9	21·3
Halifax -	24·3	22·9	20·2	22·3	Preston -	29·1	32·7	32·2	31·2
Huddersfield	22·7	27·5	19·7	18·5	Salford -	25·8	17·6	16·6	15·1
Hull -	19·6	19·0	21·6	22·7	Sheffield -	24·4	23·7	16·7	22·0
Leeds -	21·0	25·8	20·2	19·4	Sunderland -	26·2	27·5	26·6	32·5
Leicester -	29·9	20·7	23·8	19·5	Wolverhampton -	34·9	25·0	25·0	21·7

The highest annual death-rates from whooping-cough, measured by last week's mortality, were 1·6 in Preston, and 2·0 in Nottingham; from measles, 4·3 in Cardiff, 4·8 in Huddersfield, and 8·3 in Sunderland; from scarlet fever, 1·5 in Leicester, and 1·6 in Preston; and from "fever," 3·4 in Norwich. The 35 deaths from diphtheria in the twenty-eight towns included 16 in London, 2 in Nottingham, and 9 in Liverpool. Small-pox caused 57 deaths in London and in its outer ring of suburban districts, 1 in Liverpool, 3 in Birmingham, and 2 in Sheffield.

LONDON.

In LONDON 2913 BIRTHS and 1525 DEATHS were registered. Allowing for increase of population, the births were 29, and the deaths 480, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 24·1 and 20·3 in the two preceding weeks, further declined last week to 19·5, and was lower than in any previous week of this year. During the first six weeks of the current quarter the death-rate averaged 22·6 per 1000, against 24·7, the mean of the rates in the corresponding periods of the five years 1880-84.

The 1525 deaths included 34 from small-pox, 28 from measles, 17 from scarlet fever, 16 from diphtheria, 50 from whooping-cough, 10 from enteric fever, 1 from an ill-defined form of continued fever, 6 from diarrhoea and dysentery, and not one either from typhus or from cholera; thus, 162 deaths were referred to these diseases, being 87 below the corrected average weekly number.

The fatal cases of *small-pox* in London, which had been 29 and 41 in the two preceding weeks, declined again last week to 34, but exceeded the corrected weekly average by 7. These 34 deaths exclude 22 deaths of London residents from this disease recorded in the Metropolitan Asylum Hospitals situated outside Registration

London. Of the 56 fatal cases, 39 were recorded in the Metropolitan Asylum Hospitals in and around London, 4 in the Highgate Small-pox Hospital, and 13 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 3 belonged to Fulham, 4 to Pancras, 12 to Islington, 9 to Hackney, 2 to Shoreditch, 2 to Stepney, 3 to Poplar, and 8 to Camberwell, of which 2 were of children, aged one and two years, in one family at 36, Nutcroft Road. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1146 and 1144 on the two preceding Saturdays, had risen to 1223 at the end of last week; the admissions, which had been 287, 253, and 223 in the three previous weeks, rose again to 255 last week. The Highgate Small-pox Hospital contained 96 patients on Saturday last, 29 cases having been admitted during the week.

The 28 fatal cases of *measles* showed an increase upon recent weekly numbers, and corresponded with the corrected weekly average; 17 occurred in South London, including 3 in Newington, and 4 in Battersea. The 17 deaths from *scarlet fever* showed a further decline from recent weekly numbers, and were 22 below the corrected average; after distributing the hospital cases, 2 belonged to Stepney, 5 to Mile End Old Town, and 2 to Battersea. The Metropolitan Asylum Hospitals contained 304 scarlet fever patients on Saturday last, 20 having been admitted during the week. The 16 deaths referred to *diphtheria* were 3 below the number in the previous week, but exceeded the corrected average by 2; 2 belonged to Marylebone, and 3 to Islington. The 50 fatal cases of *whooping-cough* showed an increase of 9 upon the low number in the previous week, but were 56 below the corrected average; 7 belonged to Pancras, 4 to Islington, and 4 to Poplar. The 6 deaths attributed to *diarrhea* and *dysentery* were 9 below the corrected average.

The deaths referred to *enteric fever*, which had been 13 and 6 in the two preceding weeks, rose again to 10 last week, but were 7 below the corrected weekly average; 2 belonged to Shoreditch, and 2 to Newington. The Metropolitan Asylum Hospitals contained 53 cases of enteric fever, and 19 of typhus, on Saturday last; 7 cases of enteric fever, and 19 of typhus were admitted during the week. All the 19 cases of typhus were admitted from Camberwell, including 13 from Bexley Place, Bexley Alley, Downes Street, and Lower Park Road, all in New Peckham.

The deaths referred to diseases of the respiratory organs, which had been 556 and 421 in the two preceding weeks, further declined last week to 383, and were 238 below the corrected weekly average.

Different forms of violence caused 42 deaths; 38 were the result of negligence or accident, among which were 16 from fractures and contusions, 7 from burns and scalds, 4 from drowning, 3 from poison, and 5 of infants under one year of age from suffocation. The 16 deaths from fractures and contusions were thus returned:—males, aged 40 and 64 years, run over by cab; male 50, thrown from dog-cart; male 22, fell from donkey; male 23, run over on London and Southend Railway; male 58, run over by engine at Norwood Junction; male 49, crushed by trucks on Great Northern Railway; male 62, female 63, fell down stairs; male 32, fell on pavement; female 40, fell in road; females newly-born, and 84, fell upon floor; female 3, fell from window; female 78, by contused wound; and male 1, by fracture. An inquest was held in each of these 16 cases except the last two. Four cases of suicide were registered.

GREATER LONDON.

In Greater London 3694 births and 1955 deaths were registered, equal to annual rates of 37.1 and 19.6 per 1000 of the population. In the Outer Ring 23 fatal cases of small-pox, 15 of diphtheria, and 14 of whooping-cough were registered. The 23 deaths from small-pox included 21 in West Ham sub-district, of which 17 were local cases, and 4 occurred in the Metropolitan Asylum Hospital at Plaistow. Seven fatal cases of diphtheria were returned in Edmonton district, and 2 in West Ham sub-district.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29.72 in.; the lowest reading was 29.20 in. on Sunday evening, and the highest 29.98 in. on Thursday at noon. The mean temperature of the *air* was 46°·2, and 7°·0 above the average in the corresponding week of the 20 years ending 1868. The mean exceeded the average throughout the week; the mildest day was Wednesday, when the mean was as high as 49°·4, and 10·3 above the average. The general direction of the *wind* was S.W., and the horizontal movement of the *air* averaged 16.2 miles per hour, which was 2.9 miles above the average in the corresponding week of 16 years. *Rain* fell on three days of the week, to the aggregate amount of 0.25 of an inch. The duration of registered bright sunshine in the week was 8.6 hours, against 6.6 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY in 28 GREAT TOWNS, during the Week ending 14th February, 1885.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the year 1885.	Registered during the Week ending 14th Feb., 1885.			The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.								RAINFALL.		CITIES AND BOROUGH.		
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from								Inquest Cases.	Deaths in Public Institutions.	Unclassified (Cause of Death).	Annual Rate per 1,000 Persons corresponding to the Week of Deaths				Mean.					In Inches.	In Centi- meters.
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhoid.	Diarrhoea.	Violence.				Fahrenheit.	Centigrade.									
																			Highest.	Lowest.	Fahrenheit.	Centigrade.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.		
28 TOWNS -	8,606,446	6352	3571	806	829	40	91	53	35	112	41	26	102	195	611	84	20.9	2.3	57.8	30.2	44.6	7.01	0.49	1.24	- 28 TOWNS.		
LONDON -	4,083,928	2013	1625	320	393	34	28	17	16	50	11	6	42	91	352	16	19.5	2.1	57.8	33.8	46.2	7.89	0.25	0.63	LONDON.		
BRIGHTON -	114,672	76	37	8	10	-	-	-	-	-	-	-	-	3	3	3	16.8	0.0	50.6	34.5	44.3	6.84	0.61	1.55	BRIGHTON.		
PORTSMOUTH -	134,659	192	53	13	21	-	-	-	-	-	-	-	-	6	6	3	21.3	0.8	-	-	-	-	-	-	PORTSMOUTH.		
NORWICH -	91,215	60	48	5	19	-	-	-	-	-	-	-	-	-	-	-	27.5	5.1	-	-	-	-	-	-	NORWICH.		
PLYMOUTH -	76,045	49	37	9	11	-	-	-	-	-	-	-	-	-	4	3	26.4	0.0	53.2	37.1	46.5	8.06	0.54	1.37	PLYMOUTH.		
BRISTOL -	218,169	142	83	15	19	-	-	-	-	-	-	-	-	5	15	2	19.9	3.8	53.0	35.0	45.6	7.56	0.47	1.19	BRISTOL.		
WOLVERHAMPTON -	79,185	63	33	4	8	-	-	-	-	-	-	-	-	1	5	-	21.7	3.3	52.3	30.2	42.5	5.84	0.49	1.24	WOLVERHAMPTON.		
BIRMINGHAM -	427,769	301	162	35	37	3	1	-	1	10	2	2	7	13	24	3	19.8	2.3	-	-	-	-	-	-	BIRMINGHAM.		
LEICESTER -	136,147	94	51	14	12	-	-	-	-	-	-	-	-	2	8	2	10.5	3.1	-	-	-	-	-	-	LEICESTER.		
NOTTINGHAM -	211,424	166	88	25	21	-	-	-	-	8	1	3	-	1	8	2	21.7	3.5	55.0	38.2	45.1	7.28	0.32	0.81	NOTTINGHAM.		
DERBY -	89,691	61	26	9	3	-	-	-	-	-	-	-	-	-	-	-	15.1	0.6	-	-	-	-	-	-	DERBY.		
BIRKENHEAD -	93,093	58	24	5	9	-	-	-	-	-	-	-	-	-	3	-	13.5	1.1	-	-	-	-	-	-	BIRKENHEAD.		
LIVERPOOL -	579,724	427	276	68	49	1	9	3	9	4	4	-	10	12	57	14	24.8	2.7	52.6	37.4	44.9	7.17	0.49	1.24	LIVERPOOL.		
BOLTON -	110,085	87	46	14	8	-	-	-	-	-	-	-	-	3	4	9	-	21.8	0.5	50.9	38.7	42.4	5.78	0.72	1.83	BOLTON.	
MANCHESTER -	337,342	259	161	33	28	-	-	-	-	-	3	2	1	4	8	30	2	24.9	1.4	-	-	-	-	-	-	MANCHESTER.	
SALFORD -	204,075	125	59	11	12	-	-	-	-	-	-	-	-	2	3	5	-	13.1	0.8	-	-	-	-	-	-	SALFORD.	
OLDHAM -	126,390	82	60	20	12	-	-	-	-	-	1	1	1	1	4	8	24.8	1.7	-	-	-	-	-	-	-	OLDHAM.	
BLACKBURN -	112,574	78	49	16	9	-	-	-	-	-	1	1	1	1	6	-	22.7	2.8	-	-	-	-	-	-	-	BLACKBURN.	
PRESTON -	100,406	78	60	20	13	-	-	-	-	3	1	3	1	1	2	5	6	31.2	4.2	51.5	37.5	44.4	6.89	0.63	1.60	PRESTON.	
HUDDERSFIELD -	87,327	59	31	8	6	-	-	-	-	-	-	-	-	-	-	-	1.8	1.8	5.4	-	-	-	-	-	-	HUDDERSFIELD.	
HALEFAX -	77,378	56	33	8	9	-	-	-	-	-	-	-	-	-	-	-	2.3	2.3	-	-	-	-	-	-	-	HALEFAX.	
BRADFORD -	214,431	110	78	12	18	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	52.6	31.4	44.2	6.78	0.52	1.32	BRADFORD.	
LEEDS -	333,139	243	124	22	26	-	-	-	-	-	3	1	6	9	14	4	19.4	2.8	54.0	39.0	46.1	7.84	0.31	0.79	LEEDS.		
SHEFFIELD -	305,716	226	129	28	25	-	-	-	-	-	4	1	-	-	1	10	6	22.0	1.7	53.0	35.5	45.2	7.33	0.61	1.55	SHEFFIELD.	
HULL -	186,292	138	81	20	18	-	-	-	-	-	3	3	2	1	1	7	5	22.7	2.8	-	-	-	-	-	-	HULL.	
SUNDERLAND -	125,327	90	78	17	12	-	-	-	-	-	2	2	-	-	1	8	1	11.2	33.0	53.0	34.0	42.9	6.06	0.53	1.35	SUNDERLAND.	
NEWCASTLE -	153,209	125	77	19	10	-	-	-	-	-	-	-	-	4	10	9	2	26.2	2.4	53.0	36.0	44.0	6.67	0.40	1.02	NEWCASTLE.	
CARDIFF -	97,034	84	60	19	11	-	-	-	-	-	-	-	-	2	4	7	2	32.3	6.5	-	-	-	-	-	-	CARDIFF.	
EDINBURGH -	250,016	135	76	16	22	-	-	-	-	-	3	2	1	-	5	15	15.8	1.7	62.5	32.4	42.7	5.95	1.52	3.86	EDINBURGH.		
GLASGOW -	519,965	360	206	54	54	-	-	-	-	-	7	7	5	8	9	56	50	29.7	4.9	53.0	33.0	44.6	7.01	1.24	3.15	GLASGOW.	
DUBLIN -	353,982	243	236	46	54	-	-	-	-	-	2	4	1	2	3	76	35	34.9	3.0	54.5	32.2	45.4	7.44	0.52	1.32	DUBLIN.	

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the SIXTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2488	2446	2717	2584	2667	2701	2819	2951	2888	2714	2941·5	2913
Males . .	1264	1251	1423	1330	1300	1369	1430	1535	1514	1417	1508·4	1473
Females .	1224	1195	1294	1254	1367	1332	1389	1416	1374	1297	1433·1	1440
TOTAL Deaths	1726	1610	1504	1813	1839	2495	1633	2632	1631	1499	2004·5	1525
Males . .	867	835	784	900	893	1183	829	1324	817	809	1008·3	766
Females .	859	775	720	913	946	1307	804	1308	814	690	995·2	759

* The numbers in this column are the average weekly numbers in the sixth week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.
TOTAL Births	2409	2587	2385	2614	2631	1832	3283	2816	2876	2803	2727	2806	2913
TOTAL Deaths	1521	1716	1764	1638	1595	1430	1918	1956	1855	1807	1886	1592	1525
0-20	695	732	719	695	721	571	796	666	715	693	723	639	634
20-40	228	218	254	221	216	215	261	252	261	251	259	220	208
40-60	272	336	327	294	280	248	331	402	360	363	345	289	290
60-80	270	332	388	347	304	338	429	511	411	404	449	370	328
at 80 years & upwards.	56	98	76	81	74	58	101	125	108	96	110	74	65
Deaths of children { Under 1 year	333	387	375	327	346	284	406	334	354	380	378	307	320
{ 1-5	223	237	247	238	262	198	248	225	261	206	239	227	218
{ 5-20	189	103	97	180	113	89	142	107	100	107	106	105	96
Deaths from Small-pox	46	40	61	69	44	34	56	42	70	58	59	60	56
" " Measles	14	31	28	23	33	20	22	14	27	20	16	16	28
" " Scarlet Fever	36	27	23	22	26	16	28	16	21	18	19	18	17
" " Diphtheria	31	16	29	27	28	20	28	26	14	12	15	19	16
" " Whooping-cough	24	17	28	31	31	22	33	38	40	49	60	41	50
" " Typhus	2	1	1	-	1	1	-	-	-	1	1	2	-
" " Enteric fever	20	16	16	15	15	9	11	15	8	9	13	6	10
" " Simple Cont'd fever	1	3	-	1	4	1	-	1	1	-	1	-	1
" " Diarrhoea and Dysentery	15	7	12	6	9	7	15	11	8	8	12	9	6
" " Cholera	-	-	-	-	-	-	1	-	1	-	-	-	-
Deaths from the above-mentioned Diseases	189	158	193	194	191	130	194	163	190	175	196	171	184
" " Dis. of Respiratory System	354	511	499	457	416	370	537	609	552	513	556	421	383
" " Phthisis	185	194	170	163	159	159	198	200	186	180	199	145	161
" " Dis. of Circulatory System	119	123	152	121	109	132	127	169	155	153	154	122	118
Violent Deaths	57	53	45	56	50	36	94	57	66	66	53	47	42
Inquest Cases	105	110	132	117	116	101	198	144	134	143	132	109	91
Deaths in Public Institutions	389	417	347	366	348	300	420	444	408	425	402	356	352
TEMPERATURE OF THE AIR:													
Mean	33·8	36·4	42·4	46·5	41·2	36·5	38·2	38·0	35·1	31·9	43·6	43·6	46·2
Mean of Highest readings	43·1	40·9	47·3	50·8	47·0	38·8	35·7	42·7	37·5	35·2	43·4	49·5	51·3
Mean of Lowest readings	33·7	30·7	37·0	41·6	35·1	34·1	30·3	31·9	32·5	27·7	38·7	37·6	41·0
Humidity of the Air	86	86	88	87	84	85	83	92	83	91	90	84	88
Rain-fall in inches	0·03	0·02	1·23	0·68	0·81	0·03	0·00	0·57	0·27	0·00	0·58	0·61	0·25
Registered Sunshine (in hours)	3·5	4·1	3·6	1·2	6·1	2·4	0·0	7·1	1·4	2·9	5·5	9·7	8·6

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filbiter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SIXTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 6th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 14th February, 1885.								CAUSES OF DEATH.	Corrected Averages for the 6th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 14th February, 1885.							
		Deaths of Persons of the Ages										Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
			0-1.	1-5.	5-20.								0-1.	1-5.	5-20.				
ALL CAUSES - -	2004.5	1525	320	218	96	208	290	328	65	Diseases of Organs of Special Sense † - -	2.3	-	-	-	-	-	-	-	-
Small-pox { Vaccinated †	27.3 { Unvaccinated No Statement	9	-	-	-	8	1	-	-	Diseases of Circulatory System - - -	124.5	118	1	2	0	25	33	42	6
14		4	3	5	2	-	-	-	Croup - - -	14.3	10	1	9	-	-	-	-	-	
11		3	2	2	2	2	-	-	Bronchitis - - -	415.4	238	55	36	4	5	39	83	16	
Measles - - -	27.7	28	8	17	3	-	-	-	-	Pneumonia - - -	125.5	99	23	22	4	14	19	16	1
Scarlet Fever - -	38.6	17	-	11	5	1	-	-	-	Pleurisy - - -	5.0	7	-	-	2	-	3	2	-
Typhus - - -	2.2	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - -	60.7	29	6	3	-	2	9	8	1
Relapsing Fever † -	0.0	-	-	-	-	-	-	-	-	Dentition † - - -	19.3	24	11	13	-	-	-	-	-
Infuenza - - -	0.5	1	1	-	-	-	-	-	-	Quinsy, Sore Throat † -	1.7	1	-	-	-	1	-	-	-
Whooping-cough - -	105.8	50	18	30	2	-	-	-	-	Enteritis - - -	6.7	6	2	-	-	2	2	-	-
Diphtheria - - -	13.5	16	2	9	5	-	-	-	-	Peritonitis - - -	5.8	4	-	-	1	1	2	-	-
Simple Continued and Ill-defined Fever - -	2.5	1	-	-	-	-	-	1	-	Diseases of Liver - - -	28.2	23	-	-	-	3	12	7	1
Enteric Fever - - -	16.9	10	-	-	4	4	1	1	-	Other Diseases of Digestive System - -	27.2	24	4	2	1	2	7	8	-
Cholera - - -	0.0	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands † - - -	3.7	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery -	14.9	6	3	-	-	-	-	1	2	Diseases of Urinary System - - -	36.4	47	1	1	7	8	13	17	-
Remittent Fever † -	0.0	-	-	-	-	-	-	-	-	Diseases of Generative System - - -	6.6	5	-	-	1	-	3	1	-
Hydrophobia - - -	0.0	-	-	-	-	-	-	-	-	Accidents of Childbirth -	6.2	4	-	-	-	2	2	-	-
Glanders - - -	0.1	-	-	-	-	-	-	-	-	Diseases of Locomotive System † - - -	6.0	6	-	-	1	4	1	-	-
Cowpox and Effects of Vaccination † - -	0.0	-	-	-	-	-	-	-	-	Diseases of Integumentary System - - -	8.3	4	2	-	-	-	2	-	-
General Affections -	12.5	9	8	-	-	1	-	-	-	VIOLENT DEATHS.‡									
Erysipelas - - -	8.1	13	2	1	1	-	3	6	-	(ACCIDENT.)									
Pyæmia and Septicæmia †	2.7	5	3	-	-	-	2	-	-	Fracture and Contusion -	21.6	16	1	2	-	3	5	4	1
Puerperal Fever - -	9.1	10	-	-	-	10	-	-	-	Gunshot Wound - - -	0.1	-	-	-	-	-	-	-	-
Other Zymotic Diseases †	0.7	2	1	1	-	-	-	-	-	Cut, Stab - - -	0.4	-	-	-	-	-	-	-	-
Thrush - - -	2.8	5	5	-	-	-	-	-	-	Burn and Scald - - -	3.5	7	-	5	1	1	1	1	-
Worms and other Parasitical Diseases - - -	0.9	-	-	-	-	-	-	-	-	Poison - - -	0.7	3	-	-	-	1	2	1	-
Starvation, Want of Breast-milk † - - -	1.7	2	2	-	-	-	-	-	-	Drowning - - -	5.7	4	-	-	-	1	2	1	-
Alcoholism - - -	3.1	1	-	-	-	1	-	-	-	Suffocation - - -	15.8	6	5	-	-	-	1	1	-
Rheumatic Fever and Rheumatism of Heart	11.1 {	11	-	-	1	7	-	3	-	Otherwise - - -	3.7	2	1	-	-	-	1	-	-
Rheumatism - - -		2	-	-	-	-	-	2	-	(HOMICIDE.)									
Gout - - -		3.2	4	-	-	-	-	2	2	Murder & Manslaughter	1.3	-	-	-	-	-	-	-	-
Rickets † - - -	3.7	2	-	2	-	-	-	-	-	(SUICIDE.)									
Cancer - - -	44.8	53	-	-	-	4	23	19	2	Gunshot Wound - - -	0.2	-	-	-	-	-	-	-	-
Tabes Mesenterica -	26.3	16	10	5	-	1	-	-	-	Cut, Stab - - -	1.7	1	-	-	-	1	-	-	-
Tubercular Meningitis	31.2	25	6	14	5	-	-	-	-	Poison - - -	0.7	-	-	-	-	-	-	-	-
Phthisis - - -	202.8	161	1	4	15	80	56	5	-	Drowning - - -	0.9	-	-	-	-	-	-	-	-
Scrofula, Tuberculosis	15.2	21	3	5	8	4	-	1	-	Hanging - - -	1.6	3	-	-	1	1	1	-	-
Other Constitutional Diseases † - - -	8.0	6	-	-	1	2	2	1	-	Otherwise - - -	0.7	-	-	-	-	-	-	-	-
Premature Birth - -	30.0	40	40	-	-	-	-	-	-	(EXECUTION)									
Atelactasis † - - -	2.7	1	1	-	-	-	-	-	-	Hanging - - -	0.0	-	-	-	-	-	-	-	-
Congenital Malformations - - -	7.6	3	2	-	1	-	-	-	-	OTHER CAUSES † - -	62.0	51	37	2	1	-	5	6	-
Old Age - - -	67.6	46	-	-	-	-	22	24	-										
Apoplexy - - -	50.8	43	-	-	1	-	10	23	4										
Epilepsy - - -	8.4	13	-	2	-	3	4	3	1										
Convulsions - - -	57.5	36	32	3	1	-	-	-	-										
Other Diseases of Brain and Nervous System	98.1	90	15	12	4	4	19	30	6										

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.043 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder manslaughter, or suicide. All such cases are classed under "accident or negligence."

¶ Exclusive of 22 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ended

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Deaths in Public Institutions.	
					Deaths of			Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.			
LONDON		3,816,483	2913	1525	320	393	34	28	17	16	50	-	10	1	6	42	91	352		
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		69888	56	26	5	11	1	-	-	-	1	-	-	-	-	-	-	7		
St. John Paddington H - G.J.		37380	15	12	1	3	-	-	-	-	-	-	-	-	-	-	-	5		
Kensington Town WH - W.M.		12014	88	60	10	19	-	-	-	-	4	-	-	-	-	2	4	24		
Brompton H - W.M. & C.		43010	16	8	1	-	-	-	-	-	-	-	-	-	-	-	-	4		
St. Peter Hammersmith - W.M.		7599	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.		64340	47	26	6	3	-	-	-	-	3	-	1	-	-	-	-	-		
Fulham WH - W.M. & C.		42900	50	31	7	4	5	-	-	-	-	-	-	-	-	-	1	3		
Chelsea South HHH - C.		30996	24	15	3	5	-	-	-	-	1	-	-	-	-	-	-	8		
Chelsea North-west WHHH - C.		24925	10	11	1	2	-	-	-	-	-	-	-	-	-	1	2	1		
Chelsea North-east - C.		32807	41	10	2	2	-	-	-	1	1	-	-	-	-	-	1	4		
Hanover Square H - G.J.		16863	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
May Fair WH - G.J.		18491	2	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave HH - C.		59220	25	28	7	7	-	-	-	1	-	-	-	-	-	-	-	8		
St. John Westminster HH - C.		35496	32	15	6	2	-	-	-	-	-	-	-	-	-	2	9	9		
St. Margaret Westminster H - C.		24679	18	7	2	-	-	-	-	-	-	-	-	-	-	-	-	2		
St. James Westminster WH N.R. & G.J.		29941	15	8	1	4	-	-	-	-	-	-	-	-	-	-	-	2		
St. Anne Soho HHHHH - N.R.		16608	8	6	1	3	-	-	-	-	-	-	-	-	1	1	-	1		
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.		26759	16	18	3	3	-	-	-	1	-	-	-	-	-	1	1	10		
Cavendish Square HHH - W.M.		14881	11	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-		
Rectory Marylebone WH G.J. & W.M.		24809	11	12	-	5	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary Marylebone HHH G.J. & W.M.		21118	35	9	3	5	-	-	-	-	-	-	-	-	-	-	-	4		
Christchurch Marylebone H - W.M.		38700	22	9	2	3	-	-	-	-	-	-	1	-	-	-	-	2		
St. John Marylebone H - W.M.		33633	27	9	2	1	-	-	-	-	-	-	-	1	1	1	1	1		
Hamstead WHHH - N.R. & W.M.		45452	21	12	1	4	2	-	1	-	-	-	-	-	-	-	-	-		
Regent's Park Panoras H - W.M.		89115	22	10	1	3	-	-	1	-	1	-	-	-	-	1	1	5		
Tottenham-court WHHH N.R. & W.M.		27729	16	26	-	6	-	-	-	1	-	-	-	-	-	-	-	1		
Gray's Inn Lane HHH - N.R.		30247	23	8	2	2	-	-	-	-	-	-	-	-	-	-	-	14		
Somers Town H - N.R.		84369	29	15	4	5	-	-	-	-	2	-	-	-	-	-	-	2		
Camden Town WH - N.R.		17811	7	12	2	7	-	-	-	-	-	-	-	-	-	-	-	5		
Kentish Town W - N.R.		87487	73	29	10	6	-	-	-	-	4	-	-	-	-	1	1	4		
Upper Holloway WHWH - N.R.		67946	53	33	4	8	4	-	-	2	3	-	-	-	-	-	-	16		
Islington South-west H - N.R.		100976	73	25	9	6	1	-	1	-	-	-	-	-	-	-	-	1		
Islington South-east - N.R.		61893	35	20	5	7	8	-	1	-	-	-	-	-	-	-	-	-		
Highbury H - N.R.		52048	32	13	2	3	-	1	-	-	1	-	-	-	-	-	-	-		
Stoke Newington H - N.R.		22781	21	13	3	5	-	1	-	-	-	-	-	-	-	-	-	-		
Stamford Hill - E.L.		9277	9	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-		
West Hackney - N.R.		37610	22	14	4	6	-	-	-	-	-	-	-	-	-	2	-	-		
Hackney WwwwHL - E.L. & N.R.		76911	55	36	10	7	7	-	-	1	-	-	-	-	-	-	1	-		
South Hackney - E.L.		39883	85	7	3	-	-	1	-	-	-	-	-	-	-	1	3	15		
CENTRAL DISTRICTS.																				
St. George Bloomsbury - N.R.		16681	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - N.R.		14864	18	13	2	7	-	-	-	1	-	-	-	-	-	-	-	-		
St. Giles North - N.R.		13887	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HH N.R. & C.		17508	7	8	2	1	-	-	-	-	-	-	-	-	-	1	2	7		
St. Mary-le-Strand H - N.R.		7515	-	1	1	-	-	-	-	-	1	-	-	-	-	1	1	2		
St. Clement Dances H - N.R.		8559	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. George-the-Martyr HHHHHH N.R.		18671	13	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-		
St. Andrew Eastern W - N.R.		10706	7	3	1	2	-	-	-	-	-	-	-	-	-	1	2	-		
Saffron Hill H - N.R.		6533	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. James Clerkenwell - N.R.		17516	17	9	1	2	-	3	-	-	1	-	-	-	-	1	-	1		
Amwell Clerkenwell - N.R.		19281	12	7	3	1	-	-	-	-	-	-	-	-	-	1	1	-		
Pentonville - N.R.		14773	10	5	1	4	-	-	1	-	-	-	-	-	-	-	-	-		
Goswell-street - N.R.		17606	9	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-		
Old-street H - N.R.		11541	8	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
City-road HHL - N.R.		18628	14	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whitecross-street - N.R.		9217	19	8	3	-	-	-	-	-	1	-	-	-	-	-	-	1		
Finbury - N.R.		7463	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
St. Botolph H - N.R. & E.L.		11174	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Cripplegate - N.R.		7183	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - N.R.		5958	3	24	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Bride W - N.R.		8396	1	8	-	2	-	-	-	1	-	-	-	-	-	-	-	-		
Alhallowes Barking - N.R.		13666	4	3	-	1	-	2	-	-	-	-	-	-	-	1	2	-		
Broad Street H - N.R.		5632	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; a—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. the Kent Company.

EVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 14th February, 1885.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include												
				Deaths of		Deaths from										
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Shingles continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
																Deaths in Public Institutions.
																Uncertified Causes of Death.
EAST DISTRICTS.																
St. Leonard Shoreditch - N.R. & E.L.	7376	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-
St. Leonard Shoreditch HL†	14967	8	4	-	12	-	-	-	-	-	-	-	-	-	1	3
Hoxton New Town W - - - N.R.	21937	20	11	22	5	-	-	-	-	-	-	-	-	-	1	5
Hoxton Old Town - - - N.R.	28036	28	6	22	5	-	-	-	-	-	-	-	-	-	1	1
Haggerston WH - - - N.R. & E.L.	40275	27	22	5	6	-	-	-	-	1	-	1	-	-	1	3
Hackney-road H - - - E.L.	27738	27	4	-	-	-	-	-	-	-	-	-	-	-	-	1
Green, Bethnal Green WH†	47939	32	22	1	11	-	-	-	-	-	-	-	-	-	-	12
Church, Bethnal Green - - - E.L.	29981	18	8	2	2	-	-	-	-	-	-	-	-	-	-	-
Town, Bethnal Green - - - E.L.	16810	10	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Spitalfields H - - - E.L. & N.R.	22288	13	13	5	2	-	-	-	-	-	-	-	-	-	1	1
Mile End New Town W - - - E.L.	15472	10	10	1	2	-	-	-	-	-	-	-	-	-	7	7
Whitechapel Church H - - - E.L. & N.R.	17490	10	20	1	3	-	-	-	-	-	-	-	-	-	7	15
Goodman's Fields - - - E.L.	9713	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Aldgate - - - N.R. & E.L.	6102	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.L.	88747	41	14	4	5	-	-	-	-	-	-	-	-	-	-	12
St. John, St. George East W - - E.L.	8410	10	8	2	2	-	-	-	-	-	-	-	-	-	-	5
Shadwell H - - - E.L. & N.R.	10895	11	8	3	3	-	-	-	-	-	-	-	-	-	1	2
Ratcliff - - - E.L.	16107	11	3	-	-	-	-	-	-	-	-	-	-	-	-	4
Limehouse - - - E.L.	9201	21	9	3	-	-	-	-	-	-	-	-	-	-	-	1
Mile End Old Town West - - - E.L.	27160	29	20	5	8	-	-	1	-	-	-	-	-	-	2	-
Mile End Old Town East W & H - E.L.	67653	25	35	10	9	-	-	3	-	-	-	-	-	-	1	7
Bow - - - E.L.	37704	31	12	4	2	-	1	-	-	3	-	-	-	-	-	-
Bromley W & H - - - E.L.	64359	69	42	6	13	1	1	-	1	-	-	-	-	-	5	13
Poplar W & H - - - E.L.	51077	44	50	5	4	1	-	-	-	1	-	-	-	-	-	3
SOUTH DISTRICTS.																
Christchurch Southwark WH - L. & S.	18663	11	5	1	3	-	-	-	-	-	-	-	-	-	1	3
St. Saviour Southwark H - - S.	14999	10	3	-	-	-	1	-	-	-	-	-	-	-	-	-
Kent-road - - - S. & L.	21581	22	4	-	-	-	1	-	-	-	-	-	-	-	-	-
Borough-road WH - - - S. & L.	17953	18	4	1	-	-	-	-	-	-	-	-	-	-	-	-
London-road HL - - - L. & S.	21318	16	13	2	2	-	-	-	-	1	-	-	-	-	-	2
Trinity Newington - - - S. & L.	26672	37	11	4	2	-	-	-	-	1	-	1	-	-	-	-
St. Peter Walworth W - - S. & L.	29555	35	13	1	9	-	1	1	-	1	-	-	-	-	1	9
St. Mary Newington - - - L. & S.	41629	19	12	4	-	-	1	-	-	1	-	1	-	1	-	-
St. Olave WH - - - S.	11956	6	15	-	3	-	-	-	1	-	-	-	-	-	4	10
Leather Market - - - S. & L.	10300	5	6	3	1	-	-	-	-	-	-	-	-	-	-	-
St. Mary Magdalen W - - S.	15699	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-
St. James Bermondsey - - S.	34683	40	19	9	3	-	2	-	-	3	-	-	-	-	1	-
Rotherhithe W - - - S. & K.	36024	51	13	1	2	-	1	-	-	-	-	-	-	-	-	2
Waterloo-road 1st H - - L. & S.	15195	17	5	2	2	-	-	-	-	-	-	-	-	-	-	-
Waterloo-road 2nd H - - L. & S.	16551	27	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st H - - L. & S.	19876	25	10	3	-	1	-	-	1	-	-	1	-	-	-	1
Lambeth Church 2nd W & W - L. & S.	39859	35	19	3	7	-	-	-	-	2	-	-	-	-	-	12
Kennington 1st - - - S. & L.	45232	35	8	2	1	-	-	1	-	-	-	1	-	-	-	-
Kennington 2nd - - - S. & L.	31332	21	13	-	6	-	-	-	1	-	-	-	-	-	-	-
Trixton W & W - - - L. & S.	62837	36	11	3	11	2	-	-	-	-	-	-	-	-	1	2
Norwood W - - - L.	14017	14	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Marham H - - - S.	36290	22	11	3	1	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - S.	34655	54	12	2	2	-	-	-	1	-	-	-	-	-	-	-
West Battersea W & W - - S.	55467	61	23	6	8	-	4	2	-	-	-	-	-	-	-	4
Vandsworth HL - - - S.	28004	28	17	-	6	-	-	1	-	1	-	-	-	1	-	4
Putney - - - S.	13235	11	7	3	2	-	-	-	-	-	-	-	-	-	1	-
Streatham - - - L.	25553	25	12	5	3	-	-	-	-	1	-	-	-	-	-	-
Pulwich - - - L. & S.	5590	1	5	-	3	-	-	-	-	-	-	-	-	-	-	-
Camberwell W & L†	49104	44	25	5	11	-	-	-	-	1	-	-	-	-	-	7
Peckham W - - - S. & L.	71180	54	31	12	3	3	1	-	-	-	-	-	-	-	-	2
St. George Camberwell - - L. & S.	50810	55	22	5	7	-	-	-	-	1	-	-	-	1	1	1
St. Paul Deptford W & W - K.	76712	75	34	8	2	3	1	1	-	1	-	-	-	-	1	3
St. Nicholas Deptford - - K.	7101	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West - - - K.	21972	21	8	1	3	-	-	-	-	-	-	1	-	-	-	-
Greenwich East WHH - - K.	24608	25	12	-	3	-	-	-	-	-	-	-	-	-	-	8
Eltham H - - - K.	5527	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee - - - K.	21519	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Lewisham WH - - - K.	19865	17	7	3	1	-	-	-	-	-	-	-	-	-	-	1
Wimbledon H - - - L.	24076	10	5	2	1	-	1	-	-	-	-	-	-	-	-	-
Woolwich H - - - K.	10920	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Woolwich Dockyard - - - K.	17617	13	7	3	1	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal HHH - - K.	19145	14	9	3	-	-	-	-	-	-	-	-	-	-	-	1
Lumstead, West H - - - K.	14069	12	5	-	3	-	1	-	-	-	-	-	-	-	1	-
Lumstead, East W - - - K.	15241	19	14	8	6	-	-	-	-	1	-	-	-	-	-	5

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Central London Sick Asylum in Tottenham Court-road sub-district.	Mile End Old Town Eastern sub-district.
Holborn Infirmary in Upper Holloway sub-district.	Bromley sub-district.
London City Workhouse in Hackney sub-district.	Bromley sub-district.
Holborn " Hoxton New Town sub-district.	
Whitechapel " Mile End Old Town Eastern sub-district.	
London City Workhouse in Mile End Old Town Eastern sub-district.	
Stepney Poplar & Stepney Sick Asylum	
Westminster Union Industrial School in West Battersea sub-district.	
Metropolitan District Hospital in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during Week ending Saturday, 14th February, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Aeres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
LONDON—OUTER RING		370,282	950,178	781	430	83	96	23	5	12	15	14	7	6	4	11	49		
30: 1	Carshalton <i>wL</i> - -	12223	21118	19	3	-	-	-	-	-	-	-	1	-	-	-	-		
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	4	9	1	3	-	-	-	1	-	-	-	-	-	6		
37: 1	Godstone (<i>part of</i>) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
38: 1	Croydon <i>WwH</i> - -	20851	101241	67	17	7	6	-	-	-	1	1	1	-	-	1	3		
	Mitcham - - -	11697	17932	9	10	1	3	-	1	-	-	-	-	1	-	-	-		
39: 1	Wimbledon <i>HHH</i> - -	3220	15950	11	5	1	2	-	-	-	-	-	-	2	-	-	-		
2	Kingston <i>WHH</i> - -	8549	36354	27	7	2	-	-	-	1	-	-	-	-	-	-	-		
3	Esher (<i>part of</i>) * -	6601	9221	4	3	1	-	-	-	-	-	-	-	-	-	-	-		
4	Hampton <i>H</i> - - -	4573	13539	15	6	1	2	-	-	-	1	-	-	-	-	-	1		
40: 1	Richmond <i>WH</i> - -	2272	21302	20	14	4	3	-	-	-	-	-	1	1	-	1	3		
2	Mortlake - - -	941	12331	9	4	1	1	-	-	-	1	-	-	-	-	-	-		
41: 1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	15	6	1	3	-	-	-	-	-	-	-	-	-	-		
2	Chislehurst(<i>pt. of</i>) * <i>WHH</i>	13665	15065	11	2	-	-	-	-	-	-	-	-	-	-	-	-		
42: 1	Bexley <i>H</i> - - -	13437	24134	16	8	-	-	-	-	-	1	-	-	-	1	1	-		
124: 1	Sunbury <i>w</i> - - -	11055	11685	7	4	1	-	-	-	-	-	-	-	-	-	-	-		
2	Staines <i>W</i> - - -	13277	12089	7	5	2	2	-	-	-	-	-	-	-	-	-	-		
125: 1	Hillingdon <i>WH</i> - -	6029	10802	6	2	-	1	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge - - -	6178	5225	8	7	4	1	-	-	-	-	4	-	-	-	-	-		
3	Hayes <i>wHL</i> - - -	14587	11323	4	7	1	4	-	-	-	-	1	-	-	-	-	3		
126: 1	Isleworth <i>W</i> - - -	7008	22727	16	6	-	4	-	-	-	-	-	-	-	-	1	-		
2	Twickenham <i>H</i> - -	2477	12479	7	3	1	1	-	-	-	-	-	-	-	-	-	-		
3	Brentford <i>HL</i> - -	4345	27649	12	9	2	3	-	-	-	-	-	1	-	-	-	-		
4	Chiswick - - -	1340	15975	17	5	2	-	-	-	-	-	-	-	-	-	-	-		
5	Acton <i>wH</i> - - -	6083	22376	15	4	1	-	-	-	-	1	1	-	-	-	-	-		
127: 1	Harrow <i>H</i> - - -	13809	12796	5	5	2	2	-	-	-	-	-	-	-	-	-	-		
2	Edgware <i>H</i> - - -	6994	3749	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden - - -	4383	27453	20	16	3	3	-	1	-	-	-	1	-	-	-	-		
4	Hendon <i>W</i> - - -	8382	10484	12	1	-	-	-	-	-	-	-	-	-	-	-	-		
128: 1	South Mimms - - -	15599	6391	6	3	-	3	-	-	-	-	-	-	-	-	-	-		
2	Barnet † <i>W</i> - - -	5433	10092	-	3	-	3	-	-	-	-	-	-	-	-	-	-		
3	Finchley <i>HL</i> - - -	4688	17615	14	8	-	1	-	-	-	-	-	-	-	-	-	5		
129: 1	Hornsey <i>H</i> - - -	3039	37078	37	18	4	5	-	-	-	2	1	-	-	-	1	-		
2	Tottenham <i>HH</i> - -	4642	46456	29	66	12	4	1	-	-	3	1	1	-	1	2	2		
3	Edmonton <i>WwH</i> - -	7483	23463	26	21	2	8	-	-	-	2	2	-	1	-	-	0		
4	Enfield <i>WH</i> - - -	12653	19104	29	6	2	1	1	-	-	-	-	-	-	-	1	-		
5	Waltham Abbey - -	11017	5963	8	1	1	-	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt - - -	8480	7735	4	4	1	-	-	-	-	-	-	-	-	-	-	-		
125: 1	Hatfield (<i>part of</i>) * -	3506	583	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
137: 1	Bushey - - -	9331	6621	6	3	-	2	-	-	-	-	-	-	-	-	-	-		
186: 1	Stratford - - -	882	38606	40	14	3	5	-	-	4	-	1	-	-	-	-	-		
2	West Ham <i>wowwH</i> - -	7351	101053	129	76	16	10	21	3	1	2	2	1	-	1	2	12		
3	Leyton <i>WwL</i> - - -	4372	32430	82	12	1	5	-	-	-	-	-	-	1	-	-	5		
4	Walthamstow <i>wH</i> - -	6520	25869	84	-	2	2	-	-	-	-	-	-	-	-	-	-		
187: 1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9669	4	2	-	2	-	-	-	-	-	-	-	-	-	-		
189: 1	Romford (<i>part of</i>) * -	6730	3411	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford - - -	8493	7645	4	3	-	-	-	-	-	-	-	-	-	1	1	-		
3	Barking Town - - -	4127	9203	14	3	-	1	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warrington and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1815); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 187:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 189:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 14th February, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
WATER LONDON	448,334	5,093,995	19·6	2·3	1955	403	488	57	33	19	31	64	18	12	46	401		
INNER LONDON -	78,052	4,019,361	19·5	2·1	1525	320	393	34	28	17	16	50	11	6	42	352		
OUTER RING -	370,282	1,074,634	20·1	3·4	430	83	95	23	5	2	15	14	7	6	4	49		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 60,522 square miles, which is equivalent to the area of a circle having a radius of 14,933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,077,298 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA -	453,219	December 27	-	275	34·4	Sm.-pox 3; cholera 21; fevers 78.
BOMBAY -	773,196	January 6	306	377	23·7	Cholera 9; fevers 109.
MADRAS -	398,777	December 26	294	371	48·3	Cholera 37; fevers 80.
PARIS -	2,239,928	February 7	1193	1220	28·1	Typhoid fever 24; meas. 38; diph. & croup 31.
GENEVA -	71,453	" 7	27	42	30·7	-
BRUSSELS -	426,814	January 31	321	233	29·9	Measles 8; diph. 6.
AMSTERDAM -	366,812	February 7	261	268	38·0	Scarlet fever 15; measles 10; whooping-cough 9.
ROTTERDAM -	169,477	" 7	110	122	37·4	Scarlet fever 5.
THE HAGUE -	134,552	" 7	121	70	27·0	Typhus and typhoid fever 2.
COPENHAGEN -	267,000	" 10	199	120	23·5	Whooping-cough 5.
STOCKHOLM -	190,115	January 31	133	132	36·1	Diphtheria and croup 10; measles 5.
CHRISTIANIA -	126,000	February 7	75	61	25·2	Diphtheria and croup 7.
ST. PETERSBURG	928,016	January 31	-	635	35·7	Typhus and typh. fev. 13; measles 10.
BERLIN -	1,261,859	" 24	866	577	23·8	Diph. 38; scarlet fev. 10.
HAMBURG(State)	467,258	" 31	358	258	28·8	Diphtheria and croup 12.
DRESDEN -	236,000	" 31	166	116	25·6	Measles 3; diphtheria 6.
BRESLAU -	295,000	" 31	216	172	30·4	Whooping-cough 5; diphtheria 6.
MUNICH -	244,000	February 7	164	165	35·2	Measles 4; diphtheria and croup 3.
VIENNA -	769,889	January 31	490	479	32·4	Small-pox 8; diph. 5.
PRAGUE -	272,333	February 7	-	172	33·0	Scarlet fever 5; typhus and typhoid fever 5.
BUDA-PESTH -	416,474	January 24	246	243	29·4	Diphtheria and croup 3.
TRIESTE -	148,245	" 24	-	125	43·3	Small-pox 17; diphtheria and croup 10.
ROME -	318,653	" 4	207	171	28·0	Small-pox 4.
NAPLES -	494,015	-	-	-	-	-
TURIN -	262,521	January 10	207	239	33·3	Small-pox 22; diph. 6.
VENICE -	144,888	" 31	68	100	36·0	Small-pox 10.
MADRID -	475,668	" 18	309	409	44·9	Small-pox 3; measles 16; diph. and croup 22.
LISBON -	203,681	" 10	-	-	-	-
ALEXANDRIA -	212,084	" 17	239	142	34·8	Typh. and typhd. fev. 6.
NEW YORK -	1,348,375	" 10	-	677	26·2	Measles 28; diphtheria 35; scarlet fever 18.
BROOKLYN -	644,626	" 10	-	270	21·2	Diphtheria 16.
PHILADELPHIA -	927,995	" 24	-	435	24·5	Typhoid fever 10; diph. 19; scarlet fever 12.
BALTIMORE -	408,520	" 24	-	129	16·5	Diphtheria 6.

[Under the Superintendence of the Astronomer Royal.]

DATE.		Electricity. (For explanation of Symbols, see Note.)	Registered Sunshine, in hours.	Registered Sun above Horizon, in hours.	SKY AND ATMOSPHERE.
1	FEBRUARY.				
8	SUNDAY	w. P. till evening; w. N. afterwards.	0·0	9·5	Overcast generally. Occasional rain. Stormy at night.
9	MONDAY	m. P. generally; s. N. for a short time be- tween 3h. P.M. and 6h. P.M.; throughout	5·3	9·6	Fine with small amounts of cloud till evening; variable at night. Rain fell shortly after 3h. P.M.
10	TUESDAY	m. P. throughout	1·4	9·6	Generally cloudy. Occasional slight rain in after- noon and evening.
11	WEDNESDAY	w. P. in morning; m. P. afterwards.	0·0	9·7	Generally cloudy till night; cloudless after 2h. P.M.
12	THURSDAY	w. P. in morning; m. P. afterwards.	1·9	9·8	Variable amounts of cloud till evening; overcast at night.
13	FRIDAY	v. P. in morning; m. P. afterwards.	0·0	9·8	Overcast.
14	SATURDAY	m. P. in morning; v. P. generally after- wards.	0·0	9·9	Overcast generally. Slight rain fell in afternoon.
			Sum 8·6	Sum 67·9	

The height of the cistern of the barometer to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings, of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1868.

In reading the 17th and 25th columns it will be borne in mind that + is read "*higher*," and - "*lower*," than the average.

The thermometers in the water of the Thames are furnished at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are - P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the approximate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 29.72 in. at the beginning of the week to 29.20 in. by 8h. P.M. on the 8th; increased to 29.98 in. by noon on the 12th; and decreased to 29.57 in. at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 7. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, FEBRUARY 21. [Price 1½d.

General Register Office, Somerset House,
23rd February, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 20·5 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the past four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.		Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.
Birkenhead	13·5	15·1	13·5	15·7	Liverpool -	27·1	25·4	24·8	22·7
Birmingham	23·7	24·5	19·8	21·0	London -	24·1	20·3	19·5	19·1
Blackburn -	26·4	16·2	22·7	23·2	Manchester -	26·5	29·1	24·9	23·8
Bolton -	21·8	23·2	21·8	23·2	Newcastle-on-Tyne	22·8	22·8	26·2	27·6
Bradford -	22·6	19·5	19·0	17·0	Norwich -	36·6	27·5	27·5	21·2
Brighton -	20·9	25·9	16·8	11·8	Nottingham -	25·2	21·2	21·7	20·0
Bristol -	26·3	30·4	19·9	21·5	Oldham -	28·5	21·9	24·8	24·8
Cardiff -	34·9	24·2	32·3	33·3	Plymouth -	30·2	21·3	25·4	17·2
Derby -	18·0	19·8	15·1	19·2	Portsmouth -	29·8	20·9	21·3	19·0
Halifax -	22·9	20·2	22·3	19·6	Preston -	32·7	32·2	31·2	33·8
Huddersfield	27·5	19·7	18·5	26·9	Salford -	17·6	16·6	15·1	20·2
Hull -	19·0	21·6	22·7	17·4	Sheffield -	23·7	16·7	22·0	20·3
Leeds -	25·8	20·2	19·4	19·4	Sunderland -	27·5	26·6	32·5	37·9
Leicester -	20·7	23·8	19·5	20·3	Wolverhampton -	25·0	25·0	21·7	16·5

The highest annual death-rates from whooping-cough, measured by last week's mortality, were 2·0 in Salford, 2·5 in Oldham, and 3·1 in Preston; from measles, 1·7 in Newcastle-upon-Tyne, 5·4 in Cardiff, and 10·8 in Sunderland; from scarlet fever, 1·3 in Halifax, and 1·2 in Sunderland; and from "fever," 1·0 in Newcastle-upon-Tyne, and 2·3 in Norwich. The 25 deaths from diphtheria in the twenty-eight towns included 14 in London, 2 in Birmingham, and 4 in Liverpool. Small-pox caused 63 deaths in London and its outer ring of suburban districts, one in Liverpool, and one in Manchester.

LONDON.

In LONDON 2526 BIRTHS and 1497 DEATHS were registered. Allowing for increase of population, the births were 302, and the deaths 429, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 24·1, 20·3, and 19·5 in the three preceding weeks, further declined last week to 19·1, and was lower than in any previous week of this year. During the first seven weeks of the current quarter the death-rate averaged 22·1 per 1000, against 24·6, the mean of the rates in the corresponding periods of the five years 1880-84.

The 1497 deaths included 32 from small-pox, 31 from measles, 14 from scarlet fever, 14 from diphtheria, 43 from whooping-cough, 13 from enteric fever, 1 from an ill-defined form of continued fever, 11 from diarrhoea and dysentery, and not one either from typhus or from cholera; thus, 159 deaths were referred to these diseases, being 87 below the corrected average weekly number.

The fatal cases of *small-pox* in London, which had been 41 and 34 in the two preceding weeks, further declined to 32 last week, but exceeded the corrected weekly average by 7. These 32 deaths exclude 12 deaths of London residents from this disease recorded in the Metropolitan Asylum Hospitals situated outside Registration London. Of the 44 fatal cases, 33 were recorded in the Metropolitan Asylum

Hospitals in and around London, 4 in the Highgate Small-pox Hospital, and 7 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 3 belonged to Islington, 2 to Shoreditch, 2 to Stepney, 2 to Poplar, 4 to Newington, 4 to Bermondsey, 6 to Camberwell, and 3 to Greenwich. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1144 and 1223 on the two preceding Saturdays, declined to 1141 at the end of last week; the admissions, which had been 223 and 255 in the two previous weeks, declined to 163 last week, and were fewer than in any week since the end of November last. The Highgate Small-pox Hospital contained 99 patients on Saturday last, 29 cases having been admitted during the week.

The 31 fatal cases of *measles* showed a further increase upon recent weekly numbers, but were 2 below the corrected weekly average; 3 belonged to Islington, 4 to St. George-in-the-East, 4 to Battersea, and 3 to Greenwich. The 14 deaths from *scarlet fever* showed a further decline from the numbers returned in recent weeks, and were 20 below the corrected average; 2 belonged to Bethnal Green, 2 to Mile End Old Town, and 2 to Poplar. The Metropolitan Asylum Hospitals contained 316 scarlet fever patients on Saturday last, 33 having been admitted during the week. The 14 deaths referred to *diphtheria* showed a further decline from the numbers in the two previous weeks, but exceeded the corrected average by 2; 3 belonged to Islington, and 2 to Greenwich. The 43 fatal cases of *whooping-cough* were 7 fewer than those in the previous week, and 59 below the corrected average; 4 belonged to Pancras, and 9 to Islington. The 11 deaths attributed to *diarrhœa* and *dysentery* were 5 below the corrected average.

The deaths referred to *enteric fever*, which had been but 6 and 10 in the two preceding weeks, further rose to 13 last week; they were, however, 5 below the corrected weekly average; 2 belonged to the City, 2 to Shoreditch, and 4 to Mile End Old Town. The Metropolitan Asylum Hospitals contained 49 cases of enteric fever, and 23 of typhus, on Saturday last; 6 cases of enteric fever, and 4 of typhus were admitted during the week. The death of a female, aged 66 years, at 10, Bryan Place, Islington, was indefinitely referred to "Continued fever, asthenia."

The deaths referred to diseases of the respiratory organs, which had been 556, 421, and 383 in the three preceding weeks, further declined to 343 last week, and were 220 below the corrected weekly average.

Different forms of violence caused 70 deaths; 63 were the result of negligence or accident, among which were 24 from fractures and contusions, 11 from burns and scalds, 3 from drowning, 4 from poison, and 19 of infants under one year of age from suffocation. The 24 deaths from fractures and contusions were thus returned:—male, aged 11 years, run over by van; female 7, run over by cart; males 25, 28, run over by wagon; male 46, female 6, run over by omnibus; males 26, 62, thrown from cart; male 54, run over on London and Southend Railway; male 48, run over on Great Northern Railway; male 22, crushed between railway trucks; male 20, crushed by trucks at docks; male 66, fell in street; male 23, fell over railing; male 35, fell into basement; female 68, fell in house; male 1, fell from table; male 64, fell from ladder; male 45, by fall of sack; male 22, by fall of chain; male 7, by fall; male, age unknown, by fracture; female 60, and male 66, fell down stairs. An inquest was held in each of these 24 cases except the last. Four cases of suicide were registered.

GREATER LONDON.

In Greater London 3275 births and 1850 deaths were registered, equal to annual rates of 32·9 and 18·6 per 1000 of the population. In the Outer Ring 31 fatal cases of small-pox were registered, including 23 in West Ham, 2 in Leyton, and 2 in Edmonton sub-districts; of the 23 in West Ham, 7 occurred in the Metropolitan Asylum Hospital at Plaistow, and 16 were local cases.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·46 in.; the lowest reading was 28·90 in. on Monday evening, and the highest 30·02 in. on Saturday at noon. The mean temperature of the *air* was 40°·0, and 0°·9 above the average in the corresponding week of the 20 years ending 1868. The mean showed an excess on Sunday, Monday, and Tuesday, but was below the average during the remainder of the week. The direction of the *wind* was variable, and the horizontal movement of the air averaged 10·9 miles per hour, which was 1·5 miles below the average in the corresponding week of 16 years. *Rain* fell on the first three days of the week, to the aggregate amount of 0·94 of an inch. The duration of registered bright sunshine in the week was 10·5 hours, against 20·1 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY in 28 GREAT TOWNS, during the Week ending 21st February, 1885.

CITIES AND BOROUGH.	Cols.	Registered during the Week ending 21st Feb., 1885.		The Deaths registered in the Week include										TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.							
		1.	2.	3.	Deaths of		Deaths from						Annual Rate per 1000, corresponding to the Week's Deaths	Mean.			In Inches.	In Centi- meters.									
					Persons aged 1 Year or over	Infants under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Rever.		Diarrhoea.	Violence.	Inquest Cases.			Deaths in Public Institutions.		Uncertified Causes of Death.	From All Causes.	From Caus. 1-12 Cols. 6-12	Highest.		Fahrenheit.	Lowest.
																								Fahrenheit.			
28 TOWNS -	8,906,446	5727	3508	804	772	34	92	45	25	117	36	35	129	249	630	84	20.5	2.2	52.8	21.8	36.7	2.61	0.89	2.26	28 TOWNS.		
LONDON -	4,083,928	2526	1497	330	336	32	31	14	14	43	14	11	70	133	348	18	19.1	2.0	51.2	20.9	40.0	4.44	0.94	2.39	LONDON.		
BRIGHTON -	114,672	59	26	3	10	-	-	-	-	1	-	-	-	1	3	1	11.8	0.5	51.3	20.0	40.2	4.55	1.24	3.15	BRIGHTON.		
POPMOUTH -	134,659	98	49	13	14	-	1	-	-	-	-	2	1	4	11	1	19.0	1.2	-	-	-	-	-	-	POPMOUTH.		
NORWICH -	91,215	66	37	6	17	-	-	-	-	2	4	-	-	-	5	1	21.2	3.4	-	-	-	-	-	-	NORWICH.		
PLYMOUTH -	76,045	46	25	3	7	-	1	1	1	2	-	-	-	1	1	1	17.2	2.7	52.8	42.8	6.00	6.00	0.73	1.85	PLYMOUTH.		
BRISTOL -	218,160	125	90	23	26	-	3	4	-	6	-	3	3	7	12	2	3.8	52.5	22.4	38.2	3.44	3.44	1.16	2.95	BRISTOL.		
WOLVERHAMPTON	79,185	45	25	4	8	-	-	-	-	2	-	-	2	2	11	1	16.5	1.3	47.2	21.8	34.8	1.56	0.95	2.41	WOLVERHAMPTON.		
BIRMINGHAM	427,769	288	172	41	37	-	-	-	2	14	1	2	7	9	44	4	21.0	2.3	-	-	-	-	-	-	BIRMINGHAM.		
LEICESTER	136,147	80	53	16	16	-	1	1	-	2	1	3	1	4	8	-	20.3	2.7	-	-	-	-	-	-	LEICESTER.		
NOTTINGHAM	211,424	163	81	25	19	-	1	-	-	-	-	-	3	6	11	2	20.0	0.2	47.0	26.0	37.3	2.95	1.10	2.79	NOTTINGHAM.		
DERBY -	89,691	69	33	7	12	-	-	-	-	-	-	-	-	1	6	-	19.2	0.6	-	-	-	-	-	-	DERBY.		
BIRKENHEAD	93,093	61	28	6	4	-	1	-	-	-	-	-	1	1	2	1	13.7	0.6	-	-	-	-	-	-	BIRKENHEAD.		
LIVERPOOL -	579,724	376	252	62	41	1	6	1	4	7	2	5	12	12	39	16	22.7	2.3	44.2	28.0	35.8	2.12	0.70	1.73	LIVERPOOL.		
BOLTON -	110,085	80	49	14	8	-	-	-	-	-	1	-	-	1	-	-	1	23.2	0.5	43.1	23.1	32.8	0.45	0.82	2.08	BOLTON.	
MANCHESTER	337,342	222	154	59	27	1	2	2	-	6	3	2	4	11	33	2	23.8	2.5	-	-	-	-	-	-	MANCHESTER.		
SALFORD	204,075	135	79	15	18	-	1	2	1	8	-	-	1	1	10	4	20.2	3.1	-	-	-	-	-	-	SALFORD.		
OLDHAM	126,390	94	60	17	14	-	1	-	-	6	1	-	2	3	9	7	24.8	3.3	-	-	-	-	-	-	OLDHAM.		
BLACKBURN -	112,574	86	50	14	12	-	-	-	-	-	2	-	1	2	5	2	23.2	0.9	-	-	-	-	-	-	BLACKBURN.		
PRESTON -	100,406	78	65	14	11	-	-	2	-	6	1	1	3	4	5	1	33.8	5.2	43.5	26.0	35.2	1.78	0.71	1.80	PRESTON.		
HUDDESFIELD	87,327	45	45	6	15	-	2	-	-	-	-	-	2	2	6	2	26.9	1.2	-	-	-	-	-	-	HUDDESFIELD.		
HALIFAX -	77,378	39	29	6	9	-	-	2	1	-	1	-	-	-	-	6	1	19.6	2.7	-	-	-	-	-	-	HALIFAX.	
BRADFORD	214,431	144	70	16	15	-	2	1	-	3	-	-	-	3	5	8	17.0	1.5	45.8	24.0	34.6	1.45	0.93	2.33	BRADFORD.		
LEEDS -	333,139	196	124	31	26	-	-	-	-	-	-	-	-	6	16	10	5	19.4	0.8	50.0	25.0	37.9	3.28	0.88	2.24	LEEDS.	
SHEFFIELD -	305,716	180	119	27	19	-	1	3	1	4	1	-	-	3	6	13	6	20.3	1.7	43.0	22.0	35.0	1.37	1.21	3.07	SHEFFIELD.	
HULL	186,292	114	62	24	13	-	-	1	1	-	-	-	-	-	5	2	17.4	1.4	43.0	23.0	34.1	1.17	0.87	2.21	HULL.		
SUNDERLAND	125,327	81	91	16	15	-	26	3	-	1	-	-	2	2	4	5	13.3	41.0	29.0	-	34.8	1.56	0.19	0.48	SUNDERLAND.		
NEWCASTLE -	163,269	122	81	20	15	-	5	3	-	-	3	1	1	8	9	2	27.6	4.1	-	-	-	-	-	-	NEWCASTLE.		
CARDIFF	97,034	90	62	16	8	-	10	-	-	2	-	1	1	1	5	1	33.3	7.0	-	-	-	-	-	-	CARDIFF.		
EDINBURGH -	250,616	152	83	13	27	-	1	1	1	4	2	-	2	?	13	18	19.4	1.9	47.2	24.4	34.2	1.28	0.02	0.05	EDINBURGH.		
GLASGOW -	519,365	392	283	58	39	-	15	8	4	17	3	3	7	?	43	37	28.4	5.0	47.0	22.5	33.1	0.62	0.06	0.15	GLASGOW.		
DUBLIN -	353,082	156	206	28	59	-	11	3	-	2	1	3	5	4	62	25	39.4	3.0	44.1	20.7	34.2	1.22	0.53	1.35	DUBLIN.		

Births and Deaths registered last Week.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the SEVENTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2386	2475	2476	2447	2597	2659	2841	2674	2732	2649	2828·2	2526
Males . .	1247	1246	1299	1253	1286	1346	1402	1367	1354	1363	1435·4	1268
Females . .	1139	1229	1177	1194	1311	1313	1439	1307	1378	1286	1392·8	1258
TOTAL Deaths	1801	2005	1462	1927	1646	2016	1564	2188	1525	1528	1926·0	1497
Males . .	921	998	721	980	806	1007	852	1065	766	788	971·0	765
Females . .	880	1007	741	947	840	1009	712	1123	759	740	955·0	732

* The numbers in this column are the average weekly numbers in the seventh week of the ten years 1875-84, raised by 0·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

			Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	
TOTAL Births	-	-	2587	2385	2614	2631	1832	3283	2816	2876	2803	2727	2806	2913	2526	
TOTAL Deaths	-	-	1716	1764	1638	1595	1430	1918	1956	1855	1807	1886	1592	1525	1497	
0—20	-	-	732	719	695	721	571	796	666	715	693	723	639	634	686	
20—40	-	-	218	254	221	216	215	261	252	261	251	259	220	208	196	
40—60	-	-	336	327	294	280	248	331	402	360	363	345	289	290	279	
60—80	-	-	332	388	347	304	338	429	511	411	404	449	370	328	278	
at 80 years & upwds.	-	-	98	76	81	74	58	101	125	108	96	110	74	65	58	
Deaths of children	{	Under 1 year	-	387	375	327	346	284	406	334	354	380	378	307	320	330
1—5		-	237	247	238	262	198	248	225	261	206	239	227	218	257	
5—20		-	103	97	130	113	89	142	107	100	107	106	105	96	99	
Deaths from Small-pox *	-	-	40	61	69	44	34	56	42	70	58	59	60	56	44	
" " Measles	-	-	31	28	23	33	20	22	14	27	20	16	16	28	31	
" " Scarlet Fever	-	-	27	23	22	26	16	28	16	21	18	19	18	17	14	
" " Diphtheria	-	-	16	29	27	28	20	28	26	14	12	15	19	16	14	
" " Whooping-cough	-	-	17	28	31	31	22	33	38	40	49	60	41	50	43	
" " Typhus	-	-	1	1	-	1	1	-	-	1	1	2	-	-	-	
" " Enteric fever	-	-	16	16	15	15	9	11	15	8	9	13	6	10	13	
" " Simple Cont'd fever	-	-	3	-	1	4	1	-	1	1	-	1	-	1	1	
" " Diarrhoea and Dysentery	-	-	7	12	6	9	7	15	11	8	8	12	9	6	11	
" " Cholera	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
Deaths from the above-mentioned Diseases *	-	-	158	198	194	191	130	194	163	190	175	196	171	184	171	
" " Dis. of Respiratory System	-	-	511	499	457	416	370	537	609	552	513	556	421	383	343	
" " Phthisis	-	-	194	170	163	159	159	198	200	186	180	199	145	161	168	
" " Dis. of Circulatory System	-	-	123	152	121	109	132	127	169	155	153	154	122	118	105	
Violent Deaths	-	-	53	45	56	50	36	94	57	66	66	53	47	42	70	
Inquest Cases	-	-	110	132	117	116	101	198	144	134	143	132	109	91	133	
Deaths in Public Institutions	-	-	417	347	366	348	300	420	444	408	425	402	356	352	348	
TEMPERATURE OF THE AIR:																
Mean	-	-	36·4	42·4	46·5	41·2	36·5	33·2	38·0	35·1	31·9	43·6	43·6	46·2	40·0	
Mean of Highest readings	-	-	40·9	47·3	50·8	47·0	38·8	35·7	42·7	37·5	35·2	48·4	49·5	51·3	45·1	
Mean of Lowest readings	-	-	30·7	37·0	41·6	35·1	34·1	30·3	31·9	32·5	27·7	38·7	37·6	41·0	36·0	
Humidity of the Air	-	-	86	88	87	84	85	88	92	83	91	90	84	88	86	
Rain-fall in inches	-	-	0·02	1·23	0·68	0·81	0·03	0·00	0·57	0·27	0·00	0·58	0·61	0·25	0·94	
Registered Sunshine (in hours)	-	-	4·1	3·6	1·2	6·1	2·4	0·0	7·1	1·4	2·9	5·5	9·7	8·6	10·5	

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filler, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SEVENTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 7th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 21st February 1885.										CAUSES OF DEATH.	Corrected Averages for the 7th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 21st February, 1885.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
ALL CAUSES - -	1926.0	1497	330	257	99	196	279	278	58	Diseases of Organs of Special Sense † - -	0.3	2	-	-	1	1	-	-					
Small-pox { Vaccinated †	25.1	8	-	-	1	3	4	-	-	Diseases of Circulatory System - - -	110.1	105	2	1	11	13	33	37	3				
Unvaccinated		13	4	5	3	-	1	-	-	Croup - - - - -	15.5	12	1	9	2	-	-	-	-				
No Statement		11	-	1	-	6	4	-	-	Bronchitis - - -	369.7	199	62	40	2	6	28	51	10				
Measles - - -	33.3	31	7	20	3	1	-	-	-	Pneumonia - - -	121.9	91	21	34	6	7	12	11	-				
Scarlet Fever - -	33.6	14	-	9	4	1	-	-	-	Pleurisy - - -	5.7	6	-	-	-	2	2	2	-				
Typhus - - -	2.3	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - -	53.8	35	5	12	1	2	5	9	1				
Relapsing Fever † -	0.0	-	-	-	-	-	-	-	-	Dentition † - - -	18.0	13	9	4	-	-	-	-	-				
Influenza - - -	0.2	1	1	-	-	-	-	-	-	Quinsy, Sore Throat † -	1.7	1	-	1	-	-	-	-	-				
Whooping-cough -	102.0	43	14	23	3	-	-	-	-	Enteritis - - -	6.7	8	3	1	1	-	2	-	-				
Diphtheria - - -	11.7	14	1	10	3	-	-	-	-	Peritonitis - - -	5.7	9	1	-	1	5	1	1	-				
Simple Continued and Ill-defined Fever -	4.1	1	-	-	-	-	1	-	-	Diseases of Liver - - -	30.0	34	4	-	-	4	16	9	1				
Enteric Fever - -	18.1	13	-	2	2	6	2	1	-	Other Diseases of Digestive System -	32.4	26	1	1	1	4	8	11	-				
Cholera - - -	0.3	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands † - - -	3.0	4	-	-	1	1	1	-	1				
Diarrhoea, Dysentery	15.8	11	6	1	2	-	2	-	-	Diseases of Urinary System - - -	37.7	34	1	1	1	6	12	11	2				
Remittent Fever † -	0.3	-	-	-	-	-	-	-	-	Diseases of Generative System - - -	6.3	8	-	-	-	3	1	4	-				
Hydrophobia - - -	0.0	-	-	-	-	-	-	-	-	Accidents of Childbirth -	5.6	6	-	-	-	6	-	-	-				
Glanders - - -	0.1	-	-	-	-	-	-	-	-	Diseases of Locomotive System † - - -	7.0	8	-	1	4	-	2	1	-				
Cowpox and Effects of Vaccination † - -	0.3	-	-	-	-	-	-	-	-	Diseases of Integumentary System - - -	9.1	9	3	1	-	2	-	2	1				
General Affections	10.1	9	6	1	-	1	1	-	-	VIOLENT DEATHS.‡													
Erysipelas - - -	7.0	5	1	-	-	1	1	2	-	(ACCIDENT.)													
Pyæmia and Septicæmia †	0.7	1	-	-	-	1	-	-	-	Fracture and Contusion	19.9	24	-	1	4	8	5	6	-				
Puerperal Fever - -	7.5	8	-	-	-	6	2	-	-	Gunshot Wound - - -	0.1	-	-	-	-	-	-	-	-				
Other Zymotic Diseases †	3.0	1	-	-	-	-	-	-	1	Cut. Stab - - -	0.7	-	-	-	-	-	-	-	-				
Thrush - - -	3.9	5	4	1	-	-	-	-	-	Burn and Scald - - -	7.5	11	-	7	1	-	1	2	-				
Worms and other Parasitical Diseases - -	0.5	1	-	-	-	1	-	-	-	Poison - - -	2.5	4	-	-	-	3	1	-	-				
Starvation, Want of Breast-milk † - -	3.3	2	2	-	-	-	-	-	-	Drowning - - -	5.6	3	-	-	-	-	2	1	-				
Alcoholism - - -	3.3	2	-	-	-	-	2	-	-	Suffocation - - -	16.0	20	19	-	1	-	-	-	-				
Rheumatic Fever and Rheumatism of Heart	12.4	6	-	-	2	1	2	1	-	Otherwise - - -	3.1	1	1	-	-	-	-	-	-				
Rheumatism - - -		-	-	-	-	-	-	-	-	(HOMICIDE.)													
Gout - - -	4.3	7	-	-	-	-	3	3	1	Murder & Manslaughter	2.1	3	2	-	-	1	-	-	-				
Rickets † - - -	4.0	5	1	4	-	-	-	-	-	(SUICIDE.)													
Cancer - - -	45.1	55	-	-	-	8	26	21	1	Gunshot Wound - - -	0.2	-	-	-	-	-	-	-	-				
Tabes Mesenterica -	23.8	20	11	8	1	-	-	-	-	Cut. Stab - - -	1.4	-	-	-	-	-	-	-	-				
Tubercular Meningitis	34.0	19	9	8	2	-	-	-	-	Poison - - -	1.1	1	-	-	-	-	1	-	-				
Phthisis - - -	191.4	168	1	3	20	72	59	13	-	Drowning - - -	0.9	-	-	-	-	-	-	-	-				
Serofula, Tuberculosis	14.7	19	4	8	4	2	1	-	-	Hanging - - -	2.1	2	-	-	-	1	1	-	-				
Other Constitutional Diseases † - - -	9.3	4	-	-	1	1	1	1	-	Otherwise - - -	0.5	1	-	-	-	-	-	-	-				
Premature Birth - -	30.5	18	18	-	-	-	-	-	-	(EXECUTION.)													
Atelectasis † - - -	1.7	3	3	-	-	-	-	-	-	Hanging - - -	0.0	-	-	-	-	-	-	-	-				
Congenital Malformations - - -	6.9	8	8	-	-	-	-	-	-	OTHER CAUSES † - -	63.7	50	45	3	-	-	-	2	-				
Old Age - - -	63.2	48	-	-	-	-	24	24	-														
Apoplexy - - -	49.1	43	-	2	-	4	13	20	4														
Epilepsy - - -	6.7	15	-	1	3	4	4	2	1														
Convulsions - - -	63.6	43	32	10	1	-	-	-	-														
Other Diseases of Brain and Nervous System	91.8	91	17	20	7	2	13	25	7														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.048 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

† Exclusive of 12 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																				
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of															Deaths in Public Institutions.	Unrecorded Causes.
				Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.				
LONDON	3,816,483	2526	1497	330	336	32	31	14	14	43	-	13	1	11	70	133	348	1		
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.	69888	36	24	5	9	-	-	-	-	1	-	-	-	-	-	1	4	1		
St. John Paddington H - - G.J.	37330	68	42	11	14	-	-	-	-	2	-	-	-	-	-	1	1	6		
Kensington Town WH - - W.M.	120141	12	13	3	1	-	-	-	-	-	-	-	-	-	1	2	3	11		
Brompton H - - W.M. & C.	48010	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5		
St. Peter Hammersmith - - W.M.	7599	51	22	5	4	-	1	-	-	-	-	-	-	-	-	-	1	2		
St. Paul Hammersmith H W.M. & G.J.	64340	51	23	6	7	2	1	-	-	-	-	-	-	-	2	1	1	7		
Fulham WHH - - W.M. & C.	42900	18	13	5	-	-	-	-	-	1	-	-	-	-	-	1	1	3		
Chelsea South HHH - - C.	30896	31	15	3	3	-	-	-	-	-	-	-	-	-	-	-	9	-		
Chelsea North-west WHHHH - - C.	24925	26	12	2	-	-	-	-	-	2	-	-	-	-	-	-	2	-		
Chelsea North-east - - C.	32807	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Manover Square H - - G.J.	16862	4	16	1	6	-	-	-	-	1	-	-	-	-	-	-	-	12		
May Fair WH - - G.J.	13491	14	16	1	4	-	-	-	-	-	-	-	-	-	-	-	-	6		
Belgrave HH - - C.	59220	26	9	4	1	-	-	-	-	1	-	-	-	-	1	3	8	-		
St. John Westminster HH - - C.	35498	7	9	3	2	-	-	-	-	-	-	-	-	-	-	1	1	3		
St. Margaret Westminster H - - C.	24679	12	11	5	1	-	2	-	-	-	-	-	-	-	-	1	1	4		
St. James Westminster WH N.R. & G.J.	29941	15	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
St. Anne Soho HHHHH - - N.R.	10608																			
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.	26759	17	14	2	4	-	-	-	-	-	-	-	-	-	-	3	3	5		
Cavendish Square HHH - - W.M.	14891	3	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
Rectory Marylebone WH G.J. & W.M.	24809	15	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	2		
St. Mary Marylebone HHH G.J. & W.M.	21118	25	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone H - - W.M.	33700	25	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone H - - W.M.	33633	15	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead WHHHH - N.R. & W.M.	45452	31	10	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-		
Regent's Park Pancras H - - W.M.	39115	23	14	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-		
Tottenham-court WHHHH N.R. & W.M.	27729	17	19	4	5	-	-	-	1	-	-	-	-	-	-	1	3	13		
Gray's Inn Lane HHH - - N.R.	30247	11	11	4	3	-	-	-	-	-	-	-	-	-	-	3	4	2		
Somers Town H - - N.R.	84369	25	16	4	6	-	-	-	-	-	-	-	-	-	-	-	1	-		
Camden Town WH - - N.R.	17811	11	12	1	6	-	-	-	-	-	-	-	-	-	-	1	2	6		
Kenish Town W - - N.R.	87487	43	27	5	3	1	-	-	4	1	-	1	-	1	1	1	1	5		
Upper Holloway WHWHH - - N.R.	67946	48	37	8	4	5	-	-	2	6	-	-	-	-	-	2	2	14		
Islington South-west HH - - N.R.	100976	63	36	14	7	4	-	-	1	1	-	1	-	1	-	1	2	-		
Islington South-east - - N.R.	61895	39	17	6	4	-	1	-	1	1	-	-	-	-	-	1	2	-		
Highbury H - - N.R.	52048	35	17	2	5	2	-	-	-	-	-	-	-	-	-	1	2	1		
Stoke Newington H - - N.R.	22781	19	9	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-		
Stamford Hill - - E.L.	9277	10	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
West Hackney - - N.R.	37610	26	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hackney WHWHHL - - E.L. & N.R.	76911	60	43	4	10	2	1	1	1	1	-	2	-	1	-	-	-	16		
South Hackney - - E.L.	39883	17	7	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
CENTRAL DISTRICTS.																				
St. George Bloomsbury - - N.R.	16681	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - - N.R.	14884	16	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	5		
St. Giles North - - N.R.	13887	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HH N.R. & C.	17508	4	12	3	2	-	-	-	1	1	-	-	-	-	-	1	1	4		
St. Mary-le-Strand H - - N.R.	7615	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Clement Dances H - - N.R.	8559	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2		
St. George-the-Martyr HHHHHH N.R.	18671	6	6	9	1	-	-	-	-	-	-	-	-	-	-	-	-	3		
St. Andrew Eastern W - - N.R.	10706	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
Saffron Hill H - - N.R.	6593	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. James Clerkenwell - - N.R.	17516	16	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
Amwell Clerkenwell - - N.R.	19281	8	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Pentonville - - N.R.	14773	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Goswell-street - - N.R.	17606	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Old-street H - - N.R.	11541	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
City-road HHL - - N.R.	18638	15	10	5	-	-	-	-	-	-	-	-	-	-	-	1	5	-		
Whitecross-street - - N.R.	9217	8	5	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
Finsbury - - N.R.	7463	3	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-		
St. Botolph H - - N.R. & E.L.	11174	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cripplegate - - N.R.	7193	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - - N.R.	8598	1	17	-	3	-	-	-	-	1	-	1	-	-	-	4	4	14		
St. Bride W - - N.R.	8396	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Allhallows Barking - - N.R.	13666	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - - N.R.	5652	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; W—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifi Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 21st February, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 10 Years & wards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																			
Holywell Shoreditch	N.R. & E.L.	7376	6	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
St. Leonard Shoreditch	N.R.	14967	11	8	2	-	-	-	-	-	2	-	-	-	-	3	-	-	-
Hoxton New Town	N.R.	29837	29	17	4	8	-	-	-	-	-	-	-	-	1	1	8	-	-
Hoxton Old Town	N.R.	28036	20	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Haggerston	N.R. & E.L.	46275	46	15	4	2	-	1	-	-	1	-	-	-	1	2	2	-	-
Hackney-road	E.L.	29738	20	11	3	1	-	-	1	-	-	-	-	-	-	2	-	-	-
Green, Bethnal Green	WHL†	47932	35	80	3	9	-	1	1	-	-	-	-	-	1	4	15	-	-
Church, Bethnal Green	E.L.	29881	26	8	3	2	-	-	1	-	-	-	-	-	1	3	1	-	-
Town, Bethnal Green	E.L.	18810	10	8	4	2	-	-	-	-	-	-	-	-	1	1	-	-	-
Spitalfields	E.L. & N.R.	22585	26	4	1	1	-	-	-	-	-	-	-	-	1	3	1	8	-
Mile End New Town	E.L.	15473	12	14	3	6	-	-	-	-	-	-	-	-	-	3	13	-	-
Whitechapel Church	E.L. & N.R.	17490	9	17	1	2	-	-	-	-	-	-	-	-	2	3	-	-	-
Goodman's Fields	E.L.	9713	4	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Aldgate	N.R. & E.L.	6102	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North	E.L.	83747	21	11	3	1	-	3	-	-	-	-	-	-	-	1	-	-	-
St. John, St. George East	W	8410	9	11	-	8	-	1	-	-	-	-	-	-	-	1	7	-	-
Shadwell	E.L. & N.R.	16395	4	7	2	2	-	-	-	-	-	-	-	-	-	-	4	-	-
Ratcliff	E.L.	16107	11	5	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Limehouse	E.L.	82041	28	9	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-
Mile End Old Town West	E.L.	37980	22	15	2	5	-	-	2	-	-	-	-	-	-	-	-	-	-
Mile End Old Town East	WHL & E.L.	67663	50	22	2	8	-	-	-	-	-	2	-	-	2	-	4	-	-
Bow	E.L.	37074	28	14	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromley	WHL & E.L.	64859	48	34	12	6	-	1	1	-	-	-	-	-	-	2	8	-	-
Poplar	WHL & E.L.	55077	41	22	6	3	1	-	1	-	-	-	-	-	1	3	2	-	-
SOUTH DISTRICTS.																			
Christchurch Southwark	WHL & S.	13668	5	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Saviour Southwark	S.	14969	9	8	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-
Kent-road	S. & L.	21381	15	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road	WHL & S.	13933	9	4	-	2	-	-	-	-	-	-	-	-	-	3	-	1	-
London-road	HL & S.	21318	15	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trinity Newington	S. & L.	26612	15	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth	WHL & S.	59555	49	30	4	8	1	-	1	-	-	-	-	-	-	-	11	-	-
St. Mary Newington	L. & S.	21628	24	11	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-
St. Olave	WHL & S.	11936	12	15	-	2	-	-	-	1	-	-	-	-	-	5	5	7	-
Leather Market	S. & L.	16300	17	7	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-
St. Mary Magdalen	WHL & S.	16669	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Bermondsey	S.	54683	41	18	6	4	-	2	-	-	2	-	-	-	-	1	2	5	-
Rotherhithe	WHL & S. & K.	36024	35	20	5	3	-	2	1	-	-	-	-	-	-	-	-	-	-
Waterloo-road 1st	H & S.	15195	16	7	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-
Waterloo-road 2nd	H & S.	16381	15	8	1	2	-	-	-	-	1	-	-	-	-	1	8	13	-
Lambeth Church 1st	H & S.	19876	7	28	3	2	-	-	-	-	1	-	-	-	-	-	6	-	-
Lambeth Church 2nd	WHL & S.	39859	27	10	4	9	-	-	-	-	-	1	-	-	-	1	2	-	-
Kennington 1st	S. & L.	45282	29	13	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd	S. & L.	35332	13	11	4	1	-	-	-	1	-	-	-	-	-	-	-	1	-
Brixton	WHL & S.	62887	18	12	6	7	2	-	1	-	-	-	-	-	-	1	1	3	1
Norwood	WHL & L.	19017	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Clapham	H & S.	36300	19	6	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
East Battersea	S.	54675	46	14	9	5	-	-	-	-	-	-	-	-	-	2	2	-	1
West Battersea	WHL & S.	52687	44	25	8	4	-	4	-	-	3	-	-	-	-	1	2	5	1
Wandsworth	HL & S.	28004	21	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	S.	18235	4	5	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-
Streatham	S. & L.	25553	20	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	S. & L.	5590	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell	WHL† & L.	59104	43	58	4	11	-	-	-	-	-	-	-	-	-	1	9	-	1
Peckham	WHL & S., L. & K.	71089	52	16	4	4	-	-	-	-	1	-	-	-	-	1	1	-	-
St. George Camberwell	L. & S.	50810	36	20	8	2	1	-	-	-	-	-	-	-	-	1	-	-	-
St. Paul Deptford	WHL & K.	76752	61	47	10	6	15	2	-	2	-	-	1	-	-	1	2	15	-
St. Nicholas Deptford	K.	7501	7	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich West	K.	21972	12	5	2	-	-	1	-	-	-	-	-	-	-	2	2	18	1
Greenwich East	WHL & K.	24608	15	26	5	10	-	-	-	-	-	-	-	-	-	-	-	-	-
Eltham	H & K.	5827	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee	K.	21539	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham	WHL & K.	18865	9	7	1	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Sydenham	H & L.	26076	18	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton	H & K.	10930	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Woolwich Dockyard	K.	17617	20	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Woolwich Arsenal	HHH & K.	19048	10	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead, West	H & K.	14009	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, East	WHL & K.	12241	16	7	-	5	-	1	-	-	-	-	-	-	-	1	1	-	-

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and
Central London Sick Asylum in Tottenham Court-road sub-district.	Bromley sub-district.
Hoborn Infirmary in Upper Holloway sub-district.	Stepney
London City Workhouse - Hackney sub-district.	Poplar & Stepney Sick Asylum
Holborn - " - Hoxton New Town sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Whitechapel - " - Mile End Old Town Eastern sub-dist.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

Area, Population, Births, Deaths, &c. in Outer Ring.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 21st February, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
LONDON—OUTER RING		370,282	950,178	749	353	87	87	31	3	3	4	1	3	3	6	17	44	6		
30: 1	Carshalton <i>wL</i> - -	12223	21118	16	10	2	3	-	-	-	-	-	-	-	-	-	-	6		
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	6	5	1	3	-	-	-	-	-	-	1	-	-	-	-		
37: 1	Godstone (<i>part of</i>) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
38: 1	Croydon <i>WwH</i> - -	20851	101241	73	17	6	4	1	-	-	-	-	-	-	1	2	4	-		
	Mitcham - -	11697	17932	13	5	1	-	-	-	-	-	-	-	-	-	-	1	-		
39: 1	Wimbledon <i>HHH</i> - -	3220	15950	12	4	2	1	-	-	1	-	-	-	-	-	-	-	-		
2	Kingston <i>WHH</i> - -	8549	36354	25	8	2	4	-	-	-	-	-	-	-	-	-	2	-		
3	Esher (<i>part of</i>) * -	6601	9221	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
4	Hampton <i>H</i> - -	4573	13539	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-		
40: 1	Richmond <i>WH</i> - -	2272	21302	12	5	-	3	-	-	-	-	-	-	-	-	-	1	-		
2	Mortlake - -	941	12331	7	5	-	1	-	-	1	1	-	-	1	1	1	-	-		
41: 1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	5	12	3	3	-	-	-	-	-	-	-	1	1	-	-		
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	13665	15065	5	7	1	3	-	-	-	-	-	-	-	-	-	2	-		
42: 1	Bexley <i>H</i> - -	13437	24134	27	14	3	4	-	-	-	-	-	-	-	1	1	-	-		
124: 1	Sunbury <i>w</i> - -	11055	11685	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
2	Staines <i>W</i> - -	13277	12089	8	5	2	3	-	-	-	-	-	-	-	-	1	2	-		
125: 1	Hillingdon <i>WH</i> - -	6029	10802	6	6	3	2	-	-	-	-	-	-	-	-	1	-	-		
2	Uxbridge - -	6178	5225	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes <i>wHL</i> - -	14587	11523	6	5	1	2	-	-	-	-	-	-	-	-	-	2	-		
126: 1	Isleworth <i>W</i> - -	7008	22727	11	5	1	2	-	-	-	-	-	-	1	-	1	1	-		
2	Twickenham <i>H</i> - -	2477	12479	9	5	1	-	1	-	-	-	-	-	-	-	-	-	-		
3	Brentford <i>HL</i> - -	4345	27649	30	7	2	3	-	-	-	-	-	-	-	-	-	-	-		
4	Chiswick - -	1340	15975	10	7	1	1	1	-	-	-	-	-	-	-	2	-	-		
5	Acton <i>wH</i> - -	6083	22876	20	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
127: 1	Harrow <i>H</i> - -	13809	12796	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-		
2	Edgware <i>H</i> - -	6994	3749	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden - -	4383	27453	29	8	4	-	-	-	-	-	-	-	-	-	-	-	-		
4	Hendon <i>W</i> - -	8382	10484	16	6	4	1	-	-	-	-	-	-	-	-	1	1	-		
128: 1	South Mimms - -	15599	6391	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet † <i>W</i> - -	5483	10092	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Finchley <i>HL</i> - -	4688	17615	11	8	1	1	-	-	-	-	-	-	-	-	-	4	-		
129: 1	Hornsey <i>H</i> - -	3039	37078	22	11	-	3	-	-	-	-	-	-	-	1	-	-	-		
2	Tottenham <i>HHH</i> - -	4642	46456	49	26	7	5	-	-	1	1	-	2	-	-	1	1	1		
3	Edmonton <i>Ww</i> - -	7483	23463	21	11	1	3	2	-	-	-	-	-	-	-	-	5	-		
4	Enfield <i>WH</i> - -	12653	19104	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
5	Waltham Abbey - -	11017	5368	5	3	1	2	-	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt - -	8480	7735	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
135: 1	Hatfield (<i>part of</i>) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137: 1	Bushey - -	9331	6621	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
136: 1	Stratford - -	882	38606	35	13	5	2	1	-	-	1	-	-	-	-	-	-	-		
2	West Ham <i>wowwH</i> -	7351	101053	107	68	20	8	23	3	-	1	1	1	-	-	1	7	5		
3	Leyton <i>WwL</i> - -	4372	32430	29	17	3	6	2	-	-	-	-	-	-	-	-	5	-		
4	Walthamstow <i>wH</i> -	6520	28869	31	12	3	8	-	-	-	-	-	-	-	1	3	-	-		
137: 1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-		
139: 1	Romford (<i>part of</i>) * -	6730	3411	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford - -	8493	7645	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town - -	4127	9203	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:— 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37: 1, the two parishes of Warringham and Farley in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1938); 41: 1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1318); 41: 2, the whole of Chislehurst sub-district, except the parish of Chislefield (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 137: 1, the whole of Chigwell sub-district, except the parish of Theydon-Bois (pop. 875); 139: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 21st February, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from													
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.					
GREATER LONDON	448,334	5,093,995	18·6	2·1	1850	417	423	63	34	17	18	44	17	14	76	392					
INNER LONDON -	78,052	4,019,361	19·1	2·0	1497	330	336	32	31	14	14	43	14	11	70	348					
OUTER RING -	370,282	1,074,634	16·5	2·2	353	87	87	31	3	3	4	1	3	3	6	44					

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·935 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,077,298 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	January	3	-	290	36·6	Sm.-pox 4; ch. 23; fevs. 91.
BOMBAY - -	773,196	"	13	-	429	27·0	Cholera 25; fevers 115.
MADRAS - -	398,777	"	20	-	421	26·5	Sm.-pox 3; ch. 11; fevs. 113.
PARIS - - -	2,239,928	February	14	298	364	47·4	Fevers 79; cholera 17.
GENEVA - -	71,453	"	14	34	38	27·7	Typhoid fever 27; meas. 35; diph. & croup 83.
BRUSSELS - -	426,814	"	7	281	202	23·5	Small-pox 1; croup 9; scarlet fever 4.
AMSTERDAM -	366,812	"	14	266	190	26·9	Scar. fev. 6; measles 7.
ROTTERDAM -	169,477	"	14	127	93	28·5	Scarlet fever 2.
THE HAGUE -	434,552	"	14	125	71	27·4	-
COPENHAGEN -	267,000	"	17	200	106	20·7	Small-pox 1; diph. 4.
STOCKHOLM -	190,115	"	7	119	117	32·0	Scarlet fever 4; diphtheria and croup 5.
CHRISTIANIA -	126,000	"	14	74	62	25·6	Diphtheria and croup 6; scarlet fever 3.
ST. PETERSBURG	928,016	"	7	-	623	35·0	Typhus and typh. fev. 11; diphtheria 10.
BERLIN - -	1,261,859	January	31	898	616	25·4	Diphtheria 38; meas. 12.
HAMBURG (State)	467,258	February	7	376	256	28·6	Scar. fev. 4; diph. and croup 12.
DRESDEN - -	236,000	"	7	143	110	23·7	Diphtheria 7.
BRESLAU - -	295,000	"	7	229	173	30·6	Whooping-cough 2.
MUNICH - -	244,000	"	14	166	170	36·2	Measles 4; diphtheria and croup 8.
VIENNA - -	769,889	"	7	538	467	31·5	Small-pox 16; diph. 6.
PRAGUE - -	272,333	"	14	-	-	-	-
BUDA-PESTH -	416,474	January	31	262	253	30·6	Diphtheria and croup 8.
TRIESTE - -	148,245	"	31	-	128	44·3	Small-pox 19; diphtheria and croup 11.
ROME - - -	318,658	"	10	188	199	32·6	Small-pox 7.
NAPLES - - -	494,015	-	-	-	-	-	-
TURIN - - -	262,521	January	20	238	230	32·0	Sm.-pox 20; typhd. fev. 7; diphtheria 8.
VENICE - - -	144,888	February	7	76	95	34·2	Small-pox 8.
MADRID - - -	475,668	January	25	361	445	48·8	Small-pox 3; diph. and croup 17.
LISBON - - -	203,681	"	17	-	-	-	-
ALEXANDRIA -	212,034	"	24	232	145	32·6	Small-pox 1; typhoid fever 3.
NEW YORK - -	1,348,375	"	17	-	643	24·9	Measles 37; diph. 20.
BROOKLYN - -	644,626	"	17	-	248	19·4	Diphtheria 16.
PHILADELPHIA -	927,995	"	31	-	457	25·7	Typhoid fever 15; scarlet fever 11; diphtheria 14.
BALTIMORE - -	408,520	"	31	-	176	22·5	Typhoid fever 6; diphtheria 6.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 21st FEBRUARY, 1885.

[Under the Superintendence of the Astronomer Royal.]

1885. MONTH AND DAY.	Phases of Moon.	METEOR.				READINGS OF THERMOGRAPH.										DIFFERENCE				WIND.				RAIN. Collected in a Gauge whose receiving surface is 5 in. above the ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		Miles.	Range.	Mean.	Dew Point.	Highest shown by self-regis- tering thermo- meter with bulb in vacuo placed on the grass.	Lowest shown by thermo- meter with bulb in vacuo placed on the grass.	In the Water of the Thames as shown by self-regis- tering thermo- meters.	Between Dew Point and Air Temperature		Between mean tem- perature of the sun- shade and mean tem- perature of the air on the same day	Degree of Hu- midity, from Sun- shade.	As deduced from Anemometers.		General Direction.		P. M.	Great- est.	Least.	Mean of 24 Obs.	Amount of Movement Horizontal from Average of each day inversely.	Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
									Low- est.	High- est.			A. M.	P. M.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
FEBRUARY.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 8. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, FEBRUARY 28. [Price 1½d.

*General Register Office, Somerset House,
2nd March, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 21·4 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the past four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.		Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.
Birkenhead	15·1	13·5	15·7	20·2	Liverpool -	25·4	24·8	22·7	25·7
Birmingham	24·5	19·8	21·0	19·4	London -	20·3	19·5	19·1	20·0
Blackburn -	16·2	22·7	23·2	21·3	Manchester -	29·1	24·9	23·8	24·6
Bolton -	23·2	21·8	23·2	25·6	Newcastle-on-Tyne	22·8	26·2	27·6	30·3
Bradford -	19·5	19·0	17·0	18·7	Norwich -	27·5	27·5	21·2	29·2
Brighton -	25·9	16·8	11·8	19·6	Nottingham -	21·2	21·7	20·0	23·9
Bristol -	30·4	19·9	21·5	24·4	Oldham -	21·9	24·8	24·8	18·6
Cardiff -	24·2	32·3	33·3	31·7	Plymouth -	21·3	25·4	17·2	26·8
Derby -	19·8	15·1	19·2	22·1	Portsmouth -	20·9	21·3	19·0	13·9
Halifax -	20·2	22·3	19·6	16·9	Preston -	32·2	31·2	33·8	32·2
Huddersfield	19·7	18·5	26·9	14·3	Salford -	16·6	15·1	20·2	26·8
Hull -	21·6	22·7	17·4	15·7	Sheffield -	16·7	22·0	20·3	21·8
Leeds -	20·2	19·4	19·4	19·7	Sunderland -	26·6	32·5	37·9	29·6
Leicester -	23·8	19·5	20·3	18·4	Wolverhampton -	25·0	21·7	16·5	20·4

The highest annual death-rates from whooping-cough, measured by last week's mortality, were 2·6 in Preston, in Bristol, and in Wolverhampton, and 3·4 in Norwich; from measles, 7·5 in Cardiff, and 12·5 in Sunderland; from scarlet fever, 2·1 in Preston; and from "fever," 1·1 in Norwich. The 31 deaths from diphtheria in the twenty-eight towns included 16 in London, 3 in Nottingham, 3 in Liverpool, and 2 in Leeds. Thirty-eight deaths were ascribed to small-pox in London and its outer ring of suburban districts, 2 in Birmingham, 2 in Sunderland, one in Brighton, and one in Liverpool.

LONDON.

In LONDON 2709 BIRTHS and 1569 DEATHS were registered. Allowing for increase of population, the births were 110, and the deaths 249, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had declined from 24·1 to 19·1 in the four preceding weeks, rose again to 20·0 last week. During the first eight weeks of the current quarter the death-rate averaged 21·9 per 1000, against 24·3, the mean of the rates in the corresponding periods of the five years 1880-84.

The 1569 deaths included 18 from small-pox, 29 from measles, 16 from scarlet fever, 16 from diphtheria, 45 from whooping-cough, 8 from enteric fever, 2 from ill-defined forms of continued fever, 9 from diarrhoea and dysentery, and not one either from typhus or from cholera; thus, 143 deaths were referred to these diseases; being 87 below the corrected average weekly number.

The fatal cases of *small-pox* in London, which had been 41, 34, and 32 in the three preceding weeks, further declined to 18 last week, and were 8 below the corrected weekly average. These 18 deaths exclude 19 of London residents from this disease recorded in the Metropolitan Asylum Hospitals situated outside Registration

London. Of the 37 fatal cases, 29 were recorded in the Metropolitan Asylum Hospitals in and around London, 2 in the Highgate Small-pox Hospital, and 6 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 2 belonged to Fulham, 3 to Islington, 5 to Hackney, 2 to Shoreditch, 2 to Mile End Old Town, 2 to Poplar, 2 to St. George Southwark, 4 to Newington, 2 to Bermondsey, 2 to Lambeth, and 2 to Greenwich. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1144, 1223, and 1141 on the three preceding Saturdays, further declined to 1103 at the end of last week; the admissions, which had been 255 and 163 in the two previous weeks, were 170 last week. The Highgate Small-pox Hospital contained 98 patients on Saturday last, 19 cases having been admitted during the week.

The 29 fatal cases of *measles* were within 2 of the number in the previous week, and were one below the corrected weekly average; 4 belonged to Islington, 4 to Poplar, and 4 to Rotherhithe. The 16 deaths from *scarlet fever* showed an increase of 2 upon the low number in the previous week, but were 21 below the corrected average; 2 belonged to Islington, 3 to Poplar, and 2 to Greenwich. The Metropolitan Asylum Hospitals contained 311 scarlet fever patients on Saturday last, 22 having been admitted during the week. The 16 deaths referred to *diphtheria* exceeded those in the previous week by 2, and were 6 above the corrected average; 2 belonged to Paddington, 2 to Islington, and 2 to Camberwell. The fatal cases of *whooping-cough*, which had been 50 and 43 in the two previous weeks, were 45 last week, and were but half the corrected average; 7 belonged to Pancras, 3 to Clerkenwell, 3 to Shoreditch, and 6 to Battersea. The 9 deaths attributed to *diarrhoea* and *dysentery* were 8 below the corrected average.

The deaths referred to *enteric fever*, which had been 10 and 13 in the two preceding weeks, declined to 8 last week; and were 7 below the corrected weekly average; 4 belonged to South London, including 2 to Wandsworth district. The Metropolitan Asylum Hospitals contained 53 cases of enteric fever, and 25 of typhus, on Saturday last; 4 cases of enteric fever, and 2 of typhus were admitted during the week. Two deaths were indefinitely referred to "fever."

The deaths referred to diseases of the respiratory organs, which had declined in the four preceding weeks from 556 to 343, were 384 last week, and 105 below the corrected weekly average.

Different forms of violence caused 50 deaths; 44 were the result of negligence or accident, among which were 16 from fractures and contusions, 7 from burns and scalds, 5 from drowning, and 10 of infants under one year of age from suffocation. The 16 deaths from fractures and contusions were thus returned:—male, aged 45 years, run over by wagon; male 65, run over by van; male 11, run over by cart; male 77, run over by tram-car; male 43, crushed between trucks on North-Western Railway; male 44, fell from trolley; males 30, 50, fell from ladder; males 38, 43, fell down stairs; male 57, fell to ground; female 1, fell from bed; male 6 months, fell from sideboard; male 10, struck by child at play; male 36, fell while fighting; and male 6, by fall. An inquest was held in each of these 16 cases except the last. Six cases of suicide were registered.

GREATER LONDON.

In Greater London 3456 births and 1948 deaths were registered, equal to annual rates of 34·7 and 19·6 per 1000 of the population. In the Outer Ring 20 fatal cases of small-pox, 10 of diphtheria, and 10 of whooping-cough were registered. The 20 deaths from small-pox, included 4 in Edmonton and 14 in West Ham sub-districts; of the latter number, 3 occurred in the Metropolitan Asylum Hospital at Plaistow, and 11 were local cases. Six fatal cases of diphtheria were registered in Cheshunt sub-district, including 4 in one family.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·74 in.; the lowest reading was 29·57 in. on Tuesday evening, and the highest 29·95 in. on Wednesday evening. The mean temperature of the *air* was 45°·8, and 5°·9 above the average in the corresponding week of the 20 years ending 1863. The mean showed an excess throughout the week; the warmest day was Tuesday, when the mean temperature was 50·3, and 10°·5 above the average. The general direction of the *wind* was S.S.W., and the horizontal movement of the air averaged 14·2 miles per hour, which was 1·1 miles above the average in the corresponding week of 16 years. *Rain* fell on six days of the week, to the aggregate amount of 0·55 of an inch. The duration of registered bright sunshine in the week was 9·0 hours, against 7·8 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY in 28 GREAT TOWNS, during the Week ending 28th February, 1885.

CITIES AND BOROUGH.	Cols.	Registered during the week ending 28th Feb., 1885.			The Deaths registered in the Week include												TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGH.		
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from								Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	Week's Deaths corresponding to the			Mean.	Centigrade.	In Inches.	In Centi- meters.			
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhoid.	Diarrhoea.	Violence.				From All Causes.	From Diseases 6-12.	Highest.						Lowest.	Fahrenheit.
28 TOWNS.	-	8,906,446	5937	3660	850	819	24	102	44	31	113	32	31	118	255	79	21.4	2.2	59.0	24.0	45.2	7.33	0.58	1.47	-	28 TOWNS.
LONDON.	-	4,083,928	2709	1569	364	364	18	29	16	16	45	10	9	50	114	22	20.0	1.8	58.3	33.0	45.8	7.67	0.55	1.40	-	LONDON.
BRIGHTON.	-	114,672	69	43	4	22	1	-	-	-	-	-	-	-	12	19.6	0.9	54.0	35.0	45.0	7.22	0.87	2.21	-	BRIGHTON.	
PORTSMOUTH.	-	134,659	93	36	10	9	-	-	-	-	6	2	2	2	4	4	13.9	0.4	59.2	35.0	45.0	7.22	0.87	2.21	-	PORTSMOUTH.
NORWICH.	-	91,215	71	51	14	15	-	-	-	-	6	2	2	2	4	4	26.8	1.4	55.0	29.5	47.6	8.67	0.89	2.23	-	NORWICH.
PLYMOUTH.	-	76,045	46	39	5	14	-	-	-	-	11	1	1	7	12	16	24.4	4.5	58.2	34.0	47.4	8.55	0.66	1.08	-	PLYMOUTH.
BRISTOL.	-	218,169	120	102	22	27	-	5	-	1	11	1	1	7	12	16	24.4	4.5	58.2	34.0	47.4	8.55	0.66	1.08	-	BRISTOL.
WOLVERHAMPTON.	-	79,185	56	31	5	4	-	1	-	-	4	-	-	-	1	6	20.4	3.3	57.0	29.1	43.4	6.33	0.17	0.43	-	WOLVERHAMPTON.
BIRMINGHAM.	-	427,769	321	159	45	34	2	2	1	1	10	1	3	9	16	11	19.4	2.4	-	-	-	-	-	-	-	BIRMINGHAM.
LEICESTER.	-	136,147	93	48	11	9	2	2	2	-	5	11	1	2	5	11	18.4	1.9	-	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM.	-	211,424	164	97	24	18	-	-	-	3	3	1	-	2	10	5	23.9	1.7	58.0	31.8	45.2	7.33	0.45	1.14	-	NOTTINGHAM.
DERBY.	-	89,691	53	38	6	10	-	-	-	-	-	-	-	-	1	1	22.1	0.0	-	-	-	-	-	-	-	DERBY.
BIRKENHEAD.	-	93,063	70	36	10	5	-	1	1	-	-	-	-	-	2	2	20.2	1.7	-	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL.	-	579,724	381	285	55	57	1	7	7	3	4	4	6	17	19	12	25.7	2.9	58.9	32.2	45.2	7.33	0.42	1.07	-	LIVERPOOL.
BOLTON.	-	110,055	86	54	14	11	-	2	-	-	-	-	-	-	4	2	25.6	0.9	55.8	29.6	43.1	6.17	1.30	3.30	-	BOLTON.
MANCHESTER.	-	337,342	233	159	45	37	-	2	-	-	4	-	2	6	19	28	24.6	1.2	-	-	-	-	-	-	-	MANCHESTER.
SALFORD.	-	204,075	138	105	24	21	-	1	1	-	3	1	1	5	6	15	26.8	1.5	-	-	-	-	-	-	-	SALFORD.
OLDHAM.	-	126,380	88	45	12	5	-	-	1	-	-	-	-	-	4	2	18.6	0.8	-	-	-	-	-	-	-	OLDHAM.
BLACKBURN.	-	112,574	73	46	13	11	-	-	-	-	1	1	1	2	2	6	21.3	0.9	-	-	-	-	-	-	-	BLACKBURN.
PRESTON.	-	100,406	72	62	10	16	-	-	4	-	5	-	1	1	3	3	32.2	5.2	56.0	33.5	45.4	7.44	1.12	2.84	-	PRESTON.
HUDDESFIELD.	-	87,327	43	24	3	5	-	2	-	-	-	-	1	1	1	3	14.3	1.8	-	-	-	-	-	-	-	HUDDESFIELD.
HALIFAX.	-	77,378	53	25	3	8	-	-	-	-	-	-	-	-	3	3	4	10.9	0.0	-	-	-	-	-	-	HALIFAX.
BRADFORD.	-	214,431	95	77	15	22	-	-	-	1	6	1	-	1	1	8	18.7	1.9	58.0	29.8	45.1	7.28	0.43	1.09	-	BRADFORD.
LEEDS.	-	333,139	204	126	29	28	-	-	4	2	5	1	1	2	12	11	19.7	2.0	59.0	27.0	45.1	7.28	0.34	0.86	-	LEEDS.
SHEFFIELD.	-	305,716	213	128	27	24	-	2	4	-	3	3	-	2	2	12	21.8	2.0	57.0	24.0	45.0	7.22	0.37	0.94	-	SHEFFIELD.
HULL.	-	186,292	101	56	16	10	-	-	-	-	-	-	1	1	2	4	6	15.7	0.8	-	-	-	-	-	-	HULL.
SUNDERLAND.	-	125,327	101	71	20	10	2	30	2	-	-	-	-	3	4	2	29.6	14.2	56.0	30.0	44.5	6.95	0.02	0.05	-	SUNDERLAND.
NEWCASTLE.	-	153,209	87	89	21	16	-	3	-	1	2	1	1	-	5	10	30.3	2.7	-	-	-	-	-	-	-	NEWCASTLE.
CARDIFF.	-	97,634	84	59	23	7	-	14	-	1	1	1	-	-	2	3	31.7	9.1	-	-	-	-	-	-	-	CARDIFF.
EDINBURGH.	-	250,616	146	77	20	22	-	1	1	-	6	-	1	2	2	11	16.0	1.9	54.1	30.3	45.5	7.50	0.38	0.57	-	EDINBURGH.
GLASGOW.	-	519,965	340	210	58	39	-	12	14	2	13	1	3	15	2	43	29.1	4.5	54.0	33.3	45.5	7.50	1.07	2.72	-	GLASGOW.
DUBLIN.	-	353,082	200	205	39	50	-	8	6	-	2	1	1	5	7	61	30.3	2.7	50.7	34.5	47.3	8.50	0.16	0.41	-	DUBLIN.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the EIGHTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2348	2445	2450	2630	2497	2746	2632	2812	2755	2538	2819.2	2709
Males . .	1214	1274	1229	1348	1222	1432	1348	1449	1385	1326	1442.4	1406
Females . .	1134	1171	1221	1282	1275	1314	1284	1363	1370	1212	1376.8	1303
TOTAL Deaths	1854	1691	1495	1756	1645	1662	1525	1941	1554	1552	1818.3	1569
Males . .	960	870	755	872	819	872	817	961	807	817	932.3	823
Females . .	894	821	740	884	826	790	708	980	747	735	886.0	746

* The numbers in this column are the average weekly numbers in the eighth week of the ten years 1875-84, raised by 0.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.
TOTAL Births	2385	2614	2631	1832	3283	2816	2876	2803	2727	2806	2913	2526	2709
TOTAL Deaths	1764	1638	1595	1430	1918	1956	1855	1807	1886	1592	1525	1497	1569
0-20	719	695	721	571	796	666	715	693	723	639	634	683	718
20-40	254	221	216	215	261	252	261	251	259	220	208	196	202
40-60	327	294	280	248	331	402	360	363	345	289	290	279	285
60-80	388	347	304	338	429	511	411	404	449	370	328	278	297
at 80 years & upwds.	76	81	74	58	101	125	108	96	110	74	65	58	67
Deaths of children													
Under 1 year	375	327	346	284	406	334	354	380	378	307	320	330	364
1-5	247	238	262	198	248	225	261	206	239	227	218	257	243
5-20	97	130	113	89	142	107	100	107	106	105	96	99	111
Deaths from Small-pox*	61	69	44	34	56	42	70	58	59	60	56	44	37
" " Measles	28	23	33	20	22	14	27	26	16	16	28	31	29
" " Scarlet Fever	23	22	26	16	28	16	21	18	19	18	17	14	16
" " Diphtheria	29	27	28	20	28	26	14	12	15	19	16	14	16
" " Whooping-cough	28	31	31	22	33	38	40	49	60	41	50	43	45
" " Typhus	1	-	1	1	-	-	-	1	1	2	-	-	-
" " Enteric fever	16	15	15	9	11	15	8	9	13	6	10	13	8
" " Simple Cont'd fever	-	1	4	1	-	1	1	-	1	-	1	1	2
" " Diarrhoea and Dysentery	12	6	9	7	15	11	8	8	12	9	6	11	9
" " Cholera	-	-	-	-	1	-	1	-	-	-	-	-	-
Deaths from the above-mentioned Diseases*	193	194	191	130	194	163	190	175	196	171	184	171	162
" " Dis. of Respiratory System	499	457	416	370	537	609	552	513	556	421	383	343	384
" " Phthisis	170	163	159	159	193	200	186	180	199	145	161	168	168
" " Dis. of Circulatory System	152	121	109	132	127	169	155	153	154	122	118	105	127
Violent Deaths	45	56	50	36	94	57	66	66	53	47	42	70	50
Inquest Cases	132	117	116	101	193	144	134	143	132	109	91	133	114
Deaths in Public Institutions	347	366	348	300	420	444	408	425	402	356	352	348	322
TEMPERATURE OF THE AIR:													
Mean	42.4	46.5	41.2	36.5	33.2	33.0	35.1	31.9	43.6	43.6	46.2	40.0	45.8
Mean of Highest readings	47.3	50.8	47.0	38.8	35.7	42.7	37.5	33.2	48.4	49.5	51.3	45.1	51.7
Mean of Lowest readings	37.0	41.6	35.1	34.1	30.3	31.9	32.5	27.7	38.7	37.6	41.0	36.0	39.9
Humidity of the Air	88	87	84	85	88	92	83	91	90	84	88	86	88
Rain-fall in inches	1.23	0.68	0.81	0.03	0.00	0.57	0.27	0.00	0.58	0.61	0.25	0.94	0.55
Registered Sunshine (in hours)	3.6	1.2	6.1	2.4	0.0	7.1	1.4	2.9	5.5	9.7	8.6	10.5	9.0

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S. :- F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filler, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the EIGHTH Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 8th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 28th February, 1885.										CAUSES OF DEATH.		Corrected Averages for the 8th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 28th February, 1885.										
			Deaths of Persons of the Ages													Deaths of Persons of the Ages										
			ALL AGES.			Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.				ALL AGES.			Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	
0-1.	1-5.	5-20.	0-1.	1-5.	5-20.	0-1.	1-5.	5-20.																		
ALL CAUSES		1818.3	1569	364	243	111	202	285	297	67	Diseases of Organs of Special Sense †	1.7	3	2	-	1	-	-	-	-	-	-	-	-	-	-
Small-pox	Vaccinated †	26.1	5	-	-	-	5	-	-	-	Diseases of Circulatory System	110.6	127	-	3	14	18	41	44	7	-	-	-	-	-	
	Unvaccinated		4	1	-	1	1	-	1	-	-	Croup	15.8	23	4	17	2	-	-	-	-	-	-	-	-	
	No Statement		9	1	2	3	2	1	-	-	Bronchitis	309.9	210	60	50	2	4	30	61	7	-	-	-	-		
Measles		30.9	29	3	20	6	-	-	-	-	Pneumonia	107.0	95	19	32	5	9	23	7	-	-	-	-	-		
Scarlet Fever		36.9	16	1	6	6	2	1	-	-	Pleurisy	6.5	7	-	1	-	1	5	-	-	-	-	-	-		
Typhus		1.4	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System	49.8	40	8	6	3	2	12	8	1	-	-	-	-		
Relapsing Fever †		0.0	-	-	-	-	-	-	-	-	Dentition †	18.0	25	17	8	-	-	-	-	-	-	-	-	-		
Infuenza		0.7	-	-	-	-	-	-	-	-	Quinsy, Sore Throat †	2.3	3	-	2	1	-	-	-	-	-	-	-	-		
Whooping-cough		90.1	45	19	24	2	-	-	-	-	Enteritis	5.2	5	2	-	-	1	2	-	-	-	-	-	-		
Diphtheria		9.8	16	-	8	7	1	-	-	-	Peritonitis	6.9	7	3	1	-	-	1	2	-	-	-	-	-		
Simple Continued and Ill-defined Fever		2.7	2	-	-	1	-	-	1	-	Diseases of Liver	31.8	24	2	-	-	6	7	9	-	-	-	-	-		
Enteric Fever		15.4	8	-	1	4	2	1	-	-	Other Diseases of Digestive System	29.6	29	10	-	2	5	5	7	-	-	-	-	-		
Cholera		0.1	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands †	2.3	1	-	-	1	-	-	-	-	-	-	-	-		
Diarrhoea, Dysentery		17.1	9	7	1	-	-	-	1	-	Diseases of Urinary System	33.9	43	-	1	-	10	18	13	1	-	-	-	-		
Remittent Fever †		0.3	1	1	-	-	-	-	-	-	Diseases of Generative System	5.1	4	-	-	-	2	2	-	-	-	-	-	-		
Hydrophobia		0.2	-	-	-	-	-	-	-	-	Accidents of Childbirth	4.9	5	-	-	-	4	1	-	-	-	-	-	-		
Glanders		0.0	-	-	-	-	-	-	-	-	Diseases of Locomotive System †	8.7	5	-	-	3	-	1	1	-	-	-	-	-		
Cowpox and Effects of Vaccination †		0.0	-	-	-	-	-	-	-	-	Diseases of Integumentary System	7.0	9	3	1	-	-	-	4	1	-	-	-	-		
Venerae Affections		10.8	12	9	1	-	1	1	-	-	VIOLENT DEATHS. §															
Erysipelas		6.0	10	2	-	2	1	1	3	1	(ACCIDENT.)															
Pyæmia and Septicæmia †		2.7	4	1	-	-	1	2	-	-	Fracture and Contusion	17.5	16	1	1	3	3	6	2	-	-	-	-	-		
Puerperal Fever		5.2	6	-	-	-	4	2	-	-	Gunshot Wound	0.1	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Diseases †		2.7	3	1	-	1	-	1	-	-	Cut, Stab	0.4	1	-	-	-	-	1	-	-	-	-	-	-		
Thrush		3.2	-	-	-	-	-	-	-	-	Burn and Scald	6.4	7	1	3	-	-	2	1	-	-	-	-	-		
Worms and other Parasitical Diseases		0.3	-	-	-	-	-	-	-	-	Poison	1.6	-	-	-	-	-	-	-	-	-	-	-	-		
Starvation, Want of Breast-milk †		0.7	4	1	-	-	2	1	-	-	Drowning	6.4	5	-	-	-	2	2	1	-	-	-	-	-		
Alcoholism		4.0	3	-	-	-	3	-	-	-	Suffocation	13.4	11	10	1	-	-	-	-	-	-	-	-	-		
Rheumatic Fever and Rheumatism of Heart	13.0	10	-	1	4	3	1	1	-	-	Otherwise	3.4	4	2	-	-	1	1	-	-	-	-	-	-		
Rheumatism		8	-	-	1	-	3	4	-	-	(HOMICIDE.)															
Gout		3.3	5	-	-	-	1	4	-	-	Murder & Manslaughter	2.0	-	-	-	-	-	-	-	-	-	-	-	-		
Rickets †		5.0	4	1	2	1	-	-	-	-	(SUICIDE.)															
Cancer		43.4	50	-	-	-	5	21	20	4	Gunshot Wound	0.8	1	-	-	-	-	1	-	-	-	-	-	-		
Tabes Mesenterica		31.4	20	13	3	4	-	-	-	-	Cut, Stab	1.0	1	-	-	-	-	-	1	-	-	-	-	-		
Tubercular Meningitis		32.8	27	8	14	5	-	-	-	-	Poison	1.7	2	-	-	-	2	-	-	-	-	-	-	-		
Phthisis		190.3	168	2	4	12	87	55	8	-	Drowning	1.5	1	-	-	-	-	-	-	-	-	-	-	-		
Scrofula, Tuberculosis		14.4	14	2	6	4	2	-	-	-	Hanging	2.0	1	-	-	-	-	1	-	-	-	-	-	-		
Other Constitutional Diseases †		11.0	7	1	-	1	-	1	4	-	Otherwise	0.5	1	-	-	-	1	-	-	-	-	-	-	-		
Premature Birth		33.4	45	45	-	-	-	-	-	-	(EXECUTION.)															
Atelectasis †		3.0	2	2	-	-	-	-	-	-	Hanging	0.0	-	-	-	-	-	-	-	-	-	-	-	-		
Concrescent Malformations		7.0	8	7	-	1	-	-	-	-	OTHER CAUSES †	61.7	62	46	1	1	2	2	7	3	-	-	-	-		
Old Age		61.1	54	-	-	-	1	28	25	-																
Apoplexy		49.9	40	1	-	1	1	14	18	5																
Epilepsy		7.3	6	-	-	-	-	-	6	-																
Convulsions		61.9	41	31	10	-	-	-	-	-																
Other Diseases of Brain and Nervous System		94.7	88	14	12	6	9	10	30	7																

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 19 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include															Deaths in Public Institutions.	Un- certified Causes	
					Deaths of		Deaths from															
					Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Eratery (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.					
LONDON					3,816,483	2709	1569	364	364	18	29	16	16	45	-	8	2	9	50	114	322	22
WEST DISTRICTS.																						
St. Mary Paddington WHH G.J. & W.M.					69888	56	27	8	4	-	-	-	1	2	-	-	-	-	1	2	1	1
St. John Paddington H - G.J.					37380	11	16	1	5	-	-	-	3	-	-	-	-	-	1	1	9	1
Kensington Town W - W.M.					120141	64	45	12	15	-	-	-	1	1	-	-	1	1	2	17	1	
Brompton H - W.M. & C.					48010	19	11	1	3	-	-	1	-	-	-	-	-	-	-	-	-	
St. Peter Hammersmith - W.M.					7099	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.					64340	44	20	7	5	-	-	-	2	1	-	-	-	1	1	1	1	
Fulham WWH - W.M. & C.					42900	53	22	4	4	2	-	-	-	-	-	-	-	-	2	6	1	
Chelsea South HHH - C.					30896	18	12	3	4	-	-	-	-	-	-	-	-	1	-	-	-	
Chelsea North-west WHHHH - C.					24925	15	15	2	6	-	-	-	1	-	-	-	-	-	1	10	-	
Chelsea North-east - C.					32807	32	16	8	-	-	-	-	-	-	-	-	-	-	1	-	-	
Hanover Square H - G.J.					16862	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
May Fair WW - G.J.					13491	7	8	2	3	-	-	-	-	-	-	-	-	-	-	5	-	
Belgrave HH - C.					59220	31	35	2	7	-	-	1	-	1	-	-	-	4	4	12	2	
St. John Westminster HH - C.					35498	19	11	4	2	-	-	-	-	1	-	-	-	-	-	-	1	
St. Margaret Westminster H - C.					24679	10	7	2	1	-	-	-	-	-	-	-	-	-	-	4	1	
St. James Westminster WH N.R. & G.J.					22941	8	12	1	3	-	8	-	-	-	-	-	-	-	-	-	6	
St. Anne Soho HHHHH - N.R.					16808	5	4	1	1	-	-	-	-	1	-	-	-	-	-	-	1	
NORTH DISTRICTS.																						
All Souls Marylebone HHHH - W.M.					26759	11	16	2	1	-	-	-	-	-	-	-	-	-	1	1	9	-
Cavendish Square HHH - W.M.					14881	6	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Rectory Marylebone WH G.J. & W.M.					24809	17	11	2	3	-	1	-	-	-	-	-	-	-	-	2	2	-
St. Mary Marylebone HHH G.J. & W.M.					21118	25	10	6	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone H - W.M.					33700	27	13	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone H - W.M.					33633	25	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Hamstead WWHH - N.R. & W.M.					45452	22	20	2	4	1	-	-	-	-	-	-	-	-	-	1	4	-
Regent's Park Paneras H - W.M.					39115	22	12	2	1	-	1	-	1	-	-	-	-	-	-	1	-	-
Tottenham-court WHHHH N.R. & W.M.					27729	11	13	2	2	-	-	-	1	2	-	-	-	-	-	1	9	-
Gray's Inn Lane HHH - N.R.					30247	16	11	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2
Somers Town H - N.R.					94369	17	9	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Camden Town WH - N.R.					17811	14	14	-	-	-	-	-	-	1	-	1	-	-	-	3	8	-
Kentish Town W - N.R.					87487	66	37	13	7	-	-	-	-	4	-	-	-	-	1	3	1	-
Upper Holloway WWHH - N.R.					67046	38	34	5	9	2	1	2	2	-	-	-	-	-	-	-	17	-
Islington South-west HH - N.R.					100976	73	38	7	8	1	-	-	-	-	-	1	-	-	3	5	1	-
Islington South-east - N.R.					61895	33	22	2	4	-	1	-	-	-	-	-	-	-	1	2	-	-
Highbury H - N.R.					52048	32	20	6	6	-	1	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - N.R.					22781	17	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - E.L.					9277	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney - N.R.					37610	23	19	8	5	-	-	-	-	1	-	-	-	-	1	1	-	-
Hackney WWHHL - E.L. & N.R.					76911	59	55	13	11	7	-	2	-	-	-	-	-	-	4	7	31	-
South Hackney - E.L.					39888	31	15	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-
CENTRAL DISTRICTS.																						
St. George Bloomsbury - N.R.					16881	5	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - N.R.					14884	11	16	1	7	-	-	-	-	1	-	-	-	-	-	-	10	1
St. Giles North - N.R.					13837	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.					17508	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary-le-Strand H - N.R.					7515	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Clement Danes H - N.R.					8559	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	3
St. George-the-Martyr HHHHHH N.R.					18671	11	11	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
St. Andrew Eastern W - N.R.					10706	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	9
Saffron Hill H - N.R.					6533	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	2
St. James Clerkenwell - N.R.					17516	12	10	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - N.R.					19281	9	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Pentonville - N.R.					14773	12	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - N.R.					17506	9	7	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
Old-street H - N.R.					11541	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHL - N.R.					13623	13	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Whitecross-street - N.R.					9217	8	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Finsbury - N.R.					7463	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - N.R. & E.L.					11174	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.					7193	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - N.R.					5958	2	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Bride W - N.R.					8395	3	5	1	2	-	-	-	-	-	-	-	-	-	-	-	3	10
Allhallows Barking - N.R.					13666	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Broad Street H - N.R.					5532	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work-house; H—Hospital; L—Lunatic Asylum; &—A Workhouse Establishment receiving inmates from other Districts than that in which it stands see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 28th February, 1885.

			The DEATHS registered in the Week include																
REGISTRATION SUB-DISTRICTS.			Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of		Deaths from											Inquest Cases, Deaths in Public Institutions, Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Salutic contaminated Fever.	Diarrhoea.	Violence.		
EAST DISTRICTS.																			
Holywell Shoreditch	-	N.R. & E.L.	7376	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Leonard Shoreditch	HL†	-	14967	10	3	1	1	-	-	-	-	-	-	-	-	-	-		
Hoxton New Town	W	-	21937	23	17	7	5	-	-	1	-	-	-	-	-	1	6		
Hoxton Old Town	-	-	28026	27	4	3	-	-	-	-	-	-	-	-	-	-	-		
Haggerston	WH	-	46275	46	25	8	4	-	-	-	-	1	-	-	-	-	8		
Hackney-road	H-	-	26738	23	11	6	1	-	1	-	-	-	-	-	-	-	-		
Green, Bethnal Green	WH†	-	47132	33	23	3	9	-	1	-	-	-	-	-	1	2	10		
Church, Bethnal Green	-	-	29981	27	15	2	4	-	-	1	-	-	-	-	-	-	-		
Town, Bethnal Green	-	-	19810	16	5	1	1	-	-	-	-	-	-	-	-	1	-		
Spitalfields	H	-	22265	19	9	2	4	-	-	-	-	-	-	1	-	-	-		
Mile End New Town	W	-	15473	21	9	2	3	-	-	-	-	-	-	-	-	1	3		
Whitechapel Church	H	-	17490	7	17	2	-	-	-	-	1	-	-	-	1	-	11		
Goodman's Fields	-	-	9713	7	1	-	-	-	-	-	-	-	-	-	-	-	-		
Aldgate	-	-	6102	5	4	1	-	-	1	-	-	-	-	-	-	-	-		
St. George's, North	-	-	28747	23	10	4	1	-	-	1	-	-	-	-	1	2	-		
St. John, St. George East	W	-	5410	10	9	-	3	-	-	-	-	-	-	-	1	2	6		
Shadwell	H-	-	16895	5	9	3	1	-	-	-	-	-	-	-	2	2	3		
Ratcliff	-	-	16107	9	5	1	-	-	-	-	-	-	-	-	-	1	-		
Linthouse	-	-	32041	21	7	1	-	-	-	-	-	-	-	-	-	1	-		
Mile End Old Town West	-	-	37500	28	12	2	5	-	-	-	-	-	-	1	-	2	-		
Mile End Old Town East	WH & H-	-	67653	53	23	7	5	-	-	1	-	-	-	-	1	4	5		
Row	-	-	37074	37	12	3	1	-	2	-	-	-	-	-	-	-	-		
Bromley	WH	-	64359	64	45	12	7	-	1	-	-	1	-	-	4	9	15		
Poplar	WW	-	52077	45	19	7	5	-	3	1	-	1	-	-	2	2	1		
SOUTH DISTRICTS.																			
Christchurch Southwark	WH	L. & S.	12663	12	5	-	2	-	-	-	-	-	-	-	-	-	-		
St. Saviour Southwark	-	S.	14199	8	6	2	2	-	-	-	-	-	-	-	-	-	-		
Kent-road	-	S. & L.	21581	17	7	2	-	-	-	-	-	-	-	1	-	-	-		
Borough-road	WH	-	16053	19	4	1	-	-	1	-	-	-	-	-	-	-	-		
London-road	HL	-	21518	12	12	2	2	-	-	-	1	-	-	-	1	2	2		
Trinity Newington	-	S. & L.	26672	25	9	4	1	-	-	-	-	-	-	-	-	-	-		
St. Peter Walworth	W	-	29555	27	27	6	7	2	1	-	-	-	-	-	1	1	7		
St. Mary Newington	-	L. & S.	31623	13	11	4	5	-	-	-	1	-	-	-	-	-	-		
St. Olave	WH	-	11956	24	19	4	3	-	-	-	-	-	-	-	3	4	11		
Leather Market	-	S. & L.	16300	14	4	2	-	1	-	-	-	-	-	-	-	-	-		
St. Mary Magdalen	W	-	15609	13	13	3	5	-	-	-	-	-	-	-	-	1	6		
St. James Bermondsey	-	S.	54688	49	17	5	4	-	1	-	1	-	-	-	1	2	-		
Rotherhithe	W	-	36024	36	25	8	4	-	4	1	-	1	-	-	-	2	1		
Waterloo-road 1st	H	-	15195	12	6	1	1	-	-	1	-	-	-	-	-	-	3		
Waterloo-road 2nd	H	-	16231	18	2	1	-	-	-	-	-	-	-	-	-	-	-		
Lambeth Church 1st	H	-	19876	18	11	2	3	-	-	-	-	-	-	-	-	1	2		
Lambeth Church 2nd	WH	-	39859	24	14	3	4	-	-	-	1	-	-	-	2	2	4		
Kennington 1st	-	S. & L.	45232	20	14	3	7	-	-	-	-	-	-	-	-	-	-		
Kennington 2nd	-	S. & L.	33332	18	6	1	2	-	-	-	-	-	-	-	-	1	-		
Brixton	WH	-	62837	21	21	6	3	2	-	-	1	-	-	2	-	1	4		
Norwood	W	-	14017	11	3	-	2	-	-	-	-	-	-	-	-	-	-		
Clayham	H-	-	36890	24	11	3	4	-	-	-	-	-	-	-	-	-	-		
East Battersea	-	S.	54675	49	19	6	2	-	-	3	-	1	-	-	1	1	9		
West Battersea	WH	-	55267	54	18	9	3	-	2	-	-	-	-	-	1	2	1		
Wandsworth	HL	-	28004	21	16	4	5	-	1	-	1	-	-	-	-	-	3		
Cuney	-	S.	18325	8	3	3	-	-	-	-	-	-	-	-	1	-	-		
Streatham	-	L.	25553	24	10	1	5	-	-	-	-	1	-	-	1	1	-		
Dulwich	-	L. & S.	5590	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Camberwell	WL†	-	29104	49	35	3	18	-	1	-	1	-	1	-	-	-	8		
Peckham	W	-	71689	55	21	4	1	-	1	-	-	-	-	-	-	1	2		
St. George Camberwell	-	L. & S.	50810	51	22	6	1	-	-	-	2	-	-	-	-	1	1		
St. Paul Deptford	WH	-	76722	67	31	10	5	-	1	2	-	-	-	-	-	1	3		
St. Nicholas Deptford	-	K.	7801	10	-	-	-	-	-	-	-	-	-	-	-	-	-		
Greenwich West	-	K.	21972	9	9	2	1	-	1	-	-	-	-	-	-	-	-		
Greenwich East	WHH	-	24608	10	14	3	5	-	-	-	1	-	-	-	-	-	8		
Eltham	H	-	5827	1	3	-	1	-	-	1	-	-	-	-	-	-	-		
Lee	-	K.	21519	21	5	2	1	-	-	-	-	-	-	-	-	-	-		
Lewisham	WH	-	19865	13	6	1	3	-	-	-	-	-	-	-	-	1	-		
Sydenham	H	-	26076	20	6	1	2	-	-	-	-	-	-	1	-	-	-		
Charlton	H	-	10930	2	1	-	1	-	-	-	-	-	-	-	-	-	-		
Woolwich Dockyard	-	K.	17617	10	2	-	2	-	-	-	-	-	-	-	-	-	-		
Woolwich Arsenal	HHH	-	19148	10	6	2	-	-	-	-	-	-	-	-	-	1	-		
Lumstead, West	H	-	14009	9	6	1	3	-	-	-	-	-	-	-	-	-	-		
Lumstead, East	W	-	19241	29	7	2	2	-	-	-	1	-	-	-	-	-	3		

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.	Stepney Poplar & Stepney Sick Asylum " " Bromley sub-district.
Holborn Infirmary in Upper Holloway sub-district.	Westminster Union Industrial School in West Battersea sub-district.
London City Workhouse " Hackney sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Holborn " " Hoxton New Town sub-district.	
Whitechapel " " Mile End Old Town Eastern sub-dist.	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during Week ending Saturday, 28th February, 1835.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.
								Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarthosa.	Violence.		
LONDON—OUTER RING		370.282	950,178	747	379	83	98	20	7	2	10	10	5	5	9	21	62		
30:1	Carshalton <i>wL</i> - -	12223	21118	14	2	-	2	-	-	-	-	-	-	-	-	-	-		
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	12	6	1	2	-	-	-	-	-	-	-	-	-	4		
37:1	Godstone (<i>part of</i>) * -	2754	1235	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
38:1	Croydon <i>WwH</i> - -	20851	101241	65	47	5	14	1	-	-	-	1	2	-	2	2	12		
	Mitcham - -	11697	17932	20	10	3	1	-	1	-	1	1	-	-	-	-	-		
39:1	Wimbledon <i>HHH</i> -	3220	15950	11	4	-	1	-	-	-	-	-	-	-	-	-	-		
2	Kingston <i>WHH</i> -	8549	36354	21	10	1	1	-	-	-	1	2	-	-	-	-	3		
3	Esher (<i>part of</i>) * -	6801	9221	1	2	-	-	-	-	-	-	-	-	-	-	1	-		
4	Hampton <i>H</i> - -	4573	13539	8	4	1	2	-	-	-	-	-	-	-	-	-	-		
40:1	Richmond <i>WH</i> - -	2272	21302	11	7	1	3	-	-	-	-	-	-	-	-	-	3		
2	Mortlake - -	941	12331	11	8	5	2	-	-	-	-	-	-	-	-	1	-		
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	19	6	2	2	-	-	-	-	1	-	-	-	-	-		
2	Chislehurst(<i>pt. of</i>) * <i>WHH</i>	13665	15065	8	2	2	-	-	-	-	-	-	-	-	-	-	-		
42:1	Bexley <i>H</i> - -	13437	24134	18	7	1	2	-	-	-	-	-	-	-	-	-	-		
124:1	Sunbury <i>w</i> - -	11055	11685	3	5	2	1	-	-	-	-	-	-	-	-	1	-		
2	Staines <i>W</i> - -	13277	12089	9	5	1	3	-	-	-	-	-	-	-	-	1	2		
125:1	Hillingdon <i>WH</i> - -	6029	10892	3	5	1	3	-	-	-	-	-	-	-	-	-	2		
2	Uxbridge - -	6178	3225	4	2	-	2	-	-	-	-	-	-	-	-	-	-		
3	Hayes <i>wHL</i> - -	14587	11523	7	5	-	1	-	-	-	-	1	-	-	-	-	1		
126:1	Isleworth <i>W</i> - -	7008	22727	18	6	4	2	-	-	-	-	-	-	-	-	1	1		
2	Twickenham <i>H</i> - -	2477	12479	14	4	-	2	-	-	-	-	-	-	-	-	1	-		
3	Brentford <i>HL</i> - -	4345	27649	13	9	2	3	-	-	-	-	-	-	-	1	1	1		
4	Chiswick - -	1340	15675	19	1	-	-	-	-	-	-	-	-	-	-	-	-		
5	Acton <i>wH</i> - -	6083	22876	19	6	1	1	-	1	-	-	1	-	-	1	2	1		
127:1	Harrow <i>H</i> - -	13809	12796	9	3	-	1	-	-	-	-	-	-	-	-	-	-		
2	Edgware <i>H</i> - -	6994	3749	4	2	-	2	-	-	-	-	-	-	-	-	-	-		
3	Willesden - -	4383	27453	33	8	1	3	-	-	-	-	-	-	-	-	-	-		
4	Hendon <i>W</i> - -	8382	10484	5	1	-	1	-	-	-	-	-	-	-	-	-	-		
128:1	South Mimms - -	15599	6391	4	1	-	1	-	-	-	-	-	-	-	1	1	-		
2	Barnet † <i>W</i> - -	5433	10092	11	4	1	1	-	-	-	-	-	-	-	-	-	-		
3	Finchley <i>HL</i> - -	4688	17615	15	10	1	2	-	-	-	-	-	-	1	-	-	6		
129:1	Hornsey <i>H</i> - -	3039	37078	23	8	1	1	-	-	-	-	1	-	-	-	1	-		
2	Tottenham <i>HHH</i> -	4642	46456	51	28	11	6	-	1	-	-	-	2	1	1	4	1		
3	Edmonton <i>WwW</i> -	7483	23463	19	16	4	5	4	-	-	-	-	-	1	1	1	9		
4	Enfield <i>WH</i> - -	12653	19104	26	7	2	4	-	-	-	-	1	-	-	-	-	-		
5	Waltham Abbey -	11017	5368	3	6	4	1	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt - -	8480	7735	1	7	-	-	-	-	-	6	-	-	-	-	-	-		
135:1	Hatfield (<i>part of</i>) * -	3306	883	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
137:1	Bushey - -	9331	6621	2	1	-	-	-	-	-	1	-	-	-	-	-	-		
136:1	Stratford - -	882	38606	33	19	5	3	-	1	1	-	-	-	2	-	-	-		
2	West Ham <i>wvwvH</i> -	7351	101053	101	53	12	6	14	3	-	1	-	1	-	1	2	9		
3	Leyton <i>WwL</i> - -	4372	32430	26	20	4	4	-	-	1	-	-	-	-	-	-	7		
4	Walthamstow <i>wH</i> -	6520	28869	29	10	2	5	-	-	-	-	-	-	-	-	-	-		
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	5639	5	2	-	1	-	-	-	-	-	-	-	-	-	-		
139:1	Romford (<i>part of</i>) * -	6730	3411	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford - -	8493	7645	5	4	1	1	-	-	-	-	-	-	-	1	1	-		
3	Barking Town - -	4127	9203	9	6	1	-	1	-	-	-	1	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warlingham and Earle in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district except the two parishes of Cudham and Knockholt (pop. 1318); 41:2, the whole of Chislehurst sub-district, except the parish of Chelsfield (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 375); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 28th February, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
						Deaths of		Deaths from									
			From All Causes.	From Diseases in Cols. 8-14.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.	Deaths in Public Institutions.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
GREATER LONDON	448,334	5,093,995	19.6	2.0	1948	447	462	38	36	18	26	55	15	14	59	384	
INNER LONDON	78,052	4,019,361	20.0	1.8	1569	364	364	18	29	16	16	45	10	9	50	322	
OUTER RING	370,282	1,074,634	17.7	2.8	379	83	98	20	7	2	10	10	5	5	9	62	

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 0.522 square miles, which is equivalent to the area of a circle having a radius of 14.933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,165,364 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA	433,219	January 10	-	274	34.0	Small-pox 3; fevers 87; cholera 16.
BOMBAY	773,196	" 27	-	393	24.7	Small-pox 3; cholera 4; fevers 97.
MADRAS	398,777	" 9	341	442	57.6	Cholera 37; fevers 89; small-pox 1.
PARIS	2,230,928	February 21	1248	1124	26.1	Diph. & croup 51; measles 39; typhoid fev. 17.
GENEVA	71,453	" 21	33	41	29.9	-
BRUSSELS	412,965	" 14	295	234	30.2	Diphtheria 6; croup 11.
AMSTERDAM	366,812	" 21	290	193	27.4	Scarlet fever 7; diph. 7; whooping-cough 8.
ROTTERDAM	166,001	" 21	112	80	24.5	-
THE HAGUE	134,552	" 21	112	73	28.2	Croup 4.
COPENHAGEN	278,000	" 24	197	108	20.3	Measles 4; diphtheria 2.
STOCKHOLM	190,115	" 14	130	90	24.6	Diph. 7; scarlet fev. 5; measles 6.
CHRISTIANIA	126,000	" 21	75	71	29.3	Scarlet fever 3; diphtheria and croup 7.
ST. PETERSBURG	928,016	" 14	-	595	33.5	Typhoid fever 15; diphtheria 22.
BERLIN	1,266,511	" 7	860	576	23.7	Scar. fev. 10; diph. 39.
HAMBURG (State)	497,956	" 14	298	240	25.1	Diphtheria and croup 11; measles 4.
DRESDEN	241,500	" 14	145	134	28.9	Diphtheria 8.
BRESLAU	205,000	" 14	214	146	25.8	Typhoid fever 2.
MUNICH	244,000	" 21	186	159	32.0	Measles 7.
VIENNA	769,889	" 14	536	440	29.7	Small-pox 13; scarlet fever 3.
PRAGUE	272,333	" 21	-	188	36.0	Small-pox 2; scarlet fever 5.
BUDA-PESTH	416,474	" 7	277	244	22.8	Typhus and typhoid fever 5; diph. 4.
TRIESTE	150,157	" 14	-	92	31.9	Small-pox 12; diphtheria and croup 9.
ROME	324,649	January 17	226	173	27.8	Small-pox 9; typhoid fever 3; diph. 3.
NAPLES	504,735	-	-	-	-	-
TURIN (11 days.)	267,763	January 31	257	285	35.3	Small-pox 19; typhoid fever 7; croup 12.
VENICE	141,845	February 14	70	94	33.9	Small-pox 4.
MADRID	475,068	" 1	-	-	-	-
LISBON	203,681	January 24	-	-	-	-
ALEXANDRIA	212,034	" 31	264	155	34.8	Whooping-cough 5; diphtheria and croup 3.
NEW YORK	1,356,958	" 31	-	677	26.0	Measles 41; diph. 28.
BROOKLYN	665,602	" 31	-	268	20.0	Scar. fev. 13; diph. 11.
PHILADELPHIA	927,995	February 7	-	443	24.9	Diphtheria 15; typhoid fever 16; scar. fev. 12.
BALTIMORE	408,520	" 7	-	180	23.0	Diphtheria 5; scarlet fever 2.

1885. 1, 11, 19.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 28th FEBRUARY, 1885.
[Under the Superintendence of the Astronomer Royal.]

MOON.		READINGS OF THERMOMETERS.										DIFFERENCE.				WIND.				RAIN.					
Phases of Moon.	Moon.	Dry.		Range in day.	Mean daily value.	Dew Point.	Highest in the room, as shown by self-registering thermometer.	Lowest on the ground, shown by self-registering thermometer.		In the Water at Deptford, shown by self-registering thermometer.		Between Dew Point and Temperature of Air.		Between mean temperature of the day and mean temperature of the same day, on an average of 20 years.		Degree of humidity, complete saturation being 100.	As deduced from Anemometers.		Collected in a gauge above the ground.						
		High. est.	Low. est.					High. est.	Low. est.	Mean daily value.	Great. est.	Least.	General Direction.	Presure square foot.	Amount of Movement of Air each day.		Robinson's.	Depar. ture of Average of 16 years.							
1885.																									
MONTH AND DAY.																									
FEBRUARY.																									
SUN. 22	First Qr.	45.1	33.0	12.1	40.1	39.2	54.6	31.7	42.1	40.7	0.9	2.4	0.0	0.5	96	SSE. & S. SSW. & SW.	8.1	0.0	2.5	492	+ 180	0.06	5.2		
MON. 23	..	52.8	35.4	17.4	44.5	41.9	56.5	32.5	40.4	39.5	2.6	9.2	0.0	4.8	90	SW & SSW. SSE.	9.1	0.0	2.2	432	+ 127	0.01	4.8		
TUES. 24	Greatest Dec. N.	58.3	42.4	15.9	50.3	40.7	101.6	37.8	40.4	39.9	9.6	15.0	2.0	10.5	70	SSE. & SSW.	6.7	0.0	1.5	344	+ 35.	0.00	5.2		
WED. 25	Perigee.	59.8	42.5	8.7	45.7	44.4	62.0	38.7	40.1	39.9	1.3	7.4	0.0	5.8	95	Variable.	2.1	0.0	0.0	231	- 83	0.27	1.2		
THURS. 26	..	59.8	41.2	9.9	46.8	41.3	88.8	37.5	41.9	41.3	5.5	8.4	0.0	6.8	81	SSW. SSE. & S.	6.3	0.0	1.3	385	+ 67	0.01	16.0		
FRI. 27	..	51.9	46.7	5.2	48.4	45.9	60.3	44.6	42.9	41.7	2.5	4.8	1.0	8.3	91	S. & SSW.	6.0	0.0	0.8	355	+ 33	0.15	18.2		
SAT. 28	..	51.7	38.2	13.5	45.0	42.4	77.0	36.0	44.3	42.7	2.6	6.5	0.7	4.8	91	SSW. SW. & NNE.	4.0	0.0	0.2	203	- 123	0.05	4.5		
MEANS	..	51.7	39.9	11.8	45.8	42.3	77.3	37.0	41.7	40.8	3.6	7.7	0.5	5.9	88	SSW.	Sum 2382	+ 186	0.55	7.9		
No of Col.	8	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27

DATE.		ELECTRICITY.		SKY AND ATMOSPHERE.		SKY AND ATMOSPHERE.	
FEBRUARY.		(For explanation of symbols, see Note.)		Sun above Horizon, in hours.		Sun above Horizon, in hours.	
SUNDAY	29	w. P. generally.	0.0	10.4	10.4	Overcast with rain till evening; fine at night.	10.4
MONDAY	30	w. P. in morning; m. P. afterwards.	0.8	10.5	10.5	Generally cloudy. A little rain.	10.5
TUESDAY	1	m. P. in morning; s. P. afterwards.	7.5	10.5	10.5	A very fine day. Generally cloudless till 4h. P.M.; cloudy afterwards.	10.5
WEDNESDAY	2	m. P. till 8h. A.M.; v. N. till 2h. P.M.; m. P. afterwards.	0.0	10.6	10.6	Generally cloudy. Rain fell between 8h. A.M. and 2h. P.M.	10.6
THURSDAY	3	w. P. generally.	0.7	10.7	10.7	Generally cloudy. Rain in evening.	10.7
FRIDAY	4	w. P. generally till afternoon; m. P. afterwards.	0.0	10.7	10.7	Frequent rain till 1h. P.M.; overcast till afternoon; cloudless and fine in evening; cloudy at night.	10.7
SATURDAY	5	w. P. in morning; v. P. and w. N. afterwards.	0.0	10.8	10.8	Overcast. Rain in evening.	10.8
MEANS	Sum 9.0	Sum 74.2	Sum 74.2	..	74.2
No of Col.	29	30	30	..	30

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are entered into many daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873, corrected by the barometer, and during the twenty years ending 1883 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1883.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 29.98 in. at the beginning of the week to 29.61 in. by 5h. P.M. on the 22nd; increased to 29.85 in. by 9h. A.M. on the 23rd; decreased to 29.57 in. by 9h. P.M. on the 24th; increased to 29.95 in. by 9h. P.M. on the 25th; decreased to 29.63 in. by 3h. P.M. on the 27th; and increased to 29.91 in. by the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS. IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 9, 1885. VOL. XLVI.] WEEK ENDING SATURDAY, MARCH 7. [Price 1½d.

*General Register Office, Somerset House,
9th March, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 20·6 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the past four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.		Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.
Birkenhead	13·5	15·7	20·2	16·8	Liverpool - -	24·8	22·7	25·7	22·5
Birmingham	19·8	21·0	19·4	17·7	London - -	19·5	19·1	20·0	19·1
Blackburn -	22·7	23·2	21·3	19·0	Manchester	24·9	23·8	24·6	26·9
Bolton -	21·8	23·2	25·6	28·9	Newcastle-on-Tyne	26·2	27·6	30·3	29·3
Bradford -	19·0	17·0	18·7	21·7	Norwich -	27·5	21·2	29·2	21·7
Brighton -	16·8	11·8	19·6	11·8	Nottingham -	21·7	20·0	23·9	24·4
Bristol -	19·9	21·5	24·4	21·8	Oldham -	24·8	24·8	18·6	22·3
Cardiff	32·3	33·3	31·7	37·6	Plymouth -	25·4	17·2	26·8	15·8
Derby -	15·1	19·2	22·1	18·0	Portsmouth -	21·3	19·0	13·9	22·9
Halifax -	22·3	19·6	16·9	19·6	Preston -	31·2	33·8	32·2	29·1
Huddersfield	18·5	26·9	14·3	19·7	Salford -	15·1	20·2	26·8	19·4
Hull -	22·7	17·4	15·7	14·6	Sheffield -	22·0	20·3	21·8	17·6
Leeds -	19·4	19·4	19·7	19·1	Sunderland	32·5	37·9	29·6	42·1
Leicester -	19·5	20·3	18·4	22·2	Wolverhampton	21·7	16·5	20·4	15·2

The highest annual death-rates from whooping-cough, measured by last week's mortality, were 1·6 in Preston, 2·4 in Bristol, and 3·2 in Cardiff; from measles, 1·7 in Bristol, 1·8 in Huddersfield, 7·0 in Cardiff, and 17·5 in Sunderland; from scarlet fever, 1·1 in Leeds, 1·3 in Wolverhampton, and 1·6 in Preston; and from "fever," 1·0 in Newcastle-upon-Tyne, 1·4 in Blackburn, and 1·7 in Norwich. The 24 deaths from diphtheria in the twenty-eight towns included 15 in London, and 2 in Newcastle-upon-Tyne. Small-pox caused 37 deaths in London and its outer ring of suburban districts, 2 in Liverpool, 2 in Manchester, one in Birmingham, one in Birkenhead, and one in Sunderland.

LONDON.

In LONDON 2623 BIRTHS and 1495 DEATHS were registered. Allowing for increase of population, the births were 222, and the deaths 300, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·1 and 20·0 in the two preceding weeks, declined again last week to 19·1. During the first nine weeks of the current quarter the death-rate averaged 21·5 per 1000, against 24·4, the mean of the rates in the corresponding periods of the nine years 1876-84.

The 1495 deaths included 16 from small-pox, 52 from measles, 15 from scarlet fever, 15 from diphtheria, 37 from whooping-cough, 7 from enteric fever, 3 from ill-defined forms of continued fever, 7 from diarrhoea and dysentery, and not one from typhus or from cholera; thus, 152 deaths were referred to these diseases, being 79 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had declined from 41 to 18 in the four preceding weeks, further fell to 16 last week, and were 12 below the corrected weekly average. These 16 deaths, however, exclude 11 of London

residents from this disease recorded in the Metropolitan Asylum Hospitals situated outside Registration London. Of the 27 fatal cases, 18 were recorded in the Metropolitan Asylum Hospitals in and around London, 2 in the Highgate Small-pox Hospital, and 7 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 2 belonged to Pancras, 7 to Islington, 3 to Hackney, 3 to Shoreditch, 2 to Stepney, and 3 to Newington. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined from 1223 to 1103 on the three preceding Saturdays, further declined to 988 at the end of last week; the admissions, which had been 255, 163, and 170 in the three preceding weeks, further declined to 94 last week. The Highgate Small-pox Hospital contained 95 patients on Saturday last, 19 cases having been admitted during the week.

The fatal cases of *measles*, which had been 31 and 29 in the two preceding weeks, rose to 52 last week, and exceeded the corrected weekly average by 21; 4 belonged to Kensington, 4 to Islington, 4 to Hackney, 5 to Whitechapel, 5 to Poplar, and 4 to Greenwich. The 15 deaths from *scarlet fever* were 19 below the corrected average; 2 belonged to Islington (both admitted to hospital from 3, Morton Road), 3 to Bethnal Green (of which 2 occurred at 41, Orange Street), and 4 to Poplar. The Metropolitan Asylum Hospitals contained 279 scarlet fever patients on Saturday last (fewer than at the end of any recent week), 22 having been admitted during the week. The 15 deaths referred to *diphtheria* were within one of the number in the previous week, and exceeded the corrected average by 5; 2 belonged to Chelsea, and 6 to Islington. The fatal cases of *whooping-cough*, which had been 50, 43, and 45 in the three previous weeks, declined to 37 last week, and were no fewer than 53 below the corrected average; 17 belonged to South London, of which 4 occurred in Bermondsey, 4 in Lambeth, and 4 in Camberwell. The 7 deaths attributed to *diarrhoea* and *dysentery* were 10 below the corrected average, 4 being of children under five years of age.

The deaths referred to *enteric fever*, which had been 13 and 8 in the two preceding weeks, further declined to 7 last week, and were but half the corrected weekly average; 5 belonged to South London, including 2 to Wandsworth, 1 to Greenwich, 1 to Woolwich, and 1 to Plumstead. Three deaths were referred to indefinite forms of "fever." The Metropolitan Asylum Hospitals contained 57 cases of enteric fever, and 27 of typhus, on Saturday last; 5 cases of enteric fever, and 2 of typhus were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 343 and 384 in the two preceding weeks, were 374 last week, and 106 below the corrected weekly average.

Different forms of violence caused 40 deaths; 33 were the result of negligence or accident, among which were 9 from fractures and contusions, 5 from burns and scalds, 4 from drowning, 2 from poison, and 11 of infants under one year of age from suffocation. The 9 deaths from fractures and contusions were thus returned:—female, aged 73 years, run over by van; male 45, thrown from barrow; female 54, knocked down by horse; male 38, fell through skylight; male 61, female 1, fell in room; male 8 months, by fall; male 5, by injury; and female 79, by fracture. An inquest was held in each of these 9 cases except the last. Six cases of suicide were registered.

GREATER LONDON.

In Greater London 3411 births and 1914 deaths were registered, equal to annual rates of 34.2 and 19.2 per 1000 of the population. In the Outer Ring 21 fatal cases of small-pox, 11 of measles, 8 of whooping-cough, and 6 of diphtheria were registered. The 21 deaths from small-pox, included 16 in West Ham sub-district, of which 3 occurred in the Metropolitan Asylum Hospital at Plaistow, and 13 were local cases. The 6 deaths from diphtheria included 2 in West Ham and 2 in Cheshunt sub-districts; one of the latter occurred in the same family of which the deaths of 4 members were recorded in the previous week.

On pages 87–88 will be found Dr. Frankland's report upon the quality of the waters supplied to the Metropolis by the various water companies during February. The Thames waters, delivered by the five companies drawing their supply from that source, showed slightly increased proportions of organic impurity. The Grand Junction and Southwark samples contained the largest, and the Lambeth and Chelsea samples the smallest amounts of organic matter. The inferior quality of the water delivered by the Grand Junction and Southwark Companies is attributed to insufficient storage capacity. The Lea water supplied by the New River and East London Companies contained less organic matter than the previous month's samples. The

New River supply was far superior to any of the Thames waters, and the sample of the East London Company's water ranked with the best of the Thames waters. All the river waters were delivered in a bright and clear condition. The deepwell waters supplied by the Kent and Colne Valley Companies, and by the Tottenham Local Board, were of their usual excellent quality for drinking; that supplied by the Colne Valley Company had been softened with lime, and thus rendered suitable for all domestic purposes.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·56 in.; the highest reading was 30·00 in. on Sunday morning, and the lowest 29·08 in. on Friday morning. The mean temperature of the *air* was 40°·3, and 0°·1 below the average in the corresponding week of the 20 years ending 1868. The mean showed an excess on Tuesday, Wednesday, and Thursday, but was below the average on the other days of the week. The direction of the *wind* was variable, and the horizontal movement of the air averaged 10·6 miles per hour, which was 3·3 miles below the average in the corresponding week of 16 years. *Rain* fell on three days of the week, to the aggregate amount of 0·60 of an inch. The duration of registered bright sunshine in the week was 16·3 hours, against 26·2 hours at Glynde Place, Lewes.

THE REGISTRAR GENERAL has to acknowledge the courtesy of the LONDON WATER COMPANIES who have furnished him with the average daily quantity of Water supplied during the month of FEBRUARY 1885; according to their returns 143,126,891 gallons or 650,291 cubic metres of water (equal to about as many *tuns* by measure, *tons* by weight,) were supplied daily; or 208 gallons (94·5 decalitres), being rather less than a *ton* by weight, to each house, and 26·7 gallons (12·1 decalitres) to each person, against 26·5 gallons during February 1884.

COMPANIES.	Number of Houses, &c. supplied in		Average daily Supply of Water in Gallons (including that for Manufactures and for various purposes other than for domestic consumption) during the Month of	
	FEBRUARY. 1884.	FEBRUARY. 1885.	FEBRUARY. 1884.	FEBRUARY. 1885.
TOTAL SUPPLY	665,770	686,651	137,424,736	143,126,891
From Thames	322,455	332,354	69,849,136	72,677,016
From Lea and from other Sources	343,315	354,297	67,575,600	70,449,875
THAMES.				
Chelsea	32,636	33,344	9,467,540	9,771,600
West Middlesex	63,575	65,670	12,608,062	12,507,287
Southwark and Vauxhall	101,190	103,564	19,722,661	20,287,802
Grand Junction	48,378	50,198	13,783,473	14,628,627
Lambeth	76,676	79,558	14,267,400	15,481,700
LEA AND OTHER SOURCES.				
New River	140,570	143,451	25,738,000	25,864,000
East London	142,305	147,421	32,483,512	34,777,390
Kent	60,440	63,425	9,354,088	9,808,485

Note.—The Return for February 1885, as compared with that for the corresponding month of 1884, shows an increase of 30,881 houses, and of 5,702,155 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING FEBRUARY.

Grove House, Pembroke Square, W.,
6th March, 1885.

SIR,

I HAVE to report to you in the following Table the results of the chemical analyses of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of February.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity contained in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Kent 0·5, Colne Valley 1·1, Tottenham 1·1, New River 1·6, Lambeth 3·4, Chelsea 3·5, East London 3·7, West Middlesex 3·9, Southwark 5·3, Grand Junction 5·9.

The Thames water distributed by the Chelsea, West Middlesex, Southwark, Grand Junction, and Lambeth Companies exhibited, on the whole, a slight increase in the amount of organic matter, the proportion being greater in the water of the Grand Junction and Southwark, and least in that of the Lambeth and Chelsea Companies. All the samples were clear and bright; but owing probably to insufficient storage capacity in their works, the water delivered by the Southwark and Grand Junction Companies was of markedly inferior quality.

The water supplied from the Lea by the New River and East London Companies, contained slightly less organic matter than the previous month's samples, the New River Company's supply, being in this respect far superior to any of the Thames waters, whilst the East London Company's supply ranked with the best of the Thames waters. Both waters were clear and bright on delivery.

The deep-well water sent out by the Kent and Colne Valley Companies, and by the Tottenham Local Board of Health was of its usual excellent quality for drinking, and the Colne Valley Company by softening their supply with lime, thereby rendered it also well fitted for washing and all other domestic uses.

Seen through a stratum two feet deep, the waters presented the following appearances:—Kent, Colne Valley, and Tottenham, clear and colourless; New River, clear and nearly colourless; East London, Chelsea, West Middlesex, Southwark, Grand Junction, and Lambeth, clear and pale yellow.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that town was "clear and both physically and chemically better than the January sample."

Dr. Mills, F.R.S., of Anderson's College, Glasgow, reports that the water supplied to that city from Loch Katrine was "light brown in colour and contained a little suspended matter."

I am, &c.

The Registrar General, &c. &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Mat- ter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.									
	Chelsea - - - { February 6th, Cab Rank, Horseguards, Whitehall. }	5·9	31·04	·188	·017	0	·272	·289	1·8	20·0
	West Middlesex - { February 6th, Cab Rank, Portland-road. }	6·8	30·40	·210	·021	0	·275	·296	1·8	20·0
	Southwark - - - { February 6th, Cab Rank, Bricklayers Arms, Old Kent-road. }	6·8	29·74	·286	·025	0	·283	·308	1·9	19·1
	Grand Junction - { February 6th, Cab Rank, Uxbridge-rd., near Marble Arch. }	6·0	30·14	·314	·033	0	·278	·311	2·0	19·1
	Lambeth - - - { February 6th, Cab Rank, St. George's- road, Southwark. }	6·4	27·26	·179	·019	0	·219	·238	1·8	18·6
	LEA.									
Outer Circle.	New River - - - { February 6th, Cab Rank, Tottenham Court-road. }	5·9	31·32	·080	·012	0	·361	·373	1·7	22·1
	East London - - { February 6th, Fire Brigade Station, Commercial-road, E. }	6·0	36·70	·200	·019	0	·402	·421	2·2	22·7
	DEEP WELLS.									
	Kent - - - - { February 6th, Greenwich Police Station, Blackheath-road. }	12·0	35·40	·024	·006	0	·416	·422	2·5	26·5
	Colne Valley - - { February 19th, Bushey. }	—	13·96	·054	·012	0	·376	·388	1·7	4·6
	Tottenham - - { February 18th, Tottenham. }	—	35·34	·055	·012	·050	0	·053	2·2	20·0
	Corporation of Birming- ham* - - - - { February 3rd, 5, Court Nelson-street. }	7·8	31·02	·078	·019	·002	·253	·275	2·1	18·8
	Corporation of Glasgow† - - - - { February 15th, Loch Katrine Water. }	4·8	2·90	·136	·020	0	·006	·026	·7	·9
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, Medical Officer of Health and Analyst to the Borough.

† Analysed by Dr. E. J. Mills, F.R.S., of Anderson's College, Glasgow.

The numbers in columns 4–11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 6th February at the Horseguards cab-rank, had a temperature of 5·9 C.; 100,000 lbs. of it contained 31·04 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·188 lb. of carbon and ·017 lb. of nitrogen. The above quantity of water also contained no ammonia, and ·272 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·289 lb. The above weight of water also contained 1·8 lbs. of chlorine; and 20·0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY IN 28 GREAT TOWNS, during the Week ending 7th March, 1885.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the Year 1885.	Registered during the Week ending 7th Mar., 1885.		The DEATHS registered in the Week include										Deaths of				Deaths from												Annual Rate per 1000, corresponding to the Week's Deaths				TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 1 to 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Dysentoea.	Violence.		Inquest Cases.		Deaths in Public Institutions.	Unidentified (Causes of Death).	From All Causes.	From Injuries (Cases in Col. 6-12).	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean.		Centigrade.	In Inches.	In Centi- meters.													
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.															
28 TOWNS.	8,906,446	5826	3515	851	779	23	133	42	24	112	33	28	100	204	565	93	20.6	2.3	55.9	24.2	38.8	3.78	0.73	1.85	- 28 TOWNS.															
LONDON.	4,083,928	2623	1405	326	345	16	52	15	15	37	10	7	40	85	335	24	19.1	1.9	55.9	29.2	40.3	4.61	0.60	1.52	LONDON.															
BRIGHTON.	114,672	75	26	2	9	-	-	1	-	-	-	-	1	1	5	-	11.8	0.5	52.7	33.0	41.4	5.22	1.02	2.59	BRIGHTON.															
PORTSMOUTH.	134,659	73	53	13	13	-	2	-	-	-	-	3	3	5	10	-	22.9	1.9	-	-	-	-	-	-	PORTSMOUTH.															
NORWICH.	91,215	67	38	7	15	-	-	-	-	1	3	1	5	6	4	1	21.7	2.9	-	-	-	-	-	-	NORWICH.															
PLYMOUTH.	76,045	39	23	8	9	-	-	-	-	1	1	1	1	1	2	-	15.8	2.1	53.8	35.5	44.4	6.89	0.63	1.60	PLYMOUTH.															
BRISTOL.	213,169	139	91	25	21	-	7	2	-	10	-	-	2	6	10	4	21.8	4.8	52.8	30.4	40.8	4.89	0.51	1.30	BRISTOL.															
WOLVERHAMPTON.	79,185	57	23	2	9	-	-	2	-	1	-	-	2	2	6	-	15.2	2.0	53.1	24.2	37.1	2.84	0.24	0.61	WOLVERHAMPTON.															
BIRMINGHAM.	427,769	297	145	49	23	1	1	-	1	10	1	4	9	19	15	4	17.7	2.2	-	-	-	-	-	-	BIRMINGHAM.															
LEICESTER.	136,147	91	58	21	16	-	1	-	1	1	1	-	1	8	6	1	22.2	1.5	-	-	-	-	-	-	LEICESTER.															
NOTTINGHAM.	211,424	173	99	17	23	-	-	-	-	3	1	1	5	7	9	3	24.4	1.2	53.4	31.1	39.0	3.89	0.30	0.76	NOTTINGHAM.															
DERBY.	89,691	57	31	6	10	-	-	-	-	-	-	-	-	3	2	1	16.8	0.0	-	-	-	-	-	-	DERBY.															
BIRKENHEAD.	93,693	71	30	6	3	1	-	-	-	2	-	-	-	2	2	1	16.8	2.2	-	-	-	-	-	-	BIRKENHEAD.															
LIVERPOOL.	578,724	355	260	55	46	2	4	2	1	6	3	4	7	9	50	14	22.5	2.0	-9.0	31.7	39.3	4.08	0.63	1.60	LIVERPOOL.															
BOLTON.	110,085	78	61	9	21	-	1	-	-	-	-	-	1	4	5	2	28.9	0.5	50.3	27.4	36.7	2.61	1.04	2.64	BOLTON.															
MANCHESTER.	337,342	233	174	40	34	2	3	1	-	7	2	-	4	14	31	3	26.9	2.3	-	-	-	-	-	-	MANCHESTER.															
SAFORD.	204,075	139	76	19	19	-	-	1	-	3	-	1	1	1	10	5	19.4	1.3	-	-	-	-	-	-	SAFORD.															
OLDHAM.	126,300	92	54	14	8	-	-	1	-	3	1	-	-	-	5	5	22.3	2.1	-	-	-	-	-	-	OLDHAM.															
BLACKBURN.	112,574	81	41	14	8	-	-	-	-	-	3	3	2	2	1	-	19.0	2.8	-	-	-	-	-	-	BLACKBURN.															
PRESTON.	100,406	71	56	18	12	-	-	-	-	-	3	1	1	1	2	1	29.1	3.6	48.0	30.0	38.2	3.44	0.88	2.24	PRESTON.															
HUDDESFIELD.	87,327	63	33	9	2	-	-	3	-	-	-	-	1	1	1	1	19.7	1.8	-	-	-	-	-	-	HUDDESFIELD.															
HALEFAX.	77,378	31	29	4	8	-	-	1	1	-	-	-	-	-	-	2	19.6	1.3	-	-	-	-	-	-	HALEFAX.															
BRADFORD.	214,431	116	89	16	22	-	-	1	-	6	-	-	1	5	7	2	21.7	1.7	48.6	30.2	37.5	3.03	0.89	2.26	BRADFORD.															
LEEDS.	333,139	216	122	31	33	-	7	-	-	8	-	1	5	9	7	5	19.1	2.7	49.0	31.0	37.8	3.23	0.87	2.21	LEEDS.															
SHEFFIELD.	305,716	200	103	34	19	-	1	2	-	2	2	-	1	3	16	6	17.6	1.2	50.0	28.0	37.2	2.89	0.67	1.70	SHEFFIELD.															
HULL.	186,292	108	52	18	12	-	-	-	-	-	-	-	1	-	5	2	14.6	0.3	49.0	26.0	36.5	2.60	1.18	3.00	HULL.															
SUNDERLAND.	125,327	102	101	24	12	1	42	-	-	-	1	-	1	3	4	3	42.1	18.7	46.0	30.0	36.8	2.67	0.79	2.01	SUNDERLAND.															
NEWCASTLE.	153,509	108	86	18	18	-	3	2	2	1	3	-	3	5	7	2	29.3	3.7	-	-	-	-	-	-	NEWCASTLE.															
CARDIFF.	97,634	71	70	21	9	-	13	1	1	6	-	-	2	4	8	1	37.6	11.3	-	-	-	-	-	-	CARDIFF.															
EDINBURGH.	250,616	138	89	19	22	-	-	-	3	2	1	-	2	?	14	14	18.5	1.2	45.7	29.0	37.3	2.95	0.33	0.84	EDINBURGH.															
GLASGOW.	519,965	387	270	64	32	-	17	11	1	9	4	5	3	?	40	43	29.1	4.7	47.5	26.0	38.2	3.44	0.04	0.10	GLASGOW.															
DUBLIN.	353,082	194	221	38	44	-	10	4	-	4	6	3	1	3	69	29	32.7	4.0	48.7	27.7	40.1	4.50	0.70	1.78	DUBLIN.															

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the NINTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2530	2504	2498	2441	2602	2777	2620	2589	2773	2751	2844.5	2623
Males . .	1319	1268	1274	1221	1350	1446	1348	1291	1386	1407	1451.4	1378
Females .	1211	1236	1224	1220	1252	1331	1272	1298	1387	1344	1393.1	1245
TOTAL Deaths	1880	1544	1529	1637	1771	1607	1633	1790	1590	1483	1795.3	1495
Males . .	1001	770	778	816	917	810	850	868	795	768	913.0	751
Females .	879	774	751	821	854	797	783	922	795	715	882.3	744

* The numbers in this column are the average weekly numbers in the ninth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Feb. 7.
TOTAL Births	2614	2691	1832	3283	2816	2876	2803	2727	2806	2913	2526	2709	2623
TOTAL Deaths	1638	1595	1490	1918	1956	1855	1807	1886	1592	1525	1497	1569	1495
0-20	695	721	571	796	666	715	693	723	639	634	686	718	692
20-40	221	216	215	261	252	261	251	259	220	208	196	202	204
40-60	294	280	248	331	402	360	363	345	289	290	279	285	254
60-80	347	304	338	429	511	411	404	449	370	328	278	297	293
at 80 years & upwards.	81	74	58	101	125	108	96	110	74	65	58	67	52
Deaths of children													
Under 1 year	327	346	284	406	334	354	380	378	307	320	330	364	356
1-5	238	262	198	248	225	261	206	239	227	218	257	243	256
5-20	130	113	89	142	107	100	107	106	105	96	99	111	80
Deaths from Small-pox*	69	44	34	56	42	70	58	59	60	56	44	37	27
" Measles	23	33	20	22	14	27	20	16	16	28	31	29	52
" Scarlet Fever	22	26	16	28	16	21	18	19	18	17	14	16	15
" Diphtheria	27	28	20	28	26	14	12	15	19	16	14	16	15
" Whooping-cough	31	31	22	33	38	40	49	60	41	50	43	45	37
" Typhus	-	1	1	-	-	-	1	2	-	-	-	-	-
" Enteric fever	15	15	9	11	15	8	9	13	6	10	13	8	7
" Simple Cont'd fever	1	4	1	-	1	1	-	1	-	1	1	2	3
" Diarrhoea and Dysentery	6	9	7	15	11	8	8	12	9	6	11	9	7
" Cholera	-	-	-	1	-	1	-	-	-	-	-	-	-
Deaths from the above-mentioned Diseases*	194	191	130	194	163	190	175	196	171	184	171	162	163
" Dis. of Respiratory System	457	416	370	537	609	552	513	556	421	383	343	384	374
" Phthisis	163	159	159	198	200	186	180	199	145	161	168	168	179
" Dis. of Circulatory System	121	109	132	127	169	155	153	154	122	118	105	127	112
Violent Deaths	56	50	36	94	57	66	66	53	47	42	70	50	40
Inquest Cases	117	116	101	198	144	134	143	132	109	91	133	114	85
Deaths in Public Institutions	366	348	300	420	444	408	425	402	356	352	348	322	335
TEMPERATURE OF THE AIR:													
Mean	46.5	41.2	36.5	33.2	38.0	35.1	31.9	43.6	43.6	46.2	40.0	45.8	40.3
Mean of Highest readings	50.8	47.0	38.8	35.7	42.7	37.5	35.2	48.4	49.5	51.3	45.1	51.7	48.0
Mean of Lowest readings	41.6	35.1	34.1	30.3	31.9	32.5	27.7	38.7	37.6	41.0	36.0	39.9	34.1
Humidity of the Air	87	84	85	88	92	83	91	90	84	88	86	88	86
Rain-fall in inches	0.68	0.81	0.03	0.00	0.57	0.27	0.00	0.58	0.61	0.25	0.94	0.55	0.60
Registered Sunshine (in hours)	1.2	6.1	2.4	0.0	7.1	1.4	2.9	5.5	9.7	8.6	10.5	9.0	16.3

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.; F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filler, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the NINTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 9th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 7th March, 1885.										CAUSES OF DEATH.	Corrected Averages for the 9th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 7th March, 1885.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.												ALL AGES.									
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	0-1.	1-5.	5-20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
ALL CAUSES - -	1705*3	1495	356	256	80	204	254	293	52	Diseases of Organs of Special Sense † - -	3*0	3	-	1	1	1	-	-	-				
Small-pox { Vaccinated †	28*5 {	5	-	-	-	4	-	1	-	Diseases of Circulatory System - - -	100*8	112	1	-	9	24	28	46	4				
Unvaccinated		2	-	-	1	1	-	-	-	Croup - - -	16*6	14	1	11	2	-	-	-	-				
No Statement		9	-	1	4	3	1	-	-	Bronchitis - - -	308*5	239	63	59	7	4	30	67	9				
Measles - - -	30*8	52	13	35	3	1	-	-	-	Pneumonia - - -	97*7	80	20	24	3	12	11	8	2				
Scarlet Fever - -	34*2	15	-	8	7	-	-	-	-	Pleurisy - - -	6*1	9	1	5	-	-	2	1	-				
Typhus - - -	1*9	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - -	51*3	32	7	4	-	1	11	7	2				
Relapsing Fever † -	0*0	-	-	-	-	-	-	-	-	Dentition † - - -	17*3	19	10	9	-	-	-	-	-				
Influenza - - -	0*8	-	-	-	-	-	-	-	-	Quinsy, Sore Throat † -	2*0	2	-	2	-	-	-	-	-				
Whooping-cough -	90*4	37	15	22	-	-	-	-	-	Enteritis - - -	4*9	8	2	1	-	1	2	1	1				
Diphtheria - - -	10*1	15	1	9	4	1	-	-	-	Peritonitis - - -	5*9	4	-	-	1	-	2	1	-				
Simple Continued and Ill-defined Fever -	3*3	3	-	-	1	-	1	1	-	Diseases of Liver - -	32*9	29	3	-	-	1	16	8	1				
Enteric Fever - -	14*4	7	-	1	-	5	-	1	-	Other Diseases of Digestive System -	27*9	23	5	4	-	7	3	4	-				
Cholera - - -	0*1	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands † - -	0*3	-	-	-	-	-	-	-	-				
Diarrhoea, Dysentery	16*9	7	3	1	-	-	-	3	-	Diseases of Urinary System - - -	57*9	30	-	1	2	4	9	12	2				
Remittent Fever † -	0*3	-	-	-	-	-	-	-	-	Diseases of Generative System - - -	7*0	9	-	-	-	3	2	4	-				
Hydrophobia - -	0*1	-	-	-	-	-	-	-	-	Accidents of Childbirth -	6*7	4	-	-	-	3	1	-	-				
Blanders - - -	0*2	-	-	-	-	-	-	-	-	Diseases of Locomotive System † - - -	11*0	7	-	-	2	-	4	1	-				
Cowpox and Effects of Vaccination † - -	0*0	-	-	-	-	-	-	-	-	Diseases of Integumentary System - -	7*9	11	4	-	-	1	2	4	-				
Veneral Affections -	11*7	8	6	-	-	1	1	-	-	VIOLENT DEATHS. §													
Erysipelas - - -	7*7	9	2	1	-	2	2	2	-	(ACCIDENT.)													
Pymia and Septicæmia †	3*7	5	2	-	-	1	1	1	-	Fracture and Contusion	20*1	9	1	1	1	1	2	3	-				
Puerperal Fever - -	5*6	5	-	-	4	1	-	-	-	Gunshot Wound - - -	0*1	-	-	-	-	-	-	-	-				
Other Zymotic Diseases †	2*0	1	-	-	1	-	-	-	-	Cut, Stab - - -	0*5	-	-	-	-	-	-	-	-				
Thrush - - -	3*1	3	3	-	-	-	-	-	-	Burn and Scald - - -	6*7	1	1	2	1	-	-	1	-				
Worms and other Parasitical Diseases - -	0*5	-	-	-	-	-	-	-	-	Poison - - -	1*1	2	-	-	-	2	-	-	-				
Starvation, Want of Breast-milk † - -	2*3	-	-	-	-	-	-	-	-	Drowning - - -	4*0	4	-	-	1	2	-	1	-				
Alcoholism - - -	2*7	2	-	-	-	-	2	-	-	Suffocation - - -	15*5	11	11	-	-	-	-	-	-				
Rheumatic Fever and Rheumatism of Heart	10*1 {	12	-	-	-	6	5	1	-	Otherwise - - -	2*7	2	2	-	-	-	-	-	-				
Rheumatism - - -		1	-	-	-	-	-	1	-	(HOMICIDE.)													
Gout - - -	4*7	1	-	-	-	-	-	1	-	Murder & Manslaughter	1*3	1	-	-	1	-	-	-	-				
Rickets † - - -	2*0	4	2	2	-	-	-	-	-	(SUICIDE.)													
Cancer - - -	43*3	44	-	1	-	3	23	10	2	Gunshot Wound - - -	0*7	-	-	-	-	-	-	-	-				
Tubercle Mesenterica	28*5	15	8	5	-	1	-	1	-	Cut, Stab - - -	1*3	2	-	-	-	2	-	-	-				
Tubercular Meningitis	31*5	24	11	11	2	-	-	-	-	Poison - - -	1*0	1	-	-	-	-	1	-	-				
Phthisis - - -	181*5	179	5	8	14	95	47	10	-	Drowning - - -	1*8	1	-	-	-	-	-	-	-				
Scrophula, Tuberculosis	14*8	9	4	3	2	-	-	-	-	Hanging - - -	1*5	2	-	-	1	1	-	-	-				
Other Constitutional Diseases † - -	9*7	12	2	1	-	1	4	4	-	Otherwise - - -	0*3	-	-	-	-	-	-	-	-				
Premature Birth - -	30*6	40	40	-	-	-	-	-	-	(EXECUTION.)													
Atelectasis † - -	2*0	2	2	-	-	-	-	-	-	Hanging - - -	0*0	-	-	-	-	-	-	-	-				
Congenital Malformations	6*2	9	9	-	-	-	-	-	-	OTHER CAUSES † - -	60*7	55	40	3	-	-	2	9	1				
Old Age - - -	61*0	35	-	-	-	-	1	19	15														
Apoplexy - - -	51*7	48	1	1	-	3	15	23	5														
Epilepsy - - -	3*4	7	-	-	1	2	2	2	-														
Convulsions - - -	59*4	52	46	6	-	-	-	-	-														
Other Diseases of Brain and Nervous System	54*0	86	9	13	8	3	12	34	7														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9*045 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

¶ Exclusive of 11 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- merated, Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Deaths in Public Institutions.	Un- certified Deaths.
					Deaths of		Deaths from													
					Infants under 1 Year of Age.	Persons aged 15 Years and up- wards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.			
LONDON		3,816,483	2623	1495	356	345	16	52	15	15	37	-	7	3	7	40	85	335	1	
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		69888	40	29	9	7	-	2	-	1	2	-	-	-	-	-	-	-	4	
St. John Paddington H - - - G.J.		37390	21	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town Ww - - - W.M.		120141	75	50	8	20	-	4	-	-	2	-	1	-	-	1	2	16	3	
Brompton H - - - W.M. & C.		43010	11	12	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Peter Hammersmith - - - W.M.		7599	5	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.		64340	48	17	6	5	-	-	-	-	-	-	-	-	-	2	4	1	1	
Fulham WwH - - - W.M. & C.		42900	47	16	4	3	1	-	-	-	1	-	-	-	-	-	1	3	-	
Chelsea South HHH - - - C.		30896	19	17	3	4	-	-	-	-	1	-	-	-	-	1	2	1	1	
Chelsea North-west WHHHH - C.		24925	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	
Chelsea North-east - - - C.		32607	29	15	6	2	-	-	-	2	-	-	-	-	-	-	-	-	-	
Hanover Square H - - - G.J.		16862	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
May Fair Ww - - - G.J.		13491	4	9	1	5	-	-	-	-	-	-	-	-	-	-	-	-	6	
Belgrave HH - - - C.		59220	20	28	4	4	-	-	-	-	1	-	-	-	-	-	-	-	12	
St. John Westminster HH - - C.		35496	30	18	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-	
St. Margaret Westminster H - C.		24679	20	10	1	4	-	-	-	-	-	-	-	-	-	-	-	2	-	
St. James Westminster WH N.R. & G.J.		29941	14	14	3	3	-	1	-	-	1	-	-	-	-	1	-	5	1	
St. Anne Soho HHHHH - - - N.R.		18668	10	5	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.		26759	17	17	3	3	-	-	-	-	-	-	-	-	-	1	1	8	1	
Cavendish Square HHH - - - W.M.		14891	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rectory Marylebone WH G.J. & W.M.		24890	11	14	2	2	-	1	-	1	-	-	-	-	-	-	-	2	3	
St. Mary Marylebone HHH G.J. & W.M.		21118	19	7	4	3	-	-	-	-	-	-	-	-	-	-	-	4	8	
Christchurch Marylebone H - W.M.		38700	24	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone H - - W.M.		33633	22	12	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead WwHHH - N.R. & W.M.		45452	17	16	1	2	4	-	-	-	1	-	1	-	-	-	-	7	-	
Regent's Park Paneras H - - W.M.		39115	13	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tottenham-court WHHHH N.R. & W.M.		27729	15	19	5	2	-	-	-	1	-	-	1	-	-	1	3	7	1	
Gray's Inn Lane HHH - - - N.R.		30247	19	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Somers Town H - - - N.R.		34369	19	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camden Town WH - - - N.R.		17311	13	15	3	5	-	-	-	-	-	-	-	-	-	1	1	10	-	
Kentish Town W - - - N.R.		67487	55	32	8	7	-	-	-	-	1	-	-	-	-	-	1	5	-	
Upper Holloway WwWwH - - N.R.		67946	43	35	5	10	2	-	-	5	2	-	-	-	-	-	-	16	-	
Islington South-west HH - - N.R.		100976	90	25	12	-	-	-	-	-	-	-	-	-	-	-	3	-	-	
Islington South-east - - - N.R.		61895	33	24	7	8	-	1	-	-	-	-	-	-	1	1	-	-	-	
Highbury H - - - N.R.		55048	24	17	4	4	1	3	-	-	-	-	-	-	-	-	1	1	-	
Stoke Newington H - - - N.R.		22781	18	6	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Stamford Hill - - - E.L.		9277	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
West Hackney - - - N.R.		37310	22	13	4	6	-	1	-	-	1	-	-	-	-	-	-	-	-	
Hackney WwWwHL - - - E.L. & N.R.		76911	65	47	10	10	3	1	4	-	3	-	-	-	1	-	2	14	-	
South Hackney - - - E.L.		39683	25	10	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																				
St. George Bloomsbury - - - N.R.		16681	8	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - - - N.R.		14854	6	9	-	6	-	-	-	-	-	-	-	-	-	-	-	8	-	
St. Giles North - - - N.R.		12837	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields HH N.R. & C.		17308	9	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary-le-Strand H - - - N.R.		7515	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. Clement Danes H - - - N.R.		8559	2	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George-the-Martyr HHHHHH N.R.		18671	14	6	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	
St. Andrew Eastern W - - - N.R.		10706	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Saffron Hill H - - - N.R.		6583	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	
St. James Clerkenwell - - - N.R.		17516	15	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - - - N.R.		19281	12	8	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	
Pentonville - - - N.R.		14773	9	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Goswell-street - - - N.R.		17506	18	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Old-street H - - - N.R.		11841	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
City-road HHL - - - N.R.		16628	18	6	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
Whitecross-street - - - N.R.		9217	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finsbury - - - N.R.		7463	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N.R. & E.L.		11174	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - - - N.R.		7193	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - - - N.R.		5358	4	18	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Bride W - - - N.R.		8396	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	4	18	
Allhallows Barking - - - N.R.		13666	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - - - N.R.		6632	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work house; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 7th March, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
					Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						</

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in too above Table by w:-

Marylebone Infirmary in Kensington Town sub-district.
 General London Sick Asylum in Tottenham Court-road sub-district.
 Holborn Infirmary in Upper Holloway sub-district.
 London City Workhouse in Hackney sub-district.
 Holborn " " Hoxton New Town sub-district.
 Whitechapel " " Mile End Old Town Eastern sub-dist.

London City Workhouse in Mile End Old Town Eastern sub-dist. and Bromley sub-district.
 Stepney " " Bromley sub-district.
 Poplar & Stepney Sick Asylum " " " "
 Westminster Union Industrial School in West Battersea sub-district.
 Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.

Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 7th March, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, Inclu- ding Tidal Water and Fore- shore.	Eneume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
LONDON—OUTER RING		370,282	950,178	788	419	100	95	21	11	5	6	3	2	3	8	17	41	4		
80:1	Carshalton <i>wL</i> - -	12228	21118	10	8	-	2	-	1	-	-	-	-	-	-	-	5	-		
2	Epsom (part of) * <i>WH</i>	9971	10710	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
87:1	Godstone (part of) * -	2754	1233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
88:1	Croydon <i>WwH</i> - -	20851	101241	51	31	6	7	1	2	1	-	2	-	-	-	-	2	1		
	Mitcham - -	11697	17982	17	12	5	1	-	-	-	1	1	-	1	-	-	-	-		
89:1	Wimbledon <i>HHH</i> -	3220	15950	10	9	2	2	1	-	-	-	-	-	-	-	-	1	-		
2	Kingston <i>WHH</i> -	8549	36354	22	13	2	2	-	-	-	1	-	-	-	-	-	-	1		
3	Esher (part of) * -	6601	9221	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
4	Hampton <i>H</i> - -	4573	13539	11	11	1	3	-	-	-	-	-	-	1	-	-	-	-		
40:1	Richmond <i>WH</i> - -	2272	21502	16	4	1	-	-	-	-	-	-	-	-	-	1	2	-		
2	Mortlake - -	941	12331	15	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
41:1	Bromley (pt. of) * <i>HH</i>	15669	81142	31	8	2	-	-	-	-	-	-	-	-	-	-	-	-		
2	Chislehurst (pt. of) * <i>WHH</i>	13665	15065	11	5	2	2	-	-	-	-	-	-	-	1	1	-	-		
42:1	Bexley <i>H</i> - - -	13437	24134	12	9	1	6	-	-	-	-	-	-	-	-	-	-	-		
124:1	Sunbury <i>w</i> - -	11055	11685	10	5	2	-	-	-	-	-	-	-	-	-	-	-	-		
2	Staines <i>W</i> - -	13277	12089	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
125:1	Hillingdon <i>WH</i> - -	6029	10802	7	3	1	4	-	1	-	-	-	-	-	-	-	-	-		
2	Uxbridge - -	6178	5225	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes <i>wHL</i> - -	14587	11523	9	6	-	2	-	-	-	-	-	-	-	1	1	4	-		
126:1	Isleworth <i>W</i> - -	7008	22727	14	8	-	2	-	-	-	-	-	-	-	1	1	-	-		
2	Twickenham <i>H</i> - -	2477	12479	8	7	1	2	-	-	-	-	-	-	-	-	-	-	-		
3	Brentford <i>HL</i> - -	4345	27649	21	4	1	-	-	-	-	-	-	-	-	1	1	-	-		
4	Chiswick - -	1340	15975	12	9	2	3	-	-	-	-	-	-	-	1	2	-	-		
5	Acton <i>wH</i> - -	6083	22876	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
127:1	Harrow <i>H</i> - -	13809	12796	8	10	4	1	-	-	-	-	1	-	-	-	1	-	-		
2	Edgware <i>H</i> - -	6994	3749	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-		
3	Willesden - -	4983	27453	32	10	5	-	-	-	-	-	-	1	-	-	-	-	-		
4	Hendon <i>W</i> - -	8382	10484	13	7	1	4	-	-	-	-	-	-	-	-	-	3	-		
128:1	South Mimms - -	15599	6391	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet <i>W</i> - -	5433	10092	7	6	1	2	-	-	-	-	-	-	-	-	-	5	-		
3	Finchley <i>HL</i> - -	4688	17615	13	7	2	1	-	-	-	-	-	-	-	-	-	2	-		
129:1	Hornsey <i>H</i> - -	3039	37078	24	15	4	1	-	2	-	-	2	-	-	-	3	-	-		
2	Tottenham <i>HH</i> - -	4642	46456	51	21	9	6	-	-	-	-	-	-	1	1	1	-	-		
3	Edmonton <i>Wwv</i> - -	7483	23463	18	18	-	6	1	-	1	-	-	-	-	-	1	8	-		
4	Enfield <i>WH</i> - -	12633	19104	11	7	2	3	-	-	-	-	1	-	-	-	-	-	-		
5	Waltham Abbey - -	11017	5363	3	7	2	2	-	-	-	-	-	-	-	-	-	-	1		
6	Cheshunt - -	8480	7735	7	6	1	2	-	-	-	2	-	-	-	-	-	-	-		
135:1	Hatfield (part of) *	3806	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137:1	Bushey - -	9331	6621	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
186:1	Stratford - -	832	38606	45	23	8	5	1	1	1	-	1	-	-	-	-	-	-		
2	West Ham <i>wvwwH</i> -	7351	101053	123	72	18	9	16	3	1	2	-	-	-	-	1	3	1		
3	Leyton <i>WwL</i> - -	4372	32430	31	12	4	1	-	-	1	-	-	1	-	1	1	4	-		
4	Walthamstow <i>wH</i> -	6520	28869	35	13	5	5	-	1	-	-	-	-	-	-	-	-	-		
187:1	Chigwell (part of) * <i>H</i>	11761	9639	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
189:1	Romford (part of) *	6730	3411	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford - -	8493	7645	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town - -	4127	9203	5	6	1	-	1	-	-	-	-	-	-	1	1	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
 80:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 87:1, the two parishes of Waringham and Farley in Godstone sub-district; 89:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chislefield (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 187:1, the whole of Chigwell sub-district, except the parish of Theydon-Bois (pop. 875); 189:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 7th March, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from													
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.					
GREATER LONDON	448,334	5,093,995	19·2	2·1	1914	456	440	37	63	20	21	45	12	10	48	376					
INNER LONDON -	78,052	4,019,361	19·1	1·9	1495	356	345	16	52	15	15	37	10	7	40	335					
OUTER RING -	370,282	1,074,634	19·6	2·6	419	100	95	21	11	5	6	8	2	3	8	41					

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,165,364 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	January 17	-	246	30·7	Small-pox 5; fevers 71; cholera 15.
BOMBAY - -	773,196	February 3	-	416	26·2	Fevers 121; cholera 3.
MADRAS - -	398,777	January 16	836	378	49·2	Cholera 17; fevers 102.
PARIS - - -	2,239,928	February 28	1224	1149	26·7	Meas. 35; dip. & croup 41; small-pox 4.
GENEVA - -	71,453	" 28	32	33	27·7	Diphtheria and croup 2.
BRUSSELS - -	412,965	" 21	293	195	24·9	Croup 7; diphtheria 2.
AMSTERDAM -	366,812	" 28	273	197	27·9	Whooping-cough 11; scar. fever 4.
ROTTERDAM -	166,001	" 28	138	123	37·7	Scarlet fever 3.
THE HAGUE -	134,552	" 28	110	83	32·1	Croup 2.
COPENHAGEN -	278,000	March 3	223	132	24·8	Whooping-cough 8; diphtheria 5.
STOCKHOLM -	190,115	February 21	132	128	35·0	Scarlet fever 7; diphtheria and croup 9.
CHRISTIANIA -	126,000	" 28	75	44	18·2	Diphtheria and croup 4.
ST. PETERSBURG	928,016	" 21	-	664	37·3	Typhus and typh. fev. 16; sm.-pox 4; diph. 15.
BERLIN - - -	1,266,511	" 14	898	547	22·5	Diphtheria 43; scarlet fever 4.
HAMBURG (State)	497,956	" 21	352	223	23·4	Scarlet fever 4; diphtheria and croup 8.
DRESDEN - -	241,500	" 21	134	118	25·4	Diphtheria 5.
BRESLAU - -	295,000	" 21	222	147	26·9	Diphtheria 2.
MUNICH - - -	244,000	" 28	185	171	36·4	Measles 5; scar. fever 4; diphtheria and croup 6.
VIENNA - - -	769,889	" 21	584	513	34·6	Sm.-pox 13; typhd. fev. 3.
PRAGUE - - -	272,333	" 28	-	172	33·0	Scarlet fever 4.
BUDA-PESTH -	416,474	" 14	252	238	28·8	Diphtheria and croup 3.
TRIESTE - - -	150,157	" 21	-	111	38·4	Small-pox 18; diphtheria and croup 6.
ROME - - -	324,649	January 24	217	184	29·6	Small-pox 7; typhoid fever 2.
NAPLES - - -	504,795	-	-	-	-	-
TURIN - - -	267,763	February 10	237	242	36·0	Small-pox 11; typhoid fever 6; diph. 8.
VENICE - - -	144,845	" 21	77	87	31·3	Small-pox 3.
MADRID - - -	475,063	" 8	-	-	-	-
LISBON - - -	203,681	January 31	-	-	-	-
ALEXANDRIA -	212,074	February 7	226	140	31·5	Typh. and typhd. fev. 3; whooping-cough 5.
NEW YORK - -	1,356,958	" 7	-	775	29·8	Measles 30; diphtheria 28; scarlet fever 16.
BROOKLYN - -	665,602	" 7	-	270	20·2	Diphtheria 9; croup 11.
PHILADELPHIA -	927,995	" 14	-	437	24·6	Typhoid fever 15; diphtheria 17.
BALTIMORE - -	408,520	" 14	-	165	21·1	Diphtheria 3; typhoid fever 4.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 7th MARCH, 1885.
[Under the Superintendence of the Astronomer Royal.]

1885. MONTH AND DAY.	Phases of Moon.	MOON.		METEOR.		READINGS OF THERMOMETERS.										DIFFERENCE				WIND.				RAIN.			
		Moon.	Sun.	in.	out.	Low.	High.	Mean.	Dew Point.	Highest in the month as shown by anemometer.	Lowest in the month as shown by anemometer.	In the Water of the Thames at Deptford. Registering Thermometers.	Between Dow Point Temperature and Air Temperature.		Between mean tem- perature of human body and mean temperature of the same day on an average by 100. years.	Degree of In- crease or decrease in the complete range of the thermo- meter being repre- sented on an average for 100 years.	General Direction.	As deduced from Anemometers.	Collected from Gauge whose receiving surface is from above the ground.								
													Low.	High.						Mean.	Least.	Greatest.	P.M.		Great- est.	Amount of Horizontal Motion of Air each day.	Robinson's.
MARCH.	1	Full	29-986	46-2	32-9	18-3	37-9	34-8	103-0	30-6	43-8	44-2	3-1	10-3	0-0	- 2-4	89	NNE.&NE. ENE.&ESE. & SE.	lbs. 2-2 0-0 0-0	Miles. 216 -113 -147	Inches 0-0 0-00 4-7						
	2	Equinox	29-871	46-0	30-3	15-7	37-8	32-8	95-3	23-8	43-3	44-3	5-0	13-0	0-0	- 2-6	92	ENE.&ESE. SE.&ESE. & SE.	lbs. 1-4 0-0 0-1	Miles. 154 -147 154	Inches 0-0 0-00 4-7						
	3	TUES.	29-872	45-1	34-2	10-9	40-6	39-2	55-6	29-6	41-8	41-7	1-4	5-0	0-7	+ 0-1	94	ESE.&SE. SE.&SSE. SW.&SW.	lbs. 4-0 0-0 0-5	Miles. 274 - 59 317	Inches 0-34 17-8 0-06						
	4	WED.	29-318	55-9	40-2	15-7	47-0	40-2	108-7	37-4	42-9	43-9	6-8	15-6	0-0	+ 6-5	77	WSW. WSW.&SW. SW.&NNW.	lbs. 3-7 0-0 3-2	Miles. 1-1 241 - 95	Inches 0-06 0-00 0-00						
	5	THURS.	29-317	54-4	35-9	18-5	44-9	40-1	92-7	29-0	41-3	43-9	4-8	10-8	0-0	+ 4-4	83	NNE.&SE. NNW. NNE.&NE.	lbs. 5-2 0-0 1-3	Miles. 389 + 53 - 175	Inches 0-20 0-20 0-00						
	6	FRI.	29-226	44-1	35-8	8-3	38-4	35-8	64-3	34-1	44-8	41-7	2-6	5-1	1-0	- 2-1	91	NNE.&NE. NE.&NNW. NE.&SSW.	lbs. 3-9 0-0 0-2	Miles. 160 -175 0-00	Inches 0-20 0-20 0-00						
	7	SAT.	29-826	44-6	29-2	15-4	35-7	31-4	89-6	22-6	41-2	43-9	4-3	12-1	0-0	- 4-9	84	NE.&NNE. NE.&NNW. NE.&SSW.	lbs. 3-9 0-0 0-2	Miles. 160 -175 0-00	Inches 0-20 0-20 0-00						
	8	SUN.	29-559	48-0	34-1	14-0	40-3	36-3	87-0	29-6	44-6	41-2	4-0	10-3	0-2	- 0-1	86	Variable.	..	Sum 1781	Sum 0-60	Inches 3-4					
	9	MEANS	29-559	48-0	34-1	14-0	40-3	36-3	87-0	29-6	44-6	41-2	4-0	10-3	0-2	- 0-1	86	Variable.	..	Sum 1781	Sum 0-60	Inches 3-4					
	10	No of Col.	8	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sum above Horizon, in hours.	SKY AND ATMOSPHERE.	The height of the osiem of the barometer is considered to be 169 feet above the mean level of the sea.
SUNDAY	1 m. P. throughout	3-9	10-8	Fine; generally cloudy till evening; clear at night.	Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of correction factors derived from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glashier's Hygrometrical Tables.
MONDAY	2 s. P. in morning; m. P. afterwards.	2-0	10-9	Cloudy throughout.	The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1868.
TUESDAY	3 m. P. till 10h. A.M.; v. N. generally after- wards.	0-0	11-0	Overcast. Frequent rain.	In reading the 17th and 25th columns it will be borne in mind that + is read " <i>higher</i> ," and - " <i>lower</i> ," than the average.
WEDNESDAY	4 m. N. till 2h. A.M.; m. P. till noon; v. P. afterwards.	4-8	11-1	Rain in early morning; fine and partially cloudy afterwards.	The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Doptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.
THURSDAY	5 m. P. in morning; v. P. afterwards.	2-1	11-1	Cloudy throughout.	The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
FRIDAY	6 v. P. till 10h. A.M.; v. N. and v. P. after- wards.	0-0	11-2	Overcast. Rain fell in afternoon and evening.	The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggre- gate duration of bright sunshine on each day.
SATURDAY	7 m. P. in morning; v. P. afterwards.	3-5	11-2	Fine with variable amounts of cloud till evening; cloudless at night. Slight fog in evening.	The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.
		Sum	Sum		The reading of the barometer increased from 29-91 in. at the beginning of the week to 29-00 in. by 10h. A.M. on the 1st; decreased to 29-17 in. by 9h. P.M. on the 3rd; increased to 29-39 in. by 9h. A.M. on the 5th; decreased to 29-08 in. by 9h. A.M. on the 6th; and increased to 29-84 in. by the end of the week.
No. of Col.	28	29	30		

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the thermometric records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1883 for the thermometers. With the corrected mean readings of the dry bulb thermometers, combined with the corrected mean of the reading of the maximum and minimum thermometers, form the mean daily value (column 8). The mean daily wet bulb thermometers by Glaisher's Hygrometrical Tables, from a discussion of the photographic records made at Greenwich during the 20 years ending 1883.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering instrument. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer observed from 29-91 in. at the beginning of the week to 30-00 in. by 10h. A.M. on the 1st; decreased to 29-17 in. by 9h. P.M. on the 3rd; increased to 29-39 in. by 9h. A.M. on the 5th; decreased to 29-03 in. by 9h. A.M. on the 6th; and increased to 29-84 in. by the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 10. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, MARCH 14. [Price 1½d.

General Register Office, Somerset House,
16th March, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 22·1 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the past four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.		Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.
Birkenhead	15·7	20·2	16·8	13·5	Liverpool -	22·7	25·7	22·5	25·6
Birmingham	21·0	19·4	17·7	19·4	London -	19·1	20·0	19·1	21·4
Blackburn -	23·2	21·3	19·0	22·7	Manchester -	23·8	24·6	26·9	28·6
Bolton -	23·2	25·6	28·9	19·9	Newcastle-on-Tyne	27·6	30·3	29·3	27·6
Bradford	17·0	18·7	21·7	19·5	Norwich -	21·2	29·2	21·7	22·9
Brighton -	11·8	19·6	11·8	16·8	Nottingham -	20·0	23·9	24·4	25·2
Bristol -	21·5	24·4	21·8	23·4	Oldham -	24·8	18·6	22·3	33·9
Cardiff -	33·3	31·7	37·6	20·4	Plymouth -	17·2	26·8	15·8	22·0
Derby -	19·2	22·1	18·0	18·0	Portsmouth -	19·0	13·9	22·9	15·5
Halifax -	19·6	16·9	19·6	22·9	Preston -	33·8	32·2	29·1	22·3
Huddersfield	26·9	14·3	19·7	20·9	Salford -	20·2	26·8	19·4	19·2
Hull -	17·4	15·7	14·6	16·0	Sheffield -	20·3	21·8	17·6	20·7
Leeds -	19·4	19·7	19·1	19·9	Sunderland -	37·9	29·6	42·1	48·3
Leicester -	20·3	18·4	22·2	20·7	Wolverhampton -	16·5	20·4	15·2	23·1

The highest annual death-rates from whooping-cough, measured by last week's mortality, were 1·6 in Preston, and 2·9 in Bristol; from measles, 1·8 in Huddersfield, 2·2 in Cardiff, and 18·7 in Sunderland; from scarlet fever, 1·3 in Halifax, and 2·0 in Wolverhampton; and from "fever," 2·3 in Norwich. The epidemic of measles in Sunderland is of exceptional severity; 175 deaths from this disease having been registered in that town during the past six weeks, corresponding to an annual rate of 12·1 per 1000. The 20 deaths from diphtheria in the twenty-eight towns last week included 8 in London, 3 in Liverpool, 2 in Nottingham, and 2 in Oldham. Small-pox caused 45 deaths in London and its outer ring of suburban districts, 3 in Manchester, one in Bradford, and one in Cardiff.

LONDON.

In LONDON 2737 BIRTHS and 1678 DEATHS were registered. Allowing for increase of population, the births were 173, and the deaths 154, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·0 and 19·1 in the two preceding weeks, rose last week to 21·4. During the first ten weeks of the current quarter the death-rate averaged 21·5 per 1000, against 24·2, the mean of the rates in the corresponding periods of the nine years 1876-84.

The 1678 deaths included 22 from small-pox, 51 from measles, 7 from scarlet fever, 8 from diphtheria, 49 from whooping-cough, 2 from typhus, 8 from enteric fever, 14 from diarrhoea and dysentery, and not one either from an ill-defined form of continued fever, or from cholera; thus, 161 deaths were referred to these diseases, being 64 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had declined in the five preceding weeks from 41 to 16, were 22 last week, and 5 below the corrected weekly average. These 22 deaths, however, are exclusive of 13 London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the 35 fatal cases, 28 were recorded in the Metropolitan Asylum

Hospitals in and around London, 1 in the Highgate Small-pox Hospital, and 6 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 4 belonged to Islington, 3 to Hackney, 4 to Poplar, and 3 to Camberwell. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the three preceding weeks from 1223 to 988, had further fallen to 898 on Saturday last; the admissions were 104 last week, against numbers declining from 255 to 94 in the four previous weeks. The Highgate Small-pox Hospital contained 92 patients on Saturday last, 16 cases having been admitted during the week.

The fatal cases of *measles*, which had been 29 and 52 in the two preceding weeks, were 51 last week, and exceeded the corrected weekly average by 17; 4 belonged to Islington, 6 to Hackney, 6 to Shoreditch, 5 to Poplar, 4 to Bermondsey, and 4 to Greenwich. The deaths from *scarlet fever* further declined to 7 last week, from numbers ranging in the nine preceding weeks between 21 and 14, and were 25 below the corrected average; 2 belonged to St. George-in-the-East, and 2 to Poplar. The Metropolitan Asylum Hospitals contained 251 scarlet fever patients on Saturday last, showing a further decline from recent weekly numbers; 19 cases were admitted, against 22 in each of the two previous weeks. The 8 deaths from *diphtheria* were fewer than those registered in any week since the middle of May last, and were 3 below the corrected average; 2 belonged to Islington, and 2 to Greenwich. The fatal cases of *whooping-cough*, which had been 45 and 37 in the two previous weeks, rose to 49 last week, but were 36 below the corrected average; 6 belonged to Pancras, 4 to Kensington, and 5 to Wandsworth. The 14 deaths attributed to *diarrhoea* and *dysentery* exceeded the numbers in recent weeks, and corresponded with the corrected average; 9 were of infants under one year of age.

The deaths referred to *enteric fever*, which had been 8 and 7 in the two preceding weeks, were 8 last week, and but half the corrected weekly average; 2 belonged to the Wandsworth sanitary area. The 2 deaths attributed to *typhus* were of a labourer, aged 18 years, in Holloway Prison; and of a labourer, aged 42 years, at 73, Broad Street, Stepney. The Metropolitan Asylum Hospitals contained 52 cases of enteric fever, and 28 of typhus, on Saturday last; 3 cases of enteric fever, and 2 of typhus were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 384 and 374 in the two preceding weeks, rose last week to 455, but were 30 below the corrected weekly average.

Different forms of violence caused 75 deaths; 68 were the result of negligence or accident, among which were 28 from fractures and contusions, 8 from burns and scalds, 4 from drowning, and 23 of infants under one year of age from suffocation. The 28 deaths from fractures and contusions were thus returned:—females, aged 38 and 64 years, run over by van; male 64, run over by cart; female 38, run over by cab; female 74, run over in street; male 35, fell from van while loading; male 39, run over on South-Eastern Railway; male 64, run over on Chatham and Dover Railway; males 14, 28, caught in machinery; male 75, by fracture of fly-wheel; male 77, fell in street; male 57, females 48, 68, 74, fell down stairs; male 26, fell from bridge at glueworks; males 39, 59, fell from scaffold; male 34, fell from ladder; male 87, female 2, fell from bed; male 52 (intoxicated), fell from bench; males 44 (intoxicated), 47, by fall; male 32, knocked down in fight; males 56 and 75, by fracture. An inquest was held in each of these 28 cases. Four cases of suicide were registered.

GREATER LONDON.

In Greater London 3513 births and 2065 deaths were registered, equal to annual rates of 35·3 and 20·7 per 1000 of the population. In the Outer Ring 23 fatal cases of small-pox, and 15 of whooping-cough were registered. The 23 deaths from small-pox, included 20 in West Ham district; of these, 4 occurred in the Metropolitan Asylum Hospital at Plaistow, and 16 were local cases. Seven fatal cases of whooping-cough occurred in Edmonton district, and 3 in Croydon and in Harrow sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 30·16 in.; the lowest reading was 29·66 in. on Sunday evening, and the highest 30·43 in. on Saturday at noon. The mean temperature of the *air* was 38°·2, and 2°·6 below the average in the corresponding week of the 20 years ending 1868. The mean showed a slight excess on Friday, but was below the average on each of the other days of the week. The general direction of the *wind* was N.E., and the horizontal movement of the air averaged 12·4 miles per hour, which was 1·2 miles below the average in the corresponding week of 16 years. *Rain* fell on Monday, to the aggregate amount of 0·01 of an inch. The duration of registered bright sunshine in the week was 15·6 hours, against 25·8 hours at Glynde Place, Lewes.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the TENTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2509	2557	2543	2691	2736	2848	2831	2740	2480	2754	2910·3	2737
Males . .	1240	1296	1306	1388	1379	1492	1450	1359	1304	1411	1485·7	1367
Females .	1269	1261	1237	1303	1357	1356	1381	1381	1176	1343	1424·6	1370
TOTAL Deaths	1847	1455	1782	1580	2023	1442	1590	1793	1648	1639	1831·9	1678
Males . .	945	729	913	828	987	737	796	893	882	892	931·5	854
Females .	902	726	869	752	1036	705	794	900	766	807	900·4	824

* The numbers in this column are the average weekly numbers in the tenth week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

			Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	
TOTAL Births	-	-	2631	1832	3283	2816	2876	2803	2727	2806	2913	2526	2709	2623	2737	
TOTAL Deaths	-	-	1595	1430	1918	1956	1855	1807	1886	1592	1525	1497	1569	1495	1678	
0-20	-	-	721	571	796	666	715	693	723	639	634	686	718	692	793	
20-40	-	-	216	215	261	252	261	251	259	220	208	196	202	204	211	
40-60	-	-	280	248	331	402	360	363	345	289	290	279	285	254	269	
60-80	-	-	304	338	429	511	411	404	449	370	328	278	297	293	351	
at 80 years & upwds.	-	-	74	58	101	125	108	96	110	74	65	58	67	52	54	
Deaths of children	{	Under 1 year	-	346	284	406	334	354	380	378	307	320	330	364	356	424
		1-5	-	262	198	248	225	261	206	239	227	218	257	243	256	273
		5-20	-	113	89	142	107	100	107	106	105	96	99	111	80	96
Deaths from Small-pox*	-	-	44	34	56	42	70	58	59	60	56	44	37	27	35	
" " Measles	-	-	33	20	22	14	27	20	16	16	28	31	29	52	51	
" " Scarlet Fever	-	-	26	16	28	16	21	18	19	18	17	14	16	15	7	
" " Diphtheria	-	-	28	20	28	26	14	12	15	19	16	14	16	15	8	
" " Whooping-cough	-	-	31	22	33	38	40	49	60	41	50	43	45	37	49	
" " Typhus	-	-	1	1	-	-	-	1	1	2	-	-	-	-	2	
" " Enteric fever	-	-	15	9	11	15	8	9	13	6	10	13	8	7	8	
" " Simple Cont'd fever	-	-	4	1	-	1	1	-	1	-	1	1	2	3	-	
" " Diarrhœa and Dysentery	-	-	9	7	15	11	8	8	12	9	6	11	9	7	14	
" " Cholera	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
Deaths from the above-mentioned Diseases*	-	-	191	130	194	163	190	175	196	171	184	171	162	163	174	
" " Dis. of Respiratory System	-	-	416	370	537	609	552	513	556	421	382	343	384	374	455	
" " Phthisis	-	-	159	159	193	200	186	180	199	145	161	168	168	179	177	
" " Dis. of Circulatory System	-	-	109	132	127	169	155	153	154	122	118	105	127	112	139	
Violent Deaths	-	-	50	36	94	57	66	66	53	47	42	70	50	40	75	
Inquest Cases	-	-	116	101	198	144	134	143	132	109	91	133	114	85	148	
Deaths in Public Institutions	-	-	348	300	420	444	408	425	402	356	352	348	322	335	347	
TEMPERATURE OF THE AIR:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mean	-	-	41·2	36·5	33·2	38·0	35·1	31·9	43·6	43·6	46·2	40·0	45·8	40·3	38·2	
Mean of Highest readings	-	-	47·0	38·8	35·7	42·7	37·5	35·2	48·4	49·5	51·3	45·1	51·7	48·0	45·7	
Mean of Lowest readings	-	-	35·1	34·1	30·3	31·9	32·5	27·7	38·7	37·6	41·0	36·0	39·9	34·1	31·3	
Humidity of the Air	-	-	84	85	88	92	83	91	90	84	88	86	88	86	80	
Rain-fall in inches	-	-	0·81	0·03	0·00	0·57	0·27	0·00	0·58	0·61	0·25	0·94	0·55	0·60	0·01	
Registered Sunshine (in hours)	-	-	6·1	2·4	0·0	7·1	1·4	2·9	5·5	9·7	8·6	10·5	9·0	16·3	15·6	

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.,—F. B. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; E. Simpson, Esq., Wrothley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TENTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 10th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 14th March, 1885.								Corrected Averages for the 10th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 14th March, 1885.							
		Deaths of Persons of the Ages									Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.				
ALL CAUSES - -	1831.9	1678	424	273	96	211	269	351	54									
Small-pox { Vaccinated †	26.6	6	-	-	2	4	-	-	-									
Unvaccinated		10	8	4	2	1	-	-	-									
No Statement		6	1	-	2	1	2	-	-									
Measles - - -	33.8	51	13	34	4	-	-	-	-									
Scarlet Fever - -	32.4	7	-	4	3	-	-	-	-									
Erysiphus - - -	2.6	2	-	-	1	-	1	-	-									
Eclapsing Fever †	0.0	-	-	-	-	-	-	-	-									
Influenza - - -	0.4	-	-	-	-	-	-	-	-									
Whooping-cough -	85.2	49	15	33	1	-	-	-	-									
Diphtheria - - -	10.9	8	-	6	2	-	-	-	-									
Temple Continued and Ill-defined Fever -	3.2	-	-	-	-	-	-	-	-									
Enteric Fever - -	16.4	8	-	2	3	2	1	-	-									
Cholera - - - -	0.2	-	-	-	-	-	-	-	-									
Diarrhoea, Dysentery	13.6	14	9	2	-	-	2	1	-									
Epidemic Fever †	0.0	1	-	1	-	-	-	-	-									
Hydrophobia - -	0.0	-	-	-	-	-	-	-	-									
Rabies - - - -	0.0	-	-	-	-	-	-	-	-									
Swamp and Effects of Vaccination † -	0.7	-	-	-	-	-	-	-	-									
General Affections -	13.1	11	9	1	-	1	-	-	-									
Erysipelas - - -	5.6	3	1	-	-	-	-	2	-									
Pemphigus and Septicæmia †	4.3	4	-	-	2	-	2	-	-									
Septicæmia - - -	6.0	6	-	-	-	6	-	-	-									
Other Zymotic Diseases †	2.3	1	-	-	-	1	-	-	-									
Scrub - - - -	1.9	2	2	-	-	-	-	-	-									
Scalds and other Parasitical Diseases - -	0.2	-	-	-	-	-	-	-	-									
Starvation, Want of Breast-milk † - -	2.0	2	1	-	-	-	-	1	-									
Alcoholism - - -	4.0	3	-	-	-	1	2	-	-									
Rheumatic Fever and Rheumatism of Heart	12.4	7	-	-	4	3	-	-	-									
Neuritis - - - -		-	-	-	-	-	-	-	-	-								
Scald - - - -	3.7	4	-	-	-	-	-	4	-									
Bleeds † - - - -	3.3	3	-	3	-	-	-	-	-									
Cancer - - - -	43.9	52	-	-	-	6	26	18	2									
Scabs Mesenterica -	27.3	26	15	9	1	1	-	-	-									
Tubercular Meningitis	34.0	38	15	19	4	-	-	-	-									
Scrophulous - - -	194.6	177	3	4	13	87	60	10	-									
Scrophulous, Tuberculosis	15.5	20	10	6	1	1	2	-	-									
Other Constitutional Diseases † - -	6.3	4	-	-	1	1	-	2	-									
Immature Birth - -	30.0	36	36	-	-	-	-	-	-									
Colicæstasis † - -	2.3	6	6	-	-	-	-	-	-									
Congenital Malformations - -	7.2	9	9	-	-	-	-	-	-									
Old Age - - - -	62.1	49	-	-	-	-	-	24	25									
Apoplexy - - - -	49.4	39	1	-	2	4	14	16	2									
Paralysis - - - -	10.5	9	-	-	3	3	-	3	-									
Convulsions - - -	63.4	45	36	9	-	-	-	-	-									
Other Diseases of Brain and Nervous System	102.9	86	17	12	8	6	11	29	3									
Diseases of Organs of Special Sense † -	2.0	2	1	-	-	1	-	-	-									
Diseases of Circulatory System - - -	110.5	139	1	-	6	27	37	63	5									
Croup - - - -	15.2	10	-	8	2	-	-	-	-									
Bronchitis - - -	302.0	312	96	59	6	4	37	98	12									
Pneumonia - - -	106.9	100	29	30	8	8	11	14	-									
Pleurisy - - - -	6.2	7	1	2	-	2	-	1	1									
Other Diseases of Respiratory System -	54.5	26	4	4	1	3	6	8	-									
Dentition † - - -	18.7	13	8	5	-	-	-	-	-									
Quinsy, Sore Throat †	1.0	5	1	3	-	-	1	-	-									
Enteritis - - - -	6.9	1	-	-	-	-	-	1	-									
Peritonitis - - -	7.3	10	-	-	2	3	2	3	-									
Diseases of Liver -	32.6	32	2	-	-	6	12	10	2									
Other Diseases of Digestive System -	29.0	20	1	3	1	3	9	3	-									
Diseases of Lymphatic System & of Ductless Glands † -	1.0	1	-	-	-	-	-	1	-									
Diseases of Urinary System - - -	40.8	32	-	-	-	7	8	17	-									
Diseases of Generative System - - -	5.5	4	-	-	-	-	2	2	-									
Accidents of Childbirth -	5.8	6	-	-	1	4	1	-	-									
Diseases of Locomotive System † - - -	5.7	10	-	-	5	1	-	4	-									
Diseases of Integumentary System - - -	7.0	5	1	-	-	1	1	1	1									
VIOLENT DEATHS.‡																		
(ACCIDENT.)																		
Fracture and Contusion	13.9	28	-	1	1	9	7	9	1									
Gunshot Wound - -	0.1	-	-	-	-	-	-	-	-									
Cut, Stab - - - -	0.9	-	-	-	-	-	-	-	-									
Burn and Scald - -	5.6	8	1	4	2	-	1	-	-									
Poison - - - -	0.8	-	-	-	-	-	-	-	-									
Drowning - - - -	5.6	4	-	-	-	2	1	1	-									
Suffocation - - -	13.1	25	1	-	-	2	-	-	-									
Otherwise - - - -	3.5	2	1	-	-	1	-	-	-									
(HOMICIDE.)																		
Murder & Manslaughter	1.6	3	-	-	2	1	-	-	-									
(SUICIDE.)																		
Gunshot Wound - -	0.7	-	-	-	-	-	-	-	-									
Cut, Stab - - - -	2.2	1	-	-	-	-	1	-	-									
Poison - - - -	1.9	1	-	-	-	-	1	-	-									
Drowning - - - -	1.3	2	-	-	-	1	1	-	-									
Hanging - - - -	1.6	-	-	-	-	-	-	-	-									
Otherwise - - - -	0.4	-	-	-	-	-	-	-	-									
(EXECUTION.)																		
Hanging - - - -	0.0	-	-	-	-	-	-	-	-									
OTHER CAUSES † - -	67.0	64	52	4	-	-	3	5	-									

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical man, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

¶ Exclusive of 13 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of														
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes.
LONDON	3,816,483	2737	1678	424	405	22	51	7	78	49	2	8	-	14	75	148	347	-
WEST DISTRICTS	669,633	419	298	74	70	3	3	-	2	12	-	3	-	5	12	28	57	-
NORTH DISTRICTS	905,947	598	358	98	82	6	12	3	3	11	1	-	-	2	15	26	72	2
CENTRAL DISTRICTS	282,238	189	128	25	38	-	2	-	-	5	-	1	-	1	5	15	30	1
EAST DISTRICTS	692,738	585	335	80	80	2	18	3	-	8	1	1	-	3	18	39	87	4
SOUTH DISTRICTS	1,265,927	951	559	137	135	11	16	1	3	13	-	3	-	3	25	40	101	17
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.	69888	60	37	13	11	-	1	-	-	3	-	1	-	1	1	4	4	-
St. John Paddington H - - G.J.	37380	9	16	3	3	-	-	-	-	-	-	-	-	-	2	3	3	-
Kensington Town Wv - - W.M.	12014	17	32	14	11	-	1	-	-	4	-	1	-	1	2	6	10	-
Brompton H - - W.M. & C.	43010	16	8	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Peter Hammersmith - - W.M.	7599	5	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Paul Hammersmith H W.M. & G.J.	64340	46	22	10	8	-	-	-	-	-	-	-	-	2	-	2	-	-
Fulham WvH - - W.M. & C.	42900	59	35	9	10	3	-	-	-	1	-	-	-	2	3	9	-	-
Chelsea South HHH - - C.	30396	22	16	4	2	-	-	-	-	2	-	1	-	-	1	2	-	-
Chelsea North-west WHHHH - C.	24925	9	25	3	6	-	-	-	-	-	-	-	-	-	1	1	11	-
Chelsea North-east - - C.	32807	28	13	6	4	-	-	-	-	-	-	-	-	-	-	3	-	-
Hanover Square H - - G.J.	16862	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
May Fair Wv - - G.J.	13491	2	12	1	5	-	-	-	-	-	-	-	-	1	-	-	7	-
Belgrave HH - - C.	52220	25	17	3	4	-	-	-	1	1	-	-	-	-	1	1	4	-
St. John Westminster HH - - C.	35496	24	16	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Margaret Westminster H - C.	24679	12	11	3	3	-	-	-	-	-	-	-	-	-	2	2	5	-
St. James Westminster WH N.R. & G.J.	29941	11	9	1	2	-	1	-	-	-	-	-	-	-	-	-	2	-
St. Anne Soho HHHHH - - N.R.	16608	9	5	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone HHHH - W.M.	26759	10	8	1	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Cavendish Square HHH - - W.M.	14891	6	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Rectory Marylebone WH G.J. & W.M.	24896	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Maryleb. HHH G.J. & W.M.	21118	33	8	3	3	-	-	-	-	-	-	-	-	-	1	1	2	-
Christchurch Marylebone H - W.M.	33700	16	17	8	4	-	-	-	-	-	-	-	-	-	-	1	1	-
St. John Marylebone H - W.M.	33633	18	12	3	5	-	-	-	1	-	-	-	-	-	-	-	-	-
Hampstead WvHHH - N.R. & W.M.	45452	24	20	4	4	3	-	-	-	-	-	-	-	-	1	1	5	-
Regent's Park Pancras H - - W.M.	39115	19	11	2	1	-	-	-	-	1	-	-	-	-	-	2	-	-
Tottenham-court WHHHH N.R. & W.M.	27729	10	21	3	3	-	2	-	1	-	-	-	-	-	2	3	9	-
Gray's Inn Lane HHH - - N.R.	30247	22	13	6	-	-	-	-	-	-	-	-	-	-	2	3	3	1
Somers Town H - - N.R.	34359	23	11	3	1	-	-	-	-	-	-	-	-	-	2	3	3	-
Camden Town WH - - N.R.	17311	14	10	3	3	-	-	-	-	-	-	-	-	-	-	-	7	-
Kenish Town W - - N.R.	87487	58	30	9	3	-	-	-	5	-	-	-	-	1	-	-	2	-
Upper Holloway WvWvH - - N.R.	67946	51	37	7	8	2	1	-	1	-	1	-	-	-	3	4	13	-
Islington South-west HH - - N.R.	100976	71	31	13	6	1	1	-	-	-	-	-	-	-	1	2	1	-
Islington South-east - - N.R.	61895	38	25	8	5	-	1	-	-	2	-	-	-	1	2	4	-	-
Highbury H - - N.R.	52048	24	17	2	8	-	1	-	-	-	-	-	-	-	1	-	1	-
Stoke Newington H - - N.R.	22781	19	11	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - E.L.	9277	9	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
West Hackney - - N.R.	37610	60	42	11	18	-	1	3	-	-	-	-	-	-	-	-	1	-
Hackney WvWvHL - - E.L. & N.R.	76911	30	21	6	6	-	2	-	-	1	-	-	-	-	1	1	-	-
South Hackney - - E.L.	39883	30	21	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16681	13	7	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Giles South WH - - N.R.	14864	10	7	1	3	-	-	-	-	-	-	-	-	-	-	1	5	-
St. Giles North - - N.R.	13887	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.	17508	11	8	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-
St. Mary-le-Strand H - - N.R.	7515	3	2	1	3	-	-	-	-	-	-	-	-	-	1	2	-	-
St. Clement Danes H - - N.R.	8559	3	8	1	3	-	-	-	-	-	-	-	-	-	1	1	6	-
St. George-the-Martyr HHHHHH N.R.	18671	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Andrew Eastern W - - N.R.	10706	9	6	2	1	-	-	-	-	-	-	-	-	-	1	2	2	-
Saffron Hill H - - N.R.	6533	9	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkwell - - N.R.	17516	15	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkwell - - N.R.	19281	10	6	3	2	-	1	-	-	-	-	-	-	1	1	1	-	-
Pentonville - - N.R.	14773	11	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - N.R.	17506	10	6	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Old-street H - - N.R.	11541	12	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
City-road HHL - - N.R.	18628	25	12	2	4	-	1	-	-	-	-	-	-	-	-	1	2	1
Whitecross-street - - N.R.	9217	5	7	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Flintbury - - N.R.	7463	5	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - N.R. & E.L.	11174	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - N.R.	7193	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - - N.R.	5398	4	14	-	2	-	-	-	-	-	-	1	-	-	1	2	11	-
St. Bride W - - N.R.	8396	5	6	1	2	-	-	-	-	3	-	-	-	-	-	1	-	-
Allhallows Barking - - N.R.	13666	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.	6652	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work-house; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J., signifies Grand Junction Company; W.M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N.R., New River; E.L., East London; and K., the Kent Company.

VER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the 14th March, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1881.	Total Deaths during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include															Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
					Deaths of																	
					Infants under 7 Years of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.						
EAST DISTRICTS.																						
lywell Shoreditch	N.R. & E.L.	7376	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-			
Leonard Shoreditch	HL† - N.R.	14967	14	11	3	-	-	-	4	-	-	-	-	-	-	-	-	-	-			
tion New Town	w - - N.R.	26937	29	21	8	10	-	-	-	-	-	-	-	-	-	-	5	6	-			
tion Old Town	- - - N.R.	28036	23	5	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-			
ggerston WH	- - - N.R. & E.L.	46275	44	23	6	9	-	-	1	-	-	-	-	-	-	-	-	6	-			
ekney-road H	- - - E.L.	29738	27	10	4	2	-	-	1	-	-	-	-	-	-	-	1	-	-			
en, Bethnal Green	WHL† - E.L.	47932	30	20	4	6	-	-	-	-	-	-	-	-	-	2	4	-	-			
urch, Bethnal Green	- - - E.L.	29981	14	12	7	-	-	-	-	-	1	-	-	-	-	-	-	8	-			
wn, Bethnal Green	- - - E.L.	16810	19	8	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-			
alfields H	- - - E.L. & N.R.	22685	15	7	2	-	-	-	-	-	-	1	-	-	-	-	2	-	-			
End New Town	W - - E.L.	15473	13	14	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-			
itchapel Church	H - - E.L. & N.R.	17490	13	25	5	4	-	-	1	-	-	-	-	-	-	-	10	15	-			
ddman's Fields	- - - E.L.	9713	5	4	2	1	-	-	1	-	-	-	-	-	-	4	5	-	-			
gate -	- - - N.R. & E.L.	6102	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
George's North	- - - E.L.	88747	28	19	7	4	-	-	3	1	-	-	-	-	-	-	1	-	3			
John, St. George East	W - - E.L.	5410	6	8	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-			
dwel H	- - - E.L. & N.R.	16395	6	8	3	-	-	-	-	-	-	-	-	-	-	-	1	4	1			
cliff -	- - - E.L.	16107	11	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-			
ehouse -	- - - E.L.	32041	22	9	4	2	-	-	-	-	-	-	-	-	-	1	2	-	-			
End Old Town West	- - - E.L.	37600	42	17	5	2	-	-	-	-	-	-	-	-	-	-	3	-	-			
End Old Town East	WwWH - E.L.	67653	64	24	2	9	-	-	-	-	-	1	-	-	-	1	4	9	-			
ymley wWH	- - - E.L.	37074	81	8	5	2	-	-	-	-	-	-	-	-	-	-	2	-	-			
lar. WW	- - - E.L.	64359	74	56	10	18	2	2	1	-	2	-	-	1	4	4	22	1	-			
	- - - E.L.	55077	49	22	8	-	-	3	1	-	-	-	-	1	1	2	-	-	-			
SOUTH DISTRICTS.																						
atchurch Southwark	WH L. & S.	18663	12	8	-	5	-	-	-	-	-	-	-	-	-	-	-	3	-			
Saviour Southwark	- - S.	14999	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
oad -	- - S. & L.	21381	17	12	4	4	1	-	-	-	-	-	-	-	-	-	2	-	-			
ough-road WH	- - - S. & L.	18953	14	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-			
don-road HL	- - - L. & S.	21318	30	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
ity Newington	- - - S. & L.	26672	23	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Peter Walworth	W - - S. & L.	29535	40	31	7	9	-	-	-	-	-	-	-	-	-	-	-	1	-			
Mary Newington	- - - L. & S.	21623	23	10	3	3	-	1	-	-	-	-	-	-	-	-	1	9	1			
Olave WH	- - - S.	11956	5	12	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-			
ther Market	- - - S. & L.	15000	6	4	3	1	-	1	-	-	-	-	-	1	2	2	9	-	-			
Mary Magdalen	W - - S.	15699	10	10	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-			
James Bermondsey	- - - S.	54683	46	19	4	2	-	1	-	1	-	-	-	-	-	1	1	2	-			
erthithe W	- - - S. & K.	36024	17	13	2	5	-	1	-	-	-	-	-	-	-	1	2	2	-			
erloo-road 1st	H - - L. & S.	15195	5	8	2	2	-	-	-	-	1	-	-	-	-	-	-	1	-			
erloo-road 2nd	H - - L. & S.	16321	19	10	5	2	-	-	-	-	-	-	-	-	-	-	-	3	1			
beth Church 1st	H - - L. & S.	18576	16	22	3	6	-	-	-	-	-	-	-	-	-	5	5	16	-			
beth Church 2nd	WW - L. & S.	39559	35	24	10	6	-	-	-	-	-	1	-	-	-	3	2	9	3			
ington 1st	- - - S. & L.	45232	42	19	4	7	-	1	-	-	-	-	-	-	-	-	1	-	-			
ington 2nd	- - - S. & L.	35332	15	17	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-			
ton w	- - - L. & S.	62887	48	16	4	2	1	-	-	-	-	-	-	-	-	1	1	1	-			
wood W	- - - L.	19017	4	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
ham H	- - - S.	26300	16	16	1	3	-	-	-	-	2	-	-	-	-	1	3	-	-			
Battersea	- - - S.	54655	51	22	3	2	-	1	-	-	-	-	-	-	-	-	1	-	-			
Battersea W	- - - S.	51887	46	30	6	9	-	-	-	1	-	-	-	-	-	2	1	-	3			
daworth HL	- - - S.	28004	24	20	6	1	-	1	-	-	-	-	-	-	-	1	3	7	1			
ey -	- - - S.	13235	6	3	-	1	-	-	-	2	-	-	-	-	-	-	1	4	-			
atham	- - - L.	25553	17	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
rich	- - - L. & S.	5590	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
berwell WL†L†	- - - S. & L.	59104	50	17	4	5	-	1	-	-	-	-	-	-	-	-	-	-	-			
ham W	- - - S., L. & K.	71089	55	31	12	7	-	1	-	-	-	-	-	-	-	-	5	1	-			
George Camberwell	- - - L. & S.	50810	41	21	10	1	-	-	-	-	-	1	-	-	-	2	3	1	3			
Paul Deptford w	- - - K.	76732	65	46	11	8	8	3	1	-	-	-	1	-	-	1	3	9	1			
Nicholas Deptford	- - - K.	7301	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
wich West	- - - K.	21972	14	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-			
wich East WHH	- - - K.	24603	19	22	4	14	-	1	-	1	-	-	-	-	-	1	1	8	-			
am H	- - - K.	5827	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
ham WH	- - - K.	21559	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
ham H	- - - K.	18865	23	11	4	2	-	1	-	-	-	-	-	-	-	-	-	5	-			
ham City Workhouse	- - - L.	20076	19	5	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-			
ton H	- - - K.	10930	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
wich Dockyard	- - - K.	17617	13	7	1	2	-	-	-	-	-	1	-	-	-	-	-	1	-			
wich Arsenal HHH	- - - K.	15948	11	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
stead, West H	- - - K.	14069	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
stead, East W	- - - K.	15241	12	10	2	3	-	-	-	-	-	-	-	-	-	1	1	6	-			

following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by w:-

- Arylebone Infirmary in Kensington Town sub-district.
- General Hospital in Upper Holloway sub-district.
- London City Workhouse " Hackney sub-district.
- St. George's Hospital " Hoxton New Town sub-district.
- St. George's Hospital " Mile End Old Town Eastern sub-district.
- London City Workhouse in { Mile End Old Town Eastern sub-dist. and
- St. George's Hospital " Bromley sub-district.
- St. George's Hospital " Bromley sub-district.
- St. George's Hospital " Westminster Union Industrial School in West Battersea sub-district.
- Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.

Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 14th March, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Eneume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING		370,282	950,178	776	387	104	96	23	7	2	6	15	2	1	10	22	38	5
30:1	Carshalton <i>wL</i> - -	12223	21118	22	2	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	4	4	1	2	-	-	-	1	-	-	-	-	-	-	-
37:1	Godstone (<i>part of</i>) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon <i>WwH</i> - -	20851	101241	60	32	4	13	-	-	-	1	3	1	-	1	3	5	-
	Mitcham - -	11697	17932	9	2	1	-	-	-	-	-	-	-	-	-	-	-	1
39:1	Wimbledon <i>HHH</i> - -	3220	15950	24	3	1	-	-	-	1	-	-	-	-	-	-	-	-
2	Kingston <i>WHH</i> - -	8549	36354	19	14	3	2	-	1	-	-	-	-	-	-	2	-	-
3	Esher (<i>part of</i>) * -	6601	9221	3	3	1	-	-	-	-	-	-	-	-	1	1	-	-
4	Hampton <i>H</i> - -	4573	13539	7	9	2	3	-	-	-	1	-	-	-	-	-	-	-
40:1	Richmond <i>WH</i> - -	2272	21302	20	9	5	3	-	-	-	-	-	-	-	-	-	2	-
2	Mortlake - -	941	12331	7	6	1	3	-	-	-	-	-	-	-	2	2	-	-
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	37	7	1	2	-	-	1	-	-	-	-	-	-	-	-
2	Chislehurst(<i>pt. of</i>)* <i>WHH</i>	13665	15065	11	3	2	-	-	-	-	-	1	-	-	-	-	1	-
42:1	Bexley <i>H</i> - -	13437	24134	16	9	3	5	-	-	-	-	-	-	-	1	2	1	-
124:1	Sunbury <i>w</i> - -	11055	11635	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines <i>W</i> - -	13277	12089	7	2	-	-	-	-	-	1	-	-	-	-	-	-	-
125:1	Hillingdon <i>WH</i> - -	6029	10802	10	2	-	2	-	-	-	-	-	-	-	-	1	-	-
2	Uxbridge - -	6178	8225	5	2	-	1	-	-	-	-	-	-	-	-	1	1	-
3	Hayes <i>wHL</i> - -	14587	11523	3	10	2	3	-	-	-	-	-	-	-	-	-	5	-
126:1	Isleworth <i>W</i> - -	7008	22727	14	6	1	4	-	-	-	-	-	-	-	-	-	-	1
2	Twickenham <i>H</i> - -	2477	12479	23	6	3	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford <i>HL</i> - -	4845	27649	13	9	1	5	-	-	-	-	-	-	-	1	1	-	-
4	Chiswick - -	1340	15975	7	3	-	1	1	-	-	-	-	-	-	-	1	-	-
5	Acton <i>wH</i> - -	6083	22576	14	11	3	1	-	-	-	1	-	1	-	-	-	1	-
127:1	Harrow <i>H</i> - -	13809	12796	11	10	4	1	-	-	-	-	3	-	-	-	2	-	-
2	Edgware <i>H</i> - -	6994	3749	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willoden - -	4383	27433	34	9	3	2	-	-	-	-	-	-	-	1	1	-	-
4	Hendon <i>W</i> - -	8332	10484	9	3	-	3	-	-	-	-	-	-	-	-	-	1	-
128:1	South Mimms - -	15599	6391	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet <i>W</i> - -	5433	10092	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley <i>HL</i> - -	4683	17615	18	12	1	1	-	-	-	-	-	-	-	-	-	3	-
129:1	Hornsey <i>H</i> - -	3039	37078	34	19	8	3	-	-	-	-	1	-	-	-	-	-	-
2	Tottenham <i>HH</i> - -	4642	46455	37	21	8	2	1	1	-	-	2	-	-	-	1	-	-
3	Edmonton <i>Www</i> - -	7483	23463	17	17	5	5	1	-	-	-	4	-	-	-	-	5	-
4	Enfield <i>WH</i> - -	12653	19104	16	3	2	-	-	-	-	-	-	-	-	-	-	-	-
5	Waltham Abbey - -	11017	5368	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - -	8480	7735	5	7	3	1	-	-	-	-	-	-	-	1	1	-	-
135:1	Hatfield (<i>part of</i>) * -	3306	553	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey - -	9331	6621	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
136:1	Stratford - -	882	32605	35	24	1	5	2	1	-	-	-	-	-	-	-	-	-
2	West Ham <i>wwwH</i> - -	7351	101053	109	53	21	8	18	2	-	1	-	-	1	1	3	6	-
3	Leyton <i>WwL</i> - -	4372	32430	29	18	4	3	-	-	-	-	-	-	-	-	-	5	-
4	Walthamstow <i>wH</i> - -	6520	28869	26	8	1	2	-	1	-	-	-	-	-	-	-	-	-
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9659	1	5	1	2	-	1	-	-	-	-	-	-	-	-	-
139:1	Romford (<i>part of</i>) * -	6730	3411	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - -	8493	7645	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town - -	4127	9203	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:— 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Hensley (pop. 1265); 37:1, the two parishes of Waringham and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 347); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 14th March, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,093,995	20·7	2·2	2065	528	501	45	58	9	14	64	12	15	85	385		
INNER LONDON -	78,052	4,019,361	21·4	2·1	1678	424	405	22	51	7	8	49	10	14	75	347		
OUTER RING -	370,282	1,074,634	18·1	2·6	387	104	96	23	7	2	6	15	2	1	10	38		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,165,364 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	January 24	-	291	36·0	Small-pox 6; cholera 13; fevers 95.
BOMBAY - -	773,196	February 10	279	414	26·1	Cholera 9; fevers 126.
MADRAS - -	368,777	January 23	317	411	53·6	Cholera 36; fevers 92.
PARIS - - -	2,239,928	March 7	1200	1113	25·6	Diphtheria and croup 46; typh. fev. 25; meas. 22.
GENEVA - -	71,453	" 7	32	32	23·4	Small-pox 1.
BRUSSELS - -	412,965	February 28	266	207	26·9	Measles 7; small-pox 1.
AMSTERDAM -	366,812	March 7	268	192	27·2	Measles 7; whooping-cough 7.
ROTTERDAM -	166,001	" 7	115	101	31·0	Scarlet fever 5.
THE HAGUE -	134,552	" 7	100	61	23·6	-
COPENHAGEN -	278,000	March 10	225	123	23·6	Small-pox 1; diph. 3.
STOCKHOLM -	190,115	February 28	116	125	34·2	Measles 10; scar. fev. 7.
CHRISTIANIA -	126,000	March 7	80	60	24·8	Diphtheria and croup 9.
ST. PETERSBURG	928,016	February 28	-	606	34·1	Typhus and typh. fev. 16; sm.-pox 3; diph. 9.
BERLIN - - -	1,266,511	" 21	889	578	23·8	Diphtheria 41; whooping-cough 10.
HAMBURG (State)	497,956	" 28	355	227	23·8	Diphtheria and croup 3.
DRESDEN - -	241,500	" 28	153	119	25·6	Diphtheria 8.
BRESLAU - -	295,000	" 28	223	150	26·5	Whooping-cough 4; diphtheria 3.
MUNICH - - -	244,000	March 7	185	160	34·1	Measles 5.
VIENNA - - -	769,889	February 28	530	474	32·0	Sm.-pox 19; typhd. fev. 7.
PRAGUE - - -	272,333	March 7	-	167	32·0	Small-pox 1; diph. and croup 3.
BUDA-PESTH -	416,474	February 21	307	287	34·7	Diphtheria and croup 3; small-pox 1.
TRIESTE - - -	150,157	" 28	-	93	32·2	Small-pox 9; diphtheria and croup 6.
ROME - - -	324,649	January 31	218	220	35·4	Small-pox 9.
NAPLES - - -	504,795	-	-	-	-	-
TURIN - - -	267,763	February 10	230	245	33·4	Small-pox 20; typhoid fever 7.
VENICE - - -	144,845	" 28	85	96	34·6	Small-pox 6.
MADRID - - -	475,668	" 8	-	-	-	-
LISBON - - -	203,681	" 7	-	-	-	-
ALEXANDRIA -	212,034	" 14	204	160	36·0	Small-pox 2; whooping-cough 6.
NEW YORK - -	1,356,958	" 14	-	724	27·8	Diphtheria 33; meas. 29; scarlet fever 18.
BROOKLYN - -	665,602	" 14	-	292	22·9	Diphtheria 16; whooping-cough 8.
PHILADELPHIA -	927,995	" 21	-	440	24·7	Typhoid fever 23; scarlet fever 5; diph. 6.
BALTIMORE - -	408,520	" 21	-	156	19·9	Diphtheria 5.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 14th MARCH, 1885.

[Under the Superintendence of the Astronomer Royal.]

READINGS OF THERMOMETERS.										DIFFERENCE				WIND.				RAIN.			
METEOR.		Dry.		Dew Point.		Highest in the sun, as self-registering.		Lowest on the shade, as self-registering.		In the Water at the Depth of 10 fathoms, by Self-Registering Thermometers.		Between Dew Point and Air Temperature.		Between mean temperature of the day and mean temperature of the same day, being represented on an average by 100.		Degrees of Humidity, complete saturation being represented on an average by 100.		As deduced from Anemometers.		Rain.	
Mean daily (corrected and reduced to zero by subtracting the bar.		Range in day.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.	
High-est.		Low-est.		High-est.		Low-est.		High-est.		Low-est.		High-est.		Low-est.		High-est.		High-est.		High-est.	
in.		°		°		°		°		°		°		°		°		°		°	
MARCH.		MARCH.		MARCH.		MARCH.		MARCH.		MARCH.		MARCH.		MARCH.		MARCH.		MARCH.		MARCH.	
SUN.		SUN.		SUN.		SUN.		SUN.		SUN.		SUN.		SUN.		SUN.		SUN.		SUN.	
MON.		MON.		MON.		MON.		MON.		MON.		MON.		MON.		MON.		MON.		MON.	
TUES.		TUES.		TUES.		TUES.		TUES.		TUES.		TUES.		TUES.		TUES.		TUES.		TUES.	
WED.		WED.		WED.		WED.		WED.		WED.		WED.		WED.		WED.		WED.		WED.	
THURS.		THURS.		THURS.		THURS.		THURS.		THURS.		THURS.		THURS.		THURS.		THURS.		THURS.	
FRI.		FRI.		FRI.		FRI.		FRI.		FRI.		FRI.		FRI.		FRI.		FRI.		FRI.	
SAT.		SAT.		SAT.		SAT.		SAT.		SAT.		SAT.		SAT.		SAT.		SAT.		SAT.	
MEANS		MEANS		MEANS		MEANS		MEANS		MEANS		MEANS		MEANS		MEANS		MEANS		MEANS	
No of Col.		No of Col.		No of Col.		No of Col.		No of Col.		No of Col.		No of Col.		No of Col.		No of Col.		No of Col.		No of Col.	

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1888.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering instrument. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 29-84 in. at the beginning of the week to 29-68 in. by 8h. P.M. on the 8th; increased to 30-34 in. by noon on the 11th; decreased to 29-28 in. by 3h. P.M. on the 12th; increased to 30-43 in. by noon on the 14th and decreased to 30-38 in.

SKY AND ATMOSPHERE.

Generally cloudy. Foggy and gloomy in morning.

Fine generally. Variable amounts of cloud prevailed. A little rain in early morning.

Cloudy till evening; generally cloudless at night.

Overcast generally till evening; cloudless at night.

Cloudless with hoar frost in morning; partially cloudy afterwards; a fine day.

Overcast in morning; fine but generally cloudy till evening; overcast at night.

Overcast in morning; fine and partially cloudy till evening; cloudless at night.

ELECTRICITY.
(For explanation of symbols, see Note.)

Registered Sunshine, in hours.

Sun above Horizon, in hours.

DATE.

MARCH.

8 s. P. in morning; m. P. afterwards.

9 v. P. generally; m. N. for a short time about 5h. A.M.

10 m. P. in morning; v. P. afterwards.

11 m. P. in morning; v. P. afterwards.

12 m. P. in morning; v. P. afterwards.

13 m. P. in morning; v. P. afterwards.

14 v. P. in morning; m. P. afterwards.

Sum 15-6

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 11. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, MARCH 21. [Price 1½d.

General Register Office, Somerset House,
23rd March, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 23·5 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the past four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.		Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.
Birkenhead	20·2	16·8	13·5	17·4	Liverpool	25·7	22·5	25·6	28·3
Birmingham	19·4	17·7	19·4	24·0	London	20·0	19·1	21·4	21·4
Blackburn	21·3	19·0	22·7	26·0	Manchester	24·6	26·9	28·6	32·9
Bolton	25·6	28·9	19·9	26·1	Newcastle-on-Tyne	30·3	29·3	27·6	29·6
Bradford	18·7	21·7	19·5	23·1	Norwich	29·2	21·7	22·9	23·5
Brighton	19·6	11·8	16·8	18·2	Nottingham	23·9	24·4	25·2	20·2
Bristol	24·4	21·8	23·4	27·0	Oldham	18·6	22·3	33·9	27·7
Cardiff	31·7	37·6	20·4	31·7	Plymouth	26·8	15·8	22·0	22·0
Derby	22·1	18·0	18·0	14·0	Portsmouth	13·9	22·9	15·5	19·0
Halifax	16·9	19·6	22·9	27·0	Preston	32·2	29·1	22·3	23·4
Huddersfield	14·3	19·7	20·9	29·3	Salford	26·8	19·4	19·2	21·7
Hull	15·7	14·6	16·0	20·4	Sheffield	21·8	17·6	20·7	23·6
Leeds	19·7	19·1	19·9	23·6	Sunderland	29·6	42·1	48·3	44·1
Leicester	18·4	22·2	20·7	21·5	Wolverhampton	20·4	15·2	23·1	27·7

The highest annual death-rates from measles, measured by last week's mortality, were 1·9 in Bristol, 3·2 in Cardiff, and 20·4 in Sunderland; from whooping-cough, 2·1 in Plymouth, 2·3 in Norwich, and 3·1 in Bristol; from scarlet fever, 2·6 in Wolverhampton; and from "fever," 1·7 in Norwich. The mortality from measles in Sunderland showed a further increase last week, 49 of the 106 deaths from all causes being referred to this disease. The 32 deaths from diphtheria in the twenty-eight towns last week included 20 in London, 2 in Liverpool, 2 in Salford, and 3 in Leeds. Small-pox caused 43 deaths in London and its outer ring of suburban districts, one in Liverpool, one in Manchester, one in Bradford, one in Sunderland, and one in Newcastle-upon-Tyne.

LONDON.

In LONDON 2675 BIRTHS and 1678 DEATHS were registered. Allowing for increase of population, the births were 203, and the deaths 145, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·1 and 21·4 in the two preceding weeks, was again 21·4 last week. During the first eleven weeks of the current quarter the death-rate averaged 21·5 per 1000, against 24·2, the mean of the rates in the corresponding periods of the nine years 1876-84.

The 1678 deaths included 19 from small-pox, 53 from measles, 16 from scarlet fever, 20 from diphtheria, 45 from whooping-cough, 13 from enteric fever, 2 from ill-defined forms of continued fever, 12 from diarrhoea and dysentery, and not one either from typhus or from cholera; thus, 180 deaths were referred to these diseases, being 59 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 16 and 22 in the two preceding weeks, declined again to 19 last week, and were 8 below the corrected weekly average. These 19 deaths, however, were exclusive of 4 deaths of London residents who died in the Metropolitan Asylum Hospitals situated outside

Registration London. Of the 23 fatal cases, 15 were recorded in the Metropolitan Asylum Hospitals in and around London, and 8 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 3 belonged to Islington, 3 to Hackney, 2 to Rotherhithe, 4 to Camberwell, and 2 to Woolwich. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the four preceding weeks from 1223 to 898, had further fallen to 830 on Saturday last; the admissions, however, rose to 137 last week, from 94 and 104 in the two previous weeks. The Highgate Small-pox Hospital contained 83 patients on Saturday last, 8 cases having been admitted during the week.

The fatal cases of *measles*, which had been 52 and 51 in the two preceding weeks, were 53 last week, and exceeded the corrected weekly average by 9; 3 belonged to Clerkenwell, 25 to East London (including 9 to Poplar), 5 to Wandsworth, and 4 to Plumstead. The deaths from *scarlet fever* rose again to 16 last week, from 16, 15, and 7 in the three previous weeks, but were 14 below the corrected average; 10 belonged to East London, including 3 to Stepney, 3 to Poplar, 2 to Bethnal Green, and 2 to St. George-in-the-East. The Metropolitan Asylum Hospitals contained 241 scarlet fever patients on Saturday last, showing a further decline from the numbers in recent weeks; 21 cases were admitted, against 22 and 19 in the two previous weeks. The 20 deaths from *diphtheria* showed an increase of 12 upon the low number in the previous week, and exceeded the corrected average by 8; 2 belonged to St. George's Hanover Square, 5 to Islington, 3 to Hackney, and 2 to Poplar. The fatal cases of *whooping-cough*, which had been 37 and 49 in the two previous weeks, were 45 last week, and were 41 below the corrected average; 4 belonged to Fulham, 5 to Pancras (Kentish Town), 5 to Islington (Holloway), 4 to Lambeth, and 4 to Greenwich. The 12 deaths attributed to *diarrhœa* and *dysentery* were 3 below the corrected average; 6 were of infants under one year of age.

The deaths referred to *enteric fever*, which had been 8, 7, and 8 in the three preceding weeks, rose to 13 last week, but were 5 below the corrected weekly average; 5 belonged to Islington. Two deaths were indefinitely referred to continued or simple continued fever. The Metropolitan Asylum Hospitals contained 40 cases of enteric fever, and 31 of typhus, on Saturday last; 3 cases of enteric fever, and 4 of typhus were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 374 and 455 in the two preceding weeks, further rose last week to 487, and exceeded the corrected weekly average by 3.

Different forms of violence caused 56 deaths; 44 were the result of negligence or accident, among which were 22 from fractures and contusions, 7 from burns and scalds, 3 from drowning, and 10 of infants under one year of age from suffocation. The 22 deaths from fractures and contusions were thus returned:—males, aged 2 and 74 years, and females 2 and 5, run over by van; male 9, run over by carriage; female 60, run over by cab; male 34, fell from cart; male 54, fell from van; male 45, by upsetting of cart; female 58, injured while crossing road; male 21, by kick of horse; male 35, run over on London and South-Western Railway; males 18, 59, crushed by girder; females 3, 79, fell down stairs; female 43, fell from chair; male 85, fell from bed; male 21, fell from ladder; male 6 months, fell through skylight; female 44, by fall; and female 82, by fracture. An inquest was held in each of these 22 cases. Eleven cases of suicide were registered.

GREATHER LONDON.

In Greater London 3430 births and 2085 deaths were registered, equal to annual rates of 34·4 and 20·9 per 1000 of the population. In the Outer Ring 24 fatal cases of small-pox were registered, including 18 in West Ham district, of which one occurred in the Metropolitan Asylum Hospital at Plaistow, and 17 were local cases.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·87 in.; the highest reading was 30·38 in. at the beginning of the week, and the lowest 29·41 in. on Wednesday at noon. The mean temperature of the *air* was 41°·9, and 0°·5 above the average in the corresponding week of the 20 years ending 1868. The mean was below the average on Sunday and Thursday, but showed an excess on each of the other days of the week. The general direction of the *wind* was westerly, and the horizontal movement of the air averaged 12·9 miles per hour, which was 0·1 of a mile below the average in the corresponding week of 16 years. *Rain* fell on Tuesday and Wednesday, to the aggregate amount of 0·05 of an inch. The duration of registered bright sunshine in the week was 29·7 hours, against 28·1 hours at Glynde Place, Lewes.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the Year 1885.	Registered during the Week ending 21st Mar., 1886.		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.										RAINFALL.		CITIES AND BOROUGH.
		BIRTHS.	DEATHS.	Deaths of Persons aged 1 Year or over.		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	Annual Rate corresponding to the Week's Deaths			Mean.			In Inches.	In Centi- meters.			
				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Dysentery.	Violence.	Highest.				Lowest.	Fahrenheit.	Centigrade.								
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.	
28 TOWNS.	8,906,446	5823	4018	916	886	24	164	41	32	119	37	26	134	273	661	101	235	252	406	478	0.25	0.63	-	23 TOWNS.		
LONDON.	4,083,928	2675	1678	370	404	19	53	16	20	45	15	12	56	125	344	23	214	252	419	550	0.05	0.13	LONDON.			
BRIGHTON.	114,672	62	40	7	18	-	-	-	1	-	2	1	-	-	7	1	182	313	403	481	0.81	2.06	BRIGHTON.			
PORTSMOUTH.	134,659	120	49	5	14	-	-	-	-	-	3	-	2	3	7	1	190	-	-	-	-	-	PORTSMOUTH.			
NORWICH.	91,215	57	41	10	10	-	-	-	-	4	3	-	-	3	3	2	220	21	306	411	506	0.03	NORWICH.			
PLYMOUTH.	76,045	45	32	5	8	-	-	-	13	-	-	-	-	9	14	1	270	305	413	511	0.01	0.03	PLYMOUTH.			
BRISTOL.	218,169	139	113	30	24	-	8	1	-	-	-	-	3	9	14	1	270	305	413	511	0.01	0.03	BRISTOL.			
WOLVERHAMPTON.	79,185	59	42	6	9	-	-	4	-	1	-	-	1	3	12	2	277	355	256	389	3.89	0.20	0.51	WOLVERHAMPTON.		
BIRMINGHAM.	427,769	268	197	45	51	-	-	-	-	5	2	1	9	22	46	2	240	10	-	-	-	-	-	BIRMINGHAM.		
LEICESTER.	136,147	76	56	13	12	-	2	1	-	1	-	-	5	11	10	-	215	15	-	-	-	-	-	LEICESTER.		
NOTTINGHAM.	211,424	174	82	25	21	-	2	1	-	6	1	-	6	7	1	1	202	290	283	411	506	0.10	0.25	NOTTINGHAM.		
DERBY.	89,091	72	24	2	12	-	-	-	-	-	-	-	2	3	8	-	140	97	-	-	-	-	-	DERBY.		
BIRKENHEAD.	93,093	53	31	6	4	-	1	-	-	1	-	1	1	1	1	1	174	174	-	-	-	-	-	BIRKENHEAD.		
LIVERPOOL.	579,724	371	314	69	44	1	12	6	2	5	2	1	17	19	54	17	283	256	493	399	439	0.16	0.41	LIVERPOOL.		
BOITON.	110,085	65	55	30	14	-	3	-	-	1	1	4	-	1	4	1	261	43	498	378	323	0.90	2.29	BOITON.		
MANCHESTER.	337,342	226	213	47	45	1	10	2	1	6	2	-	3	17	43	3	329	34	-	-	-	-	-	MANCHESTER.		
SALFORD.	204,075	125	85	25	11	-	1	-	2	4	1	1	2	5	4	2	217	23	-	-	-	-	-	SALFORD.		
OLDHAM.	126,390	103	67	20	8	-	-	-	-	5	-	-	1	1	8	7	277	21	-	-	-	-	-	OLDHAM.		
BLACKBURN.	112,574	60	56	13	11	-	-	-	-	-	-	-	-	-	3	2	260	0	-	-	-	-	-	BLACKBURN.		
PRESTON.	100,406	64	45	10	11	-	-	-	-	2	1	-	-	-	7	1	234	16	490	422	567	0.58	1.47	PRESTON.		
HUDDESFIELD.	87,327	47	49	10	9	-	-	2	1	-	-	-	-	-	4	2	293	18	-	-	-	-	-	HUDDESFIELD.		
HALEFAX.	77,378	36	40	10	10	-	-	-	-	-	-	-	-	-	5	3	270	13	-	-	-	-	-	HALEFAX.		
BRADFORD.	214,431	115	95	26	19	1	-	2	-	4	1	1	4	5	12	4	231	17	513	402	455	0.10	0.25	BRADFORD.		
LEEDS.	333,139	237	151	38	43	-	1	3	3	3	-	1	11	22	11	6	236	22	550	415	528	0.08	0.20	LEEDS.		
SHEFFIELD.	305,710	194	138	24	35	-	8	-	1	4	1	-	2	6	11	5	236	24	550	427	595	0.15	0.38	SHEFFIELD.		
HULL.	186,292	117	73	21	20	-	1	-	-	-	2	-	4	4	6	6	204	8	540	390	444	0.03	0.20	HULL.		
SUNDERLAND.	125,327	82	106	23	8	1	49	3	1	1	1	-	2	2	3	3	441	233	320	393	406	0.28	0.71	SUNDERLAND.		
NEWCASTLE.	163,209	109	87	26	12	1	5	1	1	1	1	2	-	2	8	-	296	37	530	405	472	0.19	0.48	NEWCASTLE.		
CARDIFF.	97,034	72	59	20	9	-	6	-	1	3	-	1	-	2	6	1	317	59	-	-	-	-	-	CARDIFF.		
EDINBURGH.	250,616	149	108	14	25	-	-	2	4	5	2	-	4	?	19	18	225	27	533	421	562	0.83	0.84	EDINBURGH.		
GLASGOW.	519,965	387	299	73	43	-	28	3	-	17	-	3	5	?	37	59	300	51	590	419	550	0.19	0.48	GLASGOW.		
DUBLIN.	353,052	180	234	42	55	-	16	2	-	6	3	3	6	3	67	24	346	44	528	413	517	0.30	0.76	DUBLIN.		

* TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the ELEVENTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2518	2523	2587	2552	2638	2757	2709	2574	2771	2761	2877.7	2675
Males . .	1282	1279	1317	1292	1327	1410	1350	1344	1463	1384	1467.0	1330
Females . .	1236	1244	1270	1260	1311	1347	1359	1230	1303	1377	1410.7	1345
TOTAL Deaths	1728	1546	1800	1526	1989	1465	1459	1691	1854	1660	1823.0	1678
Males . .	920	768	919	792	962	768	722	866	974	856	932.0	841
Females . .	808	778	881	734	1027	697	737	825	880	804	891.0	837

* The numbers in this column are the average weekly numbers in the eleventh week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.
TOTAL Births - -	1832	3283	2816	2876	2803	2727	2806	2913	2526	2709	2623	2737	2675
TOTAL Deaths - -	1430	1918	1956	1855	1807	1886	1592	1525	1497	1569	1495	1678	1678
0-20 - - -	571	796	666	715	693	723	639	634	686	718	692	793	767
20-40 - - -	215	261	252	261	251	259	220	208	196	202	204	211	207
40-60 - - -	248	331	402	360	363	345	289	290	279	285	254	269	300
60-80 - - -	338	429	511	411	404	449	370	328	278	297	293	351	324
at 80 years & upwds.	58	101	125	108	96	110	74	65	58	67	52	54	80
Deaths of children { Under 1 year -	284	406	334	354	380	378	307	320	330	364	356	424	370
{ 1-5 - - -	198	248	225	261	206	239	227	218	257	243	256	273	297
{ 5-20 - - -	89	142	107	100	107	106	105	96	99	111	80	96	100
Deaths from Small-pox* - -	34	56	42	70	58	59	60	56	44	37	27	35	23
" " Measles - - -	20	22	14	27	20	16	16	28	31	29	52	51	53
" " Scarlet Fever - - -	16	28	16	21	18	19	18	17	14	16	15	7	16
" " Diphtheria - - -	20	28	26	14	12	15	19	16	14	16	15	8	29
" " Whooping-cough - - -	22	33	38	40	49	60	41	50	43	45	37	49	45
" " Typhus - - -	1	-	-	-	1	1	2	-	-	-	-	2	-
" " Enteric fever - - -	9	11	15	8	9	13	6	10	13	8	7	8	13
" " Simple Cont'd fever - - -	1	-	1	1	-	1	-	1	1	2	3	-	2
" " Diarrhoea and } - - -	7	15	11	8	8	12	9	6	11	9	7	14	12
" " Dysentery - } - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
" " Cholera - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Deaths from the above-mentioned Diseases* - - -	130	194	163	190	175	196	171	184	171	162	163	174	184
" " Dis. of Respiratory System } - - -	370	537	609	552	513	556	421	383	343	384	374	455	487
" " Phthisis - - -	159	198	200	186	180	199	145	161	168	168	179	177	157
" " Dis. of Circulatory System } - - -	132	127	169	155	153	154	122	118	105	127	112	139	140
Violent Deaths - - -	36	94	57	66	66	53	47	42	70	50	40	75	56
Inquest Cases - - -	101	198	144	134	143	132	109	91	133	114	85	148	125
Deaths in Public Institutions - - -	300	420	444	408	425	402	356	352	348	322	335	347	344
TEMPERATURE OF THE AIR:													
Mean - - -	36.5	33.2	38.0	35.1	31.9	43.6	43.6	46.2	40.0	45.8	40.3	38.2	41.9
Mean of Highest readings - - -	38.8	35.7	42.7	37.5	35.2	48.4	49.5	51.3	45.1	51.7	48.0	45.7	52.0
Mean of Lowest readings - - -	34.1	30.3	31.9	32.5	27.7	38.7	37.6	41.0	36.0	39.9	34.1	31.3	32.5
Humidity of the Air - - -	85	88	92	83	91	90	84	88	86	88	86	80	75
Rain-fall in inches - - -	0.03	0.00	0.57	0.27	0.00	0.58	0.61	0.25	0.94	0.55	0.60	0.01	0.05
Registered Sunshine (in hours) - - -	2.4	0.0	7.1	1.4	2.9	5.5	9.7	8.6	10.5	9.0	16.3	15.6	29.7

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; F. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filfliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the ELEVENTH Week of the Year 1885.

USES OF DEATH.		Corrected Averages for the 11th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 21st March, 1885.								CAUSES OF DEATH.		Corrected Averages for the 11th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 21st March, 1885.							
			Deaths of Persons of the Ages											Deaths of Persons of the Ages							
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.				ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
				0-1.	1-5.	5-20.									0-1.	1-5.	5-20.				
L CAUSES		1823.0	1678	370	297	100	207	300	324	80	Diseases of Organs of Special Sense † - -	1.3	2	-	1	1	-	-	-	-	
Small-pox { Vaccinated †		26.8	5	-	-	-	4	1	-	-	Diseases of Circulatory System - - -	111.4	140	-	2	14	21	46	53	4	
{ Unvaccinated			7	1	-	2	3	-	1	-	Croup - - -	15.3	14	1	10	3	-	-	-	-	
{ No Statement			7	1	-	1	2	2	1	-	Bronchitis - - -	303.2	329	78	63	6	8	44	105	25	
Measles - - -		43.7	53	8	37	7	-	-	1	-	Pneumonia - - -	110.2	113	30	27	5	14	21	15	1	
Scarlet Fever - -		29.9	16	-	13	3	-	-	-	-	Pleurisy - - -	5.2	2	-	-	-	1	1	-	-	
Typhus - - -		2.7	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - -	49.8	29	3	7	1	-	11	5	2	
Lapsing Fever † -		0.0	-	-	-	-	-	-	-	-	Dentition † - - -	20.0	17	11	6	-	-	-	-	-	
Influenza - - -		0.5	-	-	-	-	-	-	-	-	Quinsy, Sore Throat † -	1.0	3	1	1	1	-	-	-	-	
Whooping-cough -		85.7	45	16	28	1	-	-	-	-	Enteritis - - -	7.1	5	2	1	-	1	1	-	-	
Diphtheria - - -		11.0	20	3	14	3	-	-	-	-	Peritonitis - - -	6.9	7	1	-	1	3	1	1	-	
Typhoid Continued and ill-defined Fever -		4.4	2	-	-	1	-	-	1	-	Diseases of Liver - - -	30.1	22	2	-	1	2	11	5	1	
Typhoid Fever - -		17.9	13	-	1	5	4	2	1	-	Other Diseases of Digestive System -	29.3	30	6	2	2	3	8	9	-	
Typhoid - - -		0.3	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands † - -	2.3	-	-	-	-	-	-	-	-	
Typhoid - - -		0.2	-	-	-	-	-	-	-	-	Diseases of Urinary System - - -	34.3	37	-	3	2	10	14	7	1	
Typhoid - - -		15.5	12	6	-	-	-	-	5	1	Diseases of Generative System - - -	6.8	4	-	-	1	1	2	-	-	
Typhoid - - -		0.3	-	-	-	-	-	-	-	-	Accidents of Childbirth - -	5.7	3	-	-	-	3	-	-	-	
Typhoid - - -		0.2	-	-	-	-	-	-	-	-	Diseases of Locomotive System † - - -	6.0	7	-	-	3	2	2	-	-	
Typhoid - - -		0.0	-	-	-	-	-	-	-	-	Diseases of Integumentary System - -	6.5	12	4	2	-	1	-	5	-	
Typhoid - - -		0.3	-	-	-	-	-	-	-	-	VIOLENT DEATHS.‡										
Typhoid - - -		13.5	14	10	-	-	1	2	1	-	(ACCIDENT.)										
Typhoid - - -		7.1	7	1	-	-	1	2	3	-	Fracture and Contusion	18.9	22	1	3	3	4	6	3	2	
Typhoid - - -		3.0	1	-	-	-	-	-	1	-	Gunshot Wound - - -	0.0	-	-	-	-	-	-	-	-	
Typhoid - - -		4.4	9	-	-	1	8	-	-	-	Cut, Stab - - -	0.5	-	-	-	-	-	-	-	-	
Typhoid - - -		0.7	2	-	1	1	-	-	-	-	Burn and Scald - - -	5.5	7	-	4	1	2	-	-	-	
Typhoid - - -		2.6	3	3	-	-	-	-	-	-	Poison - - -	1.4	1	-	-	-	-	1	-	-	
Typhoid - - -		0.2	-	-	-	-	-	-	-	-	Drowning - - -	4.8	3	-	-	-	2	1	-	-	
Typhoid - - -		0.7	-	-	-	-	-	-	-	-	Suffocation - - -	14.3	11	10	-	-	1	-	-	-	
Typhoid - - -		4.3	8	-	-	-	5	1	2	-	Otherwise - - -	2.9	-	-	-	-	-	-	-	-	
Typhoid - - -		10.7	6	-	-	3	1	1	1	-	(HOMICIDE.)										
Typhoid - - -		3.8	7	-	-	-	1	1	1	-	Murder & Manslaughter	1.2	1	1	-	-	-	-	-	-	
Typhoid - - -		2.0	5	1	4	-	-	-	-	-	(SUICIDE.)										
Typhoid - - -		44.7	38	-	1	-	-	21	15	1	Gunshot Wound - - -	0.9	2	-	-	-	-	2	-	-	
Typhoid - - -		25.1	19	9	9	-	1	-	-	-	Cut, Stab - - -	1.7	4	-	-	-	1	3	-	-	
Typhoid - - -		33.3	30	7	18	5	-	-	-	-	Poison - - -	1.1	1	-	-	-	-	-	-	-	
Typhoid - - -		192.6	157	2	-	10	81	57	7	-	Drowning - - -	1.1	2	-	-	1	1	-	-	-	
Typhoid - - -		14.9	14	5	2	4	-	2	1	-	Hanging - - -	1.6	1	-	-	-	-	1	-	-	
Typhoid - - -		6.7	7	-	-	1	1	3	2	-	Otherwise - - -	0.4	1	-	-	-	-	-	-	-	
Typhoid - - -		29.6	32	32	-	-	-	-	-	-	(EXECUTION.)										
Typhoid - - -		2.3	2	2	-	-	-	-	-	-	Hanging - - -	0.0	-	-	-	-	-	-	-	-	
Typhoid - - -		8.7	9	9	-	-	-	-	-	-	OTHER CAUSES † - -	62.3	55	45	2	-	1	2	3	2	
Typhoid - - -		68.1	47	-	-	-	-	1	18	28											
Typhoid - - -		49.5	43	1	2	-	5	11	17	7											
Typhoid - - -		7.0	3	-	1	-	2	-	-	-											
Typhoid - - -		57.4	44	37	7	-	-	-	-	-											
Typhoid - - -		37.3	101	20	25	6	6	12	27	5											

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1883-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 4 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 9. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, and from other Zymotic Diseases, during the Week ending

		The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total DEATHS during the Week.	Deaths of														Deaths in Public Institutions.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.			
LONDON		3,816,483	2675	1678	370	404	19	53	16	20	45	-	13	2	12	56	125	344	
WEST DISTRICTS		669,633	432	303	67	64	-	1	2	5	9	-	2	-	2	11	24	76	
NORTH DISTRICTS		905,947	608	347	84	82	7	5	3	9	12	-	7	-	1	10	20	61	
CENTRAL DISTRICTS		282,238	163	137	24	38	-	4	2	1	5	-	-	-	1	5	8	39	
EAST DISTRICTS		692,738	536	324	69	66	1	25	7	2	4	-	1	-	3	7	35	76	
SOUTH DISTRICTS		1,265,927	936	567	126	154	11	18	2	3	15	-	3	2	5	23	38	92	
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.		69888	45	32	9	4	-	-	-	-	1	-	-	-	-	-	3	5	
St. John Paddington H - - G.J.		37380	11	15	1	4	-	-	-	-	-	-	-	-	-	-	3	8	
Kensington Town Ww - - W.M.		120141	48	43	7	12	-	-	-	-	3	-	-	-	-	-	4	12	
Brompton H - - W.M. & C.		48010	23	16	4	2	-	-	-	-	-	-	-	-	-	-	-	6	
St. Peter Hammersmith - - W.M.		7569	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.		64340	59	29	12	6	-	-	-	1	2	-	-	-	-	1	2	3	
Fulham WwH - - W.M. & C.		42900	49	25	7	4	-	-	1	-	2	-	-	-	-	-	1	8	
Chelsea South HHH - - C.		30896	15	11	3	3	-	-	-	-	-	-	-	-	-	-	1	2	
Chelsea North-west WHHHH - C.		24925	23	20	4	6	-	-	-	-	-	-	-	-	-	-	-	11	
Chelsea North-east - - C.		32807	34	15	5	8	-	-	-	-	-	-	-	-	-	-	-	-	
Hanover Square H - - G.J.		18862	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
May Fair Ww - - G.J.		18491	9	10	1	5	-	-	-	-	-	-	-	-	-	-	-	7	
Belgrave HH - - C.		69220	32	22	6	6	-	-	1	3	1	-	1	-	1	1	2	7	
St. John Westminster HH - - C.		35496	32	14	3	2	-	-	-	-	-	-	-	-	-	-	1	1	
St. Margaret Westminster H - C.		24679	15	14	2	1	-	-	-	-	-	-	-	-	-	2	3	5	
St. James Westminster WH N.R. & G.J.		29641	13	15	1	5	-	1	-	-	-	-	-	-	-	-	-	2	
St. Anne Soho HHHHH - - N.R.		18608	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	2	
NORTH DISTRICTS.																			
All Souls Marylebone HHHH - W.M.		26759	8	9	1	-	-	-	-	-	-	-	-	-	-	-	-	6	
Cavendish Square HHH - - W.M.		14881	5	8	1	4	-	-	1	-	-	-	-	-	-	-	-	-	
Rectory Marylebone WH G.J. & W.M.		24809	13	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	
St. Mary Maryleb. HHH G.J. & W.M.		21118	29	6	2	1	-	-	-	-	-	-	1	-	-	-	2	-	
Christchurch Marylebone H - W.M.		35700	24	12	2	3	-	-	-	-	1	-	-	-	-	-	-	-	
St. John Marylebone H - - W.M.		33633	17	14	2	4	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead WwHHH - N.R. & W.M.		45452	26	12	3	1	1	-	-	-	-	-	-	-	-	-	-	8	
Regent's Park Paneras H - - W.M.		39115	27	15	4	5	-	1	-	-	-	-	-	-	-	1	1	1	
Tottenham-court WHHHH N.R. & W.M.		27729	16	10	1	2	-	-	-	-	-	-	-	-	-	-	4	-	
Gray's Inn Lane HHH - - N.R.		30247	24	15	1	4	-	-	-	1	-	-	-	-	-	-	2	-	
Somers Town H - - N.R.		34369	22	6	3	-	-	-	-	-	-	-	-	-	-	1	1	-	
Camden Town WH - - N.R.		17311	10	14	2	9	-	-	-	-	-	-	-	-	-	1	2	10	
Kentish Town W - - N.R.		87487	57	40	14	7	-	-	-	-	5	-	-	-	-	1	3	4	
Upper Holloway WWWWH - - N.R.		67946	57	38	13	11	-	-	-	1	5	-	-	-	-	-	2	12	
Islington South-west HH - - N.R.		100976	85	35	13	7	-	-	-	2	-	-	2	-	-	-	-	-	
Islington South-east - - N.R.		61895	36	25	4	7	1	-	-	-	-	-	2	-	1	-	-	-	
Highbury H - - N.R.		52048	57	11	2	2	-	1	-	2	-	-	1	-	1	1	-	-	
Stoke Newington H - - N.R.		22781	13	8	2	1	-	-	-	1	1	-	-	-	-	-	-	-	
Stamford Hill - - E.L.		9277	6	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
West Hackney - - N.R.		37610	20	10	1	2	-	1	-	-	-	-	-	-	-	-	1	-	
Hackney WwwwHL - - E.L. & N.R.		76911	50	45	8	9	3	-	3	1	-	-	1	-	-	3	6	10	
South Hackney - - E.L.		59883	26	6	3	1	1	-	-	1	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																			
St. George Bloomsbury - - N.R.		16681	6	4	-	2	-	-	-	-	-	-	-	-	-	1	-	-	
St. Giles South WH - - N.R.		14864	19	16	1	3	-	-	-	1	-	-	-	-	-	-	-	9	
St. Giles North - - N.R.		19837	8	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields HH N.R. & C.		17608	8	14	3	5	-	-	-	-	-	-	-	-	-	1	1	7	
St. Mary-le-Strand H - - N.R.		7515	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Clement Dances H - - N.R.		8559	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	4	
St. George-the-Martyr HHHHHH N.R.		18671	13	8	1	1	-	-	1	-	-	-	-	-	-	-	-	2	
St. Andrew Eastern W - - N.R.		10706	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Saffron Hill H - - N.R.		6533	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-	2	
St. James Clerkenwell - - N.R.		17516	9	7	2	-	-	1	-	-	1	-	-	-	-	-	-	-	
Anwell Clerkenwell - - N.R.		16281	17	7	2	1	-	-	1	-	-	-	-	-	-	-	-	-	
Pentonville - - N.R.		14773	5	6	2	-	-	-	-	-	1	-	-	-	-	-	-	-	
Goswell-street - - N.R.		17505	10	7	2	1	-	2	-	3	-	-	-	-	-	1	2	-	
Old-street H - - N.R.		11541	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
City-road HHL - - N.R.		18623	11	9	2	3	-	-	-	-	-	-	-	-	-	-	-	3	
Whitecross-street - - N.R.		9217	5	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-	
Finsbury - - N.R.		7463	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - N.R. & E.L.		11174	2	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
Cripplegate - - N.R.		7193	4	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - - N.R.		5358	2	13	-	-	-	-	-	-	-	-	-	-	-	1	3	12	
St. Bride W - - N.R.		8396	3	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	
Allhallows Barking - - N.R.		13666	1	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - - N.R.		6662	2	2	1	1	-	-	-	-	-	-	-	-	-	2	2	-	

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; A—Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. the Kent Company.

EVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
 tuesday, the 21st March, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include													
					Deaths of		Deaths from											
					Infants under 2 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
EAST DISTRICTS.																		
Holywell Shoreditch	N.R. & E.L.	7376	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Leonard Shoreditch	HL†	14967	5	3	-	-	-	3	-	-	-	-	-	-	1	-	-	-
Hoxton New Town	W	29937	28	14	2	7	1	1	-	-	-	-	-	1	1	5	-	-
Hoxton Old Town	-	28036	19	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Jaggerston WH	N.R. & E.L.	46276	45	17	6	6	-	-	-	-	-	-	-	1	1	5	-	-
Jackney-road	H	29738	28	18	4	2	-	2	-	-	-	-	-	-	-	3	2	1
Green, Bethnal Green	WHL†	47532	34	23	2	7	-	1	1	-	-	-	-	-	-	1	9	-
Church, Bethnal Green	-	29981	35	7	1	-	-	-	-	-	1	-	-	-	-	3	-	-
Town, Bethnal Green	-	18910	12	9	-	3	-	1	-	-	-	-	-	-	1	3	-	-
Spitalfields	H	22585	10	5	2	2	-	1	-	-	-	-	-	-	-	2	-	-
Mile End New Town	W	15473	14	13	3	4	-	-	-	-	1	-	-	-	-	1	5	-
Whitechapel Church	H	17490	10	14	2	2	-	-	-	-	-	-	-	-	2	3	11	-
Goodman's Fields	-	9713	6	4	1	-	-	1	-	-	-	1	-	-	-	-	-	-
Alldgate	-	6102	4	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-
St. George's, North	-	38747	23	15	4	-	-	1	1	-	-	-	-	-	1	5	-	-
St. John, St. George East	W	8410	7	14	2	5	-	-	-	-	-	-	-	1	-	1	11	-
Chadwell	H	10395	13	12	5	1	-	-	-	-	1	-	-	-	-	-	7	-
Ratcliff	-	16107	12	7	1	2	-	-	1	-	-	-	-	-	-	1	-	-
Limehouse	-	32041	26	19	5	2	1	4	1	-	-	-	-	-	1	2	-	-
Mile End Old Town West	-	37660	25	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town East	WwwH	67653	47	32	6	8	-	1	-	-	-	-	-	-	-	-	7	-
Bow	-	37074	27	9	1	1	-	1	1	-	-	-	-	-	-	-	-	-
Bromley	wwwH	64359	40	45	11	7	-	4	1	1	1	-	-	-	1	4	12	-
Poplar	WW	66077	49	24	6	3	-	4	1	1	-	-	-	-	-	1	2	-
SOUTH DISTRICTS.																		
Christchurch Southwark	WH	L. & S.	10663	9	8	2	2	-	-	-	-	-	-	-	-	-	4	-
St. Saviour Southwark	-	S.	14999	10	6	1	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road	-	S. & L.	21881	12	7	3	-	-	-	-	-	-	-	-	-	3	-	-
Borough-road	WH	L. & S.	14633	18	8	5	1	-	-	-	-	-	-	-	1	1	1	-
London-road	HL	L. & S.	21318	15	6	1	3	-	-	-	-	-	-	-	-	-	1	-
Trinity Newington	-	S. & L.	26672	16	4	2	2	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth	W	S. & L.	59555	49	32	8	13	-	-	-	-	-	-	-	1	1	10	3
St. Mary Newington	-	L. & S.	21623	14	6	-	4	-	-	-	-	-	-	-	-	-	-	1
St. Olave	WH	-	11956	6	10	1	-	-	1	-	-	-	-	1	-	1	6	-
Leather Market	-	S. & L.	16390	3	11	2	2	-	-	-	-	-	-	-	-	-	-	-
St. Mary Magdalen	W	-	15669	14	10	1	4	-	-	-	1	-	-	-	1	1	4	1
St. James Bermondsey	-	S.	54683	35	15	1	7	-	1	-	-	-	1	-	-	-	-	1
Rotherhithe	W	-	36024	29	12	3	2	-	1	1	-	-	-	-	1	2	3	-
Waterloo-road 1st	H	-	15195	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-
Waterloo-road 2nd	H	-	16331	22	8	3	2	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st	H	-	18576	23	21	8	2	-	-	-	-	-	-	-	1	4	13	-
Lambeth Church 2nd	WW	-	39859	41	34	6	14	-	-	1	-	-	-	-	2	2	12	2
Kennington 1st	-	-	45232	28	19	6	7	-	-	-	1	-	-	-	-	2	-	-
Kennington 2nd	-	-	33382	21	16	2	8	-	-	1	1	-	-	-	2	2	-	-
Brixton	ww	-	62387	48	16	3	6	2	-	-	-	-	-	-	1	1	2	-
Norwood	W	-	19017	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-
Clapham	H	-	36860	18	12	1	3	-	-	-	1	-	-	-	-	-	-	-
East Battersea	-	-	54675	14	25	7	3	-	-	-	-	-	-	1	2	2	-	-
West Battersea	Ww	-	52587	50	31	7	6	-	-	2	-	-	1	-	1	1	9	1
Wandsworth	HL	-	28004	17	12	2	2	-	3	-	-	1	-	1	-	-	-	-
Fulney	-	-	13235	5	3	-	2	-	-	-	-	-	-	-	-	-	1	-
Streatham	-	-	23553	11	8	-	4	-	-	-	1	-	-	-	-	-	-	-
Dulwich	-	-	5590	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Camberwell	WL†L†	-	59104	45	28	4	11	-	-	1	1	-	-	-	1	2	8	-
Peckham	W	-	71089	57	34	18	5	2	1	1	-	2	-	-	1	1	1	3
St. George Camberwell	-	-	60810	41	15	3	7	-	-	-	-	-	-	-	-	1	-	-
St. Paul Deptford	ww	-	76752	72	42	9	8	6	1	-	-	1	-	-	1	1	2	6
St. Nicholas Deptford	-	-	7901	6	2	1	-	-	-	-	-	-	-	-	-	6	-	1
Greenwich West	-	-	21972	10	12	4	2	-	-	2	-	-	-	-	-	-	-	-
Greenwich East	WHH	-	24608	22	18	3	5	-	-	-	1	-	-	-	1	1	5	-
Eltham	H	-	5627	3	3	-	1	-	1	-	-	-	-	-	-	-	-	-
Lee	-	-	21559	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham	WH	-	18865	12	12	1	4	-	2	-	-	-	-	-	-	2	2	-
Sydenham	H	-	26076	8	6	3	1	-	-	-	-	-	-	1	-	-	-	-
Charlton	H	-	10930	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Dockyard	-	-	17617	12	9	-	3	1	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal	HHH	-	19448	10	13	-	6	-	-	-	-	-	-	-	1	1	1	-
Plumstead, West	H	-	14499	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, East	W	-	15241	17	12	4	1	-	1	-	-	-	-	-	1	1	4	-

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.	Stepney
Holborn Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum
London City Workhouse Hackney sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Holborn " Hoxton New Town sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Whitechapel " Mile End Old Town Eastern sub-dist.	

Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS AND DEATHS registered during the Week ending Saturday, 21st March, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Ename- rated Popu- lation, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes.	
LONDON—OUTER RING		370,282	950,178	755	407	92	129	24	8	4	5	13	5	9	17	37	48		
30:1	Carshalton <i>wL</i> - -	12228	21118	5	12	1	4	-	-	-	1	-	-	-	-	-	-		
2	Epsom (part of) * <i>WH</i>	9971	10710	5	1	-	-	-	-	-	-	-	-	-	-	-	-		
37:1	Godstone (part of) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
38:1	Croydon <i>WwH</i> - -	20851	101241	61	38	8	11	1	3	-	-	3	-	-	1	5	3		
	Mitcham - -	11697	17982	18	4	-	-	-	1	-	-	-	-	-	-	-	-		
39:1	Wimbledon <i>HHH</i> - -	3220	15950	16	4	1	1	-	-	1	-	-	-	-	-	-	-		
2	Kingston <i>WHH</i> - -	8549	36354	20	15	3	5	1	-	-	-	-	-	-	3	3	1		
3	Esher (part of) * -	6601	9221	5	2	-	-	-	-	-	1	-	-	-	-	-	-		
4	Hampton <i>H</i> - -	4573	13539	9	6	1	4	-	-	-	-	-	-	-	-	-	-		
40:1	Richmond <i>WH</i> - -	2272	21302	17	8	1	3	-	-	-	-	1	-	-	-	-	-		
2	Mortlake - -	941	12331	5	4	1	1	-	-	-	-	-	-	-	-	-	-		
41:1	Bromley (pt. of) * <i>HH</i>	15669	31142	28	11	-	4	-	-	-	-	-	-	-	5	5	-		
2	Chislehurst (pt. of) * <i>WHH</i>	13685	15065	19	6	-	4	-	-	-	-	-	-	1	-	-	1		
42:1	Bexley <i>H</i> - -	13437	24134	21	7	3	2	-	-	-	-	-	-	-	-	-	-		
124:1	Sunbury <i>w</i> - -	11055	11685	7	3	-	-	-	-	-	-	-	1	-	1	1	-		
2	Staines <i>W</i> - -	13277	12089	13	7	-	5	-	-	1	-	-	-	-	-	-	5		
125:1	Hillingdon <i>WH</i> - -	6029	10802	8	2	-	2	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge - -	6178	5225	5	2	2	-	-	-	-	-	-	-	-	-	1	-		
3	Hayes <i>wHL</i> - -	14587	11523	9	6	-	3	-	-	-	-	-	-	-	1	1	4		
126:1	Isleworth <i>W</i> - -	7008	22727	12	14	1	9	-	-	-	1	-	-	-	-	-	4		
2	Twickenham <i>H</i> - -	2477	12479	7	4	-	3	-	-	-	-	-	-	-	-	-	-		
3	Brentford <i>HL</i> - -	4345	27649	23	11	-	3	-	-	-	1	-	-	-	1	3	-		
4	Chiswick - -	1340	15975	10	5	1	2	1	-	-	-	1	-	-	-	1	-		
5	Acton <i>wH</i> - -	6083	22876	16	18	6	2	-	1	-	-	-	1	-	-	1	-		
127:1	Harrow <i>H</i> - -	13809	12796	5	5	1	2	-	-	-	-	-	-	-	-	-	1		
2	Edgware <i>H</i> - -	6994	3749	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden - -	4383	27453	34	14	5	4	-	-	-	-	2	-	-	2	2	-		
4	Hendon <i>W</i> - -	8382	10484	16	6	2	2	-	-	-	-	-	-	-	-	-	1		
128:1	South Mimms - -	15599	6391	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet <i>W</i> - -	5433	10092	5	8	3	5	-	-	-	-	1	-	-	-	-	3		
3	Finchley <i>HL</i> - -	4688	17615	10	8	-	2	-	-	-	-	-	1	-	1	2	1		
129:1	Hornsey <i>H</i> - -	3039	37078	22	17	3	7	-	-	-	-	1	1	-	-	3	-		
2	Tottenham <i>HH</i> - -	4642	46456	41	26	9	3	1	-	-	-	-	-	-	1	5	1		
3	Edmonton <i>WwH</i> - -	7483	23463	20	15	2	7	1	-	-	-	-	-	-	-	3	5		
4	Enfield <i>WH</i> - -	12633	19104	9	7	4	1	-	-	-	-	-	-	-	-	-	-		
5	Waltham Abbey - -	11017	5363	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt - -	3480	7735	4	3	1	-	-	-	-	-	-	-	-	-	-	-		
135:1	Hatfield (part of) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137:1	Bushey - -	9331	6621	2	1	-	1	-	-	-	-	-	-	-	-	-	-		
186:1	Stratford - -	882	33606	31	18	4	4	3	-	-	-	-	-	-	-	-	-		
2	West Ham <i>wH</i> - -	7351	101053	120	57	18	14	15	1	2	1	3	1	-	1	1	2		
3	Leyton <i>wH</i> - -	4372	32480	36	12	2	3	-	-	-	-	1	-	-	-	-	8		
4	Walthamstow <i>wH</i> - -	6520	28859	30	11	4	4	-	2	-	-	-	-	-	1	-	-		
187:1	Chigwell (part of) * <i>H</i>	11761	9639	13	2	-	2	-	-	-	-	-	-	-	-	-	-		
189:1	Romford (part of) * -	6730	3411	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford - -	8493	7645	5	3	2	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town - -	4127	9203	6	2	1	-	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37: 1, the two parishes of Warringham and Farley in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41: 1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41: 2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 187: 1, the whole of Chigwell sub-district, except the parish of Theydon-Bos (pop. 875); 189: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 21st March, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,093,995	20.9	2.4	2085	462	533	43	61	20	25	58	20	14	73	392		
INNER LONDON -	78,052	4,019,361	21.4	2.3	1878	370	404	19	53	16	20	45	15	12	56	344		
OUTER RING -	370,282	1,074,634	19.0	2.9	407	92	129	24	8	4	5	13	5	2	17	48		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700,522 square miles, which is equivalent to the area of a circle having a radius of 14,933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,165,364 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA -	433,219	January 31	-	265	32.7	Small-pox 2; fevers 95; cholera 17.
BOMBAY -	773,196	February 17	288	456	28.7	Cholera 6; small-pox 4; fevers 110.
MADRAS -	398,777	January 30	291	411	53.4	Cholera 16; fevers 103.
PARIS -	2,239,928	March 14	1204	1096	25.4	Typhoid fever 28; meas. 41; diph. & croup 35.
GENEVA -	71,453	" 14	36	30	21.9	-
BRUSSELS -	412,965	" 7	277	209	27.2	Measles 7; croup 9; diphtheria 2.
AMSTERDAM -	366,812	" 14	263	220	30.9	Whooping-cough 10; diphtheria 7.
ROTTERDAM -	166,001	" 14	128	94	28.8	Whooping-cough 3.
THE HAGUE -	134,552	" 14	106	76	29.4	Croup 4.
COPENHAGEN -	278,000	" 17	201	126	23.6	Whooping-cough 3; diphtheria 2.
STOCKHOLM -	190,115	" 7	136	113	30.9	Measles 14; diphtheria and croup 7.
CHRISTIANIA -	126,000	" 14	68	44	18.0	Scarlet fever 2; diphtheria and croup 3.
ST. PETERSBURG	928,016	" 7	-	606	34.1	Typhus and typh. fev. 20; scarlet fev. 5; diph. 6.
BERLIN -	1,266,511	February 28	851	619	25.4	Diphtheria 41; scarlet fever 6.
HAMBURG (State)	497,956	March 7	368	216	22.6	Typh. and typhd. fev. 5.
DRESDEN -	241,500	" 7	159	125	26.9	Scarlet fever 3; diph. 4.
BRESLAU -	295,000	" 7	204	166	29.3	Diphtheria 2.
MUNICH -	244,000	" 14	177	154	32.8	Measles 7; diphtheria and croup 5.
VIENNA -	769,889	" 7	570	495	33.4	Small-pox 16; measles 6.
PRAGUE -	272,333	" 14	-	196	37.6	Small-pox 3; whooping-cough 4.
BUDA-PESTH -	416,474	February 28	204	244	29.5	Diphtheria and croup 2.
TRIESTE -	150,167	March 7	-	74	25.7	Small-pox 11.
ROME -	324,649	February 7	204	186	29.9	Small-pox 8.
NAPLES -	504,795	-	-	-	-	-
TURIN -	267,763	February 28	-	-	-	-
VENICE -	144,845	March 7	70	92	33.1	Small-pox 1.
MADRID -	475,668	February 15	-	-	-	-
LISBON -	203,681	" 14	-	-	-	-
ALEXANDRIA -	212,084	" 21	241	181	44.5	Small-pox 2; diph. and croup 7.
NEW YORK -	1,356,958	" 21	-	761	29.3	Meas. 30; dip. 32; scarlet fever 16.
BROOKLYN -	665,602	" 21	-	295	23.1	Scar. fev. 8; diph. 9.
PHILADELPHIA -	927,295	" 28	-	470	26.4	Typhoid fever 8; diphtheria 11.
BALTIMORE -	408,529	" 28	-	161	20.6	Typhoid fever 4; diphtheria 4.

TABLE 9.-METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 21st MARCH, 1885.
[Under the Superintendence of the Astronomer Royal.]

Mo. & Day.		READINGS OF THERMOMETER.										DIFFERENCE				As deduced from Anemometers.				RAIN.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Phase of Moon.	Day.	High-est.		Low-est.		Range in day.		Mean daily value.		Dew Point.		Between Dow Point and Air Temperature.		Between mean tem-perature of air and surface of water.		Degree of hu-midity.		General Direction.				Amount of Horizontal Movement of Air of each day.		Robinson's.	Depart-ment of Air Average of 16 days.	Ozone.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		High-est.	Low-est.	Mean daily value.	Mean daily value.	High-est.	Low-est.	Mean daily value.	Least.	Great-est.	Mean of 24 Obs.	Least.	Great-est.	P. M.	A. M.	Presau-er square foot.	Mean of Air of each day.	Miles.	Miles.		Inches																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1885.		in.		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°	

SKY AND ATMOSPHERE.

DATE.	March.	Electricity.	Registered Sunshine.	Sum above Horizon.	Remarks.
SUNDAY	15	m. P. generally	6-2	11-8	Fog and hoar frost in morning; very fine afterwards, and the sky was generally cloudless. Aurora borealis observed at night.
MONDAY	16	m. P. in morning; v. P. afterwards.	4-3	11-8	Fine. Hoar frost in early morning. Cloudy in afternoon and evening; cloudless at other times.
TUESDAY	17	m. P. in morning; w. P. afterwards.	9-1	11-9	A very fine day. Small amounts of light cloud generally in P.M.; till night; cloudy after 11 p.m. and rain fell.
WEDNESDAY	18	v. P. generally; m. N. occasionally.	1-9	12-0	Slight rain in early morning; generally cloudy till evening; cloudless at night.
THURSDAY	19	m. P. in morning; v. P. and w. N. till evening; m. P. at night.	5-3	12-0	A fine day. Partly cloudy till evening; cloudless at night. Slight fog in evening.
FRIDAY	20	v. P. throughout	1-4	12-1	Cloudy till evening; cloudless at night.
SATURDAY	21	v. P. generally	1-5	12-2	Fine and partially cloudy till evening; overcast at night.
Sum			29-7	88-8	

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from these mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1868.

In reading the 17th and 26th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 30-38 in. at the beginning of the week to 29-41 in. by noon on the 18th; increased to 29-93 in. by noon on the 19th; decreased to 29-53 in. by 3h. P.M. on the 20th; and was 29-71 in. at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 12. 1885. Vol. XLVI.] WEEK ENDING SATURDAY, MARCH 28. [Price 1½d.

*General Register Office, Somerset House,
30th March, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 23·2 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the past four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.		Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.
Birkenhead	16·8	18·5	17·4	21·3	Liverpool -	22·5	25·6	28·3	25·0
Birmingham	17·7	19·4	24·0	19·4	London -	19·1	21·4	21·4	22·2
Blackburn -	19·0	22·7	26·0	23·2	Manchester -	26·9	28·6	32·9	31·2
Bolton -	28·9	19·9	26·1	19·0	Newcastle-on-Tyne	29·3	27·6	29·6	31·7
Bradford -	21·7	19·5	23·1	18·5	Norwich -	21·7	22·9	23·5	21·2
Brighton -	11·8	16·8	18·2	18·7	Nottingham -	24·4	25·2	20·2	20·2
Bristol -	21·8	23·4	27·0	28·2	Oldham -	22·3	33·9	27·7	33·9
Cardiff	37·6	20·4	31·7	41·9	Plymouth -	15·8	22·0	22·0	20·6
Derby -	18·0	18·0	14·0	18·0	Portsmouth -	22·9	15·5	19·0	17·8
Halifax -	19·6	22·9	27·0	22·9	Preston -	29·1	22·3	23·4	26·5
Huddersfield	19·7	20·9	29·3	19·7	Salford -	19·4	19·2	21·7	21·7
Hull -	14·6	16·0	20·4	21·8	Sheffield -	17·6	20·7	23·6	21·3
Leeds -	19·1	19·9	23·6	23·0	Sunderland	42·1	48·3	44·1	40·4
Leicester -	22·2	20·7	21·5	24·1	Wolverhampton -	15·2	23·1	27·7	25·7

The highest annual death-rates from measles, measured by last week's mortality, were 3·0 in Huddersfield, 4·8 in Newcastle-upon-Tyne, 6·5 in Cardiff, and 13·3 in Sunderland; from whooping-cough, 2·6 in Preston, 3·2 in Cardiff, and 3·3 in Oldham; and from "fever," 1·4 in Newcastle-upon-Tyne, 1·6 in Preston, and 2·3 in Norwich. The 97 deaths in Sunderland included 32 from measles, making 276 that have been referred to this disease within the borough since the beginning of this year. The 21 deaths from diphtheria in the twenty-eight towns last week included 11 in London, 2 in Portsmouth, one in Liverpool, and 3 in Cardiff. Small-pox caused 47 deaths in London and its outer ring of suburban districts, 2 in Sunderland, one in Manchester, and one in Newcastle-upon-Tyne.

LONDON.

In LONDON 2537 BIRTHS and 1734 DEATHS were registered. Allowing for increase of population, the births were 278, and the deaths 140, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 21·4 in each of the two preceding weeks, rose last week to 22·2, and exceeded the rate in any week since the end of January. During the first twelve weeks of the current quarter the death-rate averaged 21·6 per 1000, against 24·2, the mean of the rates in the corresponding periods of the nine years 1876-84.

The 1734 deaths included 21 from small-pox, 70 from measles, 10 from scarlet fever, 11 from diphtheria, 55 from whooping-cough, 1 from typhus, 7 from enteric fever, 2 from ill-defined forms of continued fever, 18 from diarrhoea and dysentery, and not one from cholera; thus, 195 deaths were referred to these diseases, being 45 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 22 and 19 in the two preceding weeks, rose again to 21 last week, but were 2 below the

corrected weekly average. These 21 deaths were, however, exclusive of 3 deaths of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the 24 fatal cases, 15 occurred in the Metropolitan Asylum Hospitals in and around London, 4 in the Highgate Small-pox Hospital, and 5 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 2 belonged to Fulham, 2 to Clerkenwell, 2 to Newington, 2 to the Outer Ring, and 4 to Camberwell; all the 4 Camberwell cases occurred in private dwelling-houses. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the five preceding weeks from 1223 to 830, rose again to 865 on Saturday last; the admissions further rose last week to 179, from 94, 104, and 137 in the three preceding weeks. The Highgate Small-pox Hospital contained 94 patients on Saturday last, 31 cases having been admitted during the week, a higher number than in any previous week of this year.

The fatal cases of *measles*, which had been 51 and 53 in the two previous weeks, rose to 70 last week, and exceeded the corrected weekly average by 30; 7 belonged to Islington, 7 to Shoreditch, 6 to Bethnal Green, 6 to Camberwell (including 5 in the Workhouse, Gordon Road), and 5 to Greenwich. The 10 deaths from *scarlet fever* were 21 below the corrected average, and included 2 that belonged to West Ham district. The Metropolitan Asylum Hospitals contained 207 scarlet fever patients on Saturday last, showing a further considerable decline from recent weekly numbers; 16 cases were admitted, against 19 and 21 in the two previous weeks. The 11 deaths referred to *diphtheria* showed a decline of 9 from the number in the previous week, and corresponded with the corrected average; 3 belonged to Bethnal Green. The 55 fatal cases of *whooping-cough* showed an increase of 10 upon the number in the previous week, but were 42 below the corrected average; 4 belonged to Kensington, 5 to Islington, and 6 to Wandsworth. The 18 deaths attributed to *diarrhæa* and *dysentery* exceeded the corrected average by 2.

The deaths referred to *enteric fever*, which had been 7, 8, and 13 in the three preceding weeks, declined again to 7 last week, and were 10 below the corrected weekly average; 2 belonged to St. Giles. The death attributed to *typhus* occurred at 172, Kilburn Lane, in the Chelsea sanitary area. Two deaths were indefinitely referred to low fever, and simple continued fever. The Metropolitan Asylum Hospitals contained 39 cases of enteric fever, and 26 of typhus, on Saturday last; 4 cases of enteric fever, and one of typhus were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 374, 455, and 487 in the three preceding weeks, declined again last week to 448, and were 69 below the corrected weekly average.

Different forms of violence caused 50 deaths; 45 were the result of negligence or accident, among which were 15 from fractures and contusions, 5 from burns and scalds, 5 from drowning, and 9 of infants under one year of age from suffocation. The 15 deaths from fractures and contusions were thus returned:—male, aged 64 years, run over by van; female 2, run over by dray; male 48, fell from van; males 36, 41, fell from cab; male 71, fell from trolley; males 54, 66, females 39, 65, fell down stairs; males 3 months and 11 months, fell from bed; male 46, by fall of bag of sugar; male 56, by fall; and male 3, by fracture. An inquest was held in each of these 15 cases. Four cases of suicide were registered.

GREATHER LONDON.

In Greater London 3254 births and 2158 deaths were registered, equal to annual rates of 32·7 and 21·7 per 1000 of the population. In the Outer Ring 26 deaths from small-pox and 14 from whooping-cough were registered. The 26 fatal cases of small-pox included 4 in Edmonton, and 21 in West Ham sub-districts; of the latter, one occurred in the Metropolitan Asylum Hospital at Plaistow, and 20 were local cases.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·98 in.; the lowest reading was 29·64 in. on Thursday evening, and the highest 30·18 in. on Saturday morning. The mean temperature of the *air* was 39°·1, and 3°·3 below the average in the corresponding week of the 20 years ending 1868. The mean showed a slight excess on Friday, but was below the average on each of the other days of the week. The direction of the *wind* was variable, and the horizontal movement of the air averaged 11·0 miles per hour, which was 1·6 miles below the average in the corresponding week of 16 years. *Rain* or melted snow was measured on Sunday and Thursday, to the aggregate amount of 0·84 of an inch. The duration of registered bright sunshine in the week was 23·9 hours, against 30·6 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY in 28 GREAT TOWNS, during the Week ending 28th March, 1885.

CITIES AND BOROUGH.	CITIES AND BOROUGH.	The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.				RAINFALL.							
		Registered during the Week ending 28th Mar., 1885.		Deaths of		Deaths from						Annual Rate per 1000, corresponding to the Week's Deaths		Mean.		In Inches.	In Centi- meters.						
		Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhoid.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.			Unidentified Causes of Death.	From All Causes.	From Diseases 6-12.			
																Highest.	Lowest.				Fahrenheit.	Centigrade.	
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.
Col.	Col.																						
28 TOWNS -	8,906,446	3967	974	907	25	176	31	21	124	37	37	109	240	647	121	23-2	2-6	55-0	26-2	39-3	4-06	0-28	0-72
LONDON -	4,088,928	2537	395	433	21	70	10	11	55	16	18	50	120	381	27	22-2	2-5	52-7	27-8	39-1	3-95	0-84	2-13
BRIGHTON -	114,672	57	8	15	-	-	-	-	-	-	-	-	3	5	2	18-7	0-0	50-3	31-3	37-9	3-28	0-21	0-53
PORTSMOUTH -	134,659	101	14	8	-	-	-	-	-	-	-	-	5	7	-	17-8	1-9	-	-	-	-	-	-
NORWICH -	91,215	40	37	8	-	-	-	-	-	-	-	-	1	-	-	21-2	2-3	-	-	-	-	-	-
PLYMOUTH -	76,045	50	30	4	-	-	-	-	-	-	-	-	3	8	17	3	28-2	2-2	51-5	29-0	40-0	4-44	0-53
BRISTOL -	218,169	132	31	37	-	4	1	-	4	-	-	-	8	17	3	28-2	2-2	51-5	29-0	40-0	4-44	0-53	1-35
WOLVERHAMPTON -	79,185	44	39	7	-	-	1	1	2	-	-	-	1	6	2	25-7	3-3	48-1	26-2	37-0	2-78	0-23	0-58
BIRMINGHAM -	427,769	304	45	37	-	-	-	1	12	-	-	4	11	32	8	19-4	1-7	-	-	-	-	-	-
LEICESTER -	136,147	114	63	22	9	1	1	-	1	1	-	4	8	6	2	24-1	1-1	-	-	-	-	-	-
NOTTINGHAM -	211,424	168	82	19	-	-	-	1	1	1	1	4	5	12	1	20-2	1-0	49-7	31-7	39-2	4-00	0-10	0-25
DERBY -	89,691	60	31	10	-	-	-	-	-	-	-	-	2	3	-	18-0	0-6	-	-	-	-	-	-
BIRKENHEAD -	53,063	61	38	4	-	-	2	-	-	-	-	1	3	4	2	21-3	1-7	-	-	-	-	-	-
LIVERPOOL -	579,724	389	71	44	-	25	1	-	4	2	2	12	14	62	18	25-0	3-1	50-6	33-4	41-1	5-06	0-23	0-58
BOLTON -	110,085	85	40	7	-	-	-	1	-	-	-	3	4	5	1	19-0	0-5	49-7	30-4	38-0	3-33	0-52	1-32
MANCHESTER -	387,342	243	48	38	1	3	1	-	5	5	-	5	14	36	6	31-2	2-3	-	-	-	-	-	-
SALFORD -	204,075	140	85	19	-	-	3	-	4	1	2	4	9	10	3	21-7	2-6	-	-	-	-	-	-
OLDHAM -	126,390	95	21	15	-	-	-	-	8	-	-	-	1	7	4	33-9	3-3	-	-	-	-	-	-
BLACKBURN -	112,574	77	50	10	-	-	-	-	-	-	-	-	-	8	1	23-2	2-8	-	-	-	-	-	-
PRESTON -	100,406	72	51	14	7	-	1	-	5	3	-	-	1	1	3	26-5	4-7	48-5	31-0	40-3	4-61	0-33	0-84
HUDDERSFIELD -	87,327	45	33	8	-	5	-	-	-	1	-	-	1	7	-	19-7	3-6	-	-	-	-	-	-
HALIFAX -	77,378	51	34	11	-	-	1	-	1	-	-	-	-	-	5	22-9	1-3	-	-	-	-	-	-
BRADFORD -	214,431	139	73	21	-	-	1	-	2	1	1	-	3	1	1	18-5	1-2	50-4	30-3	38-8	3-78	0-13	0-33
LEEDS -	333,139	247	42	33	-	-	1	-	9	1	1	5	8	16	4	23-0	2-5	51-0	31-0	39-9	4-39	0-12	0-30
SHEFFIELD -	305,716	217	125	38	20	-	5	-	3	2	-	1	2	12	9	21-3	2-2	52-0	30-5	38-8	3-78	0-16	0-41
HULL -	186,292	108	78	25	18	-	1	-	-	-	-	1	3	7	5	21-8	0-6	53-0	27-0	37-5	3-06	0-00	0-00
SUNDERLAND -	125,927	100	97	16	2	32	1	-	-	-	-	2	3	5	4	40-4	1-5	50-0	29-0	38-5	3-61	0-17	0-43
NEWCASTLE -	163,209	126	93	28	13	14	1	1	1	4	1	1	2	5	4	31-7	7-8	50-0	30-0	40-2	4-55	0-31	0-79
CARDIFF -	97,034	70	28	11	-	12	-	3	6	-	-	4	5	6	3	41-9	11-3	-	-	-	-	-	-
EDINBURGH -	250,616	125	12	29	-	-	-	-	1	3	4	1	?	18	17	18-9	1-7	52-5	27-0	40-9	4-94	0-05	0-13
GLASGOW -	519,965	393	290	55	44	-	4	-	17	2	6	7	?	36	37	30-0	4-7	51-0	23-0	40-2	4-55	0-22	0-56
DUBLIN -	353,962	221	273	51	66	-	7	3	2	6	2	8	7	85	38	40-4	4-7	55-6	24-7	41-8	5-45	0-20	0-51

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the TWELFTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2364	2601	2592	2721	2684	2584	2640	2559	2466	2665	2815.1	2537
Males . .	1244	1309	1303	1401	1366	1342	1313	1284	1250	1342	1434.4	1271
Females .	1120	1292	1229	1320	1318	1242	1327	1275	1216	1323	1380.7	1266
TOTAL Deaths	1680	1615	1802	1676	2035	1505	1516	1827	1887	1538	1873.5	1734
Males . .	834	824	945	893	1033	766	818	884	941	799	946.7	869
Females .	846	791	857	883	1052	739	698	943	946	789	926.8	865

The numbers in this column are the average weekly numbers in the twelfth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

			Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	
TOTAL Births	-	-	3283	2816	2876	2803	2727	2806	2913	2526	2709	2623	2737	2675	2537	
TOTAL Deaths	-	-	1918	1956	1855	1807	1886	1592	1525	1497	1569	1495	1678	1678	1734	
0—20	-	-	796	666	715	693	723	639	634	686	718	692	793	767	807	
20—40	-	-	261	252	261	251	259	220	208	196	202	204	211	207	205	
40—60	-	-	331	402	360	363	345	239	290	279	285	254	269	300	289	
60—80	-	-	429	511	411	404	449	370	328	278	297	293	351	324	352	
at 80 years & upwds.	-	-	101	125	108	96	110	74	65	58	67	52	54	80	81	
Deaths of children	{	Under 1 year	-	406	334	354	380	378	307	320	330	364	356	424	370	395
		1—5	-	248	225	261	206	239	227	218	257	243	256	273	297	315
		5—20	-	142	107	100	107	106	105	96	99	111	80	96	100	97
Deaths from Small-pox *	-	-	56	42	70	58	59	60	56	44	37	27	35	23	24	
" " Measles	-	-	22	14	27	20	16	16	28	31	29	52	51	53	70	
" " Scarlet Fever	-	-	28	16	21	18	19	18	17	14	16	15	7	16	10	
" " Diphtheria	-	-	28	26	14	12	15	19	16	14	16	15	8	20	11	
" " Whooping-cough	-	-	33	38	40	49	60	41	50	43	45	37	49	45	55	
" " Typhus	-	-	-	-	-	1	1	2	-	-	-	-	2	-	-	
" " Enteric fever	-	-	11	15	8	9	13	6	10	13	8	7	8	13	7	
" " Simple Cont'd fever	-	-	-	1	1	-	1	-	1	1	2	3	-	2	2	
" " Diarrhœa and Dysentery	-	-	15	11	8	8	12	9	6	11	9	7	14	12	18	
" " Cholera	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
Deaths from the above-mentioned Diseases*	-	-	194	163	190	175	196	171	184	171	162	163	174	184	198	
" " Dis. of Respiratory System	-	-	537	609	552	513	556	421	382	343	384	374	455	487	448	
" " Phthisis	-	-	198	200	186	180	199	145	161	168	168	179	177	157	196	
" " Dis. of Circulatory System	-	-	127	169	155	153	154	122	118	105	127	112	139	140	128	
Violent Deaths	-	-	94	57	66	66	53	47	42	70	50	40	75	56	50	
Inquest Cases	-	-	198	144	134	143	132	109	91	133	114	85	148	125	120	
Deaths in Public Institutions	-	-	420	444	408	425	402	356	352	348	322	335	347	344	361	
TEMPERATURE OF THE AIR:																
Mean	-	-	33.2	38.0	35.1	31.9	43.6	48.6	46.2	40.0	45.8	40.3	38.2	41.9	39.1	
Mean of Highest readings	-	-	35.7	42.7	37.5	35.2	48.4	49.5	51.3	45.1	51.7	48.0	45.7	52.0	47.6	
Mean of Lowest readings	-	-	30.3	31.9	32.5	27.7	38.7	37.6	41.0	36.0	39.9	34.1	31.3	32.5	31.8	
Humidity of the Air	-	-	88	92	83	91	90	84	88	86	88	86	80	75	77	
Rain-fall in inches	-	-	0.00	0.57	0.27	0.00	0.58	0.61	0.25	0.94	0.55	0.60	0.01	0.05	0.84	
Registered Sunshine (in hours)	-	-	0.0	7.1	1.4	2.9	5.5	9.7	8.6	10.5	9.0	16.3	15.6	29.7	23.9	

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.; F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.A.S., F.R.Met.Soc., Nottingham; J. Hartaup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Slapton, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Philliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWELFTH Week of the Year 1885.

USES OF DEATH.	Corrected Averages for the 12th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 23rd March, 1885.										CAUSES OF DEATH.	Corrected Averages for the 12th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 23rd March, 1885.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.														
			0-1.	1-5.	5-20.																		0-1.
L CAUSES - -	1873-5	1784	395	315	97	205	289	352	81			Diseases of Organs of Special Sense † - -	2-7	1	-	-	-	1	-	-	-		
Small-pox { Vaccinated †	22-6 {	8	-	-	6	2	-	-	-			Diseases of Circulatory System - - -	114-3	123	1	-	14	15	38	47	13		
do. { Unvaccinated		6	2	1	3	-	-	-	-			Croup - - -	14-9	12	2	9	1	-	-	-	-		
do. { No Statement		7	-	1	1	3	2	-	-			Bronchitis - - -	322-4	237	75	63	3	6	34	89	17		
Scarlatina - - -	30-9	70	15	49	6	-	-	-	-			Pneumonia - - -	121-2	112	18	40	6	13	18	14	1		
Erysipelas - - -	30-8	10	1	6	3	-	-	1	-			Pleurisy - - -	5-5	5	-	-	1	3	1	-	-		
Dysentery - - -	2-0	1	-	-	-	-	-	-	-			Other Diseases of Respiratory System - -	52-7	32	5	4	1	3	11	7	1		
Measles - - -	0-0	-	-	-	-	-	-	-	-			Dentition † - - -	19-3	25	12	13	-	-	-	-	-		
Whooping-cough -	0-2	1	-	1	-	-	-	-	-			Quinsy, Sore Throat † -	1-7	3	-	1	1	-	-	-	-		
Epidemic - - -	96-6	55	13	41	1	-	-	-	-			Enteritis - - -	7-2	4	1	-	-	2	-	-	-		
Diphtheria - - -	11-3	11	2	6	2	1	-	-	-			Peritonitis - - -	6-3	6	2	-	1	1	1	1	-		
Scarlatina Continued and Un-defined Fever -	2-7	2	-	1	-	1	-	-	-			Diseases of Liver - - -	34-1	25	1	-	4	13	5	2	-		
Epidemic Fever - -	17-3	7	-	-	2	5	-	-	-			Other Diseases of Digestive System -	27-5	30	2	5	2	3	6	11	1		
Cholera - - -	0-3	-	-	-	-	-	-	-	-			Diseases of Lymphatic System & of Ductless Glands † - -	1-0	1	-	1	-	-	-	-	-		
Epidemic, Dysentery -	16-4	18	10	3	-	1	1	2	1			Diseases of Urinary System - - -	37-4	42	-	-	2	8	16	13	3		
Intermittent Fever † -	0-0	2	1	-	-	-	-	1	-			Diseases of Generative System - - -	4-8	5	-	-	-	1	2	2	-		
Idiocy - - -	0-0	-	-	-	-	-	-	-	-			Accidents of Childbirth -	5-8	2	-	-	2	-	-	-	-		
Idiocy - - -	0-0	-	-	-	-	-	-	-	-			Diseases of Locomotive System † - -	7-7	6	-	1	3	2	-	-	-		
Epidemic and Effects of Vaccination † - -	0-3	1	1	-	-	2	1	2	-			Diseases of Integumentary System - -	7-5	6	2	-	-	-	1	3	-		
Cerebral Affections -	10-5	12	7	-	-	2	1	2	-			VIOLENT DEATHS.§											
Erysipelas - - -	7-4	7	2	-	-	1	1	3	-			(ACCIDENT.)											
Septicæmia and Septicæmia †	2-7	3	1	-	1	1	-	-	-			Fracture and Contusion -	18-3	15	2	2	-	2	5	4	-		
Epidemic Fever - -	4-9	1	-	-	1	-	-	-	-			Gunshot Wound - - -	0-3	1	-	1	-	-	-	-	-		
Epidemic Zymotic Diseases †	2-3	3	1	2	-	-	-	-	-			Cut, Stab - - -	0-3	1	-	1	-	-	-	-	-		
Measles - - -	2-0	-	-	-	-	-	-	-	-			Burn and Scald - - -	6-1	5	-	2	2	1	-	-	-		
Epidemic and other Parasitic Diseases - -	0-7	-	-	-	-	-	-	-	-			Poison - - -	1-0	1	-	-	-	-	1	-	-		
Starvation, Want of Food - - -	4-0	-	-	-	-	-	-	-	-			Drowning - - -	4-7	5	-	1	1	2	1	-	-		
Starvation - - -	4-7	5	-	-	2	1	2	-	-			Suffocation - - -	13-4	13	9	2	-	1	1	1	-		
Epidemic Fever and Rheumatism of Heart -	9-2 {	6	-	-	2	3	1	-	-			Otherwise - - -	2-4	5	2	-	1	1	1	-	-		
Epidemic - - -		2	-	-	-	1	1	-	-			(HOMICIDE.)											
Epidemic - - -		3-4	2	-	-	-	-	1	1			Murder & Manslaughter -	1-7	1	1	-	-	-	-	-	-		
Epidemic - - -	5-7	6	2	4	-	-	-	-	-			(SUICIDE.)											
Epidemic - - -	46-9	50	-	-	1	9	18	22	-			Gunshot Wound - - -	0-2	-	-	-	-	-	-	-	-		
Epidemic - - -	24-5	18	11	7	-	-	-	-	-			Cut, Stab - - -	1-3	1	-	-	-	-	-	-	-		
Epidemic - - -	35-9	23	13	13	2	-	-	-	-			Poison - - -	1-7	3	-	-	-	1	1	1	-		
Epidemic - - -	197-1	190	3	6	19	61	68	13	-			Drowning - - -	1-2	-	-	-	-	-	-	-	-		
Epidemic - - -	16-6	17	2	7	5	1	2	-	-			Hanging - - -	1-9	-	-	-	-	-	-	-	-		
Epidemic - - -	8-0	9	-	-	2	2	5	-	-			Otherwise - - -	0-8	-	-	-	-	-	-	-	-		
Epidemic - - -	32-7	42	42	-	-	-	-	-	-			(EXECUTION.)											
Epidemic - - -	3-0	5	5	-	-	-	-	-	-			Hanging - - -	0-1	-	-	-	-	-	-	-	-		
Epidemic - - -	8-7	9	9	-	-	-	-	-	-			OTHER CAUSES † - -	58-7	62	54	-	3	-	2	3	-		
Epidemic - - -	63-1	67	-	-	-	-	-	31	36														
Epidemic - - -	48-7	65	1	-	1	5	19	36	3														
Epidemic - - -	8-2	5	-	-	1	1	2	1	-														
Epidemic - - -	57-8	53	47	5	1	-	-	-	-														
Epidemic - - -	98-4	86	15	17	4	6	10	31	3														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9-046 per cent. for increase of population.
† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.
‡ Those cases of small-pox only are returned as "vaccinated," or as "unvaccinated," which are so certified by registered medical men. When medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered physician, the case is returned under the heading "no statement."
§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."
Exclusive of 3 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Deaths in Public Institutions.	
					Deaths of		Deaths from													
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.	Inquest Cases.			
LONDON		3,816,483	2537	1734	395	438	21	70	10	11	55	1	7	2	18	50	120	36		
WEST DISTRICTS		669,638	371	284	57	77	2	4	1	3	9	1	2	-	2	8	23	83		
NORTH DISTRICTS		905,947	609	393	101	96	8	15	4	2	12	-	2	1	4	10	21	65		
CENTRAL DISTRICTS		282,288	151	141	28	31	-	6	-	-	6	-	2	-	2	6	16	41		
EAST DISTRICTS		692,738	491	379	83	89	1	26	4	4	12	-	1	-	4	14	33	89		
SOUTH DISTRICTS		1,265,927	915	537	131	140	10	19	1	2	16	-	-	1	6	12	27	83		
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		69288	40	30	7	6	-	1	-	-	2	-	-	-	-	1	3	7		
St. John Paddington H		37330	11	11	-	1	-	-	-	-	-	-	1	-	-	-	1	5		
Kensington Town Ww		120141	59	61	12	26	-	-	-	-	3	-	-	-	1	1	2	29		
Brompton H		48010	15	9	3	1	-	-	-	-	-	-	-	-	-	-	1	2		
St. Peter Hammersmith		7599	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H		64340	51	21	6	6	-	1	1	-	1	-	-	-	1	-	1	-		
Fulham WwH		42600	53	30	12	5	2	1	-	-	1	-	-	-	3	6	5	-		
Chelsea South HHH		30396	19	15	2	5	-	-	-	1	-	-	1	-	-	3	2	11		
Chelsea North-west WHHHH		24925	8	16	-	6	-	-	-	1	-	-	-	-	1	-	-	-		
Chelsea North-east		32807	21	19	3	5	-	-	-	-	1	-	-	-	2	-	-	-		
Hanover Square H		16862	6	6	2	1	-	-	-	1	-	-	-	-	-	1	-	-		
May Fair WW		18491	4	13	1	6	-	-	-	-	-	-	-	-	-	-	9	-		
Belgrave HH		59220	32	18	3	3	-	-	-	-	1	-	-	-	2	2	6	-		
St. John Westminster HH		35496	22	12	3	2	-	-	-	1	-	-	-	-	-	1	1	-		
St. Margaret Westminster H		24679	12	8	-	1	-	1	-	-	1	-	-	-	-	-	4	-		
St. James Westminster WH N.R. & G.J.		29941	4	10	1	2	-	-	-	-	-	-	-	-	-	-	1	-		
St. Anne Soho HHHHH		16608	6	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-		
NORTH DISTRICTS.																				
All Souls Marylebone HHHH W.M.		26759	11	7	-	3	-	-	-	-	-	-	-	-	-	-	1	4		
Cavendish Square HHH		14891	9	9	4	2	-	1	-	-	-	-	-	-	-	-	1	-		
Rectory Marylebone WH G.J. & W.M.		24809	11	5	-	4	-	1	-	-	-	-	-	-	-	1	1	1		
St. Mary Marylebone HHH G.J. & W.M.		21118	25	6	3	-	-	-	-	-	-	-	-	-	-	-	2	-		
Christchurch Marylebone H		38700	29	19	5	6	-	-	-	-	-	-	-	-	1	2	1	-		
St. John Marylebone H		38638	14	13	4	4	-	-	-	-	1	-	-	-	-	-	6	-		
Hampstead WwHHH N.R. & W.M.		45452	26	26	9	10	1	-	-	-	1	-	-	-	1	-	4	-		
Regent's Park Panoras H		39115	20	10	4	1	-	-	-	-	1	-	-	-	-	-	-	-		
Tottenham-court WHHHH N.R. & W.M.		27729	13	16	7	1	-	-	1	-	-	-	-	-	1	1	7	-		
Gray's Inn Lane HHH		30247	20	12	4	1	-	-	1	-	-	-	-	-	-	2	3	-		
Somers Town H		34369	26	16	4	4	-	1	-	-	1	-	-	-	2	2	1	-		
Camden Town WH		17311	17	8	4	4	-	-	-	-	1	-	-	-	-	1	3	-		
Kentish Town W		87487	60	27	7	4	-	-	-	-	1	-	-	-	-	1	5	-		
Upper Holloway WwWwH		67946	48	39	4	13	4	3	-	1	-	-	-	-	-	-	-	14		
Islington South-west HH		106976	72	39	13	9	-	2	-	-	-	-	-	-	1	2	2	-		
Islington South-east		61895	40	26	7	7	-	3	-	-	-	-	-	-	1	2	-	-		
Highbury H		52048	29	22	7	2	-	-	-	-	3	-	-	-	-	-	1	-		
Stoke Newington H		22781	16	14	4	2	-	-	-	-	1	-	-	-	1	1	1	-		
Stamford Hill		9277	30	12	2	3	-	-	-	-	-	-	1	-	1	-	-	-		
West Hackney		37610	55	47	10	10	3	2	3	-	-	-	1	1	1	1	2	17		
Hackney WwWwHL		76911	26	19	3	5	-	-	-	-	-	-	1	-	1	1	1	-		
South Hackney		39883					-	2	-	-	-	-	-	-	-	-	-	-		
CENTRAL DISTRICTS.																				
St. George Bloomsbury		16631	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH		14864	7	13	2	4	-	-	-	-	-	-	1	-	-	1	1	8		
St. Giles North		13837	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HH N.R. & C.		17508	9	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary-le-Strand H		7515	5	4	1	1	-	-	-	-	-	-	-	-	-	1	2	3		
St. Clement Danes H		8559	2	10	-	1	-	-	-	-	-	-	-	-	1	-	1	6		
St. George-the-Martyr HHHHHH N.R.		18671	11	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Andrew Eastern W		10706	5	8	2	1	-	-	-	-	-	-	-	-	-	-	6	-		
Saffron Hill H		6533	2	3	-	1	-	-	-	-	-	-	-	-	-	1	1	2		
St. James Clerkenwell		17516	10	12	3	3	-	1	-	-	-	-	-	-	-	1	1	-		
Amwell Clerkenwell		19281	15	6	1	2	-	-	-	-	2	-	-	-	-	1	1	-		
Pentonville		14773	6	8	1	-	-	-	-	-	-	-	-	-	-	1	1	-		
Goswell-street		17506	11	4	-	1	-	-	-	-	1	-	-	-	-	1	-	-		
Old-street H		11541	16	6	-	-	-	3	-	-	-	-	-	-	-	-	-	-		
City-road HHL		18623	17	10	5	-	-	-	-	-	2	-	-	-	1	-	1	1		
Whitecross-street		9217	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Finsbury		7463	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H		11174	5	3	-	1	-	1	-	-	1	-	-	-	-	-	-	-		
Cripplegate		7193	4	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-		
St. Sepulchre H		3353	1	15	-	4	-	-	-	-	-	-	-	-	2	2	15	-		
St. Bride W		3896	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Allhallows Barking		13666	4	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-		
Broad Street H		5652	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J., Grand Junction Company; W.M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N.R., New River; E.L., East London and K., the Kent Company.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
ay, the 28th March, 1885.

REGISTRATION SUB-DISTRICTS.				Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
							Deaths of		Deaths from															
							Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Summer con- tinued Fever.	Diarrhœa.	Violence.						
EAST DISTRICTS.																								
ell Shoreditch	-	N.R. & E.L.	7376	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
onard Shoreditch	HL†	-	N.R.	14967	9	13	2	1	-	4	-	-	-	-	-	-	-	-	-	-	-			
n New Town	w	-	N.R.	29937	19	12	2	4	-	-	-	1	-	-	-	-	-	-	2	5	-			
n Old Town	-	-	N.R.	28036	18	15	3	1	-	2	-	1	-	-	-	-	-	2	1	14	-			
reton	WH	-	N.R. & E.L.	46275	40	29	5	11	-	1	1	1	-	-	1	-	-	1	1	-	-			
ey-road	H	-	-	E.L.	29738	14	16	4	4	-	2	-	-	-	-	-	-	-	1	1	-			
h, Bethnal Green	WHL†	-	-	E.L.	47932	33	36	5	15	-	1	1	3	-	-	-	-	-	-	17	-			
h, Bethnal Green	-	-	-	E.L.	29981	25	15	4	2	-	2	-	-	-	-	-	-	-	-	-	-			
h, Bethnal Green	-	-	-	E.L.	19310	18	14	5	-	-	2	-	1	-	-	-	-	1	2	-	-			
ields	H	-	-	E.L. & N.R.	22385	13	9	2	3	-	1	-	-	-	-	-	-	-	-	-	-			
nd New Town	W	-	-	E.L.	15473	12	6	1	3	-	-	-	-	-	-	-	1	-	-	4	-			
h Chapel Church	H	-	-	E.L. & N.R.	17490	5	22	1	3	-	2	-	-	-	-	-	-	4	5	17	-			
nan's Fields	-	-	-	E.L.	9713	5	4	1	1	-	-	-	1	-	-	-	-	1	1	-	-			
te	-	-	-	N.R. & E.L.	6102	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
orge's, North	-	-	-	E.L.	38747	31	15	6	1	-	4	-	-	2	-	-	-	-	-	-	2			
nn, St. George East	W	-	-	E.L.	8410	7	6	1	3	-	-	-	-	-	-	-	-	-	-	4	-			
ell	H	-	-	E.L. & N.R.	10895	6	17	5	3	-	-	1	-	-	-	-	-	-	-	10	-			
H	-	-	-	E.L.	16107	8	4	-	2	-	1	-	-	-	-	-	2	-	-	-	-			
ouse	-	-	-	E.L.	32041	26	14	5	3	-	-	-	1	-	-	-	-	-	-	-	-			
nd Old Town West	-	-	-	E.L.	37960	29	12	3	3	-	-	-	-	-	-	-	-	-	-	-	-			
nd Old Town East	WWWH	-	-	E.L.	67653	40	32	13	3	-	-	-	2	-	-	-	-	-	5	-	6			
ey	WHWH	-	-	E.L.	37074	22	15	3	5	-	2	-	-	-	-	-	-	1	4	4	-			
ey	WH	-	-	E.L.	64359	56	41	7	13	-	2	1	-	-	-	-	-	-	-	16	-			
W	-	-	-	E.L.	55077	42	26	3	5	1	1	-	1	-	-	-	-	4	5	1	-			
SOUTH DISTRICTS.																								
church Southwark	WH	-	-	L. & S.	13663	8	14	4	6	-	-	-	1	-	-	-	-	-	1	3	1			
our Southwark	-	-	-	S.	14999	10	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
oad	-	-	-	S. & L.	21381	20	11	6	2	-	-	-	-	-	-	-	-	-	2	-	-			
gh-road	WH	-	-	S. & L.	15553	15	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-			
n-road	HL	-	-	L. & S.	21318	16	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-			
ewington	-	-	-	S. & L.	26672	21	11	5	4	-	-	-	-	-	-	-	-	-	-	-	-			
ter Walworth	W	-	-	S. & L.	59555	33	40	11	14	-	1	-	-	-	-	-	-	-	1	13	2			
ry Newington	-	-	-	L. & S.	21623	14	7	1	3	-	1	-	1	-	-	-	-	-	1	-	1			
ve	WH	-	-	S.	11956	17	11	1	1	-	-	-	-	-	-	-	-	1	-	9	1			
or Market	-	-	-	S. & L.	16390	19	10	4	-	-	1	-	-	1	-	-	-	-	-	-	-			
ry Magdalen	W	-	-	S.	15669	8	9	2	2	-	-	-	-	-	-	-	-	-	-	2	1			
nea Bermondsey	-	-	-	S.	54683	45	13	1	6	-	-	-	-	-	-	-	-	-	-	-	-			
hithe	W	-	-	S. & K.	36024	30	13	3	5	-	1	-	-	-	-	-	1	1	1	-	-			
oo-road 1st	H	-	-	L. & S.	15195	12	7	3	-	-	-	-	-	-	-	-	-	-	-	1	-			
oo-road 2nd	H	-	-	L. & S.	16351	21	5	-	2	-	-	-	1	-	-	-	-	-	-	-	-			
th Church 1st	H	-	-	L. & S.	19376	16	7	-	3	-	-	-	-	-	-	-	-	-	2	4	-			
th Church 2nd	WW	-	-	L. & S.	39859	31	28	3	11	-	-	-	-	-	-	-	-	-	-	15	-			
ngton 1st	-	-	-	S. & L.	45232	25	27	5	6	-	-	-	2	-	-	-	-	-	-	-	-			
ngton 2nd	-	-	-	S. & L.	35332	20	10	2	3	-	-	-	-	-	-	-	-	-	-	-	-			
n	WH	-	-	L. & S.	62887	30	15	3	4	1	-	-	-	-	-	-	-	-	2	1	-			
nd	W	-	-	L.	19017	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
m	H	-	-	S.	96350	21	11	4	3	-	-	-	-	-	1	-	1	-	-	-	-			
attersea	-	-	-	S.	54675	48	20	5	4	-	-	-	2	-	-	-	-	-	-	-	-			
attersea	Ww	-	-	S.	52587	57	32	11	6	-	1	-	-	-	-	-	1	3	4	7	-			
worth	HL	-	-	S.	28004	17	17	3	6	-	-	-	2	-	-	-	-	-	-	-	-			
am	-	-	-	S.	13235	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
am	-	-	-	L.	25553	19	7	3	2	-	-	-	1	-	-	-	-	-	-	-	-			
h	-	-	-	L. & S.	5590	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
hwell	WL†L†	-	-	S. & L.	59104	27	17	2	7	-	-	-	1	-	-	-	-	-	-	6	-			
m	W	-	-	S., L., & K.	71059	50	40	11	8	3	6	-	1	-	-	-	-	1	1	5	2			
lge Camberwell	-	-	-	L. & S.	50810	44	18	10	2	1	-	-	-	-	-	-	-	-	-	-	-			
l Deptford	ww	-	-	K.	76752	59	43	11	9	5	4	1	1	-	-	-	-	1	1	5	2			
holas Deptford	-	-	-	K.	7901	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
rich West	-	-	-	K.	21972	9	3	-	1	-	1	-	-	-	-	-	-	1	1	2	4			
rich East	WHH	-	-	K.	24608	22	14	4	2	-	-	-	-	-	-	-	-	1	-	-	-			
H	-	-	-	K.	5827	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
am	WH	-	-	K.	21559	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
am	WH	-	-	K.	19865	17	7	2	2	-	1	-	-	-	-	-	-	-	-	1	-			
am	H	-	-	L.	26076	25	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-			
m	H	-	-	K.	10930	6	5	2	1	-	-	-	-	-	-	-	-	-	1	-	-			
ch Dockyard	-	-	-	K.	17617	13	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-			
ch Arsenal	HHH	-	-	K.	19448	15	8	-	1	-	-	-	-	-	-	-	-	1	-	2	1			
oad, West	H	-	-	K.	14009	11	5	2	1	-	1	-	-	-	-	-	-	-	1	-	-			
oad, East	W	-	-	K.	15241	14	7	-	3	-	1	-	-	-	-	-	-	-	-	4	-			

Following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the table by w:-

Gylebone Infirmary in Kensington Town sub-district.
 London Sick Asylum in Tottenham Court-road sub-district.
 Poor Infirmary in Upper Holloway sub-district.
 Poor City Workhouse " Hackney sub-district.
 Poor " Hoxton New Town sub-district.
 Beth Chapel " Mile End Old Town Eastern sub-district.
 London City Workhouse in Mile End Old Town Eastern sub-district and Bromley sub-district.
 Stepney " " " "
 Poplar & Stepney Sick Asylum " "
 Westminster Union Industrial School in West Battersea sub-district.
 Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during Week ending Saturday, 28th March, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON—OUTER RING		370,282	950,178	717	424	94	100	26	5	3	8	14	7	4	9	19	68	
30:1	Carshalton <i>wL</i> - -	12228	21118	9	16	1	3	-	-	-	-	-	-	1	-	-	11	
2	Epsom (part of) * <i>WH</i>	9971	10710	8	14	2	9	-	-	-	-	-	-	-	-	1	7	
37:1	Godstone (part of) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon <i>wuH</i> - -	20851	101241	77	26	7	2	-	1	-	1	-	3	-	-	2	2	
	Mitcham - -	11697	17932	13	2	-	-	-	1	-	-	1	-	-	-	-	1	
39:1	Wimbledon <i>HHH</i> - -	3220	15950	11	8	4	1	-	-	1	-	-	-	-	-	-	-	
2	Kingston <i>WHH</i> - -	8549	36354	18	14	1	5	-	-	-	1	-	-	-	-	-	4	
3	Esher (part of) * -	6601	9221	2	4	3	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton <i>H</i> - -	4573	13539	8	9	3	4	-	-	-	-	-	-	-	-	-	-	
40:1	Richmond <i>WH</i> - -	2272	21302	11	5	2	1	-	-	-	-	-	-	-	-	-	-	
2	Mortlake - -	941	12331	11	4	-	1	-	-	-	-	-	-	-	-	1	-	
41:1	Bromley (pt. of) * <i>HH</i>	15669	31142	22	6	3	-	-	-	-	-	-	-	-	-	-	-	
2	Chislehurst (pt. of) * <i>WHH</i>	13665	15065	15	11	2	3	-	-	-	-	-	-	-	-	-	1	
42:1	Bexley <i>H</i> - -	13437	24134	18	12	2	3	-	-	-	-	2	-	-	-	1	-	
124:1	Sunbury <i>w</i> - -	11055	11685	-	3	-	2	-	-	-	-	-	-	-	-	-	-	
2	Staines <i>W</i> - -	13277	12069	5	2	-	-	-	1	-	-	-	-	-	-	-	-	
125:1	Hillingdon <i>WH</i> - -	6029	10802	9	7	-	4	-	-	-	-	-	-	-	1	1	3	
2	Uxbridge - -	6178	5225	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>wHL</i> - -	14587	11523	11	7	1	1	-	-	-	-	3	-	-	-	-	-	
126:1	Isleworth <i>W</i> - -	7008	22727	6	9	4	2	-	-	-	-	-	-	-	-	1	2	
2	Twickenham <i>H</i> - -	2477	12479	10	6	-	4	-	-	-	-	-	-	-	-	-	-	
3	Brentford <i>HL</i> - -	4345	27649	11	10	1	5	-	-	-	-	-	-	-	-	-	-	
4	Chiswick - -	1340	15075	10	7	1	2	-	-	-	-	-	-	-	-	-	-	
5	Acton <i>wH</i> - -	6083	22876	14	4	2	2	-	-	-	-	-	-	-	-	-	-	
127:1	Harrow <i>H</i> - -	13809	12796	6	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware <i>H</i> - -	6994	3749	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - -	4393	27453	23	13	6	-	-	-	-	1	1	2	-	-	-	-	
4	Hendon <i>W</i> - -	8382	10484	4	8	1	4	-	-	-	-	-	-	-	1	1	3	
128:1	South Mimms - -	15599	6391	3	2	-	1	-	-	-	1	-	-	-	-	-	-	
2	Barnet <i>W</i> - -	5433	10092	13	4	1	1	-	-	-	-	-	-	-	-	-	-	
3	Finchley <i>HL</i> - -	4688	17615	12	11	2	4	-	-	-	-	-	-	-	-	-	3	
129:1	Hornsey <i>H</i> - -	3039	37078	21	11	2	3	-	-	1	1	-	-	-	1	1	-	
2	Tottenham <i>HH</i> - -	4642	46456	50	28	9	5	-	-	-	2	-	-	-	3	3	3	
3	Edmonton <i>Wuu</i> - -	7483	23463	22	16	3	8	-	-	-	-	-	-	-	-	2	12	
4	Enfield <i>WH</i> - -	12633	19104	22	13	5	3	-	-	-	-	-	-	-	-	-	-	
5	Waltham Abbey - -	11017	5368	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - -	8480	7735	3	3	-	1	-	-	-	-	-	-	-	-	-	-	
135:1	Hatfield (part of) *	2306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - -	9331	6621	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford - -	382	38606	26	8	1	1	-	-	-	-	-	-	-	-	-	-	
2	West Ham <i>wuuwH</i> - -	7351	101053	107	74	13	3	21	1	1	1	2	1	3	2	3	9	
3	Leyton <i>wuL</i> - -	4372	32480	37	24	6	9	1	-	-	-	2	1	-	-	-	7	
4	Walthamstow <i>wH</i> - -	6520	28869	27	12	3	1	-	1	-	-	-	-	-	1	2	-	
137:1	Chigwell (part of) * <i>H</i>	11761	9639	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
139:1	Romford (part of) *	6730	3411	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - -	8493	7645	3	2	2	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town - -	4127	9203	11	3	1	1	-	-	-	-	1	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warrington and Earl in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 28th March, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						From All Causes.	From Diseases in Cols. 8-14.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,199,166	21.7	2.6	2158	489	533	47	75	13	19	69	17	22	59	429		
GREATER LONDON -	78,052	4,083,928	22.2	2.5	1734	395	433	21	70	10	11	55	10	18	50	361		
THE RING -	570,282	1,115,238	19.8	3.1	424	94	100	26	5	3	8	14	7	4	9	68.		

RE.—The area of Greater London is 448,334 acres; of which 4,392 acres are tidal water and foreshore. This area is equal to 522 square miles, which is equivalent to the area of a circle having a radius of 14.933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,165,364 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	February 7	-	266	32.8	Cholera 30; fevers 86; small-pox 3.
BOMBAY - -	773,196	" 24	-	530	32.6	Cholera 45; measles 12; fevers 152.
MADRAS - -	398,777	" 6	328	398	51.8	Fevers 86; cholera 15.
PARIS - - -	2,239,928	March 21	1222	1088	25.3	Typhoid fever 30; meas. 35; diph. & croup 33.
GENEVA - -	71,453	" 21	18	35	25.6	Measles 1.
BRUSSELS - -	412,965	" 14	283	190	23.5	Croup 6; small-pox 1.
AMSTERDAM -	366,812	" 21	258	200	28.4	Diphtheria 7; croup 6.
ROTTERDAM -	166,001	" 21	130	110	33.7	Scarlet fever 3.
THE HAGUE -	134,552	" 21	98	65	25.1	-
COPENHAGEN -	278,000	" 24	183	124	23.3	Diphtheria 2.
STOCKHOLM -	190,115	" 14	141	122	33.4	Measles 28; diphtheria and croup 6.
CHRISTIANIA -	126,000	" 21	71	57	23.2	Diphtheria and croup 5.
ST. PETERSBURG	928,016	" 14	-	620	34.9	Typhoid fever 15; diph- theria 11.
BERLIN - -	1,266,511	" 7	833	607	24.9	Diph. 36; measles 11.
HAMBURG (State)	497,956	" 14	369	241	25.3	Measles 5; diphtheria and croup 9.
DRESDEN - -	241,500	" 14	169	127	27.3	Diphtheria 8.
BRESLAU - -	295,000	" 14	218	166	20.3	Diphtheria 5.
MUNICH - -	244,000	" 21	163	166	35.4	Measles 7; diphtheria and croup 8.
VIENNA - -	769,889	" 14	544	485	32.8	Small-pox 12; measles 9.
PRAGUE - -	272,333	" 21	-	163	31.2	Small-pox 3; scarlet fever 3.
BUDA-PESTH -	416,474	" 7	317	262	31.7	Diphtheria 5.
TRIESTE - -	150,157	" 14	-	-	-	-
ROME - -	324,649	" 14	213	173	27.8	Small-pox 4; typhoid fever 2.
NAPLES - -	504,795	-	-	-	-	-
TURIN - -	267,763	February 28	170	197	34.7	Small-pox 3; typhoid fever 5.
VENICE - -	144,845	March 14	69	98	35.3	Small-pox 7; diphtheria and croup 3.
MADRID - -	475,668	-	-	-	-	-
LISBON - -	203,681	-	-	-	-	-
ALEXANDRIA -	212,084	February 28	198	200	47.0	Whooping-cough 8.
NEW YORK -	1,356,958	" 28	-	823	31.6	Scar. fev. 24; measles 29; diphtheria 22.
BROOKLYN -	665,602	" 28	-	310	24.3	Diphtheria 11; scarlet fever 8.
PHILADELPHIA -	927,995	March 7	-	429	24.1	Typhoid fever 11; scarlet fever 16; diph. 15.
BALTIMORE -	408,520	" 7	-	155	19.8	Typhoid fever 5; diph- theria 3.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 28th MARCH, 1885.
[Under the Superintendence of the Astronomer Royal.]

MOON.		READINGS OF THERMOMETERS.										DIFFERENCE				As deduced from Anemometers.				RAIN.													
Phases of Moon.		Dew Point.		Mean daily value.		Range in day.		Low. est.		High. est.		Mean daily value.		Great. est.		Least.		General Direction.		Presure square foot.		Amount of Movement of Air.		Robinson's.		Collected in a Gauge above surface is 5 in. above the ground.							
MONTH AND DAY.		Dry.		Mean daily value.		Range in day.		Low. est.		High. est.		Mean daily value.		Great. est.		Least.		A. M.		P. M.		Great. est.		Least.		Mean of 24 Obs.		Inches					
1885.		in.		°		°		°		°		°		°		°		SE. & E. N. E. & N. N. E. & E. N. E.		SW. E. S. E. & S. S. S. E.		E. S. E. & S. S. S. W.		WSW. & NW. NNW.		NNW. & N. N. S. S. E. & S. S.		Miles		Miles		Inches	
SUN. 22	29-792	42-1	30-5	11-6	34-7	33-6	92-3	25-0	42-9	42-9	42-9	1-1	6-0	0-0	- 7-0	96	77	SE. & E. N. E. & N. N. E. & E. N. E.	SW. E. S. E. & S. S. S. E.	E. S. E. & S. S. S. W.	WSW. & NW. NNW.	NNW. & N. N. S. S. E. & S. S.	7-0	0-0	1-2	297	10	0-75	4-5				
MON. 23	30-133	42-9	28-9	14-0	36-0	29-5	99-4	22-7	42-9	42-9	42-9	6-5	12-8	0-0	- 5-8	77	75	N. N. E. & N. N. N. E. & E. N. E.	Calm & S.	SE. & S. S. S. W.	WSW. & NW. NNW.	NNW. & N. N. S. S. E. & S. S.	4-1	0-0	0-7	246	- 58	0-00	0-0				
TUES. 24	30-077	46-3	27-8	18-5	36-7	29-6	112-9	20-6	43-4	43-1	43-1	7-1	14-3	0-0	- 5-3	75	71	Calm & S.	SW. E. S. E. & S. S. S. E.	E. S. E. & S. S. S. W.	WSW. & NW. NNW.	NNW. & N. N. S. S. E. & S. S.	0-5	0-0	0-0	111	- 191	0-00	0-5				
WED. 25	30-087	46-6	31-3	15-3	38-8	30-2	103-5	26-3	43-4	42-9	42-9	8-6	13-7	1-0	- 3-5	71	69	SE. & S. S. S. W.	SW. E. S. E. & S. S. S. E.	E. S. E. & S. S. S. W.	WSW. & NW. NNW.	NNW. & N. N. S. S. E. & S. S.	0-5	0-0	0-0	118	- 183	0-00	1-5				
THURS. 26	29-836	51-8	34-0	17-8	42-3	36-5	104-4	30-9	42-9	42-9	42-9	9-8	14-8	0-0	- 0-8	80	80	SE. & S. S. S. W.	SW. E. S. E. & S. S. S. E.	E. S. E. & S. S. S. W.	WSW. & NW. NNW.	NNW. & N. N. S. S. E. & S. S.	9-0	0-0	1-9	393	+ 93	0-09	5-8				
FRI. 27	29-811	50-6	38-1	12-5	43-8	34-0	97-7	32-5	42-9	42-9	42-9	9-8	16-0	2-0	+ 0-3	69	70	SE. & S. S. S. W.	SW. E. S. E. & S. S. S. E.	E. S. E. & S. S. S. W.	WSW. & NW. NNW.	NNW. & N. N. S. S. E. & S. S.	12-5	0-1	3-0	494	+ 194	0-20	2-2				
SAT. 28	30-136	52-7	32-1	20-6	41-4	32-4	102-7	25-9	43-5	43-2	43-2	9-0	19-4	0-0	- 2-0	70	77	SE. & S. S. S. W.	SW. E. S. E. & S. S. S. E.	E. S. E. & S. S. S. W.	WSW. & NW. NNW.	NNW. & N. N. S. S. E. & S. S.	9-3	0-0	0-2	185	- 114	0-00	1-8				
MEANS	29-982	47-6	31-8	15-8	39-1	32-3	101-8	26-3	43-1	43-0	43-0	6-8	13-9	0-4	- 3-3	77	18	Variable.	Variable.	Variable.	Variable.	Variable.	Variable.	Variable.	Variable.	Variable.	Variable.	Variable.	Variable.	Variable.	Variable.	Variable.	
No. of Col.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35

SKY AND ATMOSPHERE.

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.
SUNDAY	7 a. N. and s. P. in morning; m. P. afterwards.	0-7	12-2
MONDAY	m. P. in morning; v. P. afterwards.	2-9	12-3
TUESDAY	m. P. in morning; w. P. afterwards.	2-0	12-4
WEDNESDAY	m. P. in morning; w. P. afterwards.	5-7	12-4
THURSDAY	m. P. till afternoon; w. N. and w. P. in evening; m. P. at night; m. P. till 7h. A.M.; v. P. afterwards.	1-3	12-5
FRIDAY	m. P. in morning; w. P. and w. N. afterwards.	3-0	12-6
SATURDAY	m. P. in morning; w. P. and w. N. afterwards.	8-3	12-6
		Sum	Sum
		23-9	87-0

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are calculated, and the mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1875 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily wet point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature by which the air is derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1888.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are: +, P. positive; m. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 23, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 29-71 in. at the beginning of the week to 29-69 in. by 10h. A.M. on the 2nd; increased to 29-14 in. by noon on the 3rd; and decreased to 29-64 in. by 10h. A.M. on the 4th.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 13. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, APRIL 4. [Price 1½d.

*General Register Office, Somerset House,
6th April, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 23·1 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the past four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.		Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.
Birkenhead	13·5	17·4	21·3	21·9	Liverpool -	25·6	28·3	25·0	24·4
Birmingham	19·4	24·0	19·4	20·2	London -	21·4	21·4	22·2	21·7
Blackburn -	22·7	26·0	23·2	28·7	Manchester -	28·6	32·9	31·2	28·9
Bolton -	19·9	26·1	19·0	22·7	Newcastle-on-Tyne	27·6	29·6	31·7	33·7
Bradford -	19·5	23·1	18·5	17·8	Norwich -	22·9	23·5	21·2	32·6
Brighton -	16·8	18·2	18·7	19·1	Nottingham -	25·2	20·2	20·2	21·7
Bristol -	23·4	27·0	28·2	25·4	Oldham -	33·9	27·7	33·9	34·7
Cardiff -	20·4	31·7	41·9	29·6	Plymouth -	22·0	22·0	20·6	19·9
Derby -	18·0	14·0	18·0	22·1	Portsmouth -	15·5	19·0	17·8	21·3
Halifax -	22·9	27·0	22·9	20·2	Preston -	22·3	23·4	26·5	34·3
Huddersfield	20·9	29·3	19·7	27·5	Salford -	19·2	21·7	21·7	20·2
Hull -	16·0	20·4	21·8	21·3	Sheffield -	20·7	23·6	21·3	22·5
Leeds -	19·9	23·6	23·0	21·9	Sunderland -	48·3	44·1	40·4	40·4
Leicester -	20·7	21·5	24·1	15·7	Wolverhampton -	23·1	27·7	25·7	19·8

The highest annual death-rates from measles, measured by last week's mortality, were 2·2 in Bristol, 3·1 in Newcastle-upon-Tyne, 5·9 in Cardiff, and 12·9 in Sunderland; from whooping-cough, 1·9 in Bristol, 2·9 in Oldham, and 3·1 in Preston; from scarlet fever, 1·0 in Preston and in Newcastle-upon-Tyne; and from "fever," 1·4 in Plymouth, and 2·9 in Norwich. The 97 deaths in Sunderland included 31 from measles, making 307 that have been referred to this disease within the borough since the beginning of this year. The 27 deaths from diphtheria in the twenty-eight towns last week included 16 in London, 3 in Liverpool, and 2 in Norwich. Small-pox caused 54 deaths in London and its outer ring of suburban districts, 2 in Liverpool, 2 in Manchester, one in Birmingham, and one in Leeds.

LONDON.

In LONDON 2404 BIRTHS and 1701 DEATHS were registered. Allowing for increase of population, the births were 375, and the deaths 275, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 21·4 and 22·2 in the two preceding weeks, declined again last week to 21·7. During the thirteen weeks ending last Saturday, the death-rate averaged 21·6 per 1000, against 24·3 in the corresponding periods of the nine years 1876-84.

The 1701 deaths included 26 from small-pox, 83 from measles, 5 from scarlet fever, 16 from diphtheria, 55 from whooping-cough, 14 from enteric fever, 8 from diarrhoea and dysentery, and not one from typhus, from simple or ill-defined continued fever, or from cholera; thus, 207 deaths were referred to these diseases, being 58 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 19 and 21 in the two preceding weeks, further rose to 26 last week, and exceeded the

corrected weekly average by one. These 26 deaths were, however, exclusive of 13 deaths of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the 39 fatal cases, 27 occurred in the Metropolitan Asylum Hospitals in and around London, 4 in the Highgate Small-pox Hospital, and 8 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 4 belonged to Islington, 4 to Wandsworth, 5 to Camberwell, and 4 to Greenwich. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 830 and 865 on the two preceding Saturdays, had further increased to 879 at the end of last week; the admissions, which had steadily increased from 94 to 179 in the four preceding weeks, declined again to 141 last week. The Highgate Small-pox Hospital contained 90 patients on Saturday last, 25 cases having been admitted during the week.

The fatal cases of *measles*, which had been 53 and 70 in the two previous weeks, further rose to 83 last week, and exceeded the corrected weekly average by 36; 7 belonged to Islington, 5 to Shoreditch, 7 to Bethnal Green, 6 to Poplar, and 14 to Camberwell, of which 10 occurred in the Workhouse, Gordon Road. The 5 deaths from *scarlet fever* were fewer than those recorded in any week since 1873, and were 30 below the corrected average. The Metropolitan Asylum Hospitals contained 205 scarlet fever patients on Saturday last; 21 cases were admitted, against 21 and 16 in the two previous weeks. The 16 deaths referred to *diphtheria* exceeded the corrected average by 3; 5 belonged to Islington, and 2 to Lambeth. The 55 fatal cases of *whooping-cough* corresponded with the number in the previous week, and included 5 in Kensington, 6 in Islington, 6 in Wandsworth, and 4 in Camberwell. The 8 deaths attributed to *diarrhoea* and *dysentery* were 7 below the corrected average.

The deaths referred to *enteric fever*, which had been 13 and 7 in the two preceding weeks, rose again last week to 14, but were 4 below the corrected weekly average; 2 belonged to Pancras, 2 to Islington, and 2 to Poplar. The Metropolitan Asylum Hospitals contained 39 cases of enteric fever, and 19 of typhus, on Saturday last.

Eleven deaths were referred to puerperal fever, including 4 in West Battersea sub-district, of which 3 were certified by one medical practitioner.

The deaths referred to diseases of the respiratory organs, which had been 487 and 448 in the two preceding weeks, rose again to 478 last week, but were 65 below the corrected weekly average.

Two deaths from hydrophobia and one from malignant pustule due to handling skins, were registered during the week.

Different forms of violence caused 41 deaths; 34 were the result of negligence or accident, among which were 16 from fractures and contusions, 5 from burns and scalds, 4 from drowning, 2 from poison, and 6 of infants under one year of age from suffocation. The 16 deaths from fractures and contusions were thus returned:—male, aged 22 years (intoxicated), run over by coach; female 3, run over by omnibus; male 41, run over by cart; male 58, run over on Great Eastern Railway; male 49, run over on railway; male 50, fell from scaffold; male 58, fell into ditch; male 25, fell from ladder; female 3 months, dropped by father (intoxicated); male 1, fell from bed; females 76, 80, fell down stairs; male 39, fell through a cellar flap; male 65, by fall; female 43, by injury; female 61, by blow. An inquest was held in each of these 16 cases except the last two.

GREATER LONDON.

In Greater London 3026 births and 2129 deaths were registered, equal to annual rates of 30·4 and 21·4 per 1000 of the population. In the Outer Ring 28 deaths from small-pox, 12 from whooping-cough, and 9 from diphtheria were registered. The 28 fatal cases of small-pox included 22 in West Ham district, of which 3 occurred in the Metropolitan Asylum Hospital at Plaistow, and 19 were local cases. Five deaths from diphtheria were returned in Tottenham sub-district.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·89 in.; the highest reading was 30·14 in. on Tuesday morning, and the lowest 29·56 in. on Wednesday afternoon. The mean temperature of the *air* was 43°·3, and 1°·9 below the average in the corresponding week of the 20 years ending 1868. The mean showed an excess on Monday, Tuesday, and Wednesday, but was below the average on each of the other days of the week. The general direction of the *wind* was N.E., and the horizontal movement of the air averaged 12·7 miles per hour, which was 0·3 of a mile above the average in the corresponding week of 16 years. No rain fell during the week. The duration of registered bright sunshine in the week was 55·4 hours, against 42·7 hours at Glynde Place, Lewes.

TABLE I.—BIRTHS, DEATHS, and METEOROLOGY in 28 GREAT TOWNS, during the Week ending 4th April, 1885.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the Year 1885.		Registered during the Week ending 4th Apr., 1885.		The DEATHS registered in the Week include												TEMPERATURE OF THE AIR.						RAINFALL.	
	1.	2.	3.	Deaths of Persons aged 1 Year or under 60 Years and upwards.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhoid.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.	From All Causes.		From Diseases 12 Months prevalent.		Mean.	In Inches.	In Centi- meters.	
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.												Highest.	Lowest.	Fahrenheit.					
Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.
28 TOWNS.	8,006,446	5,448	3,937	937	895	32	173	33	27	130	45	26	102	231	587	100	23.1	2.7	60.5	23.7	40.2	4.55	0.69	1.75
LONDON.	4,083,028	2,404	1,701	374	426	26	83	5	16	55	14	8	41	109	359	19	2.7	2.6	60.5	23.7	43.3	6.00	0.00	0.00
BRIGHTON.	114,072	45	42	7	17	-	-	1	1	1	1	1	2	6	1	1	1.9	1.4	52.8	31.5	40.6	4.78	0.01	0.03
PORTSMOUTH.	154,659	87	55	13	13	-	-	-	1	2	1	1	2	3	3	3	2.3	1.9	52.8	31.5	40.6	4.78	0.01	0.03
NORWICH.	91,215	58	57	14	16	-	-	1	2	5	5	-	2	3	9	2	3.6	5.7	-	-	-	-	-	-
PLYMOUTH.	76,045	39	29	5	6	-	-	-	2	2	2	-	2	5	1	2	2.4	4.1	54.3	27.0	41.6	5.34	0.87	2.21
BRISTOL.	218,180	125	106	29	27	-	9	-	-	8	-	-	2	5	2	2	2.4	4.1	54.3	27.0	41.6	5.34	0.87	2.21
WOLVERHAMPTON.	79,185	60	30	4	9	-	-	-	2	2	-	-	1	1	6	-	1.3	1.3	51.6	23.7	38.5	3.61	0.89	2.26
BIRMINGHAM.	427,769	255	166	45	37	1	2	-	7	7	-	2	6	15	35	2	2.0	2.0	-	-	-	-	-	-
LEICESTER.	136,147	42	41	13	5	-	1	-	2	2	1	1	3	2	6	1	1.5	1.5	-	-	-	-	-	-
NOTTINGHAM.	211,454	149	88	32	19	-	-	1	3	1	1	-	2	4	2	2	2.1	2.1	51.7	26.1	40.7	4.83	0.65	1.65
DERBY.	80,691	56	38	9	14	-	-	-	-	-	-	-	-	4	4	2	2.1	0.0	-	-	-	-	-	-
BIRKENHEAD.	43,093	46	39	13	8	-	1	-	1	1	-	-	1	1	1	1	2.1	1.1	-	-	-	-	-	-
LIVERPOOL.	579,754	372	271	70	45	2	10	7	3	7	2	3	11	11	41	18	2.4	3.1	52.0	31.3	40.2	4.55	0.68	1.68
DOLTON.	110,085	72	48	7	18	-	-	-	-	1	1	2	3	3	3	3	2.7	1.4	51.0	23.2	37.6	3.12	1.25	3.17
MANCHESTER.	337,342	261	187	41	29	2	5	-	9	9	4	-	2	8	29	5	2.8	3.1	-	-	-	-	-	-
SALFORD.	204,075	101	79	16	15	-	1	-	1	2	2	-	3	6	6	3	2.0	2.0	-	-	-	-	-	-
OLDHAM.	126,350	80	84	23	17	-	-	1	1	7	1	-	1	1	7	6	3.7	3.7	-	-	-	-	-	-
BLACKBURN.	112,574	81	62	16	13	-	-	-	1	1	-	-	2	2	4	2	2.8	0.5	-	-	-	-	-	-
PRESTON.	100,406	70	66	18	15	-	-	2	-	6	1	-	1	3	7	4	3.4	3.7	49.0	31.0	40.0	4.44	1.49	3.78
HUDDESFIELD.	87,337	40	46	11	13	-	2	-	-	-	-	-	1	1	2	2	2.7	1.2	-	-	-	-	-	-
HALIFAX.	77,578	37	30	3	9	-	-	1	-	-	-	1	1	1	1	5	2	2.0	1.3	-	-	-	-	-
BRADFORD.	214,481	114	73	20	18	-	3	-	1	1	1	-	3	6	4	4	1.8	1.5	50.0	28.6	39.4	4.11	0.57	1.45
LEEDS.	333,139	233	140	31	30	1	-	5	1	1	3	1	7	14	8	2	2.1	1.9	-	-	-	-	-	-
SHEFFIELD.	205,710	228	132	27	23	-	4	1	1	1	1	1	1	6	7	10	2.5	2.0	52.0	25.3	40.0	4.44	0.56	1.42
HULL.	186,242	110	76	25	17	-	2	2	2	-	1	3	2	2	5	2	2.3	2.2	-	-	-	-	-	-
SUNDERLAND.	125,327	83	97	22	16	-	31	2	-	2	-	-	2	5	8	3	4.0	4.6	48.0	39.0	39.4	4.11	0.68	1.73
NEWCASTLE.	153,209	133	99	26	15	-	9	3	-	5	3	1	-	5	8	2	3.7	7.2	45.0	32.0	38.8	3.78	0.33	0.84
CARDIFF.	57,634	77	55	22	5	-	11	-	1	2	1	1	3	4	9	1	2.6	8.6	-	-	-	-	-	-
EDINBURGH.	250,616	123	82	18	20	-	-	2	1	4	3	-	3	9	9	26	1.1	2.1	52.5	32.0	41.8	5.45	1.20	3.05
GLASGOW.	519,905	305	315	74	44	-	23	3	1	22	1	3	7	9	38	49	5.3	5.3	52.0	31.0	41.0	5.00	1.33	3.38
DUBLIN.	385,052	178	227	40	46	-	13	2	-	5	5	4	3	3	86	26	3.6	3.5	25.0	25.0	38.9	3.83	0.42	1.07

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the THIRTEENTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2493	2629	2429	2391	2349	2492	2608	2647	2714	2732	2778.9	2404
Males . .	1331	1364	1292	1210	1196	1279	1329	1330	1345	1386	1417.5	1247
Females .	1162	1265	1200	1181	1153	1213	1279	1317	1369	1346	1361.4	1157
TOTAL Deaths	1873	1696	2052	1766	2078	1732	1547	1655	2148	1573	1975.9	1701
Males . .	919	855	1077	894	1044	909	830	783	1089	829	1006.9	852
Females .	954	841	975	872	1034	823	717	867	1059	744	969.0	849

* The numbers in this column are the average weekly numbers in the thirteenth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

		Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.
TOTAL Births	-	2816	2876	2803	2727	2806	2913	2526	2709	2623	2737	2675	2537	2404
TOTAL Deaths	-	1956	1855	1807	1886	1592	1525	1497	1569	1495	1678	1678	1734	1701
0—20	-	666	715	693	723	639	634	686	718	692	793	767	807	771
20—40	-	252	261	251	259	220	208	196	202	204	211	207	205	218
40—60	-	402	360	363	345	289	290	279	285	254	269	300	289	286
60—80	-	511	411	404	449	370	328	278	297	293	351	324	352	347
at 80 years & upwds.	-	125	108	96	110	74	65	58	67	52	54	80	81	79
Deaths of children	{ Under 1 year	334	354	380	378	307	320	330	364	356	424	370	395	374
	{ 1—5	225	261	206	289	227	218	257	243	256	273	297	315	308
	{ 5—20	107	100	107	106	105	96	99	111	80	96	100	97	89
Deaths from Small-pox *	-	42	70	58	59	60	56	44	37	27	35	23	24	39
" " Measles	-	14	27	20	16	16	28	31	29	52	51	53	70	83
" " Scarlet Fever	-	16	21	18	19	18	17	14	16	15	7	16	10	5
" " Diphtheria	-	26	14	12	15	19	16	14	16	15	8	29	11	16
" " Whooping-cough	-	38	40	49	60	41	50	43	45	37	49	45	55	55
" " Typhus	-	-	-	1	1	2	-	-	-	-	2	-	1	-
" " Enteric fever	-	15	8	9	13	6	10	13	8	7	8	13	7	14
" " Simple Cont'd fever	-	1	1	-	1	-	1	1	2	3	-	2	2	-
" " Diarrhoea and Dysentery	-	11	8	8	12	9	6	11	9	7	14	12	18	8
" " Cholera	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Deaths from the above-mentioned Diseases *	-	163	190	175	196	171	184	171	162	163	174	184	198	220
" " Dis. of Respiratory System	-	609	552	513	556	421	383	343	384	374	455	487	443	478
" " Phthisis	-	200	186	180	199	145	161	168	168	179	177	157	190	160
" " Dis. of Circulatory System	-	169	155	153	154	122	118	105	127	112	139	140	123	122
Violent Deaths	-	57	66	66	53	47	42	70	50	40	75	56	50	41
Inquest Cases	-	144	134	143	132	109	91	133	114	85	148	125	120	119
Deaths in Public Institutions	-	444	408	425	402	356	352	348	322	335	347	344	361	359
TEMPERATURE OF THE AIR:														
Mean	-	38.0	35.1	31.9	43.6	43.6	46.2	40.0	45.8	40.3	38.2	41.9	39.1	43.3
Mean of Highest readings	-	42.7	37.5	35.2	48.4	49.5	51.3	45.1	51.7	48.0	45.7	52.0	47.6	53.9
Mean of Lowest readings:	-	31.9	32.5	27.7	38.7	37.6	41.0	36.0	39.9	34.1	31.3	32.5	31.8	32.8
Humidity of the Air	-	92	83	91	90	84	88	86	88	86	80	75	77	67
Rain-fall in inches	-	0.57	0.27	0.00	0.58	0.61	0.25	0.94	0.55	0.60	0.01	0.05	0.84	00.0
Registered Sunshine (in hours)	-	7.1	1.4	2.9	5.5	9.7	8.6	10.5	9.0	16.3	15.6	29.7	23.9	55.4

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Bilson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.L.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Piller, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTEENTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 13th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 4th April, 1885.										Corrected Averages for the 13th Weeks of the 10 years 1875-84.	CAUSES OF DEATH.	Corrected Averages for the 13th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 4th April, 1885.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		Deaths of Persons of the Ages													Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.				20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			0-1.	1-5.	5-20.						0-1.								1-5.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
CAUSES	1975-9	1701	374	308	89	218	286	347	79																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9-046 per cent. for increase of population. As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted. Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical attendant, the case is returned under the heading "no statement." The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence." Exclusive of 13 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DYPHTERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (OR TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHOEA, VIOLENCE, INQUEST CASES, during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Deaths in Public Institutions.
					Deaths of Persons under 1 Year of Age.	Persons aged 40 Years & upwards.	Deaths from												
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.		
LONDON		3,816,489	2404	1701	374	426	26	83	5	16	55	-	14	-	8	41	109	3	
WEST DISTRICTS		689,638	376	283	60	77	1	6	1	2	12	-	1	-	1	4	12	-	
NORTH DISTRICTS		905,947	549	362	71	108	7	16	2	6	15	-	5	-	2	11	30	-	
CENTRAL DISTRICTS		282,238	139	133	31	29	-	6	-	2	4	-	-	-	1	7	14	-	
EAST DISTRICTS		692,738	463	331	76	75	2	30	1	2	8	-	4	-	2	5	29	-	
SOUTH DISTRICTS		1,265,927	877	567	136	137	16	25	1	4	16	-	4	-	2	14	24	10	
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.		69683	31	20	5	5	-	1	-	-	-	-	-	-	-	-	1	3	
St. John Paddington H - - G.J.		37390	10	16	4	5	-	1	-	-	-	-	-	-	-	-	1	1	
Kensington Town WH - - W.M.		12041	58	45	12	17	-	-	-	-	2	-	-	-	-	-	1	1	
Brompton H - - W.M. & C.		48010	12	19	4	4	-	-	-	-	3	-	-	-	-	-	-	-	
St. Peter Hammersmith - - W.M.		7769	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.		64340	52	21	5	2	-	1	-	-	-	-	-	-	-	-	1	-	
Fulham WH - - W.M. & C.		42800	40	25	9	3	1	-	-	-	3	-	-	-	-	-	1	-	
Chelsea South HHH - - C.		30896	20	14	2	3	-	-	-	-	1	1	-	1	-	-	-	-	
Chelsea North-west WHHHH - - C.		24925	24	25	3	7	-	-	-	-	1	1	-	-	-	1	3	-	
Chelsea North-east - - C.		32807	24	12	4	2	-	1	1	-	-	-	-	-	-	-	2	-	
Hanover Square H - - G.J.		16862	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
May Fair WH - - G.J.		18491	1	14	-	9	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave HH - - C.		69220	32	30	2	9	-	-	-	-	1	1	-	-	-	-	-	-	
St. John Westminster HH - - C.		35498	24	13	5	2	-	-	-	-	-	-	-	1	-	-	-	-	
St. Margaret Westminster H - - C.		24679	15	14	2	5	-	-	-	-	-	-	-	-	1	1	-	-	
St. James Westminster WH N.R. & G.J.		29941	14	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
St. Anne Soho HHHHH - - N.R.		16608	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																			
All Souls Marylebone HHHH - W.M.		26759	21	20	4	6	-	-	-	-	-	-	-	-	-	-	1	-	
Cavendish Square HHH - W.M.		14881	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Rectory Marylebone WH G.J. & W.M.		24809	11	9	-	5	-	1	-	-	-	-	-	-	-	1	1	-	
St. Mary Marylebone HHH G.J. & W.M.		21118	37	7	3	2	-	-	-	-	1	-	-	-	-	-	-	-	
Christchurch Marylebone H - W.M.		33700	15	12	7	2	-	-	-	-	-	-	-	-	-	2	3	-	
St. John Marylebone H - W.M.		33638	12	11	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead WHHHH - N.R. & W.M.		45452	16	16	4	5	-	-	-	1	2	-	-	-	-	-	-	-	
Regent's Park Paneras H - - W.M.		39115	20	10	2	5	-	-	-	-	1	-	-	-	1	-	2	-	
Tottenham-court WHHHH N.R. & W.M.		27729	14	13	4	2	-	2	-	-	-	-	-	-	-	-	4	-	
Gray's Inn Lane HHH - N.R.		30247	16	15	4	4	-	-	-	-	-	-	-	2	-	2	3	-	
Somers Town H - - N.R.		34369	24	6	-	1	-	-	-	-	-	-	2	-	-	1	2	-	
Camden Town WH - - N.R.		17811	55	21	1	10	-	-	-	-	-	-	-	-	-	2	5	16	
Kentish Town W - - N.R.		87487	38	10	8	-	1	-	-	3	-	-	-	-	-	3	6	-	
Upper Holloway WHWHH - N.R.		67946	60	26	7	13	5	3	-	2	1	-	1	-	1	-	1	15	
Islington South-west HH - N.R.		100976	44	20	3	5	-	1	1	2	2	-	1	-	1	2	2	-	
Islington South-east - - N.R.		61895	27	23	3	5	-	1	-	3	1	-	1	-	-	-	-	-	
Highbury H - - N.R.		62048	7	16	1	5	-	-	-	1	-	-	-	-	-	1	-	-	
Stoke Newington H - - N.R.		22781	7	4	1	-	-	1	-	-	1	-	-	-	-	1	1	-	
Stamford Hill - - E.L.		9277	23	14	3	5	-	2	-	-	-	-	-	-	-	-	-	-	
West Hackney - - N.R.		87610	55	32	6	8	2	-	1	-	-	-	-	-	-	1	2	16	
Hackney WHWHH - E.L. & N.R.		76911	30	18	3	4	-	-	-	-	-	-	1	-	-	-	-	-	
South Hackney - - E.L.		39063	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																			
St. George Bloomsbury - - N.R.		16681	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - - N.R.		14864	6	13	4	5	-	-	-	-	-	-	-	-	-	-	1	6	
St. Giles North - - N.R.		13837	5	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields HH N.R. & C.		17508	4	8	-	1	-	-	-	1	-	-	-	-	-	2	2	5	
St. Mary-le-Strand H - - N.R.		7615	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
St. Clement Dances H - - N.R.		8559	2	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	
St. George-the-Martyr HHHHHH N.R.		18671	6	14	3	1	-	-	-	1	-	-	-	-	-	-	1	2	
St. Andrew Eastern W - - N.R.		10706	6	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	
Saffron Hill H - - N.R.		6588	6	12	7	4	-	-	-	-	-	-	-	-	-	-	-	3	
St. James Clerkenwell - - N.R.		17516	14	7	3	-	-	-	-	2	-	-	-	-	-	1	2	-	
Amwell Clerkenwell - - N.R.		19281	10	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pentonville - - N.R.		14773	18	6	1	1	-	1	-	-	-	-	-	-	-	1	-	-	
Goswell-street - - N.R.		17608	9	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
Old-street H - - N.R.		11641	23	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
City-road HLL - - N.R.		18628	23	11	4	2	-	-	-	-	-	-	-	-	-	2	1	-	
Whitecross-street - - N.R.		9217	4	1	1	-	-	2	-	-	1	-	-	-	-	-	-	-	
Finsbury - - N.R.		7463	3	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - N.R. & E.L.		11174	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - - N.R.		7193	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - - N.R.		5588	4	19	-	2	-	-	-	-	-	-	-	-	-	2	2	18	
St. Bride W - - N.R.		8396	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Allhallows Barking - - N.R.		13606	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - - N.R.		5662	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it is situated; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J., Grand Junction Company; W.M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N.R., New River; E.L., East London and K., the Kent Company.

...e, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
...y, the 4th April, 1885.

[illegible]

following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by w:—

Spence Infirmary in Kensington town sub-district.	London City Workhouse in Mile End Old Town Eastern sub-dist. and
St. Leonard Sick Asylum in Tottenham Court-road sub-district.	" Bromley sub-district.
Thorn Infirmary in Upper Holloway sub-district.	Stepney " Bromley sub-district.
Union City Workhouse in Hackney sub-district.	Poplar & Stepney Sick Asylum "
Woburn " in Hoxton New Town sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Witch Chapel " Mile End Old Town Eastern sub-dist.	Westminster Asylum District Hospitals in Fulham, Hampstead, Hags-
	head, and Finsbury sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS AND DEATHS registered during Week ending Saturday, 4th April, 1895.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON—OUTER RING		370,282	950,178	622	428	92	103	28	7	1	9	12	6	3	11	15	65	
30: 1	Carshalton <i>wL</i> - -	12228	21118	14	12	1	2	-	-	-	1	-	-	-	-	-	6	
2	Epsom (part of) * <i>WH</i>	9971	10710	5	3	1	-	-	-	-	-	-	-	-	-	-	1	
37: 1	Godstone (part of) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon <i>WwH</i> - -	20851	101241	51	55	7	17	2	4	-	1	3	-	-	3	3	21	
	Mitcham - - -	11097	17032	15	7	-	3	-	-	-	-	-	-	-	-	1	-	
39: 1	Wimbledon <i>HHH</i> - -	3220	15950	5	5	1	2	-	-	-	-	-	-	-	-	-	-	
2	Kingston <i>WHH</i> - -	8549	36354	19	15	7	5	-	-	-	-	-	-	-	1	1	1	
3	Esher (part of) * -	6601	9221	6	2	-	2	-	-	-	-	-	-	-	-	-	-	
4	Hampton <i>H</i> - - -	4573	13539	5	6	2	1	-	-	-	-	-	-	-	1	1	-	
40: 1	Richmond <i>WH</i> - -	2272	21302	12	10	1	3	-	-	-	-	-	-	-	-	-	1	
2	Mortlake - - -	941	12331	10	3	1	-	-	-	-	-	-	-	-	-	-	-	
41: 1	Bromley (pt. of) * <i>HH</i>	15669	31142	18	12	5	2	1	-	-	-	3	-	-	-	-	1	
2	Chislehurst (pt. of) * <i>WHH</i>	13665	15065	11	5	-	3	-	-	-	-	-	-	-	1	1	-	
42: 1	Bexley <i>H</i> - - -	13437	24134	12	9	4	2	1	-	-	-	-	-	2	-	-	-	
124: 1	Sunbury <i>w</i> - - -	11055	11685	4	6	-	2	-	-	-	-	-	-	-	-	-	-	
2	Staines <i>W</i> - - -	13277	12069	10	11	3	3	-	-	-	-	-	1	-	-	-	-	
125: 1	Hillingdon <i>WH</i> - -	6029	10802	1	4	-	2	-	-	-	-	-	-	-	-	-	1	
2	Uxbridge - - -	6178	5225	2	1	1	-	-	-	-	-	1	-	-	-	-	-	
3	Hayes <i>wHL</i> - - -	14587	11523	5	7	1	3	-	-	-	-	-	-	-	-	-	4	
126: 1	Isleworth <i>W</i> - - -	7008	22727	22	5	-	2	-	-	-	-	-	-	-	-	-	1	
2	Twickenham <i>H</i> - -	2477	12479	7	7	-	2	-	-	-	-	1	-	-	-	-	-	
3	Brentford <i>HL</i> - -	4345	27649	22	19	8	3	-	-	-	-	-	1	-	3	4	-	
4	Chiswick - - -	1340	15675	8	2	-	-	1	-	-	-	-	-	-	-	-	-	
5	Acton <i>wH</i> - - -	6083	22876	20	11	5	1	-	-	-	-	1	-	-	1	1	-	
127: 1	Harrow <i>H</i> - - -	13809	12796	5	7	1	-	-	-	-	-	1	-	-	-	-	-	
2	Edgware <i>H</i> - - -	6994	3749	3	2	-	2	-	-	-	-	-	-	-	-	-	-	
3	Willesden - - -	4383	27463	29	10	2	1	-	-	-	-	-	1	-	-	-	-	
4	Hendon <i>W</i> - - -	8392	10484	11	2	-	1	-	-	-	1	-	-	-	-	-	1	
128: 1	South Mimms - - -	15599	6391	1	2	-	2	-	-	-	-	-	-	-	-	-	-	
2	Barnet <i>W</i> - - -	5433	10092	5	5	1	2	-	-	-	-	-	-	-	-	-	-	
3	Finchley <i>HL</i> - -	4638	17615	11	9	2	2	-	-	-	-	1	-	-	-	-	2	
129: 1	Hornsey <i>H</i> - - -	3039	37078	8	12	3	4	-	1	-	1	-	-	-	-	-	-	
2	Tottenham <i>HH</i> - -	4642	46456	52	19	1	5	-	-	-	5	-	-	-	1	1	1	
3	Edmonton <i>WwH</i> - -	7483	23463	14	12	1	6	1	-	-	-	-	-	-	-	-	7	
4	Enfield <i>WH</i> - - -	12653	19104	9	6	1	-	-	-	-	-	-	-	-	-	-	-	
5	Waltham Abbey - -	11017	5363	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - - -	8480	7735	6	1	-	-	-	-	-	-	-	-	-	-	-	-	
125: 1	Hatfield (part of) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey - - -	9331	6621	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
186: 1	Stratford - - -	882	36803	27	19	4	2	2	-	-	-	-	-	1	-	1	-	
2	West Ham <i>wowwH</i> - -	7351	101053	68	61	20	4	20	1	1	-	1	-	-	-	-	10	
3	Leyton <i>WwL</i> - - -	4872	32450	23	18	3	5	-	-	-	-	-	1	-	-	-	7	
4	Walthamstow <i>wH</i> - -	6520	28869	33	18	4	2	-	1	-	-	2	-	-	-	1	-	
187: 1	Chigwell (part of) * <i>H</i>	11761	9663	7	2	-	2	-	-	-	-	-	-	-	-	-	-	
189: 1	Romford (part of) * -	6730	3411	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - - -	8493	7645	5	3	1	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town - - -	4127	9203	13	2	-	2	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow: 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1235); 37: 1, the two parishes of Warlingham and Earle in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1938); 41: 1, the whole of Bromley sub-district except the two parishes of Cudham and Knockholt (pop. 1318); 41: 2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 187: 1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 375); 189: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 4th April, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 69 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
TER LONDON	448,334	5,199,166	21·4	2·7	2129	466	529	54	90	6	25	67	20	11	52	424	
NER LONDON -	78,052	4,083,928	21·7	2·6	1701	374	423	26	83	5	16	55	14	8	41	359	
TER RING -	370,232	1,115,238	20·0	3·1	428	92	103	23	7	1	9	12	6	3	11	65	

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 622 square miles, which is equivalent to the area of a circle having a radius of 14·935 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,165,364 Persons.

CITIES.	POPULATION (unenumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA	433,219	February 14	-	283	34·9	Fevers 82; cholera 51.
BOMBAY	773,196	March 3	-	481	29·6	Fevers 146; cholera 33.
MADRAS	3,877,777	February 13	277	330	43·0	Fevers 78; cholera 19.
PARIS	2,239,928	March 28	1138	1142	25·3	Typhoid fever 27; meas. 54; diph. & croup 40.
GENEVA	71,453	" 28	-	-	-	-
BRUSSELS	412,965	" 21	271	218	27·6	Typhoid fever 3; croup 6; small-pox 1.
AMSTERDAM	366,812	" 28	281	191	27·1	Scar. fev. 4; whooping-cough 10.
ROTTERDAM	166,001	" 28	126	87	26·7	Whooping-cough 2.
THE HAGUE	134,552	" 28	95	74	28·6	Diphtheria 1.
COPENHAGEN	278,000	" 31	188	94	17·6	Whooping-cough 3.
STOCKHOLM	190,115	" 21	122	102	27·9	Measles 24; diphtheria and croup 5.
CHRISTIANIA	126,900	" 28	70	59	24·0	Scar. fev. 7; diph. and croup 8.
ST. PETERSBURG	928,016	" 21	-	606	31·1	Typh. and typhd. fev. 18; measles 9; small-pox 2.
BERLIN	1,266,511	" 14	903	559	23·0	Diphtheria 33.
HAMBURG (State)	497,956	" 21	351	237	24·8	Scarlet fever 4; diphtheria and croup 10.
DRESDEN	241,500	" 21	134	132	28·4	Diphtheria 5.
BRESLAU	295,000	" 21	195	162	28·6	Diphtheria 6.
MUNICH	244,000	" 28	183	139	33·9	Measles 5.
VIENNA	769,589	" 21	568	477	32·2	Small-pox 17; diph. 4.
PRAGUE	272,333	" 28	-	162	31·0	Diphtheria and croup 2; small-pox 1.
BUDA-PESTH	416,474	" 14	333	267	32·3	Croup 7.
TRIESTE	150,157	" 14	-	-	-	-
ROME	324,649	" 21	181	149	23·9	Small-pox 4; typhoid fever 3.
NAPLES	504,735	-	-	-	-	-
TURIN (10 days)	267,763	March 10	243	209	28·5	Typhoid fever 12; small-pox 4.
VENICE	144,845	" 21	74	101	36·4	Small-pox 2; typhoid fever 2.
MADRID	475,668	-	-	-	-	-
LISBON	293,681	-	-	-	-	-
ALEXANDRIA	212,074	March 7	230	187	42·0	Typhus and typh. fev. 6; whooping-cough 7.
NEW YORK	1,350,958	" 7	-	776	29·8	Measles 31; diphtheria 22; scarlet fever 15.
BROOKLYN	605,602	" 7	-	309	24·2	Diphtheria 7; scarlet fever 7.
PHILADELPHIA	227,995	" 14	-	461	25·9	Diph. 11; typhd. fev. 17; scar. fev. 11.
BALTIMORE	408,520	" 14	-	162	20·7	Typhoid fever 5.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 4th APRIL, 1885.
[Under the Superintendence of the Astronomer Royal.]

MOON.	READINGS OF THERMOMETERS.										DIFFERENCE.				WIND.				RAIN. Collected from Gauges whose receiving surface is 5 in. above the ground.									
	METER.		Phases of Moon.	Dry.	Dew Point.	Highest in the sun, as ascertained by self- register- ing thermo- meter.	In the Water of the Thames at Deptford by Self- Register- ing Thermometers.		Between Dew Point and Air Temperature.		Between mean tem- perature of the day and mean tem- perature of the same day on an average of 20 years.	Degree of dry- ness, com- plete from Saturation being 100.	As deduced from Anemometers.		Amount of Horizontal Movement of Air, each day.	Depart- ure from Average of 15 years.												
	High- est.	Low- est.					Range in day.	Mean daily value.	Mean daily value.	Great- est.			Least- est.	General Direction.			Pressure square foot.			Robinson's.								
														A.M.			P.M.	Great- est.			Least- est.	lbs.	lbs.	Miles.	Miles.			
MARCH.	29	in.	51.5	33.6	17.9	42.7	33.2	110.0	28.2	43.3	42.9	9.5	17.2	2.0	—	1.1	69	S. & SSW.	SSW. & SSE.	5.5	0.0	0.5	301	+	2	0.00	5.2	
SUN.	30	Full	55.8	36.4	19.4	45.6	33.8	113.6	25.0	44.4	43.9	11.8	18.4	3.2	+	1.3	63	ESE. & E.	E. & NE.	2.3	0.0	0.1	169	—	129	0.00	0.0	
MON.	31	..	57.8	29.8	28.0	44.9	38.7	111.5	21.0	44.5	44.5	11.2	18.6	4.2	+	0.1	65	NE. & N.	Variable & S.	0.6	0.0	0.0	160	—	138	0.00	0.0	
TUES.	1	..	59.623	36.5	24.0	47.9	37.6	111.4	31.7	44.9	44.4	10.3	19.6	2.6	— <th>2.6</th> <td>67</td> <td>S. & SW.</td> <td>SW. & N.</td> <td>5.6</td> <td>0.0</td> <td>0.8</td> <td>405</td> <td>+</td> <td>107</td> <td>0.00</td> <td>0.0</td>	2.6	67	S. & SW.	SW. & N.	5.6	0.0	0.8	405	+	107	0.00	0.0	
WED.	2	..	59.850	34.5	17.6	42.4	30.6	112.9	28.5	45.3	44.9	11.8	18.6	3.5	— <th>3.3</th> <td>63</td> <td>N.</td> <td>NNE. & NE.</td> <td>6.0</td> <td>0.0</td> <td>1.2</td> <td>419</td> <td>+</td> <td>122</td> <td>0.00</td> <td>0.5</td>	3.3	63	N.	NNE. & NE.	6.0	0.0	1.2	419	+	122	0.00	0.5	
THURS.	3	..	50.4	30.8	19.6	40.5	30.5	118.0	24.5	45.3	44.9	10.0	17.0	3.0	— <th>5.6</th> <td>67</td> <td>NE. & NNE.</td> <td>ENE. & NE.</td> <td>6.5</td> <td>0.0</td> <td>0.6</td> <td>347</td> <td>+</td> <td>50</td> <td>0.00</td> <td>1.5</td>	5.6	67	NE. & NNE.	ENE. & NE.	6.5	0.0	0.6	347	+	50	0.00	1.5	
FRI.	4	..	49.2	28.1	21.1	39.3	30.8	111.3	23.8	45.8	45.7	8.5	16.4	1.0	— <th>7.1</th> <td>72</td> <td>NE. & ENE.</td> <td>ENE. & NE.</td> <td>5.7</td> <td>0.0</td> <td>0.6</td> <td>392</td> <td>+</td> <td>35</td> <td>0.00</td> <td>4.0</td>	7.1	72	NE. & ENE.	ENE. & NE.	5.7	0.0	0.6	392	+	35	0.00	4.0	
SAT.	4	..	53.9	32.8	21.1	43.3	32.9	112.7	26.1	44.8	44.5	10.4	18.0	2.8	— <th>1.9</th> <td>67</td> <td>NE.</td> <td>..</td> <td>..</td> <td>..</td> <td>..</td> <td>Sum</td> <td>Sum</td> <td>2133</td> <td>+ 49</td> <td>0.00</td> <td>1.6</td>	1.9	67	NE.	Sum	Sum	2133	+ 49	0.00	1.6
MEANS	Sum	Sum	2133	+ 49	0.00	1.6
No. of Col.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30

SKY AND ATMOSPHERE.

DATE.	THUNDER.	REGISTERED Sunshine, in hours.	Sun above Horizon, in hours.	Amount of cloud generally large; a solar halo was visible before and after noon.
SUNDAY	m. P. in morning and afternoon; s. P. in evening.	3.6	12.7	Amount of cloud generally large; a solar halo was visible before and after noon.
MONDAY	m. P. in morning and afternoon; s. P. in evening.	8.7	12.8	A little light cloud in morning; fine.
TUESDAY	m. P. in morning; m. P. and s. N. in afternoon; s. P. in evening.	7.7	12.8	Nearly cloudless, excepting in early evening; misty in early morning and in evening.
WEDNESDAY	m. P. in morning; v. P. in afternoon; s. P. in evening.	10.1	12.9	Fine; overcast in evening.
THURSDAY	v. P. generally throughout.	5.6	13.0	Fine; sky generally about half covered with cloud.
FRIDAY	m. P. throughout.	10.2	13.0	Fine; amount of cloud generally small.
SATURDAY	m. P. in morning and afternoon; s. P. in evening.	9.5	13.1	Fine; amount of cloud generally small.
MEANS	..	Sum	Sum	Sum

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic observations made during the twenty years ending 1873 for the barometer, and of the photographic observations made during the twenty years ending 1883 for the thermometer. With the corrected mean reading of the dry bulb thermometer, forming the mean daily value (column 8), the corrected mean daily value of the minimum and maximum thermometers, forming the mean daily value (column 9), the mean daily value of the point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1883.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 26, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 30.08 in. at the beginning of the week to 29.93 in.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 14. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, APRIL 11. [Price 1½d.

*General Register Office, Somerset House,
13th April, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 25·0 per 1000 of their population. The death-rates in these towns in each of the past four weeks were:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.		Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.
Birkenhead	17·4	21·3	21·9	26·9	Liverpool -	28·3	25·0	24·4	24·7
Birmingham	24·0	19·4	20·2	25·7	London -	21·4	22·2	21·7	23·8
Blackburn -	26·0	23·2	28·7	25·5	Manchester -	32·9	31·2	28·9	36·0
Bolton -	26·1	19·0	22·7	23·7	Newcastle-on-Tyne	29·6	31·7	33·7	41·9
Bradford -	23·1	18·5	17·8	25·1	Norwich -	23·5	21·2	32·6	21·2
Brighton -	18·2	18·7	19·1	20·0	Nottingham -	20·2	20·2	21·7	26·7
Bristol -	27·0	28·2	25·4	25·4	Oldham -	27·7	33·9	34·7	25·2
Cardiff -	31·7	41·9	29·6	31·7	Plymouth -	22·0	20·6	19·9	24·7
Derby -	14·0	18·0	22·1	20·9	Portsmouth -	19·0	17·8	21·3	22·1
Halifax -	27·0	22·9	20·2	28·3	Preston -	23·4	26·5	34·3	33·8
Huddersfield	29·3	19·7	27·5	35·8	Salford -	21·7	21·7	20·2	23·0
Hull -	20·4	21·8	21·3	22·4	Sheffield -	23·6	21·3	22·5	23·6
Leeds -	23·6	23·0	21·9	20·5	Sunderland -	44·1	40·4	40·4	28·7
Leicester -	21·5	24·1	15·7	22·6	Wolverhampton -	27·7	25·7	19·8	24·4

The highest annual death-rates from measles were 5·4 in Sunderland, and 7·5 in Newcastle-upon-Tyne; from whooping-cough, 3·1 in Bristol; from scarlet fever, 1·7 in Sunderland, and 2·0 in Wolverhampton; and from "fever," 1·3 in Halifax, and 2·3 in Norwich. Small-pox caused 69 deaths in London and its outer ring of suburban districts, and but 4 in the twenty-seven provincial towns.

LONDON.

In LONDON 2473 BIRTHS and 1859 DEATHS were registered. Allowing for increase of population, the births were 400, and the deaths 37, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000, which had been 22·2 and 21·7 in the two preceding weeks, rose last week to 23·8, and exceeded the rate in any recent week.

The 1859 deaths included 36 from small-pox, 70 from measles, 9 from scarlet fever, 15 from diphtheria, 55 from whooping-cough, 10 from enteric fever, 2 from ill-defined forms of continued fever, 16 from diarrhoea and dysentery, and not one either from typhus or from cholera; thus, 213 deaths were referred to these diseases, being 44 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 19, 21, and 26 in the three preceding weeks, further rose to 36 last week, and exceeded the corrected weekly average by 7. These 36 deaths were, however, exclusive of 4 deaths of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the 40 fatal cases, 22 occurred in the Metropolitan Asylum Hospitals in and around London, 5 in the Highgate Small-pox Hospital (all being of residents outside London), and 13 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 4 belonged to Islington, 4 to Hackney, 5 to St. George's Southwark, 4 to Bermondsey, and 5 to Camberwell. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 830, 865, and 879 on the three preceding Saturdays, had further increased to 910 at the end of last week; the admissions, which had been 179 and 141 in the two preceding weeks, rose last week to 185.

The fatal cases of *measles*, which had been 70 and 83 in the two previous weeks, declined again to 70 last week, but exceeded the corrected weekly average by 21; 9 belonged to Islington, 11 to Bethnal Green, and 10 to Poplar. The 9 deaths from *scarlet fever* were 20 below the corrected average. The Metropolitan Asylum Hospitals contained 188 scarlet fever patients on Saturday last; 25 cases having been admitted, against 16 and 21 in the two previous weeks. The 15 deaths from *diphtheria*, included 3 in Islington, and 2 in Pancras, and exceeded the corrected average by 2. The 55 fatal cases of *whooping-cough* corresponded with the number in each of the two preceding weeks, and were 45 below the corrected average.

The deaths referred to *enteric fever*, which had been 7 and 14 in the two preceding weeks, declined again to 10 last week, and were 5 below the corrected average; 2 belonged to St. George's Hanover Square, and 2 to Newington. The Metropolitan Asylum Hospitals contained 40 cases of enteric fever, and 16 of typhus, on Saturday last.

The deaths referred to diseases of the respiratory organs, which had been 448 and 478 in the two preceding weeks, further rose last week to 512, and exceeded the corrected average by 2.

CORRECTED MORTALITY in REGISTRATION LONDON, and in its SANITARY AREAS.

The accompanying Table shows the deaths belonging to the several Sanitary Areas of Registration London, registered during the thirteen weeks ending 4th April. The deaths registered have, for the purpose of this Table, been corrected

SANITARY AREAS.	Births.	Deaths.	Deaths from Principal Zymotic Diseases.										Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1,000 Births registered.
			Small-pox.	Measles.	Scarlat Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and Undefined Fever.	Diarrhoea.			
REGISTRATION LONDON	35,152	21,884	547	489	186	200	607	7	131	14	132	4687	133	
WEST.														
Paddington	-	567	595	3	9	-	7	17	-	4	1	3	111	145
Kensington	-	1091	755	4	10	2	4	33	-	2	5	5	162	148
Fulham	-	1422	693	11	4	3	1	27	-	5	-	10	189	133
Chelsea	-	910	594	3	1	2	8	17	1	4	-	2	131	144
St. George Hanover Square	-	477	417	4	-	5	8	9	-	2	1	5	62	130
Westminster	-	497	313	3	1	2	1	10	-	2	-	-	73	147
St. James Westminster	-	166	161	2	4	2	-	4	-	2	-	2	27	173
NORTH.														
Marylebone	-	1305	885	11	14	3	8	14	-	5	1	2	157	120
Hamstead	-	817	211	4	-	2	3	8	-	1	1	1	49	155
Pancras	-	1990	1291	18	13	5	8	56	-	10	-	3	200	151
Islington	-	2456	1551	75	33	10	45	52	1	18	1	9	322	131
Hackney	-	1762	1027	44	24	6	14	23	-	6	1	6	229	130
CENTRAL.														
St. Giles	-	341	320	12	2	-	3	4	-	3	-	3	46	135
St. Martin-in-the-Fields	-	51	98	-	1	1	3	3	-	1	-	1	14	154
Strand	-	212	178	1	2	1	2	3	-	1	1	1	37	175
Holborn	-	249	248	1	2	1	-	2	-	1	-	-	41	165
Clerkenwell	-	648	421	8	12	5	-	18	-	1	-	5	81	125
St. Luke's	-	492	318	5	9	1	2	18	-	1	-	3	63	128
London City	-	234	304	2	5	-	1	9	-	3	-	2	32	137
EAST.														
Shoreditch	-	1306	708	16	26	8	4	19	-	7	-	7	180	158
Bethnal Green	-	1240	685	10	25	13	4	8	-	3	1	1	160	115
Whitechapel	-	620	432	9	19	4	2	10	1	1	-	4	85	153
St. George-in-the-East	-	485	414	8	23	12	1	6	1	-	-	5	76	157
Stepney	-	600	427	17	14	19	2	6	1	1	-	2	91	162
Mile End Old Town	-	1634	606	17	8	19	2	12	-	8	-	6	124	120
Poplar	-	1683	900	36	44	25	5	12	1	4	1	5	225	134
SOUTH.														
St. Saviour Southwark	-	255	198	4	3	-	2	3	-	-	-	-	34	133
St. George Southwark	-	570	402	12	9	1	1	17	-	3	-	1	90	158
Newington	-	1132	647	39	11	3	4	10	-	4	-	2	141	125
St. Olave Southwark	-	115	65	-	2	-	-	1	-	-	1	1	17	143
Bermondsey	-	889	500	21	20	5	4	22	-	8	-	1	104	117
Rotherhithe	-	379	224	9	17	6	2	8	1	-	-	3	48	127
Lambeth	-	2246	1346	18	4	5	15	33	-	7	-	4	235	121
Wandsworth	-	2240	1230	20	30	5	8	48	-	10	3	9	263	119
Camberwell	-	1872	1177	55	39	3	16	41	-	5	-	9	273	146
Greenwich	-	1450	834	32	29	8	8	15	-	5	-	3	202	129
Lewisham	-	485	241	6	8	-	1	4	-	1	1	2	60	124
Woolwich	-	329	186	5	1	-	1	2	-	1	-	2	31	94
Plumstead	-	632	282	2	13	-	-	1	4	1	-	2	66	104

by the addition of 192 deaths of London residents, from small-pox, occurring in the Metropolitan Asylum Hospitals situated outside Registration London; and by the exclusion of 281 deaths, from all causes, of non-residents registered inside London. Of these 281 excluded deaths, 27 resulted from small-pox, 6 from scarlet fever, 2 from diphtheria, one from measles, and one from diarrhoea. It should be noted that the Lewisham area, to which the figures in this Table relate, does not include Penge, which is situated outside Registration London, in Croydon district; while the Plumstead area includes Mottingham Hamlet, which constitutes the Rural Sanitary District of Lewisham.

The corrected annual death-rate during the quarter was 19·4 per 1000 in the West, 20·4 in the North, 20·8 in the South, 23·8 in the East, and 29·0 in the Central groups of districts. The death-rate from the principal zymotic diseases ranged from 1·52 per 1000 in the West, to 2·49 in the Central, and 2·95 in the East districts. The 547 deaths from small-pox belonging to London were equal to an annual rate of 0·54, the rate being 0·17 in the West, 0·45 in the Central, 0·62 in the North, and 0·63 in the East and in the South districts. The mortality from typhus, enteric fever, and scarlet fever was unusually low during the quarter. The death-rate from scarlet fever was 0·18 in the whole of London; it was 0·56 in East London, and nearly six times as great as in the four other groups of districts. It appears, moreover, that 4 of the 7 deaths attributed to typhus belonged to East London.

GREATER LONDON.

In Greater London 3141 births and 2287 deaths were registered, equal to annual rates of 31·5 and 23·0 per 1000 of the population. In the Outer Ring 33 deaths from small-pox, and 11 from diphtheria were registered. The 33 fatal cases of small-pox included 26 in West Ham (all local cases), and 4 in Edmonton sub-districts. Of the 11 deaths from diphtheria, 2 occurred in Harrow, 2 in Hornsey, and 3 in Tottenham sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·36 in.; the highest reading was 29·73 in. at the beginning of the week, and the lowest 29·06 in. on Monday morning. The mean temperature of the *air* was 41°·9, and 4°·9 below the average in the corresponding week of the 20 years ending 1868. The mean was considerably below the average on each day of the week, the coldest day being Friday. The direction of the *wind* was variable, and the horizontal movement of the air averaged 12·6 miles per hour, which was 0·4 above the average in the corresponding week of 16 years. *Rain* fell on two days of the week, to the aggregate amount of 0·20 of an inch. The duration of registered bright sunshine in the week was 10·5 hours, against 17·1 hours at Glynde Place, Lewes.

THE REGISTRAR GENERAL has to acknowledge the courtesy of the LONDON WATER COMPANIES who have furnished him with the average daily quantity of Water supplied during the month of MARCH 1885; according to their returns 143,625,679 gallons or 652,557 cubic metres of water (equal to about as many *tuns* by measure, *tons* by weight,) were supplied daily; or 209 gallons (94·5 decalitres), being rather less than a *ton* by weight, to each house, and 26·8 gallons (12·2 decalitres) to each person, against 26·7 gallons during March 1884.

COMPANIES.	Number of Houses, &c. supplied in		Average daily Supply of Water in Gallons.	
	MARCH. 1884.	MARCH. 1885.	MARCH. 1884.	MARCH. 1885.
TOTAL SUPPLY . . .	667,568	688,239	138,927,697	143,625,679
From Thames	323,553	333,219	70,643,108	72,457,764
From Lea and from other Sources . .	344,015	355,020	68,284,589	71,167,915
THAMES.				
Chelsea	32,707	33,382	9,525,440	9,544,300
West Middlesex	63,895	65,857	12,799,975	12,947,765
Southwark and Vauxhall	101,481	103,739	19,940,949	20,011,561
Grand Junction	48,535	50,388	14,128,744	14,679,838
Lambeth	76,932	79,853	14,248,300	15,274,300
LEA AND OTHER SOURCES.				
New River	140,698	143,659	25,970,000	27,015,000
East London	142,645	147,903	32,976,945	34,395,327
Kent	60,672	63,453	9,337,644	9,737,585

Note.—The Return for March 1885, as compared with that for the corresponding month of 1884, shows an increase of 20,671 houses, and of 4,697,982 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING MARCH.

Grove House, Pembroke Square, W.,
10th April, 1885.

SIR,

I HAVE to report to you in the following Table the results of the chemical analyses of the waters supplied to the inner, and portions also of the outer, circle of the Metropolis during the month of March. I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity contained in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Kent 0·7, Tottenham 1·1, Colne Valley 1·4, New River 2·0, Grand Junction 2·9, Lambeth 3·3, Southwark 3·6, Chelsea 3·8, East London 3·9, West Middlesex 3·9.

The Thames water sent out by the Chelsea, West Middlesex, Southwark, Grand Junction, and Lambeth Companies contained, on the whole, less organic matter than in either of the previous months of the present year, the amount being small for this season. All the samples were clear and bright.

The water drawn from the Lea and distributed by the New River and East London Companies, contained slightly more organic matter than the previous month's samples, but the New River Company's supply was superior in this respect to any of the Thames waters. Both waters were delivered in a clear and bright condition.

The deep-well water furnished by the Kent and Colne Valley Companies, and by the Tottenham Local Board of Health was of its usual excellent quality for drinking, and the Colne Valley Company by softening their supply with lime, thereby rendered it also well fitted for washing and all other domestic uses.

Seen through a stratum two feet deep, the waters presented the following appearances:—Kent, Colne Valley, and Tottenham, clear and colourless; New River, clear and nearly colourless; Southwark, Grand Junction, and Lambeth, clear and very pale yellow; Chelsea, West Middlesex, and East London, clear and pale yellow.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that town was "very slightly turbid and was very similar to the January and February samples." Dr. Mills, F.R.S., of Anderson's College, Glasgow, reports that the water supplied to that city from Loch Katrine was "light brown in colour and contained some suspended fibres."

I am, &c.

The Registrar General, &c. &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Mat- ter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.										
	Chelsea - - -	{ March 19th, Cab Rank, Horseguards, Whitehall. }	6.2	30.24	.192	.033	0	.242	.275	1.8	19.7
	West Middlesex -	{ March 19th, Cab Rank, Portland-road. }	7.5	30.60	.218	.031	0	.253	.284	1.7	20.0
	Southwark - - -	{ March 19th, Cab Rank, Bricklayers Arms, Old Kent-road. }	7.5	30.04	.181	.030	0	.241	.271	1.7	20.0
	Grand Junction -	{ March 19th, Cab Rank, Uxbridge-rd., near Marble Arch. }	6.8	30.40	.150	.023	0	.251	.274	1.7	20.0
	Lambeth - - -	{ March 19th Cab Rank, St. George's- road, Southwark. }	6.9	30.50	.174	.021	0	.256	.277	1.7	20.3
Outer Circle.	LEA.										
	New River - - -	{ March 19th, Cab Rank, Tottenham Court-road. }	6.8	28.14	.100	.019	0	.272	.291	1.7	18.8
	East London - -	{ March 19th, Fire Brigade Station, Commercial-road, E. }	7.2	34.90	.200	.034	0	.327	.361	2.1	21.5
	DEEP WELLS.										
	Kent - - - - -	{ March 23rd, Greenwich Police Station, Blackheath-road. }	12.6	37.12	.033	.006	0	.423	.429	2.3	26.4
	Colne Valley - -	{ March 23rd, Bushey. }	—	13.64	.070	.010	0	.403	.413	1.8	5.7
	Tottenham - - -	{ March 19th, Tottenham. }	—	37.26	.048	.017	.050	0	.068	2.3	20.6
	Corporation of Birming- ham* - - - - -	{ March 4th, 17, Court Clark-street. }	8.3	26.38	.098	.023	.003	.231	.256	2.1	13.8
	Corporation of Glasgow†	{ March 16th, Loch Katrine Water. }	4.8	3.50	.102	.025	0	.005	.030	.7	1.1
Column 1.			3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, Medical Officer of Health and Analyst to the Borough.

† Analysed by Dr. E. J. Mills, F.R.S., of Anderson's College, Glasgow.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on 19th March at the Horseguards cab-rank, had a temperature of 6.2 C.; 100,000 lbs. of it contained 30.24 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained .192 lb. of carbon and .033 lb. of nitrogen. The above quantity of water also contained no ammonia, and .242 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was .275 lb. The above weight of water also contained 1.8 lbs. of chlorine; and 19.7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap destroying ingredients.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY in 28 GREAT TOWNS, during the Week ending 11th April, 1885.

CITIES AND BOROUGHs.	Cols.	Registered during the Week ending 11th Apr., 1885.		The DEATHS registered in the Week include												Annual Rate per 1000, corresponding to the Week's Deaths				TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGHs.	
		1.	2.	3.	Deaths of								Deaths from				From All Causes.	From Diseases in Cols. 6-12.	Mean.		Centigrade.	In Inches.	In Centi- meters.				
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Meninges.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Eber.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.			Unidentified (Cause of Death).	Highest.				Lowest.	Fahrenheit.		
28 TOWNS -	-	8,006,446	5804	4271	967	945	40	164	24	29	127	35	49	140	265	682	109	250	2.8	55.2	25.0	40.0	4.44	0.55	1.40	-	28 TOWNS.
LONDON -	-	4,083,928	2473	1869	308	446	56	70	9	15	55	12	16	68	132	374	31	28.8	2.7	55.2	29.9	41.9	5.50	0.20	0.51	-	LONDON.
BRIGHTON -	-	114,672	75	44	11	16	-	-	-	1	-	1	1	2	4	7	-	20.0	1.4	53.0	30.0	40.6	4.78	0.30	0.76	-	BRIGHTON.
PORTSMOUTH -	-	134,659	85	57	12	12	-	-	-	2	1	2	-	-	-	-	-	22.1	1.9	-	-	-	-	-	-	PORTSMOUTH.	
NORWICH -	-	91,215	61	37	6	14	-	-	-	1	-	4	-	-	-	6	1	21.2	2.9	-	-	-	-	-	-	NORWICH.	
PLYMOUTH -	-	76,045	51	36	7	16	-	-	-	1	2	-	-	1	1	4	-	24.7	1.4	52.0	31.0	41.2	5.11	0.57	1.45	-	PLYMOUTH.
BRISTOL -	-	218,169	126	106	26	23	-	9	-	1	13	-	3	-	5	12	1	25.4	6.2	52.5	26.0	40.6	4.78	0.46	1.17	-	BRISTOL.
WOLVERHAMPTON -	-	79,185	53	37	12	4	-	-	3	-	-	-	-	1	2	7	-	24.4	2.0	51.5	25.0	38.8	3.78	0.40	1.02	-	WOLVERHAMPTON.
BIRMINGHAM -	-	427,769	274	211	63	55	-	1	1	3	6	1	6	10	19	30	5	25.7	2.2	-	-	-	-	-	-	BIRMINGHAM.	
LEICESTER -	-	136,147	109	59	16	14	-	-	-	-	-	-	-	3	5	7	3	22.6	0.0	-	-	-	-	-	-	LEICESTER.	
NOTTINGHAM -	-	211,424	151	108	30	17	-	1	-	-	2	-	-	6	8	15	2	20.7	0.7	50.8	29.0	40.2	4.55	0.28	0.71	-	NOTTINGHAM.
DERBY -	-	89,691	64	36	9	12	-	1	-	-	1	-	-	-	1	8	-	20.9	1.2	-	-	-	-	-	-	DERBY.	
BIRKENHEAD -	-	93,093	48	48	10	14	-	-	-	-	1	1	1	3	7	4	2	26.9	1.1	-	-	-	-	-	-	BIRKENHEAD.	
LIVERPOOL -	-	579,724	366	274	57	42	-	12	1	2	5	-	3	13	18	52	14	24.7	2.1	49.0	36.1	40.8	4.89	0.63	1.00	-	LIVERPOOL.
BOLTON -	-	110,085	71	50	8	16	-	-	-	-	-	-	-	-	2	6	1	23.7	0.0	48.1	27.2	38.7	3.72	0.38	0.97	-	BOLTON.
MANCHESTER -	-	337,342	246	233	37	42	1	13	3	-	10	3	5	8	19	42	2	36.0	5.4	-	-	-	-	-	-	MANCHESTER.	
SAFORD -	-	204,075	139	90	19	13	-	2	1	-	2	3	1	1	2	13	3	23.0	2.3	-	-	-	-	-	-	SAFORD.	
OLDHAM -	-	126,890	76	61	15	13	-	-	-	-	-	-	-	2	6	2	-	25.2	0.8	-	-	-	-	-	-	OLDHAM.	
BLACKBURN -	-	112,574	89	55	11	13	-	-	-	-	3	1	2	1	1	4	1	25.5	2.8	-	-	-	-	-	-	BLACKBURN.	
PRESTON -	-	100,406	94	65	13	13	-	-	-	-	2	1	2	1	3	4	2	33.8	3.6	49.0	31.0	40.8	4.89	0.28	0.71	-	PRESTON.
HUDDESFIELD -	-	87,327	49	60	15	17	-	4	-	-	-	-	1	3	3	8	-	35.8	3.6	-	-	-	-	-	-	HUDDESFIELD.	
HALIFAX -	-	77,378	49	42	12	8	-	-	-	-	-	-	-	-	-	2	4	28.3	1.3	-	-	-	-	-	-	HALIFAX.	
BRADFORD -	-	214,431	141	103	27	19	-	1	1	-	4	1	-	3	6	4	3	25.1	1.7	48.0	30.6	39.4	4.11	1.06	2.69	-	BRADFORD.
LEEDS -	-	333,139	239	131	33	26	1	-	6	-	3	2	1	6	9	15	3	20.5	2.0	50.0	29.0	40.4	4.63	0.60	1.52	-	LEEDS.
SHEFFIELD -	-	305,716	234	128	33	24	-	12	-	-	10	1	1	2	3	15	12	23.6	4.4	48.0	27.0	39.8	4.34	0.96	2.44	-	SHEFFIELD.
HULL -	-	186,292	126	80	18	24	-	-	-	-	1	-	3	-	-	14	7	22.4	1.1	47.0	25.0	38.6	3.67	0.51	1.30	-	HULL.
SUNDERLAND -	-	125,327	102	69	17	9	2	13	4	-	-	-	1	2	3	4	5	28.7	8.3	46.0	32.0	39.6	4.23	0.82	2.08	-	SUNDERLAND.
NEWCASTLE -	-	153,209	129	123	33	14	-	22	1	-	2	-	2	3	6	7	3	41.9	9.2	46.0	31.0	38.7	3.72	0.78	1.98	-	NEWCASTLE.
CARDIFF -	-	57,034	34	59	19	9	-	3	-	4	2	-	7	2	2	6	2	31.7	4.8	-	-	-	-	-	-	CARDIFF.	
EDINBURGH -	-	250,616	139	89	23	17	-	-	-	-	1	1	2	1	2	16	20	18.5	0.8	-	-	-	-	-	-	EDINBURGH.	
GLASGOW -	-	519,965	413	260	57	39	-	22	4	1	10	6	3	3	5	48	43	29.1	4.6	51.0	27.0	40.8	4.89	0.32	0.81	-	GLASGOW.
DUBLIN -	-	353,082	161	218	41	50	-	19	1	2	1	2	4	5	9	54	30	32.2	4.3	50.7	30.2	41.0	5.00	0.49	1.24	-	DUBLIN.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FOURTEENTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2367	2566	2525	2613	2610	2956	2612	2458	2928	2711	2872.9	2473
Males . .	1222	1320	1279	1321	1309	1533	1318	1217	1490	1377	1459.7	1223
Females .	1145	1246	1246	1292	1301	1423	1294	1241	1438	1334	1413.2	1250
TOTAL Deaths	1759	1581	1922	1877	1958	1532	1532	1596	1940	1689	1895.9	1859
Males . .	910	843	944	981	987	802	792	828	1008	845	974.9	971
Females .	849	738	978	896	971	730	740	768	932	844	921.0	888

* The numbers in this column are the average weekly numbers in the fourteenth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.
TOTAL Births	2876	2803	2727	2806	2913	2526	2709	2623	2737	2675	2537	2404	2473
TOTAL Deaths	1855	1807	1886	1592	1525	1497	1569	1495	1678	1678	1734	1701	1859
0-20	715	693	723	639	634	686	718	692	793	767	807	771	830
20-40	261	251	259	220	208	196	202	204	211	207	205	218	255
40-60	360	363	345	289	290	279	285	254	269	300	289	286	328
60-80	411	404	449	370	328	278	297	293	351	324	352	347	375
at 80 years & upwds.	108	96	110	74	65	58	67	52	54	80	81	79	71
Deaths of children { Under 1 year	354	380	378	307	320	330	364	356	424	370	395	374	398
{ 1-5	261	206	239	227	218	257	243	256	273	297	315	308	327
{ 5-20	100	107	106	105	96	99	111	80	96	100	97	89	105
Deaths from Small-pox	70	58	59	60	56	44	37	27	35	23	24	39	40
" " Measles	27	26	16	16	28	31	29	52	51	53	70	83	70
" " Scarlet Fever	21	18	19	18	17	14	16	15	7	16	10	5	9
" " Diphtheria	14	12	15	19	16	14	16	15	8	29	11	16	15
" " Whooping-cough	40	49	60	41	50	43	45	37	49	45	55	55	55
" " Typhus	-	1	1	2	-	-	-	-	2	-	1	-	-
" " Enteric fever	8	9	13	6	10	13	8	7	8	13	7	14	10
" " Simple Cont'd fever	1	-	1	-	1	1	2	3	-	2	2	-	2
" " Diarrhœa and Dysentery	8	8	12	9	6	11	9	7	14	12	18	8	16
" " Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-
Deaths from the above-mentioned Diseases	190	175	196	171	184	171	162	163	174	184	198	220	217
" " Dis. of Respiratory System	552	513	556	421	383	343	384	374	455	487	448	478	512
" " Phthisis	186	180	199	145	161	168	168	179	177	157	190	160	198
" " Dis. of Circulatory System	155	153	154	122	118	105	127	112	139	140	128	122	123
Violent Deaths	66	66	53	47	42	70	50	40	75	56	50	41	68
Inquest Cases	134	143	182	109	91	133	114	85	148	125	120	109	132
Deaths in Public Institutions	408	425	402	356	352	348	322	335	347	344	361	359	374
TEMPERATURE OF THE AIR:													
Mean	35.1	31.9	43.6	43.6	46.2	40.0	45.8	40.3	38.2	41.9	39.1	43.3	41.9
Mean of Highest readings	37.5	35.2	48.4	49.5	51.3	45.1	51.7	48.0	45.7	52.0	47.6	53.9	49.5
Mean of Lowest readings	32.5	27.7	38.7	37.6	41.0	36.0	39.9	34.1	31.3	32.5	31.8	32.8	35.8
Humidity of the Air	83	91	90	84	88	86	88	86	80	75	77	67	85
Rain-fall in inches	0.27	0.00	0.58	0.61	0.25	0.94	0.55	0.60	0.01	0.05	0.84	00.0	0.20
Registered Sunshine (in hours)	1.4	2.9	5.5	9.7	8.6	10.5	9.0	16.3	15.6	29.7	23.9	55.4	10.5

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Bilson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Pillitter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FOURTEENTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 14th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 11th April, 1885.								Corrected Averages for the 14th Weeks of the 10 years 1875-84.	CAUSES OF DEATH.	In the Week ending Saturday, 11th April, 1885.								
		Deaths of Persons of the Ages										Deaths of Persons of the Ages								
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	
			0-1.	1-5.	5-20.								0-1.	1-5.	5-20.					
ALL CAUSES - -	1895.9	1859	398	327	105	255	328	375	71		Diseases of Organs of Special Sense † - -	2.3	4	1	-	2	1	-	-	
Small-pox { Vaccinated † - - - - -	29.0 {	11	-	-	-	10	1	-	-		Diseases of Circulatory System - - -	113.8	123	-	1	9	19	33	56	5
Unvaccinated - - - - -		11	1	2	3	4	1	-	-		Croup - - - - -	17.3	19	1	14	4	-	-	-	
No Statement - - - - -		14	2	1	4	6	-	1	-		Bronchitis - - - - -	307.0	311	71	59	5	10	45	103	18
Measles - - - - -	49.0	70	11	54	4	-	1	-	-		Pneumonia - - - - -	123.7	132	30	29	4	20	24	22	-
Scarlet Fever - - - - -	29.2	9	2	6	1	-	-	-	-		Pleurisy - - - - -	7.6	10	-	-	4	6	-	-	-
Erysiphus - - - - -	2.3	-	-	-	-	-	-	-	-		Other Diseases of Respiratory System - -	48.5	40	3	7	1	8	11	10	-
Relapsing Fever † - - - -	0.0	-	-	-	-	-	-	-	-		Dentition † - - - - -	22.3	21	10	11	-	-	-	-	-
Influenza - - - - -	0.3	-	-	-	-	-	-	-	-		Quinsy, Sore Throat † - -	2.0	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	100.2	55	21	31	3	-	-	-	-		Enteritis - - - - -	7.1	6	3	-	2	1	-	-	-
Diphtheria - - - - -	12.5	15	2	9	4	-	-	-	-		Peritonitis - - - - -	7.7	5	-	-	1	3	1	-	-
Simple Continued and ill-defined Fever - -	4.4	2	-	-	2	-	-	-	-		Diseases of Liver - - - - -	33.6	35	-	1	6	14	12	2	-
Enteric Fever - - - - -	15.4	10	-	-	1	7	1	1	-		Other Diseases of Digestive System - -	29.1	27	5	-	-	4	3	14	1
Cholera - - - - -	0.1	-	-	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands † - - - -	2.0	2	-	-	2	-	-	-	-
Diarrhoea, Dysentery - - -	15.3	16	6	2	-	1	4	3	-		Diseases of Urinary System - - - - -	34.5	40	-	3	-	6	14	16	1
Intermittent Fever † - - - -	0.3	1	-	-	-	1	-	-	-		Diseases of Generative System - - - - -	6.3	9	-	-	1	-	6	1	1
Hydrophobia - - - - -	0.1	-	-	-	-	-	-	-	-		Accidents of Childbirth - -	4.8	5	-	-	-	5	-	-	-
Banders - - - - -	0.1	-	-	-	-	-	-	-	-		Diseases of Locomotive System † - - - -	7.3	4	1	-	2	1	-	-	-
Small-pox and Effects of Vaccination † - - -	0.0	-	-	-	-	-	-	-	-		Diseases of Integumen- tary System - - -	7.5	6	2	1	-	-	-	2	1
General Affections - - - -	12.1	10	5	1	-	1	2	1	-		VIOLENT DEATHS.\$									
Erysipelas - - - - -	7.3	8	5	-	-	1	1	1	-		(ACCIDENT.)									
Septicæmia and Septicæmia †	4.0	2	-	-	-	1	-	1	-		Fracture and Contusion - -	21.5	19	2	-	2	5	4	4	2
Intermittent Fever - - - -	6.2	8	-	-	-	8	-	-	-		Gunshot Wound - - - - -	0.0	-	-	-	-	-	-	-	-
Other Zymotic Diseases †	0.7	2	1	1	-	-	-	-	-		Cut, Stab - - - - -	0.3	1	-	-	-	1	-	-	-
											Burn and Scald - - - - -	6.3	11	6	1	1	-	2	-	-
											Poison - - - - -	1.3	2	-	1	-	1	-	-	-
											Drowning - - - - -	6.7	6	-	-	4	1	1	-	-
											Suffocation - - - - -	15.0	17	13	-	-	2	1	1	-
											Otherwise - - - - -	3.6	2	-	1	-	1	-	-	-
											(HOMICIDE.)									
											Murder & Manslaughter - -	1.4	2	2	-	-	-	-	-	-
											(SUICIDE.)									
											Gunshot Wound - - - - -	0.7	1	-	-	-	1	-	-	-
											Cut, Stab - - - - -	1.2	1	-	-	-	-	1	-	-
											Poison - - - - -	0.8	2	-	-	-	-	2	-	-
											Drowning - - - - -	1.2	1	-	-	-	-	-	1	-
											Hanging - - - - -	1.3	3	-	-	1	1	1	-	-
											Otherwise - - - - -	0.5	-	-	-	-	-	-	-	-
											(EXECUTION.)									
											Hanging - - - - -	0.0	-	-	-	-	-	-	-	-
											OTHER CAUSES † - -	65.3	50	43	2	1	-	3	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.
† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.
‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered physician, the case is returned under the heading "no statement."
§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."
|| Exclusive of 4 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, &c., during the Week ending

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of													
				Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	3,816,483	2473	1859	398	446	36	70	9	15	55	-	10	2	16	63	132	374
WEST DISTRICTS	669,683	365	333	59	93	2	5	-	1	12	-	2	-	3	15	31	76
NORTH DISTRICTS	905,947	551	416	92	98	12	14	4	6	15	-	2	-	3	13	34	73
CENTRAL DISTRICTS	282,238	132	133	21	22	-	3	1	1	2	-	-	-	-	4	6	37
EAST DISTRICTS	692,738	533	384	94	79	1	32	3	2	8	-	1	1	4	15	23	78
SOUTH DISTRICTS	1,265,927	892	593	132	154	21	16	1	5	18	-	5	1	6	21	28	110
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	69888	52	41	10	10	-	1	-	-	2	-	-	-	1	1	2	3
St. John Paddington H - - G.J.	37330	10	19	1	5	-	1	-	-	-	-	1	-	4	5	10	-
Kensington Town WH - - W.M.	120141	68	68	7	30	-	1	-	-	3	-	-	-	3	3	27	-
Brompton H - - W.M. & C.	43010	11	13	1	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Peter Hammersmith - - W.M.	7599	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Paul Hammersmith H W.M. & G.J.	64340	51	34	8	4	-	2	-	-	3	-	-	-	1	3	1	7
Fulham WHH - - W.M. & C.	42900	35	35	10	6	2	-	-	-	1	-	-	-	-	3	4	7
Chelsea South HHH - - C.	80896	23	10	3	2	-	-	-	-	-	-	-	-	-	1	1	-
Chelsea North-west WHHHH - C.	24925	7	12	4	2	-	-	-	-	-	-	-	-	-	-	1	5
Chelsea North-east - - C.	32807	51	16	4	4	-	-	-	-	1	-	-	-	-	-	1	-
Hanover Square H - - G.J.	16862	4	4	-	1	-	-	-	-	-	-	-	-	-	1	2	-
May Fair WH - - G.J.	18491	4	11	-	-	-	-	-	-	-	-	-	-	-	-	1	9
Belgrave HH - - C.	39220	24	22	3	13	-	-	-	-	-	-	1	-	-	1	1	5
St. John Westminster HH - C.	35498	13	21	4	6	-	-	-	-	2	-	-	-	-	1	4	2
St. Margaret Westminster H - C.	24678	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. James Westminster WH N.R. & G.J.	23941	8	17	1	5	-	-	-	-	1	-	-	-	-	-	1	4
St. Anne Soho HHHHH - - N.R.	16608	11	6	2	-	-	-	-	-	-	-	-	-	-	1	1	4
NORTH DISTRICTS.																	
All Souls Marylebone HHHH - W.M.	26759	21	12	2	3	-	-	-	-	-	-	-	-	-	1	1	6
Cavendish Square HHH - W.M.	14891	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Restory Marylebone WHH G.J. & W.M.	24509	18	13	4	2	-	-	-	-	-	-	-	-	-	-	1	1
St. Mary Marylebone HHH G.J. & W.M.	21116	27	8	5	1	-	-	-	-	-	-	-	-	-	-	1	1
Christchurch Marylebone H - W.M.	33700	14	9	2	1	-	-	-	-	1	-	-	-	-	-	-	-
St. John Marylebone H - W.M.	33638	8	12	5	3	-	-	-	-	1	-	-	-	-	-	-	-
Hamstead WHHHH - N.R. & W.M.	45452	56	15	2	4	-	-	1	-	1	-	-	-	-	-	1	2
Regent's Park Pancras H - - W.M.	39115	16	11	3	2	-	-	-	-	-	-	-	-	-	-	-	1
Tottenham-court WHHHH N.R. & W.M.	27729	10	21	3	4	-	-	-	-	-	-	-	-	-	-	1	11
Gray's Inn Lane HHH - - N.R.	30247	21	14	4	1	-	-	-	-	-	-	-	-	-	-	-	4
Somerset Town H - - N.R.	34369	18	14	3	3	-	1	-	-	-	-	-	-	-	1	3	-
Camden Town WH - - N.R.	17311	14	17	2	11	-	-	-	-	-	-	-	-	-	1	3	13
Kentish Town W - - N.R.	87487	53	38	14	7	-	-	-	2	3	-	7	-	1	1	2	1
Upper Holloway WHWHH - - N.R.	67946	46	60	7	11	6	4	-	2	1	-	-	-	-	1	5	16
Islington South-west HH - - N.R.	100976	66	35	8	11	-	2	-	2	-	1	-	-	-	2	4	1
Islington South-east - - N.R.	61895	29	25	5	6	-	-	-	1	1	-	-	-	-	-	-	-
Highbury H - - N.R.	52048	29	23	5	7	1	2	-	1	1	-	-	-	-	1	3	-
Stoke Newington H - - N.R.	22781	16	10	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - E.L.	9277	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney - - N.R.	37610	19	20	6	4	-	2	1	1	-	1	-	-	-	1	1	-
Hackney WHWHHHL - - E.L. & N.R.	76911	60	46	8	8	5	2	2	-	1	-	-	-	-	12	32	4
South Hackney - - E.L.	39833	26	15	1	4	-	-	-	-	3	-	-	-	-	2	3	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16631	7	6	1	-	-	-	-	-	1	-	-	-	-	-	-	-
St. Giles South WH - - N.R.	14864	3	7	-	4	-	-	-	-	-	-	-	-	-	-	-	4
St. Giles North - - N.R.	13837	7	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.	17593	6	11	-	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary-le-Strand H - - N.R.	7315	3	4	1	1	-	-	-	1	-	-	-	-	-	1	1	6
St. Clement Danes H - - N.R.	3659	1	5	-	2	-	-	-	-	-	-	-	-	-	-	-	2
St. George-the-Martyr HHHHHH N.R.	13971	3	15	-	2	-	-	-	1	-	-	-	-	-	-	-	-
St. Andrew Eastern W - - N.R.	10706	5	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Saffron Hill H - - N.R.	6533	-	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - N.R.	17516	16	9	1	2	1	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.R.	19281	14	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - N.R.	14773	9	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Gooswell-street - - N.R.	17503	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Old-street H - - N.R.	11541	9	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-
City-road HHL - - N.R.	18628	9	6	3	1	-	-	1	-	-	-	-	-	-	-	-	-
Whitecross-street - - N.R.	5217	5	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Finsbury - - N.R.	7463	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - N.R. & E.L.	11174	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - N.R.	7193	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - - N.R.	5353	-	14	1	1	-	-	-	-	-	-	-	-	-	-	1	18
St. Bride W - - N.R.	8396	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Albion-lane Harking - - N.R.	13666	2	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Broad Street H - - N.R.	6652	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *W*—A Workhouse Establishment receiving inmates from other Districts than that in which it is situated; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—*G.J.*, Grand Junction Company; *W.M.*, West Middlesex; *C.*, Chelsea; *S.*, Southwark and Vauxhall; *L.*, Lambeth; *N.R.*, New River; *E.L.*, East London and K. the Kent Company.

EVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
 Sunday, the 11th April, 1885.

REGISTRATION SUB-DISTRICTS.		Enum- erated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																			
lywell Shoreditch	N.R. & E.L.	7376	1	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Leonard Shoreditch	HL†	14967	10	7	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
xtion New Town	W	29937	26	20	5	5	-	2	-	-	-	-	-	-	1	1	2	6	-
xtion Old Town	-	28036	29	9	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
aggerston	WH	46275	32	21	10	4	-	-	-	1	-	-	-	-	1	1	3	6	1
ckney-road	H	29738	20	15	2	3	-	5	-	-	-	-	-	-	-	-	1	-	-
een, Bethnal Green	WHL†	47932	40	23	2	2	-	3	-	-	-	-	-	-	-	1	1	8	-
urch, Bethnal Green	-	29981	33	15	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
wn, Bethnal Green	-	19310	6	10	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
stfields	H	22585	23	10	4	3	-	1	-	-	1	-	-	-	-	1	2	2	-
le End New Town	W	15473	16	14	2	5	-	-	-	-	-	-	-	-	-	2	2	9	-
Whitechapel Church	H	17490	9	15	2	3	-	-	-	1	-	-	-	-	1	1	2	12	-
odman's Fields	-	9713	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
dgate	-	6102	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North	-	88747	31	23	12	1	-	2	1	-	-	-	-	-	-	2	4	-	3
John, St. George East	W	8410	3	14	-	7	-	-	-	-	1	-	-	-	-	-	13	-	-
adwell	H	10395	2	6	2	-	-	1	-	-	-	-	-	-	-	2	3	1	2
cliff	-	16107	14	9	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-
nehouse	-	32041	18	21	7	2	-	2	-	-	1	-	-	-	-	-	-	-	-
le End Old Town West	-	37960	32	16	5	3	1	1	1	-	-	-	-	-	-	-	1	-	-
le End Old Town East	WHLH	67653	45	35	11	12	-	-	-	-	-	-	-	-	-	2	4	7	2
w	-	37074	29	19	4	5	-	1	-	-	3	-	-	-	-	-	1	-	-
omley	WHLH	64359	60	40	7	6	-	5	-	-	-	-	1	-	-	1	2	14	-
olar	WW	55077	46	28	10	5	-	4	-	-	1	-	-	-	1	1	5	1	-
SOUTH DISTRICTS.																			
istchurch Southwark	WH	13663	6	8	-	6	-	-	-	-	-	-	-	-	-	-	-	5	2
Savoy	-	14999	10	10	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-
it-road	-	21381	15	10	3	1	3	-	-	-	-	-	-	-	-	-	-	1	-
ough-road	WH	13953	12	5	1	-	-	-	-	-	2	-	-	-	-	-	-	2	-
don-road	HL	21316	16	6	5	5	-	-	-	-	-	-	-	-	1	2	-	-	-
ity Newington	-	25672	15	8	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Peter Walworth	W	59555	31	32	4	11	-	-	-	-	-	-	1	-	-	-	14	-	-
Mary Newington	-	21623	15	9	3	1	-	-	-	-	1	-	-	-	1	-	-	1	-
Olave	WH	11956	10	16	1	2	-	-	-	-	-	-	-	-	3	4	12	-	-
ther Market	-	16300	8	6	2	3	-	-	-	1	-	-	-	-	-	-	-	7	-
Mary Magdalen	W	15669	15	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
James Bermondsey	-	54683	35	20	4	7	1	2	-	-	1	-	1	-	-	-	-	-	-
erbithe	W	36024	19	13	2	4	-	1	-	-	-	-	-	-	1	1	6	-	-
erloo-road 1st	H	15195	9	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1
erloo-road 2nd	H	16331	23	8	4	2	-	-	-	-	1	-	-	-	-	-	-	1	1
beth Church 1st	H	19376	16	15	7	3	1	-	-	-	2	-	1	-	1	3	3	6	1
beth Church 2nd	WW	39359	50	38	5	18	-	1	-	-	-	-	-	-	1	1	2	16	2
nington 1st	-	45232	19	15	4	4	-	-	-	-	1	-	-	-	1	-	-	-	-
nington 2nd	-	35332	25	17	4	7	-	1	-	-	-	-	1	-	1	1	1	-	-
ton	W	62337	28	31	5	8	2	-	-	1	-	-	-	-	-	-	-	2	1
wood	W	19017	9	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
ham	H	36380	42	11	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-
st Battersea	-	54675	29	26	8	4	-	-	-	-	2	-	-	-	-	3	4	-	-
st Battersea	W	52687	48	32	10	8	-	1	-	-	-	-	-	-	-	2	4	-	-
ndsworth	HL	28004	11	16	4	4	-	2	-	-	1	-	-	-	1	1	1	-	-
ney	-	13235	12	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
atham	-	25553	21	12	2	3	-	-	-	-	-	-	-	-	1	1	-	-	-
wich	-	5590	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
erwell	WHL†	59104	46	20	2	9	-	-	1	-	-	-	1	-	-	-	-	5	-
ham	W	71089	60	32	8	9	1	2	-	3	-	-	-	-	-	-	2	2	-
George Camberwell	-	50810	36	14	3	4	1	-	-	-	-	-	-	-	-	-	-	1	-
Paul Deptford	W	76752	62	44	3	4	12	1	1	-	-	-	-	-	2	3	11	1	-
Nicholas Deptford	-	7901	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
enwich West	-	21972	12	10	2	3	-	-	-	3	-	-	-	-	-	-	-	-	-
enwich East	WHH	24608	24	18	3	6	-	-	1	1	-	-	-	-	1	1	11	-	-
am	H	5827	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
isham	WH	21563	12	12	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-
isham	H	19365	16	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
isham	H	26076	16	7	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-
ilton	H	10930	8	7	-	3	-	-	-	-	-	-	-	-	-	1	1	1	-
wich Dockyard	-	17617	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
wich Arsenal	HHH	19043	19	8	5	1	-	-	-	-	-	-	-	-	-	1	1	-	1
instead, West	H	14009	6	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
instead, East	W	19241	21	9	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in Mile End Old Town Eastern sub-dist. and Stepney Bromley sub-district.
Colborn Infirmary in Upper Holloway sub-district.	
London City Workhouse " Hackney sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Colborn " " Hoxton New Town sub-district.	
Whitechapel " " Mile End Old Town Eastern sub-dist.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS AND DEATHS registered during Week ending Saturday, 11th April, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.				
LONDON—OUTER RING		370,282	950,178	668	428	73	99	33	7	3	11	8	6	1	20	24	44		
30:1	Carshalton <i>wL</i> - -	12228	21118	11	4	2	1	-	-	-	-	-	-	-	-	-	-		
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	3	4	2	1	-	-	-	-	-	-	-	-	-	-		
37:1	Godstone (<i>part of</i>) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
38:1	Croydon <i>WwH</i> - -	20851	101241	71	37	5	14	2	1	-	1	3	-	-	1	1	5		
	Mitcham - -	11097	17932	11	7	2	1	-	1	-	-	-	-	-	-	-	-		
39:1	Wimbledon <i>HHH</i> - -	3220	15950	11	8	2	1	-	-	-	1	-	-	-	-	-	-		
2	Kingston <i>WHH</i> - -	8549	36354	19	13	3	6	-	-	-	-	1	-	-	1	1	1		
3	Esher (<i>part of</i>) * - -	6901	9221	6	1	1	-	-	-	-	-	-	-	-	-	-	-		
4	Hampton <i>H</i> - -	4573	13339	9	5	1	-	-	-	-	-	-	-	-	1	1	-		
40:1	Richmond <i>WH</i> - -	2272	21302	11	8	1	4	-	-	-	-	-	-	-	-	-	3		
2	Mortlake - -	941	12331	4	2	-	-	-	-	-	-	-	1	-	-	-	-		
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	8	10	1	2	-	-	-	-	-	-	-	-	-	-		
2	Chislehurst(<i>pt. of</i>)* <i>WHH</i>	13665	15065	4	8	1	3	-	-	-	-	-	-	-	1	1	3		
42:1	Bexley <i>H</i> - -	13437	24134	18	7	-	-	-	-	-	-	-	1	-	1	1	-		
124:1	Sunbury <i>w</i> - -	11055	11685	2	2	1	-	-	1	-	-	-	-	-	-	-	-		
2	Staines <i>W</i> - -	13277	12089	11	4	-	1	-	-	-	-	-	-	-	-	-	-		
125:1	Hillingdon <i>WH</i> - -	6029	10802	9	5	1	2	-	-	-	-	-	-	-	-	-	2		
2	Uxbridge - -	6178	5925	-	3	-	3	-	-	-	-	-	-	-	-	1	-		
3	Hayes <i>wHL</i> - -	14587	11623	4	9	-	-	-	-	-	-	-	-	-	1	1	5		
126:1	Isleworth <i>W</i> - -	7008	22727	7	10	1	5	-	-	-	-	-	1	-	1	1	3		
2	Twickenham <i>H</i> - -	2477	12479	9	3	-	-	-	-	-	-	-	-	-	-	1	-		
3	Brentford <i>HL</i> - -	4345	27649	9	9	2	2	-	-	-	-	-	-	-	-	-	1		
4	Chiswick - -	1340	15975	17	5	-	2	-	-	-	-	-	-	-	-	-	-		
5	Acton <i>wH</i> - -	6083	22876	15	9	-	2	-	1	-	-	-	-	-	2	2	-		
127:1	Harrow <i>H</i> - -	18809	12796	9	5	-	-	-	-	-	2	1	1	-	-	-	-		
2	Edgware <i>H</i> - -	6994	3749	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden - -	4388	27433	18	14	6	2	-	-	-	1	1	-	-	2	2	-		
4	Hendon <i>W</i> - -	8382	10484	8	2	1	1	-	-	-	-	-	-	-	-	-	-		
128:1	South Mimms - -	15599	6391	8	4	1	1	-	-	-	-	-	-	-	-	-	-		
2	Barnet <i>W</i> - -	5483	10092	4	2	1	-	-	-	-	-	-	-	-	1	1	-		
3	Finchley <i>HL</i> - -	4688	17015	9	7	-	1	-	-	-	-	-	-	-	1	1	2		
129:1	Hornsey <i>H</i> - -	3039	37078	29	18	2	3	-	2	-	2	-	-	-	1	1	-		
2	Tottenham <i>HH</i> - -	4642	46456	51	25	7	4	-	-	-	3	-	1	-	-	1	-		
3	Edmonton <i>WwW</i> - -	7483	23463	23	14	-	4	4	-	-	-	-	-	-	-	-	5		
4	Enfield <i>WH</i> - -	12653	19104	23	10	3	3	-	-	-	-	-	-	-	-	-	-		
5	Waltham Abbey - -	11017	5368	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt - -	8490	7735	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
135:1	Hatfield (<i>part of</i>) * -	3806	588	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137:1	Bushey - -	9831	6622	3	3	-	-	-	-	-	-	-	-	-	1	1	-		
136:1	Stratford - -	882	38606	35	24	6	5	1	-	1	-	1	-	-	3	3	-		
2	West Ham <i>wWwH</i> - -	7351	101053	87	71	10	3	26	-	1	-	1	1	-	1	2	10		
3	Leyton <i>WwL</i> - -	4372	32430	31	21	3	9	-	-	1	1	-	-	-	-	-	4		
4	Walthamstow <i>wH</i> - -	6520	28869	80	17	3	6	-	1	-	-	-	-	-	-	-	-		
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9959	1	6	1	3	-	-	-	-	-	-	1	1	1	-		
139:1	Romford (<i>part of</i>) * -	6730	3411	5	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford - -	8493	7645	5	4	-	2	-	-	-	-	-	-	-	-	-	-		
3	Barking Town - -	4127	9203	15	6	3	2	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Hestley (pop. 1265); 37:1, the two parishes of Warlingham and Earle in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1933); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135:1, only the parish of Northam in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 11th April, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include													
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.	
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.			
WATER LONDON	448,334	5,199,166	23·0	2·8	2287	471	545	69	77	12	26	63	18	17	83	418			
INNER LONDON -	78,052	4,083,928	23·8	2·7	1859	398	446	36	70	9	15	55	12	16	68	374			
OUTER RING -	370,282	1,115,238	20·0	3·2	428	73	99	33	77	3	11	8	6	1	20	44			

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,165,364 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	February 21	-	253	31·3	Fevs. 95; chol. 30; s.-pox 6.
BOMBAY - -	773,196	March 10	267	474	20·2	Fevs. 84; chol. 39; s.-pox 11.
MADRAS - -	398,777	February 20	306	293	38·1	Fevers 123; cholera 34.
		" 27	285	316	41·2	Fevers 89; cholera 5.
PARIS - - -	2,239,928	April 4	1248	1150	26·7	Fevers 83; cholera 12.
GENEVA - -	71,453	" 4	29	28	20·4	Typhoid fever 23; meas. 56; diph. & croup 45.
BRUSSELS - -	412,965	March 28	269	201	24·4	Typhus and typhoid fever 1.
AMSTERDAM -	366,812	April 4	261	193	27·3	Scarlet fever 6; diph. 3.
ROTTERDAM -	166,001	" 4	134	86	26·4	Measles 8; diphtheria 4.
THE HAGUE -	184,552	" 4	93	66	25·5	Scarlet fever 7.
COPENHAGEN -	278,000	" 7	200	155	29·1	Typhus and typhoid fever 1.
STOCKHOLM -	190,115	March 28	154	154	42·1	Diphtheria 5; scarlet fever 3.
CHRISTIANIA -	126,000	April 4	75	49	19·9	Measles 32; diphtheria and croup 9.
ST. PETERSBURG	928,016	March 28	-	615	34·6	Scar. fev. 3; diph. and croup 6.
BERLIN - -	1,266,511	" 21	773	565	23·2	Typh. and typhd. fev. 15; diphtheria 6.
HAMBURG(State)	497,956	" 28	315	278	29·1	Diphtheria 27; whooping-cough 13.
DRESDEN - -	241,500	" 28	163	116	25·0	Diphtheria and croup 9; measles 5.
BRESLAU - -	295,000	" 28	214	180	31·8	Diphtheria 6.
MUNICH - -	244,000	April 4	174	150	32·0	-
VIENNA - -	769,889	March 28	577	486	32·8	Diphtheria and croup 6; measles 7.
PRAGUE - -	272,333	April 4	-	177	33·9	Small-pox 20.
BUDA-PESTH -	416,474	March 21	314	256	31·0	Scarlet fever 3; diphtheria and croup 3.
TRIESTE - -	150,157	" 14	-	-	-	Diphtheria and croup 6.
ROME - -	324,649	February 28	165	182	29·3	-
NAPLES - -	504,795	" -	-	-	-	Small-pox 6; typhus and typhoid fever 5.
TURIN - -	267,763	March 20	-	-	-	-
(10 days)		" 28	57	88	31·7	-
VENICE - -	144,845	" -	-	-	-	Measles 2.
MADRID - -	475,668	" -	-	-	-	-
LISBON - -	203,681	" -	-	-	-	-
ALEXANDRIA -	212,034	March 14	243	160	36·0	Whooping-cough 8; sm.-pox 1.
NEW YORK -	1,356,958	" 14	-	777	29·9	Measles 32; scarlet fever 23; diphtheria 37.
BROOKLYN -	665,602	" 14	-	309	24·2	Scarlet fever 11; diphtheria 11.
PHILADELPHIA -	927,995	" 21	-	440	24·7	Diph. 13; typh. fev. 12; scar. fev. 7.
BALTIMORE -	408,520	" 21	-	156	19·9	Typhoid fever 8.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 11th APRIL, 1885.
[Under the Superintendence of the Astronomer Royal.]

1885. MONTH AND DAY.	MOON. of Moon.	READINGS OF THERMOMETERS.				DIFFERENCE				Degree of humidity, complete saturation being represented by 100.	WIND.				RAIN. Collected in a Gauge whose surface receives the rain above the ground.		
		Dry.				Between Dew Point and Air Temperature.					As deduced from Anemometers.						
		Low-est.		High-est.		Mean daily value.		Least daily value.			General Direction.		Osler's.			Robinson's.	
		High-est.	Low-est.	Range in day.	Mean daily value.	Dew Point.	Highest in shade, as shown by self-registering thermometer.	Lowest in shade, as shown by self-registering thermometer.	In the Water and in the Air.		Between Dew Point and Air Temperature.	Mean temperature of the day and night.	Pressure square foot.	Amount of Horizontal Rainfall.		Amount of Vertical Rainfall.	
APRIL.	5 (Greatest Dec. 5.)	53.2	29.9	23.3	41.4	35.1	113.0	23.8	46.2	45.7	0.0	15.5	0.0	0.0	2.0		
SUN.	29-047	55.2	37.5	17.7	43.6	39.9	114.0	30.0	46.1	44.9	3.7	16.2	0.0	0.0	14.0		
MON.	29-074	54.8	32.8	22.0	43.1	38.0	115.2	22.9	45.8	45.8	5.1	14.6	0.0	0.0	6.0		
TUES.	29-205	49.3	38.7	4.6	40.4	37.2	48.8	37.3	46.4	45.9	3.2	5.4	1.5	0.0	0.0		
WED.	29-389	45.1	39.1	6.0	41.4	35.8	60.7	38.5	45.8	45.4	5.6	7.9	2.0	0.0	0.0		
THURS.	29-378	44.1	37.0	7.1	40.2	37.9	55.6	31.0	45.8	45.7	2.3	6.6	0.0	0.0	0.0		
FRI.	29-503	51.0	35.8	15.2	43.1	39.4	94.8	29.4	45.6	45.4	3.7	10.0	0.0	0.0	1.2		
SAT.	29-361	49.5	35.8	13.7	41.9	37.6	86.0	30.4	46.0	45.5	4.3	10.9	0.5	0.5	3.3		
MEANS		
No. of Col.	3	4	6	7	8	9	10	11	12	13	14	15	16	17	18		
APRIL.	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19		
SUN.	29-047	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
MON.	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
TUES.	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
WED.	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
THURS.	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
FRI.	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
SAT.	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
MEANS		
No. of Col.	3	4	6	7	8	9	10	11	12	13	14	15	16	17	18		
APRIL.	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19		
SUN.	29-047	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
MON.	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
TUES.	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
WED.	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
THURS.	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
FRI.	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
SAT.	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
MEANS		
No. of Col.	3	4	6	7	8	9	10	11	12	13	14	15	16	17	18		
APRIL.	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19		
SUN.	29-047	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
MON.	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
TUES.	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
WED.	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
THURS.	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
FRI.	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
SAT.	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
MEANS		
No. of Col.	3	4	6	7	8	9	10	11	12	13	14	15	16	17	18		
APRIL.	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19		
SUN.	29-047	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
MON.	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
TUES.	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
WED.	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
THURS.	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
FRI.	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
SAT.	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
MEANS		
No. of Col.	3	4	6	7	8	9	10	11	12	13	14	15	16	17	18		
APRIL.	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19		
SUN.	29-047	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
MON.	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
TUES.	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
WED.	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
THURS.	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
FRI.	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
SAT.	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
MEANS		
No. of Col.	3	4	6	7	8	9	10	11	12	13	14	15	16	17	18		
APRIL.	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19		
SUN.	29-047	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
MON.	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
TUES.	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
WED.	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
THURS.	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
FRI.	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
SAT.	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
MEANS		
No. of Col.	3	4	6	7	8	9	10	11	12	13	14	15	16	17	18		
APRIL.	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19		
SUN.	29-047	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
MON.	29-074	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
TUES.	29-205	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
WED.	29-389	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503		
THURS.	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361		
FRI.	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378		
SAT.	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378	29-503	29-361	29-378			

SKY AND ATMOSPHERE.

DATE. APRIL.

DATE.	APRIL.	ELECTRICITY. (For explanation of Symbols, see Note.)	Registered Sunshine, in hours.	Sun above horizon, in hours.	SKY AND ATMOSPHERE.
SUNDAY	5	S. P. in morning; m. P. generally afterwards.	5.7	13.2	Fine; partially cloudy.
MONDAY	6	m. P. 4.1 h. A.M.; V. S. till 7.0 A.M.; m. P. increasing 2.5 P.M. afterwards.	1.9	13.2	Rain fell in morning; generally fine and partially cloudy afterwards.
TUESDAY	7	W. P. in early morning; V. L. afterwards.	2.5	13.3	Misty in morning; generally cloudy till afternoon; overcast afterwards.
WEDNESDAY	8	N. P. generally; m. N. at times.	0.0	13.4	Overcast.
THURSDAY	9	W. P. and V. N. in morning; V. L. afterwards.	0.0	13.4	Overcast. Gloomy at times. Slight rain.
FRIDAY	10	V. P. and V. N.	0.0	13.5	Overcast generally. Gloomy at times. Occasional rain.
SAURDAY	11	V. P. generally	0.4	13.6	Fine; generally cloudy.
			Sum 10.5	Sum 93.6	

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1885 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 29 years ending 1885.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the River, near the Cattle Market at Dayford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering instrument. The symbol employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. very.

The numbers in column 23, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 29.73 in. at the beginning of the week to 29.06 in. by 9h. A.M. on the 6th; increased to 29.41 in. by 9h. P.M. on the 9th; and decreased to 29.37 in. by 9h. A.M. on the 10th; and increased to 29.57 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 2, EAST HARDING ST., FETTER LANE, E.C.

No. 15. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, APRIL 18. [Price 1½d.

General Register Office, Somerset House,
20th April, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 23·2 per 1000 of their population. The death-rates in these towns in each of the past four weeks were:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.		Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.
Birkenhead	21·3	21·9	26·9	17·9	Liverpool	25·0	24·4	24·7	23·2
Birmingham	19·4	20·2	25·7	24·2	London	22·2	21·7	23·8	21·8
Blackburn	23·2	28·7	25·5	22·7	Manchester	31·2	28·9	36·0	35·9
Bolton	19·0	22·7	23·7	21·8	Newcastle-on-Tyne	31·7	33·7	41·9	32·4
Bradford	18·5	17·8	25·1	24·3	Norwich	21·2	32·6	21·2	21·2
Brighton	18·7	19·1	20·0	23·2	Nottingham	20·2	21·7	26·7	17·8
Bristol	28·2	25·4	25·4	26·8	Oldham	33·9	34·7	25·2	23·9
Cardiff	41·9	29·6	31·7	33·3	Plymouth	20·6	19·9	24·7	35·7
Derby	18·0	22·1	20·9	16·3	Portsmouth	17·8	21·3	22·1	19·0
Halifax	22·9	20·2	28·3	20·9	Preston	26·5	34·3	33·8	28·1
Huddersfield	19·7	27·5	35·8	20·3	Salford	21·7	20·2	23·0	20·7
Hull	21·8	21·3	22·4	16·2	Sheffield	21·3	22·5	23·6	25·1
Leeds	23·0	21·9	20·5	23·8	Sunderland	40·4	40·4	28·7	32·9
Leicester	24·1	15·7	22·6	22·2	Wolverhampton	25·7	19·8	24·4	23·1

The highest annual death-rates from measles, measured by last week's mortality, were 5·4 in Newcastle-upon-Tyne, 5·9 in Cardiff, and 7·9 in Sunderland; from whooping-cough, 2·1 in Preston, and 3·4 in Plymouth; and from scarlet fever, 1·3 in Halifax, and 1·7 in Sunderland. The 79 deaths in Sunderland included 19 from measles, making 339 that have been referred to this disease within the borough since the beginning of this year. Small-pox caused 67 deaths in London and its outer ring of suburban districts, 2 in Liverpool, 2 in Manchester, and one in Sunderland.

LONDON.

In LONDON 2617 BIRTHS and 1706 DEATHS were registered. Allowing for increase of population, the births were 101, and the deaths were 111, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 21·7 and 23·8 in the two preceding weeks, declined again last week to 21·8. During the thirteen weeks of last quarter the death-rate averaged 21·6 per 1000, against 24·3 in the corresponding periods of the nine years 1876–84.

The 1706 deaths included 41 from small-pox, 92 from measles, 9 from scarlet fever, 21 from diphtheria, 46 from whooping-cough, 2 from typhus, 13 from enteric fever, 2 from ill-defined forms of continued fever, 7 from diarrhoea and dysentery, and not one from cholera; thus, 233 deaths were referred to these diseases, being 21 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had steadily increased in the four preceding weeks from 19 to 36, further rose last week to 41, and exceeded the corrected weekly average by 15. These 41 deaths were, however, exclusive of 9 deaths of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the 50 fatal cases, 34 occurred in the Metropolitan Asylum Hospitals in and around London, 8 in the Highgate Small-pox Hospital (including 7 of residents outside London), and 8 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas,

3 belonged to Kensington, 3 to Islington, 4 to Hackney, 4 to Shoreditch, and 5 to Camberwell. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had increased in the three preceding weeks from 830 to 910, had further increased to 1062 on Saturday last; the admissions, which had been 179, 141, and 185 in the three previous weeks, further rose last week to 307, the highest number since June last. The Highgate Small-pox Hospital contained 92 patients on Saturday last, 23 cases having been admitted during the week.

The fatal cases of *measles*, which had been 83 and 70 in the two preceding weeks, rose to 92 last week, and exceeded the corrected weekly average by 42; 15 belonged to Islington, 12 to Hackney, 12 to Bethnal Green, 7 to St. George-in-the-East, 7 to Mile End Old Town, and 6 to Poplar. The 9 deaths from *scarlet fever* corresponded with the number in the previous week, and were 20 below the corrected average; 3 belonged to Bethnal Green, and 2 to Pancras. The Metropolitan Asylum Hospitals contained 169 scarlet fever patients on Saturday last, showing a further decline from recently weekly numbers; 15 cases were admitted, against 16, 21, and 25 in the three previous weeks. The 46 fatal cases of *whooping-cough* showed a decline of 9 from the number returned in each of the three previous weeks, and were 52 below the corrected average; 8 belonged to Islington, and 6 to Wandsworth. The 21 deaths referred to *diphtheria* exceeded the number returned in any recent week, and were 8 above the corrected average; 3 belonged to Chelsea, 4 to Islington (including 2 at 59, Durham Road), 2 to Mile End Old Town, and 3 to Wandsworth. The 7 deaths attributed to *diarrhœa* and *dysentery* were 8 below the corrected average.

The deaths referred to *enteric fever*, which had been 14 and 10 in the two preceding weeks, rose again to 13 last week, but were 5 below the corrected average; 2 belonged to Kensington, and 2 to Islington. The 2 fatal cases of *typhus* were recorded in the Metropolitan Asylum Hospitals, to which they had been admitted from Thrawl Street (Whitechapel), and from Green Hundred Road (Camberwell). The cause of death of a female, aged 26 years, in Lizban Street, Greenwich, was returned by the certifying practitioner as "Acute febrile disorder, with rash, the exact nature of which I could not determine." The Metropolitan Asylum Hospitals contained 38 cases of enteric fever, and 8 of typhus, on Saturday last; 10 of enteric fever, and 2 of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 448, 478, and 512 in the three preceding weeks, declined again last week to 449, and were 21 below the corrected weekly average.

Different forms of violence caused 57 deaths; 50 were the result of negligence or accident, among which were 19 from fractures and contusions, 4 from burns and scalds, 5 from drowning, 4 from poison, and 13 of infants under one year of age from suffocation. The 19 deaths from fractures and contusions were thus returned:—female, aged 50 years, jumped from carriage; male 66, run over by tram-car; male 10, run over by cart; male 53, fell from van; male 19, fell upon railway; female 79, fell in omnibus; male 31, fell upon machinery; male 26, by fall of heavy substance; male 40, fell from loft; male 50, fell from ladder; male 72 (intoxicated), fell down stairs; male 5, fell from barrow; female, newly born, fall at birth; males 5, and 11, female 56, by fall; male 6, kicked by horse; male 52, knocked down in road; male 70, by fracture. An inquest was held in each of these cases except one. Five cases of suicide were registered.

GREATER LONDON.

In Greater London 3422 births and 2140 deaths were registered, equal to annual rates of 34·3 and 21·5 per 1000 of the population. In the Outer Ring 26 fatal cases of small-pox, 11 of whooping-cough, 9 of measles, 6 of "fever," and 5 of diphtheria were registered. The 26 fatal cases of small-pox included 21 in West Ham district, of which 2 occurred in the Metropolitan Asylum Hospital at Plaistow, and 19 were local cases. Diphtheria caused 3 deaths in Wimbledon, and "fever" 2 in Croydon and 2 in Stratford sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·74 in.; the highest reading was 30·05 in. at the end of the week, and the lowest 29·55 in. on Thursday morning. The mean temperature of the *air* was 45·6, and 1·9 below the average in the corresponding week of the 20 years ending 1868. The mean was below the average during the first five days of the week, whereas it showed an excess on Friday and Saturday. The general direction of the *wind* was N.E., and the horizontal movement of the air averaged 9·8 miles per hour, which was 2·3 below the average in the corresponding week of 16 years. *Rain* fell on two days of the week, to the aggregate amount of 1·11 of an inch. The duration of registered bright sunshine in the week was 29·2 hours, against 24·5 hours at Glynde Place, Lewes.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FIFTEENTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2591	2191	2654	2581	2355	2656	2344	2529	2598	2429	2718·3	2617
Males . .	1303	1163	1339	1319	1241	1329	1171	1322	1349	1232	1392·3	1358
Females .	1288	1028	1315	1262	1114	1327	1173	1207	1249	1197	1326·0	1259
TOTAL Deaths	1675	1434	1714	1895	1786	1519	1636	1727	1803	1474	1817·0	1706
Males . .	871	758	896	1000	870	787	809	865	944	771	934·6	865
Females .	804	676	818	895	916	732	827	862	859	703	882·4	841

* The numbers in this column are the average weekly numbers in the fifteenth week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.
TOTAL Births	2803	2727	2806	2913	2526	2709	2623	2737	2675	2537	2404	2473	2617
TOTAL Deaths	1807	1886	1592	1525	1497	1569	1495	1678	1678	1734	1701	1859	1706
0-20	693	723	639	634	686	718	692	793	767	807	771	830	790
20-40	251	259	220	208	196	202	204	211	207	205	218	255	224
40-60	363	345	289	290	279	285	254	269	300	289	286	328	287
60-80	404	449	370	328	278	297	293	351	324	352	347	375	328
at 80 years & upwds.	96	110	74	65	58	67	52	54	80	81	79	71	77
Deaths of children													
Under 1 year	380	378	307	320	330	364	356	424	370	395	374	398	370
1-5	206	239	227	218	257	243	256	273	297	315	308	327	293
5-20	107	106	105	96	99	111	80	96	100	97	89	105	127
Deaths from Small-pox*	55	59	60	56	44	37	27	35	23	24	39	40	50
" " Measles	26	16	16	28	31	29	52	51	53	70	53	70	92
" " Scarlet Fever	18	19	18	17	14	16	15	7	16	10	5	9	9
" " Diphtheria	12	15	19	16	14	16	15	8	29	11	16	15	21
" " Whooping-cough	49	60	41	50	43	45	37	49	45	55	55	55	46
" " Typhus	1	1	2	-	-	-	-	2	-	1	-	-	2
" " Enteric fever	9	13	6	10	13	8	7	8	13	7	14	10	13
" " Simple Cont ^d fever	-	1	-	1	1	2	3	-	2	2	-	2	2
" " Diarrhoea and Dysentery	8	12	9	6	11	9	7	14	12	18	8	16	7
" " Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Deaths from the above- mentioned Diseases*	175	196	171	184	171	162	163	174	184	198	220	217	242
" " Dis. of Respira- tory System	513	556	421	383	343	384	374	455	487	448	478	512	449
" " Phthisis	180	199	145	161	168	168	179	177	157	190	160	198	163
" " Dis. of Circula- tory System	153	154	122	118	105	127	112	139	140	123	122	123	109
Violent Deaths	66	53	47	42	70	50	40	75	56	50	41	68	57
Inquest Cases	143	132	109	91	133	114	85	148	125	120	109	132	128
Deaths in Public Institutions	425	402	356	352	348	322	335	347	344	361	359	374	385
TEMPERATURE OF THE AIR:													
Mean	31·9	43·6	43·6	46·2	40·0	45·8	40·3	38·2	41·9	39·1	43·3	41·9	45·6
Mean of Highest readings	35·2	48·4	49·5	51·3	45·1	51·7	48·0	45·7	52·0	47·6	53·9	49·5	56·2
Mean of Lowest readings	27·7	38·7	37·6	41·0	36·0	38·9	34·1	31·3	32·5	31·8	32·8	35·8	37·2
Humidity of the Air	91	90	84	88	86	88	86	80	75	77	67	85	82
Rain-fall in inches	0·00	0·53	0·61	0·25	0·94	0·55	0·60	0·01	0·05	0·84	0·00	0·20	1·11
Registered Sunshine (in hours)	2·9	5·5	9·7	8·6	10·5	9·0	16·3	15·6	29·7	23·9	55·4	10·5	29·2

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S. — F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTEENTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 15th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 18th April 1885.										Corrected Averages for the 15th Weeks of the 10 years 1875-84.	CAUSES OF DEATH.	Corrected Averages for the 15th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 18th April, 1885.									
		Deaths of Persons of the Ages													Deaths of Persons of the Ages									
		ALL AGES.		Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.				Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			
		0-1.	1-5.	5-20.	0-1.	1-5.					5-20.													
ALL CAUSES - -	1817.0	1706	370	293	127	224	287	328	77				Diseases of Organs of Special Sense † - -	2.0	2	-	1	1	-	-	-	-	-	-
{ Small-pox { Vaccinated †	{ 26.1 {	8	-	-	3	3	1	1	-				Diseases of Circulatory System - - -	104.2	109	1	-	10	15	36	42	5	-	
		15	2	-	3	7	3	-	-				Croup - - - - -	15.4	6	1	3	2	-	-	-	-	-	
Scarlet Fever - -	29.2	9	-	4	3	2	-	-	-				Bronchitis - - - -	278.8	255	67	45	6	5	39	80	13	-	
Diphtheria - - -	1.9	2	-	-	-	-	2	-	-				Pneumonia - - - -	124.1	136	25	31	5	21	27	27	-	-	
Whooping-cough -	0.0	-	-	-	-	-	-	-	-				Pleurisy - - - - -	7.3	13	2	-	2	1	2	6	-	-	
Erysipelas - - -	0.4	-	-	-	-	-	-	-	-				Other Diseases of Respiratory System - -	44.5	39	9	8	2	-	9	10	1	-	
Measles - - - -	98.0	46	22	24	-	-	-	-	-				Dentition † - - - -	22.0	14	9	5	-	-	-	-	-	-	
Scarlatina - - -	13.4	21	-	17	3	1	-	-	-				Quinsy, Sore Throat †	1.3	3	-	1	-	2	-	-	-	-	
Temple Continued and ill-defined Fever -	2.6	2	-	1	-	1	-	-	-				Enteritis - - - - -	5.0	4	-	-	2	1	-	1	-	-	
Enteric Fever - -	17.8	18	-	-	2	5	4	2	-				Peritonitis - - - -	6.4	10	1	1	4	1	-	3	-	-	
Cholera - - - -	0.2	-	-	-	-	-	-	-	-				Diseases of Liver - -	31.8	26	1	-	-	2	10	13	-	-	
Barrhea, Dysentery	14.8	7	3	-	1	-	2	-	1				Other Diseases of Digestive System -	31.0	30	5	2	1	7	6	9	-	-	
Intermittent Fever †	1.0	-	-	-	-	-	-	-	-				Diseases of Lymphatic System & of Ductless Glands † - - -	1.0	1	-	-	-	1	-	-	-	-	
Hydrophobia, - -	0.3	-	-	-	-	-	-	-	-				Diseases of Urinary System - - - -	32.8	29	1	-	-	6	13	8	1	-	
Anders - - - -	0.0	-	-	-	-	-	-	-	-				Diseases of Generative System - - - - -	7.1	4	1	-	-	1	2	-	-	-	
Swamp and Effects of Vaccination † - -	0.3	-	-	-	-	-	-	-	-				Accidents of Childbirth -	5.4	8	-	-	-	6	2	-	-	-	
General Affections	11.2	11	9	-	-	-	2	-	-				Diseases of Locomotive System † - - - -	7.0	10	-	1	6	1	1	1	-	-	
Erysipelas - - -	5.7	8	2	-	-	-	2	3	1				Diseases of Integumentary System - - -	7.7	3	2	-	-	-	-	-	1	-	
Septicæmia and Septicæmia †	3.3	2	-	-	-	1	1	-	-				VIOLENT DEATHS.‡											
Erysipelas - - -	5.5	8	-	-	-	7	1	-	-				(ACCIDENT.)											
Other Zymotic Diseases †	1.7	5	1	3	1	-	-	-	-				Fracture and Contusion	20.6	19	1	-	6	2	6	4	-	-	
Rush - - - -	1.9	2	2	-	-	-	-	-	-				Gunshot Wound - -	0.1	-	-	-	-	-	-	-	-	-	
Scalds and other Parasitic Diseases - -	0.2	-	-	-	-	-	-	-	-				Cut, Stab - - - -	0.3	2	-	-	-	-	1	1	-	-	
Starvation, Want of Breast-milk † - -	1.7	1	1	-	-	-	-	-	-				Burn and Scald - -	6.1	4	-	1	1	1	-	1	-	-	
Alcoholism - - -	4.9	5	-	-	-	3	2	-	-				Poison - - - - -	1.0	4	-	-	-	3	-	1	-	-	
Asymptomatic Fever and Rheumatism of Heart	{ 7.7 {	12	-	-	3	7	1	1	-				Drowning - - - - -	5.9	5	-	-	1	3	1	-	-	-	
Rheumatism - - -		3	-	-	-	-	-	2	1				Suffocation - - - -	15.3	13	13	-	-	-	-	-	-	-	
Cuts † - - - -	3.6	5	-	-	-	-	1	4	-				Otherwise - - - -	2.8	3	1	1	-	-	1	-	-	-	
Scalds † - - - -	3.7	4	2	2	-	-	-	-	-				(HOMICIDE.)											
Measles - - - -	42.7	45	-	-	-	6	18	20	1				Murder & Manslaughter	1.3	2	1	-	-	-	1	-	-	-	
Scarlet Fever - -	27.2	13	9	2	2	-	-	-	-				(SUICIDE.)											
Cerebral Meningitis	37.9	37	9	21	4	2	1	-	-				Gunshot Wound - -	0.5	-	-	-	-	-	-	-	-	-	
Cholera - - - -	104.8	163	3	2	21	78	50	9	-				Cut, Stab - - - -	1.2	1	-	-	-	-	1	-	-	-	
Phthisis - - - -	16.5	17	1	5	6	4	1	-	-				Poison - - - - -	1.5	1	-	-	-	-	-	1	-	-	
Phthisis - - - -	10.0	7	-	1	1	1	2	2	-				Drowning - - - - -	1.3	-	-	-	-	-	-	-	-	-	
Other Constitutional Diseases † - - -													Hanging - - - - -	2.0	2	-	-	1	-	-	1	-	-	
Immature Birth - -	31.3	36	36	-	-	-	-	-	-				Otherwise - - - -	0.8	1	-	-	-	-	-	1	-	-	
Neonatal † - - -	2.7	1	1	-	-	-	-	-	-				(EXECUTION.)											
Genital Malformations -	7.1	7	5	2	-	-	-	-	-				Hanging - - - - -	0.0	-	-	-	-	-	-	-	-	-	
Age - - - -	61.9	61	-	-	-	-	-	24	37				OTHER CAUSES † - -	57.0	52	39	4	1	1	3	3	1	-	
Convulsions - - -	43.2	48	2	1	-	4	14	20	7															
Epilepsy - - - -	8.4	8	-	1	2	2	1	2	-															
Paralysis - - - -	60.3	54	43	10	1	-	-	-	-															
Other Diseases of Brain and Nervous System	101.0	99	16	22	6	8	15	25	7															

† The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population. As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendant does not certify that the deceased has, or has not been vaccinated, or when the cause of death is not certified by a registered medical attendant, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

Exclusive of 9 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ended

		The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.			
LONDON		3,816,483	2617	1706	370	405	41	92	9	21	46	2	13	2	7	57	128	38	
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.		69888	58	23	9	2	-	1	-	-	2	-	1	-	-	-	-	4	
St. John Paddington H - - G.J.		37380	13	10	-	4	-	-	-	-	-	-	-	-	-	-	-	5	
Kensington Town Ww - - - W.M.		120141	65	50	15	10	-	1	-	-	3	-	1	-	-	1	2	17	
Brompton H - - - W.M. & C.		43010	10	17	2	7	-	1	-	-	-	-	-	-	-	-	-	4	
St. Peter Hammersmith - - - W.M.		7599	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.		64340	54	31	9	5	-	1	-	-	-	-	-	-	-	-	-	-	
Fulham WwH - - - W.M. & C.		42600	59	35	12	7	6	-	-	-	-	1	-	-	1	5	7	4	
Chelsea South HHH - - - C.		30396	22	9	1	3	-	-	-	-	-	-	-	-	-	-	-	8	
Chelsea North-west WHHHH - C.		24925	24	14	1	6	-	-	-	1	-	-	-	-	-	-	1	1	
Chelsea North-east - - - C.		32807	33	13	4	5	-	-	-	-	-	-	-	-	-	2	-	10	
Hanover Square H - - - G.J.		16862	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
May Fair Ww - - - G.J.		13491	5	12	-	8	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave HH - - - C.		59220	24	17	2	5	-	-	-	1	-	-	-	-	-	-	-	12	
St. John Westminster HH - - C.		35498	22	14	6	5	-	-	-	-	-	-	-	-	-	1	3	7	
St. Margaret Westminster H - C.		24679	12	10	-	2	-	-	-	-	1	-	-	-	-	-	1	4	
St. James Westminster WH N.R. & G.J.		29941	12	10	1	5	-	1	-	-	-	-	-	-	-	-	1	1	
St. Anne Soho HHHHH - - N.R.		16608	5	6	-	3	-	-	-	-	-	-	-	-	-	-	1	1	
NORTH DISTRICTS.																			
All Souls Marylebone HHHH - W.M.		26759	11	25	4	5	-	-	-	-	-	-	1	-	-	1	2	16	
Cavendish Square HHH - - - W.M.		14891	9	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	
Rectory Marylebone WH G.J. & W.M.		24309	15	11	5	3	-	-	-	1	-	-	-	-	-	1	2	-	
St. Mary Marylebone HHH G.J. & W.M.		21118	29	8	5	1	-	-	-	-	-	-	-	-	-	-	-	5	
Christchurch Marylebone H - W.M.		33700	27	15	3	3	-	-	-	-	-	-	-	-	-	1	3	1	
St. John Marylebone H - - W.M.		33633	12	17	3	7	-	-	-	-	1	-	-	-	-	-	-	-	
Hampstead WwHHH - N.R. & W.M.		45452	31	20	3	6	2	-	1	-	2	-	1	-	-	-	1	6	
Regent's Park Pancras H - - W.M.		39115	22	11	2	3	-	-	2	-	-	-	-	-	-	-	1	-	
Tottenham-court WHHHH N.R. & W.M.		27729	12	17	4	2	-	-	-	1	1	-	-	-	-	-	-	10	
Gray's Inn Lane HHH - - - N.R.		30247	17	7	2	-	-	-	-	-	1	-	-	-	-	-	-	-	
Somers Town H - - - N.R.		34369	28	13	4	2	-	-	-	-	-	-	-	-	-	1	3	1	
Camden Town WH - - - N.R.		17311	13	18	1	10	-	-	-	-	-	-	-	-	-	1	2	14	
Kentish Town W - - - N.R.		87487	46	33	5	9	1	-	-	-	-	-	-	1	-	-	1	4	
Upper Holloway WwWwH - - N.R.		67946	52	50	4	6	9	7	-	3	2	-	-	-	-	-	-	18	
Islington South-west HH - - N.R.		100676	46	28	13	3	-	2	1	-	3	-	-	-	-	1	2	1	
Islington South-east - - - N.R.		61895	46	13	1	3	-	2	-	-	2	-	-	-	-	-	-	-	
Highbury H - - - N.R.		52048	39	24	7	8	-	6	-	-	1	-	1	-	-	-	2	-	
Stoke Newington H - - - N.R.		22781	12	9	-	2	-	1	-	-	2	-	-	-	-	-	-	-	
Stamford Hill - - - E.L.		9277	8	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
West Hackney - - - N.R.		37610	20	12	2	3	-	-	-	-	-	-	-	-	-	-	1	-	
Hackney WwWwHL - - - E.L. & N.R.		76911	55	60	12	10	8	10	2	1	1	1	1	-	-	-	3	22	
South Hackney - - - E.L.		39883	29	15	6	4	-	1	-	-	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																			
St. George Bloomsbury - - - N.R.		16681	11	7	-	3	-	-	-	-	1	-	-	-	-	-	-	-	
St. Giles South WH - - - N.R.		14864	30	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles North - - - N.R.		13837	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
St. Martin-in-the-Fields HH N.R. & C.		17508	4	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary-le-Strand H - - - N.R.		7515	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	
St. Clement Danes H - - - N.R.		8559	2	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. George-the-Martyr HHHHHH N.R.		18671	8	4	-	-	-	-	-	-	-	-	-	-	-	1	1	4	
St. Andrew Eastern W - - - N.R.		10706	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Saffron Hill H - - - N.R.		6533	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - - - N.R.		17516	11	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - - - N.R.		19281	10	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Pentonville - - - N.R.		14773	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
Goswell-street - - - N.R.		17506	10	13	7	2	-	-	-	-	1	-	-	-	-	-	-	-	
Old-street H - - - N.R.		11541	9	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-	
City-road HHL - - - N.R.		18628	16	8	4	-	-	3	-	-	-	-	-	-	-	-	1	-	
Whitecross-street - - - N.R.		9217	6	2	1	-	-	-	-	-	-	-	-	-	-	2	-	2	
Finsbury - - - N.R.		7463	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N.R. & E.L.		11174	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - - - N.R.		7193	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - - - N.R.		5538	2	12	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
St. Bride W - - - N.R.		8396	6	3	2	-	-	-	-	-	-	-	-	-	-	4	4	11	
Allhallows Barking - - - N.R.		13666	3	2	-	2	-	-	-	-	1	-	-	-	-	1	1	-	
Broad Street H - - - N.R.		8652	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; &—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signify Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. the Kent Company.

VER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
unday, the 18th April, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Inquest Cases. Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
					Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
					Infants under 2 Year of Age.	Persons aged 20 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

he following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the
ve Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in Mile End Old Town Eastern sub-dist. and
Central London Sick Asylum in Kensington Court-road sub-district.	Poplar & Stepney Sick Asylum in Bromley sub-district.
Holborn Infirmary in Upper Holloway sub-district.	Stepney & Stepney Sick Asylum in Bromley sub-district.
London City Workhouse in Hackney sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Holborn " in Hoxton New Town sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hack-
Whitechapel " in Mile End Old Town Eastern sub-dist.	ney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA ; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 18th April, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING		370,282	950,178	805	434	85	132	26	9	2	5	11	6	2	9	13	83		
80:1	Carshalton <i>wL</i> - -	12228	21118	8	18	2	5	-	1	-	-	-	-	-	-	-	13	-	
2	Epsom (part of) * <i>WH</i>	9971	10710	8	9	-	7	-	-	-	-	-	-	-	-	-	6	-	
37:1	Godstone (part of) * -	2754	1235	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon <i>WwH</i> - -	20851	101241	59	43	8	13	2	7	-	-	2	2	1	-	-	7	-	
	Mitcham - -	11697	17932	11	9	4	1	-	-	-	-	-	-	-	-	-	-	1	
39:1	Wimbledon <i>HHH</i> - -	3220	15950	17	7	1	1	-	-	-	3	-	-	-	-	-	1	-	
2	Kingston <i>WHH</i> - -	8549	36354	23	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
3	Esher (part of) * -	6601	9221	8	5	1	3	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton <i>H</i> - -	4573	13539	15	10	1	6	-	-	-	-	-	1	-	3	3	-	-	
40:1	Richmond <i>WH</i> - -	2272	21302	11	10	3	2	-	-	-	-	-	-	-	-	-	3	-	
2	Mortlake - -	941	12331	11	5	-	4	-	-	-	-	-	-	-	-	-	-	-	
41:1	Bromley (pt. of) * <i>HH</i>	15689	31142	29	8	2	3	-	-	-	-	-	-	-	-	-	-	-	
2	Chislehurst (pt. of) * <i>WHH</i>	13685	15065	5	5	-	2	-	-	-	-	1	-	-	-	-	2	-	
42:1	Bexley <i>H</i> - -	13437	24134	24	11	4	4	-	-	-	-	-	-	-	1	1	-	-	
124:1	Sunbury <i>w</i> - -	11055	11685	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Staines <i>W</i> - -	13277	12089	13	8	-	4	-	-	-	-	-	-	-	-	-	5	-	
125:1	Hillingdon <i>WH</i> - -	6029	10802	14	5	1	2	-	-	-	-	-	-	-	-	-	2	-	
2	Uxbridge - -	6178	5225	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
3	Hayes <i>wHL</i> - -	14587	11623	11	5	1	2	-	-	-	-	-	-	-	-	1	2	-	
126:1	Isleworth <i>W</i> - -	7008	22727	11	11	1	5	-	-	-	-	-	-	-	-	1	-	-	
2	Twickenham <i>H</i> - -	2477	12479	6	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford <i>HL</i> - -	4345	27849	25	12	2	3	-	-	-	-	-	-	-	1	1	1	-	
4	Chiswick - -	1340	15975	10	8	1	6	-	-	-	-	-	-	-	-	-	-	-	
5	Acton <i>wH</i> - -	6082	22376	28	11	2	2	-	-	-	-	-	-	-	-	1	-	-	
127:1	Harrow <i>H</i> - -	13809	12796	9	4	1	-	-	-	-	1	-	-	-	-	-	-	-	
2	Edgware <i>H</i> - -	6904	3749	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - -	4983	27453	32	10	3	1	-	-	-	-	-	-	-	1	2	-	1	
4	Hendon <i>W</i> - -	8382	10484	17	8	2	5	-	-	-	-	-	-	-	-	-	7	-	
128:1	South Mimms - -	15590	6391	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet <i>W</i> - -	5433	10692	5	8	-	7	-	-	-	-	-	-	-	-	-	3	-	
3	Finchley <i>HL</i> - -	4688	17616	14	15	2	1	-	-	-	-	-	-	-	1	1	9	-	
129:1	Hornsey <i>H</i> - -	3039	37078	36	12	4	1	-	1	-	-	2	-	-	-	-	-	-	
2	Tottenham <i>HHH</i> - -	4642	46456	57	20	3	4	-	-	-	1	-	-	-	-	-	1	1	
3	Edmonton <i>WwW</i> - -	7483	23463	17	19	8	12	1	-	-	-	1	-	1	-	-	8	-	
4	Enfield <i>WH</i> - -	12853	19104	12	4	2	1	1	-	-	-	-	-	-	-	-	-	-	
5	Waltham Abbey - -	11017	5368	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - -	8480	7735	4	4	1	1	1	-	-	-	-	-	-	-	-	-	-	
135:1	Hatfield (part of) * -	3306	553	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - -	9831	6621	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford - -	832	38606	29	14	3	2	-	-	-	-	1	2	-	-	-	-	-	
2	West Ham <i>wvwW</i> - -	7351	101053	113	58	12	4	20	-	2	-	2	-	-	1	1	5	-	
3	Leyton <i>WwL</i> - -	4372	32430	21	18	3	5	1	-	-	-	-	-	-	-	-	8	1	
4	Walthamstow <i>wH</i> - -	6520	28869	32	10	4	2	-	-	-	-	1	-	-	-	-	-	-	
137:1	Chigwell (part of) * <i>H</i>	11761	9669	12	5	1	1	-	-	-	-	-	-	-	1	1	-	-	
139:1	Romford (part of) * -	6730	3411	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - -	8493	7645	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town - -	4127	9203	10	4	2	-	-	-	-	-	1	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:— 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37: 1, the two parishes of Warlingham and Farley in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41: 1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813); 41: 2, the whole of Chislehurst sub-district, except the parish of Chislefield (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 137: 1, the whole of Chigwell sub-district, except the parish of Theydon-Bois (pop. 875); 139: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 18th April, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include													
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from											Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.			
GREATER LONDON	448,334	5,199,166	21·5	3·0	2140	455	537	67	101	11	26	57	23	9	66	468			
INNER LONDON	78,052	4,083,928	21·8	3·0	1706	370	405	41	92	9	21	46	17	7	57	385			
OUTER RING	370,282	1,115,238	20·3	2·9	434	85	132	26	9	2	5	11	6	2	9	83			

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	BIRTHS.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
		Week ending	Exclusive of Stillborn.			
CALCUTTA - -	433,219	March 7	-	210	26·9	Small-pox 7; fevers 68; cholera 29.
BOMBAY - -	773,196	" 17	275	536	33·0	Small-pox 7; fevers 132; cholera 49.
MADRAS - -	398,777	" 6	300	323	40·2	Fevers 79; cholera 1.
PARIS - - -	2,239,928	April 11	1213	1320	30·6	Typhoid fever 15; meas. 62; diph. & croup 41.
GENEVA - - -	71,453	" 11	38	33	24·1	-
BRUSSELS - -	436,214	" 4	260	192	21·7	Scarlet fever 5; diph. 3.
AMSTERDAM -	366,812	" 11	276	178	25·2	Measles 3; whooping-cough 5.
ROTTERDAM -	166,001	" 11	126	81	24·8	Scarlet fever 5.
THE HAGUE -	134,552	" 11	89	64	24·7	Croup 2.
COPENHAGEN -	278,000	" 14	229	142	26·7	Measles 5; scar. fev. 3.
STOCKHOLM -	190,115	" 4	120	137	37·5	Measles 30; diphtheria and croup 4.
CHRISTIANIA -	128,000	" 11	81	58	23·6	Scar. fev. 3; diph. and croup 7.
ST. PETERSBURG	928,016	" 4	-	558	31·4	Typh. and typhd. fev. 13; measles 12; diph. 8.
BERLIN - - -	1,266,511	March 28	792	561	23·3	Diphtheria 42; measles 6; sc. fev. 6; typ. & typh. 4.
HAMBURG (State)	497,956	April 4	355	243	25·5	Typh. and typhd. fev. 3; diphtheria and croup 5.
DRESDEN - -	241,500	" 4	154	112	24·2	Diphtheria 9.
BRESLAU - -	295,000	" 4	210	150	31·8	Diphtheria 2.
MUNICH - - -	244,000	" 11	106	152	32·4	Measles 5; diphtheria and croup 4.
VIENNA - - -	769,889	" 4	406	484	32·7	Small-pox 19; measles 17.
PRAGUE - - -	272,333	" 11	-	190	36·4	Scarlet fever 2; small-pox 1.
BUDA-PESTH -	420,532	March 28	310	264	31·9	Diphtheria and croup 5.
TRIESTE - - -	150,157	" 14	-	-	-	-
ROME - - -	324,640	" 7	198	159	24·1	Sm.-pox 3; typhd. fev. 4.
NAPLES - - -	504,795	-	-	-	-	-
TURIN - - -	267,763	March 20	176	197	26·9	Sm.-pox 5; typhd. fev. 5; diphtheria 6.
VENICE - - -	144,545	April 4	77	80	28·8	Small-pox 5.
MADRID - - -	475,668	-	-	-	-	-
LISBON - - -	203,081	-	-	-	-	-
ALEXANDRIA -	212,024	March 21	214	169	38·0	Small-pox 2; typhus and typhoid fever 3.
NEW YORK - -	1,356,958	" 21	-	700	26·9	Measles 20; scarlet fever 9; diphtheria 28.
BROOKLYN - -	665,602	" 21	-	302	23·7	Measles 9; scar. fever 9; diphtheria 8.
PHILADELPHIA -	949,432	" 28	-	417	23·4	Diph. 14; scarlet fev. 12; typhoid fever 9.
BALTIMORE - -	408,520	" 28	-	169	21·6	Scarlet fever 3; typhoid fever 3.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 18th APRIL, 1885.

[Under the Superintendence of the Astronomer Royal.]

MOON.		READINGS OF THERMOMETERS.										DIFFERENCE.				WIND.				RAIN.	
Phases of Moon.		Dew Point.		Mean Range in day.		Highest in the sun, as shown by thermograph.		Lowest on grass, as shown by thermograph.		In the water, as registered by self-registering thermometer.		Between Dew Point Temperature and Air Temperature.		Between mean temperature of the day and the mean temperature of the day.		Degree of humidity, complete saturation being the same day on an average of 100 years.		As deduced from Anemometers.		Collected in a gauge whose surface is 5 in. above the ground.	
MONTH AND DAY.		High. est.	Low. est.	High. value.	Low. value.	Mean daily value.	Thermo. placed on the grass.	Minimum in the shade.	High. est.	Low. est.	Thermo. placed on the grass.	Mean daily value.	Thermo. placed on the grass.	Thermo. placed on the grass.	Thermo. placed on the grass.	Thermo. placed on the grass.	Thermo. placed on the grass.	Thermo. placed on the grass.	Thermo. placed on the grass.	Thermo. placed on the grass.	Thermo. placed on the grass.
APRIL.																					
SUN.	12	54.2	37.4	16.8	43.7	39.8	112.4	30.5	46.4	45.3	3.9	14.0	0.0	3.4	86	0.0	0.0	0.0	0.0	5.2	
MON.	13	50.2	35.8	14.4	41.7	37.9	88.0	28.7	46.2	45.3	3.8	11.7	0.0	5.5	86	0.0	0.0	0.0	0.0	9.5	
TUES.	14	50.6	34.6	16.0	42.3	36.3	109.2	28.9	44.9	44.9	6.0	13.5	0.0	5.1	79	0.0	0.0	0.0	0.0	6.5	
WED.	15	54.1	36.9	17.2	44.0	37.9	119.8	31.7	45.2	45.1	6.1	13.7	0.0	3.5	79	0.0	0.0	0.0	0.0	1.5	
THURS.	16	53.7	41.1	12.6	45.8	44.3	87.5	40.1	45.8	44.9	1.5	9.4	0.0	1.8	95	0.0	0.0	0.0	0.0	0.0	
FRI.	17	59.8	38.6	23.4	49.8	41.1	120.6	32.3	45.8	45.5	8.7	16.5	0.0	2.0	72	0.0	0.0	0.0	0.0	0.0	
SAT.	18	63.6	36.3	32.3	51.9	45.8	123.3	29.0	46.6	46.4	6.1	18.0	0.0	4.0	80	0.0	0.0	0.0	0.0	0.0	
MEANS		56.2	37.2	19.0	45.6	40.4	108.7	31.6	45.8	45.3	5.2	13.8	0.0	1.9	82	0.0	0.0	0.0	0.0	3.2	
No. of Col.	8	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	23	26

SKY AND ATMOSPHERE.

DATE.	ELECTRICITY.	REGISTERED SUNSHINE, IN HOURS.	SUN ABOVE HORIZON, IN HOURS.	SKY AND ATMOSPHERE.
SUNDAY 12	m. P. increasing to 8 P.	4.7	13.6	Fine. Generally cloudy till afternoon; cloudless till 10h. P.M.; overcast afterwards.
MONDAY 13	v. P. throughout	0.1	13.7	Cloudy throughout.
TUESDAY 14	m. P. generally	2.0	13.7	Generally cloudy.
WEDNESDAY 15	m. P. in morning; w. P. till night; s. N. and s. P. at night.	4.1	13.8	Fine till afternoon; overcast afterwards. Rain at night.
THURSDAY 16	v. N. in morning; v. P. afterwards, except between 4h. and 6h. P.M. when v. N. was shown.	0.0	13.9	Generally overcast. Rain fell throughout the morning and occasionally afterwards.
FRIDAY 17	m. P. throughout	7.9	13.9	A fine day. Partially cloudy till afternoon; cloudless afterwards.
SATURDAY 18	m. P. in morning; v. P. afterwards.	10.4	14.0	A very fine day. Cloudless throughout.
MEANS		Sum 29.2	Sum 96.6	

The height of the cistern of the barometer is considered to be 153 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1883 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1868.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day; or from midnight to midnight.

The readings of the barometer increased from 29.57 in. at the beginning of the week to 29.75 in. by noon on the 15th; decreased to 29.35 in. by 9h. A.M. on the 16th; and increased to 29.05 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 16. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, APRIL 25. [Price 1½d.

General Register Office, Somerset House,
27th April, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 23·4 per 1000 of their population. The death-rates in these towns in each of the past four weeks were:—

TOWNS.	Weeks ending—				TOWNS.	Weeks ending			
	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.		Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.
Birkenhead	21·9	26·9	17·9	21·9	Liverpool -	24·4	24·7	23·2	29·9
Birmingham	20·2	25·7	24·2	18·8	London -	21·7	23·8	21·8	22·3
Blackburn -	28·7	25·5	22·7	30·6	Manchester -	28·9	36·0	35·9	30·9
Bolton -	22·7	23·7	21·8	22·7	Newcastle-on-Tyne	33·7	41·9	32·4	35·4
Bradford -	17·8	25·1	24·3	20·2	Norwich -	32·6	21·2	21·2	21·7
Brighton -	19·1	20·0	23·2	18·2	Nottingham -	21·7	26·7	17·8	19·2
Bristol -	25·4	25·4	26·8	26·5	Oldham -	34·7	25·2	23·9	23·9
Cardiff -	29·6	31·7	33·3	34·9	Plymouth -	19·9	24·7	35·7	24·7
Derby -	22·1	20·9	16·3	15·7	Portsmouth -	21·3	22·1	19·0	17·4
Halifax -	20·2	28·3	20·9	20·2	Preston -	34·3	33·8	28·1	32·2
Huddersfield	27·5	35·8	20·3	20·9	Salford -	20·2	23·0	20·7	22·2
Hull -	21·3	22·4	16·2	22·1	Sheffield -	22·5	23·6	25·1	23·9
Leeds -	21·9	20·5	23·8	21·3	Sunderland -	40·4	28·7	32·9	31·2
Leicester -	15·7	22·6	22·2	18·4	Wolverhampton -	19·8	24·4	23·1	23·1

The highest annual death-rates from measles, measured by last week's mortality, were 3·1 in Manchester, 4·6 in Sunderland, and 8·2 in Newcastle-upon-Tyne; from whooping-cough, 2·2 in Cardiff, and 2·3 in Blackburn; from scarlet fever, 1·1 in Leicester, and 1·2 in Sunderland; and from "fever," 1·2 in Portsmouth, 1·3 in Salford, and 1·7 in Norwich. The 25 deaths from diphtheria in the twenty-eight towns included 10 in London, 7 in Liverpool, 2 in Preston, and 2 in Newcastle-upon-Tyne. Small-pox caused 72 deaths in London and its outer ring of suburban districts, one in Bristol, one in Liverpool, and one in Manchester.

LONDON.

In LONDON 2541 BIRTHS and 1743 DEATHS were registered. Allowing for increase of population, the births were 216, and the deaths 33, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 23·8 and 21·8 in the two preceding weeks, rose again last week to 22·3. During the first three weeks of the current quarter the death-rate averaged 22·6 per 1000, against 23·5 in the corresponding periods of the nine years 1876–84.

The 1743 deaths included 39 from small-pox, 103 from measles, 10 from scarlet fever, 10 from diphtheria, 57 from whooping-cough, 2 from typhus, 11 from enteric fever, 2 from ill-defined forms of continued fever, 21 from diarrhoea and dysentery, and not one from cholera; thus, 255 deaths were referred to these diseases, corresponding with the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had steadily increased in the five preceding weeks from 19 to 41, were 39 last week, and exceeded the corrected weekly average by 8. These 39 deaths were, however, exclusive of 12 deaths of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the 51 fatal cases, 40 occurred in the Metropolitan Asylum Hospitals in and around London, 8 in the Highgate Small-pox Hospital (including 5 of residents outside London), and 3 in private dwelling-houses. After

distributing the hospital cases to the several sanitary areas, 7 belonged to Pancras, 6 to Hackney, 3 to Bermondsey, 7 to Camberwell, and 5 to Greenwich. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had increased in the four preceding weeks from 830 to 1062, were 1034 on Saturday last; the admissions, which had been 141, 185, and 307 in the three previous weeks, declined again last week to 246. The Highgate Small-pox Hospital contained 89 patients on Saturday last, 26 cases having been admitted during the week.

The fatal cases of *measles*, which had been 70 and 92 in the two preceding weeks, further rose last week to 103, and exceeded the corrected weekly average by 55; 9 belonged to Islington, 18 to Hackney, 10 to Shoreditch, 13 to Bethnal Green, 6 to Stepney, and 8 to Poplar. The 10 deaths from *scarlet fever* were 23 below the corrected average. The Metropolitan Asylum Hospitals contained 175 scarlet fever patients on Saturday last, against 169 at the end of the previous week; 25 cases were admitted, against 25 and 15 in the two previous weeks. The 57 deaths from *whooping-cough* showed an increase of 11 upon the low number in the previous week, but were 38 below the corrected average; 6 belonged to Fulham, 5 to Islington, and 6 to Wandsworth. The deaths referred to *diphtheria*, which had been 15 and 21 in the two previous weeks, declined to 10 last week, which were 4 below the corrected average; 2 belonged to Islington, and 4 to Wandsworth. The 21 deaths attributed to *diarrhœa* and *dysentery* showed a considerable increase upon the low numbers in recent weeks, and exceeded the corrected average by 6.

The deaths referred to *enteric fever*, which had been 10 and 13 in the two preceding weeks, were 11 last week, and 2 below the corrected average; 2 belonged to Newington, and 2 to Wandsworth. The 2 deaths attributed to *typhus* were recorded in Poland Street, Westminster, and in Anstey Road, Camberwell. Two deaths were indefinitely referred to "continued fever," and "febris." The Metropolitan Asylum Hospitals contained 38 cases of enteric fever, and 3 of typhus, on Saturday last; 4 of enteric fever, and one of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 512 and 449 in the two preceding weeks, further declined last week to 381, and were 41 below the corrected weekly average.

Different forms of violence caused 62 deaths; 54 were the result of negligence or accident, among which were 28 from fractures and contusions, 5 from burns and scalds, 2 from drowning, 3 from poison, and 13 of infants under one year of age from suffocation. The 28 deaths from fractures and contusions were thus returned:—female, aged 5 years, run over by dog-cart; males 54, 68, 70, and female 70, run over by cart; females 7, 65, run over by van; female 76, run over by wagon; female 3, run over by water-cart; male 6, run over by tram-car; male 57, run over by cab; male 38, run over on London and North-Western Railway; male 25, run over on South-Eastern Railway; male 67, run over by railway engine; female 81, fell in garden; male 3, fell from dustbin; male 41, fell from steps; male 60, fell down well of lift; male 48, fell from stage; male 39, fell into ship's hold; male 55, fell down stairs; female 2, fell in street; male 25, by fall of weight; males 4, 69, and female 4, by fall; female 49, by concussion of brain; and male 41, by fracture. An inquest was held in each of these 28 cases except the last.

GREATER LONDON.

In Greater London 3277 births and 2156 deaths were registered, equal to annual rates of 32·9 and 21·6 per 1000 of the population. In the Outer Ring 33 fatal cases of small-pox, and 20 of measles were registered. Of the deaths from small-pox 28 occurred in West Ham sub-district; all these were local cases, and included 11 in hospitals, and 17 in private dwelling-houses. Six fatal cases of measles occurred in Hornsey, 3 in Croydon, 3 in Isleworth, and 3 in West Ham sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·69 in.; the highest reading was 30·14 in. on Sunday morning, and the lowest 29·20 in. on Saturday morning. The mean temperature of the *air* was 54°·7, and 6°·5 above the average in the corresponding week of the 20 years ending 1868. The mean showed a considerable excess throughout the week. The general direction of the *wind* was S.S.W., and the horizontal movement of the air averaged 14·1 miles per hour, which was 2·0 above the average in the corresponding week of 16 years. *Rain* fell on three days of the week, to the aggregate amount of 0·26 of an inch. The duration of registered bright sunshine in the week was 56·8 hours, against 48·5 hours at Glyde Place, Lewes.

CITIES AND BOROUGHES.	POPULATION estimated middle of the Year 1885.	Registered during the Week ending 25th Apr., 1886.			The DEATHS registered in the Week include													TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGHES.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		1.	2.	3.	Deaths of Persons aged 1 Year or more under 16 Years	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Deaths from			Deaths in Public Institutions.	Unclassified Causes of Death.	From All Causes.	From Disease &c.	Mean.			In Inches.	In Centi- meters.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
													Deaths of Persons aged 1 Year or more under 16 Years	Small-pox.	Measles.					Scarlet Fever.	Diphtheria.	Whooping- cough.				Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.	Unclassified Causes of Death.	From All Causes.	From Disease &c.	Highest.	Lowest.	Fahrenheit.	Centigrade.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
																																					4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the SIXTEENTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2254	2557	2475	2418	2703	2616	2397	2683	2607	2568	2756.5	2541
Males . .	1129	1308	1209	1266	1404	1334	1227	1357	1329	1310	1403.8	1292
Females .	1125	1249	1266	1152	1299	1282	1170	1326	1278	1258	1352.7	1249
TOTAL Deaths	1600	1631	1532	1773	1757	1417	1600	1573	1755	1649	1776.0	1743
Males . .	803	893	805	918	916	730	829	806	907	860	923.3	889
Females .	797	738	727	855	841	687	771	767	848	789	852.7	854

* The numbers in this column are the average weekly numbers in the sixteenth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.
TOTAL Births	-	-	2727	2806	2913	2526	2709	2623	2737	2675	2537	2404	2473
TOTAL Deaths	-	-	1886	1592	1525	1497	1569	1495	1678	1678	1734	1701	1859
0-20	-	-	723	639	634	686	718	692	793	767	807	771	830
20-40	-	-	259	220	208	196	202	204	211	207	205	213	255
40-60	-	-	345	289	290	279	285	254	269	300	289	286	328
60-80	-	-	449	370	328	278	297	293	351	324	352	347	375
at 80 years & upwds.	-	-	110	74	65	58	67	52	54	80	81	79	71
Deaths of children {													
Under 1 year	-	-	378	307	320	330	364	356	424	370	395	374	398
1-5	-	-	239	227	218	257	243	256	273	297	315	308	327
5-20	-	-	106	105	96	99	111	80	96	100	97	89	105
Deaths from Small-pox*	-	-	59	60	56	44	37	27	35	23	24	39	40
" " Measles	-	-	16	16	28	31	29	52	51	53	70	83	70
" " Scarlet Fever	-	-	19	18	17	14	16	15	7	16	10	5	9
" " Diphtheria	-	-	15	19	16	14	16	15	8	20	11	16	15
" " Whooping-cough	-	-	60	41	50	43	45	37	49	45	55	55	46
" " Typhus	-	-	1	2	-	-	-	2	-	1	-	-	2
" " Enteric fever	-	-	13	6	10	13	8	7	8	13	7	14	10
" " Simple Cont'd fever	-	-	1	-	1	1	2	3	-	2	-	2	2
" " Diarrhoea and	-	-	12	9	6	11	9	7	14	12	18	8	16
" " Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-
" " Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Deaths from the above-mentioned Diseases*	-	-	196	171	184	171	162	163	174	184	198	220	217
" " Dis. of Respiratory System	-	-	556	421	383	343	384	374	455	487	448	478	512
" " Phthisis	-	-	199	145	161	168	168	179	177	157	190	160	198
" " Dis. of Circulatory System	-	-	154	122	118	105	127	112	139	140	123	122	123
Violent Deaths	-	-	53	47	42	70	50	40	75	56	50	41	68
Inquest Cases	-	-	132	109	91	133	114	85	148	125	120	109	132
Deaths in Public Institutions	-	-	402	356	352	348	322	335	347	344	361	359	374
TEMPERATURE OF THE AIR:													
Mean	-	-	43.6	43.6	46.2	40.0	45.8	40.3	38.2	41.9	39.1	43.3	41.9
Mean of Highest readings	-	-	48.4	49.5	51.3	45.1	51.7	48.0	45.7	52.0	47.6	53.9	49.5
Mean of Lowest readings	-	-	38.7	37.6	41.0	36.0	39.9	34.1	31.3	32.5	31.8	32.8	35.8
Humidity of the Air	-	-	90	84	88	86	88	86	80	75	77	67	85
Rain-fall in inches	-	-	0.58	0.61	0.25	0.94	0.55	0.60	0.01	0.05	0.84	0.00	0.20
Registered Sunshine (in hours)	-	-	5.5	9.7	8.6	10.5	9.0	16.3	15.6	29.7	23.9	55.4	10.5

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.;—E. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharncliffe, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filitier, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SIXTEENTH Week of the Year 1885.

USES OF DEATH.	Corrected Averages for the 16th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 25th April, 1885.										CAUSES OF DEATH.	Corrected Averages for the 16th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 25th April, 1885.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
ALL CAUSES - -	1770.0	1743	379	296	98	209	336	349	76	Diseases of Organs of Special Sense † - - }	3.0	4	1	2	1	-	-	-	-				
Small-pox { Vaccinated †	80.8 {	17	-	-	1	12	8	1	-	Diseases of Circulatory System - - - }	106.3	135	2	-	6	15	54	51	7				
Unvaccinated		14	3	3	5	2	1	-	-	Croup - - - - -	15.2	15	5	10	-	-	-	-					
No Statement		8	1	-	2	4	1	-	-	Bronchitis - - - -	247.2	198	46	31	1	2	30	71	17				
Scarlet Fever - - -	47.8	103	18	78	7	-	-	-	-	Pneumonia - - - -	111.6	116	17	26	9	12	23	26	-				
Erysipelas - - - -	32.5	10	-	9	1	-	-	-	-	Pleurisy - - - - -	5.8	16	-	-	2	3	7	4	-				
Diphtheria - - - -	2.2	2	-	-	-	-	2	-	-	Other Diseases of Respiratory System - - }	42.6	26	6	5	-	3	10	9	3				
Whooping-cough - -	0.0	-	-	-	-	-	-	-	-	Dentition † - - - -	13.3	22	9	13	-	-	-	-	-				
Measles - - - - -	0.3	-	-	-	-	-	-	-	-	Quinsy, Sore Throat † -	2.3	-	-	-	-	-	-	-	-				
Unnatural Causes { Continued and ill-defined Fever - }	94.7	57	29	23	2	-	-	-	-	Enteritis - - - - -	6.9	3	1	1	-	1	-	-	-				
Unnatural Causes { Cholera - - - - -	13.5	10	1	7	2	-	-	-	-	Peritonitis - - - -	7.0	8	-	2	3	1	1	1	-				
Unnatural Causes { Dysentery - - - - -	4.4	2	-	1	1	-	-	-	-	Diseases of Liver - -	32.0	37	3	1	-	7	15	10	1				
Unnatural Causes { Intermittent Fever † - -	13.2	11	-	-	5	4	2	-	-	Other Diseases of Digestive System - }	27.2	30	6	2	1	3	7	9	2				
Unnatural Causes { Cholera - - - - -	0.3	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands † - - }	1.0	3	-	-	-	2	-	1	-				
Unnatural Causes { Dysentery - - - - -	15.2	21	14	4	-	-	1	2	-	Diseases of Urinary System - - - -	34.7	43	1	1	2	6	15	17	1				
Unnatural Causes { Intermittent Fever † - -	0.7	-	-	-	-	-	-	-	-	Diseases of Generative System - - - - -	7.2	7	-	1	-	1	5	-	-				
Unnatural Causes { Hydrophobia - - - -	0.0	1	-	-	1	-	-	-	-	Accidents of Childbirth -	4.7	2	-	-	-	2	-	-	-				
Unnatural Causes { Erysipelas - - - - -	0.1	-	-	-	-	-	-	-	-	Diseases of Locomotive System † - - - }	5.7	6	-	-	4	-	-	2	-				
Unnatural Causes { Erysipelas - - - - -	0.3	-	-	-	-	-	-	-	-	Diseases of Integumentary System - - }	8.4	3	2	-	-	-	-	1	-				
Unnatural Causes { Starvation, Want of Breast-milk † - - }	3.0	2	2	-	-	-	-	-	-	VIOLENT DEATHS. ‡													
Unnatural Causes { Alcoholism - - - - -	3.0	1	-	-	-	1	-	-	-	(ACCIDENT.)													
Unnatural Causes { Rheumatism of Heart -	9.9 {	7	-	-	4	-	2	1	-	Fracture and Contusion -	23.5	28	-	5	3	4	7	8	1				
Rheumatism - - - -		3	-	-	-	1	2	-	-	Gunshot Wound - - -	0.1	-	-	-	-	-	-	-	-				
Cut, Stab - - - - -		0.3	-	-	-	-	-	-	-	Cut, Stab - - - - -	0.3	-	-	-	-	-	-	-	-				
Burn and Scald - - -	3.4	2	-	-	-	-	2	-	-	Burn and Scald - - -	6.0	5	1	-	1	1	2	1	1				
Poison - - - - -	2.7	7	1	5	1	-	-	-	-	Poison - - - - -	1.0	3	-	1	-	-	-	-	-				
Drowning - - - - -	46.1	58	-	-	-	5	37	14	2	Drowning - - - - -	6.7	2	-	-	-	1	-	-	-				
Suffocation - - - -	29.8	12	8	3	1	-	-	-	-	Suffocation - - - -	14.6	13	13	-	-	-	-	-	-				
Otherwise - - - - -	34.8	22	8	12	1	-	1	-	-	Otherwise - - - - -	3.4	3	3	-	-	-	-	-	-				
(HOMICIDE.)	192.6	167	2	1	14	87	51	11	1	(HOMICIDE.)													
Murder & Manslaughter -	16.6	16	4	5	4	1	2	-	-	Murder & Manslaughter -	1.6	1	1	-	-	-	-	-	-				
(SUICIDE.)	10.7	12	1	-	-	2	5	3	1	(SUICIDE.)													
Gunshot Wound - - -	0.9 {	-	-	-	-	-	-	-	-	Gunshot Wound - - -	0.9	-	-	-	-	-	-	-	-				
Cut, Stab - - - - -		1.9	2	-	-	-	-	-	-	Cut, Stab - - - - -	1.9	2	-	-	-	-	-	-	-				
Poison - - - - -		1.6	3	-	-	-	-	-	-	Poison - - - - -	1.6	3	-	-	-	-	-	-	-				
Drowning - - - - -		1.5	1	-	-	-	-	-	-	Drowning - - - - -	1.5	1	-	-	-	-	-	-	-				
Hanging - - - - -		2.2	1	-	-	-	-	-	-	Hanging - - - - -	2.2	1	-	-	-	-	-	-	-				
Otherwise - - - - -		0.7	-	-	-	-	-	-	-	Otherwise - - - - -	0.7	-	-	-	-	-	-	-	-				
(EXECUTION.)										(EXECUTION.)													
Hanging - - - - -	0.0	-	-	-	-	-	-	-	-	Hanging - - - - -	0.0	-	-	-	-	-	-	-	-				
OTHER CAUSES † - -	55.0	53	49	3	-	-	3	1	2	OTHER CAUSES † - -	55.0	53	49	3	-	-	3	1	2				

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

† Exclusive of 12 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET, during the Week ending

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	3,816,483	2541	1743	379	425	39	103	10	10	57	2	11	2	21	62	116	417
WEST DISTRICTS	669,633	362	317	56	96	1	7	2	2	12	1	2	1	5	11	22	85
NORTH DISTRICTS	905,947	590	399	90	87	18	32	1	2	12	-	3	1	4	12	19	106
CENTRAL DISTRICTS	282,238	163	123	30	23	-	6	2	1	7	-	-	-	2	8	12	28
EAST DISTRICTS	692,738	548	353	87	80	1	45	2	-	12	-	1	-	2	12	31	85
SOUTH DISTRICTS	1,265,927	848	551	116	139	19	13	3	5	14	1	5	-	8	19	32	113
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	69883	58	26	9	12	-	-	-	-	2	-	-	-	-	1	3	7
St. John Paddington H - - - G.J.	37330	18	16	1	9	-	-	1	-	-	-	-	-	-	1	2	4
Kensington Town WH - - - W.M.	120141	67	74	5	29	-	4	-	1	2	-	-	-	1	1	2	30
Brompton H - - - W.M. & C.	43010	19	18	4	4	-	-	-	-	-	-	-	-	-	-	-	3
St. Peter Hammersmith - - - W.M.	7599	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.	64340	53	32	5	8	-	1	-	-	2	-	-	-	1	3	5	6
Fulham WH - - - W.M. & C.	42900	41	25	7	5	1	-	1	-	3	-	1	-	-	2	6	-
Chelsea South HHH - - - C.	30396	10	9	1	3	-	-	-	-	1	-	1	-	-	-	1	1
Chelsea North-west WHHHH - - - C.	24925	15	19	5	5	-	1	-	-	-	-	-	-	-	-	1	9
Chelsea North-east - - - C.	32807	21	14	5	3	-	-	-	-	-	-	-	-	1	1	1	-
Hanover Square H - - - G.J.	16862	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
May Fair WH - - - G.J.	13491	2	10	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave HH - - - C.	59220	29	21	2	6	-	-	-	1	-	-	-	-	1	1	2	5
St. John Westminster HH - - - C.	35496	15	16	-	-	-	-	-	-	1	-	-	-	1	2	2	1
St. Margaret Westminster H - - C.	24679	8	12	2	4	-	1	-	-	-	-	-	-	1	1	1	2
St. James Westminster WH N.R. & G.J.	29941	15	8	1	1	-	-	-	-	1	1	-	1	-	-	-	1
St. Anne Soho HHHHH - - - N.R.	16608	9	4	-	-	-	-	-	-	-	1	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone HHHH - W.M.	26759	10	14	1	2	-	-	-	-	-	-	-	-	1	-	-	9
Cavendish Square HHH - - - W.M.	14881	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rectory Marylebone WH G.J. & W.M.	24809	16	11	3	3	-	-	-	-	-	-	-	-	-	-	-	2
St. Mary Maryleb. HHH G.J. & W.M.	21118	23	6	3	2	-	-	-	-	1	-	-	-	1	-	-	1
Christchurch Marylebone H - - W.M.	38700	22	10	5	-	-	-	-	-	-	-	-	-	-	1	1	-
St. John Marylebone H - - W.M.	38633	15	19	6	2	-	4	-	-	2	-	-	-	-	-	-	-
Hampstead WHHHH - N.R. & W.M.	45452	18	19	2	4	6	1	-	-	-	1	-	-	-	-	1	6
Regent's Park Paneras H - - W.M.	39115	14	12	2	3	-	-	-	-	-	-	-	-	-	2	2	1
Tottenham-court WHHHH N.R. & W.M.	27729	21	27	3	5	-	-	-	-	1	-	-	-	-	1	2	17
Gray's Inn Lane HHH - - - N.R.	30247	33	7	-	1	-	-	-	-	-	-	-	-	-	1	1	5
Somers Town H - - - N.R.	34369	30	10	6	-	-	-	-	-	-	-	-	-	1	1	2	-
Camden Town WH - - - N.R.	17811	14	22	3	11	-	-	-	-	-	-	-	-	1	1	1	16
Kentish Town W - - - N.R.	87487	49	22	4	7	-	-	-	-	-	-	-	-	-	-	-	6
Upper Holloway WHWHH - - N.R.	67946	48	63	9	13	8	8	-	2	1	-	-	-	-	2	3	24
Islington South-west HH - - N.R.	100976	69	35	15	8	-	-	-	-	4	-	-	-	-	-	-	-
Islington South-east - - - N.R.	61895	49	18	5	6	-	-	-	-	-	-	-	-	-	-	-	-
Highbury H - - - N.R.	52048	28	17	5	5	-	1	1	-	-	-	1	-	-	-	2	-
Stoke Newington H - - - N.R.	22781	10	9	2	-	-	6	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - - E.L.	9277	5	4	2	1	-	-	-	-	-	-	1	-	1	1	1	-
West Hackney - - - N.R.	37610	24	15	2	3	-	-	-	-	1	-	-	-	-	-	2	-
Hackney WHWHH - - - E.L. & N.R.	76911	60	50	10	11	4	9	-	-	1	-	1	-	1	1	1	19
South Hackney - - - E.L.	39883	26	6	3	-	-	2	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - - N.R.	16981	4	7	3	1	-	-	-	-	3	-	-	-	-	-	-	-
St. Giles South WH - - - N.R.	14864	15	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles North - - - N.R.	18837	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3
St. Martin-in-the-Fields HH N.R. & C.	17508	10	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary-le-Strand H - - - N.R.	7515	1	2	-	-	-	-	-	-	-	-	-	-	1	1	1	3
St. Clement Danes H - - - N.R.	8589	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. George-the-Martyr HHHHHH N.R.	18671	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Eastern W - - - N.R.	10706	3	6	3	2	-	-	-	-	-	-	-	-	-	-	-	2
Saffron Hill H - - - N.R.	6533	3	2	-	1	-	-	1	-	-	-	-	-	-	1	1	1
St. James Clerkenwell - - - N.R.	17516	10	5	3	1	-	-	-	-	2	-	-	-	-	-	-	-
Anwell Clerkenwell - - - N.R.	19281	13	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - - N.R.	14773	15	7	4	-	-	1	-	-	-	-	-	-	-	-	-	-
Goosewell-street - - - N.R.	17506	12	9	-	1	1	1	1	-	1	-	-	-	-	-	-	-
Old-street H - - - N.R.	11541	8	5	1	1	2	-	-	-	-	-	-	-	-	-	-	-
City-road HHL - - - N.R.	18628	16	9	1	3	-	1	-	-	1	-	-	-	1	-	1	-
Whitecross-street - - - N.R.	9217	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Finsbury - - - N.R.	7463	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - - N.R. & E.L.	11174	10	8	-	2	-	1	-	-	-	-	-	-	-	2	2	-
Cripplegate - - - N.R.	7193	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - - - N.R.	5358	1	18	-	1	4	-	-	-	-	-	-	-	-	-	-	-
St. Bride W - - - N.R.	8396	4	5	1	1	-	-	-	1	-	-	-	-	-	3	3	16
Allhallows Barking - - - N.R.	13666	3	4	2	1	-	-	-	-	-	-	-	-	-	1	1	-
Broad Street H - - - N.R.	6652	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J., signifying Grand Junction Company; W.M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N.R., New River; E.L., East London and K., the Kent Company.

VER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
unday, the 25th April, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhœa.	Violence.			
EAST DISTRICTS.																			
Lywell Shoreditch	N.R. & E.L.	7376	6	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Leonard Shoreditch	HL†	14967	15	7	5	1	-	2	-	-	-	-	-	-	-	-	-	1	-
St. James New Town	-	29937	26	16	1	5	-	2	-	-	-	-	-	-	-	-	3	4	-
St. James Old Town	-	28036	33	8	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. James West	N.R. & E.L.	46276	41	30	7	7	-	6	-	-	1	-	-	-	-	-	4	12	-
St. James Green	-	29738	30	9	2	1	-	4	-	-	-	-	-	-	-	1	1	-	1
St. James Bethnal Green	WHL†	47932	41	34	8	12	-	4	-	-	-	-	-	-	-	-	13	-	-
St. James Bethnal Green	-	29981	25	12	3	3	-	3	-	-	-	-	-	-	-	1	1	-	-
St. James Bethnal Green	-	18810	11	7	3	2	-	2	-	-	1	-	-	-	-	1	1	-	-
St. James H -	-	29285	18	8	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St. James End New Town	E.L. & N.R.	15478	46	8	1	1	-	1	-	-	2	-	-	-	-	-	5	-	-
St. James St. James Church	E.L. & N.R.	17490	12	22	6	2	-	1	-	-	1	-	-	-	-	1	2	17	-
St. James St. James Fields	-	9713	4	7	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St. James Gate	N.R. & E.L.	6102	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James George's North	-	38747	27	15	3	2	-	1	-	-	1	-	-	-	-	-	-	-	-
St. James John, St. George East	W	8410	9	2	1	-	-	-	-	-	1	-	-	-	-	-	5	-	-
St. James Well H -	-	10895	7	16	4	-	-	1	-	-	-	-	-	-	-	2	4	10	-
St. James Cliff	-	16107	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James House	-	32041	15	18	6	4	-	3	-	-	-	-	-	-	-	1	4	-	1
St. James End Old Town West	-	37960	25	13	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-
St. James End Old Town East	WHL†	67653	54	18	6	5	-	1	-	-	1	-	-	-	-	-	1	-	-
St. James Well H -	-	37074	30	9	2	3	-	-	-	-	1	-	-	-	-	-	1	-	-
St. James Well H -	-	64859	57	59	9	16	1	8	1	-	2	-	1	-	-	1	4	35	-
St. James Well W -	-	56077	40	24	5	6	-	2	-	-	-	-	-	-	-	1	3	1	-
SOUTH DISTRICTS.																			
St. James Southwark	WHL	13663	5	10	2	7	-	-	1	-	-	-	-	-	-	1	-	4	-
St. James Saviour Southwark	-	14999	2	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
St. James t-road	-	21381	12	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
St. James ough-road	WHL	15953	13	8	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
St. James don-road	HL	21318	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James City Newington	-	29672	17	14	7	1	-	-	-	1	1	-	1	-	-	-	-	-	-
St. James Peter Walworth	W	53535	21	32	3	8	-	-	-	1	1	-	-	-	-	2	2	14	1
St. James Mary Newington	-	21623	20	5	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-
St. James Olave	WHL	11956	7	14	2	2	-	1	-	-	-	-	-	-	-	3	4	12	-
St. James Other Market	-	16800	15	5	1	2	-	1	-	-	1	-	-	-	-	-	2	-	-
St. James Mary Magdalene	W	16669	13	15	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
St. James James Bermondsey	-	55283	29	16	3	4	1	3	-	-	-	-	-	-	-	1	1	-	-
St. James Berththo	-	36024	24	14	1	6	-	-	-	-	-	-	-	-	-	-	-	6	-
St. James erloo-road 1st	H -	16195	11	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
St. James erloo-road 2nd	H -	16381	16	8	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
St. James Beth Church 1st	H -	19876	10	17	5	2	-	-	-	-	-	-	-	-	-	1	1	9	-
St. James Beth Church 2nd	WHL	39359	4	21	6	4	-	-	-	-	-	-	-	-	-	-	-	12	-
St. James nington 1st	-	45232	23	20	2	9	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James nington 2nd	-	36332	21	19	3	7	-	1	-	1	1	-	-	-	-	1	1	2	-
St. James ton	-	62837	40	17	6	3	5	-	-	-	-	-	-	-	-	-	-	5	-
St. James wood	W	19017	14	6	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-
St. James ham	H -	36880	18	10	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
St. James Batterssea	-	54975	53	31	11	5	-	-	1	-	2	-	-	-	-	-	1	2	1
St. James Batterssea	WHL	53387	45	27	5	8	-	1	-	-	2	-	1	-	-	-	1	8	-
St. James dsworth	HL	28004	21	16	3	3	-	-	1	2	-	-	-	-	-	-	-	-	-
St. James ey	-	13235	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James ntham	-	25553	8	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1
St. James rich	-	5590	1	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. James Berwell	WHL†	49104	37	43	6	13	-	2	-	-	-	1	-	-	-	2	-	1	9
St. James ham	W -	71089	40	28	9	6	-	-	-	-	2	-	-	-	-	1	1	2	1
St. James George Camberwell	-	60810	43	13	6	2	-	-	-	-	-	-	-	-	-	1	2	-	-
St. James Paul Deptford	WHL	76732	55	34	6	4	13	1	-	-	-	-	1	-	-	-	1	12	1
St. James Nicholas Deptford	-	7901	10	7	1	1	-	-	-	-	-	-	-	-	-	-	1	2	-
St. James nwich	-	21972	11	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James nwich East	WHL	24608	14	16	1	7	-	-	1	-	1	-	-	-	-	-	1	2	9
St. James am	H -	8227	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James am	-	21559	6	7	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
St. James am	WHL	19865	23	16	3	5	-	-	-	-	-	-	-	-	-	-	-	1	-
St. James am	H -	26076	21	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James lton	H -	10950	7	7	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
St. James lwich Dockyard	-	17617	14	6	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. James lwich Arsenal	HHH	19048	15	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. James nstead, West	H -	14009	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James nstead, East	W	15241	15	13	4	5	-	1	-	-	-	-	-	-	-	2	2	3	-

Following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in Mile End Old Town Eastern sub-district and Bromley sub-district.
St. Andrew's Sick Asylum in Tottenham Court-road sub-district.	Stepney
St. John's Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum
St. George's Infirmary in Hackney sub-district.	Westminster Union Industrial School in West Battersea sub-district.
St. George's Infirmary in Hoxton New Town sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
St. George's Infirmary in Mile End Old Town Eastern sub-district.	

Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 25th April, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Eneum- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes	
LONDON—OUTER RING		370,282	950,178	736	413	84	101	33	20	1	7	4	2	1	3	15	74		
30: 1	Carshalton <i>wL</i> - -	12228	21118	6	14	3	6	-	-	-	-	-	-	-	1	1	9		
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	10	2	-	-	-	-	-	1	-	-	-	-	-	-		
37: 1	Godstone (<i>part of</i>) * -	2754	1235	-	1	-	1	-	-	-	-	-	-	-	-	-	-		
38: 1	Croydon <i>WwH</i> - -	20851	101241	65	49	10	9	1	3	-	1	-	-	1	-	1	13		
	Mitcham - - -	11697	17932	17	7	2	3	-	-	-	-	-	-	-	-	-	-		
39: 1	Wimbledon <i>HHH</i> - -	3220	15950	10	5	1	-	-	-	-	-	-	-	-	-	-	-		
2	Kingston <i>WHH</i> - -	8549	36354	17	16	3	3	-	-	-	1	-	-	-	1	-	5		
3	Esher (<i>part of</i>) * -	6601	9221	1	5	-	2	-	-	-	-	-	-	-	-	-	-		
4	Hampton <i>H</i> - - -	4573	13539	12	6	-	2	-	-	-	-	-	-	-	-	-	-		
40: 1	Richmond <i>WH</i> - -	2272	21302	6	6	1	-	-	-	-	-	-	-	-	-	-	2		
2	Mortlake - - -	941	12331	15	4	1	-	-	1	-	-	-	-	-	-	-	-		
41: 1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	31	11	2	5	-	-	-	-	-	-	-	-	-	-		
2	Chislehurst(<i>pt.of</i>)* <i>WHH</i>	13695	15065	10	4	1	1	-	-	-	-	-	-	-	-	-	-		
42: 1	Bexley <i>H</i> - - -	13437	24134	13	15	4	3	-	-	-	2	-	-	-	-	1	-		
124: 1	Sunbury <i>w</i> - - -	11055	11685	4	4	-	1	-	1	-	-	-	-	-	-	-	-		
2	Staines <i>W</i> - - -	13277	12089	4	2	1	-	-	-	-	-	-	-	-	-	-	-		
125: 1	Hillingdon <i>WH</i> - -	6029	10802	7	3	2	-	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge - - -	6178	5225	2	1	-	-	-	-	-	-	-	-	-	1	1	-		
3	Hayes <i>wHL</i> - - -	14587	11623	5	6	-	2	-	-	-	-	-	1	-	-	-	3		
126: 1	Isleworth <i>W</i> - - -	7008	22727	21	11	2	5	-	3	-	-	-	-	-	1	1	-		
2	Twickenham <i>H</i> - -	2477	12479	5	5	1	2	-	-	-	-	1	-	-	-	-	-		
3	Brentford <i>HL</i> - -	4345	27649	15	6	3	3	-	-	-	-	-	-	-	-	-	-		
4	Chiswick - - -	1340	15975	11	5	1	2	-	-	-	-	-	-	-	-	-	-		
5	Acton <i>wH</i> - - -	6083	22876	14	6	1	-	-	1	-	-	-	-	-	1	1	-		
127: 1	Harrow <i>H</i> - - -	13809	12796	6	5	-	-	-	-	-	-	-	-	-	-	-	-		
2	Edgware <i>H</i> - - -	6994	3749	1	2	-	-	-	-	-	-	-	-	-	1	1	-		
3	Willesden - - -	4383	27453	29	13	3	2	-	-	-	-	1	-	-	-	1	-		
4	Hendon <i>W</i> - - -	8332	10434	14	4	1	2	-	-	-	-	-	-	-	-	1	1		
128: 1	South Mimms - - -	15399	6391	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet <i>W</i> - - -	5433	10092	8	1	1	-	-	-	-	-	-	-	-	-	-	-		
3	Finchley <i>HL</i> - - -	4688	17615	17	8	-	1	-	-	-	-	-	-	-	-	-	6		
129: 1	Hornsey <i>H</i> - - -	3039	37078	30	16	1	4	-	6	-	-	-	-	-	-	-	1		
2	Tottenham <i>HH</i> - -	4642	46456	52	21	6	5	1	-	-	-	-	-	-	1	1	1		
3	Edmonton <i>WwW</i> - -	7483	23463	15	10	1	7	1	-	-	1	-	-	-	-	-	7		
4	Enfield <i>WH</i> - - -	12653	19104	29	7	1	2	1	-	-	-	-	-	-	-	-	1		
5	Waltham Abbey - -	11017	5363	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt - - -	8480	7735	6	5	-	4	-	-	-	-	-	-	-	-	-	-		
135: 1	Hatfield (<i>part of</i>) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137: 1	Bushey - - -	9331	6621	4	3	1	-	-	-	-	-	-	-	-	-	-	-		
136: 1	Stratford - - -	892	38606	25	10	2	2	-	-	-	-	-	-	-	1	1	-		
2	West Ham <i>wvwH</i> - -	7351	101053	111	66	19	7	28	3	1	1	-	1	-	-	2	11		
3	Leyton <i>WwL</i> - - -	4372	32430	39	27	1	12	-	2	-	-	-	-	-	-	1	14		
4	Walthamstow <i>wH</i> - -	6520	28869	24	13	3	3	1	-	-	-	2	-	-	-	-	-		
137: 1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
139: 1	Romford (<i>part of</i>) * -	6730	3411	1	2	2	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford - - -	3493	7645	4	2	-	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town - - -	4127	9203	11	4	3	-	-	-	-	-	-	-	-	1	1	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37: 1, the two parishes of Warlingham and Farley except the two parishes of Cudham and Knockholt (pop. 1818); 41: 2, the whole of Chislehurst sub-district, except the parish of Chelseld Bois (pop. 875); 135: 1, only the parish of Nornaw in Hatfield sub-district; 137: 1, the whole of Chigwell sub-district, except the parish of Thoydon Bois (pop. 875); 139: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 25th April, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 69 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,199,166	21·6	3·2	2156	463	526	72	123	11	17	61	17	22	70	491		
INNER LONDON -	78,052	4,083,928	22·3	3·3	1743	379	425	39	103	10	10	57	15	21	62	417		
OUTER RING -	370,282	1,115,238	19·3	3·2	413	84	101	33	20	1	7	4	2	1	8	74		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	BIRTHS.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
		Week ending	Exclusive of	Stillborn.		
CALCUTTA - -	433,219	March 14	-	246	29·6	Small-pox 7; fevers 77; cholera 32.
BOMBAY - -	773,196	" 24	275	446	27·5	Fevers 113; cholera 20.
MADEAS - -	398,777	" 13	287	324	42·2	Fevers 81; cholera 4.
PARIS - - -	2,239,928	April 18	1252	1221	28·4	Typhoid fever 23; meas. 59; diph. & croup 48.
GENEVA - -	71,453	" 18	33	43	31·4	Small-pox 1.
BRUSSELS - -	436,214	" 11	273	211	25·4	Measles 6; diphtheria 4; croup 7.
AMSTERDAM -	366,812	" 18	226	170	24·1	Diphtheria 4; scarlet fever 3.
ROTTERDAM -	166,001	" 18	110	86	26·4	Typhus and typhoid fever 1.
THE HAGUE -	134,552	" 18	101	69	26·7	Croup 4.
COPENHAGEN -	278,000	" 21	185	125	23·5	Measles 5; diphtheria 2.
STOCKHOLM -	190,115	" 11	143	106	28·4	Measles 23; diphtheria and croup 7.
CHRISTIANIA -	128,000	" 18	62	42	17·1	Diphtheria and croup 7; whooping-cough 2.
ST. PETERSBURG	928,016	" 11	-	698	39·2	Typh. and typhd. fev. 22; small-pox 5.
BERLIN - -	1,266,511	" 4	804	525	21·5	Diphtheria 30; whooping-cough 3.
HAMBURG (State)	497,956	" 11	346	287	28·0	Diphtheria and croup 12; scarlet fever 3.
DRESDEN - -	241,500	" 11	144	111	23·9	Diphtheria 9.
BRESLAU - -	295,000	" 11	189	203	35·7	Diphtheria 3; whooping-cough 3.
MUNICH - -	244,000	" 18	188	161	34·3	Measles 8; diphtheria and croup 3.
VIENNA - -	769,889	" 11	587	531	35·9	Small-pox 14; measles 14.
PRAGUE - -	272,333	" 18	-	170	32·6	Scar. fev. 5; diph. and croup 2.
BUDA-PESTH -	429,632	" 4	311	277	33·5	Typhoid fever 3; diphtheria and croup 3.
TRIESTE - -	150,157	March 14	-	-	-	-
ROME - -	324,649	" 14	216	145	23·3	Small-pox 8; diph. 4.
NAPLES - -	504,795	-	-	-	-	-
TURIN - -	267,763	March 31	232	228	28·3	Sm.-pox 4; typhd. fev. 5.
(11 days)						
VENICE - -	144,845	April 11	83	76	27·4	Small-pox 5; measles 2.
MADRID - -	475,668	-	-	-	-	-
LISBON - -	203,681	-	-	-	-	-
ALEXANDRIA -	212,034	March 28	235	141	34·7	Diphtheria and croup 3; small-pox 1.
NEW YORK -	1,356,958	" 28	-	782	30·1	Measles 28; scarlet fever 18; diphtheria 31.
BROOKLYN -	665,602	" 28	-	282	22·1	Diphtheria 9; scarlet fever 6.
PHILADELPHIA -	943,432	April 4	-	410	23·0	Diph. 11; scarlet fev. 13; typhoid fever 13.
BALTIMORE -	408,520	" 4	-	183	24·0	Typhoid fever 5; diphtheria 4.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 23th APRIL, 1885.
[Under the Superintendence of the Astronomer Royal.]

HEADINGS OF THERMOMETERS.										DIFFERENCE				WIND.		RAIN.							
METER.		Dry.		Dew Point.		Highest in thermometer self-registering.		Lowest on the register-asele.		In the Water at depth of fathoms.		Between Dew Point and Temperature.		Between mean temperature of the same day on an average by 100 years.		Degrees of Humidity, complete Saturated being sented by 100.		As deduced from Anemometers.		Collected in gauges those surface is 5 in. above the ground.			
Phases of Moon.		Range in day.		Mean daily value.		Mean Thermometer.		Thermometer.		Thermometers.		Mean daily value.		Great- est.		Least.		Mean of 24 Obs.		Amount of Movement of Air each day.		Robinson's.	
in.		est.		est.		est.		est.		est.		est.		est.		est.		est.		Miles.		Inches	
APRIL.		69.1		38.6		30.5		53.9		42.2		126.0		29.2		47.8		11.7		20.8		0.0	
SUN. 19 Greatest Day.		73.6		40.6		33.0		58.0		40.9		126.4		32.2		49.3		17.1		28.6		3.0	
MON. 20 ..		72.0		44.3		27.7		58.7		40.7		126.5		36.1		51.2		18.0		26.0		5.1	
TUES. 21 First Qu.		67.5		49.4		18.1		58.1		47.1		121.9		36.8		52.7		11.4		18.5		5.0	
WED. 22 ..		60.1		44.4		13.7		49.8		47.1		119.9		38.5		54.3		2.7		11.8		0.0	
THURS. 23 ..		60.0		42.1		17.9		50.7		45.4		108.4		37.0		55.2		5.8		15.0		0.0	
FRI. 24 ..		62.2		48.7		13.5		53.8		45.3		120.8		43.8		55.2		7.5		15.1		3.1	
SAT. 25 ..		66.4		44.0		22.3		54.7		44.2		121.8		36.2		52.2		10.5		19.4		2.4	
MEANS ..		66.4		44.0		22.3		54.7		44.2		121.8		36.2		52.2		10.5		19.4		2.4	
No. of Col.		4		5		6		7		8		9		10		11		12		13		14	
		19		20		21		22		23		24		25		26		27		28		29	

TABLET COUNTY AND TOWN

SUNDAY	19	m. P. generally	11-6	14-1	A very fine day. Cloudless throughout.
MONDAY	20	s. P. in morning; v. P. afterwards.	10-9	14-1	Cloudless generally. Very fine and hot.
TUESDAY	21	m. P. in morning; v. P. afterwards.	12-4	14-2	Cloudless generally. Very fine and hot.
WEDNESDAY	22	w. P. in morning; v. P. afterwards.	10-0	14-2	A very fine day. A few light clouds generally present in the evening; denser clouds at night to larger amount.
THURSDAY	23	v. P. till 9h. A.M.; s. N. till 7h. P.M.; m.P. afterwards.	2-2	14-3	Variable; showery.
FRIDAY	24	w. P. till 6h. P.M.; v. N. afterwards.	0-4	14-4	Overcast generally. Showery at night.
SATURDAY	25	w. P. generally till 3h. P.M.; th. 3h. P.M.; w. P. generally after wards; s. N. for a short time at 7h. P.M.	9-3	14-4	Fine generally, but variable and showery at times. Strong gusty wind.
			Sum	Sum	
			56-8	997	

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

PUBLISHED BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 17. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, MAY 2. [Price 1½d.

General Register Office, Somerset House,
May 4th, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 21·1 per 1000 of their population. The death-rates in these towns in each of the past four weeks were:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Apr. 11.	Apr. 18.	Apr. 25.	May 2.		Apr. 11.	Apr. 18.	Apr. 25.	May 2.
Birkenhead	26·9	17·9	21·9	20·2	Liverpool -	24·7	23·2	29·9	21·3
Birmingham	25·7	24·2	18·8	21·8	London -	23·8	21·8	22·3	19·8
Blackburn -	25·5	22·7	30·6	30·1	Manchester -	36·0	35·9	30·9	30·6
Bolton -	23·7	21·8	22·7	15·2	Newcastle-on-Tyne	41·9	32·4	35·4	34·4
Bradford -	25·1	24·3	20·2	23·1	Norwich -	21·2	21·2	21·7	18·9
Brighton -	20·0	23·2	18·2	15·9	Nottingham -	26·7	17·8	19·2	17·5
Bristol -	25·4	26·8	26·5	22·5	Oldham -	25·2	23·9	23·9	25·6
Cardiff -	31·7	33·3	34·9	16·1	Plymouth -	24·7	35·7	24·7	19·2
Derby -	20·9	16·3	15·7	15·1	Portsmouth -	22·1	19·0	17·4	16·7
Halifax -	28·3	20·9	20·2	26·3	Preston -	33·8	28·1	32·2	32·7
Huddersfield	35·8	20·3	20·9	24·5	Salford -	23·0	20·7	22·2	18·7
Hull -	22·4	16·2	22·1	15·1	Sheffield -	23·6	25·1	23·9	22·0
Leeds -	20·5	23·8	21·3	23·0	Sunderland -	28·7	32·9	31·2	23·7
Leicester -	22·6	22·2	18·4	20·3	Wolverhampton -	24·4	23·1	23·1	20·4

The highest annual death-rates from measles, measured by last week's mortality, were 1·7 in Sunderland, 1·8 in Liverpool, 1·9 in Manchester, and 5·8 in Newcastle-upon-Tyne; from whooping-cough, 1·9 in Blackburn, 2·2 in Cardiff, and 2·6 in Preston; from scarlet fever, 1·0 in Preston and in Newcastle-upon-Tyne, and 1·2 in Sunderland; and from "fever," 1·1 in Norwich and in Leicester. The 25 deaths from diphtheria in the twenty-eight towns included 15 in London, 3 in Bristol, and 2 in Portsmouth and in Liverpool. Small-pox caused 66 deaths in London and its outer ring of suburban districts, 2 in Manchester, and one in Liverpool and in Halifax.

LONDON.

In LONDON 2561 BIRTHS and 1549 DEATHS were registered. Allowing for increase of population, the births were 275, and the deaths 174, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 23·8, 21·8, and 22·3 in the three preceding weeks, declined last week to 19·8, and was lower than in any week since the end of February. During the first four weeks of the current quarter the death-rate averaged 21·9 per 1000, against 23·1 in the corresponding periods of the nine years 1876-84.

The 1549 deaths included 32 from small-pox, 99 from measles, 12 from scarlet fever, 15 from diphtheria, 51 from whooping-cough, 1 from enteric fever, 1 from an ill-defined form of continued fever, 16 from diarrhoea and dysentery, and not one either from typhus or from cholera; thus, 227 deaths were referred to these diseases, being 25 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 41 and 39 in the two preceding weeks, further declined to 32 last week; they were 2 above the corrected weekly average. These 32 deaths were, however, exclusive of 16 deaths of London residents who died in the Metropolitan Asylum Hospitals situated

outside Registration London. Of the 48 fatal cases, 32 occurred in the Metropolitan Asylum Hospitals in and around London, 3 in the Highgate Small-pox Hospital (including 2 of residents outside London), and 13 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 3 belonged to Pancras, 3 to Mile End Old Town, 4 to Poplar, 5 to Lambeth, 6 to Camberwell, and 7 to Greenwich. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1062 and 1034 on the two preceding Saturdays, rose to 1282 at the end of last week; the admissions, which had been 307 and 246 in the two previous weeks, further rose last week to 354, and exceeded the number of admissions in any week since June last. The Highgate Small-pox Hospital contained 87 patients on Saturday last, 20 cases having been admitted during the week.

The fatal cases of *measles*, which had been 70, 92, and 103 in the three preceding weeks, were 99 last week, and exceeded the corrected weekly average by 46; 14 belonged to Islington, 10 to Hackney, 7 to Shoreditch, 12 to Bethnal Green, and 15 to Mile End Old Town. The 12 deaths from *scarlet fever* showed a further slight increase upon the low numbers in recent weeks, but were 18 below the corrected average. The Metropolitan Asylum Hospitals contained 160 scarlet fever patients on Saturday last, showing a further decline from the numbers in recent weeks; 13 cases were admitted, against 15 and 25 in the two previous weeks. The 51 deaths from *whooping-cough* showed a decline of 6 from those in the previous week, and were 41 below the corrected average. The deaths referred to *diphtheria*, which had been 21 and 10 in the two previous weeks, were 15 last week, and exceeded the corrected average by 2; 3 belonged to Islington, and 2 to Lambeth. The deaths attributed to *diarrhoea* and *dysentery*, which had been 7 and 21 in the two previous weeks, declined again to 16 last week, but exceeded the corrected average by 2.

The deaths referred to *enteric fever*, which had been 13 and 11 in the two preceding weeks, declined to one last week, the corrected weekly average being 14. This death occurred in St. George-in-the-East. The cause of death of a child, aged 4 years, at 47, Victoria Road, Pancras, was indefinitely certified as "continued fever, one month, bronchitis." The Metropolitan Asylum Hospitals contained 35 cases of enteric fever, and 3 of typhus, on Saturday last; 2 of enteric fever, and one of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 512, 449, and 381 in the three preceding weeks, further declined last week to 337, and were 59 below the corrected weekly average.

Different forms of violence caused 64 deaths; 48 were the result of negligence or accident, among which were 17 from fractures and contusions, 4 from burns and scalds, 8 from drowning, 3 from poison, and 5 of infants under one year of age from suffocation. The 17 deaths from fractures and contusions were thus returned:—males, aged 2, 30, 57, and female 8 years, run over by van; male 55, collision between trap and cart; male 4, run over by omnibus; male 34, fell from omnibus; male 65, fell from kerb; male 45, fell from scaffold; female 3, fell from loft; female 27, fell from swing; male 66, female 43, fell down stairs; male 11 months, fell from bed; female 61, by fall; male 4, by fall of bag; and male 12, by blows. An inquest was held in each of these 17 cases. Twelve cases of suicide were registered, exceeding the corrected average by 3.

GREATER LONDON.

In Greater London 3265 births and 1894 deaths were registered, equal to annual rates of 32·8 and 19·0 per 1000 of the population. In the Outer Ring 34 fatal cases of small-pox were registered, of which 23 occurred in West Ham, 2 in Ilford, 2 in Barking Town, one in Stratford, and one in Leyton sub-districts. Of the 23 in West Ham sub-district, 19 were local cases, and 4 occurred in the Metropolitan Asylum Hospital at Plaistow.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·51 in.; the lowest reading was 29·34 in. at the beginning of the week, and the highest 29·68 in. on Thursday morning. The mean temperature of the *air* was 51°·9, and 3°·4 above the average in the corresponding week of the 20 years ending 1868. The mean showed an excess on each of the first six days of the week, while on Saturday it corresponded with the average. The direction of the *wind* was variable, and the horizontal movement of the air averaged 10·0 miles per hour, which was 1·4 below the average in the corresponding week of 16 years. *Rain* fell on three days of the week, to the aggregate amount of 0·52 of an inch. The duration of registered bright sunshine in the week was 39·2 hours, against 41·8 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY IN 28 GREAT TOWNS, during the Week ending 2nd May, 1885.

CITIES AND BOROUGH.	Cols.	Registered during the Week ending 2nd May, 1885.			The Deaths registered in the Week include												TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.						
		1.	2.	3.	Deaths of		Deaths from							18.	17.	Annual Rate per 1000, corrected for Week's Deaths			Mean.		In Inches.	In Centi- meters.							
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhoid.	Diarrhoea.			Violence.	Deaths in Public Institutions.	Unidentified Causes of Death.	From All Causes.	From Diseases 6-12.				Highest.	Lowest.	Fahrenheit.	Centigrade.		
28 TOWNS -	8,606,446	5792	3601	878	721	36	176	33	25	127	22	30	128	241	561	91	21.1	2.6	67.7	33.0	48.9	9.39	0.47	1.19	23.	24.	Cols.	- 28 TOWNS.	
LONDON -	4,083,928	2561	1549	324	346	32	39	12	15	51	2	16	64	126	331	22	19.8	2.9	67.7	40.1	51.9	11.06	0.52	1.32	0.52	1.32	LONDON.	- 28 TOWNS.	
BRIGHTON -	114,672	36	35	5	13					1			1	2	4	1	15.9	0.5	63.0	41.5	50.0	10.00	0.26	0.66	0.26	0.66	BRIGHTON.	BRIGHTON.	
PORTSMOUTH -	134,659	79	43	13	8				2		1		3	3			16.7	1.2									PORTSMOUTH.	PORTSMOUTH.	
NORWICH -	91,215	42	33	6	16					2							18.9	1.1									NORWICH.	NORWICH.	
PLYMOUTH -	76,045	44	28	3	5					2							19.2	1.4	61.1	38.5	47.4	8.55	0.92	2.34	0.92	2.34	PLYMOUTH.	PLYMOUTH.	
BRISTOL -	218,169	149	94	14	21				3	3			2	6	8	1	22.5	2.9	59.0	36.0	47.0	8.33	0.67	1.70	0.67	1.70	BRISTOL.	BRISTOL.	
WOLVERHAMPTON -	79,185	57	31	13	4					1						4	20.4	0.7	62.5	33.1	46.9	8.28	0.31	0.79	0.31	0.79	WOLVERHAMPTON.	WOLVERHAMPTON.	
BIRMINGHAM -	427,769	283	179	62	26				1	7			12	16	30	5	21.8	1.2										BIRMINGHAM.	BIRMINGHAM.
LEICESTER -	136,147	101	53	20	13					3		2	2	6	5	1	20.3	2.3										LEICESTER.	LEICESTER.
NOTTINGHAM -	211,424	170	71	26	14					4		1	2	4	5		17.5	1.7	64.9	37.0	50.2	10.11	0.23	0.58	0.23	0.58	NOTTINGHAM.	NOTTINGHAM.	
DERBY -	89,691	55	26	9	2					1			2	3	2		15.1	0.6										DERBY.	DERBY.
BIRKENHEAD -	43,063	60	36	8	5					3				5	6	33	9	21.3	3.2	59.0	38.6	47.9	8.83	0.45	1.14	0.45	1.14	BIRKENHEAD.	BIRKENHEAD.
LIVERPOOL -	479,734	367	237	65	33	1	20	1	2	9	3			5	6		15.2	1.9	59.8	35.7	46.6	8.12	0.60	1.52	0.60	1.52	LIVERPOOL.	LIVERPOOL.	
BOLTON -	110,055	92	32	8	7					1		1	1	2	2		15.2	1.9	59.8	35.7	46.6	8.12	0.60	1.52	0.60	1.52	BOLTON.	BOLTON.	
MANCHESTER -	327,342	252	198	53	29	2	12	1		9		1	7	18	29	2	30.6	3.9										MANCHESTER.	MANCHESTER.
SALFORD -	204,075	126	73	15	13					1		2	2	4	13	9	18.7	1.8										SALFORD.	SALFORD.
OLDHAM -	126,390	103	62	18	12					1		1	2	2	5	10	25.6	1.7										OLDHAM.	OLDHAM.
BLACKBURN -	112,574	91	65	18	12					4		1	2	2	5	3	30.1	2.8										BLACKBURN.	BLACKBURN.
PRESTON -	100,405	85	63	22	10					5			1	4	7	1	32.7	3.6	60.0	40.0	49.2	9.55	0.41	1.04	0.41	1.04	PRESTON.	PRESTON.	
HUDDERSFIELD -	87,327	45	41	9	8												24.5	1.8										HUDDERSFIELD.	HUDDERSFIELD.
HALIFAX -	77,378	47	39	10	9	1				1						1	26.3	1.3										HALIFAX.	HALIFAX.
BRADFORD -	214,431	117	95	31	18							1	3	6	6	1	23.1	1.7	61.8	39.2	49.6	9.78	0.51	1.30	0.51	1.30	BRADFORD.	BRADFORD.	
LEEDS -	333,139	209	147	28	29					5		2	1	4	9	18	23.0	2.0	65.0	37.0	50.2	10.11	0.39	0.99	0.39	0.99	LEEDS.	LEEDS.	
SHEFFIELD -	305,716	196	129	29	22					4		1	6	6	15	6	22.0	2.0	65.0	35.0	49.8	9.89	0.17	0.43	0.17	0.43	SHEFFIELD.	SHEFFIELD.	
HULL -	186,592	133	54	12	19							2	1	1	3	3	15.1	1.1	63.0	38.0	49.0	9.44	0.71	1.80	0.71	1.80	HULL.	HULL.	
SUNDERLAND -	125,927	92	57	19	11					1						2	23.7	3.7	63.0	40.0	48.2	9.00	0.46	1.17	0.46	1.17	SUNDERLAND.	SUNDERLAND.	
NEWCASTLE -	143,509	107	101	28	11					3		2	1	1	6	5	34.4	8.5	60.0	42.0	49.0	9.44	0.46	1.17	0.46	1.17	NEWCASTLE.	NEWCASTLE.	
CARDIFF -	47,634	33	20	10	5					4						2	16.1	4.3										CARDIFF.	CARDIFF.
EDINBURGH -	250,616	150	93	13	31					3			2		15	17	19.4	1.7	59.6	37.1	50.0	10.00	0.73	1.85	0.73	1.85	EDINBURGH.	EDINBURGH.	
GLASGOW -	519,365	405	275	52	50					15		5	4		24	40	27.6	3.8	59.5	37.5	49.4	9.66	0.77	1.96	0.77	1.96	GLASGOW.	GLASGOW.	
DUBLIN -	353,682	203	227	40	47					4		5	5	5	64	85	33.5	5.9	59.3	37.0	48.5	9.17	0.89	0.99	0.89	0.99	DUBLIN.	DUBLIN.	

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the SEVENTEENTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2449	2546	2535	2640	2639	2559	2829	2490	2514	2807	2836.1	2561
Males . .	1207	1298	1346	1320	1358	1303	1430	1294	1217	1402	1440.0	1326
Females .	1242	1218	1189	1320	1281	1256	1399	1196	1297	1405	1396.1	1235
TOTAL Deaths	1532	1524	1557	1661	1771	1387	1550	1520	1635	1660	1722.6	1549
Males . .	780	810	803	877	934	727	786	784	840	881	896.6	793
Females .	752	714	754	784	837	660	764	736	795	779	826.0	756

* The numbers in this column are the average weekly numbers in the seventeenth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.
TOTAL Births	28 6	2913	2526	2709	2623	2737	2675	2537	2404	2473	2617	2541	2561
TOTAL Deaths	1592	1525	1497	1569	1495	1678	1678	1734	1701	1859	1706	1743	1549
0—20	639	634	686	718	692	793	767	807	771	830	790	773	699
20—40	220	208	196	202	204	211	207	205	218	255	224	209	227
40—60	289	290	279	285	254	269	300	289	286	328	287	336	277
60—80	370	328	278	297	293	351	324	352	347	375	328	349	281
at 80 years & upwds.	74	65	58	67	52	54	80	81	79	71	77	76	65
Deaths of children { Under 1 year	307	320	330	364	356	424	370	395	374	398	370	379	324
{ 1—5	227	218	257	243	256	273	297	315	308	327	293	296	292
{ 5—20	105	96	99	111	80	96	100	97	89	105	127	98	83
Deaths from Small-pox *	60	56	44	37	27	35	23	24	39	40	49	51	48
" " Measles	16	28	31	29	52	51	53	70	83	70	92	103	99
" " Scarlet Fever	18	17	14	16	15	7	16	10	5	9	9	10	12
" " Diphtheria	19	16	14	16	15	8	29	11	16	15	21	10	15
" " Whooping-cough	41	50	43	45	37	49	45	55	55	55	46	57	51
" " Typhus	2	—	—	—	—	2	—	1	—	—	2	2	—
" " Enteric fever	6	10	13	8	7	8	13	7	14	10	13	11	1
" " Simple Cont ^d fever	—	1	1	2	3	—	2	2	—	2	2	2	1
" " Diarrhoea and Dysentery	9	6	11	9	7	14	12	18	8	16	7	21	16
" " Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Deaths from the above-mentioned Diseases *	171	184	171	162	163	174	184	198	220	217	241	267	243
" " Dis. of Respiratory System	421	333	343	384	374	455	487	448	478	512	449	381	337
" " Phthisis	145	161	168	168	179	177	157	190	160	198	163	167	191
" " Dis. of Circulatory System	122	118	105	127	112	139	140	123	122	123	109	135	91
Violent Deaths	47	42	70	50	40	75	56	50	41	68	57	62	64
Inquest Cases	109	91	133	114	85	148	125	120	109	132	130	116	126
Deaths in Public Institutions	356	352	348	322	335	347	344	361	359	374	385	417	331
TEMPERATURE OF THE AIR:													
Mean	43.6	46.2	40.0	45.8	40.3	38.2	41.9	39.1	43.8	41.9	45.6	54.7	51.9
Mean of Highest readings	49.5	51.3	45.1	51.7	48.0	45.7	52.0	47.6	53.9	49.5	56.2	66.4	61.8
Mean of Lowest readings	37.6	41.0	36.0	39.9	34.1	31.3	32.5	31.8	32.8	35.8	37.2	44.0	42.9
Humidity of the Air	84	88	86	88	86	80	75	77	67	85	82	69	78
Rain-fall in inches	0.61	0.25	0.94	0.55	0.60	0.01	0.05	0.84	0.00	0.20	1.11	0.26	0.52
Registered Sunshine (in hours)	9.7	8.6	10.5	9.0	16.3	15.6	29.7	23.9	55.4	10.5	29.2	56.8	39.2

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filler, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Penk, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of Ages from different CAUSES in the SEVENTEENTH Week of the Year 1885.

USES OF DEATH.	Corrected Averages for the 17th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 2nd May, 1885.										CAUSES OF DEATH.	Corrected Averages for the 17th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 2nd May, 1885.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
CAUSES	1722.6	1549	324	202	83	227	277	231	65		Diseases of Organs of Special Sense † - -	2.3	3	1	-	1	1	-	-	-	-		
Small-pox { Vaccinated † Unvaccinated No Statement	80.4 {	6	1	-	2	2	-	1	-		Diseases of Circulatory System - - -	93.9	91	-	-	4	16	32	35	4			
		9	1	1	3	3	1	-	-		Croup - - - - -	13.3	9	3	4	2	-	-	-	-			
		17	-	2	4	8	3	-	-		Bronchitis - - - -	227.3	175	40	43	2	5	31	46	8			
Scarlatina - - - -	52.7	99	25	71	3	-	-	-	-		Pneumonia - - - -	107.4	119	20	33	7	19	22	17	1			
Erythema - - - -	30.2	12	-	8	2	2	-	-	-		Pleurisy - - - - -	6.4	8	-	-	-	3	2	1	2			
Whooping-cough -	2.8	-	-	-	-	-	-	-	-		Other Diseases of Respiratory System - - -	41.4	26	3	4	-	3	5	10	1			
Diphtheria - - - -	0.0	-	-	-	-	-	-	-	-		Dentition † - - - -	22.3	14	8	6	-	-	-	-	-			
Influenza - - - -	0.7	-	-	-	-	-	-	-	-		Quincy, Sore Throat † -	2.7	-	-	-	-	-	-	-	-			
Epidemic Typhus -	91.6	51	20	30	1	-	-	-	-		Enteritis - - - - -	7.3	3	-	-	1	1	1	-	-			
Epidemic Typhus -	13.0	15	-	10	4	1	-	-	-		Peritonitis - - - -	6.3	7	3	-	2	1	1	-	-			
Epidemic Typhus -	3.2	1	-	1	-	-	-	-	-		Diseases of Liver - - -	31.4	31	1	-	5	13	11	1	-			
Epidemic Typhus -	14.3	1	-	-	-	-	-	1	-		Other Diseases of Digestive System † -	27.7	30	5	3	-	4	4	12	2			
Epidemic Typhus -	0.2	-	-	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands † - - - -	1.3	4	-	1	-	1	2	-	-			
Epidemic Typhus -	13.8	16	11	1	-	1	-	1	2		Diseases of Urinary System - - - - -	37.4	39	3	1	1	6	11	14	3			
Epidemic Typhus -	0.0	-	-	-	-	-	-	-	-		Diseases of Generative System - - - - -	6.5	7	-	-	-	2	2	3	-			
Epidemic Typhus -	0.2	-	-	-	-	-	-	-	-		Accidents of Childbirth - - -	4.7	-	-	-	-	-	-	-	-			
Epidemic Typhus -	0.2	-	-	-	-	-	-	-	-		Diseases of Locomotive System † - - - -	5.7	5	-	-	1	1	2	1	-			
Epidemic Typhus -	0.3	-	-	-	-	-	-	-	-		Diseases of Integumentary System - - -	7.0	4	-	-	-	1	-	2	1			
Epidemic Typhus -	9.5	9	9	-	-	-	-	-	-		VIOLENT DEATHS. §												
Epidemic Typhus -	7.0	5	1	-	2	1	1	-	-		(ACCIDENT.)												
Epidemic Typhus -	3.0	-	-	-	-	-	-	-	-		Fracture and Contusion - - -	21.0	17	1	4	2	3	4	3	-			
Epidemic Typhus -	4.6	8	-	-	-	6	2	-	-		Gunshot Wound - - - -	0.2	1	-	-	-	1	-	-	-			
Epidemic Typhus -	2.3	1	-	-	1	-	-	-	-		Cut, Stab - - - - -	0.8	1	-	-	-	-	-	-	-			
Epidemic Typhus -	2.7	1	1	-	-	-	-	-	-		Burn and Scald - - - -	5.9	4	-	3	-	-	-	-	-			
Epidemic Typhus -	0.7	2	-	-	1	-	1	-	-		Poison - - - - -	1.0	3	-	1	-	-	2	-	-			
Epidemic Typhus -	2.3	1	1	-	-	-	-	-	-		Drowning - - - - -	6.0	8	1	-	-	5	1	1	-			
Epidemic Typhus -	3.8	2	-	-	-	-	2	-	-		Suffocation - - - - -	14.5	12	5	1	1	2	2	1	-			
Epidemic Typhus -	12.1	11	-	1	3	5	1	1	-		Otherwise - - - - -	2.5	3	1	-	-	1	1	-	-			
Epidemic Typhus -	3.9	6	-	-	-	-	-	6	-		(HOMICIDE.)												
Epidemic Typhus -	3.7	4	1	3	-	-	-	-	-		Murder & Manslaughter - - -	1.5	4	2	-	-	-	1	1	-			
Epidemic Typhus -	40.2	54	-	-	-	5	21	26	2		(SUICIDE.)												
Epidemic Typhus -	30.3	21	14	4	1	2	-	-	-		Gunshot Wound - - - -	0.3	-	-	-	-	-	-	-	-			
Epidemic Typhus -	33.3	25	7	16	1	1	-	-	-		Cut, Stab - - - - -	2.4	3	-	-	-	1	1	1	-			
Epidemic Typhus -	191.0	191	3	4	12	93	67	10	2		Poison - - - - -	3.4	-	-	-	-	-	-	-	-			
Epidemic Typhus -	13.6	16	3	5	4	2	2	-	-		Drowning - - - - -	0.8	3	-	-	-	1	2	-	-			
Epidemic Typhus -	12.7	9	-	1	1	1	4	2	-		Hanging - - - - -	2.0	4	-	-	-	-	2	2	-			
Epidemic Typhus -	29.7	34	34	-	-	-	-	-	-		Otherwise - - - - -	0.7	2	-	-	-	1	1	-	-			
Epidemic Typhus -	2.7	4	4	-	-	-	-	-	-		(EXECUTION.)												
Epidemic Typhus -	6.4	8	7	1	-	-	-	-	-		Hanging - - - - -	0.0	-	-	-	-	-	-	-	-			
Epidemic Typhus -	58.3	48	-	-	-	-	-	20	23		OTHER CAUSES † - - -	57.0	49	37	3	1	1	1	6	-			
Epidemic Typhus -	45.6	47	1	-	-	5	16	21	4														
Epidemic Typhus -	8.2	3	-	-	1	-	1	1	-														
Epidemic Typhus -	54.0	50	39	11	-	-	-	-	-														
Epidemic Typhus -	37.3	72	7	15	12	4	7	23	4														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 16 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week end

REGISTRATION SUB-DISTRICTS.			Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Deaths in Public Institutions.
						Deaths of		Deaths from										Inquest Cases.		
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.			
LONDON			3,816,483	2561	1549	324	346	32	99	12	15	51	-	1	1	16	64	126	33	
WEST DISTRICTS			669,433	425	277	44	73	7	5	2	1	9	-	-	-	3	11	20	77	
NORTH DISTRICTS			905,947	581	350	74	79	7	29	1	5	15	-	-	1	2	12	24	70	
CENTRAL DISTRICTS			282,238	154	103	18	27	-	4	1	3	1	-	-	-	1	3	11	23	
EAST DISTRICTS			692,738	524	347	77	65	1	49	6	1	13	-	1	-	3	13	43	75	
SOUTH DISTRICTS			1,355,927	877	472	111	162	17	12	2	5	13	-	-	-	7	20	28	86	
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.			69888	51	20	3	5	-	-	-	-	-	-	-	-	1	-	1	2	
St. John Paddington H - G.J.			37380	15	13	2	3	-	-	-	-	-	-	-	-	-	-	1	7	
Kensington Town Ww - W.M.			120141	62	58	6	22	-	3	-	-	1	-	-	-	-	4	18	5	
Brompton H - W.M. & C.			48010	27	14	2	3	-	1	-	-	-	-	-	-	-	-	1	-	
St. Peter Hammersmith - W.M.			7599	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.			64340	61	21	7	7	-	1	-	-	3	-	-	-	-	1	-	3	
Fulham WwH - W.M. & C.			42900	42	27	5	5	7	-	1	-	2	-	-	-	1	1	1	13	
Chelsea South HHH - C.			80896	19	8	1	1	-	-	-	-	-	-	-	-	-	1	1	-	
Chelsea North-west WHHHH - C.			24925	84	15	4	3	-	-	-	-	-	-	-	-	-	1	7	-	
Chelsea North-east - C.			32807	24	13	5	3	-	-	-	-	-	-	-	-	1	1	2	-	
Hanover Square H - G.J.			16862	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
May Fair Ww - G.J.			13491	1	14	-	6	-	-	-	-	-	-	-	-	-	1	1	10	
Belgrave HH - G.			39220	29	19	1	6	-	-	-	-	-	-	-	-	-	1	1	8	
St. John Westminster HH - C.			35496	18	14	5	2	-	-	1	-	-	-	-	-	-	-	2	-	
St. Margaret Westminster H - C.			24679	11	8	-	3	-	-	-	1	-	-	-	-	-	-	-	3	
St. James Westminster WH N.R. & G.J.			29941	12	16	1	3	-	-	-	1	-	-	-	-	-	4	4	1	
St. Anne Soho HHHHH - N.R.			16608	9	7	2	-	-	-	1	-	1	-	-	-	-	-	-	-	
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.			26759	12	12	-	3	-	-	-	-	-	-	-	-	-	-	2	6	
Cavendish Square HHH - W.M.			14891	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rectory Marylebone WH G.J. & W.M.			24809	18	7	1	2	-	-	-	-	2	-	-	-	-	-	-	1	
St. Mary Marylebone HHH G.J. & W.M.			21118	28	5	1	1	-	-	-	-	-	-	-	-	-	-	-	2	
Christchurch Marylebone H - W.M.			33700	23	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone H - W.M.			33633	9	15	5	2	-	3	-	1	-	-	-	-	-	2	2	-	
Hampstead WwHHH - N.R. & W.M.			45452	23	11	2	3	1	-	-	-	-	-	-	-	-	2	2	1	
Regent's Park Pancras H - W.M.			39115	26	13	5	2	-	-	1	-	1	-	-	-	-	-	1	-	
Tottenham-court WHHHH N.R. & W.M.			27729	18	21	3	8	-	1	-	-	-	-	-	-	-	-	9	-	
Gray's Inn Lane HHH - N.R.			30247	21	12	3	1	-	-	-	-	1	-	-	-	-	-	1	-	
Somers Town H - N.R.			34369	23	12	3	4	-	-	-	-	-	-	-	1	-	-	1	-	
Camden Town WH - N.R.			17311	14	19	1	8	-	-	-	-	-	-	-	-	3	3	14	-	
Kentish Town W - N.R.			87487	60	26	10	4	-	1	-	-	1	-	-	1	-	1	2	2	
Upper Holloway WwWwH - N.R.			67946	45	54	6	9	3	11	-	2	1	-	-	-	1	2	18	-	
Islington South-west HH - N.R.			100976	80	27	7	6	-	1	-	1	1	-	-	-	1	3	4	1	
Islington South-east - N.R.			61825	23	21	6	4	-	-	-	-	2	-	-	-	-	-	-	-	
Highbury H - N.R.			52048	23	21	6	4	-	2	-	-	2	-	-	-	-	-	-	-	
Stoke Newington H - N.R.			22781	17	13	4	4	-	2	-	1	2	-	-	-	1	1	-	-	
Stamford Hill - E.L.			9277	11	4	2	-	1	-	-	-	1	-	-	-	-	-	-	-	
West Hackney - N.R.			37610	23	12	6	1	-	2	-	-	2	-	-	-	-	-	-	-	
Hackney WwWwHL - E.L. & N.R.			76911	50	38	8	9	3	-	-	-	-	-	-	-	-	-	-	-	
South Hackney - E.L.			39883	20	9	3	3	-	2	-	-	-	-	-	-	-	2	15	-	
CENTRAL DISTRICTS.																				
St. George Bloomsbury - N.R.			16681	4	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - N.R.			14864	22	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles North - N.R.			13837	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
St. Martin-in-the-Fields HH N.R. & C.			17508	5	8	1	2	-	-	-	-	-	-	-	-	-	-	-	1	
St. Mary-le-Strand H - N.R.			7515	4	4	-	2	-	-	-	1	-	-	-	-	-	-	2	-	
St. Clement Danes H - N.R.			8559	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George-the-Martyr HHHHHH N.R.			18671	9	7	1	4	-	-	-	-	-	-	-	-	-	-	-	1	
St. Andrew Eastern W - N.R.			10706	3	4	1	1	-	-	-	-	-	-	-	-	-	1	1	1	
Saffron Hill H - N.R.			6523	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
St. James Clerkenwell - N.R.			17516	8	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	
Amwell Clerkenwell - N.R.			19281	18	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-	
Pentonville - N.R.			14773	10	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
Goswell-street - N.R.			17506	10	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
Old-street H - N.R.			11541	7	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
City-road HHL - N.R.			18628	16	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	
Whitcross-street - N.R.			9217	6	4	1	-	-	1	-	-	-	-	-	-	1	-	1	-	
Finsbury - N.R.			7463	1	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - N.R. & E.L.			11174	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - N.R.			7193	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
St. Sepulchre H - N.R.			5358	-	17	1	2	-	-	-	-	1	-	-	-	-	1	1	15	
St. Bride W - N.R.			8396	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Allhallows Barking - N.R.			13666	6	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-	
Broad Street H - N.R.			5652	3	4	1	2	-	-	-	-	-	-	-	-	-	1	1	1	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; W—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifying Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. the Kent Company.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during Week ending Saturday, 2nd May, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON—OUTER RING		370,282	950,178	704	345	68	88	34	2	-	4	9	1	3	12	19	43	
30:1	Carshalton <i>wL</i> - -	12238	21118	10	5	-	1	-	-	-	-	-	1	1	-	-	4	
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	5	4	1	1	-	-	-	-	-	-	-	-	1	-	
37:1	Godstone (<i>part of</i>) * -	2754	1235	1	2	1	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon <i>WwH</i> - -	20851	101241	74	35	5	7	1	-	-	1	-	-	-	2	2	5	
	Mitcham - - -	11697	17932	13	8	1	2	-	-	-	-	1	-	-	1	2	-	
39:1	Wimbledon <i>HHH</i> - -	3220	15950	14	5	1	1	1	-	-	-	-	-	-	-	-	1	
2	Kingston <i>WHH</i> - -	8549	36354	22	13	5	2	-	-	-	-	-	-	-	1	2	-	
3	Esher (<i>part of</i>) * -	6901	9221	1	4	-	1	-	-	-	1	-	-	-	-	-	-	
4	Hampton <i>H</i> - - -	4573	13539	7	8	2	3	-	-	-	-	-	-	-	1	1	-	
40:1	Richmond <i>WH</i> - - -	2272	21302	16	7	-	2	-	-	-	-	-	-	-	-	-	3	
2	Mortlake - - -	941	12331	7	7	1	2	-	-	-	-	-	-	-	-	-	-	
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	26	9	2	6	-	-	-	-	-	-	1	-	1	-	
2	Chislehurst(<i>pt.of</i>)* <i>WHH</i>	13665	15065	13	3	1	-	1	-	-	-	-	-	-	-	-	-	
42:1	Bexley <i>H</i> - - -	13437	24134	12	9	1	2	-	-	-	-	-	-	-	-	-	-	
124:1	Sunbury <i>w</i> - - -	11055	11685	6	3	-	1	-	-	-	-	-	-	-	1	1	-	
2	Staines <i>W</i> - - -	13277	12089	7	2	-	-	-	-	-	-	-	-	-	-	-	-	
125:1	Hillingdon <i>WH</i> - -	5029	10802	10	1	-	1	-	-	-	-	-	-	-	-	-	1	
2	Uxbridge - - -	6178	5225	-	2	1	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>wHL</i> - - -	14587	11523	7	2	-	1	-	-	-	-	-	-	-	-	-	1	
126:1	Isleworth <i>W</i> - - -	7008	22727	14	7	1	5	-	-	-	-	-	-	-	-	-	3	
2	Twickenham <i>H</i> - -	2477	12479	8	8	-	3	-	-	-	-	-	-	-	1	2	-	
3	Brentford <i>HL</i> - -	4345	27849	18	7	3	1	1	-	-	-	2	-	-	-	-	-	
4	Chiswick - - -	1340	15975	15	5	2	1	-	-	-	1	-	-	-	-	-	-	
5	Acton <i>wH</i> - - -	6083	22876	21	5	1	1	-	-	-	-	-	-	-	-	-	-	
127:1	Harrow <i>H</i> - - -	13909	12796	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware <i>H</i> - - -	6994	3749	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - - -	4383	27453	23	15	3	7	-	-	-	-	1	-	-	1	1	-	
4	Hendon <i>W</i> - - -	8382	10484	10	4	4	-	-	-	-	-	-	-	-	-	-	-	
128:1	South Mimms - - -	15599	6391	10	3	1	1	-	-	-	-	-	-	-	-	-	-	
2	Barnet <i>W</i> - - -	5433	10092	3	4	-	1	-	-	-	-	-	-	-	-	-	2	
3	Finchley <i>HL</i> - - -	4688	17615	15	4	1	1	-	-	-	-	-	-	-	-	-	2	
129:1	Hornsey <i>H</i> - - -	3039	37078	16	12	4	4	-	1	-	-	1	-	-	-	-	-	
2	Tottenham <i>HH</i> - - -	4642	46456	42	14	3	2	-	1	-	1	2	-	-	-	-	-	
3	Edmonton <i>WwW</i> - -	7483	23463	21	14	2	5	1	-	-	-	-	-	-	2	2	4	
4	Enfield <i>WH</i> - - -	12653	19104	6	5	-	2	-	-	-	-	-	-	-	-	-	-	
5	Waltham Abbey - -	11017	5363	6	1	-	1	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - - -	8480	7735	7	3	-	1	-	-	-	-	-	-	-	1	1	-	
135:1	Hatfield (<i>part of</i>) *	3306	883	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - - -	9331	6621	3	2	-	1	-	-	-	-	-	-	-	1	1	-	
186:1	Stratford - - -	882	38600	35	15	4	1	1	-	-	-	-	-	-	-	1	-	
2	West Ham <i>wvwWH</i> -	7351	101053	110	50	10	3	23	-	-	-	1	-	1	-	1	6	
3	Leyton <i>WwL</i> - - -	4372	32430	20	17	1	8	1	-	-	-	1	-	-	-	-	10	
4	Walthamstow <i>wH</i> -	6520	28869	19	10	1	5	-	-	-	-	-	-	-	-	-	-	
187:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9689	6	3	1	1	-	-	-	-	-	-	-	-	-	1	
189:1	Romford (<i>part of</i>) *	6730	3411	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - - -	8493	7645	6	4	2	-	2	-	-	-	-	-	-	-	-	-	
3	Barking Town - - -	4127	9203	9	4	2	-	2	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow.—30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warlingham and Parle in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1318); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 187:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 189:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 2nd May, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.			
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.					
WATER LONDON	448,334	5,199,166	19.0	2.8	1894	392	434	66	101	12	19	60	3	19	76	374					
INNER LONDON	78,052	4,088,928	19.8	2.9	1549	324	346	32	99	12	15	51	2	16	64	331					
OUTER RING	370,282	1,115,238	16.1	2.5	345	68	88	34	2	-	4	9	1	3	12	43					

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal 700,522 square miles, which is equivalent to the area of a circle having a radius of 14,933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA	433,219	March 21	-	250	30.1	Fevers 55; cholera 46; small-pox 4.
BOMBAY	773,196	" 31	282	412	25.4	Fevers 122; cholera 17; measles 10.
MADRAS	398,777	" 20	301	313	40.7	Fevers 71; cholera 8.
PARIS	2,239,928	April 25	1259	1177	27.3	Typhoid fever 19; meas. 47; diph. & croup 34.
GENEVA	71,453	" 25	20	29	21.2	Typhus and typhoid fever 1.
BRUSSELS	436,214	" 18	239	189	24.3	Typh. and typhd. fev. 3; measles 5.
AMSTERDAM	366,812	" 25	-	-	-	-
ROTTERDAM	166,001	" 25	-	-	-	-
THE HAGUE	134,552	" 25	-	-	-	-
COPENHAGEN	278,000	" 28	191	143	27.8	Scar. fev. 3; measles 3.
STOCKHOLM	190,115	" 18	124	123	33.3	Measles 21; diphtheria and croup 8.
CHRISTIANIA	128,000	" 25	68	60	24.4	Scarlet fever 3; diphtheria and croup 8.
ST. PETERSBURG	928,016	" 18	-	682	38.3	Typh. and typhd. fev. 21; measles 10; diph. 8.
BERLIN	1,266,511	" 11	833	601	24.6	Diphtheria 37; scarlet fever 8.
HAMBURG (State)	407,956	" 18	336	251	26.3	Diphtheria and croup 10; typh. and typhd. fev. 2.
DRESDEN	241,500	" 18	162	110	23.7	Diphtheria 7; scarlet fever 2.
BRESLAU	295,000	" 18	211	167	29.4	Typhus and typhoid fever 1.
MUNICH	244,000	" 25	182	171	36.4	Diphtheria and croup 9; small-pox 2.
VIENNA	769,889	" 18	524	446	30.1	Small-pox 23; diph. 7.
PRAGUE	272,383	" 25	-	197	37.7	Scarlet fever 2.
BUDA-PESTH	429,532	" 11	329	276	25.8	Diphtheria and croup 5.
TRIESTE	150,157	" 11	-	99	31.2	Small-pox 5; diph. and croup 2.
ROME	324,649	March 21	202	164	26.4	Small-pox 12; typhoid fever 2.
NAPLES	504,795	-	-	-	-	-
TURIN (10 days)	267,763	April 10	227	212	28.9	Sm.-pox 4; typhd. fev. 6.
VENICE	144,845	" 18	64	91	32.8	Sm.-pox 2; typhd. fev. 4.
MADRID	475,668	-	-	-	-	-
LISBON	263,681	-	-	-	-	-
ALEXANDRIA	212,034	April 4	204	157	-	Typhus and typh. fev. 3; whooping-cough 4.
NEW YORK	1,356,958	" 4	-	791	30.4	Measles 21; diphtheria 28; scarlet fever 21.
BROOKLYN	665,602	" 4	-	298	23.4	Measles 5; diphtheria 12.
PHILADELPHIA	949,432	" 11	-	437	24.0	Diph. 11; typhd. fev. 6; scarlet fever 10.
BALTIMORE	408,520	" 11	-	153	19.5	Typhoid fever 4; scarlet fever 2.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 2nd MAY, 1885.
[Under the Superintendence of the Astronomer Royal.]

MOON.		WIND.		RAIN.	
Phase of Moon.	Age of Moon.	Direction.	Force.	Amount.	Time.
SUN. 26	In Equator	W. by N.	1-2	0.00	11-0
MON. 27	..	W. by N.	1-2	0.00	11-0
TUES. 28	..	W. by N.	1-2	0.00	11-0
WED. 29	Full	W. by N.	1-2	0.00	11-0
THURS. 30	..	W. by N.	1-2	0.00	11-0
FRI. 1	..	W. by N.	1-2	0.00	11-0
SAT. 2	..	W. by N.	1-2	0.00	11-0
MEANS	..	W. by N.	1-2	0.00	11-0
No. of Col.	8	4	7	8	9

DATE.		ELECTRICITY.		SKY AND ATMOSPHERE.	
DATE.	APRIL.	For explanation of symbols, see Note.	Registered Sunshine, in hours.	Sun above Horizon, in hours.	SKY AND ATMOSPHERE.
SUNDAY	26	w. P. in morning; w. P. with slight exceptions at intervals.	8.4	14.5	Generally cloudy.
MONDAY	27	v. P. generally	3.3	14.5	Variable amounts of cloud prevailed. Fine.
TUESDAY	28	w. P. till evening; s. N. and e. P. at night.	11.8	14.6	Very fine with small amounts of cloud till evening; overcast and rainy afterwards.
WEDNESDAY	29	s. P. and s. N. till 10 A.M.; m. P. till 10 A.M.; v. P. and w. N. till 10 A.M.; v. P. generally	0.6	14.7	Overcast and showery till evening; cloudless and fine at night.
THURSDAY	30	v. P. generally	2.1	14.7	Generally cloudy.
FRIDAY	1	v. P. generally	5.6	14.8	Fine in early morning; overcast with occasional slight rain till afternoon; fine with variable clouds afterwards.
SATURDAY	2	w. P. generally till 10 A.M.; v. P. and s. N. till 10 A.M.; m. P. afterwards.	5.4	14.8	Variable and showery till afternoon; fine afterwards. Cloudless at night.

DATE.		ELECTRICITY.		SKY AND ATMOSPHERE.	
DATE.	APRIL.	For explanation of symbols, see Note.	Registered Sunshine, in hours.	Sun above Horizon, in hours.	SKY AND ATMOSPHERE.
SUNDAY	26	w. P. in morning; w. P. with slight exceptions at intervals.	8.4	14.5	Generally cloudy.
MONDAY	27	v. P. generally	3.3	14.5	Variable amounts of cloud prevailed. Fine.
TUESDAY	28	w. P. till evening; s. N. and e. P. at night.	11.8	14.6	Very fine with small amounts of cloud till evening; overcast and rainy afterwards.
WEDNESDAY	29	s. P. and s. N. till 10 A.M.; m. P. till 10 A.M.; v. P. and w. N. till 10 A.M.; v. P. generally	0.6	14.7	Overcast and showery till evening; cloudless and fine at night.
THURSDAY	30	v. P. generally	2.1	14.7	Generally cloudy.
FRIDAY	1	v. P. generally	5.6	14.8	Fine in early morning; overcast with occasional slight rain till afternoon; fine with variable clouds afterwards.
SATURDAY	2	w. P. generally till 10 A.M.; v. P. and s. N. till 10 A.M.; m. P. afterwards.	5.4	14.8	Variable and showery till afternoon; fine afterwards. Cloudless at night.

DATE.		ELECTRICITY.		SKY AND ATMOSPHERE.	
DATE.	APRIL.	For explanation of symbols, see Note.	Registered Sunshine, in hours.	Sun above Horizon, in hours.	SKY AND ATMOSPHERE.
SUNDAY	26	w. P. in morning; w. P. with slight exceptions at intervals.	8.4	14.5	Generally cloudy.
MONDAY	27	v. P. generally	3.3	14.5	Variable amounts of cloud prevailed. Fine.
TUESDAY	28	w. P. till evening; s. N. and e. P. at night.	11.8	14.6	Very fine with small amounts of cloud till evening; overcast and rainy afterwards.
WEDNESDAY	29	s. P. and s. N. till 10 A.M.; m. P. till 10 A.M.; v. P. and w. N. till 10 A.M.; v. P. generally	0.6	14.7	Overcast and showery till evening; cloudless and fine at night.
THURSDAY	30	v. P. generally	2.1	14.7	Generally cloudy.
FRIDAY	1	v. P. generally	5.6	14.8	Fine in early morning; overcast with occasional slight rain till afternoon; fine with variable clouds afterwards.
SATURDAY	2	w. P. generally till 10 A.M.; v. P. and s. N. till 10 A.M.; m. P. afterwards.	5.4	14.8	Variable and showery till afternoon; fine afterwards. Cloudless at night.

DATE.		ELECTRICITY.		SKY AND ATMOSPHERE.	
DATE.	APRIL.	For explanation of symbols, see Note.	Registered Sunshine, in hours.	Sun above Horizon, in hours.	SKY AND ATMOSPHERE.
SUNDAY	26	w. P. in morning; w. P. with slight exceptions at intervals.	8.4	14.5	Generally cloudy.
MONDAY	27	v. P. generally	3.3	14.5	Variable amounts of cloud prevailed. Fine.
TUESDAY	28	w. P. till evening; s. N. and e. P. at night.	11.8	14.6	Very fine with small amounts of cloud till evening; overcast and rainy afterwards.
WEDNESDAY	29	s. P. and s. N. till 10 A.M.; m. P. till 10 A.M.; v. P. and w. N. till 10 A.M.; v. P. generally	0.6	14.7	Overcast and showery till evening; cloudless and fine at night.
THURSDAY	30	v. P. generally	2.1	14.7	Generally cloudy.
FRIDAY	1	v. P. generally	5.6	14.8	Fine in early morning; overcast with occasional slight rain till afternoon; fine with variable clouds afterwards.
SATURDAY	2	w. P. generally till 10 A.M.; v. P. and s. N. till 10 A.M.; m. P. afterwards.	5.4	14.8	Variable and showery till afternoon; fine afterwards. Cloudless at night.

DATE.		ELECTRICITY.		SKY AND ATMOSPHERE.	
DATE.	APRIL.	For explanation of symbols, see Note.	Registered Sunshine, in hours.	Sun above Horizon, in hours.	SKY AND ATMOSPHERE.
SUNDAY	26	w. P. in morning; w. P. with slight exceptions at intervals.	8.4	14.5	Generally cloudy.
MONDAY	27	v. P. generally	3.3	14.5	Variable amounts of cloud prevailed. Fine.
TUESDAY	28	w. P. till evening; s. N. and e. P. at night.	11.8	14.6	Very fine with small amounts of cloud till evening; overcast and rainy afterwards.
WEDNESDAY	29	s. P. and s. N. till 10 A.M.; m. P. till 10 A.M.; v. P. and w. N. till 10 A.M.; v. P. generally	0.6	14.7	Overcast and showery till evening; cloudless and fine at night.
THURSDAY	30	v. P. generally	2.1	14.7	Generally cloudy.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 18. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, MAY 9. [Price 1½d.

General Register Office, Somerset House,
11th May, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 20·2 per 1000 of their population. The death-rates in these towns in each of the past four weeks were:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Apr. 18.	Apr. 25.	May 2.	May 9.		Apr. 18.	Apr. 25.	May 2.	May 9.
Birkenhead	17·9	21·9	20·2	20·7	Liverpool -	23·2	29·9	21·3	23·4
Birmingham	24·2	18·8	21·8	19·4	London -	21·8	22·3	19·8	18·7
Blackburn -	22·7	30·6	30·1	26·4	Manchester -	35·9	30·9	30·6	26·0
Bolton -	21·8	22·7	15·2	15·2	Newcastle-on-Tyne	32·4	35·4	34·4	36·8
Bradford -	24·3	20·2	23·1	19·0	Norwich -	21·2	21·7	18·9	16·6
Brighton -	23·2	18·2	15·9	14·1	Nottingham	17·8	19·2	17·5	18·0
Bristol -	26·8	26·5	22·5	17·9	Oldham -	23·9	23·9	25·6	26·4
Cardiff -	33·3	34·9	16·1	24·7	Plymouth -	35·7	24·7	19·2	13·0
Derby -	16·3	15·7	15·1	20·9	Portsmouth -	19·0	17·4	16·7	17·8
Halifax -	20·9	20·2	26·3	20·2	Preston -	28·1	32·2	32·7	28·6
Huddersfield	20·3	20·9	24·5	23·9	Salford -	20·7	22·2	18·7	24·0
Hull -	16·2	22·1	15·1	17·9	Sheffield -	25·1	23·9	22·0	19·5
Leeds -	23·8	21·3	23·0	20·4	Sunderland -	32·9	31·2	23·7	21·6
Leicester -	22·2	18·4	20·3	15·3	Wolverhampton -	23·1	23·1	20·4	25·0

The highest annual death-rates from measles, measured by last week's mortality, were 2·5 in Sunderland, 3·8 in Cardiff, and 8·5 in Newcastle-upon-Tyne; from whooping-cough, 1·6 in Preston, 3·4 in Plymouth, and 3·7 in Blackburn; from scarlet fever, 1·2 in Sunderland, and 1·3 in Salford; and from "fever," 2·3 in Norwich. The 33 deaths from diphtheria in the twenty-eight towns included 24 in London, 3 in Liverpool, and 2 in Oldham. Small-pox caused 71 deaths in London and its outer ring of suburban districts, 2 in Manchester, one in Liverpool, and one in Sunderland.

LONDON.

In LONDON 2429 BIRTHS and 1465 DEATHS were registered. Allowing for increase of population, the births were 397, and the deaths 190, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 22·3 and 19·8 in the two preceding weeks, further declined last week to 18·7. During the first five weeks of the current quarter the death-rate averaged 21·3 per 1000, against 22·8 in the corresponding periods of the nine years 1876-84.

The 1465 deaths included 44 from small-pox, 91 from measles, 13 from scarlet fever, 24 from diphtheria, 46 from whooping-cough, 2 from typhus, 12 from enteric fever, not one from ill-defined forms of continued fever, 13 from diarrhoea and dysentery, and 1 from cholera; thus, 246 deaths were referred to these diseases, being 2 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 41, 39, and 32 in the three preceding weeks, rose last week to 44, and exceeded the corrected weekly average by 17. These 44 deaths were, however, exclusive of 22 deaths of London residents who died in the Metropolitan Asylum Hospitals situated outside

Registration London. Of the 66 fatal cases, 46 occurred in the Metropolitan Asylum Hospitals in and around London, 4 in the Highgate Small-pox Hospital, and 16 in private dwelling-houses. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1034 and 1282 on the two preceding Saturdays, further rose to 1361 at the end of last week; the admissions, which had been 246 and 354 in the two previous weeks, were 315 last week. The Highgate Small-pox Hospital contained 81 patients on Saturday last, 14 cases having been admitted during the week.

The fatal cases of *measles*, which had been 103 and 99 in the two preceding weeks, further declined to 91 last week, but exceeded the corrected weekly average by 36; 6 belonged to Kensington, 10 to Islington, 8 to Hackney, 16 to Bethnal Green, and 9 to Stepney. The 13 deaths from *scarlet fever* showed a further slight increase upon the low numbers in recent weeks, but were 24 below the corrected average. The Metropolitan Asylum Hospitals contained 172 scarlet fever patients on Saturday last, showing an increase of 12 during the week; 28 cases were admitted, against 25 and 13 in the two previous weeks. The 46 deaths from *whooping-cough* showed a further decline from the numbers in the two previous weeks, and were 34 below the corrected average; 7 belonged to Islington, 4 to Mile End Old Town, and 4 to Greenwich. The deaths referred to *diphtheria*, which had been 10 and 15 in the two previous weeks, further rose last week to 24 and exceeded the number in any week since the first of this year; 6 belonged to Islington, 2 to Chelsea, 2 to St. George Hanover Square, 2 to Hackney, and 2 to Lambeth. The 13 deaths attributed to *diarrhæa* and *dysentery*, were 4 below the corrected average.

The deaths referred to *enteric fever*, which had been 13, 11, and 1 in the three preceding weeks, rose again to 12 last week, but were one below the corrected average; 3 belonged to Lambeth, and 2 to Wandsworth (East Battersea). The 2 deaths attributed to *typhus* were of a child, aged 9 years, at 43, Mape Street, Bethnal Green; and of a child, aged 4 years, at 199, Brunswick Road, Poplar. The Metropolitan Asylum Hospitals contained 28 cases of enteric fever, and 2 of typhus, on Saturday last; one of enteric fever, and not one of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had declined in the four preceding weeks from 512 to 337, further fell last week to 287, and were 75 below the corrected weekly average.

The death of a labourer was registered in the Paddington Workhouse, from disease of the heart, on 1st instant, whose age was stated to be 100 years.

Different forms of violence caused 52 deaths; 41 were the result of negligence or accident, among which were 19 from fractures and contusions, 2 from burns and scalds, 5 from drowning, 4 from poison, and 6 of infants under one year of age from suffocation. The 19 deaths from fractures and contusions were thus returned:—male, aged 29, run over by cab; male 39, thrown from cart; male 33, run over on North London Railway; male 8, male 46, male 48, and female 66, fell in street; male 58, fell into area; female 2, fell from window; male 36, fell from pier; male 10, fell from ladder; male 54, fall of ladder upon; male 62, fell from plank; male 36, fell into ship's hold; male 50, fell upon box; female 62, fell in room; male 18, fell upon flywheel of engine; females 40 and 43, by fracture. An inquest was held in each of these 19 cases.

GREATER LONDON.

In Greater London 3148 births and 1821 deaths were registered, equal to annual rates of 31.6 and 18.3 per 1000 of the population. In the Outer Ring 27 deaths from small-pox, and 13 from measles were registered. The 27 fatal cases of small-pox included 19 in West Ham sub-district, of which one occurred in the Metropolitan Asylum Hospital at Plaistow, and 18 were local cases.

On pages 181-2 will be found Dr. Frankland's report upon the quality of the waters supplied to the Metropolis by the various water companies during April. The Thames waters, delivered by the five companies drawing their supply from that source, contained in each case less organic matter than the samples examined in the previous month. The West Middlesex and Chelsea Companies' samples showed the most marked improvement. All the samples were clear and bright. The Lea water supplied by the New River and East London Companies showed similar improvement, and was superior to the water derived from the Thames. The deep-

well waters supplied by the Kent and Colne Valley Companies, and by the Tottenham Local Board, were of their usual excellent quality for drinking, the amount of organic matter in the Kent Company's water being exceptionally small. The Colne Valley Company's water had been softened with lime, and thus rendered suitable for all domestic purposes.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·486 in.; the lowest reading was 29·15 in. at noon on Wednesday, and the highest 29·79 in. on Friday evening. The mean temperature of the *air* was 46°·7, and 3°·3 below the average in the corresponding week of the 20 years ending 1868. The mean showed a slight excess on Sunday and Monday, whereas it was considerably below the average on each of the other days of the week. The direction of the *wind* was variable, and the horizontal movement of the air averaged 8·9 miles per hour, which was 1·7 miles below the average in the corresponding week of 16 years. *Rain* fell on six days of the week, to the aggregate amount of 0·77 of an inch. The duration of registered bright sunshine in the week was 31·4 hours, against 37·3 hours at Glynde Place, Lewes.

THE REGISTRAR GENERAL has to acknowledge the courtesy of the LONDON WATER COMPANIES who have furnished him with the average daily quantity of Water supplied during the month of APRIL 1885; according to their returns 146,019,035 gallons or 663,431 cubic metres of water (equal to about as many *tuns* by measure, *tons* by weight,) were supplied daily; or 212 gallons (96·3 decalitres), being rather less than a *ton* by weight, to each house, and 27·1 gallons (12·3 decalitres) to each person, against 27·4 gallons during April 1884.

COMPANIES.	Number of Houses, &c. supplied in		Average daily Supply of Water in Gallons.	
	APRIL. 1884.	APRIL. 1885.	APRIL. 1884.	APRIL. 1885.
TOTAL SUPPLY . . .	669,287	690,172	143,178,175	146,019,035
From Thames	324,426	334,048	71,196,458	74,108,724
From Lea and from other Sources . . .	344,861	356,124	71,981,717	71,910,311
THAMES.				
Chelsea	32,797	33,425	9,610,340	9,656,000
West Middlesex	64,092	66,132	12,695,508	13,602,013
Southwark and Vauxhall	101,696	103,901	19,668,108	21,108,753
Grand Junction	48,657	50,518	14,300,902	14,974,858
Lambeth	77,184	80,072	14,921,600	14,767,100
LEA AND OTHER SOURCES.				
New River	141,058	143,974	28,544,000	26,595,000
East London	142,910	148,308	33,744,880	34,870,053
Kent	60,893	63,842	9,692,837	10,445,258

Note.—The Return for April 1885, as compared with that for the corresponding month of 1884, shows an increase of 20,885 houses, and of 2,840,860 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING APRIL.

Grove House, Pembroke Square, W.,
8th May, 1885.

SIR,

I HAVE to report to you in the following Table the results of the chemical analyses of the waters supplied to the inner, and portions also of the outer, circle of the Metropolis during the month of April. I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity contained in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Kent 0·2, Colne Valley 0·6, Tottenham 1·2, New River 1·5, East London 2·0, Grand Junction 2·6, Chelsea 2·6, Southwark 2·7, West Middlesex 2·8, Lambeth 3·1.

The Thames water distributed by the Chelsea, West Middlesex, Southwark, Grand Junction, and Lambeth Companies contained, in every case, less organic matter than in the previous month's samples; the improvement was most marked in the case of the West Middlesex and Chelsea Companies' waters. All the samples were clear and bright.

The water drawn from the Lea and delivered by the New River and East London Companies also exhibited a considerable improvement as regards organic matter the amount of the latter being less than in any of the Thames waters. Both waters were clear and bright on delivery.

The deep-well water sent out by the Kent and Colne Valley Companies, and by the Tottenham Local Board of Health was as usual of excellent quality for drinking, the amount of organic

matter in the Kent Company's water being exceptionally small. The Colne Valley Company by softening their supply with lime thereby rendered it also well fitted for washing and all other domestic purposes.

Seen through a stratum two feet deep, the waters presented the following appearances:—Kent, Colne Valley, Tottenham, and New River, clear and colourless; East London, clear and nearly colourless; Chelsea, West Middlesex, Southwark, Grand Junction, and Lambeth, clear and very pale yellow.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that town was "somewhat turbid and contained living organisms. The organic matter was much larger in quantity than it has been for some time."

Dr. Mills, F.R.S., of Anderson's College, Glasgow, reports that the water supplied to that city from Loch Katrine was "light brown in colour and contained a little suspended matter."

I am, &c.

E. FRANKLAND.

The Registrar General, &c. &c.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Mat- ter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.	April 28th, Cab Rank, Horseguards, Whitehall.	12°0	26·06	·124	·031	0	·145	·176	1·7	18·6
	Chelsea - -	April 28th, Cab Rank, Portland-road.	14·7	26·04	·144	·024	0	·151	·175	1·8	19·7
	West Middlesex -	April 28th, Cab Rank, Bricklayers Arms, Old Kent-road.	14·2	26·62	·134	·028	0	·141	·169	1·8	19·1
	Southwark - -	April 28th, Cab Rank, Uxbridge-rd., near Marble Arch.	13·7	25·40	·124	·028	0	·149	·177	1·8	19·1
	Grand Junction -	April 28th, Cab Rank, St. George's- road, Southwark.	13·4	27·30	·153	·032	0	·170	·202	1·8	20·3
	Lambeth - -	April 28th, Cab Rank, Tottenham Court-road.	11·9	24·20	·074	·017	0	·208	·225	1·8	18·9
Outer Circle.	LEA.	April 28th, Cab Rank, Tottenham Court-road.	13·7	27·94	·092	·026	0	·213	·239	2·1	20·0
	New River - -	April 28th, Fire Brigade Station, Commercial-road, E.	13·5	35·14	·006	·005	0	·367	·372	2·3	28·6
	DEEP WELLS.	April 29th, Greenwich Police Station, Blackheath-road.	—	12·70	·025	·012	0	·376	·388	1·8	4·7
	Kent - - -	April 27th, Bushey.	—	35·60	·052	·020	·060	0	·069	2·3	21·8
Colne Valley - -		April 28th, Tottenham.	8·9	26·62	·176	·061	·004	·143	·207	1·9	17·1
Tottenham - -		April 16th, Loch Katrine Water.	5·8	2·90	·147	·031	0	·006	·037	·7	1·0
Corporation of Birming- ham*		April 8th, 11, Court Bartholomew-st.	8·9	26·62	·176	·061	·004	·143	·207	1·9	17·1
Corporation of Glasgow†		April 16th, Loch Katrine Water.	5·8	2·90	·147	·031	0	·006	·037	·7	1·0
Column 1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, Medical Officer of Health and Analyst to the Borough.

† Analysed by Dr. E. J. Mills, F.R.S., of Anderson's College, Glasgow.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on 28th April at the Horseguards cab-rank, had a temperature of 12°0 C.; 100,000 lbs. of it contained 26·06 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·124 lb. of carbon and ·031 lb. of nitrogen. The above quantity of water also contained no ammonia, and ·145 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·176 lb. The above weight of water also contained 1·7 lbs. of chlorine; and 18·6 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 2.—BIRTHS, DEATHS, AND METEOROLOGY IN THE GREAT TOWNS, during the Week ending 9th May, 1885.

CITIES AND BOROUGHES.	POPULATION estimated at the middle of the Year 1885.	Registered during the Week ending 9th May, 1885.			The DEATHS registered in the Week include												Annual Rate per 1000, corresponding to the Week's Deaths			TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGHES.
		1.	2.	3.	Deaths from								Deaths in Public Institutions.	Unclassified Causes of Death.	From All Causes.	From Diseases in Cols. 6-12.	Mean.			In Inches.	In Centi- meters.					
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.					Highest.	Lowest.	Fahrenheit.			Fahrenheit.				
Cols.					4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
28 TOWNS.	8,065,446	5558	3440	772	673	48	181	36	33	116	37	80	119	221	589	73	20-2	2-8	65-0	29-0	43-0	6-11	0-66	1-68	28 TOWNS.	
LONDON.	4,085,928	2429	1465	296	289	14	91	13	24	46	14	13	52	98	319	13	18-7	3-1	65-0	31-8	46-7	8-17	0-77	1-96	LONDON.	
BRIGHTON.	114,672	74	31	5	10	-	-	-	-	-	-	-	-	1	7	7	14-1	0-0	60-0	35-0	40-3	7-95	1-03	2-62	BRIGHTON.	
PORTSMOUTH.	134,659	85	46	10	14	-	-	-	-	-	-	-	-	3	5	5	17-8	0-4	-	-	-	-	-	-	PORTSMOUTH.	
NORWICH.	91,216	51	29	8	10	-	-	-	-	-	-	-	-	1	1	3	13-0	3-4	56-7	33-5	46-0	7-78	0-81	2-06	NORWICH.	
PLYMOUTH.	76,045	43	19	8	4	-	-	-	-	-	5	1	2	1	4	11	4	17-9	2-9	55-0	35-0	43-5	6-39	0-87	2-21	PLYMOUTH.
BRISTOL.	218,160	145	75	27	15	-	3	1	-	-	5	1	2	4	9	-	25-0	6-7	59-5	29-0	41-3	5-17	0-51	1-30	BRISTOL.	
WOLVERHAMPTON.	79,185	58	38	8	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WOLVERHAMPTON.	
BIRMINGHAM.	427,769	281	159	46	26	-	1	-	-	6	-	2	6	10	31	3	19-4	1-1	-	-	-	-	-	-	BIRMINGHAM.	
LEICESTER.	136,147	91	40	11	11	-	2	-	-	3	2	-	1	1	3	5	18-0	0-2	57-0	32-0	42-8	6-00	0-31	0-79	LEICESTER.	
NOTTINGHAM.	211,424	152	73	20	19	-	-	-	-	-	-	-	-	2	6	3	-	20-9	1-2	-	-	-	-	-	-	NOTTINGHAM.
DERBY.	89,691	73	36	9	7	-	-	-	1	1	2	-	-	1	2	3	-	20-7	4-5	-	-	-	-	-	-	DERBY.
BIRKENHEAD.	93,693	65	37	2	4	-	4	1	1	1	2	1	1	12	15	45	23	23-4	3-3	53-8	27-6	43-2	6-22	0-50	1-27	BIRKENHEAD.
LIVERPOOL.	579,724	357	260	60	37	1	22	2	3	7	1	1	1	12	15	45	23	23-4	3-3	53-8	27-6	43-2	6-22	0-50	1-27	LIVERPOOL.
BOLTON.	119,085	65	32	9	5	-	1	-	-	-	-	-	-	2	5	2	1	15-2	0-5	55-1	30-6	41-2	5-11	0-58	1-47	BOLTON.
MANCHESTER.	387,342	219	108	35	27	2	13	-	1	6	3	2	10	15	39	1	26-0	4-2	-	-	-	-	-	-	-	MANCHESTER.
SALFORD.	204,075	133	94	18	19	-	1	5	-	4	3	1	4	5	19	6	24-0	3-6	-	-	-	-	-	-	-	SALFORD.
OLDHAM.	126,380	103	64	25	12	-	-	-	-	2	3	-	2	1	1	6	4	26-4	2-9	-	-	-	-	-	-	OLDHAM.
BLACKBURN.	112,574	69	57	16	8	-	-	-	-	-	3	1	2	2	2	6	-	26-4	5-1	-	-	-	-	-	-	BLACKBURN.
PRESTON.	100,406	84	55	17	13	-	-	-	-	-	3	-	-	3	4	9	-	28-6	1-6	-	-	-	-	-	-	PRESTON.
HUDERSFIELD.	87,327	49	40	5	11	-	1	-	-	-	-	-	-	2	2	1	2	23-9	0-6	-	-	-	-	-	-	HUDERSFIELD.
HALEFAX.	77,378	52	30	6	11	-	-	-	1	-	1	-	-	1	1	1	-	20-2	1-3	-	-	-	-	-	-	HALEFAX.
BRADFORD.	214,431	104	78	18	15	-	-	-	-	1	4	3	1	1	6	11	3	19-0	2-2	54-8	33-9	42-1	5-62	0-65	1-05	BRADFORD.
LEEDS.	383,139	207	180	26	35	-	-	-	-	1	4	2	1	3	12	13	2	20-4	1-9	56-0	34-0	43-5	6-39	0-42	1-07	LEEDS.
SHEFFIELD.	305,716	202	114	20	19	-	4	-	1	4	2	-	5	7	15	2	2	19-5	2-0	55-0	32-0	41-8	5-45	0-46	1-17	SHEFFIELD.
HULL.	186,262	111	64	14	15	-	-	-	-	-	-	-	-	2	2	2	6	17-9	0-6	-	-	-	-	-	-	HULL.
SUNDERLAND.	125,327	85	52	13	9	1	6	3	-	1	-	-	-	1	2	-	-	21-6	4-3	53-0	33-0	39-8	4-34	0-72	1-83	SUNDERLAND.
NEWCASTLE.	153,309	99	108	31	13	-	25	2	-	-	1	-	-	3	5	8	-	36-8	9-5	52-0	35-0	40-3	4-61	0-94	2-39	NEWCASTLE.
CARDIFF.	57,034	72	46	10	6	-	7	-	-	-	1	-	-	-	2	6	-	24-7	4-3	-	-	-	-	-	-	CARDIFF.
EDINBURGH.	270,616	163	87	16	29	-	-	-	-	1	6	-	-	1	?	8	23	18-1	1-5	50-8	32-4	41-6	5-34	0-53	1-35	EDINBURGH.
GLASGOW.	519,965	468	243	52	38	-	11	2	3	12	-	5	7	?	31	40	24-4	3-3	53-0	30-0	41-2	5-11	0-31	0-79	GLASGOW.	
DUBLIN.	353,982	228	193	27	48	-	12	1	1	4	2	2	5	5	6	63	43	28-5	3-3	55-7	29-7	42-5	5-84	0-56	1-42	DUBLIN.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the EIGHTEENTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2327	2602	2510	2702	2607	2823	2515	2740	2545	2541	2825.6	2429
Males . .	1153	1289	1294	1365	1362	1437	1304	1406	1283	1331	1442.0	1235
Females .	1174	1313	1216	1337	1245	1386	1211	1334	1262	1210	1383.6	1194
TOTAL Deaths	1489	1416	1490	1545	1648	1416	1472	1495	1504	1697	1654.5	1465
Males . .	746	735	785	839	811	755	764	768	792	876	853.4	778
Females .	743	681	705	706	837	661	708	727	712	821	796.1	687

* The numbers in this column are the average weekly numbers in the eighteenth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.
TOTAL Births - -	2913	2526	2709	2623	2737	2675	2537	2404	2473	2617	2541	2561	2429
TOTAL Deaths - -	1525	1497	1569	1495	1678	1678	1734	1701	1859	1706	1743	1549	1465
0-20 - -	634	686	718	692	793	767	807	771	830	790	773	699	697
20-40 - -	208	196	202	204	211	207	205	218	255	224	209	227	206
40-60 - -	290	279	285	254	269	300	289	286	328	287	336	277	273
60-80 - -	328	278	297	293	351	324	352	347	375	328	349	281	243
at 80 years & upwds.	65	58	67	52	54	80	81	79	71	77	76	65	46
Deaths of children {													
Under 1 year -	320	330	364	356	424	370	395	374	398	370	379	324	296
1-5 - -	218	257	243	256	273	297	315	308	327	293	296	292	294
5-20 - -	96	99	111	80	96	100	97	89	105	127	98	83	107
Deaths from Small-pox* -	56	44	37	27	35	23	24	39	40	49	51	48	66
" " Measles - -	28	31	29	52	51	53	70	83	70	92	103	99	91
" " Scarlet Fever -	17	14	16	15	7	16	10	5	9	9	10	12	13
" " Diphtheria - -	16	14	16	15	8	29	11	16	15	21	10	15	24
" " Whooping-cough -	50	43	45	37	49	45	55	55	55	46	57	51	46
" " Typhus - -	-	-	-	-	2	-	1	-	-	2	2	-	2
" " Enteric fever -	10	13	8	7	8	13	7	14	10	13	11	1	12
" " Simple Cont'd fever	1	1	2	3	-	2	2	-	2	2	2	1	-
" " Diarrhoea and Dysentery }	6	11	9	7	14	12	18	8	16	7	21	16	13
" " Cholera - -	-	-	-	-	-	-	-	-	-	-	-	-	1
Deaths from the above-mentioned Diseases*	184	171	162	163	174	184	198	220	217	241	267	243	268
" " Dis. of Respiratory System }	383	343	384	374	455	487	448	478	512	449	381	337	287
" " Phthisis - -	161	168	168	179	177	157	190	160	198	163	167	191	160
" " Dis. of Circulatory System }	118	105	127	112	139	140	128	122	123	109	135	91	110
Violent Deaths - -	42	70	50	40	75	56	50	41	68	57	62	64	52
Inquest Cases - -	91	133	114	85	148	125	120	109	132	130	116	126	98
Deaths in Public Institutions	352	348	322	335	347	344	361	359	374	385	417	331	319
TEMPERATURE OF THE AIR:													
Mean - -	46.2	40.0	45.8	40.3	38.2	41.9	39.1	43.3	41.9	45.6	54.7	51.9	46.7
Mean of Highest readings -	51.3	45.1	51.7	48.0	45.7	52.0	47.6	53.9	49.5	56.2	66.4	61.8	57.6
Mean of Lowest readings -	41.0	36.0	39.9	34.1	31.3	32.5	31.8	32.8	35.8	37.2	44.0	42.9	38.4
Humidity of the Air - -	88	86	88	86	80	75	77	67	85	82	69	78	81
Rain-fall in inches - -	0.25	0.94	0.55	0.60	0.01	0.05	0.84	0.00	0.20	1.11	0.26	0.52	0.77
Registered Sunshine (in hours)	8.6	10.5	9.0	16.3	15.6	29.7	23.9	55.4	10.5	29.2	56.8	39.2	31.4

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, Jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, Jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filler, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

EIGHTEENTH Week of the Year 1885.

[illegible]

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.
† As the ten years average could not be correctly ascertained, the average for the ten years 1882-4 has been inserted.
‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased was, or was not, vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "not stated."
§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."
|| Exclusive of 22 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

		The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total BIRTHS during the Week.	Total DEATHS during the Week.	Deaths of												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euterie (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.			
LONDON		3,816,483	2429	1465	296	289	44	91	13	24	46	2	12	-	13	52	98	319	
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.		69888	39	36	13	5	-	2	-	-	2	-	-	-	-	-	2	4	
St. John Paddington H - - G.J.		37330	16	14	-	4	-	-	-	-	-	-	-	-	-	-	1	3	
Kensington Town Ww - - W.M.		120141	60	49	11	12	-	6	-	-	3	-	1	-	-	1	1	13	
Brompton H - - W.M. & C.		43010	16	9	2	3	-	-	-	-	-	-	-	-	-	-	-	1	
St. Peter Hammersmith - - W.M.		7599	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.		64340	44	23	5	10	-	1	-	-	-	-	-	-	-	-	3	3	
Fulham WwH - - W.M. & C.		42900	48	19	3	6	4	-	-	2	-	-	-	-	1	2	3	3	
Chelsea South HHH - - C.		30896	25	7	1	1	-	-	-	-	-	-	-	-	-	-	1	10	
Chelsea North-west WHHHH - C.		24925	14	21	1	2	-	-	-	-	-	-	-	-	-	-	1	1	
Chelsea North-east - - C.		32807	29	10	4	-	-	1	-	-	-	-	-	-	-	1	2	12	
Hanover Square H - - G.J.		16882	8	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
May Fair Ww - - G.J.		13491	2	7	1	5	-	-	-	-	-	-	-	-	-	1	1	-	
Belgrave HH - - C.		59220	18	23	-	5	-	-	-	-	-	-	-	-	-	-	-	3	
St. John Westminster HH - - C.		35496	20	14	3	2	-	-	-	2	-	-	-	-	-	3	3	8	
St. Margaret Westminster H - - C.		24679	9	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Westminster WH N.R. & G.J.		22941	9	6	1	2	-	-	-	-	-	1	-	-	1	1	1	5	
St. Anne Soho HHHHH - - N.R.		16808	13	4	2	1	-	-	1	1	-	-	-	-	-	-	1	1	
NORTH DISTRICTS.																			
All Souls Marylebone HHHH - W.M.		26759	15	10	1	3	-	-	-	-	-	-	-	-	-	-	1	4	
Cavendish Square HHH - - W.M.		14881	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Rectory Marylebone WH G.J. & W.M.		24809	17	5	3	-	-	-	-	-	1	-	-	-	-	-	-	1	
St. Mary Marylebone HHH G.J. & W.M.		21116	25	10	6	1	-	-	-	-	1	-	-	-	-	-	-	3	
Christchurch Marylebone H - - W.M.		33700	16	12	3	2	-	1	-	-	-	-	-	-	-	1	1	-	
St. John Marylebone H - - W.M.		33633	20	13	1	5	-	1	-	-	-	-	-	-	-	1	2	-	
Hampstead WwHHH - N.R. & W.M.		45452	24	9	3	3	-	-	-	-	-	-	-	-	1	-	1	-	
Regent's Park Pancras H - - W.M.		39115	23	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
Tottenham-court WHHHH N.R. & W.M.		27729	21	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Gray's Inn Lane HHH - - N.R.		30247	16	15	5	1	-	-	1	1	-	-	-	-	-	-	-	4	
Somers Town H - - N.R.		34369	21	8	1	2	-	-	-	-	-	-	-	-	-	-	-	5	
Camden Town WH - - N.R.		17311	16	17	-	6	-	-	-	-	-	-	-	-	-	-	-	2	
Kentish Town W - - N.R.		87487	40	34	9	5	1	1	-	-	8	1	-	-	-	1	2	10	
Upper Holloway WwWwH - - N.R.		67946	46	48	8	7	6	6	-	4	3	-	-	-	-	-	2	12	
Islington South-west HH - - N.R.		100976	69	29	6	5	-	2	-	1	3	-	-	-	-	1	2	1	
Islington South-east - - N.R.		61835	43	14	1	4	-	-	-	-	-	-	-	-	-	1	2	1	
Highbury H - - N.R.		52048	20	17	1	7	1	1	-	1	1	-	-	-	-	1	1	-	
Stoke Newington H - - N.R.		22781	12	5	-	2	-	1	-	-	-	-	-	-	-	-	1	-	
Stamford Hill - - E.L.		9277	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
West Hackney - - N.R.		37610	14	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hackney WwWwHL - - E.L. & N.R.		76911	40	47	7	11	6	3	1	1	-	-	-	-	-	-	-	-	
South Hackney - - E.L.		39883	27	13	4	1	-	4	1	-	1	-	-	-	-	-	2	19	
CENTRAL DISTRICTS.																			
St. George Bloomsbury - - N.R.		16681	5	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - - N.R.		14864	11	10	1	4	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles North - - N.R.		18837	3	4	-	1	1	-	-	-	-	-	-	-	-	1	2	6	
St. Martin-in-the-Fields HH N.R. & C.		17508	7	10	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary-le-Strand H - - N.R.		7315	3	2	-	1	-	-	-	-	-	-	-	-	-	1	1	6	
St. Clement Danes H - - N.R.		3559	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. George-the-Martyr HHHHHH N.R.		13971	15	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Andrew Eastern W - - N.R.		10706	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	
Saffron Hill H - - N.R.		6533	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - - N.R.		17516	7	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
Amwell Clerkenwell - - N.R.		19281	9	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fentonville - - N.R.		14773	12	6	1	-	-	-	-	-	-	-	-	-	-	1	1	1	
Goswell-street - - N.R.		17506	11	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	
Old-street H - - N.R.		11541	4	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
City-road HHL - - N.R.		18623	19	11	4	1	-	-	-	-	-	-	-	-	-	1	1	-	
Whitecross-street - - N.R.		9217	6	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Finsbury - - N.R.		7463	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - N.R. & E.L.		11174	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - - N.R.		7193	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - - N.R.		5358	1	14	-	5	-	-	-	-	-	-	-	-	-	-	-	-	
St. Bride W - - N.R.		8396	1	1	-	-	-	1	-	1	-	-	-	-	-	-	11	-	
Allhallows Barking - - N.R.		13666	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - - N.R.		3632	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work-house; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J., signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

EVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
 Saturday, the 9th May, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include															Inquest Cases. Deaths in Public Institutions.	Uncertified Causes of Death.
					Deaths of		Deaths from														
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.					
EAST DISTRICTS.																					
Polwell Shoreditch	N.R. & E.L.	7376	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Leonard Shoreditch	HL†	14867	12	5	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-		
orton New Town	-	29937	14	8	1	2	-	1	-	-	-	-	-	-	-	-	1	2	-		
orton Old Town	-	28036	23	8	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
aggerston	WH	46275	40	25	3	8	-	2	-	-	-	-	-	-	1	-	-	11	-		
ackney-road	H-	29738	33	15	3	1	-	5	-	-	1	-	-	-	-	-	-	1	-		
reen, Bethnal Green	WHL†	47932	47	30	9	2	-	7	-	-	1	-	-	-	-	-	-	11	-		
urch, Bethnal Green	-	29981	29	14	2	1	-	2	-	-	-	1	-	-	-	-	-	2	-		
own, Bethnal Green	-	18810	9	11	4	-	-	2	-	-	-	-	-	-	-	-	1	1	-		
italfields	H -	22585	12	6	1	2	-	-	-	-	-	-	-	-	-	-	1	2	-		
ile End New Town	W	15473	14	11	4	1	-	-	-	-	-	-	-	-	-	-	1	1	5		
Whitechapel Church	H	17490	8	21	1	2	-	2	-	-	-	1	-	-	-	-	4	6	15		
oodman's Fields	-	9713	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ldgate	-	6102	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
George's, North	-	35747	26	21	7	1	-	4	-	-	-	2	-	-	-	-	-	-	2		
John, St. George East	W	8410	5	6	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-		
adwell	H -	16965	7	15	3	-	-	2	-	1	-	-	-	-	2	-	-	7	-		
atellif	-	16107	12	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	1		
imehouse	-	32041	16	13	2	1	-	5	1	-	1	-	-	-	1	-	1	-	-		
ile End Old Town West	-	37960	23	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
ile End Old Town East	W	67553	39	25	7	4	1	3	2	1	4	-	-	-	-	2	3	-	-		
ow	-	37074	28	11	2	1	-	-	-	-	1	-	-	-	-	-	2	2	-		
romley	W	64359	56	26	2	7	1	2	-	-	-	1	-	-	1	2	4	13	-		
oplar	W	56077	28	13	1	2	-	3	-	-	-	-	-	-	-	2	2	1	-		
SOUTH DISTRICTS.																					
ristchurch Southwark	WH	12663	11	8	1	4	-	-	1	-	-	-	-	-	-	-	-	1	-		
St. Saviour Southwark	-	14959	6	6	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-		
ent-road	-	21381	15	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
orough-road	WH	16953	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
ondon-road	HL	21318	11	7	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-		
trinity Newington	-	26672	13	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Peter Walworth	W	59555	52	27	4	10	-	1	1	-	1	-	-	-	-	-	-	9	-		
St. Mary Newington	-	21623	16	6	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-		
St. Olave	WH	11956	6	9	1	-	-	-	-	1	-	-	-	-	1	2	2	8	-		
ceather Market	-	16300	14	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary Magdalen	W	16669	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
St. James Bermondsey	-	54683	17	14	3	2	2	1	-	1	1	-	-	-	-	-	-	-	-		
otherhithe	W	36024	23	7	1	1	1	-	-	-	-	-	-	-	-	1	2	2	-		
Waterloo-road 1st	H -	15195	18	8	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-		
Waterloo-road 2nd	H -	16381	16	6	2	2	-	-	-	-	1	-	-	-	-	1	1	1	-		
ambeth Church 1st	H -	19876	19	20	-	3	-	-	-	-	-	-	-	-	-	-	2	2	14		
ambeth Church 2nd	W	39859	29	22	5	4	-	-	-	-	-	1	-	-	-	1	2	9	-		
ennington 1st	-	45232	25	17	5	6	-	1	-	-	-	-	-	-	-	-	-	-	1		
ennington 2nd	-	36332	20	12	2	3	-	-	-	1	-	1	-	-	-	-	-	-	-		
rixton	W	62857	48	23	9	3	4	-	-	1	-	-	-	-	-	-	-	4	1		
orwood	-	15017	8	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
apham	H -	36350	18	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
ast Battersea	-	54675	52	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
West Battersea	W	52687	52	25	3	10	-	-	-	-	1	-	-	-	-	-	1	7	-		
andsworth	HL	28004	19	11	3	2	1	2	-	-	-	-	-	-	-	1	1	-	-		
atney	-	13235	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
reatham	-	25533	16	8	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
ulwich	-	5590	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
amberwell	WHL†	49104	40	25	8	10	-	1	-	-	-	-	-	-	-	-	-	8	-		
eckham	W -	71089	49	23	6	5	2	2	-	-	-	-	-	-	-	-	-	-	1		
George Camberwell	-	50810	33	12	5	2	1	-	-	-	-	-	-	-	-	-	1	-	-		
St. Paul Deptford	W	76732	58	28	13	5	10	1	-	-	-	1	-	-	-	-	-	10	1		
St. Nicholas Deptford	-	7901	5	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Greenwich West	-	21972	12	9	2	-	-	-	-	-	2	-	-	-	-	-	1	1	1		
Greenwich East	WHH	24608	14	13	4	1	1	-	-	-	2	-	-	-	-	-	1	4	-		
atham	H -	4527	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
ee	-	21519	12	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
ewisham	WH	19865	19	11	4	1	-	1	-	1	1	-	-	-	-	-	1	4	1		
ydennam	H	26076	18	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
harlton	H -	10930	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
oolwich Dockyard	-	17617	13	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
oolwich Arsenal	HEH	19045	20	6	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-		
umstead, West	H	14069	17	5	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-		
umstead, East	W	19241	13	10	1	2	-	-	-	-	-	-	-	-	-	1	1	1	3		

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w2:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and
Central London Sick Asylum in Tottenham Court-road sub-district.	St. Stephen's in { Bromley sub-district,
Holborn Infirmary in Upper Holloway sub-district.	Bromley sub-district.
London City Workhouse " Hackney sub-district.	Poplar & Stepney Sick Asylum " Westminster Union Industrial School in West Battersea sub-district.
Holborn " " Hoxton New Town sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Haes-
Whitechapel " " Mile End Old Town Eastern sub-dist.	ney, Brixton, and St. Paul, Deptford sub-districts.

Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA ; POPULATION ; BIRTHS and DEATHS registered during the Week ending Saturday, 9th May, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Ename- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unspecified Causes.
LONDON—OUTER RING		370,282	950,178	719	356	77	101	27	13	2	2	7	-	3	11	13	47	
30:1	Carshalton <i>wL</i> - -	12228	21118	19	10	1	3	-	-	-	-	-	-	-	-	-	5	
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	9	3	1	-	-	-	-	-	-	-	-	-	-	-	
37:1	Godstone (<i>part of</i>) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon <i>WwH</i> - -	20851	101241	62	38	9	9	1	3	-	-	-	-	-	-	-	3	
	Mitcham - -	11697	17982	9	8	-	3	-	-	-	-	1	-	-	-	-	-	
39:1	Wimbledon <i>HHH</i> - -	3220	15950	14	3	1	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston <i>WHH</i> - -	8549	36354	25	7	2	3	-	-	-	-	-	-	-	-	-	1	
3	Esher (<i>part of</i>) * -	6601	9221	10	5	-	2	-	-	-	-	-	-	-	-	-	-	
4	Hampton <i>H</i> - -	4573	13539	14	8	4	1	-	-	-	-	-	-	1	-	-	-	
40:1	Richmond <i>WH</i> - -	2272	21302	12	5	-	2	-	-	-	-	-	-	-	1	1	1	
2	Mortlake - -	941	12331	11	2	-	2	-	-	-	-	-	-	-	-	-	-	
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	10	7	1	5	-	-	-	-	-	-	-	-	-	-	
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	13665	15065	11	5	2	2	-	-	-	-	-	-	-	-	-	2	
42:1	Bexley <i>H</i> - -	13437	24134	19	3	1	1	-	-	-	-	-	-	-	-	-	1	
124:1	Sunbury <i>w</i> - -	11055	11685	8	6	2	-	-	-	1	-	-	-	-	-	-	-	
2	Staines <i>W</i> - -	13277	12089	4	6	-	2	-	-	-	-	-	-	-	-	-	-	
125:1	Hillingdon <i>WH</i> - -	6029	10802	6	3	1	1	-	-	-	-	-	-	-	1	1	1	
2	Uxbridge - -	6178	5225	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>wHL</i> - -	14587	11523	1	4	2	-	-	-	-	-	-	-	-	-	-	1	
126:1	Isleworth <i>W</i> - -	7008	22727	11	13	-	7	-	-	-	-	-	-	-	1	2	4	
2	Twickenham <i>H</i> - -	2477	12479	6	2	1	1	-	-	-	-	-	-	-	-	-	-	
3	Brentford <i>HL</i> - -	4345	27649	10	11	1	3	-	1	-	-	-	-	-	1	1	-	
4	Chiswick - -	1240	15975	12	4	3	1	-	-	-	-	1	-	-	-	-	-	
5	Acton <i>wH</i> - -	6083	22876	13	7	2	1	-	1	-	-	-	-	-	-	-	-	
127:1	Harrow <i>H</i> - -	13809	12796	12	4	1	2	-	-	-	-	-	-	-	-	-	-	
2	Edgware <i>H</i> - -	6994	3749	3	3	1	1	-	-	-	-	-	-	-	-	-	-	
3	Willesden - -	4383	27453	27	3	2	-	-	-	-	-	-	-	1	-	-	-	
4	Hendon <i>W</i> - -	8382	10484	18	3	1	1	-	-	-	-	-	-	-	-	-	-	
128:1	South Mimms - -	15599	6391	4	2	-	2	-	-	-	-	-	-	-	-	-	-	
2	Barnet <i>W</i> - -	5433	10092	6	2	-	1	-	-	-	-	-	-	-	-	-	2	
3	Finchley <i>HL</i> - -	4683	17615	7	6	1	1	-	-	-	-	-	-	-	-	-	2	
129:1	Hornsey <i>H</i> - -	3039	37078	23	14	3	4	-	1	-	-	2	-	-	-	-	-	
2	Tottenham <i>HHH</i> - -	4642	46456	47	13	4	2	-	2	-	1	-	-	-	-	1	-	
3	Edmonton <i>WwW</i> - -	7483	23463	20	12	3	5	3	-	-	-	-	-	-	-	-	6	
4	Enfield <i>WH</i> - -	12653	19104	7	5	2	2	-	-	-	-	-	-	-	-	-	-	
5	Waltham Abbey - -	11017	5368	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - -	8480	7735	4	4	-	1	-	-	-	-	-	-	-	1	1	-	
135:1	Hatfield (<i>part of</i>) * -	3306	583	1	2	1	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - -	9331	6621	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford - -	882	38606	37	16	4	6	1	1	-	-	1	-	1	2	2	-	
2	West Ham <i>wWwH</i> - -	7351	101053	108	64	17	9	19	2	-	-	-	-	-	2	2	6	
3	Leyton <i>WwL</i> - -	4372	32430	37	24	-	6	1	1	1	1	2	-	-	1	1	12	
4	Walthamstow <i>wH</i> - -	6520	28369	19	11	2	5	-	1	-	-	-	-	-	-	-	-	
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	6	1	-	-	-	-	-	-	-	-	-	-	-	-	
139:1	Romford (<i>part of</i>) * -	6730	3411	10	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - -	8493	7645	8	1	-	1	1	-	-	-	-	-	-	-	-	-	
3	Barking Town - -	4127	9203	12	4	1	1	1	-	-	-	-	-	-	1	1	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:— 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Hendley (pop. 1285); 37:1, the two parishes of Warringham and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1318); 41:2, the whole of Chislehurst sub-district, except the parish of Chislefield (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theodon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 9th May, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.			
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.					
GREATER LONDON	448,334	5,199,166	18·3	3·0	1821	373	390	71	104	15	26	53	14	16	63	366					
INNER LONDON -	78,052	4,083,928	18·7	3·1	1465	296	289	44	91	13	24	46	14	13	52	319					
OUTER RING -	370,282	1,115,238	16·7	2·5	356	77	101	27	13	2	2	7	-	3	11	47					

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·935 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	BIRTHS.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
		Week ending	Exclusive of	Stillborn.		
CALCUTTA - -	433,219	March 28	-	296	35·6	Small-pox 8; fevers 75; cholera 87.
BOMBAY - -	773,196	April 7	269	444	27·3	Fevers 148; cholera 32; measles 13.
MADRAS - -	398,777	March 27	292	288	37·5	Fevers 74.
PARIS - - -	2,239,928	May 2	1133	1143	26·5	Typhoid fever 28; meas. 47; diph. & croup 37.
GENEVA - -	71,453	" 2	30	20	21·2	Diphtheria 2; sm.-pox 1.
BRUSSELS - -	436,214	April 25	275	176	21·0	Diphtheria and croup 9; scar. fev. 7.
AMSTERDAM -	366,812	April 25	258	160	22·7	Scar. fev. 6; dip. & crp. 4.
ROTTERDAM -	166,001	May 2	230	136	19·0	Measles 6.
THE HAGUE -	166,001	April 25	117	67	20·5	Typh. and typhd. fev. 3.
THE HAGUE -	134,552	May 2	110	64	19·6	Scarlet fever 2.
COPENHAGEN -	278,000	" 5	87	68	26·3	Fevs. 2; diph. & croup 3.
STOCKHOLM -	190,115	April 25	81	61	23·6	Croup 2.
CHRISTIANIA -	128,000	May 2	-	-	-	
ST. PETERSBURG	923,016	April 25	140	124	32·2	Measles 8; diphtheria and croup 7.
BERLIN - - -	1,266,511	" 18	76	46	18·7	Scarlet fever 3; diphtheria and croup 9.
HAMBURG(State)	497,956	" 25	-	606	34·1	Typh. and typhd. fev. 15; diphtheria 8.
DRESDEN - -	241,500	" 25	783	525	21·6	Diphtheria 35.
BRESLAU - -	295,000	" 25	322	251	26·3	Diphtheria and croup 7; typh. and typhd. fev. 5.
MUNICH - - -	244,000	May 2	149	120	25·8	Diphtheria 6.
VIENNA - - -	769,889	April 25	189	184	32·3	Typhus 2.
PRAGUE - - -	272,333	May 2	186	162	34·5	Measles 6; diphtheria and croup 3.
BUDA-PESTH -	429,532	April 18	542	528	35·7	Small-pox 19; measles 20.
TRIESTE - - -	150,167	" 18	-	220	42·2	Scar. fev. 3; typhus 2; whooping-cough 4.
ROME - - -	324,649	March 28	196	181	29·1	Diphtheria and croup 6.
NAPLES - - -	504,795	-	-	-	-	Small-pox 6; diph. and croup 5.
TURIN (10 days)	267,763	April 20	225	197	26·9	Small-pox 12.
VENICE - - -	144,845	" 25	70	83	29·9	
MADRID - - -	475,668	-	-	-	-	
LISBON - - -	203,681	-	-	-	-	
ALEXANDRIA -	212,034	April 11	212	164	36·9	Whooping-cough 5; sm.-pox 2.
NEW YORK - -	1,356,958	" 11	-	740	28·5	Measles 25; diph. 28.
BROOKLYN - -	665,602	" 11	-	333	26·1	Scar. fev. 13; measles 8.
PHILADELPHIA -	949,432	" 18	-	438	24·1	Typhoid fever 7; scarlet fever 8; diph. 15.
BALTIMORE - -	408,520	" 18	-	168	21·5	Diphtheria 5.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 19. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, MAY 16. [Price 1½d.

*General Register Office, Somerset House,
18th May, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 20·4 per 1000 of their population. The death-rates in these towns, in each of the past four weeks, were:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Apr. 25.	May 2.	May 9.	May 16.		Apr. 25.	May 2.	May 9.	May 16.
Birkenhead	21·9	20·2	20·7	19·6	Liverpool - -	29·9	21·3	23·4	24·8
Birmingham	18·8	21·8	19·4	17·9	London - - -	22·3	19·8	18·7	19·1
Blackburn -	30·6	30·1	26·4	23·2	Manchester -	30·9	30·6	26·0	27·7
Bolton - -	22·7	15·2	15·2	14·2	Newcastle-on-Tyne	35·4	34·4	36·8	30·3
Bradford -	20·2	23·1	19·0	16·8	Norwich - -	21·7	18·9	16·6	22·9
Brighton -	18·2	15·9	14·1	10·9	Nottingham -	19·2	17·5	18·0	19·0
Bristol - -	26·5	22·5	17·9	15·5	Oldham - - -	23·9	25·6	26·4	23·9
Cardiff - -	34·9	16·1	24·7	22·0	Plymouth - -	24·7	19·2	13·0	20·6
Derby - - -	15·7	15·1	20·9	15·1	Portsmouth -	17·4	16·7	17·8	22·1
Halifax - -	20·2	26·3	20·2	22·9	Preston - - -	32·2	32·7	28·6	33·3
Huddersfield	20·9	24·5	23·9	16·7	Salford - - -	22·2	18·7	24·0	23·3
Hull - - -	22·1	15·1	17·9	18·8	Sheffield - -	23·9	22·0	19·5	24·9
Leeds - - -	21·3	23·0	20·4	20·5	Sunderland -	31·2	23·7	21·6	25·0
Leicester -	18·4	20·3	15·3	18·8	Wolverhampton	23·1	20·4	25·0	19·1

The highest annual death-rates from measles, measured by last week's mortality, were 2·2 in Birkenhead, 2·5 in Manchester, and 4·1 in Newcastle-upon-Tyne; from whooping-cough, 2·7 in Plymouth, 2·9 in Oldham, and 4·6 in Blackburn; from scarlet fever, 1·0 in Newcastle-upon-Tyne, 1·1 in Cardiff, and 1·7 in Sunderland; and from "fever," 1·0 in Salford, 1·1 in Cardiff, 1·2 in Sunderland, and 1·4 in Plymouth. The deaths from diphtheria included 21 in London, and 2 in Brighton. Small-pox caused 62 deaths in London and its outer ring (not including 30 fatal cases of Londoners who died in the Metropolitan Asylum Hospital Ships and Camp at Darenth, 4 in Manchester, and one in Sunderland.

LONDON.

In LONDON 2544 BIRTHS and 1496 DEATHS were registered. Allowing for increase of population, the births were 232, and the deaths 134, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 22·3, 19·8, and 18·7 in the three preceding weeks, was 19·1 last week. During the first six weeks of the current quarter the death-rate averaged 20·9, against 22·4 in the corresponding periods of the nine years 1876-84.

The 1496 deaths included 45 from small-pox, 65 from measles, 13 from scarlet fever, 21 from diphtheria, 57 from whooping-cough, 16 from enteric fever, 9 from diarrhoea and dysentery, and not one either from typhus, from ill-defined forms of continued fever, or from cholera; thus, 226 deaths were referred to these diseases, being 19 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 32 and 44 in the two preceding weeks, further rose to 45 last week, and exceeded the corrected weekly average by 19. These 45 deaths were exclusive of 30 deaths of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the total 75 fatal cases, 57 occurred in the Metropolitan Asylum Hospitals in and around London, 2 in the Highgate Small-pox Hospital, one in the Camberwell House Lunatic Asylum, and 15 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 4 belonged to Pancras, 4 to Clerkenwell, 4 to Mile End Old Town, 10 to Lambeth, 14 to Camberwell, and 4 to Greenwich. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1282 and 1361 on the two preceding Saturdays, further rose to 1364 at the end of last week; the admissions, which had been 246, 354, and 315 in the three previous weeks, declined to 211 last week. The Highgate Small-pox Hospital contained 69 patients on Saturday last, 10 cases having been admitted during the week.

The fatal cases of *measles*, which had been 103, 99, and 91 in the three preceding weeks, further declined to 65 last week, but exceeded the corrected weekly average by 9; 10 belonged to Islington, 7 to Clerkenwell, 6 to Stepney, and 5 to Mile End Old Town. The 13 deaths from *scarlet fever* corresponded with the number in the previous week, and were 21 below the corrected average; 2 belonged to Clerkenwell. The Metropolitan Asylum Hospitals contained 174 scarlet fever patients on Saturday last, showing a further slight increase upon recent weekly numbers; 21 cases were admitted, against 13 and 28 in the two previous weeks. The 57 fatal cases of *whooping-cough* showed an increase of 11 upon the low number in the previous week, but were 31 below the corrected average; 6 belonged to Shoreditch, and 5 to Stepney. The deaths referred to *diphtheria*, which had been 15 and 24 in the two previous weeks, declined again to 21 last week, but were 10 above the corrected average; 4 belonged to Islington, 3 to Lambeth, and 3 to Camberwell. The 9 deaths attributed to *diarrhœa* and *dysentery* were 5 below the corrected average.

The deaths referred to *enteric fever*, which had been 11, 1, and 12 in the three preceding weeks, rose last week to 16, of which 2 belonged to Islington, 2 to Hackney, and 2 to Camberwell. The Metropolitan Asylum Hospitals contained 28 cases of enteric fever, and 2 of typhus, on Saturday last; 4 of enteric fever, and one of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had declined in the five preceding weeks from 512 to 287, were last week 291, and 50 below the corrected weekly average.

Different forms of violence caused 46 deaths; 39 were the result of negligence or accident, among which were 16 from fractures and contusions, 3 from burns and scalds, 10 from drowning, and 6 of infants under one year of age from suffocation. The 16 deaths from fractures and contusions were thus returned:—males, aged 5, and 26 years, run over by cart; female 6, run over by van; male 6, run over by brougham; male 6, run over by barrow; male 28, fell from a horse; male 51, fell from wagonette; female 4, males 49, 72, fell down stairs; male 83, fell in room; female 51, fell from step-ladder; male 2, fall of packing case upon; male 30, fall of timber upon; male 22, injuries to head; female 79, fracture of femur. An inquest was held in each of these 16 cases except the last.

GREATER LONDON.

In Greater London 3322 births and 1834 deaths were registered, equal to annual rates of 33·3 and 18·4 per 1000 of the population. In the Outer Ring 17 deaths from small-pox were registered, including 13 in West Ham, and 3 in Edmonton sub-districts; all the 13 in West Ham were local cases, including 3 in the hospital.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·765 in.; the highest reading was 30·02 in. on Monday evening, and the lowest was 29·61 in. at the end of the week. The mean temperature of the *air* was 47°·4, and 4°·7 below the average in the corresponding weeks of the 20 years ending 1868. The mean was considerably below the average on each of the days of the week. The direction of the *wind* was variable, and the horizontal movement of the air averaged 11·7 miles per hour, which was 1·3 miles above the average in the corresponding week of 16 years. *Rain* fell on Thursday and Saturday, to the aggregate amount of 0·07 of an inch. The duration of registered bright sunshine in the week was 51·5 hours, against 45·2 hours at Glynde Place, *Lowes*.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the Year 1885.		Registered during the Week ending 16th May, 1886.		The DEATHS registered in the Week include										Annual Rate per 1000 corresponding to the Week's Deaths				TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.	
	1.	2.	3.	4.	5.	Deaths from						Deaths in Public Institutions.	Unquest Cases.	15.	16.	From All Week's Deaths		18.	Fahrenheit.			Mean.	Centigrade.	In Inches.		In Centi- meters.
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.					Diarrhoea.	Violence.									
																			Infants under 1 Year of Age.	Persons aged 60 Years and upwards.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.	
28 TOWNS.	8,906,446	5767	3487	800	688	50	143	37	33	126	45	29	94	202	612	82	20.4	2.7	62.4	30.0	44.3	6.84	0.34	0.86	- 28 TOWNS.	
LONDON.	4,083,928	2944	1498	833	325	45	65	13	21	57	16	9	46	104	349	20	19.1	2.9	62.4	33.2	47.4	8.55	0.07	0.18	LONDON.	
BRIGHTON.	114,672	49	24	8	5	-	-	-	2	-	-	-	1	1	1	1	10.9	0.9	60.3	38.0	46.4	8.00	0.00	0.00	BRIGHTON.	
PORTSMOUTH.	134,659	98	57	17	8	-	-	-	1	-	1	2	-	2	6	2	22.1	1.5	-	-	-	-	-	-	PORTSMOUTH.	
NORWICH.	91,215	61	40	13	11	-	-	-	-	-	4	2	-	1	3	1	22.9	0.0	-	-	-	-	-	-	NORWICH.	
PLYMOUTH.	76,045	48	30	7	9	-	-	-	-	4	2	-	-	2	2	2	20.6	4.1	60.2	35.2	47.4	8.55	0.07	0.18	PLYMOUTH.	
BRISTOL.	218,169	123	65	17	17	-	2	-	-	2	1	-	1	3	8	5	15.5	1.2	58.0	35.0	45.2	7.33	0.24	0.61	BRISTOL.	
WOLVERHAMPTON.	79,185	55	29	11	5	-	-	1	-	1	-	-	-	1	9	1	19.1	2.0	57.2	30.5	42.7	5.95	0.27	0.69	WOLVERHAMPTON.	
BIRMINGHAM.	427,769	292	147	41	26	-	1	-	-	5	-	-	5	15	25	1	17.9	0.7	-	-	-	-	-	-	BIRMINGHAM.	
LEICESTER.	136,147	92	49	13	13	-	1	2	1	1	-	1	1	4	6	1	18.8	2.3	-	-	-	-	-	-	LEICESTER.	
NOTTINGHAM.	211,424	151	77	20	13	-	-	-	4	3	-	-	2	5	6	2	19.0	1.7	57.2	34.1	44.5	6.95	0.23	0.58	NOTTINGHAM.	
DERBY.	89,691	49	26	2	9	-	-	-	-	-	-	-	1	1	6	-	15.1	0.0	-	-	-	-	-	-	DERBY.	
BIRKENHEAD.	93,093	62	35	4	5	-	4	-	-	-	-	-	-	3	4	1	19.6	3.4	-	-	-	-	-	-	BIRKENHEAD.	
LIVERPOOL.	579,724	402	275	58	41	-	22	4	1	2	4	4	11	12	51	8	24.8	8.3	56.0	38.8	45.3	7.39	0.08	0.20	LIVERPOOL.	
BOLTON.	110,085	67	30	7	5	-	-	-	-	-	1	1	2	4	3	1	14.2	0.9	54.1	30.6	42.8	6.00	0.43	1.09	BOLTON.	
MANCHESTER.	337,342	233	179	40	27	4	16	1	-	7	1	-	5	10	39	6	27.7	4.5	-	-	-	-	-	-	MANCHESTER.	
SALFORD.	204,075	117	91	25	11	-	4	2	1	-	4	1	1	3	16	3	23.3	3.1	-	-	-	-	-	-	SALFORD.	
OLDHAM.	126,390	85	58	8	13	-	-	-	1	7	1	-	-	2	3	23.9	3.7	-	-	-	-	-	-	-	OLDHAM.	
BLACKBURN.	112,574	74	50	12	10	-	-	-	10	-	2	1	1	1	2	1	23.2	5.6	-	-	-	-	-	-	BLACKBURN.	
PRESTON.	100,406	88	64	27	13	-	-	-	1	2	-	3	1	4	2	1	33.3	3.1	54.5	34.0	44.1	6.73	0.22	0.56	PRESTON.	
HUDDESFIELD.	87,327	43	28	7	3	-	1	-	-	-	-	-	-	2	1	2	16.7	0.6	-	-	-	-	-	-	HUDDESFIELD.	
HALIFAX.	77,378	36	34	7	8	-	-	-	-	1	-	-	1	2	7	3	22.9	0.7	-	-	-	-	-	-	HALIFAX.	
BRADFORD.	214,431	129	69	13	10	-	-	-	-	6	-	-	-	1	2	4	16.8	1.7	54.8	32.4	43.2	6.22	0.63	1.60	BRADFORD.	
LEEDS.	333,139	235	131	25	20	-	1	4	1	3	1	2	5	7	17	4	20.5	1.9	58.0	33.0	44.7	7.06	0.58	1.47	LEEDS.	
SHEFFIELD.	305,716	200	146	31	22	-	11	-	8	4	1	3	7	17	10	24.9	4.1	56.0	31.0	42.8	6.00	1.08	2.74	0.86	SHEFFIELD.	
HULL.	186,292	144	67	17	21	-	-	1	1	2	-	-	4	3	11	4	18.8	1.1	62.0	30.0	43.6	6.45	0.22	0.66	HULL.	
SUNDERLAND.	125,327	109	60	14	11	1	3	4	1	1	3	1	-	2	4	-	25.0	5.4	55.0	33.0	41.4	5.22	0.44	1.12	SUNDERLAND.	
NEWCASTLE.	153,209	104	89	21	8	-	12	3	-	1	1	1	1	1	2	8	-	30.3	5.8	54.0	37.0	6.28	0.50	1.27	NEWCASTLE.	
CARDIFF.	37,034	79	41	7	9	-	-	2	1	1	1	-	1	1	4	-	22.0	3.2	-	-	-	-	-	-	CARDIFF.	
EDINBURGH.	250,616	163	83	18	18	-	-	-	1	1	1	2	3	?	13	15	17.3	0.4	54.7	30.1	44.0	6.67	0.57	1.45	EDINBURGH.	
GLASGOW.	519,965	422	297	69	31	-	13	4	4	9	6	10	9	?	32	53	29.8	5.1	55.0	30.0	43.3	6.28	0.60	1.52	GLASGOW.	
DUBLIN.	363,082	210	237	39	54	-	14	4	1	7	5	5	7	6	76	35	35.0	5.0	58.6	30.0	44.5	6.95	0.39	0.99	DUBLIN.	

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the NINETEENTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2346	2509	2978	2443	2520	2687	2561	2569	2637	2811	2776·4	2544
Males . .	1148	1256	1202	1226	1303	1377	1348	1305	1335	1391	1405·7	1318
Females . .	1198	1253	1176	1217	1217	1310	1213	1264	1302	1420	1370·7	1226
TOTAL Deaths	1427	1457	1613	1383	1582	1389	1427	1433	1653	1586	1630·2	1496
Males . .	730	775	829	727	852	698	727	705	868	819	842·9	784
Females . .	697	682	784	656	730	691	700	728	785	767	787·3	712

* The numbers in this column are the average weekly numbers in the nineteenth week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

			Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	
TOTAL Births	-	-	2526	2709	2623	2737	2675	2537	2404	2473	2617	2541	2561	2429	2544	
TOTAL Deaths	-	-	1497	1569	1495	1678	1678	1734	1701	1859	1706	1743	1549	1465	1496	
0—20	-	-	686	718	692	793	767	807	771	830	790	773	699	697	707	
20—40	-	-	196	202	204	211	207	205	218	255	224	209	227	206	214	
40—60	-	-	279	285	254	269	300	289	286	328	287	336	277	273	250	
60—80	-	-	278	297	293	351	324	352	347	375	328	349	281	243	263	
at 80 years & upwds.	-	-	58	67	52	54	80	81	79	71	77	76	65	46	62	
Deaths of children	{	Under 1 year	-	330	364	356	424	370	395	374	398	370	379	324	296	333
1—5		-	257	243	256	273	297	315	308	327	293	296	292	294	254	
5—20		-	99	111	80	96	100	97	89	105	127	98	83	107	120	
Deaths from Small-pox	-	-	44	37	27	35	23	24	39	40	49	51	48	66	75	
" " Measles	-	-	31	29	52	51	53	70	83	70	92	103	99	91	65	
" " Scarlet Fever	-	-	14	16	15	7	16	10	5	9	9	10	12	13	13	
" " Diphtheria	-	-	14	16	15	8	29	11	16	15	21	10	15	24	21	
" " Whooping-cough	-	-	43	45	37	49	45	55	55	55	46	57	51	46	57	
" " Typhus	-	-	-	-	-	2	-	1	-	-	2	2	-	2	-	
" " Enteric fever	-	-	13	8	7	8	13	7	14	10	13	11	1	12	16	
" " Simple Cont'd fever	-	-	1	2	3	-	2	2	-	2	2	2	1	-	-	
" " Diarrhoea and Dysentery	-	-	11	9	7	14	12	18	8	16	7	21	16	13	9	
" " Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Deaths from the above-mentioned Diseases	-	-	171	162	163	174	184	198	220	217	241	267	243	263	256	
" " Dis. of Respiratory System	-	-	343	384	374	455	487	448	478	512	449	381	337	287	291	
" " Phthisis	-	-	168	168	179	177	157	190	160	198	163	167	191	160	160	
" " Dis. of Circulatory System	-	-	105	127	112	139	140	128	122	123	109	135	91	110	106	
Violent Deaths	-	-	70	50	40	75	56	50	41	68	57	62	64	52	46	
Inquest Cases	-	-	133	114	85	148	125	120	109	132	130	116	126	93	104	
Deaths in Public Institutions	-	-	348	322	335	347	344	361	359	374	385	417	331	319	345	
TEMPERATURE OF THE AIR:	-	-	0	0	0	0	0	0	0	0	0	0	0	0	0	
Mean	-	-	40·0	45·8	40·3	38·2	41·9	39·1	43·3	41·9	45·6	54·7	51·9	46·7	47·0	
Mean of Highest readings	-	-	45·1	51·7	48·0	45·7	52·0	47·6	53·9	49·5	56·2	66·4	61·8	57·6	58·0	
Mean of Lowest readings	-	-	36·0	39·9	34·1	31·3	32·5	31·8	32·8	35·8	37·2	44·0	42·9	38·4	36·0	
Humidity of the Air	-	-	86	88	86	80	75	77	67	85	82	69	78	81	65	
Rain-fall in inches	-	-	0·94	0·55	0·60	0·01	0·05	0·84	00·0	0·20	1·11	0·26	0·52	0·77	0·00	
Registered Sunshine (in hours)	-	-	10·5	9·0	16·3	15·6	29·7	23·9	55·4	10·5	29·2	56·8	39·2	31·4	51·0	

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General and the results have been compiled by J. Glaisher, Esq., F.R.S.—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, Jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrothesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereh, F.R.A.S., F.R.Met.Soc., Sheffield; J. McLandborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filgate, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the NINETEENTH Week of the Year 1885.

[illegible]

The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population. As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted. The cases of small-pox only are marked "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendant does not certify that the deceased died or did not, been vaccinated, or when the cause of death is not certified by a registered physician, the case is returned under the heading "no statement." The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence." Exclusive of 30 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (OR TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHOEA, VIOLENCE, and INQUEST CASES, during the Week ending—

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Inquest Cases.
					Deaths of Infants under 1 Year of Age.		Deaths from												
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.			
LONDON		3,816,483	2544	1496	333	325	45	65	13	21	57	-	16	-	9	46	104		
WEST DISTRICTS.																			
St. Mary Paddington	WHH G.J. & W.M.	68888	52	22	5	2	-	2	-	2	1	-	-	-	-	-	2		
St. John Paddington	H - - G.J.	37380	8	18	2	8	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town	Ww - - W.M.	120141	58	46	9	12	-	2	-	-	-	-	-	-	-	-	-		
Brompton	H - - W.M. & C.	43010	19	8	6	2	-	-	-	-	-	-	-	-	-	-	-		
St. Peter Hammersmith	- - - W.M.	7359	3	5	1	3	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith	H W.M. & G.J.	69340	50	19	5	3	-	2	-	-	-	-	-	-	-	-	-		
Fulham	WwH - - W.M. & C.	42900	41	22	7	4	3	1	-	1	-	-	-	-	-	-	-		
Chelsea South	HHH - - C.	80296	20	11	2	3	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North-west	WHHHH - - C.	24925	22	15	1	2	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North-east	- - - C.	32807	36	8	1	1	1	-	-	1	-	-	-	-	-	-	-		
Hanover Square	H - - G.J.	16862	2	5	-	3	-	-	-	1	-	-	-	-	-	-	-		
May Fair	WH - - G.J.	18491	5	8	-	4	-	-	-	-	-	-	-	-	-	-	-		
Belgrave	HH - - G.J.	69220	21	31	2	11	-	-	-	1	1	-	-	-	-	-	-		
St. John Westminster	HH - - C.	35496	20	8	2	1	-	-	-	1	-	-	-	-	-	-	-		
St. Margaret Westminster	H - - C.	24679	12	8	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. James Westminster	WH N.R. & G.J.	29941	9	3	2	-	-	-	-	-	1	-	-	-	-	-	-		
St. Anne Soho	HHHHH - - N.R.	16008	6	8	-	3	-	-	-	-	2	-	-	-	-	-	-		
NORTH DISTRICTS.																			
All Souls Marylebone	HHHH - W.M.	26789	11	16	3	7	-	-	-	-	-	-	-	-	-	-	-		
Cavendish Square	HHH - W.M.	14891	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
Rectory Marylebone	WH G.J. & W.M.	24809	10	8	2	2	-	-	-	-	-	-	-	-	-	-	-		
St. Mary Marylebone	HHH G.J. & W.M.	21118	21	8	3	1	-	2	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone	H - W.M.	38700	20	15	5	2	-	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone	H - W.M.	33638	22	8	2	1	-	1	-	-	-	-	-	-	-	-	-		
Hamstead	WwHHH - N.R. & W.M.	45452	25	15	3	3	3	-	-	-	-	-	-	-	-	-	-		
Regent's Park Pancras	H - W.M.	39115	25	7	1	3	-	-	-	-	-	-	-	-	-	-	-		
Tottenham-court	WHHHH N.R. & W.M.	27729	11	23	2	2	-	-	-	-	-	-	-	-	-	-	-		
Gray's Inn Lane	HHH - N.R.	80247	22	9	2	1	-	-	-	-	-	-	-	-	-	-	-		
Somers Town	H - - N.R.	34389	25	11	4	2	-	-	-	1	-	-	-	-	-	-	-		
Camden Town	WH - - N.R.	17811	12	7	3	3	-	-	-	-	-	-	-	-	-	-	-		
Kentish Town	W - - N.R.	87487	53	21	8	6	-	-	-	8	-	-	-	-	-	-	-		
Upper Holloway	WwWwH - N.R.	67946	41	46	8	12	2	7	-	3	3	-	-	-	-	-	-		
Islington South-west	HH - N.R.	100976	67	38	8	8	-	-	1	1	2	-	1	-	-	-	-		
Islington South-east	- - N.R.	61895	37	14	4	5	-	-	-	-	-	-	-	-	-	-	-		
Highbury	H - - N.R.	82048	28	10	1	3	-	3	-	-	-	-	-	-	-	-	-		
Stoke Newington	H - - N.R.	22781	15	6	-	4	-	-	-	-	-	-	-	-	-	-	-		
Stamford Hill	- - E.L.	9277	11	7	3	2	-	1	-	-	2	-	-	-	-	-	-		
West Hackney	- - N.R.	37610	29	11	2	4	-	-	-	-	-	-	-	-	-	-	-		
Hackney WwWwHL	- - E.L. & N.R.	76911	55	45	0	6	10	2	1	-	-	-	2	-	-	-	-		
South Hackney	- - E.L.	39883	29	15	4	8	-	-	1	-	-	-	-	-	-	-	-		
CENTRAL DISTRICTS.																			
St. George Bloomsbury	- - N.R.	16681	2	5	2	1	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South	WH - - N.R.	14864	22	7	3	-	1	-	-	-	-	-	-	-	-	-	-		
St. Giles North	- - N.R.	13837	7	3	-	2	-	-	-	-	1	-	-	-	-	-	-		
St. Martin-in-the-Fields	HH N.R. & C.	17508	7	7	2	2	-	-	-	-	-	-	-	-	-	-	-		
St. Mary-le-Strand	H - - N.R.	7515	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-		
St. Clement Danes	H - - N.R.	8559	2	5	1	1	-	-	-	-	-	-	-	-	-	-	-		
St. George-the-Martyr	HHHHHH N.R.	18671	11	9	1	1	-	-	-	-	-	-	-	-	-	-	-		
St. Andrew Eastern	W - - N.R.	10706	4	4	1	-	-	-	-	1	-	-	-	-	-	-	-		
Saffron Hill	H - - N.R.	6533	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
St. James Clerkenwell	- - N.R.	17515	12	5	4	-	1	1	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell	- - N.R.	19281	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
Pentonville	- - N.R.	14773	7	7	3	-	-	-	-	-	-	-	-	-	-	-	-		
Goosewell-street	- - N.R.	17506	11	11	3	2	-	6	-	-	-	-	-	-	-	-	-		
Old-street	H - - N.R.	11541	8	7	1	1	-	-	-	-	1	-	-	-	-	-	-		
City-road	HHL - - N.R.	18628	10	9	1	3	-	-	-	-	-	-	-	-	-	-	-		
Whitecross-street	- - N.R.	9217	12	4	1	1	-	-	-	-	1	-	-	-	-	-	-		
Finsbury	- - N.R.	7463	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph	H - - N.R. & E.L.	11174	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cripplegate	- - N.R.	7193	3	3	-	-	-	-	1	-	-	-	-	-	-	-	-		
St. Sepulchre	H - - N.R.	5358	1	19	1	4	-	-	-	-	-	-	-	-	-	-	-		
St. Bride	W - - N.R.	8396	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
Albhallows Barking	- - N.R.	13666	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street	H - - N.R.	5652	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it is situated; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J., Grand Junction Company; W.M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N.R., New River; E.L., East London and K. the Kent Company.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
day, the 16th May, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total DEATHS during the Week.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 2 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																			
Well Shoreditch - - - - -	N.R. & E.L.	7376	6	4	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Leonard Shoreditch - - - - -	N.R.	14967	13	13	22	2	1	3	-	-	-	2	-	-	-	2	1	-	-
London New Town - - - - -	N.R.	29937	20	2	22	2	-	-	-	-	-	1	-	-	-	-	-	-	-
London Old Town - - - - -	N.R.	28036	18	7	22	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Regent's Park - - - - -	N.R. & E.L.	46275	37	20	4	4	-	-	-	-	-	-	-	-	2	4	9	-	-
Knightsbridge - - - - -	E.L.	29738	28	9	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	E.L.	47932	29	29	4	7	-	3	-	-	-	1	-	-	-	-	1	9	-
St. John's Church - - - - -	E.L.	29681	17	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	E.L.	19810	17	8	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
St. John's Church - - - - -	E.L. & N.R.	22885	9	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	E.L.	15473	8	9	1	2	-	-	-	-	-	-	-	-	-	-	-	8	-
St. John's Church - - - - -	E.L. & N.R.	17490	14	19	2	-	-	-	-	1	1	-	-	-	1	2	14	-	-
St. John's Church - - - - -	E.L.	9713	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	N.R. & E.L.	6102	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	E.L.	38747	35	16	5	2	-	2	-	-	-	2	-	-	-	-	-	1	-
St. John's Church - - - - -	E.L.	8410	11	9	1	4	-	-	-	-	-	-	-	-	-	1	6	-	-
St. John's Church - - - - -	E.L. & N.R.	10895	10	16	6	-	-	1	-	-	-	1	-	-	1	3	8	1	-
St. John's Church - - - - -	E.L.	16107	10	4	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-
St. John's Church - - - - -	E.L.	32041	26	15	4	1	1	3	1	-	3	-	-	-	1	2	-	-	-
St. John's Church - - - - -	E.L.	37960	25	12	2	1	-	4	-	-	-	-	-	-	-	1	-	-	-
St. John's Church - - - - -	E.L.	67653	52	12	3	10	-	1	1	-	1	-	-	-	-	2	6	-	-
St. John's Church - - - - -	E.L.	37074	24	13	5	-	-	1	-	-	1	-	-	-	-	1	-	-	-
St. John's Church - - - - -	E.L.	64359	61	45	14	13	-	1	-	-	1	-	-	-	1	-	2	20	-
St. John's Church - - - - -	E.L.	55077	40	10	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH DISTRICTS.																			
St. John's Church - - - - -	L. & S.	13663	13	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
St. John's Church - - - - -	S.	14999	8	7	1	2	1	-	1	-	-	-	-	-	-	1	-	-	1
St. John's Church - - - - -	S. & L.	21381	14	12	4	2	1	1	-	-	-	-	-	-	-	2	-	-	-
St. John's Church - - - - -	S. & L.	16963	8	10	2	2	-	-	-	-	1	2	-	-	-	1	-	-	-
St. John's Church - - - - -	L. & S.	21318	19	9	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. John's Church - - - - -	S. & L.	26672	16	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	S. & L.	59555	48	27	9	9	-	-	-	-	-	1	-	-	-	-	7	1	-
St. John's Church - - - - -	L. & S.	21623	20	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	S.	11956	8	12	1	-	-	-	1	-	-	-	-	-	-	1	2	7	-
St. John's Church - - - - -	S. & L.	16900	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	S.	16669	15	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
St. John's Church - - - - -	S.	54683	45	15	4	2	-	-	1	-	-	-	-	-	-	1	4	-	-
St. John's Church - - - - -	S. & K.	36024	19	23	5	4	-	-	-	1	-	-	-	-	-	4	4	9	1
St. John's Church - - - - -	L. & S.	16195	6	3	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-
St. John's Church - - - - -	L. & S.	16241	19	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
St. John's Church - - - - -	L. & S.	19876	13	15	1	4	-	-	-	-	-	1	-	-	-	-	10	-	-
St. John's Church - - - - -	L. & S.	39859	33	19	3	6	-	-	-	-	-	-	-	-	-	1	1	9	-
St. John's Church - - - - -	S. & L.	45232	42	10	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-
St. John's Church - - - - -	S. & L.	35332	16	6	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
St. John's Church - - - - -	L. & S.	62837	39	29	4	3	5	-	1	1	-	-	-	-	-	1	-	5	-
St. John's Church - - - - -	L.	19017	15	7	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
St. John's Church - - - - -	S.	36380	18	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	S.	54675	45	6	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1
St. John's Church - - - - -	S.	55387	33	18	2	3	-	-	-	-	1	-	-	-	-	-	-	3	-
St. John's Church - - - - -	S.	28004	25	9	3	3	-	1	-	-	-	-	-	-	-	-	-	6	-
St. John's Church - - - - -	S.	18235	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	L.	25533	20	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	L. & S.	5590	3	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
St. John's Church - - - - -	S. & L.	59104	44	25	3	7	4	-	-	-	3	-	-	-	-	-	2	5	-
St. John's Church - - - - -	S., L. & K.	71089	42	32	9	9	2	1	-	-	1	-	-	-	-	1	1	1	2
St. John's Church - - - - -	L. & S.	50810	38	18	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-
St. John's Church - - - - -	K.	76752	77	39	8	4	7	-	-	-	1	-	-	-	-	1	2	9	3
St. John's Church - - - - -	K.	7901	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	K.	21972	11	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	K.	24608	24	12	1	2	-	3	1	-	-	-	-	-	-	2	2	4	-
St. John's Church - - - - -	K.	5827	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	K.	21559	14	11	2	3	1	1	-	-	-	-	-	-	-	-	2	1	-
St. John's Church - - - - -	K.	19865	16	7	3	3	-	1	-	-	-	-	-	-	-	1	-	1	-
St. John's Church - - - - -	L.	26076	19	8	2	2	1	-	-	-	-	-	-	-	-	1	1	-	-
St. John's Church - - - - -	K.	10930	10	5	-	3	-	-	-	-	-	-	-	-	-	-	-	2	1
St. John's Church - - - - -	K.	17617	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Church - - - - -	K.	19048	11	15	6	1	-	1	-	-	-	-	-	-	-	1	-	-	2
St. John's Church - - - - -	K.	14009	6	4	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-
St. John's Church - - - - -	K.	19241	10	7	1	4	-	-	-	-	-	-	-	-	-	1	1	1	-

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.	Stepney
Holborn Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum
London City Workhouse in Hackney sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Holborn	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Whitechapel	

Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 16th May, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Ename- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes.
LONDON—OUTER RING		370,282	950,178	758	338	69	88	17	9	2	6	8	2	2	4	11	46	
30:1	Carehaston <i>wL</i> - -	12223	21118	4	13	-	8	-	-	-	-	-	-	-	-	-	9	
2	Epsom (part of) * <i>WH</i>	9971	10710	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
37:1	Godstone (part of) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon <i>WwH</i> - -	20851	101241	61	42	7	11	-	3	-	-	-	-	-	1	2	8	
	Mitcham - -	11697	17932	8	3	-	1	-	-	-	-	-	-	-	-	-	-	
39:1	Wimbledon <i>HHH</i> - -	3220	15950	11	7	2	2	-	-	-	1	-	1	-	-	-	-	
2	Kingston <i>WHH</i> - -	8549	36354	23	7	1	3	-	-	-	-	-	-	-	-	-	-	
3	Esher (part of) * -	6801	9221	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton <i>H</i> - -	4573	13539	8	3	2	4	-	-	-	1	-	-	-	-	-	-	
40:1	Richmond <i>WH</i> - -	2272	21302	20	4	-	3	-	-	-	-	-	-	-	-	-	1	
2	Mortlake - -	941	12331	4	4	1	2	-	-	-	-	-	-	-	-	-	-	
41:1	Bromley (pt. of) * <i>HH</i>	15669	81142	23	11	1	3	-	-	-	-	-	-	-	1	1	-	
2	Chislehurst (pt. of) * <i>WHH</i>	13665	15065	10	5	-	3	-	-	-	-	-	-	-	-	-	2	
42:1	Bexley <i>H</i> - -	13437	24134	17	11	3	3	-	1	-	-	1	-	-	-	-	-	
124:1	Sunbury <i>w</i> - -	11055	11685	5	5	2	1	-	-	-	-	-	-	-	-	1	-	
2	Staines <i>W</i> - -	13277	12089	7	10	4	2	-	-	-	1	-	-	-	-	-	-	
125:1	Hillingdon <i>WH</i> - -	6029	10802	9	1	-	1	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge - -	6173	5225	7	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>wHL</i> - -	14537	11523	10	1	-	1	-	-	-	-	-	-	-	-	-	-	
126:1	Isleworth <i>W</i> - -	7008	22727	15	3	1	-	-	-	-	-	-	-	-	1	1	1	
2	Twickenham <i>H</i> - -	2477	12479	8	3	1	1	-	-	-	-	-	-	-	-	-	-	
3	Brentford <i>HL</i> - -	4345	27649	23	9	4	2	-	-	-	-	-	-	1	-	1	-	
4	Chiswick - -	1340	15975	6	5	1	1	-	-	-	1	-	-	-	-	-	-	
5	Acton <i>wH</i> - -	6083	22876	10	5	1	1	-	-	-	-	-	-	-	-	-	-	
127:1	Harrow <i>H</i> - -	13809	12796	10	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware <i>H</i> - -	6994	3749	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - -	4383	27453	37	7	3	1	-	-	-	-	1	-	-	-	1	-	
4	Hendon <i>W</i> - -	8382	10484	7	7	3	-	-	-	-	-	-	-	-	-	-	3	
128:1	South Mimms - -	15599	6391	5	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet <i>W</i> - -	5433	10092	5	4	1	2	-	-	-	-	-	-	-	-	-	-	
3	Finchley <i>HL</i> - -	4688	17615	10	10	-	1	-	-	-	-	-	-	-	1	5	-	
129:1	Hornsey <i>H</i> - -	3039	37078	26	13	-	4	-	2	-	-	-	-	-	-	-	-	
2	Tottenham <i>HH</i> - -	4642	46456	57	8	2	1	-	-	-	-	1	-	-	-	-	1	
3	Edmonton <i>Wwv</i> - -	7483	23463	25	15	-	9	3	-	-	-	-	-	-	-	-	7	
4	Enfield <i>WH</i> - -	12653	19104	23	6	2	-	-	-	-	-	1	-	-	-	-	1	
5	Waltham Abbey - -	11017	5363	3	1	-	1	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - -	2490	7735	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
135:1	Hatfield (part of) * -	3306	533	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - -	9331	6621	3	2	1	1	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford - -	882	38606	29	12	6	2	1	1	1	-	-	-	-	-	-	-	
2	West Ham <i>wvwvH</i> - -	7351	101053	117	52	12	6	13	1	1	1	2	1	-	1	3	3	
3	Leyton <i>WwL</i> - -	4372	32430	29	15	2	2	-	1	-	1	-	-	-	-	-	5	
4	Walthamstow <i>wH</i> - -	6530	28860	31	14	6	3	-	-	-	-	-	-	1	-	-	-	
137:1	Chigwell (part of) * <i>H</i>	11761	9689	5	3	-	1	-	-	-	-	-	-	-	-	-	-	
139:1	Romford (part of) * -	6730	3411	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - -	8493	7645	5	2	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town - -	4127	9203	13	3	-	1	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:— 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1235); 37:1, the two parishes of Warlingham and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1318); 41:2, the whole of Chislehurst sub-district, except the parish of Chislefield Bois (pop. 875); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Thorydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 16th May, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
EATER LONDON	448,334	5,199,166	18.4	2.7	1834	402	413	62	74	15	27	65	18	11	50	395	
INNER LONDON	78,052	4,083,928	19.1	2.9	1496	333	325	45	65	13	21	57	16	9	46	349	
OUTER RING	370,282	1,115,238	15.8	2.2	338	69	88	7	9	2	6	8	2	2	4	46	

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 00'522 square miles, which is equivalent to the area of a circle having a radius of 14'933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	April 4	-	320	38.5	Small-pox 11; fevers 74; cholera 101.
BOMBAY - -	773,196	" 14	232	451	27.8	Measles 22; fevers 130; cholera 25.
MADRAS - -	398,777	" 3	292	218	28.4	Fevers 63; diarrhoea and dysentery 44.
PARIS - - -	2,239,928	May 9	1113	1183	25.1	Meas. 40; typhd. fev. 13; diph. & croup 35.
GENEVA - -	71,453	" 9	31	35	25.6	Diphtheria and croup 1.
BRUSSELS - -	436,214	" 2	238	163	21.2	Scarlet fever 2; croup 7.
AMSTERDAM -	366,812	" 9	246	163	3.1	Whooping-cgh.3 measles 2.
ROTTERDAM -	166,001	" 9	106	77	23.6	—
THE HAGUE -	134,552	" 9	80	55	21.3	—
COPENHAGEN -	278,000	" 5	207	115	21.6	Diphtheria and croup 2.
STOCKHOLM -	190,115	" 2	119	100	25.6	Measles 12; diphtheria and croup 6.
CHRISTIANIA -	128,000	" 9	79	50	20.3	Scarlet fever 4; diph- theria and croup 9.
ST. PETERSBURG	928,016	" 2	-	618	34.7	Typh. and typhd. fev. 26; measles 12.
BERLIN - -	1,266,511	April 25	847	602	24.6	Diphtheria 23; scarlet fever 5; measles 8.
HAMBURG(State)	497,956	May 2	324	262	27.5	Diphtheria and croup 15; typhus 4.
DRESDEN - -	241,500	" 2	168	107	23.0	Diphtheria 3; scarlet fever 2.
BRESLAU - -	295,000	" 2	219	196	34.5	Diphtheria 3; croup 3; diarrhoea 15.
MUNICH - -	244,000	" 9	171	132	32.4	Measles 5; scar. fever 3; diph. and croup 3.
VIENNA - -	769,889	" 2	567	490	33.1	Small-pox 17; measles 9; diphtheria 7.
PRAGUE - -	272,333	" 9	-	178	34.1	Scar. fev. 3; whooping- cough 5.
BUDA-PESTH -	429,532	April 25	302	260	31.5	Diphtheria and croup 9.
TRIESTE - -	150,167	" 25	-	83	28.7	Small-pox 4; diph. and croup 10.
ROME - -	324,649	" 4	198	156	25.1	Sm.-pox 7; typhd. fev. 3.
NAPLES - -	504,795	—	-	-	-	—
TURIN (10 days)	267,763	April 30	-	-	-	—
VENICE - -	144,845	May 2	66	85	30.6	Small-pox 5; typhoid fever 3.
MADRID - -	475,668	—	-	-	-	—
LISBON - -	203,681	—	-	-	-	—
ALEXANDRIA -	212,034	April 18	171	130	29.3	Typhus and typhoid fever 6.
NEW YORK -	1,356,958	" 18	-	696	26.8	Measles 25; scar. fev. 14; diphtheria 25.
BROOKLYN -	665,602	" 18	-	297	23.3	Measles 11; scar. fev. 13; diph. and croup 15.
PHILADELPHIA -	949,432	" 25	-	428	23.5	Croup 16; diph. 13; scar. fev. 10; typhd. fev. 7.
BALTIMORE -	403,520	" 25	-	152	19.4	Diphtheria 4; whooping- cough 2.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 16th MAY, 1885.

[Under the Superintendence of the Astronomer Royal.]

MOON.		HAZON-METER.		READINGS OF THERMOMETERS.										DIFFERENCE				WIND.				RAIN.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Phases of Moon.		Mean daily reading (corrected and reduced to 32 deg. Fahrenheit.)		Dry.		Dew Point.		Highest in the day shown by aneroid-thermometer.		Lowest in the day shown by aneroid-thermometer.		In the Water of the Thames at Deptford.		Between Dew Point and Air Temperature.		Between mean temperature of sun and mean temperature of same day sent on an average by 100.		General Direction.		P. M.		Great- est.		Least.		Mean of each day.		Amount of Horizontal Movement of Air from surface of ground.		Robinson's.		As deduced from Anemometers.		Collected in a gauge receiving surface is 5 in. above the ground.		RAIN.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
MONTH AND DAY.				Range in day.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
APRIL.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
SUN.	10	In Equator	29.752	57.2	39.6	17.6	47.0	36.4	119.8	31.0	0	0	0	11.2	17.3	2.2	0	3.5	65	WSW.	W. & WSW.	6.0	0.0	1.7	413	162	0.00	10.2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00</

SKY AND ATMOSPHERE.

SUNDAY	10	m. P. in morning; v. P. afterwards.	4.6	15.3	Fine; partially cloudy.
MONDAY	11	v. P. throughout	6.8	15.3	Fine; partially cloudy. Occasional light showers between 4h. A.M. and 10h. A.M.
TUESDAY	12	v. P. till afternoon; m. P. afterwards.	9.2	15.4	A very fine day. Small amounts of cloud prevailed till evening, increasing afterwards.
WEDNESDAY	13	m. P. throughout	10.1	15.4	Very fine. Small amounts of cloud throughout. Fine solar halo.
THURSDAY	14	v. P. generally; s. N. for a short time in afternoon.	8.7	15.5	Fine; partially cloudy generally. One or two showers of rain.
FRIDAY	15	v. P. and v. N.	5.9	15.5	Fine. Partially cloudy till evening; cloudless at night.
SATURDAY	16	m. P. till 6h. A.M.; v. P. and v. N. till 2h. P.M.; s. N. till 8h. P.M.; w. P. afterwards.	6.2	15.6	Generally fine till afternoon; variable and showery till evening; fine afterwards. Distant thunder heard shortly before 4h. P.M.
Sum			51.5	108.0	

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1884 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1883.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are: - P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer increased from 29.74 in. at the beginning of the week to 29.02 in. by 2h. p.m. on the 11th; decreased to 29.64 in. by 6h. p.m. on the 12th; increased to 29.30 in.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

*Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.*

No. 20. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, MAY 23. [Price 1½d.

*General Register Office, Somerset House,
25th May, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 21·1 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	May 2.	May 9.	May 16.	May 23.		May 2.	May 9.	May 16.	May 23.
Birkenhead	20·2	20·7	19·6	23·5	Liverpool -	21·3	23·4	24·8	24·2
Birmingham	21·8	19·4	17·9	20·9	London -	19·8	18·7	19·1	19·9
Blackburn -	30·1	26·4	23·2	31·5	Manchester -	30·6	26·0	27·7	29·1
Bolton -	15·2	15·2	14·2	13·3	Newcastle-on-Tyne	34·4	36·8	30·3	30·0
Bradford -	23·1	19·0	16·8	17·3	Norwich -	18·9	16·6	22·9	22·9
Brighton -	15·9	14·1	10·9	18·7	Nottingham -	17·5	18·0	19·0	22·0
Bristol -	22·5	17·9	15·5	18·4	Oldham -	25·6	26·4	23·9	22·3
Cardiff -	16·1	24·7	22·0	25·8	Plymouth -	19·2	13·0	20·6	19·2
Derby -	15·1	20·9	15·1	19·2	Portsmouth -	16·7	17·8	22·1	21·7
Halifax -	26·3	20·2	22·9	17·5	Preston -	32·7	28·6	33·3	30·1
Huddersfield	24·5	23·9	16·7	20·3	Salford -	18·7	24·0	23·3	18·9
Hull -	15·1	17·9	18·8	19·0	Sheffield -	22·0	19·5	24·9	20·8
Leeds -	23·0	20·4	20·5	20·2	Sunderland -	23·7	21·6	25·0	24·1
Leicester -	20·3	15·3	18·8	18·0	Wolverhampton -	20·4	25·0	19·1	21·7

The highest annual death-rates from measles, measured by last week's mortality, were 2·3 in Liverpool, 3·4 in Birkenhead, and 6·1 in Newcastle-upon-Tyne; from whooping-cough, 2·2 in Birkenhead, 2·5 in Oldham, 2·7 in Plymouth, and 7·0 in Blackburn; from scarlet fever, 3·3 in Wolverhampton; and from "fever," 1·1 in Cardiff, and 1·7 in Norwich. The deaths from diphtheria included 10 in London, and 2 in Preston. Small-pox caused 66 deaths in London and its outer ring (not including 22 fatal cases of Londoners who died in the Metropolitan Asylum Hospital Ships and Camp at Darent), 2 in Manchester, 2 in Sheffield, one in Hull, and one in Sunderland.

LONDON.

In LONDON 2391 BIRTHS and 1554 DEATHS were registered. Allowing for increase of population, the births were 195, and the deaths 17, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·7 and 19·1 in the two preceding weeks, further rose last week to 19·9. During the first seven weeks of the current quarter the death-rate averaged 20·8 per 1000, against 22·1 in the corresponding periods of the nine years 1876-84.

The 1554 deaths included 28 from small-pox, 93 from measles, 12 from scarlet fever, 10 from diphtheria, 68 from whooping-cough, 2 from typhus, 13 from enteric fever, 3 from ill-defined forms of continued fever, 16 from diarrhoea and dysentery, and not one from cholera; thus, 245 deaths were referred to these diseases, being 6 above the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 32, 44, and 45 in the three preceding weeks, declined last week to 28, and were 3 below the

corrected weekly average. These 28 deaths were exclusive of 22 deaths of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the total 50 fatal cases, 39 occurred in the Metropolitan Asylum Hospitals in and around London, 2 in the Highgate Small-pox Hospital, one in the Royal Free Hospital, and 8 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 4 belonged to Hackney, 5 to Newington, 4 to Lambeth, and 7 to Camberwell. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1282, 1361, and 1364 on the three preceding Saturdays, had further increased to 1374 at the end of last week; the admissions, which had been 354, 315, and 211 in the three previous weeks, rose again to 282 last week. The Highgate Small-pox Hospital contained 68 patients on Saturday last, 15 cases having been admitted during the week.

The fatal cases of *measles*, which had declined from 103 to 65 in the four preceding weeks, rose again last week to 93, and exceeded the corrected weekly average by 41; 9 belonged to Kensington, 17 to Islington, 11 to Hackney 5 to Clerkenwell, and 7 to Stepney. The 12 deaths from *scarlet fever* were fewer by one than the number in each of the two previous weeks, and were 20 below the corrected average; 3 belonged to Clerkenwell. The Metropolitan Asylum Hospitals contained 184 scarlet fever patients on Saturday last; 30 cases were admitted, against 28 and 21 in the two previous weeks. The 68 fatal cases of *whooping-cough* showed a further increase upon recent weekly numbers, but were 10 below the corrected average; 5 belonged to Kensington, 5 to Fulham, 4 to St. Lukes, and 5 to Camberwell. The deaths referred to *diphtheria*, which had been 24 and 21 in the two previous weeks, declined to 10 last week, and were one below the corrected average; 3 belonged to Islington. The 16 deaths attributed to *diarrhœa* and *dysentery* were 2 below the corrected average.

The deaths referred to *enteric fever*, which had been 12 and 16 in the two previous weeks, declined again to 13 last week, but were one above the corrected average; 3 belonged to Lambeth. Of the two fatal cases of *typhus* one belonged to Wandsworth and one to Camberwell. Of the 3 deaths classed to simple or undefined fever, one in the Seamen's Hospital was certified as "acute eruptive fever, purpura." The Metropolitan Asylum Hospitals contained 23 cases of enteric fever, and 2 of typhus, on Saturday last; one of enteric, and not one of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 287 and 291 in the two preceding weeks, further rose to 305 last week, and were 5 below the corrected weekly average.

Different forms of violence caused 39 deaths; 36 were the result of negligence or accident, among which were 18 from fractures and contusions, 5 from burns and scalds, 4 from drowning, and 5 of infants under one year of age from suffocation. The 18 deaths from fractures and contusions were thus returned:—male, aged 3, and female 9, run over by van; male 43, run over by omnibus; male 69 and female 2, run over by cab; female 4, run over by cart; male 32, fell from dray; male 33, fell from omnibus; male 38, fell from cart; male 52, knocked down by horse; male 43, fell from scaffold; male 65, fell from ladder; male 4, and female 75, by fall; male 17, run over by train; female 2, struck by swing; male 90, fell from bed; and female 54, fell down stairs. An inquest was held in each of these 18 cases.

GREATER LONDON.

In Greater London 3027 births and 1945 deaths were registered, corresponding to annual rates of 30·4 and 19·5 per 1000 of the population. In the Outer Ring 38 deaths from small-pox, 21 from measles, 12 from whooping-cough, and 6 from diphtheria were registered. The 38 fatal cases of small-pox included 29 in West Ham, 5 in Barking Town, and 2 in Croydon sub-districts; 9 deaths from measles occurred in Croydon, and 3 from diphtheria in Tottenham.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·472 in.; the highest reading was 29·83 in. on Tuesday morning, and the lowest was 28·97 in. on Friday morning. The mean temperature of the *air* was 48°·4, and 6°·3 below the average in the corresponding weeks of the 20 years ending 1868. The mean was considerably below the average throughout the week. The direction of the *wind* was variable, and the horizontal movement of the air averaged 13·6 miles per hour, which was 3·3 miles above the average in the corresponding week of 16 years. *Rain* fell on each day of the week, to the aggregate amount of 0·74 in. The duration of registered bright sunshine in the week was 28·9 hours, against 28·6 hours at Glynde Place, Lewes.

See column 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000.

CITIES AND BOROUGH.	CITIES AND BOROUGH.	Registered during the Week ending 23rd May, 1885.		Deaths of 1 Year or more.		Deaths from										Deaths of 60 Years and upwards.		The Deaths registered in the Week include		TEMPERATURE OF THE AIR.				RAINFALL.			
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	Fahrenheit.		Mean.	Centigrade.	In Inches.	In Centi-meters.	Cols.	
																				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.						Small-pox.
BIRTHS.	DEATHS.																										
28 TOWNS -	8,006,446	5443	3594	825	761	34	182	40	17	158	37	42	97	207	626	62	21-1	3-0	63-0	31-1	45-8	7-67	0-92	2-34	-	28 TOWNS.	
LONDON -	4,083,928	2391	1554	334	346	28	93	12	10	68	18	16	39	97	352	13	19-9	3-1	61-1	38-2	48-4	9-11	0-74	1-88	-	LONDON.	
BRIGHTON -	114,672	63	41	9	11	-	-	-	-	-	-	-	-	-	2	10	-	18-7	0-5	63-0	39-6	49-5	9-72	1-44	3-66	-	BRIGHTON.
PORTSMOUTH -	134,659	86	56	9	16	-	-	-	-	1	1	1	1	1	1	9	2	21-7	0-8	-	-	-	-	-	-	-	PORTSMOUTH.
NORWICH -	81,215	63	40	9	11	-	-	-	-	-	3	-	-	-	-	-	-	19-2	2-3	60-1	37-4	48-1	8-95	1-97	5-00	-	NORWICH.
PLYMOUTH -	76,045	45	28	4	9	-	-	1	-	4	-	-	-	-	-	-	-	18-4	1-7	56-0	37-0	45-8	7-67	1-51	3-84	-	PLYMOUTH.
BRISTOL -	218,169	121	77	16	21	-	-	-	-	-	-	-	-	-	8	1	21-7	4-0	56-4	31-1	44-3	6-84	0-92	2-34	-	BRISTOL.	
WOLVERHAMPTON -	79,185	49	33	11	6	-	-	5	-	-	-	-	1	1	1	8	1	21-7	4-0	56-4	31-1	44-3	6-84	0-92	2-34	-	WOLVERHAMPTON.
BIRMINGHAM -	427,769	286	171	44	47	-	-	2	1	5	1	5	8	14	30	3	20-9	1-7	-	-	-	-	-	-	-	-	BIRMINGHAM.
LEICESTER -	136,147	80	47	16	8	-	-	1	2	-	-	-	2	1	6	3	2	18-0	1-9	-	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM -	211,424	135	89	29	14	-	-	-	2	3	-	-	2	7	14	1	22-0	1-5	55-8	37-5	7-50	0-60	1-52	-	-	NOTTINGHAM.	
DERBY -	89,691	60	33	8	12	-	-	-	-	-	-	-	-	2	3	1	-	19-2	0-0	-	-	-	-	-	-	-	DERBY.
BIRKENHEAD -	43,093	73	42	8	5	-	-	6	-	-	-	-	-	3	4	4	-	23-5	5-6	-	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL -	573,724	350	269	53	40	-	-	25	4	1	12	2	5	11	12	47	9	24-2	4-4	55-0	38-6	7-78	0-55	1-40	-	LIVERPOOL.	
BOLTON -	110,085	68	28	6	5	-	-	-	-	-	-	1	1	4	5	2	1	13-3	0-9	55-1	33-6	43-2	6-22	1-05	2-67	-	BOLTON.
MANCHESTER -	387,342	216	188	42	29	2	12	2	-	-	11	2	1	5	10	32	1	29-1	4-6	-	-	-	-	-	-	-	MANCHESTER.
SALFORD -	204,075	140	74	20	16	-	-	-	-	3	2	-	1	2	12	1	18-9	1-5	-	-	-	-	-	-	-	-	SALFORD.
OLDHAM -	126,390	93	54	16	11	-	-	-	-	6	-	-	-	1	4	-	22-3	2-9	-	-	-	-	-	-	-	-	OLDHAM.
BLACKBURN -	112,574	68	68	22	11	-	-	-	-	-	15	-	-	-	1	10	-	31-5	7-9	-	-	-	-	-	-	-	BLACKBURN.
PRESTON -	100,406	69	58	21	8	-	-	-	-	2	1	1	1	-	1	7	-	30-1	2-6	57-5	38-5	46-5	8-06	0-48	1-22	-	PRESTON.
HUDDESFIELD -	87,327	45	34	8	14	-	-	-	-	-	3	-	-	-	-	1	1	20-3	2-4	-	-	-	-	-	-	-	HUDDESFIELD.
HALIFAX -	77,378	35	26	3	7	-	-	-	-	-	1	-	-	-	-	2	2	17-5	0-7	-	-	-	-	-	-	-	HALIFAX.
BRADFORD -	214,431	117	71	12	17	-	-	-	-	-	1	1	-	2	7	7	-	17-3	0-7	55-1	37-2	45-3	7-39	0-75	1-90	-	BRADFORD.
LEEDS -	333,139	202	129	30	24	-	-	-	-	-	5	-	-	2	10	16	17	20-2	0-7	57-0	38-0	46-5	8-06	0-66	1-68	-	LEEDS.
SHEFFIELD -	305,716	181	122	29	27	2	13	1	-	-	7	-	-	1	2	11	11	20-8	4-1	58-0	37-0	45-5	7-50	0-65	1-65	-	SHEFFIELD.
HULL -	186,292	106	68	19	16	-	-	-	-	-	1	1	-	1	2	6	1	19-0	0-8	61-0	34-0	44-2	6-78	0-70	1-78	-	HULL.
SUNDERLAND -	125,327	107	58	10	11	1	5	-	-	-	1	1	-	1	1	6	1	24-1	2-9	55-0	37-0	43-8	6-56	0-68	2-36	-	SUNDERLAND.
NEWCASTLE -	163,209	107	88	22	13	-	13	2	1	2	2	1	3	6	11	3	30-0	8-9	57-0	35-0	43-8	6-56	0-90	2-29	-	NEWCASTLE.	
CARDIFF -	37,034	87	48	15	6	-	4	-	-	-	-	1	-	1	8	1	25-8	3-8	-	-	-	-	-	-	-	-	CARDIFF.
EDINBURGH -	250,616	123	87	19	22	-	-	-	-	3	3	2	2	3	?	10	20	18-1	1-7	57-4	38-7	46-6	8-12	0-94	2-89	-	EDINBURGH.
GLASGOW -	519,965	345	247	51	31	-	15	2	2	12	5	4	7	7	?	34	37	24-8	4-0	57-0	35-0	47-2	8-44	1-14	2-90	-	GLASGOW.
DUBLIN -	353,982	178	211	39	44	-	17	6	1	2	6	1	1	2	3	63	22	31-2	4-9	56-4	39-2	46-3	7-95	0-84	2-13	-	DUBLIN.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the TWENTIETH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	1983	2353	2410	2514	2266	2296	2463	2462	2407	2556	2585.5	2391
Males	1047	1166	1247	1271	1185	1195	1285	1233	1211	1279	1321.5	1222
Females	936	1187	1163	1243	1081	1101	1178	1229	1196	1277	1264.0	1169
TOTAL Deaths	1822	1341	1564	1380	1532	1297	1488	1419	1530	1536	1571.2	1554
Males	714	722	791	716	831	653	749	710	793	801	815.6	811
Females	608	619	773	664	701	644	739	709	737	735	755.6	743

* The numbers in this column are the average weekly numbers in the twentieth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

		Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.
TOTAL Births	- -	2709	2623	2737	2675	2537	2404	2473	2617	2541	2561	2429	2544	2391
TOTAL Deaths	- -	1569	1495	1678	1678	1734	1701	1859	1706	1743	1549	1465	1496	1554
0—20	- -	718	692	793	767	807	771	830	790	773	699	697	707	745
20—40	- -	202	204	211	207	205	218	255	224	209	227	206	214	209
40—60	- -	285	254	269	300	289	286	328	287	336	277	273	250	254
60—80	- -	297	293	351	324	352	347	375	323	349	281	243	263	290
at 80 years & upwds.	- -	67	52	54	80	81	79	71	77	76	65	46	62	56
Deaths of children	{ Under 1 year -	364	356	424	370	395	374	398	370	379	324	296	333	334
	{ 1—5 -	243	256	273	297	315	308	327	293	296	292	294	254	299
	{ 5—20 -	111	80	96	100	97	89	105	127	98	83	107	120	112
Deaths from Small-pox *	- -	37	27	35	23	24	39	40	49	51	48	66	75	50
" " Measles	- -	29	52	51	53	70	83	70	92	103	99	91	65	93
" " Scarlet Fever	- -	16	15	7	16	10	5	9	9	10	12	13	13	12
" " Diphtheria	- -	16	15	8	29	11	16	15	21	10	15	24	21	10
" " Whooping-cough	- -	45	37	49	45	55	55	55	46	57	51	46	57	68
" " Typhus	- -	-	-	2	-	1	-	-	2	2	-	2	-	2
" " Enteric fever	- -	8	7	8	13	7	14	10	13	11	1	12	16	13
" " Simple Cont'd fever	- -	2	3	-	2	2	-	2	2	2	1	-	-	3
" " Diarrhoea and Dysentery	- -	9	7	14	12	18	8	16	7	21	16	13	9	16
" " Cholera	- -	-	-	-	-	-	-	-	-	-	-	1	-	-
Deaths from the above-mentioned Diseases *	- -	162	163	174	184	198	220	217	241	267	243	268	256	267
" " Dis. of Respiratory System	- -	384	374	455	487	448	478	512	449	381	337	287	291	305
" " Phthisis	- -	163	179	177	157	190	160	198	163	167	191	160	160	179
" " Dis. of Circulatory System	- -	127	112	139	140	128	122	123	109	135	91	110	106	105
Violent Deaths	- -	50	40	75	56	50	41	63	57	62	64	52	46	39
Inquest Cases	- -	114	85	148	125	120	109	132	130	116	126	98	104	97
Deaths in Public Institutions	- -	322	335	347	344	361	359	374	385	417	331	319	349	352
TEMPERATURE OF THE AIR:														
Mean	- -	45.8	40.3	38.2	41.9	39.1	43.3	41.9	45.6	54.7	51.9	46.7	47.4	48.4
Mean of Highest readings	- -	51.7	48.0	45.7	52.0	47.6	53.9	49.5	56.2	66.4	61.8	57.6	58.9	57.9
Mean of Lowest readings	- -	39.9	34.1	31.3	32.5	31.8	32.8	35.8	37.2	44.0	42.9	38.4	36.8	41.2
Humidity of the Air	- -	88	86	80	75	77	67	85	82	69	78	81	65	79
Rain-fall in inches	- -	0.55	0.60	0.01	0.05	0.84	0.00	0.20	1.11	0.26	0.52	0.77	0.07	0.74
Registered Sunshine (in hours)	- -	9.0	16.3	15.6	29.7	23.9	55.4	10.5	29.2	56.8	39.2	31.4	51.5	28.9

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.;—P. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Bilson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., LL.D., C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Pillitter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., LL.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTIETH Week of the Year 1885.

USES OF DEATH.	Corrected Averages for the 20th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 23rd May, 1885.								Corrected Averages for the 20th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 23rd May, 1885.								
		Deaths of Persons of the Ages									Deaths of Persons of the Ages								
		ALL AGES.			Under 20.						ALL AGES.			Under 20.					
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	0-1.		1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			
CAUSES	1571.2	1554	334	209	112	209	254	290	56										
{ Vaccinated †	30.5	10	-	-	4	4	1	1	-										
{ Unvaccinated		6	1	2	2	-	-	-	-										
{ No Statement		12	1	1	3	5	2	-	-										
{ Small-pox	51.9	93	21	61	11	-	-	-	-										
{ Measles	31.7	12	-	5	5	2	-	-	-										
{ Whooping-cough	2.1	2	-	-	2	-	-	-	-										
{ Typhoid Fever	0.0	-	-	-	-	-	-	-	-										
{ Typhus	0.0	-	-	-	-	-	-	-	-										
{ Cholera	77.5	68	30	37	1	-	-	-	-										
{ Dysentery	10.8	10	-	7	3	-	-	-	-										
{ Cholera Continued and defined Fever	4.1	3	-	1	-	-	2	-	-										
{ Erysipelas	12.4	13	-	2	5	3	2	1	-										
{ Scarlatina	0.4	-	-	-	-	-	-	-	-										
{ Typhoid, Dysentery	17.8	16	12	1	-	-	3	-	-										
{ Typhoid Fever	0.7	2	-	1	-	-	1	-	-										
{ Typhoid Phobia	0.0	-	-	-	-	-	-	-	-										
{ Typhoid	0.0	-	-	-	-	-	-	-	-										
{ Typhoid and Effects of Vaccination †	0.3	-	-	-	-	-	-	-	-										
{ Typhoid Affections	10.4	7	6	-	1	-	-	-	-										
{ Typhoid	8.5	6	-	-	1	1	4	-	-										
{ Typhoid and Septicæmia †	2.7	5	-	-	3	1	1	-	-										
{ Typhoid Fever	5.9	3	-	-	3	-	-	-	-										
{ Typhoid Zymotic Diseases †	2.7	4	-	2	1	-	1	-	-										
{ Typhoid	2.1	-	-	-	-	-	-	-	-										
{ Typhoid and other Parasitic Diseases	0.8	1	-	-	1	-	-	-	-										
{ Typhoid	1.0	-	-	-	-	-	-	-	-										
{ Typhoid	4.9	1	-	-	-	1	-	-	-										
{ Typhoid	12.0	11	-	-	3	4	3	1	-										
{ Typhoid	2.7	4	-	-	-	1	2	1	-										
{ Typhoid	2.0	4	1	2	1	-	-	-	-										
{ Typhoid	46.8	62	-	-	1	6	28	28	1										
{ Typhoid	23.7	18	10	2	6	-	-	-	-										
{ Typhoid	35.3	34	8	23	2	1	-	-	-										
{ Typhoid	188.5	179	2	6	17	83	59	12	-										
{ Typhoid	15.8	26	8	9	7	1	1	-	-										
{ Typhoid	9.3	15	1	-	-	6	4	3	1										
{ Typhoid	27.3	40	40	-	-	-	-	-	-										
{ Typhoid	1.7	3	3	-	-	-	-	-	-										
{ Typhoid	8.4	10	8	1	1	-	-	-	-										
{ Typhoid	45.3	46	-	-	-	-	-	-	-										
{ Typhoid	47.1	37	1	-	1	2	17	15	1										
{ Typhoid	8.8	9	-	-	2	4	1	2	-										
{ Typhoid	51.4	38	30	3	-	-	-	-	-										
{ Typhoid	87.0	90	12	18	6	12	14	26	2										
CAUSES OF DEATH.																			
{ Diseases of Organs of Special Sense †	1.0	2	1	1	-	-	-	-	-										
{ Diseases of Circulatory System	92.9	105	1	1	5	21	31	45	1										
{ Croup	15.3	9	1	7	1	-	-	-	-										
{ Bronchitis	169.0	171	39	38	1	2	23	54	14										
{ Pneumonia	88.2	87	16	30	7	10	9	15	-										
{ Pleurisy	6.0	9	1	-	-	1	4	3	-										
{ Other Diseases of Respiratory System	31.3	29	5	8	5	3	2	5	1										
{ Dentition †	19.7	19	11	8	-	-	-	-	-										
{ Quinsy, Sore Throat †	1.7	1	-	-	-	-	-	-	-										
{ Enteritis	0.8	4	1	1	-	-	2	2	-										
{ Peritonitis	6.8	12	-	1	-	2	7	2	-										
{ Diseases of Liver	31.0	27	7	-	-	3	6	9	2										
{ Other Diseases of Digestive System	26.9	29	4	3	2	-	8	11	1										
{ Diseases of Lymphatic System & of Ductless Glands †	3.0	-	-	-	-	-	-	-	-										
{ Diseases of Urinary System	33.2	45	1	1	2	7	16	15	3										
{ Diseases of Generative System	5.2	3	-	-	-	1	1	1	-										
{ Accidents of Childbirth	5.1	5	-	-	-	3	2	-	-										
{ Diseases of Locomotive System †	7.7	7	2	3	-	1	-	1	-										
{ Diseases of Integumentary System	7.6	3	2	-	-	-	-	-	1										
VIOLENT DEATHS.‡																			
{ (ACCIDENT.)																			
{ Fracture and Contusion	22.0	13	-	5	2	3	4	3	1										
{ Gunshot Wound	0.2	-	-	-	-	-	-	-	-										
{ Cut, Stab	0.4	-	-	-	-	-	-	-	-										
{ Burn and Scald	5.6	5	1	1	-	1	2	-	-										
{ Poison	1.2	-	-	-	-	-	-	-	-										
{ Drowning	8.6	4	-	-	-	1	1	-	-										
{ Suffocation	13.7	7	5	1	-	-	1	-	-										
{ Otherwise	2.5	2	-	-	-	2	-	-	-										
{ (HOMICIDE.)																			
{ Murder & Manslaughter	1.6	-	-	-	-	-	-	-	-										
{ (SUICIDE.)																			
{ Gunshot Wound	0.9	-	-	-	-	-	-	-	-										
{ Cut, Stab	2.1	-	-	-	-	-	-	-	-										
{ Poison	1.1	1	-	-	-	-	1	-	-										
{ Drowning	2.6	1	-	-	-	1	-	-	-										
{ Hanging	1.0	1	-	-	-	-	1	-	-										
{ Otherwise	1.0	-	-	-	-	-	-	-	-										
{ (EXECUTION.)																			
{ Hanging	0.0	-	-	-	-	-	-	-	-										
{ OTHER CAUSES †	53.3	47	41	2	-	2	-	2	-										

The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population. As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted. Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the case is returned under the heading "no statement," no evidence at inquests is often sufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, or suicide. All such cases are classed under "accident or negligence." Exclusive of 23 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Inquest Cases.	Deaths in Public Houses.
					Deaths of		Deaths from													
							Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid Fever).	Simple con- tinued Fever.	Diarrhoea.	Violence.		
LONDON		3,816,483	2391	1554	334	346	28	93	12	10	68	2	13	3	16	39	97	35		
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		69888	54	22	4	7	-	-	-	1	2	-	1	-	-	-	1	0		
St. John Paddington H - - G.J.		37380	8	14	1	3	-	-	-	-	-	-	-	-	-	-	1	0		
Kensington Town W - - W.M.		120141	67	56	10	16	-	9	-	-	5	-	-	-	-	2	4	19		
Brompton H - - W.M. & C.		43010	14	12	-	7	-	-	-	-	-	-	-	-	-	-	-	1		
St. Peter Hammersmith - - W.M.		7599	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.		64340	41	28	4	9	1	4	-	-	3	-	-	-	-	1	1	3		
Fulham WH - - W.M. & C.		42906	84	18	5	4	1	-	1	-	2	-	-	-	-	-	1	4		
Chelsea South HHH - - C.		30396	18	14	1	6	-	-	-	-	-	1	-	-	-	-	-	-		
Chelsea North-west WHHHH - C.		24925	19	17	4	3	-	-	-	-	-	-	-	-	-	-	1	11		
Chelsea North-east - - C.		32807	20	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
Hanover Square H - - G.J.		16862	4	7	-	4	-	-	-	-	-	-	-	-	-	-	1	-		
May Fair WW - - G.J.		18491	3	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1		
Belgrave HH - - C.		59220	22	26	6	3	-	-	-	1	-	-	-	-	-	-	4	15		
St. John Westminster HH - - C.		35496	15	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-		
St. Margaret Westminster H - C.		24679	10	7	-	2	-	-	-	-	-	-	-	-	-	-	3	5		
St. James Westminster WH N.R. & G.J.		29941	12	6	2	-	-	-	-	-	-	-	-	-	-	1	-	1		
St. Anne Soho HHHHH - - N.R.		16808	2	8	3	1	-	-	-	1	-	-	-	-	-	-	-	1		
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.		26759	11	11	3	2	-	-	-	-	-	-	-	-	-	2	3	5		
Cavendish Square HHH - W.M.		14891	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Rectory Marylebone WH G.J. & W.M.		24809	9	9	-	3	-	-	-	-	-	-	-	-	-	-	-	3		
St. Mary Marylebone HHH G.J. & W.M.		21178	24	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone H - W.M.		38700	13	19	3	4	-	3	-	-	2	-	-	-	-	-	-	-		
St. John Marylebone H - W.M.		38633	13	10	1	4	-	1	-	-	-	-	-	-	-	-	-	-		
Hampstead WHHHH - N.R. & W.M.		45452	81	18	3	2	2	-	-	-	-	-	-	-	-	-	-	3		
Regent's Park Pancras H - W.M.		39115	22	14	4	4	-	-	-	-	-	-	-	-	-	1	-	2		
Tottenham-court WHHHH N.R. & W.M.		27729	11	15	2	3	1	-	-	-	-	-	-	-	-	-	2	1		
Gray's Inn Lane HHH - N.R.		30247	24	13	5	-	-	-	-	-	-	-	-	-	-	-	1	2		
Somers Town H - - N.R.		34369	21	11	2	1	-	-	-	-	-	-	-	-	-	-	-	6		
Camden Town WH - - N.R.		17311	17	15	2	5	-	-	-	1	-	-	-	-	-	-	2	2		
Kentish Town W - - N.R.		87487	50	25	4	7	-	-	-	-	1	-	-	-	-	1	-	6		
Upper Holloway WWWH - N.R.		67946	45	54	10	15	2	8	-	3	2	-	-	-	-	-	3	19		
Islington South-west HH - N.R.		100976	66	32	10	6	-	5	-	-	-	-	1	1	-	-	1	2		
Islington South-east - - N.R.		61895	28	12	3	1	-	1	-	-	-	-	-	-	-	-	-	-		
Highbury H - - N.R.		52048	28	16	6	4	-	3	-	-	-	-	-	-	-	-	1	-		
Stoke Newington H - - N.R.		22781	14	8	-	2	-	1	-	-	-	-	-	-	-	-	-	-		
Stamford Hill - - E.L.		9277	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
West Hackney - - N.R.		37610	40	41	4	2	-	5	-	6	-	-	-	-	-	-	-	-		
Hackney WWHHL - E.L. & N.R.		76911	40	41	4	2	-	5	7	1	-	-	1	-	2	-	-	20		
South Hackney - - E.L.		39883	28	10	1	4	-	-	-	-	-	-	-	-	-	-	-	-		
CENTRAL DISTRICTS.																				
St. George Bloomsbury - - N.R.		16681	8	8	1	6	-	-	-	-	-	-	-	-	1	-	-	-		
St. Giles South WH - - N.R.		14894	7	8	2	4	-	-	-	-	-	-	-	-	-	-	1	4		
St. Giles North - - N.R.		13837	5	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HH N.R. & C.		17508	10	14	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary-le-Strand H - - N.R.		7515	-	2	1	-	-	-	-	-	-	-	-	-	-	1	1	8		
St. Clement Danes H - - N.R.		8659	5	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. George-the-Martyr HHHHHH N.R.		18671	5	17	7	2	-	-	-	-	2	-	-	-	-	-	-	8		
St. Andrew Eastern W - - N.R.		10706	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Saffron Hill H - - N.R.		6533	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1		
St. James Clerkenwell - - N.R.		17516	8	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - - N.R.		19281	18	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pentonville - - N.R.		14773	15	6	1	-	1	-	3	-	-	-	-	-	-	-	-	-		
Goose-lane - - N.R.		17505	8	9	3	1	-	4	-	-	-	-	-	-	-	-	-	-		
Old-street H - - N.R.		11541	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
City-road HLL - - N.R.		18628	15	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
Whitecross-street - - N.R.		9217	8	4	2	-	-	-	-	-	1	-	-	-	-	-	-	1		
Finsbury - - N.R.		7463	3	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-		
St. Botolph H - - N.R. & E.L.		11174	7	5	1	1	-	-	-	-	1	-	-	-	-	-	-	-		
Cripplegate - - N.R.		7193	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - - N.R.		5338	3	21	2	2	-	-	-	1	-	-	-	-	-	-	-	18		
St. Bride W - - N.R.		8396	4	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Alhambra Barking - - N.R.		13666	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - - N.R.		6652	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; S—A Workhouse Establishment receiving inmates from other Districts than that in which it is a house; at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J., the Grand Junction Company; W.M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N.R., New River; E.L., East London and K., the Kent Company.

, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
ay, the 23rd May, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total DEATHS during the Week.	The DEATHS registered in the Week include													Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
					Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

Following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the table by w:—

lebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
ral London Sick Asylum, in Tottenham Court-road sub-district.	
orn Infirmary in Upper Holloway sub-district.	Stepney Poplar & Stepney Sick Asylum Bromley sub-district.
on City Workhouse Hackney sub-district.	
on " Hoxton New Town sub-district.	Westminster Union Industrial School in West Battersea sub-district.
h Chapel " Mile End Old Town Eastern sub-dist.	
	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.

Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS AND DEATHS registered during the Week ending Saturday, 23rd May, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 40 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON—OUTER RING		370,282	950,178	636	391	82	100	38	21	3	6	12	2	4	14	25	63	
30:1	Carshalton <i>wL</i> - -	12228	21118	12	11	1	3	-	-	-	-	-	-	-	1	1	5	
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	5	5	3	1	-	-	-	-	-	-	-	-	1	2	
37:1	Godstone (<i>part of</i>) * -	2754	1235	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
38:1	Croydon <i>WwH</i> - -	20851	101241	57	47	9	10	2	9	-	1	1	1	-	1	1	17	
	Mitcham - -	11697	17932	11	7	3	-	-	-	1	-	1	-	-	-	-	-	
39:1	Wimbledon <i>HHH</i> - -	3220	15950	9	8	1	2	-	-	-	-	-	-	-	-	-	-	
2	Kingston <i>WHH</i> - -	8549	36354	29	12	2	3	-	-	-	-	-	-	-	-	1	-	
3	Esher (<i>part of</i>) * -	6601	9221	7	3	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton <i>H</i> - -	4573	13539	7	4	1	2	-	-	-	-	-	-	-	1	1	-	
40:1	Richmond <i>WH</i> - -	2272	21302	15	4	1	3	-	-	-	-	-	-	-	-	-	-	
2	Mortlake - -	941	12331	6	4	-	2	-	1	-	-	-	-	-	-	-	-	
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	29	8	2	2	1	-	-	1	2	-	-	1	1	-	
2	Chislehurst(<i>pt. of</i>) * <i>WHH</i>	13865	15065	8	3	1	2	-	-	-	-	-	-	-	-	-	-	
42:1	Bexley <i>H</i> - -	13437	24134	13	9	2	3	-	-	-	-	-	-	-	1	1	-	
124:1	Sunbury <i>w</i> - -	11055	11685	6	3	-	2	-	-	-	-	-	1	-	-	-	1	
2	Staines <i>W</i> - -	13277	12089	7	2	-	1	-	-	-	-	-	-	-	-	-	-	
125:1	Hillingdon <i>WH</i> - -	6029	10802	5	6	1	3	-	-	-	-	-	-	-	1	2	-	
2	Uxbridge - -	6178	5225	2	2	1	1	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>wHL</i> - -	14587	11523	2	1	-	-	-	-	-	-	-	-	-	-	-	1	
126:1	Isleworth <i>W</i> - -	7008	22727	8	10	2	1	-	-	-	-	-	-	-	-	-	3	
2	Twickenham <i>H</i> - -	2477	12479	11	3	1	-	-	-	-	-	1	-	-	-	1	-	
3	Brentford <i>HL</i> - -	4545	27649	9	7	1	4	-	-	-	-	-	-	-	1	1	-	
4	Chiswick - -	1340	15975	12	4	1	3	-	-	-	-	-	-	-	-	-	-	
5	Acton <i>wH</i> - -	6083	22376	15	6	3	-	-	-	-	-	-	-	-	-	-	-	
127:1	Harrow <i>H</i> - -	13809	12796	4	4	1	-	-	-	-	1	-	-	-	-	-	-	
2	Edgware <i>H</i> - -	6994	3749	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - -	4383	27453	13	8	1	2	-	1	-	-	-	-	-	-	1	-	
4	Hendon <i>W</i> - -	8382	10484	10	3	2	1	-	-	-	-	-	-	-	-	-	-	
128:1	South Mimms - -	15599	6391	4	2	1	1	-	1	-	-	-	-	-	-	-	-	
2	Barnet <i>W</i> - -	5433	10092	6	1	-	1	-	-	-	-	-	-	-	-	-	-	
3	Finchley <i>HL</i> - -	4688	17615	8	11	2	1	-	-	-	-	-	-	-	1	1	7	
129:1	Hornsey <i>H</i> - -	3039	37078	18	10	1	2	-	-	-	-	2	-	-	-	1	-	
2	Tottenham <i>HH</i> - -	4642	46456	45	20	3	6	-	1	-	3	1	-	1	3	3	1	
3	Edmonton <i>WwvH</i> - -	7483	23463	14	8	3	4	-	-	-	-	-	-	-	-	1	4	
4	Enfield <i>WH</i> - -	12633	19104	5	10	-	4	-	1	-	-	-	-	-	-	-	-	
5	Waltham Abbey - -	11017	5368	4	4	2	1	-	-	-	-	-	-	-	-	1	-	
6	Cheshunt - -	3480	7735	6	4	2	-	-	-	-	-	-	-	-	1	1	-	
135:1	Hatfield (<i>part of</i>) * -	3806	583	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - -	9331	6621	3	3	-	3	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford - -	882	38606	37	15	3	3	-	2	-	-	-	-	-	-	1	-	
2	West Ham <i>wvwwH</i> - -	7351	101053	78	77	18	10	29	5	1	-	-	-	1	1	1	15	
3	Leyton <i>WwL</i> - -	4372	32490	31	20	3	8	-	-	1	-	3	-	1	-	-	7	
4	Walthamstow <i>wH</i> - -	6590	28639	38	9	3	1	-	-	-	-	1	-	1	1	1	-	
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	8	4	-	1	-	-	-	-	-	-	-	-	-	-	
139:1	Romford (<i>part of</i>) * -	6730	3411	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - -	8493	7645	4	2	-	1	1	-	-	-	-	-	-	-	1	-	
3	Barking Town - -	4127	9203	10	5	1	1	5	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
 30 : 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1235); 37 : 1, the two parishes of Warrington and Farley except the two parishes of Cudham and Knoekholt (pop. 1818); 41 : 2, the whole of Chislehurst sub-district, except the parish of Chislefield (pop. 947); 135 : 1, only the parish of Northaw in Hatfield sub-district; 137 : 1, the whole of Chigwell sub-district, except the parish of Thordon Bois (pop. 875); 139 : 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and RaS of MORTALITY during the Week ending Saturday, 28rd May, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
						Deaths of		Deaths from									
			From All Causes.	From Diseases in Cols. 8-14.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Deaths in Public Institutions.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
GREATER LONDON	448,334	5,199,166	19.5	3.3	1945	416	446	66	114	15	16	80	20	20	53	415	
INNER LONDON	78,052	4,083,928	19.9	3.1	1554	334	346	23	93	12	10	68	18	16	39	352	
OUTER RING	370,282	1,115,238	18.3	4.0	391	82	100	38	21	3	6	12	2	4	14	63	

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 522 square miles, which is equivalent to the area of a circle having a radius of 14.933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	BIRTHS.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
		Week ending	Exclusive of	Stillborn.		
CALCUTTA - -	433,219	April 11	-	341	41.0	Small-pox 9; fevers 97; cholera 96.
BOMBAY - -	773,196	" 21	258	470	29.0	Measles 29; fevers 130; cholera 27.
MADRAS - -	398,777	" 10	321	278	36.1	Fevers 74; diarrhoea and dysentery 45.
PARIS - - -	2,239,928	May 16	1142	1030	23.9	Typhd. fev. 11; meas. 44; diph. and croup 39.
GENEVA - -	71,453	" 16	27	24	17.5	Typhus 1.
BRUSSELS - -	436,214	" 9	223	188	22.2	Measles 6; scar. fev. 5; typh. & typh. fev. 5.
AMSTERDAM -	366,812	" 16	231	171	24.2	Scarlet fever 3; croup 4.
ROTTERDAM -	166,001	" 16	123	69	21.2	Scarlet fever 3.
THE HAGUE -	134,552	" 16	87	61	23.6	Croup 3.
COPENHAGEN -	278,000	" 12	197	95	17.8	Diarrhoea 7.
STOCKHOLM -	190,115	" 9	117	95	24.7	Measles 12; diphtheria and croup 6.
CHRISTIANIA -	128,000	" 16	62	47	19.1	Diphtheria and croup 4.
ST. PETERSBURG	928,016	" 9	-	566	31.8	Typh. and typhd. fev. 21; measles 16.
BERLIN - -	1,266,511	" 2	751	585	23.9	Measles 6; diph. 36.
HAMBURG(State)	497,956	" 9	306	266	27.9	Typhus 5; diphtheria and croup 16.
DRESDEN - -	241,600	" 9	157	107	23.0	Diphtheria 7.
BRESLAU - -	295,000	" 9	174	188	33.0	Diphtheria 5; diarrh. 19.
MUNICH - -	244,000	" 16	178	157	33.5	Measles 6; scar. fever 2; diph. and croup 2.
VIENNA - -	769,889	" 9	538	498	33.6	Small-pox 26; measles 11.
PRAGUE - -	272,333	" 16	-	168	32.2	Scar. fev. 3; whooping-cough 3.
BUDA-PESTH -	429,532	" 2	281	264	31.9	Diphtheria and croup 4; diarrhoea 13.
TRIESTE - -	150,157	" 2	-	73	25.3	Diphtheria and croup 6.
ROME - -	324,649	April 11	176	159	25.6	Small-pox 4.
NAPLES - -	504,795	-	-	-	-	-
TURIN - -	267,763	April 30	186	195	26.6	Small-pox 3; measles 4.
(10 days)						
VENICE - -	144,845	May 9	68	65	23.4	Small-pox 2; diarrh. 8.
MADRID - -	475,668	-	-	-	-	-
LISBON - -	203,681	-	-	-	-	-
ALEXANDRIA -	212,034	April 25	185	132	29.7	Typhus and typhoid fever 5; whooping-cough 5.
NEW YORK -	1,356,958	" 25	-	759	29.2	Measles 27; scar. fev. 23; diphtheria 27.
BROOKLYN -	665,602	" 25	-	294	23.0	Measles 8; scar. fev. 10; diphtheria 9.
PHILADELPHIA -	949,482	May 2	-	411	22.6	Diphtheria 11; scarlet fever 7.
BALTIMORE -	408,629	" 2	-	126	16.1	Typhoid fever 3.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 23rd MAY, 1885.
[Under the Superintendence of the Astronomer Royal.]

MOON.	PHASES OF MOON.	READINGS OF THERMOMETERS.										DIFFERENCE				WIND.	RAIN.								
		Baro- meter.		Dry.		Dew Point.		Highest in the shade, as thermo- meter self-regis- tering.		In the Water of the Thames at Deptford by Self- registering Thermometers.		Between Dew Point and Air Temperature.		Between mean tem- perature of the day and mean tem- perature of the same day on an average of 20 years.				Degree of humidity, Satura- tion being repre- sented by 100.							
		Mean daily reading (corrected to 32 deg. Fahr- en- heit).	Mean daily value.	Range in day.	Mean daily value.	Mean daily value.	Mean daily value.	High- est.	Low- est.	High- est.	Low- est.	Greatest est.	Least est.												
														As deduced from Anemometers.											
1885.		Mo. 18.		Mo. 19.		Mo. 20.		Mo. 21.		Mo. 22.		Mo. 23.		Mo. 24.		Mo. 25.		Mo. 26.		Mo. 27.					
APRIL.		Sun. 17.		Mon. 18.		Tue. 19.		Wed. 20.		Thurs. 21.		Fri. 22.		Sat. 23.		Sun. 24.		Mon. 25.		Tue. 26.					
in.	29.573	57.1	41.8	15.3	47.6	40.4	107.2	37.5	52.9	52.9	52.9	52.9	52.9	76	WSW. & W. NNW.	lbs. 8.0	0.0	1.2	332	Miles.	Inches 3.0				
..	29.745	57.6	38.9	18.7	47.2	37.2	112.5	34.4	52.5	52.5	52.5	52.5	52.5	68	NNW.	3.3	0.0	0.8	314	+ 66	0.02				
..	29.772	59.0	38.2	20.8	48.2	38.8	113.9	32.1	52.8	52.8	52.8	52.8	52.8	70	SW. & SSW.	3.0	0.0	0.4	214	- 34	0.04				
..	29.284	54.7	42.6	12.1	47.3	45.2	88.6	38.0	53.3	52.8	51.6	50.0	49.2	92	SSW. & SSE.	6.7	0.0	1.3	346	+ 98	0.08				
..	29.221	60.5	39.8	20.7	48.7	43.7	127.6	35.0	52.7	52.8	52.8	52.8	52.8	83	S. & SW.	4.4	0.0	0.8	296	+ 48	0.10				
First Qr.	29.160	55.1	44.1	11.0	45.2	45.3	99.2	39.7	53.7	52.8	52.8	52.8	52.8	90	SE. E. & W. NW.	10.5	0.0	1.6	378	+ 130	0.39				
..	29.551	61.1	42.9	18.2	51.7	44.0	125.0	37.7	53.7	52.8	52.8	52.8	52.8	75	SW. & WSW.	8.4	0.0	1.6	403	+ 155	0.07				
In Equator	29.472	57.9	41.2	16.7	48.4	42.1	110.6	36.3	53.1	52.7	52.7	52.7	52.7	79	Variable.	Sum 2283	Sum + 547	9.1				
MEANS				
No. of Col.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27

DATE.	MAY.	ELECTRICITY.		SKY AND ATMOSPHERE.		Sun above Horizon, in hours.	
		(For explanation of symbols, see Note.)		Registered Sunshine, in hours.		Sun above Horizon, in hours.	
SUNDAY	17	w. P. in morning; s. N. and s. P. afterwards.		Variable. Showery. Distant thunder in afternoon.		4.6	
MONDAY	18	s. N. and s. P. till 3h. A.M.; w. P. till 9h. A.M.; v. P. and w. P. afterwards.		Fine; partially cloudy. A little rain at times.		5.4	
TUESDAY	19	v. P. generally.		Fine and partially cloudy in morning; overcast afterwards. Rain fell at night.		4.6	
WEDNESDAY	20	v. N. and w. P. till afternoon; m. P. afterwards.		Overcast with occasional rain till evening; fine at night, and cloudless after 10h. P.M.		15.8	
THURSDAY	21	w. P. till 4h. A.M.; v. N. and v. P. afterwards.		Generally cloudy. Showery at times. Lightning with distant thunder at 9h. A.M.		15.8	
FRIDAY	22	m. P. till 4h. A.M.; v. N. and v. P. afterwards.		Overcast with frequent rain till afternoon; fine with variable amounts of cloud afterwards.		15.9	
SATURDAY	23	m. P. till 10h. A.M.; s. N. and s. P. till 4h. P.M.; v. P. afterwards.		Fine and partially cloudy in morning; cloudy and showery in afternoon with drizzling rain till midnight.		15.9	
SUM		28.9		110.4		110.4	

The height of the cistern of the barometer is considered to be 153 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-observations of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1885 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1885.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 29.61 in. at the beginning of the week to 29.55 in. by noon on the 17th; increased to 29.58 in. by 9h. A.M. on the 18th; decreased to 29.47 in.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 21. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, MAY 30. [Price 1½d.

*General Register Office, Somerset House,
1st June, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 21·0 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	May 9.	May 16.	May 23.	May 30.		May 9.	May 16.	May 23.	May 30.
Birkenhead	20·7	19·6	23·5	22·4	Liverpool - -	23·4	24·8	24·2	25·5
Birmingham	19·4	17·9	20·9	20·5	London - - -	18·7	19·1	19·9	19·6
Blackburn -	26·4	23·2	31·5	28·7	Manchester -	26·0	27·7	29·1	27·1
Bolton - - -	15·2	14·2	13·3	19·4	Newcastle-on-Tyne	36·8	30·3	30·0	29·6
Bradford -	19·0	16·8	17·3	18·5	Norwich - - -	16·6	22·9	22·9	21·2
Brighton -	14·1	10·9	18·7	14·6	Nottingham -	18·0	19·0	22·0	17·8
Bristol - - -	17·9	15·5	18·4	21·8	Oldham - - -	26·4	23·9	22·3	26·4
Cardiff - - -	24·7	22·0	25·8	28·5	Plymouth - -	13·0	20·6	19·2	26·8
Derby - - -	20·9	15·1	19·2	15·7	Portsmouth -	17·8	22·1	21·7	22·5
Halifax - -	20·2	22·9	17·5	15·5	Preston - - -	28·6	33·3	30·1	34·3
Huddersfield	23·9	16·7	20·3	21·5	Salford - - -	24·0	23·3	18·9	17·9
Hull - - - -	17·9	18·8	19·0	21·3	Sheffield - -	19·5	24·9	20·8	21·2
Leeds - - -	20·4	20·5	20·2	19·0	Sunderland -	21·6	25·0	24·1	20·8
Leicester - -	15·3	18·8	18·0	19·9	Wolverhampton	25·0	19·1	21·7	19·1

The highest annual death-rates from measles, measured by last week's mortality, were 2·5 in Manchester, 2·8 in Birkenhead, and 3·4 in Newcastle-upon-Tyne; and from whooping-cough, 2·1 in Oldham and in Preston, 3·2 in Cardiff, and 4·6 in Blackburn. The deaths from diphtheria included 17 in London, 4 in Cardiff, and 3 in Portsmouth. Small-pox caused 69 deaths in London and its outer ring (not including 17 fatal cases of Londoners who died in the Metropolitan Asylum Hospital Ships and Camp at Darenth), one in Bristol, one in Manchester, one in Sheffield, one in Hull, and one in Sunderland.

LONDON.

In LONDON 2209 BIRTHS and 1538 DEATHS were registered. Allowing for increase of population, the births were 445, and the deaths 8, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·7, 19·1, and 19·9 in the three preceding weeks, declined again last week to 19·6. During the first eight weeks of the current quarter the death-rate averaged 20·6 per 1000, against 21·9 the mean rate in the corresponding periods of the nine years 1876-84.

The 1538 deaths included 38 from small-pox, 90 from measles, 10 from scarlet fever, 17 from diphtheria, 50 from whooping-cough, 11 from enteric fever, 4 from ill-defined forms of continued fever, 20 from diarrhoea and dysentery, and not one either from typhus or from cholera; thus, 240 deaths were referred to these diseases, being 7 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 45 and 28 in the two preceding weeks, rose again to 38 last week, and exceeded the corrected weekly average by 9. These 38 deaths were exclusive of 17 deaths of London

residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the total 55 cases, 41 occurred in the Metropolitan Asylum Hospitals in and around London, one in the Highgate Small-pox Hospital, and 13 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 4 belonged to Islington, 4 to St. George's Southwark, 5 to Bermondsey, 7 to Lambeth, and 6 to Camberwell. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had steadily increased in the nine previous weeks from 830 to 1374, further increased to 1389 at the end of last week; the admissions, which had ranged between 354 and 211 in the four previous weeks, were 272 last week. The Highgate Small-pox Hospital contained 71 patients on Saturday last, 23 cases having been admitted during the week.

The fatal cases of *measles*, which had been 65 and 93 in the two preceding weeks, were 90 last week, and exceeded the corrected weekly average by 34; 9 belonged to Kensington, 18 to Islington (including 3 in the Workhouse Infirmary), 5 to Clerkenwell, and 33 to the East group of registration districts. The 10 deaths from *scarlet fever* showed a decline from the low numbers in recent weeks, and were 26 below the corrected average. The Metropolitan Asylum Hospitals contained 198 scarlet fever patients on Saturday last; 26 cases were admitted, against 21 and 30 in the two previous weeks. The 50 fatal cases of *whooping-cough* showed a decline from the numbers in the two preceding weeks, and were 25 below the corrected average; 7 belonged to Islington, and 17 to East London, including 5 to Stepney. The deaths from *diphtheria*, which had been 21 and 10 in the two previous weeks, rose again to 17 last week, and exceeded the corrected average by 5; 2 belonged to St. Giles, 2 to Lambeth, and 3 to Greenwich. The 20 deaths attributed to *diarrhoea* and *dysentery* showed an increase upon recent weekly numbers, and exceeded the corrected weekly average by 2.

The deaths referred to *enteric fever*, which had been 16 and 13 in the two previous weeks, further declined to 11 last week, and were 4 below the corrected average; 2 belonged to Pancras, 2 to Wandsworth (Battersea), and 2 to Camberwell. Four deaths were referred to indefinite forms of "fever." The Metropolitan Asylum Hospitals contained 21 cases of enteric fever, and 5 of typhus, on Saturday last; 4 of enteric, and 3 of typhus, were admitted during the week.

The deaths of a male, aged 19 years, in the London Hospital, and of a female, aged 40 years, in Hackney, were referred to hydrophobia.

The deaths referred to diseases of the respiratory organs, which had been 291 and 305 in the two preceding weeks, were 302 last week, and exceeded the corrected weekly average by 15.

Different forms of violence caused 60 deaths; 46 were the result of negligence or accident, among which were 24 from fractures and contusions, 2 from burns and scalds, 7 from drowning, and 10 of infants under one year of age from suffocation. The 24 deaths from fractures and contusions were thus returned:—male, aged 45 years, run over by cab; male 67, run over by cart; females 1 and 4, run over by dray; female 2, run over by van; male 25, fell from tram-car; male 50, thrown from cart; male 16, run over on West London Railway; female 73, fell on floor; male 5, fell from swing; males 4 and 37, fell in road; male 3, fell from window; female 43, fell down stairs; males 1, 25, 34, 39, 45, and females 3, and 75, by fall; male 62, kicked by a horse; male 5 and female 1, by blow. An inquest was held in each of these 24 cases. Twelve cases of suicide were registered.

GREATER LONDON.

In Greater London 2847 births and 1894 deaths were registered, corresponding to annual rates of 28·6 and 19·0 per 1000 of the population. In the Outer Ring 31 fatal cases of small-pox, and 21 of measles, were registered. The deaths from small-pox included 25 in West Ham district, and 3 in Chislehurst sub-district. Of the fatal cases of measles, 9 occurred in Croydon, and 7 in West Ham sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·80 in.; the highest reading was 29·90 in. on Saturday at noon, and the lowest was 29·64 in. at the beginning of the week. The mean temperature of the *air* was 56°·0, and 0°·4 below the average in the corresponding weeks of the 20 years ending 1868. The mean showed an excess on Tuesday, Wednesday, and Thursday, but was below the average on each of the other days of the week. The general direction of the *wind* was S.W., and the horizontal movement of the air averaged 13·0 miles per hour, which was 2·7 miles above the average in the corresponding week of 16 years. *Rain* fell on three days of the week, to the aggregate amount of 0·46 of an inch. The duration of registered bright sunshine in the week was 39·9 hours, against 35·5 hours at Glynde Place, Lewes.

CITIES AND BOROUGH.	Registered during the Week ending 30th May, 1885.			The Deaths registered in the Week include										Annual Rate per 1000, corresponding to the Week's Deaths				TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.	
	1.	2.	3.	Deaths of		Deaths from						Inquests Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	From All Causes.	From Diseases (0-12).	Mean.			In Inches.	In Cent.				
				1 Year or under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.						Diarrhea.	Violence.							
																			Infants under 1 Year of Age.			Persons aged 60 Years and upwards.	Small-pox.		Measles.
Colts.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Colts.
28 TOWNS -	8,006,446	4893	3590	860	781	43	174	26	31	125	32	56	113	219	636	86	21.0	2.9	74.8	35.0	52.5	11.39	0.36	0.91	- 28 TOWNS.
LONDON -	4,083,928	2209	1638	849	345	88	90	10	17	50	15	20	60	108	371	18	19.6	3.1	74.8	41.0	56.0	13.33	0.46	1.17	LONDON.
BRIGHTON -	114,672	48	32	5	16	-	-	-	-	-	1	1	1	2	1	1	14.6	0.5	68.2	46.0	54.8	12.67	0.48	1.22	BRIGHTON.
PORTSMOUTH -	134,659	66	58	10	11	-	-	-	3	2	1	2	1	2	1	2	22.5	3.1	-	-	-	-	-	-	PORTSMOUTH.
NORWICH -	91,215	59	37	10	11	-	-	-	-	1	1	-	1	2	4	2	21.2	1.1	-	-	-	-	-	-	NORWICH.
PLYMOUTH -	76,045	32	39	12	13	-	-	-	2	1	-	-	4	5	4	2	26.8	2.1	60.6	46.5	51.4	10.78	0.87	1.45	PLYMOUTH.
BRISTOL -	218,169	108	91	27	23	1	1	-	-	2	1	-	2	2	4	2	21.8	0.7	64.0	43.5	51.8	11.01	0.36	0.91	BRISTOL.
WOLVERHAMPTON -	79,185	41	29	4	8	-	-	-	-	2	-	-	1	1	4	-	19.1	1.3	68.5	37.2	50.2	10.11	0.22	0.56	WOLVERHAMPTON.
BIRMINGHAM -	427,769	229	168	42	40	-	1	1	1	8	-	1	5	11	28	5	20.5	1.3	-	-	-	-	-	-	BIRMINGHAM.
LEICESTER -	136,147	75	52	11	16	-	2	-	1	1	1	-	1	7	4	2	19.9	1.9	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM -	211,424	130	72	16	13	-	1	-	1	2	-	4	2	2	5	6	17.8	1.7	70.0	41.7	52.7	11.50	0.19	0.48	NOTTINGHAM.
DERBY -	89,691	50	27	4	11	-	1	1	-	-	-	2	1	2	6	-	15.7	1.7	-	-	-	-	-	-	DERBY.
BIRKENHEAD -	93,093	54	40	11	6	-	5	1	-	3	-	-	1	4	1	22.4	5.0	-	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL -	579,724	352	283	77	46	-	22	1	2	5	4	7	10	12	58	14	25.5	3.7	64.8	44.3	57.5	14.17	0.66	0.15	LIVERPOOL.
BOLTON -	110,085	60	41	12	7	-	-	-	-	-	-	1	-	1	4	-	19.4	0.5	63.7	38.8	49.0	9.44	0.29	0.74	BOLTON.
MANCHESTER -	387,342	164	175	39	36	1	16	-	1	5	-	-	3	5	7	30	27.1	4.0	-	-	-	-	-	-	MANCHESTER.
SALFORD -	204,075	67	70	19	12	-	6	2	-	1	5	-	3	3	5	4	17.9	4.1	-	-	-	-	-	-	SALFORD.
OLDHAM -	126,390	78	64	21	11	-	-	-	1	5	-	2	-	7	5	26.4	3.3	-	-	-	-	-	-	-	OLDHAM.
BLACKBURN -	112,574	74	62	19	8	-	-	-	-	10	-	-	1	2	6	4	23.7	5.1	-	-	-	-	-	-	BLACKBURN.
PRESTON -	100,406	61	66	20	10	-	-	-	1	4	1	1	1	4	4	1	34.3	5.2	-	-	-	-	-	-	PRESTON.
HUDDESFIELD -	87,327	41	36	4	10	-	1	-	1	1	-	-	-	1	1	1	21.5	1.2	-	-	-	-	-	-	HUDDESFIELD.
HAULFAX -	77,378	41	23	4	6	-	-	-	1	-	-	-	-	-	6	3	15.5	0.7	-	-	-	-	-	-	HAULFAX.
BRADFORD -	214,431	106	76	17	21	-	2	-	-	5	-	2	-	4	9	-	18.5	2.2	67.9	39.0	51.2	10.67	0.09	0.23	BRADFORD.
LEEDS -	333,139	196	121	19	22	-	3	-	-	1	3	1	6	19	10	3	19.0	1.3	71.0	37.0	52.8	11.56	0.13	0.33	LEEDS.
SHEFFIELD -	305,716	177	124	37	28	-	12	-	-	2	1	3	2	2	7	8	21.2	3.2	72.0	41.0	52.9	11.61	0.00	0.00	SHEFFIELD.
HULL -	186,392	134	76	23	18	1	-	-	-	2	-	2	6	6	12	6	21.3	1.7	69.0	35.0	52.2	11.22	0.07	0.18	HULL.
SUNDERLAND -	125,327	71	50	16	9	1	2	2	1	-	2	1	-	1	4	2	20.8	3.7	69.0	41.0	51.9	10.17	1.54	3.91	SUNDERLAND.
NEWCASTLE -	153,309	112	87	16	15	-	10	-	-	2	1	-	-	2	9	1	29.6	4.4	67.0	40.0	50.3	11.06	0.62	1.32	NEWCASTLE.
CARDIFF -	97,034	58	53	16	9	-	2	-	4	6	-	1	-	-	3	-	38.5	7.0	-	-	-	-	-	-	CARDIFF.
EDINBURGH -	250,616	129	86	14	18	-	-	-	-	5	3	3	2	2	13	23	17.9	2.3	62.0	42.2	52.7	11.50	0.38	0.97	EDINBURGH.
GLASGOW -	519,965	359	249	56	38	-	9	4	-	14	1	3	8	9	39	30	25.0	3.1	-	-	-	-	-	-	GLASGOW.
DUBLIN -	353,982	168	174	25	39	-	13	3	-	2	3	-	6	5	55	21	25.7	3.1	61.2	37.0	51.7	10.95	0.08	0.20	DUBLIN.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the TWENTY-FIRST Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2453	2264	2158	2349	2369	2618	2411	2401	2692	2627	2654.4	2209
Males . .	1300	1185	1099	1196	1242	1353	1215	1244	1383	1310	1361.1	1144
Females . .	1153	1129	1059	1153	1127	1260	1196	1157	1309	1317	1293.3	1065
TOTAL Deaths	1294	1446	1392	1381	1497	1333	1452	1435	1518	1427	1545.7	1538
Males . .	682	765	771	754	799	692	756	723	806	769	819.7	805
Females . .	612	681	621	627	698	641	696	712	712	658	726.0	733

* The numbers in this column are the average weekly numbers in the twenty-first week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

		Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.
TOTAL Births	- -	2623	2737	2675	2537	2404	2473	2617	2541	2561	2429	2544	2391	2209
TOTAL Deaths	- -	1495	1678	1678	1734	1701	1859	1706	1743	1549	1465	1496	1554	1538
0-20	- -	692	793	767	807	771	830	790	773	699	697	707	745	744
20-40	- -	204	211	207	205	218	255	224	209	227	206	214	209	188
40-60	- -	254	269	300	289	286	328	287	336	277	273	250	254	261
60-80	- -	293	351	324	352	347	375	338	349	281	243	263	290	283
at 80 years & upwds.	- -	52	54	80	81	79	71	77	76	65	46	62	56	62
Deaths of children	{ Under 1 year -	356	424	370	395	374	398	370	379	324	296	333	334	349
	{ 1-5 -	256	273	297	315	308	327	293	296	292	294	254	299	296
	{ 5-20 -	80	96	100	97	89	105	127	98	83	107	120	112	99
Deaths from Small-pox*	-	27	35	23	24	39	40	49	51	48	66	75	50	55
" " Measles	-	52	51	53	70	83	70	92	103	99	91	65	93	90
" " Scarlet Fever	-	15	7	16	10	5	9	9	10	12	13	13	12	10
" " Diphtheria	-	15	8	29	11	16	15	21	10	15	24	21	10	17
" " Whooping-cough	-	37	49	45	55	55	55	46	57	51	46	57	68	50
" " Typhus	-	-	2	-	1	-	-	2	2	-	2	-	2	-
" " Enteric fever	-	7	8	13	7	14	10	13	11	1	12	16	13	11
" " Simple Cont'd fever	-	3	-	2	2	-	2	2	2	1	-	-	3	4
" " Diarrhoea and Dysentery	- }	7	14	12	18	8	16	7	21	16	13	9	16	20
" " Cholera	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Deaths from the above-mentioned Diseases*	- }	163	174	184	198	220	217	241	267	243	263	256	267	257
" " Dis. of Respiratory System	- }	374	455	487	448	478	512	449	381	337	287	291	305	302
" " Phthisis	-	179	177	157	190	160	193	163	167	191	160	160	179	150
" " Dis. of Circulatory System	- }	112	139	140	128	122	123	109	135	91	110	106	105	96
Violent Deaths	- -	40	75	56	50	41	68	57	62	64	52	46	39	60
Inquest Cases	- -	85	148	125	120	109	132	130	116	126	98	104	97	108
Deaths in Public Institutions	- -	335	347	344	361	359	374	385	417	331	319	349	352	371
TEMPERATURE OF THE AIR:														
Mean	- -	40.3	38.2	41.9	39.1	43.3	41.9	45.6	54.7	51.9	46.7	47.4	48.4	56.0
Mean of Highest readings	- -	48.0	45.7	52.0	47.6	53.9	49.5	56.2	66.4	61.8	57.6	58.9	57.9	66.5
Mean of Lowest readings	- -	34.1	31.3	32.5	31.8	32.8	35.8	37.2	44.0	42.9	38.4	36.8	41.2	47.8
Humidity of the Air	- -	86	80	75	77	67	85	82	69	78	81	65	79	78
Rain-fall in inches	- -	0.60	0.01	0.05	0.84	00.0	0.20	1.11	0.26	0.52	0.77	0.07	0.74	0.46
Registered Sunshine (in hours)	- -	16.3	15.6	29.7	23.9	55.4	10.5	29.2	56.8	39.2	31.4	51.5	28.9	39.9

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quirton, jun., Esq., Norwich; R. Camm Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotham; Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Turbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Pilliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of Ages from different CAUSES in the TWENTY-FIRST Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 21st Week of the 10 years 1875-84.	In the Week ending Saturday, 30th May, 1885.										CAUSES OF DEATH.	Corrected Averages for the 21st Week of the 10 years 1875-84.	In the Week ending Saturday, 30th May, 1885.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
CAUSES - -	1545.7	1538	349	296	99	188	261	283	62	Diseases of Organs of Special Sense † - -	1.3	1	-	-	-	1	-	-	-				
{ Vaccinated †	{ 23.8 {	12	1	1	5	5	-	-	-	Diseases of Circulatory System - - -	87.7	96	2	-	4	17	34	34	5				
Unvaccinated		8	2	2	1	2	-	1	-	Croup - - -	13.3	12	2	10	4	-	-	-					
No Statement		18	2	2	2	11	1	-	-	Bronchitis - - -	152.1	156	39	39	-	6	20	51	11				
es - -	56.4	90	24	63	3	-	-	-	-	Pneumonia - - -	86.7	81	10	32	1	14	8	16	-				
st Fever - -	36.0	10	1	6	3	-	-	-	-	Pleurisy - - -	5.3	8	-	3	-	5	-	-	-				
is - -	1.1	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - -	29.8	31	6	5	2	3	7	8	-				
ing Fever † - -	0.0	-	-	-	-	-	-	-	-	Dentition † - -	19.7	13	12	6	-	-	-	-	-				
nza - -	0.3	-	-	-	-	-	-	-	-	Quinsy, Sore Throat † - -	2.3	3	1	-	1	-	-	-	-				
ring-cough - -	75.4	50	20	26	4	-	-	-	-	Enteritis † - -	3.5	7	3	1	1	-	1	-	-				
eria - -	12.2	17	-	9	8	-	-	-	-	Peritonitis - - -	7.1	7	1	-	2	-	2	1	1				
e Continued and defined Fever - -	4.1	4	1	-	-	3	-	-	-	Diseases of Liver - -	30.6	30	3	-	1	6	15	5	-				
ic Fever - -	14.5	11	1	-	4	4	2	-	-	Other Diseases of Digestive System - -	30.0	27	5	3	1	4	5	6	3				
ra - -	0.5	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands † - -	1.7	-	-	-	-	-	-	-	-				
ona, Dysentery	17.7	20	13	4	1	-	-	2	-	Diseases of Urinary System - -	32.5	33	1	-	2	5	13	12	-				
stent Fever † - -	0.7	-	-	-	-	-	-	-	-	Diseases of Generative System - -	5.9	8	-	-	-	3	2	3	-				
phobia - -	0.1	2	-	-	1	-	1	-	-	Accidents of Childbirth - -	6.1	2	-	-	-	2	-	-	-				
ers - -	0.1	-	-	-	-	-	-	-	-	Diseases of Locomotive System † - -	8.0	8	-	-	3	1	2	2	-				
ox and Effects of Vaccination † - -	1.0	-	-	-	-	-	-	-	-	Diseases of Integumentary System - -	8.0	4	-	-	-	1	2	1	-				
real Affections - -	9.8	12	11	1	-	-	-	-	-	VIOLENT DEATHS.‡													
pelas - -	5.2	1	-	-	-	-	1	-	-	(ACCIDENT.)													
ia and Septicæmia †	3.3	2	-	-	-	-	-	1	1	Fracture and Contusion	21.8	24	-	8	3	5	3	5	-				
eral Fever - -	6.1	3	-	-	-	3	-	-	-	Gunshot Wound - -	0.0	1	-	-	-	-	-	-	-				
Zymotic Diseases †	1.7	2	-	-	2	-	-	-	-	Cut, Stab - - -	0.9	1	-	1	-	-	-	-	-				
sh - -	2.8	1	1	-	-	-	-	-	-	Burn and Scald - -	3.6	2	1	1	-	-	-	-	-				
ns and other Parasitical Diseases - -	0.4	-	-	-	-	-	-	-	-	Poison - - -	1.2	7	-	1	1	2	2	1	-				
vation, Want of	{ 1.3 {	-	-	-	-	-	-	-	-	Drowning - - -	7.5	11	10	-	-	-	-	-	-				
east-milk † - -		-	-	-	-	-	-	-	-	Suffocation - - -	11.4	7	-	-	-	-	-	1	-				
holism - -	4.8	2	-	-	-	1	1	-	-	Otherwise - - -	2.0	1	-	-	-	-	-	-	-				
atmic Fever and	{ 7.2 {	7	-	1	1	4	1	-	-	(HOMICIDE.)													
umatism of Heart		4	-	1	-	-	1	2	-	Murder & Manslaughter	1.7	2	-	-	-	1	1	-	-				
umatism - -		3	-	-	-	-	2	1	-	(SUICIDE.)													
ets † - -	3.0	6	2	4	-	-	-	-	-	Gunshot Wound - -	0.4	1	-	-	-	1	-	-	-				
er - -	48.1	50	-	-	-	3	24	23	-	Cut, Stab - - -	1.0	1	-	-	-	1	-	-	-				
es Mesenterica	25.6	26	13	7	5	1	-	-	-	Poison - - -	1.1	1	-	-	-	-	-	1	-				
ecular Meningitis	34.2	30	11	16	3	-	-	-	-	Drowning - - -	2.6	2	-	-	-	-	2	-	-				
ialia - -	175.0	150	-	3	15	59	65	8	-	Hanging - - -	2.9	2	-	-	-	3	1	1	-				
ula, Tuberculosis	17.8	20	8	4	3	2	2	1	-	Otherwise - - -	0.3	6	-	-	-	-	-	-	-				
or Constitutional Diseases † - -	8.0	7	-	-	1	1	3	2	-	(EXECUTION.)													
ature Birth - -	23.6	42	42	-	-	-	-	-	-	Hanging - - -	0.4	-	-	-	-	-	-	-	-				
ectasis † - -	1.0	6	6	-	-	-	-	-	-	OTHER CAUSES † - -	51.0	50	36	6	-	1	4	2	1				
enital Malforma- ons - -	6.0	3	3	-	-	-	-	-	-														
Age - -	49.0	62	-	-	-	-	-	32	30														
oplexy - -	44.1	40	1	-	-	-	13	21	5														
lepsy - -	7.6	7	-	-	2	-	2	2	1														
evulsions - -	52.3	50	41	9	-	-	-	-	-														
er Diseases of Brain and Nervous System	93.6	104	13	24	8	9	11	35	4														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 2.046 per cent. for increase of population. † As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendant does not certify that the deceased nas, or has not, been vaccinated, or, when the cause of death is not certified by a registered medical attendant, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

Exclusive of 17 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, and from other Zymotic Diseases during the Week ended

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.				
LONDON	3,816,483	2209	1538	349	345	38	90	10	17	50	-	11	4	20	60	108	371		
WEST DISTRICTS	669,683	380	280	50	73	1	16	-	2	3	-	2	1	4	10	16	74		
NORTH DISTRICTS	905,947	536	383	63	72	16	25	2	12	-	4	-	4	12	25	79	30		
CENTRAL DISTRICTS	282,238	124	120	29	23	-	7	1	3	1	-	-	-	1	3	8	30		
EAST DISTRICTS	692,738	406	323	81	63	4	33	4	2	17	-	-	1	5	12	23	77		
SOUTH DISTRICTS	1,265,927	788	502	126	114	17	9	3	8	12	-	5	2	6	23	36	112		
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.	69888	40	17	3	8	-	2	-	-	-	-	-	-	-	-	-	4		
St. John Paddington H - - G.J.	37380	11	11	1	4	-	-	-	-	-	-	-	-	-	-	-	4		
Kensington Town W - - W.M.	120141	65	67	12	19	-	9	-	-	2	-	-	-	1	1	3	23		
Brompton H - - W.M. & C.	43010	10	5	-	1	1	-	-	-	-	-	-	-	-	-	-	2		
St. Peter Hammersmith - - W.M.	7599	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.	64340	59	31	12	9	-	3	-	-	2	-	-	-	1	5	7	3		
Fulham W - - W.M. & C.	42900	39	8	1	1	-	-	-	-	1	-	-	-	1	1	1	3		
Chelsea South HHH - - C.	30396	20	12	3	3	-	-	-	-	2	-	-	-	1	2	2	10		
Chelsea North-west WHHHH - C.	24925	19	20	6	2	-	1	-	-	-	-	-	-	1	-	2	10		
Chelsea North-east - - C.	32807	30	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
Hanover Square H - - G.J.	16862	4	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
May Fair W - - G.J.	13491	7	9	-	9	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave HH - - C.	92220	16	25	4	4	-	-	1	1	1	-	1	1	-	1	1	7		
St. John Westminster HH - - C.	35496	15	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Margaret Westminster H - C.	24679	8	16	3	3	-	-	-	-	-	-	1	-	-	-	-	5		
St. James Westminster WH N.R. & G.J.	29941	8	9	1	4	-	-	-	-	-	-	-	-	-	-	-	1		
St. Anne Soho HHHHH - - N.R.	16608	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
NORTH DISTRICTS.																			
All Souls Marylebone HHHH - W.M.	26759	10	12	3	1	-	-	-	-	-	-	-	-	-	1	2	5		
Cavendish Square HHH - - W.M.	14891	2	1	5	2	-	1	-	-	-	-	-	-	-	-	-	2		
Rectory Marylebone WH G.J. & W.M.	24809	18	11	4	4	-	-	1	-	2	-	-	-	1	-	-	3		
St. Mary Marylebone HHH G.J. & W.M.	21118	26	16	5	5	-	-	-	-	-	-	-	-	-	1	3	3		
Christchurch Marylebone H - W.M.	33700	17	15	5	-	-	-	-	-	-	-	-	-	-	1	1	-		
St. John Marylebone H - - W.M.	33633	17	7	3	-	-	-	-	-	-	-	1	-	-	-	-	-		
Hampstead W - - HHH - N.R. & W.M.	45452	26	12	1	3	3	-	-	1	1	-	-	-	2	4	3	-		
Regent's Park Paneras H - - W.M.	39115	15	8	1	1	-	-	-	-	1	-	1	-	-	-	-	-		
Tottenham-court WHHHH N.R. & W.M.	27729	13	21	3	2	-	-	-	-	-	-	1	-	1	1	1	15		
Gray's Inn Lane HHH - - N.R.	39247	16	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
Somers Town H - - N.R.	34369	15	9	1	2	-	1	-	-	-	-	-	-	-	-	-	1		
Camden Town WH - - N.R.	17311	9	18	-	9	-	-	-	1	1	-	-	-	1	2	2	13		
Kentish Town W - - N.R.	87487	63	22	1	10	-	-	-	-	1	-	-	-	1	-	2	1		
Upper Holloway WvWvH - - N.R.	67946	45	41	7	6	1	8	-	-	3	-	-	-	-	-	-	14		
Islington South-west HH - - N.R.	100976	57	37	6	8	-	7	-	-	-	-	-	-	1	2	3	1		
Islington South-east - - N.R.	61895	30	13	4	3	-	-	-	-	-	-	-	-	-	-	-	-		
Highbury H - - N.R.	52048	27	15	3	1	1	3	-	-	1	-	-	-	-	-	-	-		
Stoke Newington H - - N.R.	22781	17	7	2	1	-	1	-	-	-	-	-	-	1	1	1	-		
Stamford Hill - - E.L.	9277	7	5	-	2	4	-	-	-	-	-	-	-	-	-	-	-		
West Hackney - - N.R.	37610	23	10	3	4	-	-	-	-	-	-	-	-	-	-	-	-		
Hackney WvWvHL - - E.L. & N.R.	76911	51	46	8	6	11	4	2	1	-	-	1	-	-	1	3	21		
South Hackney - - E.L.	39833	32	11	2	3	-	-	-	-	-	-	-	-	-	-	2	-		
CENTRAL DISTRICTS.																			
St. George Bloomsbury - - N.R.	16681	3	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-		
St. Giles South WH - - N.R.	14864	13	9	2	3	-	-	-	-	-	-	-	-	-	-	-	4		
St. Giles North - - N.R.	18837	8	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HH N.R. & C.	17508	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
St. Mary-le-Strand H - - N.R.	7515	1	2	2	-	-	-	-	-	-	-	-	-	-	1	1	5		
St. Clement Danes H - - N.R.	8559	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. George-the-Martyr HHHHHH N.R.	18671	4	11	3	2	-	-	-	1	-	-	-	-	-	-	-	1		
St. Andrew Eastern W - - N.R.	10760	1	5	-	3	-	-	-	-	-	-	-	-	-	-	2	6		
Saffron Hill H - - N.R.	6593	3	1	-	1	-	-	-	-	-	-	-	-	-	2	2	2		
St. James Clerkenwell - - N.R.	17516	10	11	2	2	-	2	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - - N.R.	19281	12	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Pentonville - - N.R.	14773	10	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-		
Goswell-street - - N.R.	17505	5	11	4	1	-	3	-	1	-	-	-	-	-	-	-	-		
Old-street H - - N.R.	11541	2	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-		
City-road HHL - - N.R.	18628	22	7	6	-	-	-	-	-	-	-	-	-	-	-	-	2		
Whitecross-street - - N.R.	9217	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Finsbury - - N.R.	7463	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - - N.R. & E.L.	11174	7	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-		
Cripplegate - - N.R.	7193	5	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - - N.R.	5358	1	10	-	1	-	-	-	-	-	-	-	-	-	-	-	10		
St. Bride W - - N.R.	8306	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Allhallows Barking - - N.R.	13666	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - - N.R.	5692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it is situated; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J., the Grand Junction Company; W.M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N.R., New River; E.L., East London and K., the Kent Company.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
May, the 30th May, 1885.

[illegible]

Following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the table by w:-

Abney Infirmary in Kensington Town sub-district.
 London Sick Asylum in Tottenham Court-road sub-district.
 Infirmary in Upper Holloway sub-district.
 City Workhouse " Hackney sub-district.
 " " Hoxton New Town sub-district.
 Chapel " " Mile End Old Town Eastern sub-district.

London City Workhouse in { Mile End Old Town Eastern sub-dist. and
Stepney { Bromley sub-district.
Poplar & Stepney Sick Asylum " Bromley sub-district.
Westminster Union Industrial School in West Battersea sub-district.
Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hack-
ney, Brixton, and St. Paul, Deptford sub-districts.

Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during Week ending Saturday, 30th May, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
LONDON—OUTER RING		370,282	950,178	638	356	84	100	31	21	2	2	9	2	4	14	19	41		
80:1	Carshalton wL - -	12238	21118	8	6	2	-	-	-	-	-	-	1	-	1	1	2		
2	Epsom (part of) * WH	9971	10710	9	8	2	2	-	-	-	-	-	-	-	-	-	-		
37:1	Godstone (part of) * -	2754	1285	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
38:1	Croydon WH - -	20851	101241	69	40	9	12	1	9	-	-	-	-	1	1	2	5		
	Mitcham - -	11697	17932	9	3	-	1	-	1	-	-	-	-	-	-	1	-		
39:1	Wimbledon HHH - -	3220	15950	11	4	-	1	-	-	-	-	-	-	-	-	-	-		
2	Kingston WHH - -	8549	36354	24	12	1	5	-	-	-	-	-	-	-	1	1	2		
3	Esher (part of) * -	6901	9221	4	2	-	1	-	-	-	-	-	-	-	-	-	-		
4	Hampton H - -	4573	13539	5	2	-	2	-	-	-	-	-	-	-	-	-	-		
40:1	Richmond WH - -	2272	21302	12	6	1	-	-	-	-	-	-	-	-	1	1	1		
2	Mortlake - -	941	12331	7	3	-	-	-	1	-	-	-	-	-	1	1	-		
41:1	Bromley (pt. of) * HH	15669	31142	11	15	6	4	-	1	-	-	2	-	-	1	1	-		
2	Chislehurst (pt. of) * WHH	13685	15065	11	10	1	6	3	-	-	-	-	-	-	-	-	3		
42:1	Bexley H - -	13437	24134	10	3	-	2	-	-	-	-	-	-	-	1	1	-		
124:1	Sunbury w - -	11053	11685	8	1	-	1	-	-	-	-	-	-	-	-	-	-		
2	Staines W - -	13277	12089	4	7	2	1	-	-	-	-	1	-	-	1	1	-		
125:1	Hillingdon WH - -	6029	10802	4	10	-	5	-	-	-	-	-	-	-	-	-	1		
2	Uxbridge - -	6178	5225	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes wHL - -	14587	11623	8	4	-	-	-	-	-	-	-	-	-	-	-	1		
126:1	Isleworth W - -	7008	22727	15	7	1	3	-	-	-	-	-	-	-	-	-	3		
2	Twickenham H - -	2477	12479	7	6	2	2	-	-	-	-	-	-	-	-	-	-		
3	Brentford HL - -	4845	27649	20	8	1	4	-	-	-	-	-	-	-	-	-	-		
4	Chiswick - -	1340	15975	10	4	3	-	-	-	-	-	-	-	-	-	-	-		
5	Acton wH - -	6083	22876	12	4	2	1	-	-	-	-	-	-	-	-	-	-		
127:1	Harrow H - -	13809	12796	11	3	1	1	-	-	-	-	1	-	-	-	-	-		
2	Edgware H - -	6994	3749	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willenden - -	4383	27453	21	3	4	1	-	1	-	-	-	-	-	-	1	-		
4	Hendon W - -	6382	10484	4	8	-	4	-	-	-	-	-	-	-	-	1	2		
128:1	South Mimms - -	15599	6391	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet W - -	5433	10092	9	7	-	3	-	-	-	-	1	-	-	-	-	3		
3	Finchley HL - -	4688	17615	4	7	-	3	-	-	-	-	-	-	-	-	1	-		
129:1	Hornsey H - -	3039	37078	29	5	2	1	-	-	1	-	-	-	-	-	-	-		
2	Tottenham HH - -	4642	46466	49	19	4	5	1	-	-	1	1	-	-	-	-	1		
3	Edmonton WwW - -	7483	23463	20	12	3	7	1	-	-	1	-	-	-	2	2	6		
4	Enfield WH - -	12633	19104	22	1	-	-	-	-	-	-	-	-	-	-	-	-		
5	Waltham Abbey - -	11017	5368	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt - -	8480	7735	1	10	4	4	-	1	-	-	-	-	2	-	-	-		
135:1	Hatfield (part of) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137:1	Bushey - -	9331	6821	3	2	1	1	-	-	-	-	-	-	-	-	-	-		
136:1	Stratford - -	882	38606	33	11	4	3	1	-	-	-	1	-	-	-	-	-		
2	West Ham wWwH - -	7351	101063	71	65	22	5	22	7	1	-	1	-	1	4	4	5		
3	Leyton WwL - -	4372	32430	17	15	2	4	2	-	-	-	-	-	-	-	-	4		
4	Walthamstow wH - -	6520	26869	30	7	-	2	-	-	-	-	2	-	-	-	-	-		
137:1	Chigwell (part of) * H	11761	9669	4	3	1	1	-	-	-	-	-	-	-	-	-	-		
139:1	Romford (part of) * -	6730	3411	7	1	1	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford - -	8493	7645	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town - -	4127	9203	8	5	2	2	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warringham and Fair in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1918); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theyd Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and RAS of MORTALITY during the Week ending Saturday, 30th May, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from											Deaths in Public Institutions.	
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
TER LONDON	448,334	5,199,166	19.0	3.1	1894	433	445	69	111	12	19	59	17	24	74	412				
TER LONDON -	78,052	4,083,928	19.6	3.1	1538	349	345	38	90	10	17	50	15	20	60	371				
TER RING -	370,282	1,115,238	16.7	3.3	356	84	100	31	21	2	2	9	2	4	14	41				

E.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal 522 square miles, which is equivalent to the area of a circle having a radius of 14.933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	BIRTHS.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
		Week ending	Exclusive of Stillborn.			
CALCUTTA - -	433,219	April 18	-	253	30.4	Cholera 76; fevers 49.
BOMBAY - -	773,196	" 28	302	474	29.2	Cholera 20; fevers 175.
MADRAS - -	398,777	" 17	301	291	37.9	Fevers 68.
PARIS - -	2,239,928	May 23	1113	1078	25.0	Typhd. fev. 19; meas. 44; diph. and croup 42.
GENEVA - -	71,453	" 23	24	28	20.4	-
BRUSSELS - -	436,214	" 16	229	191	22.5	Diphtheria 6; croup 7.
AMSTERDAM -	366,812	" 23	250	159	22.5	Diphtheria 3; croup 2.
ROTTERDAM -	166,001	" 23	121	82	25.1	Scarlet fever 3.
THE HAGUE -	134,552	" 23	96	62	24.0	Diphtheria 1; croup 3.
COPENHAGEN -	278,000	" 19	210	129	24.2	Measles 2; scar. fever 3.
STOCKHOLM -	190,115	" 16	123	108	28.1	Measles 13; diphtheria and croup 6.
CHRISTIANIA -	128,000	" 23	83	59	24.0	Scarlet fever 5; diphtheria and croup 9.
ST. PETERSBURG	928,016	" 16	-	572	32.2	Typh. and typhd. fev. 23; sm.-pox 5; diph. 5.
BERLIN - -	1,266,511	" 9	746	542	22.2	Diphtheria 127; typhus & typhoid fever 4.
HAMBURG(State)	497,956	" 16	336	250	26.2	Diphtheria and croup 9; scar. fev. 4.
DRESDEN - -	241,500	" 16	155	118	25.4	Diphtheria 4; scarlet fever 2.
BRESLAU - -	295,000	" 16	257	156	27.4	Whooping-cough 2.
MUNICH - -	244,000	" 23	154	177	37.7	Diphtheria and croup 7; scarlet fever 4.
VIENNA - -	769,889	" 16	528	519	35.1	Small-pox 29; measles 16.
PRAGUE - -	272,333	" 23	-	201	38.5	Small-pox 2; scarlet fever 7.
BUDA-PESTH -	429,532	" 9	303	252	30.5	Diphtheria 2.
TRIESTE - -	150,157	" 9	-	-	-	-
ROME - -	324,649	April 18	179	142	22.8	Small-pox 4.
NAPLES - -	504,795	-	-	-	-	-
TURIN (10 days)	267,763	May 10	218	161	22.0	Typhoid fever 5; diphtheria 3.
VENICE - -	144,845	" 16	76	59	21.3	Sm.-pox 4; typhd. fev. 1.
MADRID - -	475,668	-	-	-	-	-
LISBON - -	203,681	-	-	-	-	-
ALEXANDRIA -	212,034	May 2	-	-	-	-
NEW YORK -	1,356,958	" 2	-	638	24.5	Measles 17; scar. fev. 19; diphtheria 24.
BROOKLYN -	605,602	" 2	-	253	19.8	Measles 6; diph. 15.
PHILADELPHIA -	940,482	" 9	-	397	21.8	Diphtheria 8; scarlet fev. 9; typhd. fever 8.
BALTIMORE -	408,529	" 9	-	129	16.5	Diphtheria 6; scarlet fever 2.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 2, EAST HARDING ST., FETTER LANE, E.C.

No. 22. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, JUNE 6. [Price 1½d.

General Register Office, Somerset House,
8th June, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 20·5 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	May 16.	May 23.	May 30.	June 6.		May 16.	May 23.	May 30.	June 6.
Birkenhead	19·6	23·5	22·4	26·3	Liverpool	24·8	24·2	25·5	21·0
Birmingham	17·9	20·9	20·5	23·3	London	19·1	19·9	19·6	19·4
Blackburn	23·2	31·5	28·7	21·3	Manchester	27·7	29·1	27·1	33·6
Bolton	14·2	13·3	19·4	23·7	Newcastle-on-Tyne	30·3	30·0	29·6	31·0
Bradford	16·8	17·3	18·5	19·7	Norwich	22·9	22·9	21·2	10·9
Brighton	10·9	18·7	14·6	10·0	Nottingham	19·0	22·0	17·8	23·4
Bristol	15·5	18·4	21·8	18·7	Oldham	23·9	22·3	26·4	24·8
Cardiff	22·0	25·8	28·5	22·6	Plymouth	20·6	19·2	26·8	15·8
Derby	15·1	19·2	15·7	16·9	Portsmouth	22·1	21·7	22·5	15·1
Halifax	22·9	17·5	15·5	13·5	Preston	33·3	30·1	34·3	25·5
Huddersfield	16·7	20·3	21·5	20·3	Salford	23·3	18·9	17·9	18·4
Hull	18·8	19·0	21·3	17·6	Sheffield	24·9	20·8	21·2	24·6
Leeds	20·5	20·2	19·0	19·4	Sunderland	25·0	24·1	20·8	18·3
Leicester	18·8	18·0	19·9	16·5	Wolverhampton	19·1	21·7	19·1	13·2

The highest annual death-rates from measles, measured by last week's mortality, were 2·8 in Birkenhead, 2·9 in Sheffield, 3·4 in Manchester, and 4·4 in Newcastle-upon-Tyne; from whooping-cough, 2·2 in Cardiff, 3·4 in Plymouth, and 3·7 in Blackburn; from scarlet fever, 1·1 in Leicester, 1·2 in Sunderland, and 1·6 in Cardiff; and from "fever," 1·2 in Portsmouth, and 1·4 in Newcastle-upon-Tyne. The deaths from diphtheria included 15 in London, and 2 in Hull. Small-pox caused 59 deaths in London and its outer ring (not including 28 fatal cases of Londoners who died in the Metropolitan Asylum Hospital Ships and Camp at Darenth), 2 in Manchester, and one in Hull.

LONDON.

In LONDON 2409 BIRTHS and 1521 DEATHS were registered. Allowing for increase of population, the births were 286, and the deaths 1, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·9 and 19·6 in the two preceding weeks, further declined last week to 19·4. During the first nine weeks of the current quarter the death-rate averaged 20·5 per 1000, against 21·6 the mean rate in the corresponding periods of the nine years 1876-84.

The 1521 deaths included 34 from small-pox, 120 from measles, 9 from scarlet fever, 15 from diphtheria, 46 from whooping-cough, 13 from enteric fever, 2 from ill-defined forms of continued fever, 11 from diarrhoea and dysentery, and not one from typhus or from cholera; thus, 250 deaths were referred to these diseases, being 3 above the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 28 and 38 in the two preceding weeks, were 34 last week, and exceeded the corrected weekly

average by 7. These 34 deaths were exclusive of 28 deaths of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the total 62 fatal cases, 46 occurred in the Metropolitan Asylum Hospitals, 8 in the Highgate Small-pox Hospital (of which 3 were admitted from outside Registration London), and 8 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 5 belonged to Pancras, 5 to Islington, 5 to Bermondsey, 12 to Lambeth, and 5 to Camberwell. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had increased in the ten previous weeks from 830 to 1389, had declined to 1201 on Saturday last; the admissions, which had been 211, 282, and 272 in the three previous weeks, declined to 180 last week. The Highgate Small-pox Hospital contained 68 patients on Saturday last, 19 cases having been admitted during the week.

The fatal cases of *measles*, which had been 93 and 90 in the two preceding weeks, rose to 120 last week, were more than double the corrected average, and exceeded the number in any week of the present epidemic; 17 belonged to Islington (including 4 in the Workhouse), 15 to Hackney (including 6 in the Workhouse), 9 to Kensington, 8 to Shoreditch, 10 to Bethnal Green, and 9 to Mile End Old Town. The 9 deaths from *scarlet fever* showed a further decline from the low numbers in recent weeks, and were 29 below the corrected average. The Metropolitan Asylum Hospitals contained 207 scarlet fever patients on Saturday last; 29 cases were admitted, against 30 and 26 in the two previous weeks. The 46 fatal cases of *whooping-cough* showed a further decline from recent weekly numbers, and were 29 below the corrected average; 18 belonged to South London, including 5 to Camberwell, and 5 to Greenwich. The 11 deaths attributed to *diarrhœa* and *dysentery* showed a decline, and were 8 below the corrected average.

The deaths referred to *enteric fever*, which had been 16, 13, and 11 in the three previous weeks, were 13 last week, exceeding the corrected weekly average by one; 3 belonged to Pancras, 2 to Whitechapel, and 2 to Greenwich. One death was indefinitely certified as due to "dropsy after fever," and one to simple continued fever. The Metropolitan Asylum Hospitals contained 16 cases of enteric fever, and 5 of typhus, on Saturday last; 2 of enteric fever, and not one of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 291, 305, and 302 in the three preceding weeks, declined last week to 290, which, however, exceeded the corrected weekly average by 20.

Different forms of violence caused 59 deaths; 48 were the result of negligence or accident, among which were 25 from fractures and contusions, 4 from burns and scalds, 8 from drowning, and 7 of infants under one year of age from suffocation. The 25 deaths from fractures and contusions were thus returned:—male, aged 56 years, run over by cab; male 6, run over by omnibus; male 6 and female 2, run over by van; male 22, crushed on Great Western Railway; males, 1, 26, 39, and 67, by fall; male 34, fell from window; male 29, fell from house; male 17, fell upon spiked railing; male 8, fell from timber; male 52, fell from ladder; male 37, fell into ship's hold; female 51, fell from table; male 41, fall of board upon; male 36, fall of machinery upon; female 58, by blow; males 46 and 77, and female 64, by fracture; male 52, crushed by crane; male 46, injury by dung-fork; and male 11, by sprain. An inquest was held in 23 of these 25 cases. The death of an infant was referred to circumcision.

GREATER LONDON.

In Greater London 3080 births and 1871 deaths were registered, corresponding to annual rates of 30·9 and 18·8 per 1000 of the population. In the Outer Ring 25 fatal cases of small-pox, and 24 of measles, were registered. The deaths from small-pox included 21 in West Ham district, and 3 in Croydon sub-district. Of the fatal cases of measles, 5 occurred in West Ham, and 9 in Croydon, sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·879 in.; the highest reading was 30·13 in. on Monday evening, and the lowest was 29·64 in. on Friday morning. The mean temperature of the *air* was 62°·6, and 4°·8 above the average in the corresponding weeks of the 20 years ending 1868. The mean was below the average on Monday, but showed an excess on each of the other days of the week. On Thursday the mean was 70°·8, and exceeded the average by 12°·7. The general direction of the *wind* was S. and S.W., and the horizontal movement of the air averaged 10·4 miles per hour, which was 0·1 mile above the average in the corresponding week of 16 years. *Rain* fell on Saturday, to the amount of 0·27 of an inch. The duration of registered bright sunshine in the week was 69·6 hours, against 67·1 hours at Glynde Place, Lewes.

TABLE I.—BIRTHS, DEATHS, AND METEOROLOGY IN 28 GREAT TOWNS, DURING THE WEEK ENDING 6TH JUNE, 1893.

CITIES AND BOROUGH.	POPULATION to the estimated middle of the Year 1885.	Registered during the Week ending 6th June, 1886.		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.					
		BIRTHS.	DEATHS.	Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	Annual Rate per 1,000 corresponding to the Week's Deaths		Mean.			In Inches.	In Cent.			
				1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.				Violence.									
																	4.	5.	6.				7.	8.	9.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
28 TOWNS.	8,806,446	5892	3497	825	691	37	224	31	23	130	44	32	121	201	629	90	20.5	3.1	84.7	39.2	57.8	14.34	0.38	0.97	- 28 TOWNS.
LONDON.	4,683,928	2409	1521	342	321	84	120	9	15	46	13	11	59	104	364	17	10.0	3.2	84.7	44.0	62.6	17.01	0.27	0.69	LONDON.
BRIGHTON.	114,672	46	22	6	4	-	-	-	-	-	-	-	-	-	-	-	10.0	0.0	70.5	47.0	57.7	14.28	1.19	3.02	BRIGHTON.
PORTSMOUTH.	184,659	74	39	8	8	-	-	-	1	1	3	-	2	2	2	2	15.1	1.9	-	-	-	-	-	-	PORTSMOUTH.
NORWICH.	91,215	53	19	4	8	-	-	-	-	-	-	-	-	1	1	1	10.9	0.0	-	-	-	-	-	-	NORWICH.
PLYMOUTH.	76,045	52	23	5	7	-	-	-	-	5	1	-	-	5	7	7	15.8	4.1	69.8	46.0	56.8	13.78	0.14	0.36	PLYMOUTH.
BRISTOL.	218,160	166	78	12	21	-	6	-	-	5	2	-	2	5	7	7	18.7	3.1	77.0	44.6	56.6	13.67	0.19	0.48	BRISTOL.
WOLVERHAMPTON	79,185	49	20	8	3	-	-	-	-	1	1	-	-	1	2	2	13.2	1.3	82.1	40.7	57.0	13.89	0.69	1.75	WOLVERHAMPTON.
BIRMINGHAM	427,769	305	191	41	41	-	1	-	1	7	-	4	12	17	44	5	23.3	1.6	-	-	-	-	-	-	BIRMINGHAM.
LEICESTER	136,147	88	43	12	10	-	-	3	-	1	2	-	3	5	11	1	16.5	2.3	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM	211,424	189	95	13	16	-	2	2	-	3	1	3	5	5	11	1	23.4	2.7	82.6	42.8	58.1	14.50	0.17	0.43	NOTTINGHAM.
DERBY.	89,691	67	29	6	9	-	5	-	-	-	-	-	-	1	4	5	16.9	0.6	-	-	-	-	-	-	DERBY.
BIRKENHEAD	98,093	72	47	18	5	-	1	-	1	1	-	1	2	3	7	2	26.3	4.5	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL.	579,734	367	233	42	31	-	27	3	1	8	4	3	4	5	42	16	21.0	4.1	76.6	46.4	56.2	13.44	0.38	0.84	LIVERPOOL.
BOLTON.	110,055	73	50	18	13	-	-	-	-	-	-	1	2	4	3	5	23.7	0.5	77.5	39.2	54.2	12.33	0.68	1.73	BOLTON.
MANCHESTER	387,342	292	217	55	30	2	22	-	1	9	-	1	6	13	38	2	33.6	5.4	-	-	-	-	-	-	MANCHESTER.
SALFORD.	204,075	166	72	18	18	-	7	1	-	1	3	-	-	10	1	18.4	3.1	-	-	-	-	-	-	-	SALFORD.
OLDHAM.	126,390	90	60	13	9	-	-	1	-	4	-	-	-	2	5	6	24.8	2.1	-	-	-	-	-	-	OLDHAM.
BLACKBURN.	112,574	84	46	16	4	-	-	-	-	8	-	1	1	1	5	3	21.3	4.2	-	-	-	-	-	-	BLACKBURN.
PRESTON.	100,406	76	49	15	8	-	-	-	-	-	2	2	-	-	7	2	25.5	2.6	-	-	-	-	-	-	PRESTON.
HUDDESFIELD.	87,327	68	34	6	11	-	1	-	-	1	-	1	1	1	5	-	20.3	1.2	-	-	-	-	-	-	HUDDESFIELD.
HALIFAX.	77,378	54	20	1	9	-	-	-	-	-	-	-	-	-	1	1	13.5	0.0	-	-	-	-	-	-	HALIFAX.
BRADFORD.	214,431	137	81	25	14	-	-	-	-	4	-	-	1	2	4	1	19.7	1.0	80.6	44.4	57.8	14.34	0.00	0.00	BRADFORD.
LEEDS.	333,139	231	124	29	36	-	-	2	-	5	3	-	1	5	7	9	19.4	1.7	84.0	44.0	59.8	15.45	0.00	0.00	LEEDS.
SHEFFIELD.	305,716	243	144	41	24	-	17	-	-	10	-	2	4	4	17	13	24.6	5.3	81.0	43.0	59.6	15.34	0.64	1.63	SHEFFIELD.
HULL.	186,292	121	63	17	10	1	-	-	2	-	1	1	4	4	5	4	17.6	1.4	81.0	40.0	57.1	13.95	0.66	1.68	HULL.
SCUNDERLAND	125,327	93	44	6	9	-	2	3	-	1	1	1	2	4	7	2	18.3	3.3	-	-	-	-	-	-	SCUNDERLAND.
NEWCASTLE.	153,260	144	91	19	10	-	13	2	1	3	4	1	3	3	6	5	31.0	8.2	75.0	48.0	57.6	14.23	0.00	0.00	NEWCASTLE.
CARDIFF.	97,034	73	42	9	2	-	-	3	-	4	1	-	-	3	3	-	22.6	4.3	-	-	-	-	-	-	CARDIFF.
EDINBURGH.	250,616	156	99	21	22	-	-	2	1	6	1	2	2	?	8	25	20.6	2.7	65.7	44.1	54.8	12.67	0.02	0.05	EDINBURGH.
GLASGOW.	519,965	397	251	57	33	-	14	4	4	12	1	6	7	?	29	30	25.2	4.1	-	-	-	-	-	-	GLASGOW.
DUBLIN.	353,082	212	156	20	27	-	9	1	-	2	1	2	1	1	34	26	23.1	2.2	69.6	35.8	54.6	12.56	0.34	0.86	DUBLIN.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the TWENTY-SECOND Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2258	2452	2225	2539	2372	2489	2578	2176	2622	2548	2645·4	2409
Males	1128	1250	1163	1293	1176	1270	1316	1109	1322	1290	1343·2	1228
Females	1130	1202	1062	1246	1196	1219	1262	1067	1300	1258	1302·2	1181
TOTAL Deaths	1323	1343	1443	1419	1427	1306	1507	1304	1405	1476	1521·5	1521
Males	686	717	769	712	758	685	782	704	754	795	802·8	765
Females	637	626	674	707	669	621	725	600	651	681	718·7	756

* The numbers in this column are the average weekly numbers in the twenty-second week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.
TOTAL Births	2737	2675	2537	2404	2473	2617	2541	2561	2429	2544	2391	2209	2409
TOTAL Deaths	1678	1678	1734	1701	1859	1706	1743	1549	1465	1496	1554	1538	1521
0—20	793	767	807	771	830	790	773	699	697	707	745	744	744
20—40	211	207	205	213	255	224	209	227	206	214	209	188	210
40—60	269	300	289	286	328	287	336	277	273	250	254	261	246
60—80	351	324	352	347	375	328	349	281	243	263	290	283	253
at 80 years & upwds.	54	80	81	79	71	77	76	65	46	62	56	62	68
Deaths of children { Under 1 year	424	370	395	374	398	370	379	324	296	333	334	349	342
{ 1—5	273	297	315	308	327	293	296	292	294	254	299	296	294
{ 5—20	96	100	97	89	105	127	98	83	107	120	112	99	108
Deaths from Small-pox *	35	23	24	39	40	49	51	48	66	75	50	55	62
" Measles	51	53	70	53	70	92	103	99	91	65	93	90	120
" Scarlet Fever	7	16	10	5	9	9	10	12	13	13	12	10	9
" Diphtheria	8	20	11	16	15	21	10	15	24	21	10	17	15
" Whooping-cough	49	45	55	55	55	46	57	51	46	57	68	50	46
" Typhus	2	1	1	—	—	2	2	—	2	—	2	—	—
" Enteric fever	8	13	7	14	10	13	11	1	12	16	13	11	13
" Simple Cont ^d fever	—	2	2	—	2	2	2	1	—	—	3	4	2
" Diarrhoea and	14	12	18	8	16	7	21	16	13	9	16	20	11
" Dysentery	—	—	—	—	—	—	—	—	1	—	—	—	—
" Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Deaths from the above-mentioned Diseases *	174	184	198	220	217	241	267	243	268	256	267	257	278
" Dis. of Respiratory System	455	487	448	478	512	449	381	337	287	291	305	302	290
" Phthisis	177	157	190	160	198	163	167	191	160	160	179	150	154
" Dis. of Circulatory System	139	140	128	122	123	109	135	91	110	106	105	96	102
Violent Deaths	75	56	50	41	68	57	62	64	52	46	39	60	59
Inquest Cases	148	125	120	109	132	130	116	126	98	104	97	108	104
Deaths in Public Institutions	347	344	361	359	374	385	417	331	319	349	352	371	364
TEMPERATURE OF THE AIR:													
Mean	38·2	41·9	39·1	43·3	41·9	45·6	54·7	51·9	46·7	47·4	48·4	56·0	62·6
Mean of Highest readings	45·7	52·0	47·6	53·9	49·5	56·2	66·4	61·8	57·6	58·9	57·9	66·5	74·5
Mean of Lowest readings	31·3	32·5	31·8	32·8	35·8	37·2	44·0	42·9	38·4	36·8	41·2	47·8	51·2
Humidity of the Air	80	75	77	67	85	82	69	78	81	65	79	78	66
Rain-fall in inches	0·01	0·05	0·84	00·0	0·20	1·11	0·26	0·52	0·77	0·07	0·74	0·46	0·27
Registered Sunshine (in hours)	15·6	29·7	23·9	55·4	10·5	29·2	56·8	39·2	31·4	51·5	28·9	39·9	69·6

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Camm Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Bilson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filster, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SECOND Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 22nd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 6th June, 1885.										CAUSES OF DEATH.		Corrected Averages for the 22nd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 6th June, 1885.													
			Deaths of Persons of the Ages													Deaths of Persons of the Ages													
			ALL AGES.			Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.				ALL AGES.			Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.				
0-1.	1-5.	5-20.	0-1.	1-5.	5-20.	0-1.	1-5.	5-20.					0-1.	1-5.	5-20.														
CAUSES		1521.5	1521	342	204	108	210	246	253	68		Diseases of Organs of Special Sense † - -	1.7	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	
{ Vaccinated †		27.2	10	-	-	2	7	1	-	-		Diseases of Circulatory System - - -	83.5	102	1	-	5	21	34	36	5								
{ Unvaccinated			16	3	4	5	3	1	-	-		Croup - - - - -	11.2	12	-	11	1	-	-	-	-								
{ No Statement			8	2	1	-	4	1	-	-		Bronchitis - - -	127.1	142	41	29	1	2	17	41	11								
Typhoid		58.0	120	30	86	4	-	-	-	-		Pneumonia - - -	82.5	96	20	23	5	15	18	14	1								
Typhoid		38.2	9	-	4	4	1	-	-	-		Pleurisy - - - -	4.7	7	-	1	-	2	3	1	-								
Typhoid		2.9	-	-	-	-	-	-	-	-		Other Diseases of Respiratory System - - -	29.8	33	8	7	2	1	7	8	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Dentition † - - -	13.0	8	5	3	-	-	-	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Quinsy, Sore Throat † - -	2.0	-	-	1	1	-	-	-	-								
Typhoid		74.5	46	22	21	3	-	-	-	-		Enteritis † - - -	7.1	1	1	-	-	-	-	-	-								
Typhoid		12.5	15	1	12	2	-	-	-	-		Peritonitis - - -	6.9	6	1	-	-	2	1	2	-								
Typhoid		2.7	2	-	-	1	-	1	-	-		Diseases of Liver - - -	34.8	31	2	-	1	2	16	10	-								
Typhoid		12.2	13	-	1	6	5	1	-	-		Other Diseases of Digestive System - - -	26.3	32	3	4	3	4	4	13	1								
Typhoid		0.3	-	-	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands † - - -	2.3	2	1	-	-	-	1	-	-								
Typhoid		18.8	11	8	1	-	-	-	2	-		Diseases of Urinary System - - -	32.9	28	1	1	1	5	10	7	3								
Typhoid		0.0	-	-	-	-	-	-	-	-		Diseases of Generative System - - -	7.1	3	-	-	-	1	2	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Accidents of Childbirth - - -	5.3	3	-	-	-	3	-	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Diseases of Locomotive System † - - -	8.0	3	-	-	-	2	1	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Diseases of Integumentary System - - -	6.4	4	2	-	-	-	1	1	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		VIOLENT DEATHS.‡																	
Typhoid		0.0	-	-	-	-	-	-	-	-		(Accident.)																	
Typhoid		0.0	-	-	-	-	-	-	-	-		Fracture and Contusion	20.2	25	-	2	5	7	8	3	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Gunshot Wound - - -	0.2	-	-	-	-	-	-	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Cut, Stab - - - -	0.4	-	-	-	-	-	-	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Burn and Scald - - -	3.7	4	1	1	-	-	1	-	1								
Typhoid		0.0	-	-	-	-	-	-	-	-		Poison - - - - -	1.7	-	-	-	-	-	-	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Drowning - - - -	11.9	8	-	-	4	2	1	1	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Suffocation - - -	11.3	8	7	-	-	-	1	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Otherwise - - - -	3.4	3	1	-	1	-	1	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		(HOMICIDE.)																	
Typhoid		0.0	-	-	-	-	-	-	-	-		Murder & Manslaughter	3.2	-	-	-	-	-	-	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		(SUICIDE.)																	
Typhoid		0.0	-	-	-	-	-	-	-	-		Gunshot Wound - - -	0.4	1	-	-	-	-	1	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Cut, Stab - - - -	2.0	2	-	-	-	-	1	-	1								
Typhoid		0.0	-	-	-	-	-	-	-	-		Poison - - - - -	1.7	3	-	-	-	-	1	1	1								
Typhoid		0.0	-	-	-	-	-	-	-	-		Drowning - - - -	1.9	2	-	-	-	-	2	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Hanging - - - - -	1.5	2	-	-	-	-	1	1	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		Otherwise - - - -	0.7	1	-	-	-	1	-	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		(EXECUTION.)																	
Typhoid		0.0	-	-	-	-	-	-	-	-		Hanging - - - - -	0.4	-	-	-	-	-	-	-	-								
Typhoid		0.0	-	-	-	-	-	-	-	-		OTHER CAUSES † - -	51.0	50	38	4	1	-	2	4	1								

The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population. As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted. Those cases of small-pox only are returned as "vaccinated," or as "unvaccinated," which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical officer, the case is returned under the heading "no statement." The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence." Exclusive of 28 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, and from other Zymotic Diseases, during the Week ending

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths from													
				Deaths of	Deaths from												
				Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	3,816,483	2400	1521	342	321	34	120	9	15	46	-	13	2	11	59	104	364
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	69888	61	22	6	6	-	3	-	-	1	-	-	-	-	1	3	4
St. John Paddington H - G.J.	37380	6	23	2	3	-	-	-	-	1	1	-	-	-	6	7	12
Kensington Town WH - W.M.	120141	48	50	11	12	-	8	-	-	4	-	-	-	-	-	4	13
Brompton H - W.M. & C.	43010	17	15	2	3	-	1	-	-	-	-	-	-	-	-	-	3
St. Peter Hammersmith - W.M.	7599	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.	64340	50	25	3	10	-	5	-	-	-	-	-	-	-	1	2	5
Fulham WH - W.M. & C.	42906	44	23	7	5	-	1	1	-	2	-	1	-	-	1	2	5
Chelsea South HHH - C.	30396	24	9	5	-	-	-	-	-	1	-	-	-	-	1	1	2
Chelsea North-west WHHHH - C.	24925	16	10	1	2	-	-	-	-	-	-	-	-	-	-	-	3
Chelsea North-east - C.	32807	20	11	2	1	-	3	-	1	-	-	-	-	-	-	-	-
Hanover Square H - G.J.	16862	-	5	1	2	-	1	-	-	-	-	-	-	1	-	-	-
May Fair WV - G.J.	13491	1	6	1	3	-	-	-	-	-	-	-	-	-	-	-	5
Belgrave HH - C.	59220	24	20	4	6	1	-	-	-	-	-	-	-	-	1	1	5
St. John Westminster HH - C.	35496	21	14	2	6	-	-	-	-	-	-	-	-	-	-	-	1
St. Margaret Westminster H - C.	24679	7	8	-	-	-	-	-	-	-	-	-	-	-	1	1	5
St. James Westminster WH N.R. & G.J.	29941	13	8	1	4	-	1	-	-	-	-	-	-	-	-	-	2
St. Anne Soho HHHHH - N.R.	18608	6	8	1	2	-	-	-	-	1	-	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone HHHH - W.M.	26759	11	17	3	-	-	1	-	1	-	-	1	-	-	1	2	11
Cavendish Square HHH - W.M.	14891	9	4	1	5	-	-	-	-	-	-	-	-	-	-	-	-
Rectory Marylebone WH G.J. & W.M.	24809	22	9	1	3	-	1	-	-	-	-	-	-	-	-	-	2
St. Mary Marylebone HHH G.J. & W.M.	21118	30	8	4	1	-	1	-	-	1	-	-	-	-	-	1	1
Christchurch Marylebone H - W.M.	33700	16	9	2	1	-	1	-	-	-	-	-	-	-	-	-	-
St. John Marylebone H - W.M.	33633	17	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead WHHHH - N.R. & W.M.	45452	17	21	1	8	5	-	-	-	1	-	-	-	-	-	-	7
Regent's Park Pancras H - W.M.	39115	12	11	1	3	-	-	-	-	-	-	-	-	-	1	1	-
Tottenham-court WHHHH N.R. & W.M.	27729	10	10	2	1	-	-	-	1	-	-	-	-	-	1	1	9
Gray's Inn Lane HHH - N.R.	30247	14	14	1	2	-	-	-	-	-	1	-	-	-	-	-	-
Somers Town H - N.R.	84369	27	10	6	2	-	-	-	-	-	-	-	-	-	1	1	-
Camden Town WH - N.R.	17311	10	12	-	2	-	-	-	-	-	1	-	-	-	3	8	6
Kentish Town W - N.R.	87487	64	18	2	3	-	1	-	-	1	-	-	-	-	-	-	2
Upper Holloway WWHWH - N.R.	67946	60	53	7	13	8	9	-	1	1	-	-	-	-	1	2	30
Islington South-west HH - N.R.	100976	52	30	6	7	-	2	-	-	2	-	-	-	-	4	8	-
Islington South-east - N.R.	61895	40	14	2	5	-	3	-	-	1	-	-	-	-	-	-	-
Highbury H - N.R.	52048	25	18	5	4	-	3	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - N.R.	22731	14	7	3	2	-	1	-	-	1	-	-	-	-	-	-	-
Stamford Hill - E.L.	9277	11	4	1	3	-	1	-	-	-	-	-	-	-	-	-	-
West Hackney - N.R.	37610	16	12	1	3	-	1	-	-	-	-	1	-	-	-	2	-
Hackney WWHH - E.L. & N.R.	76911	54	43	10	9	3	12	-	-	1	-	1	-	-	-	-	22
South Hackney - E.L.	39883	27	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16681	9	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Giles South WH - N.R.	14864	12	9	1	4	-	-	-	-	-	-	-	-	1	-	1	4
St. Giles North - N.R.	13837	3	3	1	9	-	-	-	-	-	-	-	-	-	-	1	-
St. Martin-in-the-Fields HH N.R. & C.	17508	4	7	8	-	-	-	-	-	-	-	-	-	-	-	2	1
St. Mary-le-Strand H - N.R.	7515	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes H - N.R.	8559	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2
St. George-the-Martyr HHHHHH N.R.	18071	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-	4
St. Andrew Eastern W - N.R.	10706	4	6	2	-	-	2	-	-	-	-	-	-	-	-	-	-
Saffron Hill H - N.R.	6593	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - N.R.	17516	13	5	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - N.R.	10281	17	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-
Pentonville - N.R.	14773	5	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Goswell-street - N.R.	17506	5	6	2	2	1	1	1	-	-	-	-	-	-	-	-	-
Old-street H - N.R.	11541	12	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-
City-road HHL - N.R.	18628	16	5	2	-	-	-	-	-	1	-	-	-	-	-	-	1
Whitecross-street - N.R.	9217	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.	7463	4	4	1	-	-	1	1	-	-	-	-	-	-	-	-	-
St. Botolph H - N.R. & E.L.	11174	4	7	2	2	-	-	-	-	-	-	1	-	-	-	-	-
Cripplegate - N.R.	7193	4	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Sepulchre H - N.R.	6398	3	18	-	2	-	1	-	1	-	-	-	-	-	-	3	17
St. Bride W - N.R.	8396	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - N.R.	13666	3	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Broad Street H - N.R.	4652	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifying Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. the Kent Company.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT day, the 6th June, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Deaths during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																			
Well Shoreditch	-	N.R. & E.L.	7376	3	6	4	-	-	1	-	-	-	2	-	-	-	-	-	-
Shoreditch	HL†	-	N.R.	14967	7	10	3	-	3	-	-	-	-	-	-	-	-	-	
New Town	W	-	N.R.	29937	17	19	3	6	1	-	-	-	-	-	-	-	2	-	
Old Town	-	-	N.R.	28036	17	10	2	-	-	1	-	-	-	-	-	-	-	-	
Stratford	WH	-	N.R. & E.L.	46275	40	29	5	5	3	-	-	-	-	-	-	1	3	-	
Forest-road	H-	-	E.L.	29738	25	13	5	1	-	2	-	-	-	-	-	-	1	-	
Bethnal Green	WHL†	-	E.L.	47932	36	23	5	4	-	-	-	-	-	-	-	1	6	-	
Bethnal Green	-	-	E.L.	29981	25	8	2	1	1	3	-	-	-	-	-	-	-	-	
Bethnal Green	-	-	E.L.	19310	17	9	1	1	-	-	-	1	-	-	1	2	-	-	
Fields	H	-	E.L. & N.R.	22585	16	5	1	-	-	-	-	-	-	-	-	2	-	-	
New Town	W	-	E.L.	15473	17	13	4	2	-	-	-	-	-	1	-	-	5	-	
Chapel Church	H	-	E.L. & N.R.	17490	6	24	2	4	-	1	-	1	-	-	3	2	18	-	
St. Paul's Fields	-	-	E.L.	9713	4	3	2	-	-	-	-	-	-	-	-	-	-	-	
St. Paul's Fields	-	-	N.R. & E.L.	6102	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
Forest, North	-	-	E.L.	38747	13	16	7	2	-	2	-	-	-	-	1	2	1	-	
St. George East	W	-	E.L.	9410	5	9	1	2	-	-	-	-	-	-	-	-	7	1	
Well	H-	-	E.L. & N.R.	16895	7	7	1	-	-	-	-	-	-	-	-	1	3	4	
Forest	-	-	E.L.	16107	10	9	2	-	-	1	-	-	-	-	-	1	-	-	
Forest	-	-	E.L.	32041	25	20	5	6	-	4	-	-	-	-	-	-	-	-	
Forest	-	-	E.L.	37960	30	20	4	2	-	5	-	1	-	-	-	1	1	-	
Forest	-	-	E.L.	67663	39	30	11	7	-	4	-	1	-	-	-	2	6	-	
Forest	-	-	E.L.	37074	37	14	4	3	-	1	-	-	-	-	-	-	3	-	
Forest	-	-	E.L.	64359	55	37	8	6	-	4	1	1	-	-	-	1	2	11	
Forest	-	-	E.L.	55077	32	18	5	2	-	1	-	1	-	-	-	1	1	-	
SOUTH DISTRICTS.																			
Church Southwark	WH	-	L. & S.	13663	10	4	1	1	-	-	-	-	-	-	-	-	1	1	
Church Southwark	-	-	S.	14999	6	2	1	-	-	-	-	-	1	-	-	-	-	-	
Forest	-	-	S. & L.	21881	16	7	2	-	-	1	-	-	-	-	-	-	-	-	
Forest	WH	-	S. & L.	15953	19	5	1	2	-	-	-	-	-	-	-	-	-	-	
Forest	HL	-	L. & S.	21218	11	6	1	2	-	-	-	-	-	-	-	-	1	2	
Newington	-	-	S. & L.	26672	17	8	4	1	-	-	-	-	-	-	-	-	-	-	
St. Walworth	W	-	S. & L.	59555	51	16	3	6	-	-	-	-	-	-	-	-	8	1	
St. Walworth	-	-	L. & S.	21623	18	11	3	3	-	1	-	-	-	-	-	-	-	1	
Forest	WH	-	S.	11956	4	11	2	4	-	-	-	1	-	-	1	2	4	7	
Forest	-	-	S. & L.	16300	9	8	3	-	-	-	-	-	-	-	-	-	-	-	
Forest	Magdalen	W	-	16669	7	11	2	4	-	1	-	-	-	-	-	-	5	-	
Forest	Bernoudsey	-	S.	54683	26	7	2	3	1	-	-	-	-	-	-	-	-	-	
Forest	W	-	S. & K.	36024	20	12	3	3	1	-	-	-	-	-	-	4	5	4	
Forest	1st	H-	L. & S.	15195	13	5	1	3	-	-	-	-	-	-	-	-	-	1	
Forest	2nd	H-	L. & S.	16341	24	2	-	-	-	-	-	-	-	-	-	-	-	-	
Forest	1st	H	L. & S.	19876	12	16	2	3	-	-	-	1	-	-	-	2	2	11	
Forest	2nd	WW	L. & S.	39539	34	24	5	12	-	1	-	-	-	-	-	-	13	-	
Forest	1st	-	S. & L.	45232	26	15	7	1	-	-	1	-	-	-	-	-	-	-	
Forest	2nd	-	S. & L.	34332	14	7	2	2	-	1	-	1	-	-	-	-	-	-	
Forest	-	-	L. & S.	62837	38	26	4	2	8	-	1	1	-	-	-	-	9	-	
Forest	W	-	L.	19017	11	7	1	1	-	-	-	1	-	-	-	-	-	1	
Forest	H-	-	S.	36950	16	6	2	1	-	-	-	-	-	-	-	-	-	-	
Forest	W	-	S.	54675	32	14	4	1	-	-	-	-	-	-	-	1	-	1	
Forest	W	-	S.	55087	46	25	9	5	-	1	-	1	-	-	-	2	6	-	
Forest	HL	-	S.	28004	18	6	1	1	-	1	-	-	-	-	-	-	-	-	
Forest	-	-	S.	13235	5	3	1	-	-	-	-	-	-	-	-	-	-	-	
Forest	-	-	L.	25553	16	5	1	2	-	-	-	-	-	-	-	-	-	-	
Forest	-	-	L. & S.	5590	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
Forest	W	-	S. & L.	89104	48	37	13	6	-	-	1	-	4	-	1	-	11	-	
Forest	W	-	S. & K.	71089	60	22	6	4	1	-	-	1	-	-	-	3	4	-	
Forest	W	-	L. & S.	50810	34	21	6	3	1	1	-	1	-	1	-	1	2	-	
Forest	W	-	K.	76752	61	26	8	5	2	-	-	2	-	1	-	2	1	2	
Forest	W	-	K.	7901	6	2	1	-	-	-	-	-	-	-	-	-	-	-	
Forest	W	-	K.	21972	15	7	2	2	-	-	-	-	-	-	-	-	-	-	
Forest	W	-	K.	24608	15	21	6	5	1	-	1	3	-	1	-	1	1	8	
Forest	-	-	K.	5827	5	3	-	-	-	-	-	-	-	-	-	-	-	-	
Forest	-	-	K.	21559	9	6	1	2	-	-	-	-	-	-	-	-	-	-	
Forest	W	-	K.	19865	15	6	1	3	-	2	-	-	-	-	-	1	1	3	
Forest	H	-	L.	26076	6	8	-	5	-	-	-	-	-	-	-	-	-	1	
Forest	H-	-	K.	10930	3	6	-	2	-	1	-	-	-	-	-	1	1	1	
Forest	Dockyard	-	K.	17617	10	3	-	1	-	-	-	-	-	-	-	-	-	1	
Forest	Arsenal	HHH	-	19048	15	9	2	2	-	1	-	-	-	-	-	-	-	1	
Forest	W	-	K.	14009	7	2	-	2	-	-	-	-	-	-	-	-	-	-	
Forest	W	-	K.	19241	22	15	5	4	-	-	-	4	-	-	-	1	1	4	

Following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the table by w:-

Lebone Infirmary in Kensington Town sub-district.	London City Workhouse in Mile End Old Town Eastern sub-dist. and Bromley sub-district.
London City Workhouse in Upper Holloway sub-district.	Stepney
London City Workhouse in Hackney sub-district.	Poplar & Stepney Sick Asylum
London City Workhouse in Mile End New Town sub-district.	Westminster Union Industrial School in West Battersea sub-district.
London City Workhouse in Mile End Old Town Eastern sub-dist.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford, sub-districts.

Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS AND DEATHS registered during Week ending Saturday, 6th June, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public		
LONDON—OUTER RING		370,282	950,178	671	350	72	72	25	24	9	2	7	2	3	5	14	53		
30:1	Carshalton <i>wL</i> - -	12223	21118	10	15	2	4	-	-	-	-	-	-	-	-	-	8		
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	1	1	-	1	-	-	-	-	-	-	-	-	-	-		
37:1	Godstone (<i>part of</i>) * -	2754	1235	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
38:1	Croydon <i>WwH</i> - -	20851	101241	59	50	6	9	3	9	2	-	-	1	-	-	-	14		
	Mitcham - -	11697	17932	4	2	2	-	-	-	-	-	-	-	-	-	-	-		
39:1	Wimbledon <i>HHH</i> - -	3220	15950	15	3	1	-	-	-	-	-	-	-	-	-	-	-		
2	Kingston <i>WHH</i> - -	8549	36354	22	8	1	2	-	-	-	-	-	-	-	-	-	-		
3	Esher (<i>part of</i>) * -	6601	9221	6	3	-	2	-	-	-	-	-	-	-	-	-	-		
4	Hampton <i>H</i> - -	4573	13539	9	3	-	-	-	-	-	-	-	-	-	-	-	-		
40:1	Richmond <i>WH</i> - -	2272	21302	14	6	-	2	-	-	-	-	-	-	-	-	-	-		
2	Mortlake - -	941	12331	9	6	2	-	-	-	-	-	-	-	-	-	-	-		
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15689	31142	13	8	1	2	-	-	-	-	1	-	-	-	-	1		
2	Chislehurst(<i>pt.of</i>)* <i>WHH</i>	13665	15065	6	3	1	1	-	-	-	-	-	-	-	-	-	-		
42:1	Bexley <i>H</i> - -	13437	24134	14	6	1	1	-	-	-	-	-	-	-	1	2	-		
124:1	Sunbury <i>w</i> - -	11055	11685	11	7	1	-	-	2	-	-	-	-	-	-	-	1		
2	Staines <i>W</i> - -	13277	12089	7	4	-	4	-	-	-	-	-	-	-	-	-	4		
125:1	Hillingdon <i>WH</i> - -	6029	10802	5	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge - -	6178	5225	2	2	1	-	-	-	-	-	-	-	-	-	1	-		
3	Hayes <i>wHL</i> - -	14537	11323	10	4	-	2	-	-	-	-	-	-	-	-	-	3		
126:1	Isleworth <i>W</i> - -	7008	22727	12	8	1	2	-	2	-	-	-	-	-	-	-	1		
2	Twickenham <i>H</i> - -	2477	12479	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
3	Brentford <i>HL</i> - -	4345	27649	8	9	2	3	-	1	-	-	-	-	-	-	-	-		
4	Chiswick - -	1340	15975	6	3	2	-	-	1	-	-	-	-	-	-	-	-		
5	Acton <i>wH</i> - -	6083	22876	15	10	3	1	-	1	-	-	-	-	-	-	-	1		
127:1	Harrow <i>H</i> - -	13809	12796	8	5	1	3	-	-	-	-	-	-	-	1	1	-		
2	Edgware <i>H</i> - -	6964	3749	4	3	1	1	-	-	-	-	-	-	-	-	-	-		
3	Willesden - -	4383	27453	30	12	-	2	-	-	1	-	-	-	-	-	1	-		
4	Hendon <i>W</i> - -	8382	10484	14	2	2	-	-	-	-	-	-	-	-	-	-	-		
128:1	South Mimms - -	15599	6391	3	2	-	1	-	-	-	-	-	-	-	-	-	-		
2	Barnet <i>W</i> - -	5483	10092	7	3	1	1	-	-	-	-	-	-	1	-	-	-		
3	Finchley <i>HL</i> - -	4688	17615	13	9	1	1	-	-	-	-	-	-	-	1	3	4		
129:1	Hornsey <i>H</i> - -	3039	37078	10	15	3	2	-	1	1	1	-	-	1	-	-	1		
2	Tottenham <i>HH</i> - -	4642	46456	50	13	4	3	1	-	-	-	1	-	-	-	-	-		
3	Edmonton <i>Wwv</i> - -	7483	23463	23	10	1	6	-	-	-	-	-	-	-	-	-	3		
4	Enfield <i>WH</i> - -	12653	19104	4	4	-	-	-	-	-	-	-	-	-	1	2	-		
5	Waltham Abbey - -	11017	5368	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt - -	3490	7735	3	1	-	1	-	-	-	-	-	-	-	-	-	-		
135:1	Hatfield (<i>part of</i>) * -	3806	583	-	1	-	1	-	-	-	-	-	-	-	-	-	-		
137:1	Bushey - -	9331	6621	6	1	-	-	-	-	-	-	-	-	-	-	-	-		
136:1	Stratford - -	882	38603	29	12	5	2	1	1	-	-	-	-	-	-	1	-		
2	West Ham <i>wvwH</i> - -	7351	101053	116	61	15	3	17	5	4	-	-	-	1	-	2	6		
3	Leyton <i>WwL</i> - -	4372	32490	23	15	4	5	3	-	1	-	2	-	-	-	-	6		
4	Walthamstow <i>wH</i> - -	6590	28669	28	10	5	-	-	1	-	-	2	1	-	1	1	-		
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	9	3	1	1	-	-	-	1	-	-	-	-	-	-		
139:1	Romford (<i>part of</i>) * -	6730	3411	5	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford - -	8493	7645	5	1	1	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town - -	4127	9203	10	5	-	3	-	-	-	-	1	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1255); 37:1, the two parishes of Warringtonham and Epsom in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 735:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Chigwell Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 6th June, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,199,166	18·8	3·2	1871	414	393	59	144	18	17	53	17	14	64	417		
GREATER LONDON -	78,052	4,083,928	19·4	3·2	1521	342	321	34	120	9	15	46	15	11	59	364		
GREATER RING -	370,282	1,115,238	16·4	3·4	350	72	72	25	24	9	2	7	2	3	5	53		

—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	BIRTHS.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
		Week ending	Exclusive of Stillborn.			
CALCUTTA - -	433,219	April 25	-	292	35·1	Cholera 70; fevers 74.
BOMBAY - -	773,196	May 5	295	408	25·1	Fevers 182; measles 9.
MADRAS - -	398,777	April 24	311	256	33·3	Fevers 63.
PARIS - - -	2,239,928	May 30	1145	1074	24·9	Typhd. fev. 20; meas. 44; diph. and croup 36.
GENEVA - -	71,453	" 30	29	31	22·6	Diphtheria and croup 1.
BRUSSELS - -	436,214	" 23	262	198	24·0	Measles 2; croup 7.
AMSTERDAM -	366,812	" 30	262	166	23·5	Whooping-cgh. 3; diphtheria 3; croup 2.
ROTTERDAM -	166,001	" 30	110	68	20·8	Scarlet fever 2.
THE HAGUE -	134,552	" 30	90	62	24·0	Croup 2.
COPENHAGEN -	278,000	" 26	191	124	23·3	Diphtheria 4; croup 2.
STOCKHOLM -	190,115	" 23	121	102	26·5	Measles 3; diphtheria and croup 4.
CHRISTIANIA -	128,000	" 30	68	43	19·5	Scarlet fever 5; diphtheria and croup 7.
ST. PETERSBURG	928,016	" 23	-	590	33·2	Typhd. fev. and typh. 22; measles 12; diph. 10.
BERLIN - -	1,266,511	" 16	792	549	22·6	Dip. & crp. 32; wh.-cgh. 6; meas. 4; scar. fever 6.
HAMBURG (State)	497,956	" 23	345	248	26·0	Scar. fev. 4; typhus 3; diphtheria and croup 7.
DRESDEN - -	241,500	" 23	148	118	25·4	Scarlet fever 3; diph. 6.
BRESLAU - -	295,000	" 23	227	191	33·6	Diphtheria 2; whooping-cough 2.
MUNICH - -	244,000	" 30	160	157	33·5	Measles 5; scar. fever 4; whooping-cough 4.
VIENNA - -	769,889	" 23	509	505	34·1	Small-pox 33; measles 8; diph. 7; wh.-cough 9.
PRAGUE - -	272,333	" 30	-	154	29·5	Scarlet fever 4.
BUDA-PESTH -	429,532	" 16	324	260	31·5	Small-pox 2; diphtheria and croup 5.
TRIESTE - -	150,157	" 16	-	-	-	-
ROME - - -	324,649	April 25	158	119	19·1	Measles 2.
NAPLES - -	504,795	-	-	-	-	-
TURIN - - -	267,763	May 20	-	-	-	-
VENICE (10 days)	144,845	" 23	67	73	26·3	Small-pox 3.
MADRID - -	475,668	-	-	-	-	-
LISBON - -	203,681	-	-	-	-	-
ALEXANDRIA -	212,034	May 9	190	139	31·2	Sm.-pox 3; typhd. fev. and typhus 4.
NEW YORK -	1,356,958	" 9	-	705	27·1	Measles 30; scar. fev. 14; diphtheria 21.
BROOKLYN -	665,602	" 9	-	274	21·5	Measles 6; scar. fever 9; diphtheria 11.
PHILADELPHIA -	949,432	" 16	-	414	22·8	Measles 3; croup 13; diphtheria 8.
BALTIMORE -	408,520	" 16	-	126	16·1	Croup 2; scarlet fev. 2.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 6th JUNE, 1855.
[Under the Superintendence of the Astronomer Royal.]

[illegible]

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 23. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, JUNE 13. [Price 1½d.

General Register Office, Somerset House,
15th June, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 18·6 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	May 23.	May 30.	June 6.	June 13.		May 23.	May 30.	June 6.	June 13.
Birkenhead	23·5	22·4	26·3	20·7	Liverpool	24·2	25·5	21·0	23·4
Birmingham	20·9	20·5	23·3	17·1	London	19·9	19·6	19·4	16·8
Blackburn	31·5	28·7	21·3	23·6	Manchester	29·1	27·1	33·6	26·5
Bolton	13·3	19·4	23·7	22·3	Newcastle-on-Tyne	30·0	29·6	31·0	35·4
Bradford	17·3	18·5	19·7	15·3	Norwich	22·9	21·2	10·9	20·0
Brighton	18·7	14·6	10·0	17·3	Nottingham	22·0	17·8	23·4	16·3
Bristol	18·4	21·8	18·7	15·3	Oldham	22·3	26·4	24·8	22·3
Cardiff	25·8	28·5	22·6	18·8	Plymouth	19·2	26·8	15·8	28·1
Derby	19·2	15·7	16·9	10·5	Portsmouth	21·7	22·5	15·1	15·5
Halifax	17·5	15·5	13·5	14·2	Preston	30·1	34·3	25·5	15·6
Huddersfield	20·3	21·5	20·3	20·3	Salford	18·9	17·9	18·4	20·7
Hull	19·0	21·3	17·6	19·9	Sheffield	20·8	21·2	24·6	23·7
Leeds	20·2	19·0	19·4	17·9	Sunderland	24·1	20·8	18·3	13·7
Leicester	18·0	19·9	16·5	16·9	Wolverhampton	21·7	19·1	13·2	14·5

The highest annual death-rates from measles, measured by last week's mortality, were 2·0 in Manchester, 2·4 in Sheffield, and 4·4 in Newcastle-upon-Tyne; from whooping-cough, 1·7 in Oldham and in Birkenhead, and 2·7 in Plymouth; from scarlet fever, 0·8 in Leicester, and 1·2 in Sunderland; and from "fever," 0·9 in Brighton, and 1·4 in Blackburn. The deaths from diphtheria included 17 in London, 2 in Portsmouth, and 2 in Liverpool. Small-pox caused 51 deaths in London and its outer ring (excluding 16 fatal cases of Londoners who died in the Metropolitan Asylum Hospital Ships and Camp at Darent), 2 in Hull, one in Manchester, and one in Sheffield.

LONDON.

In LONDON 2464 BIRTHS and 1315 DEATHS were registered. Allowing for increase of population, the births were 116, and the deaths 184, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·9, 19·6, and 19·4 in the three preceding weeks, further fell last week to 16·8, a lower rate than has prevailed in any week since September last. During the first ten weeks of the current quarter the death-rate averaged 20·1 per 1000, against 21·4 the mean rate in the corresponding periods of the nine years 1876-84.

The 1313 deaths included 23 from small-pox, 98 from measles, 12 from scarlet fever, 17 from diphtheria, 39 from whooping-cough, one from typhus, 4 from enteric fever, 3 from ill-defined forms of continued fever, 23 from diarrhoea and dysentery, and 2 from cholera; thus, 222 deaths were referred to these diseases, being 22 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 38 and 34 in the two preceding weeks, declined to 23 last week, and were 3 below the corrected weekly average. These 23 deaths were exclusive of 16 deaths of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the total 39 fatal cases, 33 occurred in the Metropolitan Asylum Hospitals, 2 in the Highgate Small-pox Hospital (both admitted from outside Registration London), and 4 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 7 belonged to Lambeth, 3 to Pancras, 3 to Islington, 3 to Poplar, 5 to Camberwell, and 3 to Greenwich. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1389 and 1201 in the two previous weeks, had increased again to 1221 on Saturday last; the admissions, which had been 282, 272, and 180 in the three previous weeks, were 204 last week. The Highgate Small-pox Hospital contained 67 patients on Saturday last, 14 cases having been admitted during the week.

The fatal cases of *measles*, which had been 90 and 120 in the two preceding weeks, declined again last week to 98, but exceeded the corrected weekly average by 40; 7 belonged to Kensington, 6 to Marylebone, 8 to Islington, 12 to Hackney, 8 to Bethnal Green, 8 to Mile End Old Town, and 11 to Poplar. The 12 deaths from *scarlet fever* showed an increase upon the exceptionally low numbers in the two previous weeks, but were 25 below the corrected average. The Metropolitan Asylum Hospitals contained 199 scarlet fever patients on Saturday last; 24 cases were admitted, against 26 and 29 in the two previous weeks. The deaths from *diphtheria*, which had been 17 and 15 in the two previous weeks, rose again to 17 last week, and exceeded the corrected average by 3; 2 belonged to Chelsea, 3 to Islington, 2 to Bethnal Green, and 2 to Lambeth. The 39 fatal cases of *whooping-cough* showed a further decline from recent weekly numbers, and were 28 below the corrected average; 4 belonged to Islington, 5 to Poplar, and 4 to Greenwich. The 23 deaths attributed to *diarrhœa* and *dysentery* showed an increase upon the low numbers in recent weeks, but corresponded with the corrected average. The death of a child aged 9 years, in Paddington, was referred to "acute cholera, 6 weeks; endocarditis"; and that of a male adult in Camberwell to "choleraic diarrhœa, collapse."

The deaths referred to *enteric fever*, which had been 11 and 13 in the two previous weeks, declined to 4 last week, and were 9 below the corrected average. The fatal case of *typhus* was of a male adult in the Homerton Fever Hospital, admitted from 122, Pownall Road, Dalston. The cause of death of an infant, aged 7 months, the subject of an inquest in Pancras, was returned as "pneumonia when suffering from an eruptive fever"; and the death of an adult in Islington was indefinitely referred to "continued fever." The Metropolitan Asylum Hospitals contained 17 cases of enteric fever, and 6 of typhus, on Saturday last; 5 of enteric fever, and one of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 302 and 290 in the two preceding weeks, further declined last week to 231, and were 29 below the corrected weekly average.

Different forms of violence caused 52 deaths; 45 were the result of negligence or accident, among which were 18 from fractures and contusions, 5 from burns and scalds, 9 from drowning, and 7 of infants under one year of age from suffocation. The 18 deaths from fractures and contusions were thus returned:—males, aged 4 and 26 years, run over by van; male 65, run over by cart; male 68, fell from pony trap; female 32, fell from tram-car; male 31, knocked down by horse; male 25, run over by train; male 42, kicked by horse; females 3 and 4, fell from window; male 33, fell into ship's hold; female 52, fell down stairs; males 17, 47, and 75, and female 61, by fall; males 10, and 57, by fracture. An inquest was held in each of these 18 cases. Four cases of suicide were registered.

GREATER LONDON.

In Greater London 3177 births and 1636 deaths were registered, corresponding to annual rates of 31·9 and 16·4 per 1000 of the population. In the Outer Ring 28 fatal cases of small-pox, and 14 of measles, were registered. The deaths from small-pox included 19 in West Ham district. Of the fatal cases of measles, 7 occurred in West Ham district, and 4 in Croydon sub-district.

On pages 233-4 will be found Dr. Frankland's report upon the quality of the waters supplied to the Metropolis by the various water companies during May. The Thames waters, delivered by the five companies drawing their supply from that source, showed a further improvement as regards organic matter, the average

proportion being less than in any month of last year. All the samples were clear and bright. The Lea water supplied by the New River Company was as regards organic matter second only to the best of the deep-well waters; whilst the East London Company's supply from the same source contained more organic matter than the Thames waters. Both the samples were clear and bright. The deep-well waters furnished by the Kent and Colne Valley Companies, and by the Tottenham Local Board, were of their usual excellent quality for drinking, the amount of organic matter in the Kent Company's water being again exceptionally small. The Colne Valley Company's water had been softened with lime, and thus rendered suitable for all domestic purposes.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·943 in.; the lowest reading was 29·54 in. on Monday afternoon, and the highest was 30·22 in. at noon on Thursday. The mean temperature of the *air* was 58°·5, and 0°·2 below the average in the corresponding weeks of the 20 years ending 1868. The mean showed an excess on Sunday, Friday, and Saturday, but was below the average on each of the other days of the week. The general direction of the *wind* was Easterly, and the horizontal movement of the air averaged 7·7 miles per hour, which was 2·8 miles below the average in the corresponding week of 16 years. *Rain* fell on Monday and Tuesday, to the aggregate amount of 0·90 of an inch. The duration of registered bright sunshine in the week was 55·3 hours, against 59·4 hours at Glynde Place, Lewes.

THE REGISTRAR GENERAL has to acknowledge the courtesy of the LONDON WATER COMPANIES who have furnished him with the average daily quantity of Water supplied during the month of May 1885; according to their returns 153,167,480 gallons or 695,910 cubic metres of water (equal to about as many *tuns* by measure, *tons* by weight,) were supplied daily; or 221 gallons (100·4 decalitres), being rather less than a *ton* by weight, to each house, and 28·4 gallons (12·9 decalitres) to each person, against 29·5 gallons during May 1884.

COMPANIES.	Number of Houses, &c. supplied in		Average daily Supply of Water in Gallons.	
	MAY. 1884.	MAY. 1885.	MAY. 1884.	MAY. 1885.
TOTAL SUPPLY	670,968	691,595	154,258,607	153,167,480
From Thames	325,431	334,713	77,644,633	78,899,648
From Lea and from other Sources	345,537	356,882	76,633,974	74,267,832
THAMES.				
Chelsea	32,836	33,472	10,097,400	10,130,800
West Middlesex	64,378	66,200	14,070,005	14,227,605
Southwark and Vauxhall	101,893	104,073	21,506,020	22,140,957
Grand Junction	48,853	50,635	15,909,208	15,802,836
Lambeth	77,471	80,303	16,042,000	16,597,400
LEA AND OTHER SOURCES.				
New River	141,307	144,136	29,987,000	28,604,000
East London	143,234	148,659	35,800,755	34,948,988
Kent	60,996	64,087	10,846,219	10,714,844

Note.—The Return for May 1885, as compared with that for the corresponding month of 1884, shows an increase of 20,627 houses, and a decrease of 1,091,127 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING MAY.

Grove House, Penbridge Square, W.,
5th June, 1885.

SIR, I HAVE to report to you in the following Table the results of the chemical analyses of the waters supplied to the inner, and portions also of the outer, circle of the Metropolis during the month of May.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity contained in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Kent 0·2, Colne Valley 0·9, New River 1·3, Tottenham 1·4, Grand Junction 2·0, Chelsea 2·2, Southwark 2·2, Lambeth 2·2, West Middlesex 2·5, East London 2·8.

The Thames water sent out by the Chelsea, West Middlesex, Southwark, Grand Junction, and Lambeth Companies exhibited a further improvement as regards organic matter, the average proportion being even less than in any month of last year. All the waters were clear and bright on delivery.

Of the water drawn from the Lea, that distributed by the New River Company was, as regards organic matter, second only to the best of the deep-well waters, whilst the East London Company's supply contained rather more organic matter than the Thames waters. Both samples were clear and bright.

The deep-well water furnished by the Kent and Colne Valley Companies, and by the Tottenham Local Board of Health was as usual of excellent quality for drinking, and the exceptionally small quantity of organic matter present in the previous month's sample of the Kent Company's water, was still maintained in the last. The Colne Valley Company by softening their supply with lime thereby rendered it also well fitted for washing and all domestic purposes.

Seen through a stratum two feet deep, the waters presented the following appearances:—Kent, Colne Valley, Tottenham, and New River, clear and colourless; Chelsea, West Middlesex Southwark, Grand Junction, Lambeth, and East London, clear and very pale yellow.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that town was "very slightly turbid and exhibited an improvement both in its physical and chemical characters.

Dr. Mills, F.R.S., of Anderson's College, Glasgow, reports that the water supplied to that city from Loch Katrine was "light brown in colour and contained a little suspended matter."

The Registrar General, &c. &c.

I am, &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	COMPANIES OR LOCAL AUTHORITIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Mat- ter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.										
	Chelsea - - -	May 21st, Cab Rank, Horseguards, Whitehall.	12·2	25·34	·107	·025	0	·184	·209	1·8	17·1
	West Middlesex -	May 21st, Cab Rank, Portland-road.	13·3	24·94	·121	·027	0	·149	·176	1·8	17·7
	Southwark - - -	May 21st, Cab Rank, Bricklayers Arms, Old Kent-road.	13·5	24·80	·110	·021	0	·163	·174	1·8	17·7
	Grand Junction -	May 21st, Cab Rank, Uxbridge-rd., near Marble Arch.	12·8	25·26	·100	·017	0	·159	·176	1·8	18·0
	Lambeth - - -	May 21st, Cab Rank, St. George's- road, Southwark.	12·9	25·94	·108	·024	0	·166	·190	1·9	18·3
	LEA.										
	New River - - -	May 21st, Cab Rank, Tottenham Court-road.	13·0	24·06	·058	·017	0	·179	·196	1·8	17·1
Outer Circle.	East London - -	May 21st, Fire Brigade Station, Commercial-road, E.	12·7	28·74	·141	·025	0	·173	·198	2·0	18·9
	DEEP WELLS.										
	Kent - - - - -	May 23rd, Greenwich Police Station, Blackheath-road.	13·5	31·70	·005	·006	0	·375	·381	2·0	25·7
	Colne Valley - -	May 28th, Bushey.	—	12·24	·042	·013	0	·363	·381	1·8	4·9
	Tottenham - - -	May 26th, Tottenham.	—	35·94	·063	·017	·060	0	·066	2·4	19·1
	Corporation of Birming- ham* - - - - -	May 6th, 6, Court Navigation-street.	9·4	25·80	·108	·036	·003	·242	·280	1·8	14·4
	Corporation of Glasgow†.	May 15th, Loch Katrine Water.	7·5	2·90	·150	·024	0	·006	·030	·7	1·0
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, Medical Officer of Health and Analyst to the Borough.

† Analysed by Dr. E. J. Mills, F.R.S., of Anderson's College, Glasgow.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 21st May at the Horseguards cab-rank, had a temperature of 12°·2 C.; 100,000 lbs. of it contained 25·34 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·107 lb. of carbon and ·025 lb. of nitrogen. The above quantity of water also contained no ammonia, and ·184 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·209 lb. The above weight of water also contained 1·8 lbs. of chlorine; and 17·1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 4.—Births, Deaths, and Meteorology in 28 GREAT TOWNS, during the Week ending 13th June, 1885.

CITIES AND BOROUGHES.	Registered during the Week ending 13th June, 1885.		Population estimated at the middle of the Year 1885.		The Deaths registered in the Week include										Annual Rate per 1000, corresponding to the Week's Deaths		TEMPERATURE OF THE AIR.				RAINFALL.	
	1.	2.	3.	4.	Deaths of		Deaths from								From All Causes.	From Diseases in Cols. 6-12.	Mean.				In Inches.	In Centi- meters.
					Persons aged 60 Years and upwards.	Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- Cough.	Fever.	Dysentery.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.						
Cols.																	19.	20.	21.	22.	23.	24.
28 TOWNS—	8,906,446	5563	3168	752	640	27	178	26	27	102	32	37	125	219	533	66	18.6	2.5	77.0	54.4	0.87	2.21
LONDON—	4,083,928	2464	1315	305	204	23	98	12	17	39	8	23	52	96	313	11	16.8	2.8	70.3	58.5	0.90	2.29
BRIGHTON—	114,672	61	38	3	15	—	—	—	1	—	2	—	—	—	10	—	17.3	1.4	73.1	55.9	0.01	0.03
PORTSMOUTH—	134,659	83	40	9	11	—	—	—	2	—	—	—	—	—	9	—	15.5	1.2	—	—	—	—
NORWICH—	81,215	66	35	9	15	—	—	—	—	—	—	—	—	—	1	—	20.0	0.0	—	—	—	—
PLYMOUTH—	76,045	34	41	10	8	—	—	—	1	4	—	—	—	—	4	—	28.1	3.4	68.2	55.0	0.53	1.35
BRISTOL—	218,169	115	64	16	26	—	8	—	—	—	—	—	—	5	12	1	15.3	1.9	75.5	55.9	0.64	1.63
WOLVERHAMPTON—	79,185	45	22	6	5	—	—	—	—	—	—	—	—	4	4	2	14.5	0.0	75.5	53.8	0.79	2.01
BIRMINGHAM—	427,769	274	140	39	29	—	1	—	1	3	—	2	9	15	25	4	17.1	0.9	—	—	—	—
LEICESTER—	136,147	108	44	15	11	—	—	2	—	—	—	—	—	5	6	1	16.9	1.1	—	—	—	—
NOTTINGHAM—	211,424	160	66	17	12	—	2	—	—	3	1	1	3	3	3	4	16.3	1.7	75.2	54.8	1.69	4.29
DERBY—	88,691	50	18	5	5	—	—	—	—	—	—	—	—	1	—	—	10.5	0.6	—	—	—	—
BIRKENHEAD—	93,093	80	37	9	9	—	3	—	—	3	—	—	—	3	6	2	20.7	3.4	—	—	—	—
LIVERPOOL—	579,724	379	260	63	30	—	19	1	2	15	2	2	13	16	34	7	23.4	3.7	70.0	54.1	0.85	2.16
BOLTON—	110,055	71	47	9	11	—	1	—	—	—	—	—	—	—	4	—	22.3	0.5	72.6	52.5	1.58	4.01
MANCHESTER—	337,342	250	171	37	21	1	13	—	1	6	1	4	11	24	28	7	26.5	4.0	—	—	—	—
SALFORD—	204,075	131	81	21	10	—	2	1	—	5	2	—	3	7	12	3	20.7	2.6	—	—	—	—
OLDHAM—	126,300	95	54	12	11	—	—	—	—	4	2	—	2	2	4	—	22.3	2.9	—	—	—	—
BLACKBURN—	112,574	71	51	16	11	—	—	—	—	1	3	1	1	1	6	2	23.6	2.3	—	—	—	—
PRESTON—	100,406	79	30	13	4	—	—	—	—	2	1	—	4	5	1	—	15.6	2.1	71.0	54.0	0.84	2.13
HUDDESFIELD—	87,327	38	34	7	6	—	1	—	—	—	—	—	—	—	1	—	20.3	1.2	—	—	—	—
HALEFAX—	77,378	33	21	5	3	—	—	—	—	—	—	—	—	—	—	1	14.2	0.0	—	—	—	—
BRADFORD—	214,431	98	63	9	14	—	—	—	—	4	—	—	—	1	4	—	15.3	1.2	73.0	53.9	1.16	2.95
LEEDS—	333,139	201	114	22	38	—	—	—	—	—	—	—	—	7	14	2	17.9	0.6	76.0	54.2	1.22	3.10
SHEFFIELD—	305,716	198	189	31	29	1	14	1	1	7	4	—	5	8	9	7	23.7	4.8	77.0	54.4	0.97	2.46
HULL—	186,292	117	71	22	14	2	1	—	—	—	—	—	—	2	5	4	19.9	1.4	75.0	52.4	0.87	2.21
SUNDERLAND—	125,327	88	33	11	2	—	—	—	—	—	—	—	—	—	1	—	13.7	1.7	75.0	52.7	0.48	1.22
NEWCASTLE—	153,390	105	104	21	23	—	13	1	—	—	2	—	2	7	14	1	35.4	5.8	75.0	53.6	0.52	1.32
CARDIFF—	37,634	68	35	10	3	—	2	—	—	—	—	—	—	2	4	—	18.8	3.8	—	—	—	—
EDINBURGH—	250,616	162	84	17	21	—	2	—	—	6	—	—	—	?	20	24	17.5	1.9	64.8	53.5	0.00	0.23
GLASGOW—	519,965	385	239	58	33	—	7	1	1	12	3	5	5	?	28	29	24.0	2.9	66.5	52.6	0.00	0.00
DUBLIN—	355,682	233	197	41	39	—	11	3	—	2	7	1	10	7	64	25	29.1	3.5	69.9	53.4	0.26	0.66

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the TWENTY-THIRD Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2186	2272	2348	2441	2135	2736	2358	2476	2608	2098	2579·8	2464
Males . . .	1104	1213	1180	1287	1032	1406	1204	1247	1352	1101	1327·7	1259
Females .	1082	1059	1168	1154	1053	1330	1154	1229	1256	997	1252·1	1205
TOTAL Deaths	1385	1286	1429	1481	1351	1294	1346	1369	1400	1458	1499·3	1315
Males . .	714	660	746	774	719	675	709	728	725	750	785·2	662
Females .	621	626	683	707	632	619	637	641	675	708	714·1	653

* The numbers in this column are the average weekly numbers in the twenty-third week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

			Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	
TOTAL Births	-	-	2675	2537	2404	2473	2617	2541	2561	2429	2544	2391	2209	2409	2464	
TOTAL Deaths	-	-	1678	1734	1701	1859	1706	1743	1549	1465	1496	1554	1538	1521	1315	
0—20	-	-	767	807	771	830	790	773	699	697	707	745	744	744	655	
20—40	-	-	207	205	218	255	224	209	227	206	214	209	188	210	178	
40—60	-	-	300	289	286	328	287	336	277	273	250	254	261	246	218	
60—80	-	-	324	352	347	375	328	349	281	243	263	290	283	253	218	
at 80 years & upwards.	-	-	80	81	79	71	77	76	65	46	62	56	62	68	46	
Deaths of children	{	Under 1 year	-	370	395	374	398	370	379	324	296	333	334	349	342	305
		1—5	-	297	315	308	327	293	296	292	294	254	299	296	294	260
		5—20	-	100	97	89	105	127	98	83	107	120	112	99	108	90
Deaths from Small-pox *	-	-	23	24	39	40	49	51	48	66	75	50	55	62	39	
" " Measles	-	-	53	70	83	70	92	103	99	91	65	93	90	120	98	
" " Scarlet Fever	-	-	16	10	5	9	9	10	12	13	13	12	10	9	12	
" " Diphtheria	-	-	29	11	16	15	21	10	15	24	21	10	17	15	17	
" " Whooping-cough	-	-	45	55	55	55	46	57	51	46	57	68	50	46	39	
" " Typhus	-	-	-	1	-	-	2	2	-	2	-	2	-	-	1	
" " Enteric fever	-	-	13	7	14	10	13	11	1	12	16	13	11	13	4	
" " Simple Cont ^d fever	-	-	2	2	-	2	2	2	1	-	-	3	4	2	3	
" " Diarrhoea and Dysentery	-	-	12	18	8	16	7	21	16	13	9	16	20	11	23	
" " Cholera	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	
Deaths from the above-mentioned Diseases *	-	-	184	198	220	217	241	267	243	268	256	267	257	278	238	
" " Dis. of Respiratory System	-	-	487	448	478	512	449	381	337	287	291	305	302	290	231	
" " Phthisis	-	-	157	190	160	198	163	167	191	160	160	179	150	154	140	
" " Dis. of Circulatory System	-	-	140	128	122	123	109	135	91	110	106	105	96	102	84	
Violent Deaths	-	-	56	50	41	68	57	62	64	52	46	39	60	59	52	
Inquest Cases	-	-	125	120	109	132	130	116	126	98	104	97	108	104	96	
Deaths in Public Institutions	-	-	344	361	359	374	385	417	331	319	349	352	371	364	313	
TEMPERATURE OF THE AIR:																
Mean	-	-	41·9	39·1	43·3	41·9	45·6	54·7	51·9	46·7	47·4	48·4	56·0	62·6	58·5	
Mean of Highest readings	-	-	52·0	47·6	53·9	49·5	56·2	66·4	61·8	57·6	58·9	57·9	66·5	74·5	69·5	
Mean of Lowest readings	-	-	32·5	31·8	32·8	35·8	37·2	44·0	42·9	38·4	36·8	41·2	47·8	51·2	47·7	
Humidity of the Air	-	-	75	77	67	85	82	69	78	81	65	79	78	66	75	
Rain-fall in inches	-	-	0·05	0·84	00·0	0·20	1·11	0·26	0·52	0·77	0·07	0·74	0·46	0·27	0·90	
Registered Sunshine (in hours)	-	-	29·7	23·9	55·4	10·5	29·2	56·8	39·2	31·4	51·5	28·9	39·9	69·6	55·3	

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.;—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cam Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-THIRD Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 23rd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 13th June, 1885.										Corrected Averages for the 23rd Weeks of the 10 years 1875-84.	CAUSES OF DEATH.		Corrected Averages for the 23rd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 13th June, 1885.											
			Deaths of Persons of the Ages														Deaths of Persons of the Ages											
			ALL AGES.			Under 20.			40.	60.	80.	80 Years and upwards.					ALL AGES.			Under 20.			40.	60.	80.	80 Years and upwards.		
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.		
ALL CAUSES - -		1499.3	1313	305	260	90	173	218	218	46			Diseases of Organs of Special Sense † - -		8.3	1	-	-	-	-	1	-	-	-	-	-	-	
{ Vaccinated †		{ 25.8	3	-	-	1	2	-	-	-			{ Diseases of Circulatory System - -		86.9	84	1	-	8	20	27	25	3	-	-	-	-	
{ Unvaccinated			13	1	2	6	3	1	-	-			{ Croup - - - -		11.8	17	3	13	2	-	-	-	-	-	-	-	-	
{ No Statement			7	1	3	1	2	-	-	-			{ Bronchitis - - -		139.9	121	23	31	-	3	14	35	10	-	-	-	-	
Scarlet Fever - -		58.3	98	24	63	5	1	-	-	-			{ Pneumonia - - -		74.5	67	17	19	3	9	13	6	-	-	-	-	-	
Typhus - - - -		1.6	1	-	-	-	1	-	-	-			{ Pleurisy - - -		4.5	5	-	1	-	2	2	-	-	-	-	-	-	
Relapsing Fever †		0.0	-	-	-	-	-	-	-	-			{ Other Diseases of Respiratory System - -		29.3	21	5	4	-	1	6	5	-	-	-	-	-	
Influenza - - -		0.1	-	-	-	-	-	-	-	-			{ Dentition † - - -		13.7	17	10	7	-	-	-	-	-	-	-	-	-	
Whooping-cough -		67.1	39	15	20	4	-	-	-	-			{ Quinsy, Sore Throat †		3.0	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria - - -		14.4	17	-	12	5	-	-	-	-			{ Enteritis † - - -		6.7	4	2	-	-	1	1	-	-	-	-	-	-	
{ Simple Continued and Ill-defined Fever -		{ 31.1	3	1	-	-	1	-	1	-			{ Peritonitis - - -		6.8	7	1	-	-	5	-	1	-	-	-	-	-	
{ Enteric Fever - -			18.2	4	-	-	2	2	-	-	-			{ Diseases of Liver - -		31.6	23	3	1	-	5	19	8	1	-	-	-	-
{ Cholera - - - -			0.7	2	-	-	1	-	1	-	-			{ Other Diseases of Digestive System -		27.4	30	6	2	1	4	9	8	-	-	-	-	-
Diarrhoea, Dysentery		23.3	23	13	5	-	2	1	1	1			{ Diseases of Lymphatic System & of Ductless Glands † - -		1.3	3	-	-	-	2	1	-	-	-	-	-	-	
Remittent Fever †		0.7	1	-	-	-	1	-	-	-			{ Diseases of Urinary System - - -		31.0	55	-	1	2	7	13	11	1	-	-	-	-	
Hydrophobia - -		0.1	-	-	-	-	-	-	-	-			{ Diseases of Generative System - - -		7.2	4	-	-	-	2	1	1	-	-	-	-	-	
Glanders - - - -		0.0	-	-	-	-	-	-	-	-			{ Accidents of Childbirth -		5.3	2	-	-	-	2	-	-	-	-	-	-	-	
{ Cowpox and Effects of Vaccination † - -		{ 0.3	-	-	-	-	-	-	-	-			{ Diseases of Locomotive System † - - -		7.7	2	-	1	1	-	-	-	-	-	-	-	-	
{ General Affections -			8.9	4	3	-	-	1	-	-	-			{ Diseases of Integumentary System - -		5.9	1	-	-	-	-	-	1	-	-	-	-	-
{ Erysipelas - - -			7.5	4	-	-	-	-	1	3	-			{ VIOLENT DEATHS. (ACCIDENT.)														
Pyæmia and Septicæmia †		4.0	3	2	-	-	-	1	-	-			{ Fracture and Contusion		22.1	18	-	3	2	5	4	4	-	-	-	-	-	
Interperal Fever -		4.3	3	-	-	3	-	-	-	-			{ Gunshot Wound - -		0.1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Diseases †		2.7	1	-	-	-	1	-	-	-			{ Cut, Stab - - -		0.5	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush - - - -		2.0	3	3	-	-	-	-	-	-			{ Burn and Scald - -		3.9	5	-	1	2	1	1	-	-	-	-	-	-	
{ Forms and other Parasitical Diseases - -		{ 0.2	1	-	-	-	-	1	-	-			{ Poison - - - -		1.5	-	-	-	-	-	-	-	-	-	-	-	-	
{ Starvation, Want of Breast-milk † - -			1.3	-	-	-	-	-	-	-	-			{ Drowning - - -		8.4	9	-	1	1	3	3	1	-	-	-	-	
{ Alcoholism - - -			5.5	5	-	-	-	2	1	2	-			{ Suffocation - - -		10.1	10	7	2	-	1	-	-	-	-	-	-	-
Rheumatic Fever and Rheumatism of Heart		9.8	5	-	-	1	2	2	-	-			{ Otherwise - - -		2.5	3	1	-	1	1	-	-	-	-	-	-	-	
Chorea - - - -		2.7	6	-	-	-	-	2	3	1			{ (HOMICIDE.)															
Diphtheria - - -		2.0	2	1	1	-	-	-	-	-			{ Murder & Manslaughter		3.1	3	2	-	-	1	-	-	-	-	-	-	-	
Scarlet Fever - -		46.7	49	-	-	1	4	19	21	4			{ (SUICIDE.)															
Erysipelas - - -		26.7	23	13	6	3	1	-	-	-			{ Gunshot Wound - -		0.9	2	-	-	-	1	1	-	-	-	-	-	-	
Typhoid Fever - -		34.8	25	9	12	4	-	-	-	-			{ Cut, Stab - - -		2.4	1	-	-	-	-	1	-	-	-	-	-	-	
Phthisis - - - -		177.6	140	4	3	14	57	54	8	-			{ Poison - - - -		1.2	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophulous, Tuberculosis		17.2	23	8	3	1	2	1	-	-			{ Drowning - - -		1.9	-	-	-	-	-	-	-	-	-	-	-	-	
{ Other Constitutional Diseases † - -		{ 7.0	9	-	-	1	2	2	4	-			{ Hanging - - - -		2.7	1	-	-	-	-	-	-	-	-	-	-	-	
{ Premature Birth - -			29.3	31	31	-	-	-	-	-	-			{ Otherwise - - -		0.5	-	-	-	-	-	-	-	-	-	-	-	-
{ Electrocution † - -			3.0	3	3	-	-	-	-	-	-			{ (EXECUTION.)														
Congenital Malformations -		6.0	2	2	-	-	-	-	-	-			{ Hanging - - - -		0.0	-	-	-	-	-	-	-	-	-	-	-	-	
Old Age - - - -		43.6	38	-	-	-	-	-	19	19			{ OTHER CAUSES † - -		58.7	37	47	2	-	1	1	4	2	-	-	-	-	
Apoplexy - - - -		41.9	36	1	-	-	3	11	20	1																		
Epilepsy - - - -		6.1	10	1	1	1	3	2	2	-																		
Convulsions - - -		51.7	35	23	11	1	-	-	-	-																		
{ Other Diseases of Brain and Nervous System		85.9	70	12	15	7	7	6	20	3																		

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.043 per cent. for increase of population.
† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.
‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical practitioner, the case is returned under the heading "no statement."
§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."
|| Exclusive of 16 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside the Metropolitan Police District.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (OR TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHŒA, VIOLENCE, INQUEST CASES, and Deaths in Public Institutions during the Week ended

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include																Inquest Cases.	Deaths in Public Institutions.
				Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.						
LONDON	3,816,483	2464	1315	305	264	23	98	12	17	39	1	4	3	23	52	96	313				
WEST DISTRICTS	669,638	384	221	51	53	2	12	2	6	7	-	-	-	5	7	15	63				
NORTH DISTRICTS	905,947	573	316	65	64	7	26	6	3	5	1	1	3	2	10	25	64				
CENTRAL DISTRICTS	282,288	155	91	12	21	-	3	-	-	2	-	1	-	1	8	9	33				
EAST DISTRICTS	692,738	494	311	82	49	-	38	1	5	12	-	-	-	6	14	27	67				
SOUTH DISTRICTS	1,265,927	888	376	95	77	14	19	3	3	13	-	2	-	9	13	20	86				
WEST DISTRICTS.																					
St. Mary Paddington WHH G.J. & W.M.	69898	46	27	8	8	-	2	-	1	1	-	-	-	1	2	2	5				
St. John Paddington H - - G.J.	37330	14	11	-	4	-	-	-	-	-	-	-	-	-	-	-	6				
Kensington Town Ww - - W.M.	12041	65	45	12	12	-	5	-	-	2	-	-	-	2	1	1	16				
Brompton H - - W.M. & C.	43010	16	12	8	2	-	2	-	1	-	-	-	-	-	-	-	-				
St. Peter Hammersmith - - W.M.	7569	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Paul Hammersmith H - W.M. & G.J.	64340	49	25	6	6	3	1	-	-	1	-	-	-	1	3	5	3				
Fulham WwH - - W.M. & C.	42906	51	17	3	3	2	-	2	-	-	-	-	-	1	-	1	6				
Chelsea South HHH - - C.	30396	16	6	1	3	-	-	-	1	-	-	-	-	-	-	-	2				
Chelsea North-west WHHHH - C.	24925	19	14	2	3	-	-	-	1	1	-	-	-	-	-	-	9				
Chelsea North-east - - C.	32807	21	10	5	1	-	1	-	1	1	-	-	-	-	-	1	-				
Hanover Square H - - G.J.	16862	7	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-				
May Fair WW - - G.J.	18491	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3				
Belgrave HH - - C.	59220	22	18	2	3	-	-	-	1	-	-	-	-	-	-	1	6				
St. John Westminster HH - - C.	35490	30	8	2	1	-	-	-	-	-	-	-	-	-	-	1	1				
St. Margaret Westminster H - C.	24679	7	7	2	2	-	-	-	1	-	-	-	-	-	-	1	4				
St. James Westminster WH N.R. & G.J.	29941	8	7	2	3	-	-	-	-	1	-	-	-	1	-	-	2				
St. Anne Soho HHHHH - - N.R.	16698	6	5	1	1	-	-	-	-	-	-	-	-	1	1	1	-				
NORTH DISTRICTS.																					
All Souls Marylebone HHHH - W.M.	26759	17	8	1	4	-	-	1	-	-	-	-	-	-	-	-	5				
Capendish Square HHH - - W.M.	14891	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-				
Restory Marylebone WH G.J. & W.M.	24899	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-				
St. Mary Marylebone HHH G.J. & W.M.	21118	28	14	6	4	-	-	-	-	-	-	-	-	2	-	-	-				
Christchurch Marylebone H - W.M.	33700	21	14	6	2	-	2	-	-	-	-	-	-	-	1	1	4				
St. John Marylebone H - - W.M.	33638	23	8	2	-	-	4	-	-	-	-	-	-	-	2	1	-				
Hampstead WwHHH - N.R. & W.M.	45482	33	14	2	6	1	-	-	-	-	-	-	1	-	1	1	4				
Regent's Park Pancras H - - W.M.	39115	24	6	1	1	3	-	-	-	-	-	-	-	-	-	1	-				
Tottenham-court WHHHH N.R. & W.M.	27729	14	15	2	3	-	-	-	-	1	-	-	-	-	1	2	10				
Gray's Inn Lane HHH - - N.R.	30247	17	10	3	2	-	-	-	-	-	-	-	-	-	-	-	3				
Somers Town H - - N.R.	34369	15	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-				
Camden Town WH - - N.R.	17311	10	5	-	4	-	-	-	-	-	-	-	-	-	-	1	-				
Kentish Town W - - N.R.	87487	46	36	6	6	-	1	-	-	-	-	-	-	1	-	5	-				
Upper Holloway WWWwH - - N.R.	67946	48	40	6	10	2	4	-	1	1	-	-	-	1	-	4	4				
Islington South-west HH - - N.R.	100876	49	29	6	4	-	2	-	-	-	-	-	-	-	-	2	12				
Islington South-east - - N.R.	61895	45	19	4	4	-	-	1	1	2	-	-	-	-	-	-	2				
Highbury H - - N.R.	52048	32	13	3	5	-	2	-	-	1	-	-	-	1	-	1	2				
Stoke Newington H - - N.R.	22781	8	5	-	1	-	-	-	-	-	-	-	-	1	-	1	-				
Stamford Hill - - E.L.	9277	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-				
West Hackney - - N.R.	27610	16	14	2	1	-	-	-	-	-	-	-	-	-	3	3	-				
Hackney WwWH - - E.L. & N.R.	76911	65	45	7	5	2	12	3	-	1	1	1	-	1	1	2	14				
South Hackney - - E.L.	38983	16	8	1	-	-	1	-	-	-	-	-	-	-	-	-	-				
CENTRAL DISTRICTS.																					
St. George Bloomsbury - - N.R.	14681	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-				
St. Giles South WH - - N.R.	14864	7	10	1	5	-	-	-	-	-	-	-	-	-	1	1	7				
St. Giles North - - N.R.	13887	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Martin-in-the-Fields HH N.R. & C.	17508	8	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Mary-le-Strand H - - N.R.	7545	7	2	-	1	-	-	-	-	-	-	-	-	-	2	2	3				
St. Clement Danes H - - N.R.	8559	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2				
St. George-the-Martyr HHHHHH N.R.	18671	5	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-				
St. Andrew Eastern W - - N.R.	10706	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-				
Saffron Hill H - - N.R.	6583	5	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-				
St. James Clerkenwell - - N.R.	17516	15	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-				
Amwell Clerkenwell - - N.R.	19281	8	2	1	-	-	1	1	-	1	-	-	-	1	1	1	-				
Pentonville - - N.R.	14773	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-				
Goswell-street - - N.R.	17596	18	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-				
Old-street H - - N.R.	11541	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-				
City-road HLL - - N.R.	18628	12	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-				
Whitecross-street - - N.R.	9217	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-				
Finsbury - - N.R.	7463	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-				
St. Botolph H - - N.R. & E.L.	11174	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Cripplegate - - N.R.	7193	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Sepulchre H - - N.R.	5353	2	19	1	2	-	-	-	-	-	-	-	-	-	-	-	-				
St. Bride W - - N.R.	8396	-	1	-	-	-	-	-	-	-	-	-	-	-	2	2	18				
Allhallows Barking - - N.R.	13666	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-				
Broad Street H - - N.R.	6662	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-				

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—hospital; L—Lunatic Asylum; W—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. the Kent Company.

EVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 6th June, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include															
					Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Shrine con- tinued Fever.	Diarrhoea.	Violence.				
EAST DISTRICTS.																				
Holywell Shoreditch	N.R. & E.L.	7376	1	8	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Leonard Shoreditch	HL†	14967	8	8	2	1	-	1	-	-	-	-	-	-	-	-	-	2	-	
Hoxton New Town	W	24937	19	6	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Hoxton Old Town	-	28036	16	10	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Islington	WH	46275	39	27	5	9	-	1	-	-	-	1	-	-	-	-	2	10	-	
Hackney-road	H-	29738	31	9	4	1	-	-	-	1	-	-	-	-	-	-	1	-	1	
Green, Bethnal Green	WHL†	47932	35	25	4	5	-	4	-	-	1	1	-	-	-	-	1	5	-	
Highbury, Bethnal Green	-	29981	24	12	4	-	-	3	-	-	1	1	-	-	-	-	-	-	-	
St. John, Bethnal Green	-	16510	16	10	3	-	-	1	-	1	1	1	-	-	-	-	-	-	-	
St. Paul's, North	-	22585	13	4	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	
St. Paul's, South	-	15473	14	10	3	1	-	1	-	-	1	-	-	-	1	-	2	4	-	
Whitechapel Church	H	17490	14	18	2	1	-	-	-	-	-	-	-	-	6	6	15	-	-	
Goodman's Fields	-	9713	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Edgware	-	6102	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George's, North	-	28747	28	17	7	2	-	2	-	-	-	-	-	-	2	-	1	-	2	
St. John, St. George East	W	9410	6	7	1	2	-	1	-	-	-	-	-	-	-	-	1	5	-	
Madwell	H-	10895	6	7	2	-	-	-	-	1	-	-	-	-	-	-	-	6	-	
St. Mark's	-	16107	10	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. Mark's	-	32041	16	18	5	2	-	1	-	1	-	-	-	-	1	3	-	-	-	
Mile End Old Town West	-	37660	32	13	4	1	-	1	1	-	1	-	-	-	-	-	-	-	1	
Mile End Old Town East	W & H	67653	60	31	8	9	-	7	-	-	-	-	-	-	1	2	4	1	1	
St. Andrew	-	37074	17	13	-	2	-	5	-	-	2	-	-	-	-	-	-	-	-	
St. Andrew	-	64359	59	35	9	5	-	4	-	-	1	-	-	-	2	3	4	14	-	
St. Andrew	-	55077	24	18	3	3	-	2	-	-	2	-	-	-	2	3	1	1	1	
SOUTH DISTRICTS.																				
Christchurch Southwark	WH	13663	12	5	-	4	-	-	-	-	-	-	-	-	-	-	-	3	-	
St. Saviour Southwark	-	14999	16	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour	-	21881	14	9	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour	-	15953	4	5	2	1	-	-	-	-	-	-	-	-	-	-	1	2	-	
St. Saviour	-	21318	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour	-	23672	14	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour	-	29555	32	21	3	6	-	-	-	-	1	-	-	-	1	-	-	10	1	
St. Saviour	-	21623	19	10	5	2	-	-	-	-	-	-	-	-	1	-	1	-	1	
St. Saviour	-	11956	6	7	1	2	-	-	-	-	-	-	-	-	-	1	1	3	-	
St. Saviour	-	16800	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour	-	16869	9	9	2	-	-	5	-	-	-	-	-	-	1	-	-	6	-	
St. Saviour	-	14633	34	11	3	1	-	1	1	-	1	-	-	-	1	-	3	-	-	
St. Saviour	-	36024	19	7	-	4	-	-	-	-	-	-	-	-	1	1	4	-	-	
Vatello-road 1st	H-	15195	13	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vatello-road 2nd	H-	16321	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lambeth Church 1st	H	19876	17	25	2	2	-	-	2	1	-	-	-	-	1	2	2	17	-	
Lambeth Church 2nd	W & W	39559	30	16	6	1	-	1	-	-	-	-	-	-	-	-	1	5	1	
St. Saviour	-	45332	27	9	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
St. Saviour	-	35332	22	5	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	
St. Saviour	-	62337	30	15	7	2	4	-	1	-	-	-	-	-	1	-	-	5	-	
St. Saviour	-	19017	11	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour	-	36380	23	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour	-	54675	46	13	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour	-	55387	47	22	6	5	-	-	-	1	-	-	-	-	-	-	1	4	-	
St. Saviour	-	28004	18	7	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
St. Saviour	-	13235	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour	-	25553	13	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour	-	5390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour	-	49104	37	25	6	7	1	2	-	2	-	-	-	-	-	-	-	8	-	
St. Saviour	-	71069	60	19	8	2	-	-	-	1	1	-	-	-	1	-	-	-	-	
St. Saviour	-	60610	32	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Deptford	W & W	76752	60	32	7	6	7	1	1	-	2	-	-	-	1	2	2	8	1	
St. Nicholas Deptford	-	7901	8	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
Greenwich West	H	21972	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich East	W & H	24608	12	16	4	1	-	2	-	-	2	-	-	-	-	2	6	-	-	
St. Altham	H	5827	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Altham	-	21559	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Altham	-	19865	18	12	1	2	-	4	-	-	1	-	-	-	-	-	-	3	-	
St. Altham	-	26076	34	6	2	2	-	2	-	-	-	-	-	-	1	1	-	-	-	
St. Altham	-	10930	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Altham	-	17617	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Altham	-	19048	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Altham	-	14009	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Altham	-	19241	14	7	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.	
Holborn Infirmary in Upper Holloway sub-district.	Stepney Poplar & Stepney Sick Asylum in Bromley sub-district.
London City Workhouse Hackney sub-district.	
Holborn	Westminster Union Industrial School in West Battersea sub-district.
Whitechapel	
	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford, sub-districts.

Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS AND DEATHS registered during the Week ending Saturday, 13th June, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes.	
LONDON—OUTER RING		370,282	950,178	713	321	65	75	28	14	2	6	7	5	7	12	23	61		
30:1	Carshalton wL - -	12228	21113	12	4	-	1	-	-	-	-	-	-	-	-	-	-		
2	Epsom (part of) * WH	9971	10710	9	1	-	1	-	-	-	-	-	-	-	-	-	-		
37:1	Godstone (part of) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
38:1	Croydon WH - -	20851	101241	68	29	5	8	2	4	1	-	1	-	1	2	2	10		
	Mitcham - -	11697	17932	12	5	3	1	-	-	-	-	1	-	1	-	-	-		
39:1	Wimbledon HHH - -	3220	15950	18	3	2	1	-	-	-	-	-	-	-	-	-	-		
2	Kingston WHH - -	36354	18549	12	12	2	3	-	-	1	-	1	-	-	1	2	3		
3	Esher (part of) * -	6001	9221	4	2	-	2	-	-	-	-	-	-	1	-	-	-		
4	Hampton H - -	4573	18539	10	3	1	2	-	-	-	-	-	-	1	-	-	-		
40:1	Richmond WH - -	2372	21302	11	6	1	1	-	-	-	-	-	-	-	-	-	3		
2	Mortlake - -	941	12331	4	8	2	2	-	1	-	-	-	-	-	1	1	-		
41:1	Bromley (pt. of) * HH	15669	31142	17	8	3	3	-	-	-	-	-	-	-	-	-	-		
2	Chislehurst (pt. of) * WHH	13665	15065	14	6	2	1	1	-	-	1	-	-	-	-	-	-		
42:1	Bexley H - -	13437	24134	11	6	-	4	-	-	-	-	-	-	-	-	-	-		
124:1	Sunbury w - -	11055	11685	6	7	-	1	-	-	-	-	-	1	-	-	3	1		
2	Staines W - -	13277	12089	8	1	-	-	-	-	-	-	-	-	-	-	-	-		
125:1	Hillingdon WH - -	6029	10802	10	4	2	1	-	-	-	-	-	-	-	-	1	-		
2	Uxbridge - -	6178	5225	3	2	-	1	-	-	-	-	-	-	-	-	-	-		
3	Hayes wHL - -	14587	11623	5	3	-	-	-	-	-	-	-	-	-	1	1	1		
126:1	Isleworth W - -	7008	22727	11	6	1	2	-	2	-	-	-	-	-	-	1	3		
2	Twickenham H - -	2477	12479	6	2	1	-	-	-	-	-	-	-	-	-	-	-		
3	Brentford HL - -	4345	27649	19	6	2	-	-	-	-	-	-	-	-	-	-	-		
4	Chiswick - -	1340	15675	12	4	1	1	-	-	-	1	-	-	-	-	-	-		
5	Acton wH - -	6083	22376	21	8	2	1	-	-	-	-	-	-	-	-	-	-		
127:1	Harrow H - -	13809	12794	15	3	-	1	-	-	-	-	-	-	-	2	2	-		
2	Edgware H - -	6994	3749	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden - -	4383	27453	19	14	3	3	1	-	-	1	-	1	-	-	3	-		
4	Hendon W - -	8382	10484	13	4	-	3	-	-	-	-	-	-	-	-	-	3		
128:1	South Mimms - -	15599	6391	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet W - -	5433	10092	3	7	-	4	-	-	-	-	-	-	-	-	-	3		
3	Finchley HL - -	4683	17615	7	5	1	1	-	-	-	-	-	-	-	-	1	4		
129:1	Hornsey H - -	3039	37078	25	9	4	1	-	-	-	-	1	-	-	1	1	-		
2	Tottenham HH - -	4642	46453	48	15	4	3	1	-	-	-	-	1	-	1	1	2		
3	Edmonton Wwv - -	7433	23463	24	13	1	5	2	-	-	-	1	-	-	-	-	10		
4	Enfield WH - -	12633	19104	25	5	-	2	-	-	-	-	-	-	-	1	1	-		
5	Waltham Abbey - -	11017	5398	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt - -	8430	7735	6	3	2	-	-	-	-	-	-	-	1	-	-	-		
135:1	Hatfield (part of) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137:1	Bushey - -	9331	6621	1	1	-	-	-	-	-	-	-	-	-	1	1	-		
136:1	Stratford - -	832	38606	31	16	5	3	1	-	-	-	2	1	-	-	-	-		
2	West Ham wvwhH - -	7351	101053	88	57	11	6	15	5	-	2	-	-	-	1	2	11		
3	Leyton WwL - -	4572	22420	29	15	2	3	2	1	-	-	-	-	1	-	-	7		
4	Walthamstow wH - -	6520	28369	39	10	-	3	1	1	-	1	-	-	1	-	-	-		
137:1	Chigwell (part of) * H	11761	9869	7	1	-	-	-	-	-	-	-	-	-	-	-	-		
139:1	Romford (part of) * -	6730	3411	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford - -	8492	7645	3	3	1	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town - -	4127	9203	10	3	1	-	2	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warrington and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1938); 41:1, the whole of Bromley sub-district, except the two parishes of Cudnam and Knockholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 13th June, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include													
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.	
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.			
GREATER LONDON	448,334	5,199,166	16·4	2·9	1636	370	339	51	112	14	23	46	13	30	64	374			
INNER LONDON -	78,052	4,083,928	16·8	2·8	1315	305	264	23	98	12	17	39	8	23	52	313			
OUTER RING -	370,282	1,115,238	15·0	3·2	321	65	75	28	14	2	6	7	5	7	12	61			

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·935 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	493,219	May 2	-	229	27·5	Small-pox 10; fevers 60; cholera 65.
BOMBAY - -	773,196	" 12	250	415	25·6	Fevers 160; measles 14.
MADRAS - -	398,777	" 1	300	236	30·7	Fevers 68.
PARIS - - -	2,239,928	June 6	1058	1039	24·1	Typhd. fev. 16; meas. 50.
GENEVA - -	71,453	" 6	23	25	18·2	—
BRUSSELS - -	436,214	May 30	257	185	21·8	Croup 8.
AMSTERDAM -	366,812	June 6	251	141	19·9	Scar. fev. 4; whooping-cough 5.
ROTTERDAM -	166,001	" 6	104	84	25·8	Croup 2.
THE HAGUE -	134,552	" 6	85	58	22·4	Whooping-cough 3.
COPENHAGEN -	278,000	" 2	240	130	24·4	Scarlet fever 2; croup 2.
STOCKHOLM -	190,115	May 30	117	94	24·4	Measles 4; diphtheria and croup 5.
CHRISTIANIA -	128,000	June 6	62	48	19·5	Scarlet fever 3; diphtheria and croup 5.
ST. PETERSBURG	928,016	May 30	-	562	31·6	Measles 14; diph. 11.
BERLIN - -	1,266,511	" 23	780	569	23·2	Measles 13; diph. 36.
WAMBURG(State)	497,956	" 30	339	268	23·1	Typhus 4; scarlet fev. 4; whooping-cough 4.
DRESDEN - -	241,500	" 30	146	119	25·6	Diphtheria 5.
BRESLAU - -	295,000	" 30	218	184	32·3	Whooping-cough 3.
MUNICH - -	244,000	June 6	156	162	34·5	Measles 4; diphtheria and croup 5.
VIENNA - -	769,889	May 30	534	456	30·8	Small-pox 22; measles 16.
PRAGUE - -	272,333	June 6	-	175	33·5	Scarlet fever 7; diphtheria and croup 3.
BUDA-PESTH -	429,632	May 23	274	295	35·7	Scarlet fever 4; diphtheria and croup 4.
TRIESTE - -	150,157	" 16	-	-	-	—
ROME - -	324,649	" 2	-	-	-	—
NAPLES - -	504,795	—	-	-	-	—
TURIN - -	267,763	May 20	-	-	-	—
VENICE - -	144,845	" 30	73	73	26·3	Typhoid fever 4.
MADRID - -	475,668	—	-	-	-	—
LISBON - -	203,681	—	-	-	-	—
ALEXANDRIA -	212,034	May 16	177	150	33·7	Whooping-cough 7.
NEW YORK -	1,356,958	" 16	-	657	25·3	Measles 20; diph. 23; scarlet fever 16.
BROOKLYN -	665,602	" 16	-	280	21·9	Measles 9; diphtheria 10.
PHILADELPHIA -	949,432	" 23	-	399	21·9	Croup 13; diphtheria 15; scarlet fever 10.
BALTIMORE -	408,520	" 23	-	130	16·6	Scarlet fever 3.

[Under the Superintendence of the Astronomer Royal.]

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Registered Sun above Horizon, in hours.	SKY AND ATMOSPHERE.
JUNE.				
7	w. P. in morning; m. P. afterwards.	6·0	16·4	Fine and partially cloudy till evening; overcast afterwards.
8	w. P. generally; w. N. at times.	0·0	16·4	Overcast. Frequent rain.
9	v. P. throughout	0·8	16·4	Overcast and showery till 3h. p.m.; fine afterwards.
10	w. P. in morning; v. P. afterwards.	10·0	16·5	Very fine. The amount of cloud was small.
11	m. P. generally	12·4	16·5	Very fine. Cloudless with slight exceptions.
12	v. P. till 9h. a.m.; w. N. till 2h. p.m.; m. P. afterwards.	13·3	16·5	Cloudless. A very fine day.
13	v. P. throughout	12·8	16·5	Cloudless and very fine throughout.
	Sum	55·3	Sum	
		115·2		

The reading of the barometer decreased from 29.88 in. at the beginning of the week to 29.54 in. civil day, or from midnight to midnight.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 24. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, JUNE 20. [Price 1½d.

General Register Office, Somerset House,
22nd June, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 18·3 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

Towns.	Weeks ending				Towns.	Weeks ending			
	May 30.	June 6.	June 13.	June 20.		May 30.	June 6.	June 13.	June 20.
Birkenhead	22·4	26·3	20·7	19·6	Liverpool	25·5	21·0	23·4	23·2
Birmingham	20·5	23·3	17·1	19·8	London	19·6	19·4	16·8	16·4
Blackburn	28·7	21·3	23·6	25·5	Manchester	27·1	33·6	26·5	25·5
Bolton	19·4	23·7	22·3	21·3	Newcastle-on-Tyne	29·6	31·0	35·4	24·2
Bradford	18·5	19·7	15·3	16·1	Norwich	21·2	10·9	20·0	18·3
Brighton	14·6	10·0	17·3	15·0	Nottingham	17·8	23·4	16·3	21·7
Bristol	21·8	18·7	15·3	15·1	Oldham	26·4	24·8	22·3	18·2
Cardiff	28·5	22·6	18·8	31·7	Plymouth	26·8	15·8	28·1	20·6
Derby	15·7	16·9	10·5	10·5	Portsmouth	22·5	15·1	15·5	13·6
Halifax	15·5	13·5	14·2	14·2	Preston	34·3	25·5	15·6	20·3
Huddersfield	21·5	20·3	20·3	22·7	Salford	17·9	18·4	20·7	22·2
Hull	21·3	17·6	19·9	17·4	Sheffield	21·2	24·6	23·7	20·8
Leeds	19·0	19·4	17·9	17·7	Sunderland	20·8	18·3	13·7	17·5
Leicester	19·9	16·5	16·9	15·7	Wolverhampton	19·1	13·2	14·5	13·8

The highest annual death-rates from measles, measured by last week's mortality, were 2·6 in Salford, 2·7 in Liverpool, 3·4 in Birkenhead, and 5·1 in Newcastle-upon-Tyne; from whooping-cough, 2·2 in Cardiff, 2·7 in Plymouth, and 5·6 in Blackburn; from scarlet fever, 1·0 in Preston, and 1·3 in Wolverhampton; and from "fever," 1·1 in Norwich, 1·2 in Portsmouth, and 1·6 in Cardiff. The deaths from diphtheria included 16 in London, 3 in Liverpool, 2 in Sunderland, and 2 in Cardiff. Small-pox caused 32 deaths in London and its outer ring (excluding 16 fatal cases of Londoners who died in the Metropolitan Asylum Hospitals and Camp at Darenth), 2 in Hull, and one in Manchester.

LONDON.

In LONDON 2375 BIRTHS and 1284 DEATHS were registered. Allowing for increase of population, the births were 266, and the deaths 164, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had declined from 19·9 to 16·4 in the four preceding weeks, further declined last week to 16·4, and was lower than in any week since the end of September last.

The 1284 deaths included 21 from small-pox, 95 from measles, 7 from scarlet fever, 16 from diphtheria, 42 from whooping-cough, 6 from enteric fever, 2 from ill-defined forms of continued fever, 24 from diarrhoea and dysentery, 3 from cholera, and not one from typhus; thus, 216 deaths were referred to these diseases, being 20 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 38, 34, and 23 in the three preceding weeks, further declined to 21 last week, and were 4 below the corrected weekly average. These 21 deaths were exclusive of 16 deaths of London residents who died in the Metropolitan Asylum Hospitals situated outside

Registration London. Of the total 37 fatal cases, 27 occurred in the Metropolitan Asylum Hospitals, 2 in the Highgate Small-pox Hospital, and 8 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 4 belonged to Islington, 3 to Poplar, 3 to Camberwell, and 3 to Woolwich. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1389, 1201, and 1222 on the three preceding Saturdays, had declined to 1119 at the end of last week; the admissions, which had been 272, 180, and 197 in the three previous weeks, declined to 190 last week.

The fatal cases of *measles*, which had been 120 and 98 in the two preceding weeks, further declined to 95 last week, but exceeded the corrected weekly average by 40; 13 belonged to Islington, 11 to Poplar, 6 to Fulham, and 6 to Hackney. The 7 deaths from *scarlet fever*, of which 4 belonged to East London, were 30 below the corrected average. The Metropolitan Asylum Hospitals contained 205 scarlet fever patients on Saturday last; 33 cases were admitted, against 29 and 24 in the two previous weeks. The deaths from *diphtheria*, which had been 15 and 17 in the two previous weeks, were 16 last week, exceeding the corrected weekly average by 3; 3 belonged to Paddington, 2 to Islington, 2 to Mile End Old Town, and 3 to Lambeth. The 42 fatal cases of *whooping-cough* exceeded the number in the previous week by 3, but were 16 below the corrected average; 4 belonged to Fulham, and 17 to East London. The 24 deaths attributed to *diarrhœa* and *dysentery* showed a further slight increase upon the low numbers in recent weeks, but were 7 below the corrected average. The 3 deaths referred to cholera were of a female, aged 65 years, in South Hackney, of a child, aged 5 years, in Poplar, and of a female, aged 55 years, in St. Saviour, Southwark; the cause of death was in each case certified as choleraic diarrhœa.

The death of a child from chorea in Paddington, registered in the week ending the 13th instant, was incorrectly referred to cholera, owing to a clerical error on the part of the local registrar.

The deaths referred to *enteric fever*, which had been 13 and 4 in the two preceding weeks, were 6 last week, and less than half the corrected weekly average. One death was referred to febricula, and one indefinitely to "continued fever." The Metropolitan Asylum Hospitals contained 16 cases of enteric fever, and 6 of typhus, on Saturday last; 3 of enteric fever, and 2 of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had declined from 305 to 231 in the four preceding weeks, further fell last week to 196, and were 46 below the corrected weekly average.

Different forms of violence caused 56 deaths; 44 were the result of negligence or accident, among which were 17 from fractures and contusions, 7 from burns and scalds, 10 from drowning, and 6 of infants under one year of age from suffocation. The 17 deaths from fractures and contusions were thus returned:—males, aged 4 and 37 years, run over by van; males 2, 63, and female 78, run over by cart; male 75, knocked down, or fell, from omnibus; female 2, knocked down by horse; male 67, run over on Chatham and Dover Railway; male 65, run over on South-Western Railway; male 34, crushed by trucks on railway; male 27, fell from wharf; male 53, by fall of lift; female 60, fell down stairs; male 21, struck head in diving; males 11, 67, and 54, by fall. An inquest was held in each of these 17 cases, except the last. Eleven cases of suicide were registered.

GREATER LONDON.

In Greater London 3099 births and 1590 deaths were registered, corresponding to annual rates of 31·1 and 16·0 per 1000 of the population. In the Outer Ring 11 fatal cases of small-pox, 23 of measles, and 9 of whooping-cough were registered. The deaths in West Ham district included 5 from small-pox, 11 from measles, 5 from whooping-cough, and 3 from "fever."

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·72 in.; the highest reading was 29·96 in. at the beginning of the week, and the lowest was 29·35 in. on Saturday morning. The mean temperature of the *air* was 58°·7, and 1°·0 below the average in the corresponding week of the 20 years ending 1868. The mean showed a remarkable excess on Sunday, but was below the average on each of the other days of the week. The general direction of the *wind* was variable, and the horizontal movement of the air averaged 13·2 miles per hour, which was 3·1 miles above the average in the corresponding week of 16 years. *Rain* fell on three days of the week, to the aggregate amount of 0·39 of an inch. The duration of registered bright sunshine in the week was 41·8 hours, against 49·2 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY IN 28 GREAT TOWNS, during the Week ending 20th June, 1885.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the year 1885.	Registered during the Week ending 20th June, 1885.		Deaths of		Deaths from										Deaths in				Annual Rate corresponding to the Week's Deaths				TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.
		BIRTHS.	DEATHS.	1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhoid.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Causes of Death.	From All Causes.	From Diseases in Colic, &c.	Mean.			In Inches.	In Cent.							
																			Highest.	Lowest.	Fahrenheit.			Fahrenheit.	Centigrade.					
28 TOWNS.	8,906,446	5426	3129	756	627	24	187	25	25	104	34	55	118	202	558	82	183	17.	18.	19.	20.	21.	22.	23.	24.	Cols.	-	28 TOWNS.		
LONDON.	4,083,628	2975	1284	316	275	21	95	7	16	42	8	24	56	94	306	21	164	27	27	82.7	40.0	56.4	13.56	0.32	0.81	0.32	0.81	-	28 TOWNS.	
BRIGHTON.	114,672	58	33	6	9	-	-	-	-	-	-	-	-	-	2	2	15.0	0.5	75.0	41.4	58.2	14.83	0.39	0.99	0.39	0.99	LONDON.	BRIGHTON.		
PORTSMOUTH.	134,639	66	35	7	7	-	-	-	1	-	3	-	-	3	4	2	13.6	1.5	-	-	-	-	-	-	-	-	PORTSMOUTH.	PORTSMOUTH.		
NORWICH.	91,215	47	32	8	7	-	-	1	-	-	2	1	-	5	3	-	18.3	2.3	-	-	-	-	-	-	-	-	NORWICH.	NORWICH.		
PLYMOUTH.	76,045	43	30	7	10	-	-	-	-	4	-	-	-	5	11	1	15.1	1.4	77.0	49.2	59.1	15.05	0.38	0.97	0.38	0.97	PLYMOUTH.	PLYMOUTH.		
BRISTOL.	218,169	153	63	9	16	-	4	1	-	-	1	-	4	5	11	1	13.8	2.6	72.0	47.5	56.9	13.83	0.31	0.79	0.31	0.79	BRISTOL.	BRISTOL.		
WOLVERHAMPTON.	79,185	56	21	2	5	-	-	2	-	-	-	2	3	3	2	-	13.8	2.6	72.0	45.6	56.1	13.39	0.17	0.43	0.17	0.43	WOLVERHAMPTON.	WOLVERHAMPTON.		
BIRMINGHAM.	427,769	281	162	43	30	-	4	-	-	5	2	4	6	13	30	2	19.8	1.8	-	-	-	-	-	-	-	-	BIRMINGHAM.	BIRMINGHAM.		
LEICESTER.	136,147	81	41	20	4	-	-	1	-	-	-	1	1	3	4	2	15.7	0.8	-	-	-	-	-	-	-	-	LEICESTER.	LEICESTER.		
NOTTINGHAM.	211,424	132	88	19	28	-	2	1	-	3	2	-	-	1	17	1	21.7	2.0	76.1	44.2	58.0	14.44	0.11	0.28	0.11	0.28	NOTTINGHAM.	NOTTINGHAM.		
DERBY.	89,691	59	18	3	2	-	-	-	-	-	-	-	-	1	6	-	10.5	0.0	-	-	-	-	-	-	-	-	DERBY.	DERBY.		
BIRKENHEAD.	93,093	54	35	8	3	-	6	-	1	-	-	-	-	3	2	3	19.6	3.9	-	-	-	-	-	-	-	-	BIRKENHEAD.	BIRKENHEAD.		
LIVERPOOL.	579,724	366	238	60	32	-	30	3	3	8	8	3	8	8	49	10	23.2	5.0	65.0	49.7	54.5	12.50	0.28	0.71	0.28	0.71	LIVERPOOL.	LIVERPOOL.		
BOLTON.	110,085	69	45	6	13	-	-	-	-	-	-	1	3	4	6	-	21.3	0.5	70.9	45.5	54.3	12.39	1.30	3.30	1.30	3.30	BOLTON.	BOLTON.		
MANCHESTER.	387,342	238	105	52	17	1	8	-	-	5	1	2	3	9	23	5	25.5	2.6	-	-	-	-	-	-	-	-	MANCHESTER.	MANCHESTER.		
SALFORD.	204,075	129	87	11	18	-	10	1	-	2	2	1	1	4	11	1	22.2	4.1	-	-	-	-	-	-	-	-	SALFORD.	SALFORD.		
OLDHAM.	126,390	87	44	11	7	-	-	1	-	2	-	-	3	4	7	1	18.2	1.2	-	-	-	-	-	-	-	-	OLDHAM.	OLDHAM.		
BLACKBURN.	112,574	68	55	9	10	-	-	1	-	12	-	-	1	3	6	-	25.5	6.5	-	-	-	-	-	-	-	-	BLACKBURN.	BLACKBURN.		
PRESTON.	100,406	68	39	10	10	-	-	2	-	-	-	3	2	4	1	-	20.3	2.6	72.0	50.0	56.7	13.72	0.53	1.35	0.53	1.35	PRESTON.	PRESTON.		
HUDDESFIELD.	87,327	55	38	4	1	-	1	-	-	2	-	-	1	1	5	4	22.7	1.8	-	-	-	-	-	-	-	-	HUDDESFIELD.	HUDDESFIELD.		
HALEFAX.	77,378	41	21	4	5	-	-	-	-	-	1	-	1	1	1	1	14.2	0.7	-	-	-	-	-	-	-	-	HALEFAX.	HALEFAX.		
BRADFORD.	214,431	109	66	23	11	-	-	-	-	2	-	-	3	6	4	3	16.1	1.0	75.3	47.0	56.8	13.78	0.32	0.81	0.32	0.81	BRADFORD.	BRADFORD.		
LEEDS.	333,139	193	113	19	37	-	-	-	-	3	-	-	1	4	5	16	4	17.7	0.8	77.0	46.0	58.2	14.55	0.27	0.69	0.27	0.69	LEEDS.	LEEDS.	
SHEFFIELD.	305,716	180	122	32	23	-	9	-	-	8	-	3	2	4	11	9	20.8	3.4	71.0	45.0	56.2	13.44	0.30	0.76	0.30	0.76	SHEFFIELD.	SHEFFIELD.		
HULL.	186,292	129	62	15	13	2	-	1	-	-	-	-	1	3	13	3	17.4	1.1	68.0	40.0	53.2	11.78	0.08	0.20	0.08	0.20	HULL.	HULL.		
SUNDERLAND.	125,327	96	42	12	8	-	-	1	2	-	-	5	3	3	4	5	17.5	2.3	68.0	46.0	53.9	12.17	0.19	0.48	0.19	0.48	SUNDERLAND.	SUNDERLAND.		
NEWCASTLE.	163,269	108	71	23	10	-	15	2	-	2	-	-	1	3	2	4	24.2	6.5	65.0	50.0	55.3	12.95	0.10	0.25	0.10	0.25	NEWCASTLE.	NEWCASTLE.		
CARDIFF.	97,634	65	59	17	7	-	2	-	2	4	3	-	4	9	11	1	31.7	5.9	-	-	-	-	-	-	-	-	CARDIFF.	CARDIFF.		
EDINBURGH.	250,616	175	91	12	28	-	3	1	-	2	2	1	4	?	14	22	18.9	1.9	69.9	47.0	55.3	12.95	0.09	0.23	0.09	0.23	EDINBURGH.	EDINBURGH.		
GLASGOW.	519,965	380	228	49	27	1	9	5	-	9	5	6	7	?	36	38	22.9	3.5	66.0	40.0	54.9	12.72	0.45	1.14	0.45	1.14	GLASGOW.	GLASGOW.		
DUBLIN.	353,982	203	186	30	41	1	6	4	1	3	2	3	7	7	50	31	27.5	3.0	64.7	37.1	52.8	11.56	0.13	0.33	0.13	0.33	DUBLIN.	DUBLIN.		

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the TWENTY-FOUR Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2321	2474	2263	2120	2414	2368	2480	2493	2477	2805	2640·6	2375
Males	1204	1255	1134	1089	1238	1187	1277	1213	1275	1469	1345·1	1212
Females	1117	1219	1129	1031	1176	1181	1203	1280	1202	1342	1295·5	1163
TOTAL Deaths	1321	1280	1315	1300	1351	1243	1403	1335	1279	1450	1447·8	1284
Males	667	653	650	662	721	661	730	665	658	762	745·2	666
Females	654	622	665	638	630	582	673	670	621	688	702·6	618

* The numbers in this column are the average weekly numbers in the twenty-fourth week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.
TOTAL Births	2537	2404	2473	2617	2541	2561	2429	2544	2391	2209	2409	2464	2375
TOTAL Deaths	1734	1701	1859	1706	1743	1549	1465	1496	1554	1538	1521	1315	1284
0—20	807	771	830	790	773	699	697	707	745	744	744	655	654
20—40	205	218	255	224	209	227	206	214	209	188	210	178	170
40—60	289	286	328	287	336	277	273	250	254	261	246	218	185
60—80	352	347	375	328	349	281	243	263	290	238	253	218	228
at 80 years & upwds.	81	79	71	77	76	65	46	62	56	62	68	46	47
Deaths of children { Under 1 year	395	374	398	370	379	324	296	333	334	349	342	305	316
{ 1—5	315	308	327	293	296	292	294	254	299	296	294	260	258
{ 5—20	97	89	105	127	98	83	107	120	112	99	108	90	80
Deaths from Small-pox*	24	39	40	49	51	48	66	75	50	55	62	39	37
" " Measles	70	83	70	92	103	99	91	65	93	90	120	98	95
" " Scarlet Fever	10	5	9	9	10	12	13	13	12	10	9	12	7
" " Diphtheria	11	16	15	21	10	15	24	21	10	17	15	17	16
" " Whooping-cough	55	55	55	46	57	51	46	57	68	50	46	39	42
" " Typhus	1	—	—	2	2	—	2	—	—	—	—	1	—
" " Enteric fever	7	14	10	13	11	1	12	16	13	11	13	4	6
" " Simple Cont ^d fever	2	—	2	2	2	1	—	—	3	4	2	3	2
" " Diarrhœa and Dysentery	18	8	16	7	21	16	13	9	16	20	11	23	24
" " Cholera	—	—	—	—	—	—	1	—	—	—	—	2	3
Deaths from the above-mentioned Diseases*	198	220	217	241	267	243	268	256	267	257	278	238	232
" " Dis. of Respiratory System	448	478	512	449	381	337	287	291	305	302	290	231	196
" " Phthisis	190	160	198	163	167	191	160	160	179	150	154	140	141
" " Dis. of Circulatory System	128	122	123	109	135	91	110	106	105	96	102	84	70
Violent Deaths	50	41	68	57	62	64	52	46	39	60	59	52	56
Inquest Cases	361	359	374	385	417	381	319	349	352	371	364	313	306
Deaths in Public Institutions	361	359	374	385	417	381	319	349	352	371	364	313	306
TEMPERATURE OF THE AIR:													
Mean	39·1	43·3	41·9	45·6	54·7	51·9	46·7	47·4	48·4	56·0	62·6	58·5	58·7
Mean of Highest readings	47·6	53·9	49·5	56·2	66·4	61·8	57·6	58·9	57·9	66·5	74·5	69·5	70·6
Mean of Lowest readings	31·8	32·8	35·8	37·2	44·0	42·9	38·4	36·8	41·2	47·8	51·2	47·7	48·4
Humidity of the Air	77	67	85	82	69	78	81	65	79	78	66	75	76
Rain-fall in inches	0·84	00·0	0·20	1·11	0·26	0·52	0·77	0·07	0·74	0·46	0·27	0·90	0·39
Registered Sunshine (in hours)	23·9	55·4	10·5	29·2	56·8	39·2	31·4	51·5	28·9	39·9	69·6	55·3	41·8

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S. — F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, Jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrothessley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filler, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-FOURTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 24th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 20th June, 1885.										CAUSES OF DEATH.	Corrected Averages for the 24th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 20th June, 1885.										
		Deaths of Persons of the Ages												Deaths of Persons of the Ages										
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.							
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.					
ALL CAUSES - -	1447.8	1284	316	258	80	170	185	228	47			Diseases of Organs of Special Sense † - -	3.0	-	-	-	-	-	-	-	-	-	-	-
Small-pox † { Vaccinated †	24.8 {	3	-	-	2	-	1	-	-			Diseases of Circulatory System - - -	83.1	70	-	-	7	11	23	23	6	-	-	
Unvaccinated		9	-	3	3	1	1	1	-			Croup - - -	13.0	10	1	9	-	-	-	-	-	-	-	
No Statement		9	2	1	2	2	2	-	-			Bronchitis - - -	122.8	111	32	22	-	3	8	39	7	1	-	
Measles - - -	54.5	95	14	76	4	1	-	-	-			Pneumonia - - -	75.1	57	11	21	3	7	9	5	-	-	-	
Scarlet Fever - -	57.1	7	-	5	2	-	-	-	-			Pleurisy - - -	3.8	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	1.6	-	-	-	-	-	-	-	-			Other Diseases of Respiratory System - -	27.2	18	6	3	1	4	3	1	-	-	-	
Relapsing Fever † -	0.0	-	-	-	-	-	-	-	-			Dentition † - - -	10.3	13	8	5	-	-	-	-	-	-	-	
Influenza - - -	0.0	-	-	-	-	-	-	-	-			Quinsy, Sore Throat † -	4.7	1	-	-	-	1	-	-	-	-	-	
Whooping-cough -	57.9	42	12	30	-	-	-	-	-			Enteritis - - -	6.3	6	2	-	-	-	1	1	2	-	-	
Diphtheria - - -	13.4	16	1	11	3	1	-	-	-			Peritonitis - - -	5.5	5	1	-	1	-	2	1	7	2	-	
Simple Continued and Ill-defined Fever -	2.7	2	-	1	1	-	-	-	-			Diseases of Liver - - -	53.3	30	5	1	-	8	7	7	2	-	-	
Enteric Fever - - -	13.1	6	-	-	4	1	1	-	-			Other Diseases of Digestive System -	29.9	17	2	-	4	1	2	8	-	-	-	
Cholera - - -	0.3	3	-	-	1	-	1	1	-			Diseases of Lymphatic System & of Ductless Glands † - - -	1.3	-	-	-	-	-	-	-	-	-	-	
Diarrhoea, Dysentery -	30.8	24	18	3	-	-	-	2	1			Diseases of Urinary System - - -	27.3	42	1	1	1	7	15	15	2	-	-	
Remittent Fever † -	0.0	-	-	-	-	-	-	-	-			Diseases of Generative System - - -	4.9	7	-	-	-	3	-	3	1	-	-	
Hydrophobia - - -	0.2	1	-	1	-	-	-	-	-			Accidents of Childbirth -	5.1	5	-	-	-	4	1	-	-	-	-	
Glanders - - -	0.0	-	-	-	-	-	-	-	-			Diseases of Locomotive System † - - -	8.0	7	-	-	4	-	1	2	-	-	-	
Cowpox and Effects of Vaccination † - -	0.0	-	-	-	-	-	-	-	-			Diseases of Integumentary System - - -	5.7	1	-	-	-	-	-	1	-	-	-	
Veneral Affections -	10.1	11	8	-	-	3	-	-	-			VIOLENT DEATHS ‡												
Erysipelas - - -	5.2	2	1	-	-	1	-	-	-			(ACCIDENT.)												
Pyæmia and Septicæmia †	3.0	6	1	-	1	2	1	1	-			Fracture and Contusion -	22.2	17	-	3	1	4	2	7	-	-	-	
Puerperal Fever - -	5.6	1	-	-	1	-	-	-	-			Gunshot Wound - - -	0.0	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Diseases †	3.0	2	1	1	-	-	-	-	-			Cut, Stab - - -	0.4	-	-	-	-	-	-	-	-	-	-	
Thrush - - -	2.6	1	1	-	-	-	-	-	-			Burn and Scald - - -	2.8	7	1	3	1	1	1	-	-	-	-	
Worms and other Parasitical Diseases -	0.0	-	-	-	-	-	-	-	-			Poison - - -	1.0	1	-	-	-	-	-	-	-	-	-	
Starvation, Want of Breast-milk † - -	0.3	3	3	-	-	-	-	-	-			Drowning - - -	10.5	10	1	1	5	1	1	1	-	-	-	
Alcoholism - - -	5.7	3	-	-	-	1	1	1	-			Suffocation - - -	8.4	6	6	-	-	-	-	-	-	-	-	
Rheumatic Fever and Rheumatism of Heart	7.9 {	6	-	-	3	3	-	-	-			Otherwise - - -	2.1	3	-	1	1	-	1	-	-	-	-	
Rheumatism - - -		5	-	-	-	-	2	3	-			(HOMICIDE.)												
Gout - - -		3.1	3	-	-	-	-	3	-			Murder & Manslaughter	1.9	1	1	-	-	-	-	-	-	-	-	
Rickets † - - -	7.0	4	2	2	-	-	-	-	-			(SUICIDE.)												
Cancer - - -	45.4	39	-	-	-	6	15	18	-			Gunshot Wound - - -	0.7	1	-	-	-	-	1	-	-	-	-	
Tabes Mesenterica -	25.4	25	16	6	3	-	-	-	-			Cut, Stab - - -	1.2	3	-	-	1	-	2	-	1	-	-	
Tubercular Meningitis -	39.0	25	9	16	-	-	-	-	-			Poison - - -	1.3	3	-	-	-	-	-	-	-	-	-	
Phthisis - - -	173.9	141	3	4	8	77	40	9	-			Drowning - - -	1.6	1	-	-	-	-	-	-	-	-	-	
Serofula, Tuberculosis -	15.3	25	8	11	3	2	1	-	-			Hanging - - -	2.7	2	-	-	-	1	1	-	-	-	-	
Other Constitutional Diseases † - -	10.3	7	1	-	-	1	3	2	-			Otherwise - - -	0.7	1	-	-	-	-	-	-	-	-	-	
Premature Birth - -	32.9	34	34	-	-	-	-	-	-			(EXECUTION.)												
Atelectasis † - - -	1.7	6	6	-	-	-	-	-	-			Hanging - - -	0.0	-	-	-	-	-	-	-	-	-	-	
Congenital Malformations -	6.1	6	6	-	-	-	-	-	-			OTHER CAUSES † - -	55.7	51	43	1	-	-	4	2	1	-	-	
Old Age - - -	49.6	36	-	-	-	-	1	15	20															
Apoplexy - - -	44.9	41	-	-	-	3	13	21	4															
Epilepsy - - -	7.1	7	-	-	1	3	2	1	-															
Convulsions - - -	49.6	44	59	4	1	-	-	-	-															
Other Diseases of Brain and Nervous System	83.3	77	9	12	8	4	11	31	2															

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased was, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 16 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 9. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, AND FROM SMALL-POX, MEASLES, SCARLET FEVER, DYPHTERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (OR TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHŒA, VIOLENCE, INQUEST CASES, DEATHS IN PUBLIC INSTITUTIONS, during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total BIRTHS during the Week.	Total DEATHS during the Week.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Un- identified Cases.
LONDON		3,816,483	2375	1284	316	275	21	95	7	16	42	-	6	2	24	56	94	306	
WEST DISTRICTS		669,633	374	223	48	53	3	20	2	3	8	-	-	-	4	14	22	57	
NORTH DISTRICTS		905,947	548	295	77	68	9	24	2	2	6	-	3	-	5	8	14	74	
CENTRAL DISTRICTS		282,238	151	106	23	17	1	4	-	4	1	-	-	-	2	10	13	36	
EAST DISTRICTS		692,738	481	277	80	61	1	28	3	3	17	-	2	-	10	7	17	67	
SOUTH DISTRICTS		1,265,927	821	383	88	86	7	19	-	4	10	-	1	2	3	17	23	72	1
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.		69883	36	21	4	3	-	4	-	-	3	1	-	-	-	1	1	3	
St. John Paddington H - - G.J.		37380	9	9	3	2	-	-	-	-	-	-	-	-	-	1	1	3	
Kensington Town Ww - - W.M.		120141	67	42	7	15	-	5	-	-	-	-	-	-	1	1	2	16	
Brompton H - - W.M. & C.		48010	23	12	2	3	1	-	-	-	1	-	-	-	1	2	4	1	
St. Peter Hammersmith - - W.M.		7599	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.		64340	37	18	4	4	-	6	-	-	1	-	-	-	-	2	-	-	
Fulham WwH - - W.M. & C.		42900	57	29	9	5	1	-	1	-	3	-	-	-	1	1	2	8	
Chelsea South HHH - - C.		30396	21	10	2	-	-	-	-	-	1	-	-	-	-	-	-	-	
Chelsea North-west WHHHH - C.		24925	14	13	3	3	-	-	-	-	-	-	-	-	1	1	-	11	
Chelsea North-east - - C.		32807	21	10	4	1	-	3	-	-	1	-	-	-	-	-	-	-	
Hanover Square H - - G.J.		16862	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
May Fair Wv - - G.J.		13491	5	9	-	4	-	-	-	-	-	-	-	-	-	1	1	4	
Belgrave HH - - C.		59220	21	22	6	8	1	-	1	-	-	-	-	-	1	3	4	4	
St. John Westminster HH - C.		35498	28	12	1	2	-	1	-	-	-	-	-	-	-	-	-	-	
St. Margaret Westminster H - C.		24679	7	10	1	-	-	-	-	-	-	-	-	-	-	2	2	4	
St. James Westminster WH N.R. & G.J.		29941	15	3	-	2	-	1	-	-	-	-	-	-	-	-	-	1	
St. Anne Soho HHHHH - - N.R.		16608	6	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	
NORTH DISTRICTS.																			
All Souls Marylebone HHHH - W.M.		26759	12	8	4	-	-	-	-	-	-	-	-	-	-	-	-	2	
Cavendish Square HHH - - W.M.		14891	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Rectory Marylebone WH G.J. & W.M.		24809	12	5	1	1	-	-	-	-	-	-	-	-	-	-	-	4	
St. Mary Marylebone HHH G.J. & W.M.		21118	27	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone H - W.M.		33700	20	7	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone H - W.M.		33633	13	5	2	1	-	-	-	-	1	-	-	-	1	-	-	-	
Hampstead WvHHH - N.R. & W.M.		45452	29	17	4	4	2	-	-	-	-	-	-	-	-	1	1	6	
Regent's Park Pancras H - - W.M.		39115	25	14	2	5	-	-	-	1	-	-	-	-	-	2	2	-	
Tottenham-court WHHHH N.R. & W.M.		27729	15	15	4	1	-	-	-	-	-	1	-	-	-	1	1	10	
Gray's Inn Lane HHH - - N.R.		30247	19	13	4	3	-	1	-	-	-	-	-	-	-	-	-	3	
Somers Town H - - N.R.		34869	19	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Camden Town WH - - N.R.		17811	14	15	-	6	-	2	-	-	-	-	-	-	-	1	1	8	
Kenish Town W - - N.R.		87487	55	18	8	4	-	1	-	-	-	-	-	-	-	-	2	2	
Upper Holloway WvWH - - N.R.		67946	42	34	10	6	2	5	-	1	2	-	-	-	-	-	-	13	
Islington South-west HH - - N.R.		61635	69	35	13	7	-	5	-	-	-	-	-	-	-	-	-	-	
Islington South-east - - N.R.		109576	27	14	2	4	1	1	-	-	-	1	-	-	1	1	2	1	
Highbury H - - N.R.		32048	32	16	5	5	-	3	-	-	-	-	-	-	-	-	1	-	
Stoke Newington H - - N.R.		23731	17	3	-	2	-	-	-	-	1	-	-	-	-	-	-	-	
Stamford Hill - - E.L.		9277	5	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
West Hackney - - N.R.		37610	20	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Hackney WvWHHL - - E.L. & N.R.		76911	45	39	10	7	4	2	2	-	-	-	-	-	-	1	1	21	
South Hackney - - E.L.		39883	27	12	1	2	-	2	-	1	-	-	1	-	-	-	-	-	
CENTRAL DISTRICTS.																			
St. George's Brunswick - - N.R.		16681	7	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-	
St. Giles South WH - - N.R.		14864	14	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles North - - N.R.		18887	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	3	
St. Martin-in-the-Fields WHH - N.R.		18887	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary-le-Strand H - - N.R.		7515	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
St. Clement Danes H - - N.R.		8539	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. George-the-Martyr HHHHHH N.R.		18671	14	10	2	-	-	-	-	-	-	-	-	-	-	1	1	3	
St. Andrew Eastern W - - N.R.		10706	4	2	2	-	-	1	-	2	-	-	-	-	-	-	2	6	
Saffron Hill H - - N.R.		6533	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - - N.R.		17516	13	2	1	1	-	-	-	-	1	-	-	-	1	-	-	-	
Finsbury Clerkenwell - - N.R.		19281	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Goswell-street - - N.R.		14773	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Old-street H - - N.R.		17506	7	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
City-road HHL - - N.R.		11541	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whitecross-street - - N.R.		18623	21	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Finsbury - - N.R.		9217	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - N.R. & E.L.		7463	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - - N.R.		11174	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - - N.R.		7193	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	
St. Bride W - - N.R.		6358	2	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Allhallows Barking - - N.R.		8396	3	4	3	1	-	-	-	1	-	-	-	-	-	-	-	-	
Broad Street H - - N.R.		13666	3	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
		6662	1	3	-	3	-	-	-	-	-	-	-	-	-	1	1	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work-house; H—Hospital; L—Lunatic Asylum; &c.—A Workhouse Establishment receiving inmates from other Districts than that in which it stands see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J., signifies Grand Junction Company; W.M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N.R., New River; E.L., East London; and K., the Kent Company.

REGISTRATION, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
 day, the 20th June, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1881.	Total Births during the Week.	Total DEATHS during the Week.	The DEATHS registered in the Week include												
					Deaths of		Deaths from										
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.
EAST DISTRICTS.																	
ell Shoreditch	N.R. & E.L.	7376	5	6	3	-	-	1	-	-	-	4	-	-	-	-	-
ard Shoreditch	N.R.	14967	10	7	2	1	2	-	-	-	-	-	-	-	-	-	-
in New Town	N.R.	24937	17	9	1	2	3	1	-	-	-	1	-	-	-	1	-
in Old Town	N.R.	28036	20	9	2	1	1	-	-	-	-	1	-	-	-	1	-
erston WH	N.R. & E.L.	48275	40	13	5	3	2	-	-	-	-	-	-	-	-	-	-
ey-road H	- E.L.	29738	15	3	-	1	-	1	-	-	-	-	-	-	-	-	-
h, Bethnal Green	WHL†	47932	40	29	7	8	-	-	1	-	-	-	-	-	1	14	-
h, Bethnal Green	- E.L.	29981	21	14	6	2	-	-	-	-	-	-	-	-	-	-	-
h, Bethnal Green	- E.L.	18910	13	10	2	1	-	-	-	-	-	2	-	-	-	-	-
elds H	E.L. & N.R.	22385	15	5	5	-	-	-	-	-	-	1	-	-	-	-	-
nd New Town W	- E.L.	15473	8	8	1	4	-	1	-	-	-	-	-	-	-	5	-
hapel Church H	E.L. & N.R.	17490	16	22	3	2	-	1	1	1	1	-	-	-	1	17	-
an's Fields	- E.L.	9713	7	4	1	-	-	-	-	-	-	1	-	-	-	-	-
ts	N.R. & E.L.	6102	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
orge's North	- E.L.	38747	20	16	5	1	-	2	1	-	-	-	-	3	-	-	3
hn, St. George East	W - E.L.	8410	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-
ell H	E.L. & N.R.	16895	9	7	3	-	-	-	-	-	-	1	-	-	-	5	-
it	- E.L.	16107	9	6	2	2	-	-	-	-	-	-	-	-	-	-	-
house	- E.L.	32041	20	8	1	-	-	2	-	-	-	-	-	-	2	-	1
nd Old Town West	- E.L.	37960	30	7	2	1	-	1	-	2	1	-	-	-	1	-	-
nd Old Town East	WewH - E.L.	67633	37	25	5	8	-	4	-	-	-	-	-	-	-	8	-
ley' wewH	- E.L.	37074	30	18	4	4	-	6	-	2	-	-	-	-	1	-	-
r. W W	- E.L.	64359	55	32	10	9	-	5	-	1	-	-	-	-	-	11	-
	- E.L.	55077	36	14	5	-	-	1	-	-	-	-	-	-	2	3	-
SOUTH DISTRICTS.																	
church Southwark	WH L. & S.	13663	6	4	-	-	-	1	-	-	-	-	-	-	-	-	-
avour Southwark	- S.	14999	9	6	1	2	-	-	-	-	-	-	-	-	1	-	-
oad	S. & L.	21881	18	7	2	1	-	-	-	-	-	-	-	-	1	-	-
igh-road WH	S. & L.	15953	8	7	1	2	-	-	-	-	-	-	-	-	1	-	-
on-road HL	- L. & S.	21318	22	3	1	-	-	-	-	-	-	1	-	-	-	-	-
y Newington	S. & L.	26672	17	6	2	1	-	-	-	-	-	1	-	-	-	-	-
ter Walworth W	S. & L.	29555	31	26	4	11	1	-	-	-	-	-	-	-	-	10	-
ary Newington	- L. & S.	21623	22	7	4	-	-	1	-	-	-	-	-	-	-	-	-
ave WH	- S.	11956	6	3	1	1	-	-	-	-	-	-	-	1	2	3	7
er Market	S. & L.	16200	10	6	4	-	-	-	-	-	-	1	-	-	-	-	3
ary Magdalen W	- S.	15669	11	5	-	1	-	2	-	-	-	-	-	-	-	-	-
ames Bermoudsey	- S.	54683	38	10	3	2	-	-	-	-	-	-	-	-	1	-	-
rhithe W	S. & K.	36024	20	6	2	2	-	2	-	-	-	-	-	-	-	2	-
loo-road 1st H	- L. & S.	15195	9	5	3	-	-	-	-	-	-	-	-	-	1	2	-
loo-road 2nd H	- L. & S.	16251	18	5	2	-	-	-	-	-	-	-	-	-	1	2	-
eth Church 1st H	- L. & S.	19876	10	18	3	1	-	-	-	1	-	-	-	-	5	5	11
eth Church 2nd WW	- L. & S.	39859	20	22	4	11	-	-	-	-	-	-	-	-	1	11	-
ington 1st	- S. & L.	45232	22	14	5	4	-	-	-	1	-	-	-	-	1	-	-
ington 2nd	- S. & L.	35332	16	9	-	3	-	-	-	-	-	-	-	-	-	-	1
on wew	- L. & S.	62837	36	13	2	5	1	-	-	1	-	-	-	-	-	1	-
ood W	- L.	19017	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
am H	- S.	36280	18	7	-	1	-	1	-	-	-	-	-	-	-	-	-
Battersea	- S.	54675	49	14	4	2	-	-	-	-	-	1	-	-	1	1	1
Battersea Ww	- S.	32687	41	25	8	7	-	3	-	1	1	-	-	-	-	4	1
aworth HL	- S.	28004	16	5	1	2	-	-	-	-	-	-	-	-	-	-	-
y	- S.	19235	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
ham	- L.	25533	21	2	1	-	-	-	-	-	-	-	-	-	-	-	-
ch	- S. & L.	5590	45	15	3	2	-	1	-	-	-	-	-	-	1	1	2
erwell WL†	- S. & L.	59104	60	16	1	2	-	-	-	-	-	-	-	-	1	1	-
am W	S. & L. & K.	71089	36	10	2	2	1	-	-	-	1	-	-	-	-	-	-
orge Camberwell	- L. & S.	50810	26	10	2	-	-	-	-	-	-	-	-	-	-	-	-
ul Deptford wew	- K.	76752	48	26	9	5	3	-	-	-	2	-	-	-	-	-	3
icholas Deptford	- K.	7901	8	3	1	-	-	1	-	-	-	-	-	-	-	-	-
awich West H	- K.	21972	7	5	1	3	-	-	-	-	-	-	-	-	-	-	-
awich East WHH	- K.	24608	24	12	4	2	-	1	-	-	-	-	-	-	2	1	4
am H	- K.	5827	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
am	- K.	21559	18	6	1	3	-	-	-	-	-	-	-	-	-	-	-
ham WH	- K.	19865	18	7	1	1	-	4	-	-	-	-	-	-	-	2	-
ham H	- L.	26076	5	4	1	1	-	-	-	-	-	-	-	-	-	-	-
ton H	- K.	10930	7	1	-	-	-	-	-	-	-	-	-	-	1	1	-
awich Dockyard	- K.	17617	5	6	-	2	-	-	-	-	-	-	-	-	-	-	-
awich Arsenal HHH	- K.	19048	5	6	1	1	1	-	-	-	1	-	-	-	-	-	1
instead, West H	- K.	14009	14	5	2	-	-	1	-	-	-	-	-	-	-	-	-
instead, East W	- K.	19241	21	14	3	3	-	-	-	-	1	-	-	-	-	-	10

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by w:-

Farylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.	Stepney " " "
Goldborn Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum " " "
London City Workhouse " " "	Westminster Union Industrial School in West Battersea sub-district.
Islington " " "	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hazeley, Brixton, and St. Paul, Deptford, sub-districts.
Whitechapel " " "	

Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during Week ending Saturday, 20th June, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include															
						Deaths of		Deaths from													
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.				
LONDON—OUTER RING						370,282	950,178	724	306	78	64	11	23	1	2	9	5	4	10	17	39
30:1	Carshalton <i>wL</i> - -	12223	21118	15	14	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	10
2	Epsom (part of) * <i>WH</i>	9971	10710	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
37:1	Godstone (part of) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon <i>WH</i> - -	20851	101241	61	30	5	8	-	4	-	-	-	-	-	1	-	-	-	-	-	7
	Mitcham - -	11697	17982	15	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39:1	Wimbledon <i>HHH</i> -	3220	15950	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston <i>WHH</i> -	8549	36354	11	11	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-
3	Esher (part of) * -	6601	9221	9	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	3
4	Hampton <i>H</i> - -	4573	13539	9	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
40:1	Richmond <i>WH</i> -	2272	21302	10	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2	Mortlake - -	941	12331	9	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2
41:1	Bromley (pt. of) * <i>HH</i>	15669	31142	25	7	4	1	-	-	-	-	-	-	-	1	-	-	-	2	2	1
2	Chislehurst (pt. of) * <i>WHH</i>	13665	15065	11	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
42:1	Bexley <i>H</i> - -	18437	24134	15	7	1	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
124:1	Sunbury <i>w</i> - -	11055	11685	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
2	Staines <i>W</i> - -	13277	12089	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125:1	Hillingdon <i>WH</i> -	6029	10802	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - -	6178	5225	-	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
3	Hayes <i>wHL</i> - -	14587	11523	8	6	-	3	-	-	-	-	-	-	-	-	-	-	1	1	2	-
126:1	Isleworth <i>W</i> - -	7008	22727	16	7	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Twickenham <i>H</i> -	2477	12479	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
3	Brentford <i>HL</i> -	4345	27649	19	10	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - -	1340	15975	14	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton <i>wH</i> - -	6083	22876	22	9	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
127:1	Harrow <i>H</i> - -	18809	12796	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>H</i> - -	6994	3749	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden - -	4383	27453	22	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hendon <i>W</i> - -	3382	10484	11	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
128:1	South Mimms - -	15599	6391	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet <i>W</i> - -	5483	10092	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley <i>HL</i> - -	4688	17615	15	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129:1	Hornsey <i>H</i> - -	3039	37078	28	6	1	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-
2	Tottenham <i>HH</i> -	4642	46456	52	21	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Edmonton <i>Ww</i> -	7483	23463	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-
4	Enfield <i>WH</i> -	12653	19104	4	9	3	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
5	Waltham Abbey -	11017	5368	6	1	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
6	Cheshunt - -	8480	7735	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135:1	Hatfield (part of) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey - -	3331	6821	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136:1	Stratford - -	882	38606	36	18	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	West Ham <i>wvwH</i> -	7351	101053	95	53	14	7	5	6	1	-	-	1	2	-	-	1	1	-	-	-
3	Leyton <i>wL</i> - -	4372	32430	43	11	2	5	-	-	-	-	-	3	-	-	1	2	2	-	-	-
4	Walthamstow <i>wH</i> -	6520	28869	31	16	4	3	-	5	-	1	-	-	1	-	-	-	-	-	-	4
137:1	Chigwell (part of) * <i>H</i>	11761	9689	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
139:1	Romford (part of) * -	6730	3411	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - -	8493	7645	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town - -	4127	9203	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:— 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37: 1, the two parishes of Warrington and Farley in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1938); 41: 1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813); 41: 2, the whole of Chislehurst sub-district, except the parish of Chelsfield (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 137: 1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 20th June, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
						Deaths of		Deaths from									
			From All Causes.	From Diseases in Cols. 8-14.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
GREATER LONDON	448,334	5,199,166	16.0	2.7	1590	394	339	32	118	8	18	51	13	28	66	345	
INNER LONDON -	78,052	4,083,928	16.4	2.7	1284	316	275	21	95	7	16	42	8	24	56	306	
OUTER RING -	370,282	1,115,238	14.3	2.6	306	78	64	11	23	1	2	9	5	4	10	39	

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 0.00522 square miles, which is equivalent to the area of a circle having a radius of 14.933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA -	433,219	May 9	-	209	25.1	Small-pox 5; cholera 31; fevers 55.
ROMBAH -	778,196	" 19	-	436	26.9	Cholera 12; small-pox 4; fevers 149.
MADRAS -	398,777	" 8	292	254	33.1	Fevers 63.
PARIS -	2,239,928	June 13	1170	995	23.1	Meas. 40; typhd. fev. 10; diph. & croup 18.
GENEVA -	71,453	" 13	21	22	16.1	-
BRUSSELS -	436,214	" 6	223	160	19.7	Scarlet fever 5.
AMSTERDAM -	366,812	" 13	276	151	21.4	Measles 2; diphtheria and croup 4.
ROTTERDAM -	166,001	" 13	103	65	19.9	-
THE HAGUE -	134,552	" 13	81	56	21.6	-
COPENHAGEN -	278,000	" 9	196	121	22.7	Scar. fev. 2; whooping-cough 3.
STOCKHOLM -	190,115	" 6	128	116	30.1	Measles 5; scar. fever 6.
CHRISTIANIA -	128,000	" 13	70	61	24.8	Diphtheria and croup 9.
ST. PETERSBURG	928,016	" 6	-	520	29.2	Typh. and typhd. fev. 11; diphtheria 11.
BERLIN -	1,266,511	May 30	808	603	24.6	Diphtheria 35; scarlet fever 8.
HAMBURG(State)	497,956	June 6	355	240	25.1	Diphtheria and croup 15.
DRESDEN -	241,500	" 6	160	118	25.4	Scarlet fever 4; diph. 9.
BRESLAU -	298,000	" 6	205	174	30.6	Diarrhoeal diseases 18.
MUNICH -	244,000	" 13	187	141	30.0	Measles 2.
VIENNA -	769,889	" 13	519	449	30.3	Small-pox 24; measles 10.
FRAGUE -	272,000	" 15	-	212	40.8	Small-pox 1; scar. fev. 5.
BUDA-PESTH -	420,532	May 30	306	251	30.4	Small-pox 2; diphtheria and croup 5.
TRIESTE -	150,157	" 30	-	79	27.4	Diphtheria and croup 5.
ROME -	324,649	" 2	150	140	22.5	Small-pox 4; typhoid fever 5.
NAPLES -	504,795	-	-	-	-	-
TURIN (10 days)	267,768	May 20	191	179	24.4	Typhoid fever 7; scarlet fever 3.
VENICE -	144,845	June 6	82	82	29.5	Small-pox 4; typhoid fever 6.
MADRID -	475,668	-	-	-	-	-
LISBON -	203,681	-	-	-	-	-
ALEXANDRIA -	212,034	May 23	196	142	31.9	Typhus and typhoid fever 5.
NEW YORK -	1,356,958	" 23	-	654	25.1	Scarlet fever 21; diphtheria 21.
BROOKLYN -	665,602	" 23	-	258	20.2	Measles 13; scar. fev. 9.
PHILADELPHIA -	949,432	" 30	-	350	19.2	Diphtheria 13; scarlet fever 9.
BALTIMORE -	408,520	" 30	-	118	15.1	Diphtheria 4.

MOON.		BAROMETER.		READINGS OF THERMOMETERS.										DIFFERENCE.				WIND.		RAIN.				
Phases of Moon.		Mean daily reading (corrected and reduced to zero Fahr. at base).		Dry.		Dew Point.		Highest on the day, as shown by self-registering thermometer with alcohol vacuum.		Lowest on the day, as shown by self-registering thermometer.		In the Water at the Thames at low water.		Between Dew Point and Air Temperature.		Between mean temperature of land and sea on the same day.		Degree of humidity, complete saturation being 100.		As deduced from Anemometers.		Collected in a Gauge whose receipt is above the ground.		
		High-est.	Low-est.	Range in day.	Mean value.	Mean value.	Mean value.	High-est.	Low-est.	High-est.	Low-est.	High-est.	Low-est.	High-est.	Low-est.	High-est.	Low-est.	High-est.	Low-est.	High-est.	Low-est.	High-est.	Low-est.	
JUNE.																								
SUN.	14	in.	29.894	82.7	47.3	35.4	65.4	52.3	142.0	38.5	64.2	63.5	12.9	25.5	0.0	6.1	63	E. & ESE.	1.0	0.0	0.1	127	0.00	2.0
MON.	15	..	29.905	71.1	51.0	20.1	59.1	53.6	124.8	43.8	64.8	63.7	5.5	13.7	0.6	—	82	NNE. ESE. & E.	2.1	0.0	0.3	238	—	0.00
TUES.	16	..	29.814	65.9	50.0	15.9	58.2	48.3	133.2	43.8	64.8	64.2	9.9	15.8	0.8	1.3	70	E. & ESE.	8.0	0.0	1.7	360	+115	0.00
WED.	17	..	29.695	62.5	47.2	15.3	53.6	49.0	117.9	38.5	64.3	63.7	4.6	12.2	0.8	6.1	84	ENE.	6.0	0.0	0.7	293	+51	0.08
THURS.	18	..	29.772	74.7	41.4	33.3	58.0	49.4	138.3	33.1	63.8	63.2	8.6	20.6	0.0	—	73	SW. & SW.	4.0	0.0	0.5	225	—15	0.00
FRI.	19	First Qr.	29.602	70.6	51.3	19.3	60.1	56.3	133.2	46.0	63.8	63.5	9.8	9.3	0.8	—	87	SW.	6.3	0.0	1.6	406	+168	0.03
SAT.	20	..	29.384	66.8	50.3	16.5	56.7	49.0	139.8	45.5	63.8	63.2	7.7	15.7	0.0	—	75	WSW. & W.	12.0	0.0	3.8	574	+387	0.58
MEANS		..	29.724	70.6	48.4	22.3	58.7	51.1	132.7	41.3	64.2	63.6	7.6	16.1	0.4	—	76	ENE. & SW.	Sum 2223	+523	0.39
No. of Col.	3	4		5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h, 4.30, 1.30, 7.30, 3.30, 1.30, 7.30, and 9h, etc. The means of the dry-weigh-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from the commission of the photographic records made during the twenty years ending 1873 for the barometer, and from the dry bulb thermometer years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer, the corrected mean of the reading of the maximum and minimum thermometers, forming the range of the daily mean (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometer by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1868.

In reading the 1st and 25th columns it will be borne in mind that + is read "*higher*," and "*lower*," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Denford, and the readings are transmitted by wire to the observatory.

their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The records of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate s. strong. and v. very.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the average duration of bright sunshine, in hours, for each day.

The results of all the meteorological observations are to be understood as applying to the full day or from midnight to midnight.

The reading of the barometer decreased from 29.96 in. at the beginning of the week to 29.87 in. by 8 p. m. on the 14th; increased to 29.93 in. by 9 a. m. on the 15th, and to 29.96 in. by 8 p. m. on the 16th. The temperature was applying to the civil day, of from midnight to midnight.

SKY AND ATMOSPHERE.

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sunrise Horizon, in hours.	SKY AND ATMOSPHERE.
SUNDAY 14	7 ³⁰ P. in morning; w. P. afterwards.	12.4	16.5	A very fine day. A little light cloud prevailed in evening; cloudless at other times.
MONDAY 15	8 ¹⁵ P. generally	8.6	16.5	Generally cloudy.
TUESDAY 16	9 ¹⁵ P. generally	10.9	16.5	Fine with variable amounts of cloud till evening; overcast afterwards. A shower at 11h. P.M.
WEDNESDAY 17	9 ¹⁵ P. in morning; v. P. afterwards.	11.0	16.5	Rain fell in morning; generally overcast till 3h. P.M. Fine afterwards.
THURSDAY 18	9 ¹⁵ P. throughout	9.0	16.5	Fine. The amount of cloud was variable.
FRIDAY 19	9 ¹⁵ P. generally	9.7	16.4	Generally overcast. Rain in morning.
SATURDAY 20	9 ¹⁵ P. in morning; v. N. and v. P. afterwards.	4.2	16.5	Generally fine, but showery at times till evening; heavy rain in evening; fine and generally cloudless after 11h. P.M.
		Sum 41.8	Sum 115.5	

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 25. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, JUNE 27. [Price 1½d.

General Register Office, Somerset House,
29th June, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 17·6 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending				Towns.	Weeks ending			
	June 6.	June 13.	June 20.	June 27.		June 6.	June 13.	June 20.	June 27.
Birkenhead	26·3	20·7	19·6	21·3	Liverpool - -	21·0	23·4	23·2	21·3
Birmingham	23·3	17·1	19·8	16·5	London - - -	19·4	16·8	16·4	16·3
Blackburn -	21·3	23·6	25·5	16·2	Manchester - -	33·6	26·5	25·5	30·6
Bolton -	23·7	22·3	21·3	16·1	Newcastle-on-Tyne	31·0	35·4	24·2	28·6
Bradford -	19·7	15·3	16·1	18·7	Norwich - - -	10·9	20·0	18·3	17·2
Brighton -	10·0	17·3	15·0	13·6	Nottingham -	23·4	16·3	21·7	12·6
Bristol -	18·7	15·3	15·1	12·0	Oldham - - -	24·8	22·3	18·2	17·3
Cardiff -	22·6	18·8	31·7	21·5	Plymouth - - -	15·8	28·1	20·6	21·3
Derby -	16·9	10·5	10·5	11·1	Portsmouth -	15·1	15·5	13·6	16·7
Halifax -	13·5	14·2	14·2	22·3	Preston - - -	25·5	15·6	20·3	15·1
Huddersfield	20·3	20·5	22·7	16·1	Salford - - -	18·4	20·7	22·2	17·9
Hull - -	17·6	19·9	17·4	12·9	Sheffield - -	24·6	23·7	20·8	20·5
Leeds -	19·4	17·9	17·7	20·0	Sunderland -	18·3	13·7	17·5	18·3
Leicester -	16·5	16·9	15·7	15·7	Wolverhampton	13·2	14·5	13·8	13·2

The highest annual death-rates from measles, measured by last week's mortality, were 1·7 in Birkenhead, 2·4 in Newcastle-upon-Tyne, and 2·5 in Manchester; from whooping-cough, 1·7 in Birkenhead, 2·7 in Plymouth, and 3·2 in Blackburn; from scarlet fever, 1·7 in Sunderland; and from "fever," 2·3 in Norwich. The deaths from diphtheria included 14 in London, 4 in Portsmouth, 2 in Liverpool, and 2 in Leeds. Small-pox caused 44 deaths in London and its outer ring (excluding 15 of London residents in the Metropolitan Asylum Hospitals and Camp at Darenth), 3 in Liverpool, one in Manchester, one in Sheffield, and one in Sunderland.

LONDON.

In LONDON 2419 BIRTHS and 1279 DEATHS were registered. Allowing for increase of population, the births were 260, and the deaths 189, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had in the nine preceding weeks declined from 22·3 to 16·4, further fell last week to 16·3. During the first twelve weeks of the current quarter, the death-rate averaged 19·5 per 1000, against 20·9, the mean rate in the corresponding periods of the nine years 1876-84.

The 1279 deaths included 13 from small-pox, 90 from measles, 13 from scarlet fever, 14 from diphtheria, 46 from whooping-cough, 2 from typhus, 11 from enteric fever, 44 from diarrhoea and dysentery, 2 from cholera, and not one from an ill-defined form of continued fever; thus, 235 deaths were referred to these diseases, being 15 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had declined from 38 to 21 in the four preceding weeks, further fell last week to 13, and were 12 below the corrected weekly average. These 13 deaths were exclusive of 15 deaths

of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the total 28 fatal cases, 22 occurred in the Metropolitan Asylum Hospitals, 2 in the Highgate Small-pox Hospital, and 4 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 5 belonged to Islington, 2 to Hackney, 2 to Poplar, 2 to Rotherhithe, and 2 to Camberwell. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 1222 and 1119 on the two preceding Saturdays, had further fallen to 1000 at the end of last week; the admissions, which had been 197 and 193 in the two previous weeks, fell to 134 last week.

The fatal cases of *measles*, which had been 120, 98, and 95 in the three preceding weeks, further declined to 90 last week, but exceeded the corrected weekly average by 33; 10 belonged to Kensington, 7 to Islington, 7 to Hackney, 7 to Bethnal Green, 7 to Stepney, and 6 to Mile End Old Town. The 13 deaths from *scarlet fever*, of which 2 belonged to Pancras, showed an increase upon the low numbers in recent weeks, but were 25 below the corrected average. The Metropolitan Asylum Hospitals contained 203 scarlet fever patients on Saturday last; 21 cases were admitted, against 24 and 33 in the two previous weeks. The deaths from *diphtheria*, which had been 17 and 16 in the two previous weeks, further declined to 14 last week, but exceeded the corrected average by 2; 3 belonged to Pancras, and 2 to Islington. The 46 fatal cases of *whooping-cough* showed a further slight increase upon the numbers in the two previous weeks, but were 11 below the corrected average; 6 belonged to Mile End Old Town, and 5 to Camberwell. The 44 deaths attributed to *diarrhoea* and *dysentery* showed a further increase upon recent weekly numbers, and exceeded the corrected average by 2. The 2 deaths referred to *cholera* were of a child, aged 7 years, from "English cholera, 36 hours, collapse," in Islington; and of an infant, aged one year, from "choleraic diarrhoea, collapse," in Christchurch, Southwark.

The deaths referred to *enteric fever*, which had been but 4 and 6 in the two previous weeks, further rose to 11 last week, and corresponded with the corrected weekly average; 2 belonged to Fulham, and 2 to Islington. Of the 2 deaths attributed to *typhus*, one was of a child, aged 6 years, at 1, Lysander Grove, Islington; and the other of a child, aged 9 years, at 25, Norfolk Road, Hackney. The Metropolitan Asylum Hospitals contained 14 cases of enteric fever, and 3 of typhus, on Saturday last; 3 of enteric fever, and 2 of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had declined in the five preceding weeks from 305 to 196, further declined to 183 last week, and were 42 below the corrected weekly average.

Different forms of violence caused 39 deaths; 33 were the result of negligence or accident, among which were 18 from fractures and contusions, 8 from drowning, and 6 of infants under one year of age from suffocation. The 18 deaths from fractures and contusions were thus returned:—male, aged 4 years, run over by carriage; male 51, run over by cab; male 1, run over by van; male 9, run over; male 27, fell from van; males 25, and 42, fell from cart; male 17, run over on Great Western Railway; male 53, run over on South-Western Railway; male 15, run over on railway; male 24, fell from wall; male 32, fell from height; female 80, fell on doorstep; female 57, fell from stool; male 66, fell down hole; female 1, by fall of gate; male 71, fell down stairs; male 26, from injury to head. An inquest was held in each of these 18 cases.

GREATER LONDON.

In Greater London 3035 births and 1611 deaths were registered, corresponding to annual rates of 30·5 and 16·2 per 1000 of the population. In the Outer Ring 31 fatal cases of small-pox, 15 of whooping-cough, and 12 of measles were registered. The 31 deaths from small-pox included 27 in the district of West Ham, in which were also returned 6 fatal cases of measles, and 6 of whooping-cough.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·902 in.; the lowest reading was 29·46 in. at the beginning of the week, and the highest was 30·11 in. on Saturday morning. The mean temperature of the *air* was 58°·3, and 3°·2 below the average in the corresponding week of the 20 years ending 1868. The mean showed an excess of 6°·9 on Wednesday, but was below the average on each of the other days of the week. The direction of the *wind* was variable, and the horizontal movement of the *air* averaged 13·4 miles per hour, which was 3·3 miles above the average in the corresponding week of 16 years. *Rain* fell on Thursday, to the amount of 0·11 of an inch. The duration of registered bright sunshine in the week was 35·2 hours, against 40·3 hours at Glyde Place, Lewes.

TABLE 2.—BIRTHS, DEATHS, AND METEOROLOGY IN 20 WEEKS ENDING 27TH JUNE 1885.

CITIES AND BOROUGHES.	Cols.	Registered during the Week ending 27th June, 1885.				The Deaths registered in the Week include										TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGHES.			
		Births.	Deaths.	Infants under 1 Year of Age.	Deaths of		Deaths from							Inquests Cases.	Annual Rate per 1000, corresponding to the Weeks Deaths			Mean.		In Inches.	In Centi- meters.				
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	From All Causes.		From Diseases in Cols. 6-12.	Highest.	Lowest.	Fahrenheit.	Centigrade.						
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.	
28 TOWNS.	8,906,446	5331	3011	701	533	19	157	36	28	106	32	70	94	180	520	59	17.6	2.6	82.8	38.0	54.2	12.33	1.00	2.54	- 28 TOWNS.
LONDON.	4,083,928	2419	1279	318	241	13	90	13	14	46	13	44	89	81	285	15	16.3	3.0	82.8	44.7	58.3	14.61	0.11	0.28	LONDON.
BRIGHTON.	114,672	44	30	3	8	-	-	-	-	-	-	-	-	-	6	-	13.6	0.0	75.5	47.3	57.6	14.23	0.06	0.15	BRIGHTON.
PORTSMOUTH.	184,659	84	43	8	10	-	-	-	-	1	1	1	3	7	5	-	16.7	2.7	-	-	-	-	-	-	PORTSMOUTH.
NORWICH.	91,215	52	30	7	10	-	-	-	-	4	1	1	1	1	3	3	17.2	2.9	-	-	-	-	-	-	NORWICH.
PLYMOUTH.	76,045	51	31	7	5	-	-	-	-	-	-	-	-	1	4	4	21.3	2.7	65.2	45.0	55.2	12.89	0.96	2.44	PLYMOUTH.
BRISTOL.	218,169	126	50	9	10	-	3	-	-	1	1	-	4	4	6	1	12.0	1.2	69.2	43.0	54.9	12.72	0.56	1.42	BRISTOL.
WOLVERHAMPTON.	79,185	49	20	7	5	-	-	-	-	-	-	-	-	-	2	-	13.2	0.7	68.4	38.0	52.2	11.22	0.95	2.41	WOLVERHAMPTON.
BIRMINGHAM.	427,769	250	135	26	24	-	3	-	1	2	-	3	9	14	18	1	16.5	1.1	-	-	-	-	-	-	BIRMINGHAM.
LEICESTER.	136,147	89	41	14	6	-	-	-	1	1	2	1	1	2	9	1	16.7	2.7	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM.	211,424	162	51	20	14	-	-	-	1	-	-	2	4	6	4	2	12.6	0.7	67.5	42.2	54.5	12.50	0.78	1.98	NOTTINGHAM.
DERBY.	89,691	52	19	4	5	-	-	-	-	-	-	-	1	3	2	-	11.1	0.0	-	-	-	-	-	-	DERBY.
BIRKENHEAD.	93,093	53	38	9	5	-	3	1	-	3	2	2	5	8	4	4	21.3	3.9	65.1	45.4	53.1	11.73	0.56	1.42	BIRKENHEAD.
LIVERPOOL.	579,724	336	237	59	21	3	16	3	2	13	2	2	1	3	2	7	16.1	1.4	70.1	41.5	50.7	10.39	1.83	4.65	LIVERPOOL.
BOLTON.	110,085	57	34	8	1	-	1	2	-	-	-	-	1	3	2	-	16.1	1.4	70.1	41.5	50.7	10.39	1.83	4.65	BOLTON.
MANCHESTER.	387,342	228	168	34	31	1	16	1	-	8	1	3	5	15	37	6	30.6	4.6	-	-	-	-	-	-	MANCHESTER.
SALFORD.	204,075	120	70	21	11	-	5	1	-	5	-	3	1	2	9	1	17.9	3.6	-	-	-	-	-	-	SALFORD.
OLDHAM.	126,390	71	42	11	8	-	-	-	-	-	-	2	2	5	-	-	17.3	0.8	-	-	-	-	-	-	OLDHAM.
BLACKBURN.	112,674	71	35	6	7	-	-	-	-	7	-	-	-	-	4	-	16.2	-	-	-	-	-	-	-	BLACKBURN.
PRESTON.	100,406	63	29	4	8	-	-	-	-	-	-	-	1	3	4	1	15.1	0.5	65.0	45.0	52.2	11.22	1.24	3.15	PRESTON.
HUDDERSFIELD.	87,327	46	27	3	5	-	1	1	-	-	-	-	1	1	3	-	16.1	1.8	-	-	-	-	-	-	HUDDERSFIELD.
HALIFAX.	77,378	39	33	5	9	-	-	-	-	-	-	1	1	1	3	3	22.3	1.3	-	-	-	-	-	-	HALIFAX.
BRADFORD.	214,431	109	77	11	15	-	-	-	-	1	2	-	2	4	6	-	18.7	1.0	61.9	40.9	51.5	10.84	1.31	3.33	BRADFORD.
LEEDS.	333,139	192	128	36	20	-	-	-	4	3	2	3	1	3	12	3	20.0	2.2	65.0	40.0	53.0	11.67	1.32	3.36	LEEDS.
SHEFFIELD.	305,716	212	120	28	15	-	1	9	-	5	1	2	5	7	13	9	20.5	3.4	66.0	38.0	52.7	11.50	1.08	2.74	SHEFFIELD.
HULL.	186,292	91	46	8	14	-	-	-	-	-	-	-	1	1	1	7	12.9	0.6	66.0	39.0	52.7	11.50	1.32	3.35	HULL.
SUNDERLAND.	125,327	32	44	10	8	1	2	4	-	1	-	-	1	2	5	1	18.3	2.3	-	-	-	-	-	-	SUNDERLAND.
NEWCASTLE.	163,269	111	84	14	15	-	7	-	1	-	2	2	3	4	13	2	28.6	4.1	66.0	44.0	56.2	13.44	0.90	2.29	NEWCASTLE.
CARDIFF.	37,034	62	40	11	2	-	-	-	1	2	-	1	2	2	7	-	21.5	2.2	-	-	-	-	-	-	CARDIFF.
EDINBURGH.	250,616	117	74	10	20	-	1	1	-	1	1	1	3	8	14	22	15.4	1.0	70.3	41.8	53.3	11.84	0.17	0.43	EDINBURGH.
GLASGOW.	519,965	382	243	52	33	-	10	7	2	10	1	1	3	9	32	32	24.4	3.1	72.5	38.0	53.8	12.12	0.07	0.78	GLASGOW.
DUBLIN.	353,082	212	186	31	45	1	7	4	-	5	12	2	4	6	50	30	27.5	4.6	63.8	38.0	52.1	11.17	0.32	0.81	DUBLIN.

Births and Deaths registered last Week.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the TWENTY-FIFTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2370	2296	2270	2625	2483	2492	2504	2398	2513	2615	2678.8	2419
Males	1251	1192	1148	1352	1281	1285	1264	1267	1317	1307	1374.4	1255
Females	1119	1164	1122	1273	1202	1207	1240	1131	1196	1308	1304.4	1164
TOTAL Deaths	1413	1304	1271	1391	1316	1273	1399	1387	1333	1371	1467.5	1279
Males	760	686	672	727	685	687	742	750	681	716	774.8	681
Females	653	618	599	664	631	586	657	637	652	655	692.7	598

The numbers in this column are the average weekly numbers in the twenty-fifth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.
TOTAL Births	-	-	2404	2473	2617	2541	2561	2429	2544	2391	2209	2409	2419
TOTAL Deaths	-	-	1701	1859	1706	1743	1549	1465	1496	1554	1538	1521	1275
0-20	-	-	771	830	790	773	699	697	707	745	744	744	658
20-40	-	-	218	255	224	209	227	206	214	209	188	210	170
40-60	-	-	286	328	287	336	277	273	250	254	261	246	185
60-80	-	-	347	375	328	349	281	243	263	290	283	253	199
at 80 years & upwds.	-	-	79	71	77	76	65	46	62	56	62	68	42
Deaths of children	{ Under 1 year		374	393	370	379	324	296	333	334	349	342	316
	{ 1-5		308	327	293	296	292	294	254	299	296	294	260
	{ 5-20		89	105	127	98	83	107	120	112	99	108	84
Deaths from Small-pox*	-	-	39	40	49	51	48	66	75	50	55	62	28
" " Measles	-	-	83	70	92	103	99	91	65	93	90	120	90
" " Scarlet Fever	-	-	5	9	9	10	12	13	13	12	10	9	7
" " Diphtheria	-	-	16	15	21	10	15	24	21	10	17	15	13
" " Whooping-cough	-	-	55	55	46	57	51	46	57	68	50	46	14
" " Typhus	-	-	-	-	2	2	-	-	-	-	-	-	2
" " Enteric fever	-	-	14	10	13	11	1	12	16	13	11	13	6
" " Simple Cont'd fever	-	-	-	2	2	2	1	-	-	3	4	2	11
" " Diarrhoea and Dysentery	-	-	8	16	7	21	16	13	9	16	20	11	24
" " Cholera	-	-	-	-	-	-	-	1	-	-	-	2	3
Deaths from the above-mentioned Diseases*	-	-	220	217	241	267	243	268	256	267	257	278	232
" " Dis. of Respiratory System	-	-	478	512	449	381	337	287	291	305	302	290	231
" " Phthisis	-	-	160	198	163	167	191	160	160	179	150	154	140
" " Dis. of Circulatory System	-	-	122	123	109	135	91	110	106	105	96	102	84
Violent Deaths	-	-	41	68	57	62	64	52	46	39	60	59	52
Inquest Cases	-	-	109	132	130	116	126	98	104	97	103	104	96
Deaths in Public Institutions	-	-	359	374	385	417	331	319	349	352	371	364	313
TEMPERATURE OF THE AIR:													
Mean	-	-	43.8	41.9	45.6	54.7	51.9	46.7	47.4	48.4	56.0	62.6	58.5
Mean of Highest readings	-	-	53.9	49.5	56.2	66.4	61.8	57.6	58.9	57.9	66.5	74.5	58.7
Mean of Lowest readings	-	-	32.8	35.8	37.2	44.0	42.9	38.4	36.8	41.2	47.8	51.2	47.7
Humidity of the Air	-	-	67	85	82	69	78	81	65	79	78	66	75
Rain-fall in inches	-	-	00.0	0.20	1.11	0.26	0.52	0.77	0.07	0.74	0.46	0.27	0.90
Registered Sunshine (in hours)	-	-	55.4	10.5	29.2	56.8	39.2	31.4	51.5	28.9	39.9	69.6	55.3

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.,—F.E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quirton, Jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrothesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, Jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Pilliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-FIFTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 25th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 27th June, 1885.										CAUSES OF DEATH.	Corrected Averages for the 25th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 27th June, 1885.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
ALL CAUSES - -	1467.5	1279	318	256	84	153	227	199	42		Diseases of Organs of Special Sense † - -	2.0	1	-	-	-	1	-	-	-			
Small-pox † { Vaccinated †	25.4	4	1	-	-	2	1	-	-		Diseases of Circulatory System - - -	80.3	73	1	1	10	10	25	23	3			
Unvaccinated		3	1	1	1	-	-	-	-		Croup - - -	12.5	6	-	6	-	-	-	-	-			
No Statement		6	2	1	2	1	-	-	-		Bronchitis - - -	115.0	85	20	19	-	2	9	30	5			
Measles - - -	57.1	90	18	67	5	-	-	-	-		Pneumonia - - -	66.2	64	11	18	4	11	11	9	-			
Scarlet Fever - -	38.1	13	1	10	2	-	-	-	-		Pleurisy - - -	4.1	7	-	1	1	-	2	3	-			
Erysipelas - - -	2.2	2	-	-	-	-	-	-	-		Other Diseases of Respiratory System - -	27.3	21	6	4	1	1	5	4	-			
Whooping-cough -	0.0	-	-	-	-	-	-	-	-		Dentition † - - -	11.0	10	6	4	-	-	-	-	-			
Influenza - - -	0.1	-	-	-	-	-	-	-	-		Quinsy, Sore Throat † -	1.7	1	-	-	-	1	-	-	-			
Whooping-cough -	57.0	48	19	24	3	-	-	-	-		Enteritis † - - -	8.5	6	2	1	-	-	1	1	-			
Diphtheria - - -	12.4	14	1	11	1	1	-	-	-		Peritonitis - - -	5.8	6	1	-	1	1	1	2	-			
Simple Continued and Ill-defined Fever -	3.1	-	-	-	-	-	-	-	-		Diseases of Liver - -	30.1	28	4	-	-	4	13	5	2			
Enteric Fever - -	11.4	11	-	1	-	9	1	-	-		Other Diseases of Digestive System -	26.9	20	1	4	2	1	5	5	2			
Cholera - - -	2.0	2	-	1	1	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands † - - -	2.0	4	-	-	2	-	2	-	-			
Diarrhoea, Dysentery	41.7	44	81	8	1	-	1	3	-		Diseases of Urinary System - - -	33.2	31	-	-	1	4	12	13	1			
Remittent Fever † -	0.3	-	-	-	-	-	-	-	-		Diseases of Generative System - - -	5.6	12	-	-	-	3	5	3	1			
Hydrophobia - - -	0.1	-	-	-	-	-	-	-	-		Accidents of Childbirth -	5.6	6	-	-	1	3	2	-	-			
Glanders - - -	0.1	-	-	-	-	-	-	-	-		Diseases of Locomotive System † - - -	6.7	8	-	-	4	1	3	-	-			
Corpox and Effects of Vaccination † - -	0.0	1	1	-	-	-	-	-	-		Diseases of Integumentary System - -	6.2	1	-	-	-	-	1	-	-			
Venerable Affections	11.0	8	8	-	-	-	-	-	-		VIOLENT DEATHS.‡												
Erysipelas - - -	5.3	1	1	-	-	-	-	-	-		(ACCIDENT.)												
Pyæmia and Septicæmia †	2.3	4	3	-	1	-	-	-	-		Fracture and Contusion	20.3	13	-	3	3	5	4	2	1			
Puerperal Fever - -	5.3	4	-	-	-	3	1	-	-		Gunshot Wound - - -	0.1	-	-	-	-	-	-	-	-			
Other Zymotic Diseases †	2.7	3	1	-	-	-	1	-	1		Cut, Stab - - -	0.8	-	-	-	-	-	-	-	-			
Thrush - - -	3.0	2	2	-	-	-	-	-	1		Burn and Scald - - -	2.6	-	-	-	-	-	-	-	-			
Worms and other Parasitical Diseases - -	0.5	-	-	-	-	-	-	-	-		Poison - - -	1.9	-	-	-	-	-	-	-	-			
Starvation, Want of Breast-milk † - -	2.0	-	-	-	-	-	-	-	-		Drowning - - -	8.1	8	-	1	5	-	2	-	-			
Alcoholism - - -	4.6	6	-	-	-	2	3	1	-		Suffocation - - -	9.1	6	6	-	-	-	-	-	-			
Rheumatic Fever and Rheumatism of Heart	8.4	3	-	-	1	2	-	-	-		Otherwise - - -	3.7	1	1	-	-	-	-	-	-			
Rheumatism - - -		-	-	-	-	-	-	-	-		(HOMICIDE.)												
Gout - - -		3	-	-	-	-	1	2	-		Murder & Manslaughter	2.5	-	-	-	-	-	-	-	-			
Rickets † - - -	28.3	2	1	1	-	-	-	-	-		(SUICIDE.)												
Cancer - - -	46.1	48	-	-	-	4	25	19	-		Gunshot Wound - - -	0.8	1	-	-	-	-	1	-	-			
Tabes Mesenterica -	28.9	34	19	13	1	1	-	-	-		Cut, Stab - - -	1.9	-	-	-	-	-	-	-	-			
Tubercular Meningitis	26.4	20	8	18	1	2	1	-	-		Poison - - -	1.6	3	-	-	-	-	2	1	-			
Phthisis - - -	178.3	131	1	4	10	61	49	6	-		Drowning - - -	1.0	-	-	-	-	-	-	-	-			
Serofula, Tuberculosis	15.3	17	6	4	1	2	-	-	-		Hanging - - -	1.9	1	-	-	-	1	-	-	-			
Other Constitutional Diseases † - -	10.7	8	1	-	-	-	4	3	-		Otherwise - - -	0.9	1	-	-	-	-	1	-	-			
Premature Birth - -	84.0	32	32	-	-	-	-	-	-		(EXECUTION.)												
Atelectasis † - - -	1.0	4	4	-	-	-	-	-	-		Hanging - - -	0.0	-	-	-	-	-	-	-	-			
Congenital Malformations - - -	5.7	8	8	-	-	-	-	-	-		OTHER CAUSES † - -	51.7	53	48	1	-	1	1	3	1			
Old Age - - -	42.6	31	-	-	-	-	-	17	14														
Apoplexy - - -	41.7	33	1	-	1	1	9	17	4														
Epilepsy - - -	8.1	14	-	1	1	4	6	2	-														
Convulsions - - -	44.6	44	28	15	1	-	-	-	-														
Other Diseases of Brain and Nervous System	86.7	33	12	13	10	8	14	25	6														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.044 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 15 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals, situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLE during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Deaths in Public Institutions.
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Deaths from												
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.	Inquest Cases.		
LONDON		3,816,483	2419	1279	318	241	13	90	13	14	46	2	11		44	39	81	285	
WEST DISTRICTS		669,683	370	241	58	54	2	22		1	8		8		9	9	20	50	
NORTH DISTRICTS		905,947	552	283	65	52	8	18	9	7	6	2	4		10	6	12	68	
CENTRAL DISTRICTS		282,238	152	97	22	14		5		1	2		1		2	1	5	29	
EAST DISTRICTS		692,738	470	266	87	41		39	2	3	12		1		15	8	19	72	
SOUTH DISTRICTS		1,265,927	875	362	86	80	3	6	2	2	18		2		8	15	25	66	
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.		69888	34	24	6	7		3			1				2		3		
St. John Paddington H - G.J.		37380	13	12	2	3		1									6	7	
Kensington Town Ww - W.M.		120141	42	39	9	11		6			2				2		2	7	
Brompton H - W.M. & C.		48010	14	6													3	5	
St. Peter Hammersmith - W.M.		7599	2	2			1												
St. Paul Hammersmith H W.M. & G.J.		64340	55	27	9	6									1	1	2		
Fulham WwH - W.M. & C.		42900	56	30	9	5	2	3			2				1		2	8	
Chelsea South HHH - C.		30896	22	16	7	2													
Chelsea North-west WHHHH - C.		24925	19	13	2	2										1	4		
Chelsea North-east - C.		32807	40	13	4	1	5		1	1			1		1	2	2	6	
Hanover Square H - G.J.		16862	4	2	1										1		1		
May Fair WW - G.J.		13491	3	12		6													
Belgrave HH - C.		69220	17	15	3	6									2			7	
St. John Westminster HH - C.		35496	20	9	2													8	
St. Margaret Westminster H - C.		24679	9	9	2	3		1			1					1	1	3	
St. James Westminster WH N.R. & G.J.		29941	11	7													1		
St. Anne Soho HHHHH - N.R.		16608	9	5	2	1											1		
NORTH DISTRICTS.																			
All Souls Marylebone HHHH - W.M.		26759	8	11	1	2				2					2		1	6	
Cavendish Square HHH - W.M.		14891	5	3	1	1													
Rectory Marylebone WHH G.J. & W.M.		24809	16	6		2		1										2	
St. Mary Marylebone HHH G.J. & W.M.		21118	31	9	4	1									1			2	
Christchurch Marylebone H - W.M.		38700	22	9	5			1					1					2	
St. John Marylebone H - W.M.		33638	17	8	3		1								3				
Hampstead WwHHH - N.R. & W.M.		45452	21	14	1	4	1	1									1	2	
Regent's Park Pancras H - W.M.		89115	27	6	3	2			1										
Tottenham-court WHHHH N.R. & W.M.		27729	10	14		3			2		1							9	
Gray's Inn Lane HHH - N.R.		30247	20	15	3	5		1										6	
Somers Town H - N.R.		34369	16	5	3											2	5	0	
Camden Town WH - N.R.		17311	10	4	1	1												1	
Kentish Town W - N.R.		87487	53	27	6			1		1								7	
Upper Holloway WwWwH - N.R.		67946	54	28	6	2	3	5	1	2	1	1	1	1	1	1	2	11	
Islington South-west HH - N.R.		100976	74	26	8	3		2	1			1						1	
Islington South-east - N.R.		61895	27	12	1	2						1						1	
Highbury H - N.R.		52048	25	13	1	5							1					1	
Stoke Newington H - N.R.		22781	19	2					1										
Stamford Hill - E.L.		9277	10	2					2										
West Hackney - E.L.		37610	20	10	5		1		1			1	1						
Hackney WwWwHL - E.L. & N.R.		76911	55	42	9	5	4	3				1							
South Hackney - E.L.		39883	22	17	4	4					1					1	1	20	
CENTRAL DISTRICTS.																			
St. George Bloomsbury - N.R.		16681	7	1															
St. Giles South WH - N.R.		14864	15	9	2	2												5	
St. Giles North - N.R.		13837	6	2				1											
St. Martin-in-the-Fields HH N.R. & C.		17508	7	5	2														
St. Mary-le-Strand H - N.R.		7615	3														1	4	
St. Clement Danes H - N.R.		8559	1	8														5	
St. George-the-Martyr HHHHHH N.R.		18671	11	2	1														
St. Andrew Eastern W - N.R.		10706	5	1													1		
Saffron Hill H - N.R.		6583	6																
St. James Clerkenwell - N.R.		17516	10	6	1														
Amwell Clerkenwell - N.R.		19281	14	7			2												
Pentonville - N.R.		14773	5	6		3		1											
Goosewell-street - N.R.		17506	15	5	2	2											1		
Old-street H - N.R.		11541	9	3	2														
City-road HHL - N.R.		18628	16	9	1	3		1								1	1	1	
Whitecross-street - N.R.		9217	2	2												1	1		
Finsbury - N.R.		7463	3	3	1														
St. Botolph H - N.R. & E.L.		11174	4																
Cripplegate - N.R.		7193	4	3		3													
St. Sepulchre H - N.R.		6358	2	15	1												1		
St. Bride W - N.R.		8396	1		4	1				1								15	
Albhallows Barking - N.R.		13666	5	2							1								
Broad Street H - N.R.		6652	1	2	1	1							1						

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Work-house; *H*—Hospital; *L*—Lunatic Asylum; *w*—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—*G.J.*, signifies Grand Junction Company; *W.M.*, West Middlesex; *C.*, Chelsea; *S.*, Southwark and Vauxhall; *L.*, Lambeth; *N.R.*, New River; *E.L.*, East London; and *K.*, the Kent Company.

EVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
tuesday, the 27th June, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
					Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

Following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by W:-

Weylbone Infirmary in Kensington Town sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.
St. John's Infirmary in Upper Holloway sub-district.
London City Workhouse - Hackney sub-district.
St. George's Hospital - Hoxton New Town sub-district.
St. George's Hospital - Mile End Old Town Eastern sub-district.

London City Workhouse in Mile End Old Town Eastern sub-district and Bromley sub-district.
Stepney - Bromley sub-district.
Poplar & Stepney Sick Asylum - Bromley sub-district.
Westminster Union Industrial School in West Battersea sub-district.
Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford, sub-districts.

Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during Week ending Saturday, 27th June, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON—OUTER RING		370,282	950,178	616	332	84	58	31	12	1	3	15	6	2	12	16	55	
30:1	Carshalton <i>wL</i> - -	12223	21118	8	5	1	2	-	-	-	-	-	-	-	-	-	-	
2	Epsom (part of) * <i>WH</i>	9971	10710	7	7	1	2	-	-	-	1	-	-	-	-	-	4	
37:1	Godstone (part of) * -	2754	1235	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon <i>wH</i> - -	20851	101241	52	34	7	8	3	5	1	1	1	-	-	2	2	7	
	Mitcham - -	11697	17982	9	3	1	1	-	-	-	-	-	-	-	-	-	-	
39:1	Wimbledon <i>HHH</i> -	3220	15950	14	6	4	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston <i>WHH</i> - -	8549	36354	22	14	2	3	-	-	-	-	1	-	-	-	-	-	
3	Esher (part of) * -	6601	9221	8	2	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton <i>H</i> - -	4573	13339	7	2	-	-	-	-	-	-	-	-	-	-	-	-	
40:1	Richmond <i>WH</i> - -	2272	21302	14	7	1	-	-	-	-	-	-	1	-	1	1	3	
2	Mortlake - -	941	12331	5	6	-	4	-	-	-	-	-	-	-	-	-	-	
41:1	Bromley (pt. of) * <i>HH</i>	15669	31142	9	19	2	1	-	-	-	-	1	-	-	-	-	-	
2	Chislehurst (pt. of) * <i>WHH</i>	13885	15065	10	4	-	4	-	-	-	-	-	-	-	-	-	3	
42:1	Bexley <i>H</i> - - -	13487	24134	17	3	-	-	-	-	-	-	-	1	-	1	1	1	
124:1	Sunbury <i>w</i> - -	11055	11685	8	4	1	-	-	-	-	-	-	-	-	-	1	-	
2	Staines <i>W</i> - -	13277	12089	8	3	-	1	-	-	-	-	-	-	-	-	-	-	
125:1	Hillingdon <i>WH</i> -	6029	10802	7	6	1	1	1	-	-	-	-	-	-	-	-	3	
2	Uxbridge - -	6178	5225	3	1	1	-	-	-	-	-	1	-	-	-	-	-	
3	Hayes <i>wHL</i> - -	14587	11523	8	6	3	-	-	-	-	-	-	-	-	1	1	2	
126:1	Isleworth <i>W</i> - -	7008	22727	19	9	4	1	-	1	-	-	-	-	-	1	1	2	
2	Twickenham <i>H</i> - -	2477	12479	9	2	1	-	-	-	-	-	-	-	-	1	1	-	
3	Brentford <i>HL</i> - -	4345	27649	24	6	3	2	-	-	-	-	2	-	-	-	-	-	
4	Chiswick - -	1340	15975	13	6	3	1	-	-	-	-	-	-	-	-	1	-	
5	Acton <i>wH</i> - -	6083	22876	20	3	-	-	-	-	-	-	-	-	-	-	-	1	
127:1	Harrow <i>H</i> - -	13809	12796	9	2	1	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware <i>H</i> - -	6994	3749	-	3	-	1	-	-	-	-	-	-	-	-	-	-	
3	Willesden - -	4383	27453	15	8	4	2	-	-	-	-	1	-	-	-	1	-	
4	Hendon <i>W</i> - -	8382	10484	9	4	1	-	-	-	-	-	-	-	-	-	-	3	
128:1	South Mimms - -	15599	6391	6	3	1	-	-	-	-	-	-	-	-	3	2	-	
2	Barnet <i>W</i> - -	5483	10092	7	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley <i>HL</i> - -	4683	17615	16	-	1	3	-	-	-	-	1	-	-	1	1	4	
129:1	Hornsey <i>H</i> - -	3039	37078	23	9	4	1	-	-	-	-	-	-	-	-	-	-	
2	Tottenham <i>HH</i> -	4642	46456	59	16	5	4	-	-	-	-	1	-	-	-	-	-	
3	Edmonton <i>WwH</i> -	7483	23463	19	9	2	2	-	-	-	-	-	1	-	-	-	3	
4	Enfield <i>WH</i> - -	12653	19104	22	4	1	1	-	-	-	-	-	-	-	-	-	1	
5	Waltham Abbey -	11017	5368	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - -	5480	7735	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
135:1	Hatfield (part of) *	3306	553	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - -	9331	6621	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford - -	882	38606	29	12	5	1	1	1	-	-	2	-	-	1	1	-	
2	West Ham <i>wH</i> - -	7351	101053	116	63	15	3	2	2	-	-	1	2	1	-	-	14	
3	Leyton <i>WwL</i> - -	4372	32450	30	10	2	2	-	-	-	1	-	-	-	-	1	4	
4	Walthamstow <i>wH</i> -	6520	28863	25	15	6	3	-	3	-	-	3	-	1	-	-	-	
137:1	Chigwell (part of) * <i>H</i>	11761	9639	5	1	-	1	-	-	-	-	-	-	-	-	-	-	
139:1	Romford (part of) *	6730	3411	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - -	8493	7645	5	1	-	-	-	-	-	-	-	1	-	-	-	-	
3	Barking Town -	4127	9293	8	-	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warlingham and Farl except the two parishes of Cudham and Knockholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chisle (pop. 947); 135:1, only the parish of Norraw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theyd Bois (pop. 375); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 27th June, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
EATER LONDON	448,334	5,199,166	16·2	3·0	1611	402	299	44	102	14	17	61	19	46	51	340		
INNER LONDON -	78,052	4,083,928	16·3	3·0	1279	318	241	13	90	13	14	46	13	44	39	285		
OUTER RING -	370,282	1,115,238	15·5	3·3	332	84	58	31	12	1	3	15	6	2	12	55		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	May	16	-	212	25·5	Small-pox 5; fevers 65; cholera 43.
BOMBAY - -	773,196	"	26	283	393	24·2	Measles 13; fevers 123; cholera 15.
MADRAS - -	398,777	"	15	312	274	35·7	Fevers 71.
PARIS - -	2,239,928	June	20	1133	896	20·8	Typhd. fev. 16; meas. 40; diph. & croup 18.
GENEVA - -	71,453	"	20	19	29	21·2	Typhoid fever 1.
BRUSSELS - -	436,214	"	13	245	169	20·2	Measles 2; croup 6.
AMSTERDAM -	366,812	"	20	252	142	20·1	Scar. fev. 2; measles 2; croup 2; diph. 2.
ROTTERDAM -	166,001	"	20	102	61	18·7	Scarlet fever 3; whooping-cough 3.
THE HAGUE -	184,552	"	20	84	64	24·7	-
COPENHAGEN -	278,000	"	16	194	114	21·4	Scarlet fever 4.
STOCKHOLM -	190,115	"	13	126	107	27·8	Scarlet fever 5; diphtheria and croup 5.
CHRISTIANIA -	128,000	"	20	83	36	14·6	Scarlet fever 2; diphtheria and croup 6.
ST. PETERSBURG	928,016	"	13	-	452	25·4	Fevers 13; measles 10; diphtheria 9.
BERLIN - -	1,266,511	"	6	773	607	24·7	Diph. 39; measles 13; scar. fev. 6.
HAMBURG(State)	497,956	"	13	332	237	24·8	Scar. fev. 5; typhus 6; diphtheria and croup 6.
DRESDEN - -	241,500	"	13	161	118	25·4	Scarlet fever 6; diph. 7.
BRESLAU - -	295,000	"	13	220	220	38·7	Typhus 4.
MUNICH - -	244,000	"	20	172	153	32·6	Measles 4; diphtheria and croup 3.
VIENNA - -	769,889	"	20	497	511	34·5	Small-pox 35; measles 13.
PRAGUE - -	272,333	"	20	-	219	42·0	Small-pox 4; measles 4; scarlet fever 7.
BUDA-PESTH -	429,532	"	6	338	246	29·8	Diphtheria and croup 5.
TRIESTE - -	150,157	"	6	-	88	30·5	Diphtheria and croup 7.
ROME - -	324,649	May	9	149	138	22·2	Measles 4; diphtheria 5.
NAPLES - -	504,795	-	-	-	-	-	-
TURIN (11 days)	267,763	May	31	214	206	25·5	Measles 6; typhd. fev. 6.
VENICE - -	144,845	June	13	75	65	23·4	Small-pox 2; typhoid fever 3.
MADRID - -	475,668	-	-	-	-	-	-
LISBON - -	203,681	-	-	-	-	-	-
ALEXANDRIA -	212,034	May	30	174	132	29·7	Whooping-cough 8; typhd. fever and typhus 3.
NEW YORK -	1,356,958	"	30	-	658	25·3	Measles 13; scar. fev. 12; diphtheria 28.
BROOKLYN -	665,602	"	30	-	247	19·4	Measles 11; scar. fev. 7; diphtheria 7.
PHILADELPHIA -	949,432	June	6	-	348	19·1	Scarlet fever 15; croup 7; diphtheria 6.
BALTIMORE -	408,520	"	6	-	107	13·7	Typhoid fever 3.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 27th JUNE, 1885.

[Under the Superintendence of the Astronomer Royal.]

1885. MONTH AND DAY.	Phases of Moon.	TEMP.	READINGS OF THERMOMETERS.										DIFFERENCE				WIND.				RAIS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
			Mean reading (cor- rected for 32 deg. Fahr. heat).		Dry.		Dew Point.	Highest in air, by self-regis- tering thermo- meter with blackened bulb, placed in Grass.	Lowest on the grass, as shown by thermo- meter.	In the Water at Leptford Registering Thermometers.		Between Dew Point Temperature and Air Temperature.		Degree of Hu- midity, com- plete Saturation being the same day on an average of 20 years.		As deduced from Anemometers.		Collected in a Gauge receiving surface is 5 in. above the ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			High- est.	Low- est.	Range in day.	Mean daily value.	Mean daily value.	Mean daily value.	High- est.	Low- est.	Mean daily value.	Great- est.	Least.	General Direction.	Osler's.	Amount of Horizontal Movement of Air each day.	Robinson's.	Horizontal Movement of Air each day.	Mean of 34 Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
			A.M.	P.M.	Great- est.	Least.	Mean of 34 Obs.	Great- est.	Least.	Mean of 34 Obs.	Great- est.	Least.	Mean of 34 Obs.	Great- est.	Least.	Mean of 34 Obs.	Great- est.	Least.	Mean of 34 Obs.	Great- est.	Least.	Mean of 34 Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
JUNE.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

SKY AND ATMOSPHERE.

DATE. JUNE.	Electricity. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.
SUNDAY . 21	w. P. throughout .	8-2	16-6
MONDAY . 22	w. P. generally .	5-1	16-6
TUESDAY . 23	w. P. generally .	0-0	16-6
WEDNESDAY . 24	w. P. generally; w. N. occasionally at night.	8-8	16-6
THURSDAY . 25	v. P. and w. N. in morning; w. P. afterwards.	0-0	16-6
FRIDAY . 26	w. P. generally .	9-0	16-5
SATURDAY . 27	w. P. in morning; m. P. afterwards.	13-1	16-5
	Sum	35-2	Sum 116-0

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily wet point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 50 years ending 1868.

In reading the 6th and 25th columns it will be borne in mind that + is read "higher," and - is read "lower," than the average.

The thermometer of the Thames are suspended at a depth of two feet below the surface at the end of one of the jetties of the Foreign Office Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; v. weak; m. moderate; s. strong; and v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer increased from 29-46 in. at the beginning of the week to 29-97 in. by 9h. A.M. on the 22nd; decreased to 29-67 in. by 3h. P.M. on the 24th; increased to 30-11 in. by 9h. A.M. on the 27th; and was 30-04 in. at the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 26. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, JULY 4. [Price 1½d.

General Register Office, Somerset House,
6th July, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 18·0 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	June 13.	June 20.	June 27.	July 4.		June 13.	June 20.	June 27.	July 4.
Birkenhead	20·7	19·6	21·3	16·8	Liverpool -	23·4	23·2	21·3	21·1
Birmingham	17·1	19·8	16·5	12·8	London -	16·8	16·4	16·3	17·5
Blackburn -	23·6	25·5	16·2	21·8	Manchester -	26·5	25·5	30·6	24·4
Bolton -	22·3	21·3	16·1	15·6	Newcastle-on-Tyne	35·4	24·2	28·6	23·5
Bradford -	15·3	16·1	18·7	13·4	Norwich -	20·0	18·3	17·2	17·7
Brighton -	17·3	15·0	13·6	14·1	Nottingham -	16·3	21·7	12·6	14·1
Bristol -	15·3	15·1	12·0	13·6	Oldham -	22·3	18·2	17·3	20·6
Cardiff -	18·8	31·7	21·5	19·9	Plymouth -	28·1	20·6	21·3	16·5
Derby -	10·5	10·5	11·1	16·3	Portsmouth -	15·5	13·6	16·7	15·5
Halifax -	14·2	14·2	22·3	27·6	Preston -	15·6	20·3	15·1	21·3
Huddersfield	20·3	22·7	16·1	19·7	Salford -	20·7	22·2	17·9	21·5
Hull -	19·9	17·4	12·9	15·4	Sheffield -	23·7	20·8	20·5	21·5
Leeds -	17·9	17·7	20·0	19·7	Sunderland -	13·7	17·5	18·3	18·7
Leicester -	16·9	15·7	15·7	14·6	Wolverhampton -	14·5	13·8	13·2	19·1

The highest annual death-rates from measles, measured by last week's mortality, were 1·7 in Birkenhead and Manchester, 1·8 in Liverpool, and 2·0 in Newcastle-upon-Tyne; from whooping-cough, 2·0 in Salford, 2·8 in Birkenhead, and 3·2 in Blackburn; from scarlet fever, 1·1 in Leicester, and 1·2 in Sunderland; and from "fever," 1·1 in Cardiff. The 24 deaths from diphtheria included 18 in London, and 2 in Portsmouth. Small-pox caused 41 deaths in London and its outer ring (excluding 13 of London residents in the Metropolitan Asylum Hospitals and Camp at Darenth), and one in Liverpool.

LONDON.

In LONDON 2483 BIRTHS and 1366 DEATHS were registered. Allowing for increase of population, the births were 158, and the deaths 118, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had declined in the ten preceding weeks from 22·3 to 16·3, rose again last week to 17·5. During the thirteen weeks ending last Saturday the death-rate averaged 19·3 per 1000, against 20·8, the mean rate in the corresponding periods of the nine years 1876-84.

The 1366 deaths included 26 from small-pox, 80 from measles, 9 from scarlet fever, 18 from diphtheria, 59 from whooping-cough, one from typhus, 9 from enteric fever, 2 from ill-defined forms of continued fever, 51 from diarrhoea and dysentery, and one from cholera; thus, 256 deaths were referred to these diseases, being 15 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had declined from 38 to 13 in the five preceding weeks, rose again last week to 26. These 26 deaths were exclusive of 13 of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the total 39 fatal cases, 26 occurred in the Metropolitan Asylum Hospitals, 4 in the Highgate Small-pox

Hospital, and 9 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 5 belonged to Pancras, 3 to Islington, 3 to Hackney, 3 to Shoreditch, 3 to Poplar, and 3 to Camberwell. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the two preceding weeks from 1222 to 1000, had further fallen to 859 on Saturday last; the admissions, which had been 193 and 134 in the two previous weeks, further declined last week to 94.

The fatal cases of *measles*, which had declined in the four preceding weeks from 120 to 90, further fell last week to 80, but exceeded the corrected weekly average by 24; 8 belonged to Fulham, 5 to Westminster, 5 to Islington, 12 to Hackney, 5 to Shoreditch, 6 to Bethnal Green, and 5 to Poplar. The 9 deaths from *scarlet fever* were fewer by 4 than the number in the previous week, and were 29 below the corrected average; 3 belonged to Pancras, and 2 to Bethnal Green. The Metropolitan Asylum Hospitals contained 213 scarlet fever patients on Saturday last; 36 cases were admitted during the week, against 33 and 21 in the two previous weeks. The deaths from *diphtheria*, which had been 16 and 14 in the two preceding weeks, rose to 18 last week, and exceeded the corrected average by 5; 2 belonged to Chelsea, 2 to Islington, 3 to Poplar, 2 to Camberwell, and 2 to Greenwich. The 59 fatal cases of *whooping-cough* showed a further increase upon recent weekly numbers, and exceeded the corrected average by 2; 6 belonged to Islington, 4 to Mile End Old Town, 4 to Lambeth, and 7 to Wandsworth. The 51 deaths attributed to *diarrhea* and *dysentery* showed a further increase upon recent weekly numbers, but were 14 below the corrected average. The death referred to *cholera* was of a fish hawk, aged 50 years, at 12, Lombard Street, St. George's Southwark, the cause being certified as "English cholera, 24 hours."

The deaths referred to *enteric fever*, which had been 4, 6, and 11 in the three previous weeks, were 9 last week, and 4 below the corrected weekly average. The fatal case of *typhus* occurred in the Fever Hospital at Deptford, to which it had been admitted from 1, Howbury Road, Peckham. The death of a male, aged 15, at 15, Bear Street, St. Martin-in-the-Fields, was the subject of an inquest, the verdict being "Congestion of the brain, stomach, and other organs from the effect of some fever not developed, about 14 hours; P.M." The Metropolitan Asylum Hospitals contained 15 cases of enteric fever, and 7 of typhus, on Saturday last; 3 cases of enteric fever were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had declined in the six preceding weeks from 305 to 183, rose again last week to 192, but were 26 below the corrected weekly average.

Different forms of violence caused 42 deaths; 37 were the result of negligence or accident, among which were 22 from fractures and contusions, 2 from burns and scalds, 3 from drowning, and 6 of infants under one year of age from suffocation. The 22 cases of fractures and contusions were thus returned:—male, aged 4 years, run over by omnibus; male 66, run over by van; female 4, run over by cab; male 76, thrown from carriage; male 23, run over on Great Northern Railway; male 42, run over on Metropolitan Railway; male 23, crushed by engine on London and South-Western Railway; male 77, run over by train; male 8, knocked down by engine; male 42, crushed between boats on river; male 31, fell from scaffolding; female 14, fell from loft; female 7, fell from swing; male 56, fall of beam; female 2, fall down steps; female 8, fall of scaffold pole; male 25, fell over wheel; female 78, fell in room; females 60 and 72, fell down stairs; male 9 months, fall; female 82, fracture of femur. An inquest was held in each of these cases except the last.

GREATER LONDON.

In Greater London 3185 births and 1713 deaths were registered, equal to annual rates of 32.0 and 17.2 per 1000 of the population. In the Outer Ring 15 fatal cases of small-pox, 23 of measles, and 10 of whooping-cough, were registered; 13 of small-pox, 14 of measles, and 3 of whooping-cough were returned in the district of West Ham.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29.93 in.; the lowest reading was 29.76 in. on Monday afternoon, and the highest was 30.05 in. at the end of the week. The mean temperature of the *air* was 60°.5, and 1°.1 below the average in the corresponding week of the 20 years ending 1868. The mean was below the average during the first five days of the week, but showed an excess on Friday and Saturday. The direction of the *wind* was variable, and the horizontal movement of the air averaged 8.5 miles per hour, which was 1.9 miles below the average in the corresponding week of 16 years. No rain fell during the week. The duration of registered bright sunshine in the week was 41.1 hours, against 52.5 hours at Glynde Place, Lewes.

CITIES AND BOROUGHES.	Cols.	POPULATION estimated to the middle of the year 1886.		Registered during the week ending 4th July, 1886.		Deaths of Persons aged 1 Year or under and upwards.		Deaths from								Inquest Cases.		Deaths in Public Institutions.		Causes of Death.		Annual Rate per 1,000 of the Pop. corresponding to the		TEMPERATURE OF THE AIR.			RAINFALL.		CITIES AND BOROUGHES.
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	Fahrenheit.		Mean.	Centigrade.	In Inches.	In Centi- meters.		
																						Highest.	Lowest.						
28 TOWNS -	-	8,906,446	5521	3070	778	607	27	145	29	24	128	24	97	103	192	509	65	18.0	2.8	77.3	40.5	57.3	14.06	0.01	0.03	-	28 TOWNS.		
LONDON -	-	4,083,928	2483	1366	372	259	26	80	9	18	59	12	51	42	84	290	16	17.5	3.3	77.3	46.0	60.5	15.84	0.00	0.00	0.00	LONDON.		
BRIGHTON -	-	114,672	59	31	6	8	-	-	-	-	1	-	-	1	1	6	-	14.1	0.5	74.0	48.0	57.5	14.17	0.00	0.00	0.00	BRIGHTON.		
PORTSMOUTH -	-	134,659	80	40	8	15	-	-	-	-	1	-	-	1	4	6	-	16.5	1.2	-	-	-	-	-	-	-	PORTSMOUTH.		
NORWICH -	-	91,215	37	21	7	13	-	-	-	-	-	-	1	2	4	3	-	17.7	0.6	-	-	-	-	-	-	-	NORWICH.		
PLYMOUTH -	-	76,045	44	24	11	6	-	-	-	-	2	-	-	-	-	1	-	16.5	1.4	75.3	45.2	58.4	14.66	0.00	0.00	0.00	PLYMOUTH.		
BRISTOL -	-	218,169	129	57	16	11	-	2	-	-	-	-	2	3	6	11	-	13.6	1.0	72.0	41.0	57.2	14.00	0.00	0.00	0.00	BRISTOL.		
WOLVERHAMPTON -	-	79,185	54	29	2	12	-	-	1	-	-	-	-	1	2	7	2	19.1	0.7	73.5	40.6	56.0	13.83	0.07	0.18	0.18	WOLVERHAMPTON.		
BIRMINGHAM -	-	427,769	245	105	24	22	-	3	-	-	3	1	3	3	6	11	4	12.8	1.2	-	-	-	-	-	-	-	BIRMINGHAM.		
LEICESTER -	-	136,147	69	38	13	8	-	3	-	1	1	-	6	2	6	5	-	14.6	4.2	-	-	-	-	-	-	-	LEICESTER.		
NOTTINGHAM -	-	211,424	119	57	16	13	-	1	-	3	3	6	12	-	2	4	-	14.1	1.2	73.4	42.9	56.3	13.50	0.00	0.00	0.00	NOTTINGHAM.		
DERBY -	-	89,691	58	28	3	6	-	2	-	-	2	-	-	1	2	4	-	16.3	2.3	-	-	-	-	-	-	-	DERBY.		
BIRKENHEAD -	-	93,093	67	30	8	7	-	3	-	-	5	-	6	11	15	30	9	21.1	4.1	70.3	49.5	56.8	13.78	0.00	0.00	0.00	BIRKENHEAD.		
LIVERPOOL -	-	579,724	409	234	67	29	1	20	5	1	8	5	6	11	15	30	9	21.1	4.1	70.3	49.5	56.8	13.78	0.00	0.00	0.00	LIVERPOOL.		
BOLTON -	-	110,085	61	33	5	12	-	-	-	-	1	1	2	2	3	2	2	15.6	1.9	72.1	40.5	55.7	13.17	0.00	0.00	0.00	BOLTON.		
MANCHESTER -	-	337,842	228	158	38	21	-	11	-	-	6	-	1	7	14	37	3	24.4	2.8	-	-	-	-	-	-	-	MANCHESTER.		
SALFORD -	-	204,075	133	84	27	9	-	5	1	-	8	-	4	-	1	8	4	21.5	4.6	-	-	-	-	-	-	-	SALFORD.		
OLDHAM -	-	126,390	79	50	6	10	-	-	1	-	1	-	2	3	3	5	1	20.6	1.7	-	-	-	-	-	-	-	OLDHAM.		
BLACKBURN -	-	112,574	87	47	14	5	-	-	1	-	7	-	2	-	1	-	-	21.8	4.6	-	-	-	-	-	-	-	BLACKBURN.		
PRESTON -	-	100,406	78	41	11	9	-	-	-	-	-	-	2	1	2	6	-	21.3	1.0	-	-	-	-	-	-	-	PRESTON.		
HUDERSFIELD -	-	87,327	39	33	8	7	-	1	1	-	-	-	-	1	1	7	2	19.7	1.2	71.5	47.0	58.8	14.89	0.00	0.00	0.00	HUDERSFIELD.		
HALIFAX -	-	77,878	37	41	7	10	-	-	-	-	2	-	1	1	1	1	3	27.6	2.0	-	-	-	-	-	-	-	HALIFAX.		
BRADFORD -	-	214,431	129	55	8	14	-	-	1	-	4	-	-	-	3	4	1	13.4	1.2	69.1	46.0	57.3	14.06	0.00	0.00	0.00	BRADFORD.		
LEEDS -	-	323,139	212	126	34	33	-	1	-	-	4	1	2	8	14	12	4	19.7	1.3	72.0	47.0	68.7	14.83	0.00	0.00	0.00	LEEDS.		
SHEFFIELD -	-	305,716	170	126	28	22	-	7	2	1	10	-	3	4	6	9	6	21.5	3.9	73.0	44.0	57.1	13.95	0.00	0.00	0.00	SHEFFIELD.		
HULL -	-	186,292	124	55	8	21	-	-	-	-	-	-	2	1	2	9	2	15.4	0.6	72.0	43.0	54.9	12.72	0.00	0.00	0.00	HULL.		
SUNDERLAND -	-	125,327	112	45	13	11	-	1	3	-	-	-	1	1	2	2	3	18.7	2.5	-	-	-	-	-	-	-	SUNDERLAND.		
NEWCASTLE -	-	153,269	94	69	20	9	-	6	1	-	2	1	1	2	4	8	3	23.5	3.7	76.0	45.0	57.0	13.80	0.02	0.05	0.05	NEWCASTLE.		
CARDIFF -	-	97,034	85	37	8	3	-	2	-	-	-	2	1	1	2	4	-	19.9	3.2	-	-	-	-	-	-	-	CARDIFF.		
EDINBURGH -	-	250,616	151	75	15	31	-	-	-	-	2	-	1	3	?	11	18	15.6	0.6	72.1	44.9	58.6	14.78	0.17	0.43	0.43	EDINBURGH.		
GLASGOW -	-	519,965	397	211	44	25	-	8	5	-	12	-	6	10	?	33	29	21.2	3.1	76.0	42.0	57.3	14.06	0.13	0.33	0.33	GLASGOW.		
DUBLIN -	-	353,082	209	200	29	43	-	3	8	-	6	4	1	6	3	55	22	29.6	3.5	70.1	39.5	55.5	13.06	0.00	0.00	0.00	DUBLIN.		

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the TWENTY-SIXTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2115	2387	2291	2268	2427	2493	2486	2470	2589	2691	2640·8	2483
Males	1079	1208	1129	1168	1161	1265	1254	1266	1263	1347	1323·8	1288
Females	1036	1179	1162	1100	1266	1228	1232	1204	1326	1344	1317·0	1195
TOTAL Deaths	1348	1175	1300	1570	1272	1300	1440	1303	1432	1471	1484·2	1366
Males	725	621	694	778	681	687	767	682	753	808	784·7	729
Females	623	554	606	792	591	613	673	621	679	663	699·5	637

The numbers in this column are the average weekly numbers in the twenty-sixth week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

		Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.
TOTAL Births	- -	2473	2617	2541	2561	2429	2544	2391	2209	2409	2464	2373	2419	2483
TOTAL Deaths	- -	1859	1706	1743	1549	1465	1496	1554	1538	1521	1315	1284	1279	1366
0—20	- -	830	790	773	699	697	707	745	744	744	655	654	658	690
20—40	- -	255	224	209	227	206	214	209	188	210	178	170	153	179
40—60	- -	328	287	336	277	273	250	254	261	246	218	185	227	238
60—80	- -	375	328	349	281	243	263	290	283	253	218	228	199	226
at 80 years & upwds.	- -	71	77	76	65	46	62	56	62	68	46	47	42	33
Deaths of children	{ Under 1 year -	398	370	379	324	296	333	334	349	342	305	316	318	372
	{ 1—5 -	327	293	296	292	294	254	299	296	294	260	258	256	224
	{ 5—20 -	105	127	98	83	107	120	112	99	108	90	80	84	94
Deaths from Small-pox*	- -	40	49	51	48	66	75	50	55	62	39	37	28	39
” ” Measles	- -	70	92	103	99	91	65	93	90	120	98	95	90	80
” ” Scarlet Fever	- -	9	9	10	12	13	13	12	10	9	12	7	13	9
” ” Diphtheria	- -	15	21	10	15	24	21	10	17	15	17	16	14	18
” ” Whooping-cough	- -	55	46	57	51	46	57	68	50	46	39	42	46	59
” ” Typhus	- -	2	2	2	2	2	2	2	2	1	2	2	2	1
” ” Enteric fever	- -	10	13	11	1	12	16	13	11	13	4	6	11	9
” ” Simple Cont ^d fever	- -	2	2	2	1	-	-	3	4	2	3	2	-	2
” ” Diarrhoea and Dysentery	- }	16	7	21	16	13	9	16	20	11	23	24	44	51
” ” Cholera	- -	-	-	-	-	1	-	-	-	-	2	3	2	1
Deaths from the above- mentioned Diseases*	- }	217	241	267	243	263	256	267	257	278	238	232	250	269
” ” Dis. of Respira- tory System	- }	512	449	381	337	287	291	305	302	290	231	196	183	192
” ” Phthisis	- -	198	163	167	191	160	160	179	150	154	140	141	131	165
” ” Dis. of Circula- tory System	- }	123	109	135	91	110	106	105	96	102	84	70	73	74
Violent Deaths	- -	68	57	62	64	52	46	39	60	59	52	56	39	42
Inquest Cases	- -	132	130	116	126	98	104	97	103	104	96	94	81	84
Deaths in Public Institutions	- -	374	385	417	331	319	349	352	371	364	313	306	285	290
TEMPERATURE OF THE AIR:														
Mean	- -	41·9	45·6	54·7	51·9	46·7	47·4	48·4	56·0	62·6	58·5	58·7	58·3	60·5
Mean of Highest readings	- -	49·5	56·2	66·4	61·8	57·6	58·9	57·9	66·5	74·5	69·5	70·6	68·2	72·7
Mean of Lowest readings	- -	35·8	37·2	44·0	42·9	38·4	36·8	41·2	47·8	51·2	47·7	48·4	49·7	49·5
Humidity of the Air	- -	85	82	69	78	81	65	79	78	66	75	76	75	67
Rain-fall in inches	- -	0·20	1·11	0·26	0·52	0·77	0·07	0·74	0·46	0·27	0·90	0·39	0·11	00·0
Registered Sunshine (in hours)	- -	10·5	29·2	56·8	39·2	31·4	51·5	28·9	39·9	69·6	55·3	41·8	35·2	41·1

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.;—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filmer, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

Deaths from different Causes.

267

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SIXTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 26th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 4th July, 1885.										CAUSES OF DEATH.	Corrected Averages for the 26th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 4th July, 1885.														
		Deaths of Persons of the Ages												Deaths of Persons of the Ages														
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.											
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.									
ALL CAUSES	1484.2	1366	372	224	94	179	238	226	33		Diseases of Organs of Special Sense †	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox { Vaccinated † 20.9 { Unvaccinated No Statement			9	-	4	5	-	-	-		Diseases of Circulatory System	90.5	74	-	-	4	11	21	36	2								
Measles - - -	55.6	80	22	52	6	-	-	-	-		Croup - - -	11.9	3	1	7	-	-	-	-	-								
Scarlet Fever - - -	33.1	9	-	7	2	-	-	-	-		Bronchitis - - -	105.3	94	30	17	2	1	15	26	3								
Typhus - - -	2.3	1	-	-	-	1	-	-	-		Pneumonia - - -	71.9	64	12	19	3	8	13	9	-								
Relapsing Fever † - -	0.3	-	-	-	-	-	-	-	-		Pleuritis - - -	4.5	7	-	-	1	2	3	1	-								
Influenza - - -	0.1	-	-	-	-	-	-	-	-		Other Diseases of Respiratory System -	24.2	19	3	5	-	2	3	5	1								
Whooping-cough - -	56.9	59	25	31	3	-	-	-	-		Dentition † - - -	13.0	19	11	8	-	-	-	-	-								
Diphtheria - - -	12.8	18	4	8	5	-	1	-	-		Quinsy, Sore Throat † -	2.3	1	-	1	-	-	-	-	-								
Simple Continued and Ill-defined Fever -	3.5	2	1	-	1	-	-	-	-		Enteritis - - -	6.9	10	5	1	2	-	-	-	-								
Enteric Fever - - -	12.6	9	-	1	2	5	1	-	-		Peritonitis - - -	6.3	9	-	1	-	-	3	3	2								
Cholera - - -	3.5	1	-	-	-	-	1	-	-		Diseases of Liver - - -	34.0	25	1	-	-	4	11	9	-								
Diarrhoea, Dysentery -	64.5	51	39	9	-	1	1	1	-		Other Diseases of Digestive System -	28.9	22	7	-	-	3	5	6	1								
Remittent Fever † - -	0.3	-	-	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands † - -	1.3	-	-	-	-	-	-	-	-								
Hydrophobia - - -	0.1	-	-	-	-	-	-	-	-		Diseases of Urinary System - - -	32.8	41	-	-	3	10	14	12	2								
Glanders - - -	0.1	-	-	-	-	-	-	-	-		Diseases of Generative System - - -	6.5	4	-	1	-	-	1	2	-								
Cowpox and Effects of Vaccination † - -	0.0	-	-	-	-	-	-	-	-		Accidents of Childbirth -	4.7	6	-	-	-	5	1	-	-								
Veneral Affections -	11.6	11	6	-	-	2	2	1	-		Diseases of Locomotive System † - - -	8.3	11	-	1	7	-	1	1	1								
Erysipelas - - -	5.2	4	2	-	-	-	1	1	-		Diseases of Integumentary System - -	6.7	4	2	-	-	-	-	2	-								
Pyæmia and Septicæmia †	3.3	4	1	-	1	2	-	-	-		VIOLENT DEATHS. §																	
Puerperal Fever - - -	3.4	1	-	-	-	1	-	-	-		(ACCIDENT.)																	
Other Zymotic Diseases †	3.0	2	-	2	-	-	-	-	-		Fracture and Contusion	19.1	22	1	3	4	4	3	6	1								
Thrush - - -	2.8	4	4	-	-	-	-	-	-		Gunshot Wound - - -	0.1	-	-	-	-	-	-	-	-								
Worms and other Parasitical Diseases -	0.4	2	-	1	-	1	-	-	-		Cut, Stab - - -	0.9	-	-	-	-	-	-	-	-								
Starvation, Want of Breast-milk † - -	0.3	3	3	-	-	-	-	-	-		Burn and Scald - - -	2.3	2	-	-	1	-	1	-	-								
Alcoholism - - -	4.0	4	-	-	-	1	3	-	-		Poison - - -	1.4	1	-	1	-	-	-	-	-								
Rheumatic Fever and Rheumatism of Heart †	8.1	6	-	-	2	2	1	1	-		Drowning - - -	10.9	3	-	-	2	1	-	-	-								
Rheumatism - - -		2	-	-	-	1	1	-	-		Suffocation - - -	9.8	7	6	-	-	-	-	-	-								
Gout - - -	4.0	5	-	-	-	-	3	2	-		Otherwise - - -	2.6	2	1	-	-	-	-	1	-								
Rickets † - - -	3.3	2	1	1	-	-	-	-	-		(HOMICIDE.)																	
Cancer - - -	45.3	53	-	-	1	8	30	17	2		Murder & Manslaughter	1.5	-	-	-	-	-	-	-	-								
Tabs Mesenterica - -	29.4	37	25	10	1	1	-	-	-		(SUICIDE.)																	
Tubercular Meningitis -	32.9	29	13	12	3	-	1	-	-		Gunshot Wound - - -	0.4	-	-	-	-	-	-	-	-								
Phthisis - - -	182.1	165	3	1	20	69	53	14	-		Cut, Stab - - -	2.1	2	-	-	-	-	1	1	-								
Serofula, Tuberculosis -	14.7	20	6	7	3	3	1	-	-		Poison - - -	0.9	1	-	-	-	-	1	-	-								
Other Constitutional Diseases † - -	7.7	12	-	-	2	3	4	3	-		Drowning - - -	1.7	2	-	-	-	-	-	-	-								
Premature Birth - - -	28.2	34	34	-	-	-	-	-	-		Hanging - - -	2.7	-	-	-	-	-	2	-	-								
Atelectasis † - - -	2.0	1	1	-	-	-	-	-	-		Otherwise - - -	0.9	-	-	-	-	-	-	-	-								
Congenital Malformations - - -	7.1	3	2	1	-	-	-	-	-		OTHER CAUSES † - -	47.7	53	41	5	-	2	1	4	-								
Old Age - - -	43.5	44	-	-	-	-	3	23	18																			
Apoplexy - - -	41.4	38	1	-	1	3	12	20	1																			
Epilepsy - - -	8.9	3	1	-	-	2	-	-	-																			
Convulsions - - -	47.7	40	33	2	-	-	-	-	-																			
Other Diseases of Brain and Nervous System †	82.9	63	14	8	5	4	13	18	1																			

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.
 † As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 13 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																						
REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of															Deaths in Public Institutions.		Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.	Inquest Cases.					
LONDON		3,816,483	2483	1366	372	259	26	80	9	18	59	1	9	2	51	42	84	290	16			
WEST DISTRICTS		669,638	355	243	61	58	2	19	1	4	7	-	3	1	9	10	13	64	-			
NORTH DISTRICTS		905,947	534	329	94	50	11	19	5	4	10	-	1	-	17	10	21	68	2			
CENTRAL DISTRICTS		282,238	146	85	22	13	-	5	-	-	2	-	-	1	6	2	8	22	-			
EAST DISTRICTS		692,738	501	294	89	50	2	23	2	4	18	-	1	-	9	9	21	64	7			
SOUTH DISTRICTS		1,265,927	947	410	106	88	11	14	1	6	22	1	4	-	10	11	21	72	7			
WEST DISTRICTS.																						
St. Mary Paddington WHH G.J. & W.M.		69888	52	28	10	2	1	3	-	1	1	-	1	-	1	2	2	4	-			
St. John Paddington H - - G.J.		37380	9	7	2	4	-	-	-	-	1	-	-	-	-	2	2	4	-			
Kensington Town WH - - W.M.		120141	61	40	12	8	-	1	-	-	3	-	-	-	2	2	2	11	-			
Brompton H - - W.M. & C.		48010	10	10	1	-	-	-	-	-	-	-	-	-	1	1	1	5	-			
St. Peter Hammersmith - - W.M.		7599	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Paul Hammersmith H W.M. & G.J.		64340	47	21	4	6	-	5	-	-	-	-	-	-	-	-	-	1	-			
Fulham WHH - - W.M. & C.		42906	28	29	12	7	1	3	-	-	1	-	1	1	1	1	2	8	-			
Chelsea South HHH - - C.		30896	17	18	4	7	-	-	-	2	-	-	1	-	-	1	1	1	-			
Chelsea North-west WHHHH - - C.		24925	18	7	2	-	-	-	-	-	-	-	-	-	1	-	-	3	-			
Chelsea North-east - - C.		32807	29	8	4	-	-	2	-	-	-	-	-	-	3	-	-	-	-			
Hanover Square H - - G.J.		16862	4	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
May Fair WW - - G.J.		13491	3	6	-	4	-	-	1	-	-	-	-	-	-	-	-	5	-			
Belgrave HH - - C.		85220	30	31	2	9	-	-	-	-	-	-	1	-	-	1	2	14	-			
St. John Westminster HH - - C.		35496	19	11	3	8	-	-	-	-	-	-	-	-	-	-	1	-	-			
St. Margaret Westminster H - - C.		24679	9	9	1	3	-	-	-	1	-	-	-	-	-	-	-	6	-			
St. James Westminster WH N.R. & G.J.		20941	11	8	2	2	-	2	-	-	1	-	-	-	-	-	-	-	-			
St. Anne Soho HHHHH - - N. & P.		16908	4	7	1	1	-	3	-	-	-	-	-	-	-	-	-	1	-			
NORTH DISTRICTS.																						
All Souls Marylebone HHHH - W.M.		26759	11	10	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-			
Cavendish Square HHH - W.M.		14881	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Rectory Marylebone WHH G.J. & W.M.		24809	10	5	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-			
St. Mary Maryleb. HHH G.J. & W.M.		21118	30	12	6	-	-	1	-	-	-	-	-	-	2	-	1	1	-			
Christchurch Marylebone H - W.M.		33700	23	14	8	-	-	-	-	-	1	-	-	-	5	1	3	-	-			
St. John Marylebone H - W.M.		33693	19	15	6	1	-	1	-	-	-	-	-	-	2	-	-	-	-			
Hampstead WHHH - N.R. & W.M.		45452	23	14	4	1	3	-	1	-	-	-	-	-	-	-	-	6	-			
Regent's Park Pancras H - W.M.		39115	13	7	2	1	-	-	-	-	-	-	-	-	1	1	1	-	-			
Tottenham-court WHHHH N.R. & W.M.		27729	13	15	1	2	-	1	-	-	-	-	-	-	-	-	-	9	-			
Gray's Inn Lane HHH - N.R.		30247	14	15	4	1	-	-	-	-	-	-	-	-	1	3	7	3	-			
Somers Town H - - N.R.		24369	22	10	6	-	-	-	-	-	-	-	-	-	-	2	1	1	-			
Camden Town WH - - N.R.		17311	16	10	2	5	-	-	-	-	-	-	-	-	-	-	1	7	-			
Kentish Town W - - N.R.		87487	44	20	5	4	-	-	2	-	-	-	-	-	-	-	2	2	-			
Upper Holloway WWWH - N.R.		67946	60	41	4	11	4	-	-	2	1	-	-	-	1	1	1	19	-			
Islington South-west HH - N.R.		100976	59	40	11	6	-	3	1	1	2	-	-	-	2	1	1	2	-			
Islington South-east - - N.R.		61825	33	18	3	5	-	-	-	-	3	-	-	-	-	-	-	-	-			
Highbury H - - N.R.		82048	28	12	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-			
Stoke Newington H - - N.R.		22781	14	9	1	2	-	-	-	-	2	-	-	-	-	-	-	-	-			
Stamford Hill - - E.L.		9277	8	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
West Hackney - - N.R.		27610	21	8	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
Hackney WHHHH - - E.L. & N.R.		76911	22	19	6	3	7	1	1	1	-	-	-	-	-	-	3	10	-			
South Hackney - - E.L.		39883	11	11	14	6	-	-	-	-	-	-	-	-	-	-	-	-	1			
CENTRAL DISTRICTS.																						
St. George Bloomsbury - - N.R.		16681	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Giles South WH - - N.R.		14864	17	7	2	3	-	1	-	-	-	-	-	-	-	1	2	4	-			
St. Giles North - - N.R.		13837	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin-in-the-Fields HH N.R. & C.		17508	1	4	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-			
St. Mary-le-Strand H - - N.R.		7515	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-			
St. Clement Danes H - - N.R.		8559	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-			
St. George-the-Martyr HHHHHH N.R.		18671	15	8	2	1	-	-	-	-	-	-	-	-	-	-	-	4	-			
St. Andrew Eastern W - - N.R.		10706	5	3	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-			
Saffron Hill H - - N.R.		6333	1	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-			
St. James Clerkenwell - - N.R.		17516	10	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-			
Amwell Clerkenwell - - N.R.		19281	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Pentonville - - N.R.		14773	10	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
Goswell-street - - N.R.		17503	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Old-street H - - N.R.		11541	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
City-road HHL - - N.R.		18628	20	10	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-			
Whitecross-street - - N.R.		9217	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Finsbury - - N.R.		7463	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Botolph H - - N.R. & E.L.		11174	1	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-			
Cripplegate - - N.R.		7193	1	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-			
St. Sepulchre H - - N.R.		3558	-	12	-	-	-	1	-	-	-	-	-	-	-	-	-	9	-			
St. Bride W - - N.R.		8395	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-			
Alhhalows Barking - - N.R.		13665	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-			
Broad Street H - - N.R.		6652	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *w*—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—*G.J.* signifies Grand Junction Company; *W.M.* West Middlesex; *C.* Chelsea; *S.* Southwark and Vauxhall; *L.* Lambeth; *N.R.* New River; *E.L.* East London; and *K.* the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 4th July, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
					Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by †:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.	Stepney Poplar & Stepney Sick Asylum in Bromley sub-district.
Holborn Infirmary in Upper Holloway sub-district.	Westminster Union Industrial School in West Battersea sub-district.
London City Workhouse " Backney sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Ilford " " Hoxton New Town sub-district.	
Whitechapel " " Mile End Old Town Eastern sub-dist.	

Private, Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 4th July, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Ename- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
LONDON—OUTER RING						370,282	950,178	702	347	65	77	15	23	2	4	10	2	7	11	13	52	6
30:1	Carshalton wL - -	12228	21118	15	14	-	7	-	-	-	-	-	-	-	-	-	-	-	-	11	1	
2	Epsom (part of) * WH	9971	10710	8	4	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	
37:1	Godstone (part of) * -	2754	1285	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon wvH - -	20851	101241	54	27	5	5	-	3	-	-	-	-	1	-	-	-	-	-	5	-	
	Mitcham - - -	11697	17982	11	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
39:1	Wimbledon HHH - -	3220	15960	9	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
2	Kingston WHH - -	8549	36354	23	9	1	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
3	Esher (part of) * -	6601	9221	6	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
4	Hampton H - - -	4573	13539	9	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
40:1	Richmond WH - -	2272	21302	11	9	1	1	-	-	-	-	-	-	-	-	-	-	1	1	3	-	
2	Mortlake - - -	941	12331	5	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
41:1	Bromley (pt. of) * HH	15689	31142	21	6	2	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
2	Chislehurst (pt. of) * WHH	13665	15065	16	5	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
42:1	Bexley H - - -	13437	24134	20	9	3	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	
124:1	Sunbury w - - -	11055	11685	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
2	Staines W - - -	13277	12089	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
125:1	Hillingdon WH - -	6029	10802	4	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
2	Uxbridge - - -	6178	5225	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes wHL - - -	14587	11523	2	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
126:1	Isleworth W - - -	7008	22727	24	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-	
2	Twickenham H - -	2477	12479	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
3	Brentford HL - -	4345	27649	12	8	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
4	Chiswick - - -	1340	15975	13	6	2	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	
5	Acton wH - - -	6083	22876	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
127:1	Harrow H - - -	13809	12796	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware H - - -	6994	3749	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
3	Willesden - - -	4383	27453	21	10	5	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
4	Hendon W - - -	8382	10484	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
128:1	South Mimms - -	15599	6391	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W - - -	8432	10092	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley HL - -	4638	17615	9	7	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	6	
129:1	Hornsey H - - -	3039	37073	20	6	-	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-	
2	Tottenham HH - -	4642	46456	48	16	5	1	1	1	-	-	-	-	-	-	-	-	-	2	2	2	
3	Edmonton Wvvo -	7483	23463	14	14	2	7	-	-	-	-	-	-	1	-	-	-	1	2	-	-	
4	Enfield WH - - -	12653	19104	10	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	
5	Waltham Abbey -	11017	5368	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - - -	8480	7735	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
135:1	Hatfield (part of) *	3806	583	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - - -	9831	6621	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
186:1	Stratford - - -	882	38606	33	12	3	1	-	1	-	-	-	-	-	-	-	-	-	3	3	-	
2	West Ham wvovwH -	7351	101053	124	64	15	5	12	9	2	-	-	-	-	-	-	-	1	3	5	2	
3	Leyton WvL - - -	4372	32430	22	24	3	8	1	1	-	-	-	-	1	2	-	-	-	-	6	-	
4	Walthamstow wH -	6520	28869	29	11	3	2	-	3	-	-	-	-	1	-	-	-	-	-	-	1	
187:1	Chigwell (part of) * H	11761	9639	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
189:1	Romford (part of) *	6730	3411	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - - -	8493	7645	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town - -	4127	9203	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:— 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37: 1, the two parishes of Warlingham and Farley in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41: 1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41: 2, the whole of Chislehurst sub-district, except the parish of Chelsfield (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 187: 1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 189: 4, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 4th July, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include													
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.	
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.			
GREATER LONDON	448,334	5,199,166	17·2	3·2	1713	437	336	41	103	11	22	69	14	58	53	342			
INNER LONDON -	78,052	4,083,928	17·5	3·3	1366	372	259	26	80	9	18	59	12	51	42	290			
OUTER RING -	370,282	1,115,238	16·2	2·9	347	65	77	15	23	2	4	10	2	7	11	52			

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700,522 square miles, which is equivalent to the area of a circle having a radius of 14,933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.		BIRTHS.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
		Week ending		Exclusive of Stillborn.			
CALCUTTA	433,219	May	23	-	222	26.7	Sm.-pox 5; fevs. 65; ch. 25.
		"	30	-	210	25.2	Fevs. 67; cholera 27.
BOMBAY	773,196	June	2	232	436	26.9	Meas. 20; fevs. 137; ch. 10.
MADRAS	398,777	May	22	302	240	31.2	Fevs. 61.
		"	29	407	275	35.8	Fevs. 67; small-pox 2.
PARIS	2,239,928	June	27	1166	892	20.7	Typhd. fev. 13; meas. 26; diph. & croup 33.
GENEVA	71,453	"	27	28	29	21.2	Typhus and typhoid 2.
BRUSSELS	436,214	"	20	237	149	18.1	Typhoid fever and typhus 2.
AMSTERDAM	366,812	"	27	227	152	21.5	Measles 3; scar. fever 2.
ROTTERDAM	166,001	"	27	122	66	20.2	Whooping-cough 2.
THE HAGUE	134,552	"	27	83	58	22.4	Whooping-cough 2.
COPENHAGEN	278,000	"	23	195	98	18.4	-
STOCKHOLM	190,115	"	20	138	100	25.9	Measles 4; diphtheria and croup 4.
CHRISTIANIA	128,000	"	27	96	55	22.3	Scarlet fever 4; diphtheria and croup 7.
ST. PETERSBURG	928,016	"	20	-	478	26.9	Typhoid fever 10; scarlet fever 9; diph. 8.
BERLIN	1,266,511	"	13	775	695	23.3	Measles 16; diph. 25.
HAMBURG(State)	497,956	"	20	340	219	22.9	Diphtheria and croup 16; scarlet fever 3.
DRESDEN	241,500	"	20	148	108	23.2	Scarlet fever 6; diphtheria 7.
BRESLAU	295,000	"	20	209	171	30.1	Typhus 3; diphtheria 3; scar. fev. 2.
MUNICH	244,000	"	27	177	140	29.8	Scar. fev. 5; measles 4.
VIENNA	769,889	"	27	514	435	29.4	Small-pox 23; measles 8; whooping-cough 5.
PRAGUE	272,333	"	27	-	188	36.0	Whooping-cough 3; scar. fever 2.
BUDA-PESTH	429,532	"	13	302	255	30.9	Diphtheria and croup 5; whooping-cough 4.
TRIESTE	150,157	"	13	-	-	-	-
ROME	324,649	May	16	183	135	21.7	Measles 4; diphtheria 2.
NAPLES	504,795	-	-	-	-	-	-
TURIN	267,763	June	10	-	-	-	-
VENICE	144,845	"	20	81	57	20.5	Small-pox 4; typhoid fever 2.
MADRID	475,668	-	-	-	-	-	-
LISBON	203,681	-	-	-	-	-	-
ALEXANDRIA	212,034	June	6	-	-	-	-
NEW YORK	1,356,958	"	6	-	621	23.9	Diphtheria 26; scarlet fever 21; measles 13.
BROOKLYN	665,602	"	6	-	240	18.8	Diphtheria 7; scarlet fever 5; measles 4.
PHILADELPHIA	949,432	"	13	-	351	19.3	Croup 10; diph. 9; scar. fev. 9; typh. fev. 8.
BALTIMORE	408,520	"	13	-	131	16.7	Diphtheria 4; scarlet fever 3.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 4th JULY, 1888.

[Under the Superintendence of the Astronomer Royal.]

READINGS OF THERMOMETERS.										DIFFERENCE				WIND.		RAIN.	
MON.		METER.		Dry.		Wet.		In the Water at Depth by Self-registering Thermometers.		Between Dew Point and Air Temperature.		Between mean temperature of the day and the temperature of the same day, as registered on an average of 20 years.		As deduced from Anemometers.		Collected in a glass wedge receiving surface is 5 in. above the ground.	
Phases of Moon.		Mean daily reading.		Range in day.		Mean daily value.		Highest thermometer reading.		Mean daily value.		Least.		General Direction.		Amount of Movement of Air each day.	
MONTH AND DAY.		Mean daily reading.		Range in day.		Mean daily value.		Highest thermometer reading.		Mean daily value.		Least.		General Direction.		Amount of Movement of Air each day.	
JUNE.		Mean daily reading.		Range in day.		Mean daily value.		Highest thermometer reading.		Mean daily value.		Least.		General Direction.		Amount of Movement of Air each day.	
SUN. 28	Angree.	29.382	72.0	46.7	25.3	58.8	46.3	145.2	37.1	62.3	61.7	0.0	64	1.7	24.5	0.0	6.0
MON. 29	..	29.776	70.9	51.9	19.0	57.2	51.6	123.3	47.8	63.0	61.9	0.0	81	1.6	37.8	0.0	0.0
TUES. 30	..	29.849	70.3	48.1	22.2	58.7	45.7	136.4	37.2	60.1	59.9	0.0	62	1.2	21.8	0.0	0.0
WED. 1	JURY.	29.979	68.0	49.0	19.0	57.8	47.7	118.2	40.0	62.6	62.1	0.0	69	2.0	18.7	0.0	3.2
THURS. 2	..	30.006	74.3	46.0	28.3	61.4	48.7	138.8	38.0	62.8	62.2	0.0	63	0.0	24.5	0.0	5.8
FRI. 3	..	29.984	77.3	54.0	23.3	64.7	51.6	134.5	49.7	62.8	61.7	0.0	63	1.5	23.3	0.0	0.0
SAT. 4	In Equator.	30.025	76.2	51.0	25.2	64.9	53.1	128.4	42.7	63.2	63.1	0.0	66	0.2	20.4	0.0	5.0
MEANS	..	29.929	72.7	49.5	23.2	60.5	49.2	132.0	41.8	62.4	61.8	0.0	67	1.2	21.6	0.0	2.9
NO. of Col.	8	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	27

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 4h, 8h, 12h, 16h, 20h, and 24h. The means of the dry bulb thermometer, the wet bulb thermometer, and the psychrometer readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean of the readings of the thermometers. The point and degree of Gay-Lussac's Hygrometer Tables. The mean daily values of the dry and wet bulb thermometers are usually taken at 3h, 6h, 9h, 12h, 15h, 18h, 21h, and 24h. The means of the dry bulb thermometer, the wet bulb thermometer, and the psychrometer readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean of the readings of the thermometers. The point and degree of Gay-Lussac's Hygrometer Tables.

The average temperature of the air is that derived from a discussion of the photographic bulb thermometers of Gaussner's *Hygrometrische Tabellen*, records made at Greenwich during the 20 years ending 1868.

In reading the 17th and 25th columns it will be borne in mind that + is read "*higher*," and - "*lower*," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and

their readings are registered by the Clerk of the Market, under instructions from the Corporation of London. . . .

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and

v. variable.
The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the gate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·04 in. at the beginning of the week to 29·76 in. by 3 h. p.m. on the 29th of June; increased to 30·03 in. by 9 h. a.m. on the 2nd of July; decreased by 3 h. p.m. on the 29th of June; increased to 30·03 in. by 9 h. a.m. on the 2nd of July; decreased

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)		Registered Sun above horizon, in hours.		SKY AND ATMOSPHERE.	
JUNE.							
SUNDAY	28	w. P. generally	9-6	16-5	A fine day, cloudy at night.	Generally cloudless till evening; cloudy at night.	
MONDAY	29	v. P. throughout	2-0	16-5		Overcast in morning; fine with large amounts of cloud till evening; overcast at night.	
TUESDAY	30	w. P. till 10h. A.M.; w. N. till 2h. P.M.; v. P. afterwards.	7-9	16-5		Fine; partially cloudy.	
WEDNESDAY	1	w. P. generally; w. N. occasionally in after- noon.	4-2	16-5		Fine; cloudy.	
THURSDAY	2	w. P. till afternoon; w. N. in evening; v. P. afterwards.	9-0	16-5		Fine with small amounts of cloud till evening; overcast at night.	
FRIDAY	3	w. P. and w. N.	3-5	16-4		Fine; generally cloudy. Misty at times. Gloomy between 1h. and 2h. P.M., and foggy near the river.	
SATURDAY	4	w. P. in morning; w. N. in afternoon; v. P. afterwards.	4-9	16-4		Cloudless in morning; generally cloudy till even- ing; small amounts of cloud at night. A fine day.	
			Sum 41-1	Sum 115-3			
			99	90			

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C. 4, LONDON.

No. 27. 1885. Vol. XLVI.] WEEK ENDING SATURDAY, JULY 11. [Price 1½d.

General Register Office, Somerset House,
13th July, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 18·3 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	June 20.	June 27.	July 4.	July 11.		June 20.	June 27.	July 4.	July 11.
Birkenhead	19·6	21·3	16·8	21·9	Liverpool - -	23·2	21·3	21·1	21·4
Birmingham	19·8	16·5	12·8	16·7	London - -	16·4	16·3	17·5	18·0
Blackburn -	25·5	16·2	21·8	18·1	Manchester -	25·5	30·6	24·4	25·8
Bolton -	21·3	16·1	15·6	13·7	Newcastle-on-Tyne	24·2	28·6	23·5	24·2
Bradford -	16·1	18·7	13·4	15·3	Norwich - -	18·3	17·2	17·7	21·2
Brighton -	15·0	13·6	14·1	15·5	Nottingham -	21·7	12·6	14·1	15·8
Bristol -	15·1	12·0	13·6	15·5	Oldham - -	18·2	17·3	20·6	17·3
Cardiff -	31·7	21·5	19·9	22·0	Plymouth - -	20·6	21·3	16·5	24·0
Derby -	10·5	11·1	16·3	12·2	Portsmouth -	13·6	16·7	15·5	16·7
Halifax -	14·2	22·3	27·6	13·5	Preston - -	20·3	15·1	21·3	18·7
Huddersfield	22·7	16·1	19·7	16·7	Salford - -	22·2	17·9	21·5	21·0
Hull - -	17·4	12·9	15·4	15·7	Sheffield - -	20·8	20·5	21·5	18·8
Leeds -	17·7	20·0	19·7	15·3	Sunderland -	17·5	18·3	18·7	21·6
Leicester -	15·7	15·7	14·6	16·1	Wolverhampton -	13·8	13·2	19·1	16·5

The highest annual death-rates from measles, were 2·2 in Manchester, and 3·3 in Salford; from whooping-cough, 1·4 in Manchester and in Plymouth, and 3·2 in Blackburn; from "fever," 1·1 in Norwich, and 1·2 in Portsmouth; and from diarrhoea, 3·8 in Leicester. Small-pox caused 25 deaths in London and its outer ring of suburban districts, and but 3 in the twenty-seven provincial towns.

LONDON.

In LONDON 2420 BIRTHS and 1412 DEATHS were registered. Allowing for increase of population, the births were 194, and the deaths 114, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been so low as 16·3 and 17·5 in the two preceding weeks, further rose last week to 18·0.

The 1412 deaths included 11 from small-pox, 73 from measles, 12 from scarlet fever, 15 from diphtheria, 51 from whooping-cough; 10 from enteric fever, one from an ill-defined form of continued fever, 110 from diarrhoea and dysentery, 3 from cholera, and not one from typhus; thus, 286 deaths were referred to these diseases, being 36 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 13 and 26 in the two preceding weeks, declined last week to 11. These 11 deaths were exclusive of 12 of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the total 23 fatal cases, 22 occurred in the Metropolitan Asylum Hospitals, and one in a private dwelling-house. After distributing the hospital cases to the several sanitary areas, 2 belonged to Hampstead, 2 to Islington, and 2 to Poplar. The number of small-pox patients in the Metro-

politan Asylum Hospitals, which had declined in the five preceding weeks from 1389 to 859, further fell last week to 780; the admissions, which had declined from 197 to 94 in the four previous weeks, were 101 last week.

The fatal cases of *measles*, which had declined in the five previous weeks from 120 to 80, further fell last week to 73, but exceeded the corrected average by 22; 7 belonged to Kensington, 8 to Marylebone, 12 to Islington, 6 to Bethnal Green, 5 to Stepney, 5 to Mile End Old Town, and 7 to Poplar. The 12 deaths from *scarlet fever* were 27 below the corrected average; 4 belonged to Bethnal Green. Of the 15 deaths from *diphtheria*, 2 belonged to St. George's Hanover Square, 3 to Hackney (including 2 at 9, Mortimer Road), 2 to Clerkenwell, and 2 to Lambeth. The 51 fatal cases of *whooping-cough* were 2 below the corrected average, and included 15 in the West, and 19 in the South groups of registration districts. The 110 deaths attributed to *diarrhœa* and *dysentery* showed a considerable increase upon recent weekly numbers, but were 15 below the corrected average; 83 were of infants aged under one year. The 3 deaths referred to *cholera* were all of infants aged under one year.

The 10 deaths referred to *enteric fever* were 3 below the corrected average; 2 belonged to Pancras, and 2 to Camberwell.

DEATHS BELONGING to the SEVERAL SANITARY AREAS of REGISTRATION LONDON, registered in the 13 WEEKS ENDING on 4TH JULY, 1885.

In the following Table the deaths in Hospitals and in other Public Institutions

SANITARY AREAS.	Births.	Deaths.	Deaths from Principal Zymotic Diseases.										Deaths of Infants under 1 Year of Age.	Deaths under 11 Year to 1000 Births registered.
			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and Undefined Fever.	Diarrhoea.			
REGISTRATION LONDON	31,914	19,590	602	1183	137	211	661	12	129	28	269	4436	139	
WEST.														
Paddington	-	783	469	4	25	2	9	19	-	5	-	6	107	137
Kensington	-	1001	74	14	69	2	2	31	-	3	-	12	151	151
Fulham	-	1281	663	11	40	2	-	36	-	5	-	13	176	176
Chelsea	-	861	462	3	17	1	10	10	-	4	-	9	115	134
St. George Hanover Square	-	397	377	7	1	1	5	2	-	3	-	4	47	137
Westminster	-	373	284	4	4	3	3	7	-	1	-	2	51	137
St. James Westminster	-	143	131	-	5	-	3	7	1	-	1	2	15	105
NORTH.														
Marylebone	-	1239	808	13	34	2	4	21	-	4	-	19	207	168
Hampstead	-	327	161	6	2	1	-	5	-	3	-	2	31	95
Pancras	-	1821	1116	39	15	14	10	27	-	10	2	12	230	126
Islington	-	2333	1445	41	162	5	35	61	1	11	3	10	299	128
Hackney	-	1670	961	34	120	9	9	26	2	9	-	9	220	140
CENTRAL.														
St. Giles	-	358	243	6	3	1	5	10	-	-	-	3	41	115
St. Martin-in-the-Fields	-	78	91	3	1	1	1	-	-	-	1	1	18	231
Strand	-	164	153	1	3	2	4	5	-	-	-	1	24	146
Holborn	-	213	197	4	3	2	4	5	-	-	-	3	44	211
Clerkenwell	-	549	384	14	34	8	2	4	10	-	1	7	81	148
St. Luke's	-	425	283	2	23	2	2	9	-	1	-	6	69	162
London City	-	222	279	2	6	1	2	5	-	2	-	3	42	189
EAST.														
Shoreditch	-	1186	711	18	72	6	2	35	-	4	-	14	184	155
Bethnal Green	-	1261	800	10	111	11	6	22	1	3	2	7	191	151
Whitechapel	-	583	385	5	25	6	2	17	1	2	-	9	120	206
St. George-in-the-East	-	412	412	5	41	5	1	14	-	1	-	17	101	245
Stepney	-	478	452	9	60	6	4	15	-	1	-	4	111	232
Mile End Old Town	-	979	565	17	72	7	7	31	-	4	-	8	151	154
Poplar	-	1635	846	32	83	5	9	29	1	1	3	9	199	130
SOUTH.														
St. Saviour Southwark	-	214	175	7	3	4	2	6	-	-	-	3	37	173
St. George Southwark	-	562	344	21	8	1	3	11	-	1	-	8	77	137
Newington	-	1040	505	16	7	4	2	6	-	7	-	6	132	127
St. Olave Southwark	-	74	60	-	3	1	-	-	-	-	-	3	19	241
Bermondsey	-	726	414	32	18	4	5	9	-	2	-	5	75	103
Rotherhithe	-	304	146	15	7	3	1	-	-	1	-	-	31	102
Lambeth	-	2217	1269	63	16	5	20	36	-	10	1	23	302	137
Wandsworth	-	1598	946	16	16	3	11	42	1	9	2	3	218	109
Camberwell	-	1687	921	82	22	3	12	37	4	7	1	9	199	118
Greenwich	-	1242	705	83	22	4	8	33	-	7	2	8	167	184
Lewisham (excluding Penze)	-	420	211	3	10	-	1	6	-	-	-	2	45	107
Woolwich	-	316	198	9	6	-	1	1	-	1	2	1	49	165
Plumstead (including Motting-	-	544	311	4	15	1	4	12	-	3	-	4	39	108
ham Hamlet	-													

have been distributed to the areas from which the deceased inmates were admitted. The deaths of 218 London residents who died in the Metropolitan Asylum Hospitals outside Registration London have been included and similarly distributed; while on the other hand the deaths of 303 non-residents who died in Public Institutions inside London have been excluded.

GREATER LONDON.

In Greater London 3086 births and 1704 deaths were registered, equal to annual rates of 31·0 and 17·1 per 1000 of the population. In the Outer Ring 16 deaths from measles, and 14 from small-pox, were registered. All the fatal cases of small-pox occurred in West Ham sub-district, including 5 in hospital and 9 in private dwelling-houses. The 16 deaths from measles included 9 in West Ham district.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·98 in.; the highest reading was 30·08 in. on Monday morning, and the lowest was 29·84 in. on Saturday afternoon. The mean temperature of the *air* was 65°·0, and 2°·8 above the average in the corresponding week of the 20 years ending 1868. The mean was below the average on Wednesday and Thursday, but showed an excess on each of the other days of the week. The general direction of the *wind* was S.W., and the horizontal movement of the air averaged 8·5 miles per hour, which was 1·4 miles below the average in the corresponding week of 16 years. *Rain* fell on Wednesday to the amount of 0·02 of an inch. The duration of registered bright sunshine in the week was 60·5 hours, against 59·6 hours at Glynde Place, Lewes.

THE REGISTRAR GENERAL has to acknowledge the courtesy of the LONDON WATER COMPANIES who have furnished him with the average daily quantity of Water supplied during the month of JUNE 1885; according to their returns 169,015,923 gallons or 767,917 cubic metres of water (equal to about as many *tuns* by measure, *tons* by weight,) were supplied daily; or 244 gallons (110·9 decalitres), being rather more than a *ton* by weight, to each house, and 31·3 gallons (14·2 decalitres) to each person, against 30·5 gallons during June 1884.

COMPANIES.	Number of Houses, &c. supplied in		Average daily Supply of Water in Gallons.	
	JUNE. 1884.	JUNE. 1885.	JUNE. 1884.	JUNE. 1885.
TOTAL SUPPLY	672,612	693,306	159,801,994	169,015,923
From Thames	326,478	335,653	80,799,174	86,807,817
From Lea and from other Sources . .	346,134	357,653	79,002,820	82,208,106
THAMES.				
Chelsea	32,889	33,529	10,560,400	11,148,800
West Middlesex	64,670	66,413	14,660,035	15,593,001
Southwark and Vauxhall	102,132	104,293	21,838,629	24,126,082
Grand Junction	49,020	50,815	15,949,510	17,567,634
Lambeth	77,767	80,503	17,790,600	18,373,000
LEA AND OTHER SOURCES.				
New River	141,574	144,240	31,006,000	32,071,000
East London	143,234	149,174	36,846,282	38,113,397
Kent	61,326	64,239	11,150,538	12,023,709

Note.—The Return for June 1885, as compared with that for the corresponding month of 1884, shows an increase of 20,694 houses, and of 9,213,929 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JUNE.

Grove House, Pembroke Square, W.,
10th July, 1885.

SIR,

I HAVE to report to you in the following Table the results of the chemical analyses of the waters supplied to the inner, and portions also of the outer, circle of the Metropolis during the month of June.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity contained in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Kent 0·3, Colne Valley 1·0, Tottenham 1·1, New River 1·3, Chelsea 2·4, West Middlesex 2·4, Lambeth 2·9, East London 2·9, Grand Junction 3·2, Southwark 3·4.

The Thames water supplied by the Chelsea, West Middlesex, Southwark, Grand Junction, and Lambeth Companies contained, on the whole, slightly more organic matter than the previous month's samples, the increase being greatest in the case of the Southwark and Grand Junction Companies. All the samples were clear and bright.

Of the water drawn from the Lea, and distributed by the New River and East London Companies exhibited no material difference from the previous month's samples. The New River Company's supply contained less organic matter than any of the other river waters, whilst that of the East London Company resembled the Thames waters. Both waters were clear and bright on delivery.

The deep-well water of the Kent Company and of the Tottenham Local Board of Health was as usual of excellent quality for drinking. The sample of the Colne Valley Company's water was turbid, but in other respects it was of its usual quality and, being softened with lime, it was well fitted for washing.

Seen through a stratum two feet deep, the waters presented the following appearances:—Kent, and Tottenham, clear and colourless; New River, clear and nearly colourless; Chelsea, West Middlesex, Southwark, Grand Junction, Lambeth, and East London, clear and very pale yellow; Colne Valley, turbid and colourless.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that town was "more free from organic matter than for some time past."

Dr. Mills, F.R.S., of Anderson's College, Glasgow, reports that the water supplied to that city from Loch Katrine was "light brown in colour and contained a little suspended matter."

The Registrar General, &c. &c.

I am, &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Mat- ter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.										
	Chelsea - - -	{ June 17th, Cab Rank, Horseguards, Whitehall. }	17·6	23·82	·113	·026	0	·126	·152	1·7	16·9
	West Middlesex - -	{ June 17th, Cab Rank, Portland-road. }	19·2	24·76	·115	·029	0	·139	·168	1·7	18·6
	Southwark - - -	{ June 17th, Cab Rank, Bricklayers Arms, Old Kent-road. }	19·7	25·24	·165	·038	0	·146	·184	1·7	18·6
	Grand Junction - -	{ June 17th, Cab Rank, Uxbridge-rd., near Marble Arch. }	19·6	24·86	·151	·036	0	·120	·156	1·7	18·6
	Lambeth - - -	{ June 17th, Cab Rank, St. George's- road, Southwark. }	19·3	26·46	·134	·036	0	·160	·196	1·8	19·3
	LEA.										
	New River - - -	{ June 17th, Cab Rank, Tottenham Court-road. }	19·6	25·14	·058	·021	0	·205	·223	1·7	18·0
Outer Circle.	East London - - -	{ June 17th, Fire Brigade Station, Commercial-road, E. }	19·4	27·80	·145	·028	0	·223	·251	1·9	19·1
	DEEP WELLS.										
	Kent - - -	{ June 5th, Greenwich Police Station, Blackheath-road. }	13·6	41·30	·008	·007	0	·426	·433	2·5	29·3
	Colne Valley - - -	{ June 17th, Bushey. }	—	13·66	·043	·015	0	·389	·404	1·8	5·4
	Tottenham - - -	{ June 19th, Tottenham. }	—	36·84	·051	·015	·040	·024	·072	2·4	20·6
Corporation of Birming- ham*		{ June 3rd, 12, Hooper Street. }	13·3	31·86	·041	·015	·003	·220	·237	1·6	21·8
Corporation of Glasgow†		{ June 15th, Loch Katrine Water. }	11·5	2·90	·160	·020	0	·006	·026	·8	1·0
Column 1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, Medical Officer of Health and Analyst to the Borough.

† Analysed by Dr. E. J. Mills, F.R.S., of Anderson's College, Glasgow.

The numbers in columns 4–11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 17th June at the Horseguards cab-rank, had a temperature of 17·6 C.; 100,000 lbs. of it contained 23·82 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·113 lb. of carbon and ·026 lb. of nitrogen. The above quantity of water also contained no ammonia, and ·126 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·152 lb. The above weight of water also contained 1·7 lbs. of chlorine; and 16·9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

CITIES AND BOROUGH.	POPULATION estimated at middle of the Year 1885.		Registered during the Week ending 11th July, 1885.		Deaths of		Deaths from										Annual Rate per 1000, corresponding to the Week's Deaths		TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.							
	Cols.	1.	2.	3.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.	From All Causes.		F'm 10 to 12.	TEMPERATURE OF THE AIR.					In Inches.	In Cent.					
																		19.	20.		21.	22.	23.	24.				Cols.	Fahrenheit.		Mean.	Centigrade.
																													Highest.	Lowest.		
28 TOWNS.	-	8,506,446	5506	3126	842	572	14	141	30	19	104	32	161	120	198	531	60	18.3	2.9	84.7	40.5	59.7	15.39	0.28	0.71	- 28 TOWNS.						
LONDON.	-	4,083,928	2420	1412	408	282	11	73	12	15	51	11	110	53	94	312	15	18.0	3.6	84.7	46.2	65.0	18.33	0.02	0.05	LONDON.						
BRIGHTON.	-	114,672	60	34	6	6	-	1	-	-	-	-	-	2	3	4	-	15.5	0.5	76.0	49.5	60.7	15.95	0.28	0.71	BRIGHTON.						
PORTSMOUTH.	-	184,659	98	43	7	10	-	-	-	-	-	-	-	3	8	7	1	16.7	1.2	-	-	-	-	-	-	PORTSMOUTH.						
NORWICH.	-	91,215	43	37	10	8	-	-	-	-	-	-	-	2	3	5	-	21.2	2.3	-	-	-	-	-	-	NORWICH.						
PLYMOUTH.	-	76,045	44	35	8	7	-	1	-	-	-	-	-	2	3	8	2	24.0	2.1	75.2	45.0	59.3	15.17	0.15	0.38	PLYMOUTH.						
BRISTOL.	-	218,169	138	65	10	14	1	3	-	-	-	-	-	3	8	14	2	15.5	1.7	71.5	45.0	57.7	14.28	0.14	0.38	BRISTOL.						
WOLVERHAMPTON.	-	70,185	46	25	6	6	-	-	-	-	-	-	-	1	2	4	-	16.5	0.7	76.5	40.5	57.8	14.34	0.17	0.43	WOLVERHAMPTON.						
BIRMINGHAM.	-	427,769	251	137	40	26	-	2	-	-	-	-	-	2	10	17	-	16.7	1.1	-	-	-	-	-	-	BIRMINGHAM.						
LEICESTER.	-	186,147	87	42	18	9	-	1	-	-	-	-	-	4	7	6	-	16.1	4.2	-	-	-	-	-	-	LEICESTER.						
NOTTINGHAM.	-	211,424	151	64	17	14	-	1	-	-	-	-	-	4	6	-	-	15.8	1.5	77.2	46.6	59.7	15.39	0.00	0.00	NOTTINGHAM.						
DERBY.	-	89,691	53	21	4	6	-	-	-	-	-	-	-	2	-	-	-	12.2	0.6	-	-	-	-	-	-	DERBY.						
BIRKENHEAD.	-	93,093	47	39	11	6	-	2	-	-	-	-	-	2	1	5	-	21.9	1.7	-	-	-	-	-	-	BIRKENHEAD.						
LIVERPOOL.	-	579,724	339	238	68	32	-	21	2	1	11	6	8	12	35	8	-	21.4	4.4	71.3	48.9	57.9	14.39	1.01	2.57	LIVERPOOL.						
BOLTON.	-	110,085	89	29	11	6	-	-	-	-	-	-	-	1	-	-	-	13.7	0.5	70.8	44.2	55.0	12.78	0.79	2.01	BOLTON.						
MANCHESTER.	-	337,342	238	167	38	18	-	14	1	-	-	-	-	3	5	31	4	25.8	4.6	-	-	-	-	-	-	MANCHESTER.						

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the TWENTY-SEVENTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2330	2282	2220	2520	2319	2510	2408	2443	2478	2458	2613·6	2420
Males . .	1186	1184	1139	1286	1172	1268	1216	1244	1284	1262	1334·8	1199
Females .	1144	1098	1081	1234	1147	1242	1192	1199	1194	1196	1278·8	1221
TOTAL Deaths	1400	1322	1322	1511	1208	1326	1585	1293	1521	1508	1526·2	1412
Males . .	738	677	707	809	624	679	809	688	774	773	793·6	756
Females .	662	645	615	702	584	647	776	605	747	735	732·6	656

The numbers in this column are the average weekly numbers in the twenty-seventh week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.
TOTAL Births	2617	2541	2561	2429	2544	2391	2209	2409	2464	2373	2419	2483	2420
TOTAL Deaths	1706	1743	1549	1465	1496	1554	1538	1521	1315	1284	1279	1366	1412
0-20	790	773	699	697	707	745	744	744	655	654	658	690	741
20-40	224	209	227	206	214	209	188	210	178	170	153	179	191
40-60	287	336	277	273	250	254	261	246	218	185	227	238	198
60-80	328	349	281	243	263	290	283	253	218	228	199	226	226
at 80 years & upwds.	77	76	65	46	62	56	62	68	46	47	42	33	56
Deaths of children {													
Under 1 year	370	379	324	296	333	334	349	342	305	316	318	372	408
1-5	293	296	292	294	254	299	296	294	260	258	256	224	251
5-20	127	98	83	107	120	112	99	108	90	80	84	94	82
Deaths from Small-pox*	49	51	48	66	75	50	55	62	39	37	28	39	23
" " Measles	92	103	99	91	65	93	90	120	98	95	90	80	73
" " Scarlet Fever	9	10	12	13	13	12	10	9	12	7	13	9	12
" " Diphtheria	21	10	15	24	21	10	17	15	17	16	14	18	15
" " Whooping-cough	46	57	51	46	57	68	50	46	39	42	46	59	51
" " Typhus	2	2	-	2	-	2	-	-	1	-	2	1	-
" " Enteric fever	13	11	1	12	16	13	11	13	4	6	11	9	10
" " Simple Cont ^d fever	2	2	1	-	-	3	4	2	3	2	-	2	1
" " Diarrhoea and Dysentery }	7	21	16	13	9	16	20	11	23	24	44	51	110
" " Cholera	-	-	-	1	-	-	-	-	2	3	2	1	3
Deaths from the above- mentioned Diseases* }	241	267	243	268	256	267	257	278	238	232	250	269	298
" " Dis. of Respira- tory System }	449	381	337	287	291	305	302	290	231	196	183	192	177
" " Phthisis	163	167	191	160	160	179	150	154	140	141	131	165	138
" " Dis. of Circula- tory System }	109	135	91	110	106	105	96	102	84	70	73	74	99
Violent Deaths	57	62	64	52	46	39	60	59	52	56	39	42	53
Inquest Cases	130	116	126	98	104	97	108	104	96	94	81	84	94
Deaths in Public Institutions	385	417	331	319	349	352	371	364	313	306	285	290	312
TEMPERATURE OF THE AIR:													
Mean	45·6	54·7	51·9	46·7	47·4	48·4	56·0	62·6	58·5	58·7	58·3	60·5	65·0
Mean of Highest readings	56·2	66·4	61·8	57·6	58·9	57·9	66·5	74·5	69·5	70·6	68·2	72·7	79·5
Mean of Lowest readings	37·2	44·0	42·9	38·4	36·8	41·2	47·8	51·2	47·7	43·4	49·7	49·5	51·5
Humidity of the Air	82	69	78	81	65	79	78	66	75	76	75	67	67
Rain-fall in inches	1·11	0·26	0·52	0·77	0·07	0·74	0·46	0·27	0·90	0·39	0·11	00·0	0·02
Registered Sunshine (in hours)	29·2	56·8	39·2	31·4	51·5	28·9	39·9	69·6	53·3	41·8	35·2	41·1	60·5

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—P. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quirton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrothessley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filler, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SEVENTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 27th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 11th July, 1885.										CAUSES OF DEATH.	Corrected Averages for the 27th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 11th July, 1885.											
		Deaths of Persons of the Ages												Deaths of Persons of the Ages											
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.								
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.						
ALL CAUSES - -	1526·2	1412	408	251	82	191	198	226	56	Diseases of Organs of Special Sense † - -	2·7	1	-	1	-	-	-	-	-						
Small-pox { Vaccinated †	10·6	8	-	-	3	5	2	-	1	Diseases of Circulatory System - -	82·0	99	2	2	5	21	17	45	7						
Unvaccinated																									
No Statement																									
Measles - - -	50·9	73	19	52	2	-	-	-	-	Croup - - -	11·9	9	3	6	-	-	-	-	-						
Scarlet Fever - -	39·4	12	-	6	6	-	-	-	-	Bronchitis - - -	107·2	87	28	16	3	-	11	23	6						
Typhus - - -	2·2	-	-	-	-	-	-	-	-	Pneumonia - - -	64·8	54	5	29	3	10	6	1	-						
Relapsing Fever † -	0·0	-	-	-	-	-	-	-	-	Pleurisy - - -	5·0	6	-	2	-	1	3	-	-						
Influenza - - -	0·0	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - -	19·0	21	3	5	2	1	3	6	1						
Whooping-cough -	53·1	51	23	26	2	-	-	-	-	Dentition † - - -	13·7	12	7	5	-	-	-	-	-						
Diphtheria - - -	11·2	15	1	7	4	2	1	-	-	Quinsy, Sore Throat † -	1·0	-	-	-	-	-	-	-	-						
Simple Continued and Ill-defined Fever -	2·8	1	1	-	-	-	-	-	-	Enteritis † - - -	3·7	14	9	1	1	2	1	-	-						
Enteric Fever - -	12·9	10	-	-	3	5	2	-	-	Peritonitis - - -	5·9	4	-	1	1	2	-	-	-						
Cholera - - -	5·5	3	3	-	-	-	-	-	-	Diseases of Liver - -	31·2	28	3	-	-	5	9	9	2						
Diarrhœa, Dysentery	124·5	110	83	15	-	2	4	5	1	Other Diseases of Digestive System -	27·0	25	5	3	3	1	6	7	-						
Remittent Fever † -	0·3	1	-	1	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands † - -	1·3	1	-	-	1	-	-	-	-						
Hydrophobia - -	0·0	-	-	-	-	-	-	-	-	Diseases of Urinary System - -	33·7	40	1	-	3	6	12	17	1						
Glanders - - -	0·0	-	-	-	-	-	-	-	-	Diseases of Generative System - -	6·9	2	-	-	-	1	1	-	-						
Cowpox and Effects of Vaccination † - -	0·0	-	-	-	-	-	-	-	-	Accidents of Childbirth -	5·2	3	-	-	-	2	1	-	-						
Veneral Affections	9·5	8	4	-	-	2	2	-	-	Diseases of Locomotive System † - -	5·0	8	1	2	-	-	3	2	-						
Erysipelas - -	5·8	2	1	-	-	1	-	-	-	Diseases of Integumentary System - -	5·0	7	4	1	-	-	1	1	-						
Pyæmia and Septicæmia †	2·7	5	-	1	-	3	-	1	-	VIOLENT DEATHS.‡															
Puerperal Fever - -	5·0	8	-	-	3	-	-	-	-	(ACCIDENT.)															
Other Zymotic Diseases †	1·7	2	1	-	-	1	-	-	-	Fracture and Contusion	21·1	23	1	4	5	6	4	5	-						
Thrush - - -	5·3	1	1	-	-	-	-	-	-	Gunshot Wound - -	0·0	-	-	-	-	-	-	-	-						
Worms and other Parasitical Diseases - -	0·5	-	-	-	-	-	-	-	-	Cut, Stab - - -	0·3	-	-	-	-	-	-	-	-						
Starvation, Want of Breast-milk † - -	1·7	3	3	-	-	-	-	-	-	Burn and Scald - -	2·9	5	1	4	-	-	-	-	-						
Alcoholism - - -	4·7	9	-	-	-	6	3	-	-	Poison - - -	1·7	-	-	-	-	-	-	-	-						
Rheumatic Fever and Rheumatism of Heart	10·9	9	-	-	4	4	-	1	-	Drowning - - -	11·4	7	-	-	3	4	-	-	-						
Rheumatism - - -										4	-	-	-	1	3	-	-	Suffocation - - -	8·9	7	5	1	-	1	-
Gout - - -	2·2	-	-	-	-	-	-	-	-	Otherwise - - -	3·6	3	-	-	-	-	3	-	-						
Rickets † - - -	1·7	7	2	5	-	-	-	-	-	(HOMICIDE.)															
Cancer - - -	42·4	50	-	-	-	8	21	21	-	Murder & Manslaughter	1·6	1	-	-	-	1	-	-	-						
Tabs Mesenterica -	37·4	43	30	10	1	2	-	-	-	(SUICIDE.)															
Tubercular Meningitis	31·4	25	9	11	5	-	-	-	-	Gunshot Wound - -	0·4	-	-	-	-	-	-	-	-						
Phthisis - - -	171·1	138	2	6	12	64	47	7	-	Cut, Stab - - -	1·9	-	-	-	-	-	-	-	-						
Scrofula, Tuberculosis	14·5	20	8	6	3	2	1	-	-	Poison - - -	1·5	3	-	-	-	2	1	-	-						
Other Constitutional Diseases † -	9·0	9	-	1	1	-	3	4	-	Drowning - - -	1·5	2	-	-	-	-	-	-	-						
Premature Birth - -	28·6	29	29	-	-	-	-	-	-	Hanging - - -	2·8	-	-	-	-	-	-	-	-						
Atalectasis † - -	1·7	1	1	-	-	-	-	-	-	Otherwise - - -	0·4	-	-	-	-	-	-	-	-						
Congenital Malformations - -	5·2	5	4	-	1	-	-	-	-	(EXECUTION.)															
Old Age - - -	41·9	51	-	-	-	-	-	21	30	Hanging - - -	0·0	-	-	-	-	-	-	-	-						
Apoplexy - - -	39·7	43	-	-	-	1	17	22	3	OTHER CAUSES † - -	59·8	53	47	1	2	1	1	1	-						
Epilepsy - - -	6·2	8	1	-	1	4	1	1	-																
Convulsions - - -	53·7	44	39	4	1	-	-	-	-																
Other Diseases of Brain and Nervous System	89·2	74	18	17	2	4	6	23	4																

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9·04 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased was, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

¶ Exclusive of 12 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, and from other Zymotic Diseases during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Deaths in Public Institutions.	Unverified Causes.
					Deaths of		Deaths from													
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.	Inquest Cases.			
LONDON		3,816,483	2420	1412	408	282	11	73	12	15	51	-	10	1	110	53	94	312		
WEST DISTRICTS		669,638	381	256	78	47	-	13	1	3	15	-	1	-	14	8	14	61		
NORTH DISTRICTS		905,947	527	308	76	62	8	24	4	4	9	-	3	1	19	14	24	63		
CENTRAL DISTRICTS		282,238	149	96	28	19	-	4	1	3	1	-	2	-	11	3	5	26		
EAST DISTRICTS		692,738	464	318	100	56	-	29	3	1	7	-	1	-	35	15	29	75		
SOUTH DISTRICTS		1,265,927	899	434	126	98	3	3	4	19	-	3	-	31	13	22	87			
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		69888	39	22	8	2	-	2	-	-	1	-	1	-	1	-	1	1		
St. John Paddington H - - G.J.		37380	14	8	1	2	-	-	-	-	-	-	-	-	-	-	2	5		
Kensington Town Ww - - W.M.		120141	61	45	16	8	-	7	-	-	4	-	-	2	-	-	4	-		
Brompton H - - W.M. & C.		45010	12	13	-	7	-	-	-	-	-	-	-	-	-	-	-	-		
St. Peter Hammersmith - - W.M.		7599	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.		64340	45	21	8	-	-	2	-	-	-	-	-	-	-	-	1	2		
Fulham WwH - - W.M. & C.		42606	50	25	13	3	-	1	1	3	-	-	-	1	-	1	2	-		
Chelsea South HHH - - C.		30396	24	13	5	2	-	-	-	-	-	-	-	-	-	-	3	3		
Chelsea North-west WHHHH - - C.		24925	21	22	1	8	-	-	-	-	1	-	-	1	1	2	18	-		
Chelsea North-east - - C.		32807	25	13	8	1	-	1	-	-	3	-	-	1	-	1	-	-		
Hanover Square H - - G.J.		16562	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
May Fair Ww - - G.J.		18491	4	5	1	1	-	-	-	-	-	-	-	-	-	-	5	-		
Belgrave HH - - C.		39220	26	26	3	4	-	-	-	2	-	-	-	-	2	2	12	-		
St. John Westminster HH - - C.		35496	30	13	6	1	-	-	-	-	-	-	-	-	2	-	-	-		
St. Margaret Westminster H - - C.		24679	8	8	2	1	-	-	-	-	-	-	-	-	-	-	3	-		
St. James Westminster WH N.R. & G.J.		29941	14	13	3	3	-	-	-	-	-	-	-	1	1	1	3	1		
St. Anne Soho HHHHH - - N		16608	3	7	3	-	-	-	-	-	2	-	-	-	-	-	-	1		
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.		26759	8	11	4	2	-	1	-	1	-	-	-	-	-	-	-	4		
Cavendish Square HHH - W.M.		14881	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Rectory Marylebone WH G.J. & W.M.		24809	10	12	2	3	-	-	-	1	-	-	-	1	-	2	4	-		
St. Mary Marylebone HHH G.J. & W.M.		21118	22	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-		
Christchurch Marylebone H - W.M.		33700	18	17	12	2	-	3	-	-	-	-	-	6	-	-	-	-		
St. John Marylebone H - W.M.		33633	16	19	3	5	-	4	-	-	-	-	-	-	-	-	-	-		
Hamstead WwHHH - N.R. & W.M.		45452	21	15	1	3	2	-	-	1	-	-	-	-	1	2	5	-		
Regent's Park Paneras H - - W.M.		39115	20	10	2	1	-	-	-	1	-	-	-	-	-	-	-	-		
Tottenham-court WHHHH N.R. & W.M.		27729	8	10	2	3	-	-	-	-	-	-	-	-	3	4	5	-		
Gray's Inn Lane HHH - - N.R.		30247	12	18	4	3	-	-	-	-	1	-	-	1	4	5	6	-		
Somers Town H - - N.R.		34369	25	7	2	2	-	-	-	-	-	1	-	-	-	-	-	-		
Camden Town WH - - N.R.		17311	13	7	3	1	-	-	-	-	-	-	-	-	-	-	5	-		
Kentish Town W - - N.R.		87487	55	17	5	6	-	-	-	-	-	1	-	2	-	-	4	-		
Upper Holloway WwWwH - - N.R.		67946	56	26	8	5	-	-	-	-	4	-	-	2	1	1	8	-		
Islington South-west HH - - N.R.		100976	65	31	5	5	-	8	-	-	2	-	-	1	1	4	-	-		
Islington South-east - - N.R.		61825	38	18	6	4	-	3	-	-	-	-	-	1	1	1	-	-		
Highbury H - - N.R.		52048	20	15	3	3	-	1	-	-	-	-	1	-	-	2	-	-		
Stoke Newington H - - N.R.		22781	21	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
Stamford Hill - - E.L.		9277	4	4	1	1	-	3	-	-	-	-	-	-	-	-	-	-		
West Hackney - - N.R.		37610	22	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hackney WwWwHL - - E.L. & N.R.		76911	45	45	10	11	6	1	3	1	-	1	-	4	1	1	21	-		
South Hackney - - E.L.		39883	26	10	3	1	-	-	-	-	-	-	-	1	1	1	-	-		
CENTRAL DISTRICTS.																				
St. George Bloomsbury - - N.R.		16661	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - - N.R.		14664	8	10	1	4	-	-	-	-	-	-	-	-	2	-	1	4		
St. Giles North - - N.R.		13837	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HH N.R. & C.		17508	9	4	-	2	-	-	-	-	-	-	1	-	-	-	-	2		
St. Mary-le-Strand H - - N.R.		7515	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Clement Danes H - - N.R.		8559	-	7	2	2	-	-	-	-	-	-	-	2	-	-	5	-		
St. George-the-Martyr HHHHHH N.R.		18671	9	9	3	1	-	-	-	1	-	-	-	-	-	-	4	-		
St. Andrew Eastern W - - N.R.		10706	4	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
Saffron Hill H - - N.R.		6538	5	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-		
St. James Clerkenwell - - N.R.		17516	18	7	2	1	-	3	-	-	-	-	-	1	-	-	-	-		
Amwell Clerkenwell - - N.R.		19281	16	6	2	3	-	-	-	-	-	-	1	-	1	-	-	-		
Pentonville - - N.R.		14773	7	7	3	3	-	-	-	1	-	-	-	-	-	-	-	-		
Goswell-street - - N.R.		17505	10	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-		
Old-street H - - N.R.		11541	8	5	4	-	-	-	-	-	-	-	-	-	1	-	-	-		
City-road HLL - - N.R.		18628	21	9	4	2	-	1	-	-	-	-	-	2	-	-	-	-		
Whitecross-street - - N.R.		9217	5	4	2	1	-	-	-	-	-	-	-	1	5	1	-	-		
Finsbury - - N.R.		7463	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - - N.R. & E.L.		11174	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cripplegate - - N.R.		7193	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - - N.R.		5358	-	11	-	1	-	-	1	2	-	-	-	-	2	2	10	-		
St. Bride W - - N.R.		8396	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Allhallows Barking - - N.R.		13666	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - - N.R.		5632	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 11th July, 1885.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total DEATHS during the Week.	The DEATHS registered in the Week include															Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.						
EAST DISTRICTS.																					
Holywell Shoreditch - - - - -	N.R. & E.L.	7376	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
St. Leonard Shoreditch - - - - -	HL† - N.R.	14967	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-			
Hoxton New Town - - - - -	- - N.R.	29937	18	14	8	2	-	1	-	-	1	-	-	4	-	-	5	-			
Hoxton Old Town - - - - -	- - N.R.	28036	22	10	6	1	-	1	1	-	-	-	-	2	-	2	-	-			
Haggerston - - - - -	WH - N.R. & E.L.	46275	30	25	7	7	-	-	-	-	-	-	-	-	-	1	6	1			
Hackney-road - - - - -	H - - E.L.	29738	29	12	5	1	-	1	-	-	1	-	-	-	1	-	1	-			
Green, Bethnal Green - - - - -	WH† - E.L.	47638	30	31	11	3	-	3	-	1	1	-	-	-	5	-	1	4			
Church, Bethnal Green - - - - -	- - E.L.	29981	29	16	4	4	-	1	1	-	-	-	-	-	1	-	-	-			
Town, Bethnal Green - - - - -	- - E.L.	19310	13	9	3	1	-	1	-	-	-	-	-	-	1	1	-	-			
Spitalfields - - - - -	H - - E.L. & N.R.	22585	11	6	3	1	-	-	-	-	-	-	-	-	3	1	2	-			
Mill End New Town - - - - -	W - - E.L.	15473	15	7	1	3	-	-	-	-	-	-	-	-	1	-	-	6			
Whitechapel Church - - - - -	H - E.L. & N.R.	17490	14	33	3	6	-	1	-	-	-	-	-	-	6	9	26	1			
Goodman's Fields - - - - -	- - E.L.	9713	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Aldgate - - - - -	- - N.R. & E.L.	6102	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. George's, North - - - - -	- - E.L.	38747	27	20	10	1	-	2	-	-	-	-	-	-	7	-	1	-			
St. John, St. George East - - - - -	W - E.L.	9410	4	16	8	5	-	1	-	-	1	-	-	-	5	-	1	8			
Shadwell - - - - -	H - - E.L. & N.R.	16395	5	8	-	-	-	-	-	1	-	-	-	-	2	-	-	3			
Ratcliff - - - - -	- - E.L.	16107	8	8	3	1	-	1	-	-	-	-	-	-	1	2	2	-			
Limehouse - - - - -	- - E.L.	32041	26	10	2	1	-	4	-	-	-	-	-	-	1	1	1	-			
Mill End Old Town West - - - - -	- - E.L.	37980	28	10	3	1	-	1	-	-	-	-	-	-	-	-	-	-			
Mill End Old Town East - - - - -	W.W.H. - E.L.	67553	35	25	6	6	-	4	-	-	-	-	1	-	1	1	1	6			
Row - - - - -	- - E.L.	37074	26	9	3	1	-	2	-	-	2	-	-	-	-	2	3	-			
Bromley - - - - -	W.W.H. - - E.L.	64359	43	35	10	8	-	5	-	-	1	-	-	-	-	1	2	9			
Poplar - - - - -	W.W. - E.L.	55077	36	8	1	2	-	-	-	-	-	-	-	-	-	-	1	2			
SOUTH DISTRICTS.																					
Christchurch Southwark - - - - -	WH L. & S.	15663	14	4	3	-	-	-	-	-	-	-	-	-	2	-	-	-			
St. Saviour Southwark - - - - -	- - S.	14999	10	4	-	-	-	1	-	-	-	-	-	-	1	-	-	-			
Kent-road - - - - -	- - S. & L.	21381	19	10	3	1	-	-	-	-	-	-	-	-	1	1	3	-			
Borough-road - - - - -	WH - S. & L.	15953	12	6	4	-	-	-	-	-	-	-	-	-	1	-	1	1			
London-road - - - - -	HL - L. & S.	21318	7	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-			
Trinity Newington - - - - -	- - S. & L.	25672	14	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-			
St. Peter Walworth - - - - -	W - S. & L.	58555	21	38	13	8	-	1	-	-	-	-	-	-	3	-	1	13			
St. Mary Newington - - - - -	- - L. & S.	21623	17	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-			
St. Olave - - - - -	WH - - S.	11956	7	11	1	-	-	-	-	-	-	-	-	-	2	2	2	8			
Leather Market - - - - -	- - S. & L.	16300	14	5	4	-	-	-	-	-	-	-	-	-	4	-	-	-			
St. Mary Magdalen - - - - -	W - - S.	16669	5	9	3	3	-	-	-	-	-	-	-	-	4	-	-	-			
St. James Bermondsey - - - - -	- - S.	54683	49	20	7	4	-	-	-	1	-	-	-	-	3	-	3	-			
Rotherhithe - - - - -	W. - - S. & K.	35024	59	8	4	1	-	-	-	-	-	-	-	-	1	-	-	-			
Waterloo-road 1st - - - - -	H - - L. & S.	15195	10	10	6	1	-	-	-	-	1	-	-	-	3	-	-	2			
Waterloo-road 2nd - - - - -	H - - L. & S.	16351	18	5	4	-	-	-	-	1	-	-	-	-	1	-	-	1			
Lambeth Church 1st - - - - -	H - - L. & S.	19876	14	15	2	1	-	-	-	-	-	-	-	-	-	3	3	13			
Lambeth Church 2nd - - - - -	W.W. - L. & S.	39859	34	14	3	6	-	1	-	1	2	-	-	-	-	1	1	7			
Kennington 1st - - - - -	- - S. & L.	45232	34	21	10	4	-	1	-	-	-	-	-	-	-	1	1	7			
Kennington 2nd - - - - -	- - S. & L.	35332	24	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-			
Brixton - - - - -	W.W. - L. & S.	62837	39	12	2	4	-	-	-	-	-	-	-	-	-	-	-	-			
Norwood - - - - -	W - L.	19017	10	7	1	1	-	-	-	-	-	-	-	-	-	-	-	1			
Clapham - - - - -	H - - S.	38380	15	6	1	3	-	-	-	-	1	-	-	-	-	-	-	-			
East Battersea - - - - -	- - S.	54675	42	14	5	1	-	-	1	-	-	1	-	-	-	-	1	-			
West Battersea - - - - -	W.W. - S.	52387	48	32	11	7	-	-	-	-	5	-	-	-	1	1	1	7			
Wandsworth - - - - -	HL - - S.	28004	20	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-			
Putney - - - - -	- - S.	18235	3	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-			
Streatham - - - - -	- - L.	25533	20	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-			
Dulwich - - - - -	- - L. & S.	5590	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Camberwell - - - - -	W.L.L.† - S. & L.	59104	43	13	2	5	-	-	-	-	-	1	-	-	-	-	-	5			
Peckham - - - - -	W - S., L. & K.	71089	47	18	6	4	-	-	-	-	-	-	-	-	-	1	-	-			
St. George Camberwell - - - - -	- - L. & S.	50810	40	9	1	4	-	-	-	-	1	-	-	-	-	-	1	-			
St. Paul Deptford - - - - -	W.W. - - K.	76752	77	22	3	5	3	-	-	-	2	-	-	-	-	-	-	5			
St. Nicholas Deptford - - - - -	- - K.	7901	5	4	2	1	-	-	2	-	-	-	-	-	-	2	1	1			
Greenwich West - - - - -	H - - K.	21972	10	6	3	2	-	-	-	-	-	-	-	-	-	1	-	-			
Greenwich East - - - - -	W.H. - K.	24608	19	17	1	7	-	-	-	-	2	-	-	-	-	-	1	10			
Eltham - - - - -	H - - K.	5827	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-			
Lee - - - - -	- - K.	21529	7	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-			
Lewisham - - - - -	WH - - K.	19865	10	9	3	4	-	-	-	-	-	-	-	-	-	3	-	3			
Sydenham - - - - -	H - - L.	26076	22	6	1	3	-	-	-	-	-	-	1	-	-	-	-	-			
Charlton - - - - -	H - - K.	10930	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Woolwich Dockyard - - - - -	- - K.	17617	8	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Woolwich Arsenal - - - - -	H.H. - K.	19048	17	7	1	1	-	-	-	-	1	-	-	-	-	-	-	-			
Plumstead, West - - - - -	H - - K.	14069	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Plumstead, East - - - - -	W - - K.	19241	21	18	4	8	-	-	-	-	2	-	-	-	-	-	-	8			

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Marylebone Infirmary in Kensington Town sub-district.
 Central London Sick Asylum in Tottenham Court-road sub-district.
 Holborn Infirmary in Upper Holloway sub-district.
 London City Workhouse in Hackney sub-district.
 Holborn " in Hoxton New Town sub-district.
 Whitechapel " in Mile End Old Town Eastern sub-district.
 London City Workhouse in Mile End Old Town Eastern sub-district and
 Stepney " in Bromley sub-district.
 Poplar & Stepney Sick Asylum " in Bromley sub-district.
 Westminster Union Industrial School in West Battersea sub-district.
 Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hack-
 ney, Brixton, and St. Paul, Deptford, sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 11th July, 1885.

Regis- tration District and Sub- district Num- bers.		REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Ename- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
							Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
									Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.			
LONDON—OUTER RING		370,282	950,178	666	292	93	54	14	16	1	4	2	3	6	11	23	26	9	
30: 1	Carshalton wL - -	12238	21118	13	8	-	2	-	-	-	-	-	-	-	-	-	5	-	
2	Epsom (part of) * WH	9971	10710	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone (part of) *	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon WwH - -	20851	101241	55	20	4	4	-	3	-	-	-	1	-	1	1	1	-	
	Mitcham - -	11697	17982	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon HHH - -	3220	15950	17	4	3	-	-	-	-	-	-	-	1	-	-	-	-	
2	Kingston WHH - -	8549	36354	28	10	2	4	-	-	-	-	-	-	-	-	-	2	-	
3	Esher (part of) *	6601	9221	4	2	-	1	-	-	-	-	-	-	-	-	1	-	-	
4	Hampton H - -	4573	13539	8	4	2	-	-	-	-	-	-	-	-	1	1	-	-	
40: 1	Richmond WH - -	2272	21302	9	9	4	4	-	-	-	-	-	-	-	-	-	-	1	
2	Mortlake - -	941	12381	5	6	-	3	-	1	-	-	-	-	-	-	-	-	-	
41: 1	Bromley (pt. of) * HH	15669	31142	11	6	2	4	-	-	-	-	-	-	-	-	-	-	-	
2	Chislehurst (pt. of) * WHH	13665	15065	9	4	-	1	-	-	-	-	-	-	1	-	1	-	1	
42: 1	Bexley H - -	13437	24134	6	5	4	-	-	-	-	-	-	-	-	-	-	-	2	
124: 1	Sunbury w - -	11055	11685	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W - -	13277	12089	8	5	3	1	-	-	-	-	-	-	-	-	-	-	-	
125: 1	Hillingdon WH - -	6029	10802	8	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge - -	6178	5225	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes wHL - -	14537	11523	2	5	2	-	-	-	-	-	-	1	-	1	1	1	-	
126: 1	Isleworth W - -	7008	22727	8	6	2	2	-	-	-	-	-	-	-	-	-	1	-	
2	Twickenham H - -	2477	12479	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford HL - -	4345	27649	22	7	2	1	-	-	-	-	1	-	1	1	1	-	-	
4	Chiswick - -	1840	15975	19	7	4	-	-	1	-	-	-	-	-	-	1	-	-	
5	Acton wH - -	6083	22376	16	6	2	-	-	-	-	-	-	-	-	-	1	1	2	
127: 1	Harrow H - -	13809	12796	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware H - -	6994	3749	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - -	4933	27453	24	14	4	1	-	1	-	1	-	-	-	-	1	-	-	
4	Hendon W - -	8382	10484	7	6	2	2	-	-	-	-	-	-	-	1	1	2	-	
128: 1	South Mimms - -	15599	6391	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W - -	5433	10092	4	3	1	1	-	-	-	-	-	-	-	-	1	-	-	
3	Finchley HL - -	4688	17615	17	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
129: 1	Hornsey H - -	3039	37078	30	7	2	-	-	-	-	-	-	-	-	-	1	-	-	
2	Tottenham HH - -	4642	46456	42	17	8	3	-	1	-	-	-	1	2	1	1	1	-	
3	Edmonton WwW - -	7483	23463	17	7	1	3	-	-	-	1	-	-	1	1	1	3	-	
4	Enfield WH - -	12653	19104	27	3	1	1	-	-	-	-	-	-	-	1	1	-	-	
5	Waltham Abbey - -	11017	5363	2	2	1	-	-	-	-	-	1	-	-	-	-	-	-	
6	Cheshunt - -	8480	7735	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield (part of) *	3806	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey - -	9331	6621	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
136: 1	Stratford - -	882	38606	26	8	2	1	-	1	-	-	-	-	-	-	-	-	-	
2	West Ham wwwwH - -	7351	101053	85	50	17	5	14	5	1	-	-	-	-	-	2	5	1	
3	Leyton WwL - -	4372	32430	36	17	3	4	-	-	-	2	-	-	-	-	2	4	-	
4	Walthamstow wH - -	6590	28869	25	15	5	1	-	3	-	-	-	-	-	-	1	-	2	
137: 1	Chigwell (part of) * H	11761	9699	7	1	1	-	-	-	-	-	-	-	-	1	1	-	-	
139: 1	Romford (part of) *	6730	3411	7	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
2	Ilford - -	8493	7645	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town - -	4127	9203	7	3	2	-	-	-	-	-	-	-	-	1	1	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:— 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37: 1, the two parishes of Waringham and Farley in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1963); 41: 1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41: 2, the whole of Chislehurst sub-district, except the parish of Chelsfield (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 137: 1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 11th July, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include													
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.	
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.			
GREATER LONDON	448,334	5,199,166	17·1	3·3	1704	501	336	25	89	13	19	53	14	116	64	338			
INNER LONDON -	78,052	4,083,928	18·0	3·6	1412	408	282	11	73	12	15	51	11	110	53	312			
OUTER RING -	370,282	1,115,238	13·7	2·2	292	93	54	14	16	1	4	2	3	6	11	26			

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700.522 square miles, which is equivalent to the area of a circle having a radius of 14.933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	BIRTHS.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
		Week ending	Exclusive of Stillborn.			
Calcutta -	433,219	June 6	-	188	22.6	Fevers 59; cholera 27.
Bombay -	773,196	" 9	255	452	27.8	Measles 19; fevers 141.
Madras -	398,777	" 5	329	244	31.8	Fevers 64.
Paris -	2,239,928	July 4	1112	848	19.7	Typhd. fev. 12; meas. 28.
Geneva -	71,453	" 4	29	22	16.1	Typhus 1.
Brussels -	436,214	June 27	241	166	20.0	Croup 5.
Amsterdam -	366,812	July 4	218	136	19.2	Measles 2; croup 2.
Rotterdam -	166,001	" 4	115	48	14.7	Diarrhoea 2.
The Hague -	134,652	" 4	83	43	16.6	Whooping-cough 3.
Copenhagen -	278,000	June 30	201	106	19.9	Diphtheria 3; whooping-cough 2.
Stockholm -	190,115	" 27	-	-	-	-
Christiania -	128,000	July 4	81	55	22.3	Scarlet fever 3; diphtheria and croup 9.
St. Petersburg	928,016	June 27	-	451	25.4	Typhd. fev. and typh. 14; measles 12.
Berlin -	1,266,511	" 20	838	752	30.6	Measles 14; diph. 32.
Hamburg (State)	497,956	" 27	362	229	24.0	Diphtheria and croup 16; whooping-cough 6.
Dresden -	241,500	" 27	142	101	25.0	Diarrhoea 4.
Breslau -	295,000	" 27	210	195	34.3	Typhus 3; diphtheria 3; whooping-cough 2.
Munich -	244,000	July 4	160	131	27.9	Diphtheria and croup 3; measles 2.
Vienna -	769,889	" 4	512	460	31.1	Small-pox 35; measles 10.
Prague -	272,333	" 4	-	182	34.9	Scarlet fever 5; diphtheria 4.
Buda-Pesth -	429,532	June 20	497	511	34.5	Small-pox 35; measles 13.
Trieste -	150,157	" 13	-	-	-	-
Rome -	324,649	May 23	153	148	23.8	Small-pox 4; measles 3; diphtheria 3.
Naples -	504,795	-	-	-	-	-
Turin (10 days)	267,763	June 10	188	160	21.8	Whooping-cough 5; small-pox 4.
Venice -	144,845	" 27	81	61	22.0	Measles 3; typhd. fev. 2.
Madrid -	475,668	-	-	-	-	-
Lisbon -	203,681	-	-	-	-	-
Alexandria -	212,034	June 13	173	168	37.8	Whooping-cough 8; typh. and typhoid fever 4.
New York -	1,356,958	" 13	-	593	22.8	Diph. 20; scar. fev. 14; measles 10; small-pox 3.
Brooklyn -	665,602	" 13	-	243	19.1	Diphtheria 10; scarlet fever 8; measles 7.
Philadelphia -	949,432	" 20	-	351	19.3	Scar. fev. 14; typhd. fev. 8; croup 8; diphtheria 7.
Baltimore -	408,629	" 20	-	141	18.0	Scarlet fever 2; diph. 1.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 28. 1885. "VOL. XLVI." WEEK ENDING SATURDAY, JULY 18. [Price 1½d.]

*General Register Office, Somerset House,
20th July, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 19·5 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	June 27.	July 4.	July 11.	July 18.		June 27.	July 4.	July 11.	July 18.
Birkenhead	21·3	16·8	21·9	19·6	Liverpool -	21·3	21·1	21·4	22·1
Birmingham	16·5	12·8	16·7	15·0	London -	16·3	17·5	18·0	20·6
Blackburn -	16·2	21·8	18·1	16·2	Manchester -	30·6	24·4	25·8	23·8
Bolton -	16·1	15·6	13·7	17·5	Newcastle-on-Tyne	28·6	23·5	24·2	26·9
Bradford -	18·7	13·4	15·3	12·2	Norwich -	17·2	17·7	21·2	21·7
Brighton -	13·6	14·1	15·5	13·2	Nottingham -	12·6	14·1	15·8	15·8
Bristol -	12·0	13·6	15·5	14·1	Oldham -	17·3	20·6	17·3	16·1
Cardiff -	21·5	19·9	22·0	19·9	Plymouth -	21·3	16·5	24·0	15·1
Derby -	11·1	16·3	12·2	14·0	Portsmouth -	16·7	15·5	16·7	14·3
Halifax -	22·3	27·6	13·5	11·5	Preston -	15·1	21·3	18·7	17·2
Huddersfield	16·1	19·7	16·7	16·1	Salford -	17·9	21·5	21·0	23·3
Hull -	12·9	15·4	15·7	13·4	Sheffield -	20·5	21·5	18·8	23·2
Leeds -	20·0	19·7	15·3	18·0	Sunderland -	18·3	18·7	21·6	18·3
Leicester -	15·7	14·6	16·1	23·8	Wolverhampton -	13·2	19·1	16·5	16·5

The highest annual death-rates from measles, measured by last week's mortality, were 1·7 in Sheffield, and 3·4 in Newcastle-upon-Tyne; from whooping-cough, 2·2 in Cardiff, 2·3 in Derby, 3·2 in Blackburn, and 3·4 in Birkenhead; from scarlet fever, 1·3 in Wolverhampton; from "fever," 1·0 in Newcastle-upon-Tyne; and from diarrhoea, 1·6 in Preston, 2·0 in Salford, 2·7 in London, and 9·6 in Leicester. The 23 deaths from diphtheria included 16 in London, and 5 in Liverpool. Small-pox caused 19 deaths in London and its outer ring (excluding 4 in the Metropolitan Asylum Hospitals and Camp at Darent), one in Sheffield, and one in Sunderland.

LONDON.

In LONDON 2411 BIRTHS and 1616 DEATHS were registered. Allowing for increase of population, the births were 228, and the deaths 59, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·3, 17·5, and 18·0 in the three preceding weeks, further rose last week to 20·6, a higher rate than has prevailed in any week since April last.

The 1616 deaths included 11 from small-pox, 82 from measles, 13 from scarlet fever, 16 from diphtheria, 77 from whooping-cough, one from typhus, 17 from enteric fever, 2 from ill-defined forms of continued fever, 210 from diarrhoea and dysentery, and 7 from cholera; thus, 436 deaths were referred to these diseases, being 3 above the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 13, 26, and 11 in the three preceding weeks, were again 11 last week. These 11 deaths were exclusive of 4 of London residents who died in the Metropolitan Asylum Hospitals

situated outside Registration London. Of the total 15 fatal cases, 12 occurred in the Metropolitan Asylum Hospitals, and 3 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 2 belonged to Kensington, 2 to Shoreditch, 2 to Poplar, and 3 to Greenwich. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the six preceding weeks from 1389 to 791, had further fallen to 782 on Saturday last; the admissions, which had been 94 and 101 in the two previous weeks, rose again last week to 118.

The fatal cases of *measles*, which had declined in the six previous weeks from 120 to 73, rose again last week to 82, and exceeded the corrected average by 36; 8 belonged to Marylebone, 13 to Islington, 7 to Shoreditch, and 7 to Mile End Old Town. The 13 deaths from *scarlet fever* were 30 below the corrected average, and included 2 that belonged to Mile End Old Town. Of the 16 deaths from *diphtheria*, exceeding the corrected average by 4, 3 belonged to Islington, and 2 to Bermondsey. The 77 fatal cases of *whooping-cough*, showed a marked increase upon recent weekly numbers, and exceeded the corrected average by 22; 8 belonged to Islington, 5 to Pancras, 5 to Mile End Old Town, 6 to Poplar, and 9 to Greenwich. The deaths attributed to *diarrhœa* and *dysentery*, which had been 51 and 110 in the two preceding weeks, further rose last week to 210, but were 22 below the corrected average; 173 were of infants aged under one year, 28 of children aged between one and five years, and only 9 were adult cases. The 7 deaths referred to *cholera* included 4 of infants aged under one year, and 3 adult cases. All the adult cases occurred in East London, and included one each in Whitechapel and Poplar, certified as choleraic diarrhœa; and one in Bethnal Green, simply certified as cholera, without any information as to duration.

The deaths referred to *enteric fever*, which had been 9 and 10 in the two preceding weeks, further rose last week to 17, and exceeded the corrected average by 3; 2 belonged to Chelsea, 2 to Pancras, 3 to Lambeth, and 3 to Greenwich. The fatal case of *typhus* was of a male, aged 59 years, and occurred at 1, Cambridge Terrace (Brixton), Lambeth. The deaths of 2 children were referred to ill-defined forms of continued fever.

The deaths referred to diseases of the respiratory organs, which had been 192 and 177 in the two previous weeks, rose last week to 197, but were 4 below the corrected weekly average.

The deaths of 2 children, aged 3 months, and 11 years, were referred to sunstroke.

Different forms of violence caused 53 deaths; 53 were the result of negligence or accident, among which were 27 from fractures and contusions, 4 from burns and scalds, 9 from drowning, 3 from poison, and 4 of infants under one year of age from suffocation. The 27 cases of fractures and contusions were thus returned:—female, aged 8 years, run over by cart; male 4, and females 1 and 4, run over by van; male 50, and female 59, run over by cab; male 55, fell from omnibus; male 56, thrown from cab; male 5, by the upsetting of a cart; males 5 and 53, fell in street; male 19, run over by engine on Midland Railway; male 9, fell from wall; male 3, fell from window; male 44, fell into steamer's stoke-hole; male 17, kicked by horse; male 39, knocked down; male 4, fell from flat of lodging-house; male 4, fell from chair; males 48, 54, 62, and 65, and female 49, fell down stairs; male 7 months, fell down stairs in mother's arms; female 9 weeks, fell between bed and wall; and male 64, struck by falling crowbar. An inquest was held in each of these cases except one.

GREATER LONDON.

In Greater London 3109 births and 1935 deaths were registered, corresponding to annual rates of 31·2 and 19·4 per 1000 of the population. In the Outer Ring 18 deaths resulted from diarrhœa, 11 from measles, 8 from whooping-cough, and 8 from small-pox. All the 8 deaths from small-pox, showing a marked decline from recent weekly numbers, were recorded in West Ham sub-district.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·89 in.; the highest reading was 30·05 in. on Wednesday morning, and the lowest was 29·71 in. at the end of the week. The mean temperature of the *air* was 61°·2, and 2°·2 below the average in the corresponding week of the 20 years ending 1868. The mean showed a slight excess on Wednesday, but was below the average on each of the other days of the week. The direction of the *wind* was variable, and the horizontal movement of the air averaged 9·7 miles per hour, which was 0·1 miles above the average in the corresponding week of 16 years. *Rain* fell on three days of the week to the aggregate amount of 0·49 of an inch. The duration of registered bright sunshine in the week was 32·8 hours, against 33·1 hours at Glynde Place, Lewes.

TABLE 1.—Births, Deaths, and Meteorology in 28 GREAT TOWNS, during the Week ending 18th July, 1885.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the year 1885.	Registered during the Week ending 18th July, 1885.			The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.						RAINFALL.		CITIES AND BOROUGH.									
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Deaths of		Deaths from								Fom All Causes	From Al- l Diseases in Colo. 6-12.	Mean.			In Inches.	In Centi- meters.											
					Persons aged 60 Years and upwards.	Violence.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Inquest Cases.			Deaths in Public Institutions.	Unclassified (Cause of Death)	Fahrenheit.			Centigrade.										
																			Fever.					Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified (Cause of Death)	Fom All Causes	From Al- l Diseases in Colo. 6-12.	Highest.	Lowest.
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	25.								
28 TOWNS.	8,906,446	5415	3321	1020	564	13	143	34	23	140	40	291	126	212	526	64	19.5	4.0	78.6	40.1	56.3	13.50	0.34	0.86	28 TOWNS.							
LONDON.	4,083,928	2411	1616	563	258	11	82	13	16	77	20	210	58	114	297	11	20.6	5.5	78.6	47.2	61.2	16.22	0.49	1.24	LONDON.							
BRIGHTON.	114,672	45	29	5	10	-	-	-	-	1	1	-	1	1	9	-	13.2	0.9	72.0	50.0	60.0	15.56	0.07	0.18	BRIGHTON.							
PORTSMOUTH.	134,659	75	37	4	12	-	-	-	-	1	2	-	1	2	4	-	14.3	1.2	-	-	-	-	-	-	PORTSMOUTH.							
NORWICH.	91,215	50	38	7	12	-	-	-	-	1	1	-	1	3	4	3	21.7	1.1	-	-	-	-	-	-	NORWICH.							
PLYMOUTH.	76,045	67	22	6	6	-	-	-	-	1	1	-	1	1	4	15	14.1	1.4	70.0	45.5	58.6	14.78	0.14	0.36	PLYMOUTH.							
BRISTOL.	218,169	122	69	14	15	-	3	1	4	4	15	1	1	4	15	1	14.1	1.2	67.0	44.0	56.1	13.39	0.22	0.56	BRISTOL.							
WOLVERHAMPTON.	79,185	51	25	9	5	-	-	2	-	-	-	-	1	3	4	1	16.5	1.3	75.9	40.4	54.8	12.67	0.05	0.13	WOLVERHAMPTON.							
BIRMINGHAM.	427,769	307	123	29	26	-	2	-	-	3	6	10	22	4	22	4	15.0	1.0	-	-	-	-	-	-	BIRMINGHAM.							
LEICESTER.	136,147	92	62	41	5	-	-	1	-	2	2	25	1	5	5	1	23.8	10.7	-	-	-	-	-	-	LEICESTER.							
NOTTINGHAM.	211,424	150	64	14	15	-	2	-	-	2	4	4	4	5	6	-	15.8	2.0	74.2	45.7	57.5	14.17	0.01	0.03	NOTTINGHAM.							
DERBY.	89,691	48	24	4	8	-	-	-	-	-	-	-	-	5	-	-	14.0	2.3	-	-	-	-	-	-	DERBY.							
BIRKENHEAD.	93,093	56	35	9	4	-	1	-	-	6	-	-	1	1	2	2	19.6	3.9	-	-	-	-	-	-	BIRKENHEAD.							
LIVERPOOL.	579,724	347	245	72	34	-	17	3	5	13	5	8	9	10	43	10	22.1	4.6	65.1	47.8	55.2	12.89	0.50	1.27	LIVERPOOL.							
BOLTON.	110,085	69	37	8	5	-	1	-	-	-	2	2	2	3	6	1	17.5	1.4	62.8	40.1	50.8	10.45	0.89	2.26	BOLTON.							
MANCHESTER.	337,342	203	154	49	14	-	9	2	-	4	3	6	4	6	23	7	23.8	3.7	-	-	-	-	-	-	MANCHESTER.							
SALFORD.	204,075	132	91	34	9	-	6	-	-	2	-	8	3	3	8	1	23.3	4.1	-	-	-	-	-	-	SALFORD.							
OLDHAM.	126,330	95	39	7	8	-	-	-	-	-	-	2	1	1	5	3	16.1	0.8	-	-	-	-	-	-	OLDHAM.							
BLACKBURN.	112,574	83	35	6	4	-	-	-	-	1	7	-	1	-	3	1	16.2	4.2	-	-	-	-	-	-	BLACKBURN.							
PRESTON.	100,406	49	33	15	6	-	-	-	-	1	1	3	-	-	2	3	17.2	2.6	72.0	47.0	56.4	13.55	0.84	2.13	PRESTON.							
HUDDESFIELD.	87,327	51	27	2	8	-	-	-	-	3	-	1	1	1	3	-	16.1	2.4	-	-	-	-	-	-	HUDDESFIELD.							
HALIFAX.	77,378	38	17	3	5	-	-	-	-	-	-	-	-	1	1	2	11.5	0.0	-	-	-	-	-	-	HALIFAX.							
BRADFORD.	214,431	118	50	7	18	-	-	-	-	3	-	2	2	4	4	1	12.2	1.2	72.8	44.8	56.3	13.50	0.22	0.56	BRADFORD.							
LEEDS.	333,139	226	115	39	18	-	-	6	-	4	1	3	3	5	11	2	18.0	2.2	77.0	45.0	57.7	14.28	0.08	0.20	LEEDS.							
SHEFFIELD.	395,716	167	136	27	23	-	10	2	-	2	1	6	5	7	20	8	23.2	3.8	-	-	-	-	-	-	SHEFFIELD.							
HULL.	186,282	106	48	10	11	-	-	-	-	2	-	1	-	2	9	1	13.4	0.8	70.0	45.0	58.7	13.72	0.09	0.23	HULL.							
SUNDERLAND.	125,327	75	44	15	8	1	-	2	-	1	-	3	1	3	2	18.3	2.5	65.0	45.0	53.3	11.84	0.72	1.83	SUNDERLAND.								
NEWCASTLE.	163,209	113	79	13	11	-	10	1	-	1	3	1	9	10	7	1	26.9	5.4	64.0	48.0	54.0	12.22	0.48	1.22	NEWCASTLE.							
CARDIFF.	37,634	69	37	8	6	-	-	-	-	4	-	-	-	3	6	4	1	19.9	2.2	-	-	-	-	-	-	CARDIFF.						
EDINBURGH.	250,616	123	68	10	12	-	-	-	1	2	-	-	-	2	13	12	14.2	1.2	67.2	45.8	56.3	13.50	0.27	0.69	EDINBURGH.							
GLASGOW.	519,065	358	220	65	35	-	-	-	-	13	1	12	6	5	23	44	22.1	2.8	-	-	-	-	-	-	GLASGOW.							
DUBLIN.	353,082	172	184	29	40	-	-	3	-	2	6	5	5	7	57	27	27.2	3.0	67.1	39.6	55.5	13.06	0.19	0.48	DUBLIN.							

Births and Deaths registered last Week.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the TWENTY-EIGHTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2203	2311	2310	2394	2604	2418	2533	2483	2534	2409	2633·8	2411
Males . .	1081	1217	1202	1222	1302	1234	1262	1267	1275	1232	1340·6	1267
Females .	1122	1094	1108	1172	1302	1184	1271	1216	1259	1177	1298·2	1144
TOTAL Deaths	1481	1475	1449	1589	1179	1441	1816	1347	1736	1849	1675·2	1616
Males . .	825	768	736	864	598	752	979	718	878	957	880·0	848
Females .	656	707	713	725	581	689	837	629	863	892	795·2	768

The numbers in this column are the average weekly numbers in the twenty-eighth week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.
TOTAL Births	2541	2561	2429	2544	2391	2209	2409	2464	2373	2419	2483	2420	2411
TOTAL Deaths	1743	1549	1465	1496	1554	1538	1521	1315	1284	1279	1366	1412	1616
0-20	773	699	697	707	745	744	744	655	654	658	690	741	964
20-40	209	227	206	214	209	188	210	178	170	153	179	191	172
40-60	386	277	273	250	254	261	246	218	185	227	238	198	222
60-80	349	281	243	263	290	283	253	218	228	199	226	226	222
at 80 years & upwards.	76	65	46	62	56	62	68	46	47	42	33	56	36
Deaths of children													
Under 1 year	379	324	296	333	334	349	342	305	316	318	372	408	563
1-5	296	292	294	254	299	296	294	260	258	256	224	251	304
5-20	98	83	107	120	112	99	108	90	80	84	94	82	97
Deaths from Small-pox*	51	48	66	75	50	55	62	39	37	28	39	23	15
" " Measles	103	99	91	65	93	90	120	98	95	90	80	73	82
" " Scarlet Fever	10	12	13	13	12	10	9	12	7	13	9	12	13
" " Diphtheria	10	15	24	21	10	17	15	17	16	14	18	15	16
" " Whooping-cough	57	51	46	57	68	50	46	39	42	46	59	51	77
" " Typhus	2	-	2	-	2	-	-	1	-	2	1	-	1
" " Enteric fever	11	1	12	16	13	11	13	4	6	11	9	10	17
" " Simple Cont'd fever	2	1	-	-	3	4	2	3	2	-	2	1	2
" " Diarrhœa and Dysentery	21	16	13	9	16	20	11	23	24	44	51	110	210
" " Cholera	-	-	1	-	-	-	-	2	3	2	1	3	7
Deaths from the above- mentioned Diseases*	267	243	263	256	267	257	278	238	232	250	269	298	440
" " Dis. of Respira- tory System	381	337	287	291	305	302	290	231	196	183	192	177	197
" " Phthisis	167	191	160	160	179	150	154	140	141	131	165	138	140
" " Dis. of Circula- tory System	135	91	110	106	105	96	102	84	70	73	74	99	86
Violent Deaths	62	64	52	46	39	60	59	52	56	39	42	53	58
Inquest Cases	116	126	98	104	97	108	104	96	94	81	84	94	114
Deaths in Public Institutions	417	331	319	349	352	371	364	313	306	285	290	312	297
TEMPERATURE OF THE AIR:													
Mean	54·7	51·9	46·7	47·4	48·4	56·0	62·6	58·5	58·7	58·3	60·5	65·0	61·2
Mean of Highest readings	66·4	61·8	57·6	58·9	57·9	66·5	74·5	69·5	70·6	68·2	72·7	79·5	73·5
Mean of Lowest readings	44·0	42·9	38·4	36·8	41·2	47·8	51·2	47·7	43·4	49·7	49·5	51·5	51·4
Humidity of the Air	69	78	81	65	79	78	66	75	76	75	67	67	74
Rain-fall in inches	0·26	0·52	0·77	0·07	0·74	0·46	0·27	0·90	0·39	0·11	00·0	0·02	0·49
Registered Sunshine (in hours)	56·8	39·2	31·4	51·5	28·9	39·9	69·6	55·3	41·8	35·2	41·1	60·5	32·8

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.,—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinon, jun., Esq., Norwich; R. Cam Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filler, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

Deaths from different Causes.

289

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-EIGHTH Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 28th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 18th July, 1885.										Corrected Averages for the 28th Weeks of the 10 years 1875-84.	CAUSES OF DEATH.		Corrected Averages for the 28th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 18th July, 1885.																	
			Deaths of Persons of the Ages														Deaths of Persons of the Ages																	
			ALL AGES.														ALL AGES.																	
			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	0-1.	1-5.	5-20.					20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.														
ALL CAUSES	-	1675.2	1616	563	304	97	172	222	222	36		Diseases of Organs of Special Sense † - -	*	1.7	2	-	1	-	1	-	-	-	-	-	-	-	-	-						
Small-pox †	{	Vaccinated † Unvaccinated No Statement	14.2	5	-	-	1	1	2	1	-	Diseases of Circulatory System - - -	85.5	86	-	2	9	13	31	27	2	-	-	-	-	-	-	-						
Measles -				45.8	82	18	60	4	-	-	-	-	-	Croup - - -	11.2	15	-	14	1	-	-	-	-	-	-	-	-	-						
Scarlet Fever -				42.9	13	-	8	3	2	-	-	-	-	Bronchitis - - -	102.1	98	37	21	3	1	5	29	2	-	-	-	-	-						
Typhus -	1.2	1	-	-	-	-	1	-	-	-	Pneumonia - - -	69.2	61	15	23	1	9	12	1	-	-	-	-	-	-	-								
Relapsing Fever †	0.0	-	-	-	-	-	-	-	-	-	Peritonitis - - -	3.9	8	-	1	1	8	3	-	-	-	-	-	-	-	-								
Influenza -	0.1	-	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - -	23.4	15	4	2	-	-	6	3	-	-	-	-	-	-	-								
Whooping-cough -	54.7	77	33	43	1	-	-	-	-	-	Dentition † - - -	21.0	16	12	4	-	-	-	-	-	-	-	-	-	-	-								
Diphtheria -	12.2	16	1	11	4	-	-	-	-	-	Quinsy, Sore Throat † -	2.0	2	-	1	-	-	-	1	-	-	-	-	-	-	-								
Simple Continued and Ill-defined Fever -	{	4.5	2	2	-	-	-	-	-	-	Enteritis - - -	10.4	11	11	-	-	-	-	-	-	-	-	-	-	-	-								
Enteric Fever -											14.4	17	-	-	8	8	1	-	-	Peritonitis - - -	4.7	6	-	1	4	1	-	-	-	-	-	-	-	-
Cholera -	10.7	7	4	-	-	-	2	1	-	-	Diseases of Liver - - -	32.2	34	2	-	-	7	14	10	1	-	-	-	-	-	-								
Diarrhoea, Dysentery	232.0	210	173	28	-	1	2	5	1	-	Other Diseases of Digestive System -	32.1	38	8	2	1	6	7	12	2	-	-	-	-	-	-								
Remittent Fever †	0.0	-	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands † - -	2.0	3	1	-	-	-	1	1	-	-	-	-	-	-	-								
Hydrophobia -	0.0	-	-	-	-	-	-	-	-	-	Diseases of Urinary System - - -	58.9	28	1	1	-	4	13	9	-	-	-	-	-	-	-								
Glanders -	0.0	-	-	-	-	-	-	-	-	-	Diseases of Generative System - - -	5.5	3	-	-	-	2	1	-	-	-	-	-	-	-	-								
Cowpox and Effects of Vaccination † -	0.3	-	-	-	-	-	-	-	-	-	Accidents of Childbirth -	5.8	1	-	-	-	1	-	-	-	-	-	-	-	-	-								
Venereal Affections	13.3	7	4	1	-	1	-	1	-	-	Diseases of Locomotive System † - - -	8.0	3	-	-	1	-	2	-	-	-	-	-	-	-	-								
Erysipelas -	6.5	4	1	-	-	-	1	2	-	-	Diseases of Integumentary System - -	5.8	2	-	-	-	-	1	-	1	-	-	-	-	-	-								
Pyæmia and Septicæmia †	0.0	2	-	-	2	-	-	-	-	-	VIOLENT DEATHS.‡																							
Puerperal Fever -	4.3	4	-	1	3	-	-	-	-	-	(ACCIDENT.)																							
Other Zymotic Diseases †	3.3	4	-	1	-	1	2	-	-	-	Fracture and Contusion	22.8	27	2	-	6	6	1	9	3	-	-	-	-	-	-	-							
Thrush - - -	5.7	7	7	-	-	-	-	-	-	-	Gunshot Wound - - -	0.1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-							
Worms and other Parasitical Diseases -	0.3	-	-	-	-	-	-	-	-	-	Cut, Stab - - -	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Starvation, Want of Breast-milk † -	1.7	4	4	-	-	-	-	-	-	-	Burn and Scald - - -	4.3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-							
Alcoholism - - -	6.1	3	-	-	-	-	2	1	-	-	Poison - - -	2.0	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-							
Rheumatic Fever and Rheumatism of Heart	{	8.3	7	-	4	2	1	-	-	-	Drowning - - -	10.9	9	-	-	5	1	3	-	-	-	-	-	-	-	-	-							
Rheumatism - - -											3.6	3	-	-	-	1	2	-	Suffocation - - -	10.6	6	4	-	-	-	-	2	-	-	-	-	-	-	-
Scurvy - - -											5.0	4	2	2	-	-	-	-	Otherwise - - -	2.8	3	1	-	2	-	-	-	-	-	-	-	-	-	-
Cancer - - -	44.6	54	-	-	1	7	24	20	2	-	(HOMICIDE.)																							
Typhoid Mesenterica	47.5	49	34	12	3	-	-	-	-	-	Murder & Manslaughter	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Tubercular Meningitis	34.0	31	11	17	3	-	-	-	-	-	(SUICIDE.)																							
Phthisis - - -	169.4	149	6	7	13	70	32	12	-	-	Gunshot Wound - - -	0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Scrofula, Tuberculosis	20.4	17	6	7	2	2	-	-	-	-	Cut, Stab - - -	1.3	2	-	-	-	-	2	1	-	-	-	-	-	-	-								
Other Constitutional Diseases †	7.7	12	-	1	2	2	4	3	-	-	Poison - - -	2.1	2	-	-	-	-	-	-	-	-	-	-	-	-	-								
Immature Birth - -	32.8	37	36	1	-	-	-	-	-	-	Drowning - - -	1.6	-	-	-	1	-	-	-	-	-	-	-	-	-	-								
Electrocution † - -	8.0	3	3	-	-	-	-	-	-	-	Hanging - - -	1.6	1	-	-	-	-	-	-	-	-	-	-	-	-	-								
Constitutional Malformations -	6.7	11	10	-	1	-	-	-	-	-	Otherwise - - -	0.4	-	-	-	1	-	-	-	-	-	-	-	-	-	-								
Old Age - - -	36.7	46	-	-	-	1	23	19	-	-	(EXECUTION)																							
Poplery - - -	42.6	45	12	1	1	4	14	23	-	-	Hanging - - -	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Epilepsy - - -	8.8	8	-	-	-	2	3	2	1	-	OTHER CAUSES † - -	80.0	66	53	3	-	1	1	3	-	-	-	-	-	-	-	-							
Convulsions - - -	55.3	40	36	4	-	-	-	-	-	-																								
Other Diseases of Brain and Nervous System	79.9	76	11	14	9	8	11	19	4	-																								

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 0.045 per cent. for increase of population.
† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.
‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When no medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical attendant, the case is returned under the heading "no statement."
§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."
|| Exclusive of 4 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include															
					Deaths of		Deaths from													
					Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON		3,816,483	2411	1616	563	258	11	82	13	16	77	1	17	2	210	58	114	297	1	
WEST DISTRICTS		669,633	373	275	97	49	2	13	-	1	14	-	3	-	40	7	19	59	1	
NORTH DISTRICTS		905,947	583	376	127	61	5	29	2	6	16	-	3	-	47	11	27	67	1	
CENTRAL DISTRICTS		262,238	165	117	46	12	-	7	1	1	1	-	3	-	17	6	14	17	-	
EAST DISTRICTS		692,738	448	338	101	50	1	23	5	4	18	-	1	2	37	13	24	77	1	
SOUTH DISTRICTS		1,955,927	842	510	192	83	3	10	5	4	28	1	7	-	69	21	39	77	8	
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		69888	50	38	12	9	-	3	-	-	2	-	-	-	4	2	3	8	-	
St. John Paddington H - G.J.		37380	17	9	1	3	-	-	-	-	1	-	-	-	-	-	1	3	11	
Kensington Town Ww - W.M.		120141	60	60	15	10	-	3	-	-	2	-	-	-	-	-	-	1	-	
Brompton H - W.M. & C.		48010	15	9	2	1	-	-	-	-	-	-	1	-	-	-	-	1	4	
St. Peter Hammersmith - W.M.		7599	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.		64340	43	32	17	3	-	3	-	-	-	-	-	-	10	-	2	1	-	
Fulham WwH - W.M. & C.		42906	46	25	10	3	2	-	-	-	3	-	-	-	5	-	1	8	-	
Chelsea South HHH - C.		80396	20	11	4	2	-	1	-	-	-	-	-	-	1	-	2	-	-	
Chelsea North-west WHHHH - C.		24925	15	18	6	4	-	1	-	-	1	-	1	-	2	1	2	8	-	
Chelsea North-east - C.		32807	14	20	11	2	-	2	-	-	2	-	-	-	3	-	1	-	-	
Hanover Square H - G.J.		16862	5	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
May Fair WW - G.J.		13491	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave HH - C.		69220	29	17	2	4	-	-	-	-	-	-	1	-	-	1	2	9	-	
St. John Westminster HH - C.		35496	18	11	7	1	-	-	-	1	-	-	-	-	2	-	2	-	1	
St. Margaret Westminster H - C.		24679	7	14	5	2	-	-	-	-	-	-	-	-	2	2	2	6	-	
St. James Westminster WH N.R. & G.J.		29041	13	11	1	3	-	-	-	1	2	-	-	-	1	-	-	3	-	
St. Anne Soho HHHHH - N		16808	14	5	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.		26759	15	13	-	3	-	-	-	1	-	-	1	-	1	2	3	10	-	
Cavendish Square HHH - W.M.		14891	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rectory Marylebone WH G.J. & W.M.		24809	14	7	1	1	-	-	-	1	-	-	-	-	1	-	-	2	-	
St. Mary Marylebone HHH G.J. & W.M.		21118	27	13	8	2	-	1	-	-	-	-	-	-	3	-	-	2	-	
Christchurch Marylebone H - W.M.		33700	15	14	8	1	-	-	-	-	-	-	-	-	7	2	2	-	-	
St. John Marylebone H - W.M.		33638	24	16	5	2	7	-	1	-	-	-	-	-	1	-	-	-	-	
Hampstead WwHHH - N.R. & W.M.		45452	26	14	1	3	-	-	-	-	-	-	-	-	4	1	1	1	-	
Regent's Park Pancras H - W.M.		39115	31	16	4	6	-	-	-	1	-	-	-	-	1	-	1	-	-	
Tottenham-court WHHHH N.R. & W.M.		27729	22	13	2	2	-	1	-	-	-	-	-	-	1	2	2	7	-	
Gray's Inn Lane HHH - N.R.		30247	16	12	5	-	-	2	-	-	1	-	1	-	2	-	-	3	-	
Somers Town H - N.R.		34369	17	10	3	2	-	-	-	-	1	-	-	-	-	-	2	1	-	
Camden Town WH - N.R.		17811	20	7	6	4	-	1	1	-	-	-	-	-	1	-	1	5	-	
Kentish Town W - N.R.		87487	52	25	6	-	-	1	-	-	2	-	-	-	4	1	1	5	1	
Upper Holloway WwWwH - N.R.		67946	53	39	11	14	-	1	-	1	1	-	-	-	5	-	-	12	-	
Islington South-west HH - N.R.		100976	70	53	27	2	-	6	-	1	2	-	-	-	8	2	5	-	-	
Islington South-east - N.R.		61895	32	19	11	1	-	3	-	-	2	-	-	-	4	-	1	-	-	
Highbury H - N.R.		52048	21	23	6	3	-	3	-	1	3	-	-	-	1	-	2	1	-	
Stoke Newington H - N.R.		22781	21	7	3	2	-	-	-	1	-	-	-	-	1	-	-	-	-	
Stamford Hill - E.L.		9277	9	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
West Hackney - N.R.		37610	12	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hackney WwWwHL - E.L. & N.R.		76911	51	50	17	11	5	2	1	-	-	1	-	-	3	1	5	18	-	
South Hackney - E.L.		39883	31	11	6	1	-	-	-	-	1	-	-	-	3	-	-	-	-	
CENTRAL DISTRICTS.																				
St. George Bloomsbury - N.R.		16681	6	6	3	2	-	-	-	-	-	-	1	-	1	-	-	-	-	
St. Giles South WH - N.R.		14864	15	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles North - N.R.		13837	4	5	-	2	-	1	-	-	1	-	-	-	-	-	1	-	-	
St. Martin-in-the-Fields HH N.R. & C.		17508	8	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary-le-Strand H - N.R.		7615	4	3	2	-	-	-	-	-	-	-	-	-	2	1	-	3	-	
St. Clement Danes H - N.R.		8559	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George-the-Martyr HHHHHH N.R.		18871	8	11	1	-	-	-	-	-	-	-	1	-	-	-	2	3	-	
St. Andrew Eastern W - N.R.		10706	3	3	1	1	-	-	-	-	-	-	-	-	1	-	2	5	1	
Saffron Hill H - N.R.		6538	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - N.R.		17516	7	11	6	-	-	2	1	-	-	-	-	-	3	1	1	-	-	
Amwell Clerkenwell - N.R.		19221	14	11	7	-	-	1	-	-	-	-	-	-	3	1	1	-	-	
Pentonville - N.R.		14773	9	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Goswell-street - N.R.		17506	13	7	5	1	-	-	-	-	-	-	-	-	3	-	1	-	-	
Old-street H - N.R.		11541	10	6	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
City-road HHL - N.R.		18628	23	13	5	1	-	1	-	-	-	-	-	-	1	-	1	1	-	
Whitecross-street - N.R.		9217	8	4	3	-	-	1	-	-	-	-	1	-	1	-	1	-	-	
Finsbury - N.R.		7463	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - N.R. & E.L.		11174	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Cripplegate - N.R.		7193	1	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
St. Sepulchre H - N.R.		5358	2	5	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	
St. Bride W - N.R.		8596	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Allhallows Barking - N.R.		13666	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - N.R.		5652	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Work-house; *H*—Hospital; *L*—Lunatic Asylum; *W*—A Workhouse Establishment receiving inmates from other Districts than that in which it stands see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—*G.J.* signifies Grand Junction Company; *W.M.* West Middlesex; *C.* Chelsea; *S.* Southwark and Vauxhall; *L.* Lambeth; *N.R.* New River; *E.L.* East London. and *K.* the Kent Company.

VER, DYPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
unday, the 18th July, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total DEATHS during the Week.	The DEATHS registered in the Week include															
					Deaths of		Deaths from													
					Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Stings, con- taminated Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
EAST DISTRICTS.																				
Olywell Shoreditch	N.R. & E.L.	7376	5	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Leonard Shoreditch	N.R.	14967	7	10	1	1	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Brixton New Town	N.R.	29937	13	13	6	2	-	1	-	1	-	-	-	-	-	-	1	1	2	-
Brixton Old Town	N.R.	28036	25	13	4	2	-	2	1	-	-	-	-	-	2	-	1	1	-	-
Waggerston	N.R. & E.L.	46275	34	26	8	1	-	2	-	-	1	-	-	-	2	1	1	7	-	-
Buckney-road	E.L.	29738	11	6	3	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-
Green, Bethnal Green	W.H.	47932	32	31	8	9	-	1	-	-	1	-	-	-	1	-	2	-	-	-
Church, Bethnal Green	E.L.	29881	17	17	11	1	-	-	-	-	-	-	-	1	3	-	1	-	14	-
Town, Bethnal Green	E.L.	18810	11	10	4	1	-	1	-	-	-	-	-	-	4	-	-	-	1	-
Haltfields	E.L. & N.R.	22585	21	6	2	1	-	1	-	-	-	-	-	1	1	1	1	-	-	-
Hole End New Town	E.L.	15473	12	17	3	2	-	-	-	-	-	-	-	-	1	1	1	1	7	-
Whitechapel Church	E.L. & N.R.	17490	5	12	-	1	-	1	-	1	-	-	-	-	-	1	1	1	10	-
Godman's Fields	E.L.	9713	7	4	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Edgware	N.R. & E.L.	6102	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North	E.L.	38747	30	15	6	2	-	-	1	-	3	-	-	-	3	-	1	-	-	-
John, St. George East	E.L.	8410	2	13	2	6	-	-	-	-	-	-	-	-	-	-	-	9	-	-
Adwell	E.L. & N.R.	16895	5	7	2	-	-	-	-	1	-	-	-	-	-	1	1	1	5	-
St. John's	E.L.	16107	5	4	1	1	-	1	-	-	-	-	-	-	-	1	1	1	-	-
Melrose	E.L.	32041	14	12	4	2	-	2	1	-	-	-	-	-	1	1	1	-	-	-
Hole End Old Town West	E.L.	37960	29	10	3	1	-	2	1	-	1	-	-	-	-	1	-	-	-	-
Hole End Old Town East	E.L.	67653	54	27	4	3	-	5	1	-	4	-	-	-	-	-	1	3	3	-
New Town	E.L.	37074	22	14	6	2	-	-	-	-	-	-	-	-	1	2	2	2	-	-
Comley	E.L.	64359	46	37	12	2	-	1	-	-	3	-	-	-	4	4	1	1	17	-
Plar	E.L.	55077	49	30	8	2	-	1	-	-	2	-	1	-	4	4	1	3	-	-
SOUTH DISTRICTS.																				
Ristchurch Southwark	L. & S.	13663	7	6	3	1	-	-	-	-	-	-	-	-	2	1	1	1	-	-
Saviour Southwark	S.	14999	12	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
nt-road	S. & L.	21881	8	5	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
rough-road	S. & L.	15853	12	7	2	2	-	1	-	-	-	-	-	-	2	-	-	-	-	-
Rough-road	L. & S.	21318	13	13	4	2	-	-	-	1	-	-	-	-	1	1	1	1	-	-
Unity Newington	S. & L.	26672	16	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Peter Walworth	W	59555	47	33	9	3	1	1	-	-	1	-	-	-	-	-	-	8	-	-
Mary Newington	L. & S.	21623	16	9	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Olave	W.H.	11956	4	12	1	1	-	-	-	1	-	-	-	-	1	3	3	10	-	-
Rother Market	S. & L.	16300	11	7	6	-	-	-	-	-	-	-	-	-	6	-	1	-	-	-
Mary Magdalen	W	15669	10	9	3	2	-	-	1	-	2	-	-	-	1	-	-	2	-	-
James Bermondsey	S.	54683	38	15	12	1	-	1	1	-	-	-	-	-	5	-	-	-	-	-
Rotherhithe	W	36024	29	12	6	2	-	-	-	-	-	-	-	-	3	1	1	2	1	-
Waterloo-road 1st	H	15195	9	10	6	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-
Waterloo-road 2nd	H	16321	15	7	4	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Rotherhithe Church 1st	H	15876	5	12	3	-	-	-	-	-	-	-	-	-	1	3	3	6	-	-
Rotherhithe Church 2nd	W.H.	39559	21	27	15	6	-	-	-	-	-	-	-	-	6	-	-	9	-	-
Newington 1st	S. & L.	45232	23	18	4	2	-	-	-	-	1	-	-	-	2	-	2	-	-	-
Newington 2nd	S. & L.	35332	19	11	1	5	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Newington	W.H.	62857	39	15	4	2	-	-	-	-	-	1	3	-	-	-	-	-	2	1
Rotherhithe	W	19017	11	5	3	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-
Rotherhithe	H	36350	14	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Battersea	S.	54655	48	26	18	-	-	-	1	1	1	-	-	-	8	2	2	-	-	-
St. Battersea	W.H.	55587	55	32	9	8	-	1	-	-	2	-	-	-	5	1	2	3	1	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	3	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	H.L.	28004	25	10	1	2	-	-	-	-										

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by w:—

Marylebone Infirmary in Kensington Town sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.
Holborn Infirmary in Upper Holloway sub-district.
London City Workhouse in Hackney sub-district.
London " " Hoxton New Town sub-district.
Whitechapel " " Mile End Old Town Eastern sub-district.

London City Workhouse in Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Stepney Poplar & Stepney Sick Asylum in Bromley sub-district.
Westminster Union Industrial School in West Battersea sub-district.
Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS AND DEATHS registered during the Week ending Saturday, 18th July, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING		370,282	950,178	698	319	97	63	8	11	1	1	8	5	18	15	21	35	6
30: 1	Carshalton <i>wL</i> - -	12228	21118	12	8	1	5	-	-	-	-	-	-	-	-	-	5	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-
37: 1	Godstone (<i>part of</i>) * -	2754	1235	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
38: 1	Croydon <i>WwH</i> - -	20851	101241	78	27	5	7	-	2	-	-	-	-	-	1	2	6	-
	Mitcham - -	11697	17932	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon <i>HHH</i> - -	3220	15950	17	4	1	-	-	1	-	-	-	-	-	-	-	-	-
2	Kingston <i>WHH</i> - -	8549	36354	25	8	4	2	-	-	-	-	-	1	1	-	-	-	-
3	Esher (<i>part of</i>) * -	6601	9221	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Hampton <i>H</i> - -	4573	18539	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-
40: 1	Richmond <i>WH</i> - -	2272	21302	15	6	3	-	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake - -	941	12331	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41: 1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	81142	16	16	4	1	-	-	-	-	-	-	-	3	3	1	-
2	Chislehurst(<i>pt.of</i>)* <i>WHH</i>	13685	15065	5	6	1	1	-	-	-	-	-	-	-	-	-	2	1
42: 1	Bexley <i>H</i> - -	13437	24134	16	3	1	-	-	-	-	-	-	-	-	1	1	-	-
124: 1	Sunbury <i>w</i> - -	11055	11685	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-
2	Staines <i>W</i> - -	13277	12089	5	5	1	2	-	-	-	-	-	-	-	-	-	2	-
125: 1	Hillingdon <i>WH</i> - -	6029	10802	4	2	-	1	-	-	-	-	-	-	-	-	1	1	-
2	Uxbridge - -	6178	5225	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes <i>wHL</i> - -	14587	11523	13	7	1	1	-	-	1	1	-	-	-	-	-	2	-
126: 1	Isleworth <i>W</i> - -	7008	22727	10	11	2	3	-	-	-	-	-	1	1	1	1	4	-
2	Twickenham <i>H</i> - -	2477	12479	7	6	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford <i>HL</i> - -	4945	27649	18	7	1	2	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - -	1340	15975	7	7	2	1	-	2	-	-	-	-	1	1	1	-	-
5	Acton <i>wH</i> - -	6063	22876	21	6	1	1	-	-	-	-	-	-	-	-	-	-	-
127: 1	Harrow <i>H</i> - -	13809	12796	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>H</i> - -	6994	3749	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden - -	4383	27463	27	10	4	3	-	-	-	-	1	-	-	-	1	-	-
4	Hendon <i>W</i> - -	9382	10484	11	2	2	-	-	-	-	-	-	-	1	-	-	-	-
128: 1	South Mimms - -	15599	6391	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet <i>W</i> - -	5483	10092	4	5	2	1	-	-	-	-	-	-	1	-	-	-	-
3	Finchley <i>HL</i> - -	4688	17615	11	8	2	-	-	-	-	-	3	-	-	1	1	2	-
129: 1	Hornsey <i>H</i> - -	3039	37073	23	9	4	2	-	1	-	-	-	-	-	1	1	1	-
2	Tottenham <i>HH</i> - -	4642	46456	51	22	9	2	-	-	-	-	-	-	4	1	2	-	1
3	Edmonton <i>Wwv</i> - -	7483	23463	22	12	3	6	-	-	-	-	-	-	2	1	2	4	-
4	Enfield <i>WH</i> - -	12653	19104	6	5	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Waltham Abbey - -	11017	5368	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - -	8490	7735	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
135: 1	Hatfield (<i>part of</i>) * -	3306	553	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey - -	9831	6621	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136: 1	Stratford - -	892	38606	28	19	9	2	-	-	-	-	-	1	1	-	1	-	-
2	West Ham <i>wvwwH</i> - -	7351	101053	98	48	20	3	8	3	-	-	1	-	3	4	4	1	3
3	Leyton <i>WwL</i> - -	4372	32490	20	15	4	3	-	1	-	-	2	-	-	-	-	2	-
4	Walthamstow <i>wH</i> - -	6520	28869	26	15	8	2	-	1	-	-	1	-	3	-	-	1	1
137: 1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9669	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
139: 1	Romford (<i>part of</i>) * -	6730	3411	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - -	8493	7645	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town - -	4127	9203	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37: 1, the two parishes of Warlingham and Farley in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41: 1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813); 41: 2, the whole of Chislehurst sub-district, except the parish of Chelsfield (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 187: 1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 189: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 18th July, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From All Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,199,166	19.4	4.8	1935	660	321	19	93	14	17	85	25	228	73	332		
INNER LONDON -	78,052	4,083,928	20.6	5.5	1616	563	253	11	82	13	16	77	20	210	58	297		
OUTER RING -	370,282	1,115,238	14.9	2.4	319	97	63	8	11	1	1	8	5	18	15	35		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700.522 square miles, which is equivalent to the area of a circle having a radius of 14.933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,225,108 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	June	13	-	184	22.1	Fevers 57; cholera 16.
BOMBAY - -	773,196	"	16	259	370	22.8	Measles 17; fevers 115.
MADRAS - -	398,777	"	12	353	232	30.2	Fevers 49.
PARIS - -	2,239,928	July	11	1101	842	19.6	Typhd. fev. 27; meas. 25; diphtheria and croup 20.
GENEVA - -	71,453	"	11	25	24	17.5	Typhus and typh. fev. 3.
BRUSSELS - -	436,214	"	4	228	166	19.9	Croup 3; typhus and typhoid fever 2.
AMSTERDAM -	366,812	"	11	257	151	21.4	Scar. fev. 4; measles 2.
ROTTERDAM -	166,001	"	11	117	68	20.8	—
THE HAGUE -	134,552	"	11	81	43	16.6	—
COPENHAGEN -	278,000	"	7	206	89	16.7	Diphtheria 4.
STOCKHOLM -	190,115	June	27	124	92	23.9	Scarlet fever 2; diphtheria and croup 4.
CHRISTIANIA -	128,000	July	11	66	43	17.5	Scarlet fever 2; diphtheria and croup 4.
ST. PETERSBURG	928,016	"	4	-	493	27.7	Measles 11; diph. 11; typh. fev. and typ. 14.
BERLIN - -	1,266,511	June	27	827	824	33.6	Measles 17; diph. 34.
HAMBURG (State)	497,956	July	4	344	236	24.7	Diphtheria and croup 17; scarlet fever 2.
DRESDEN - -	241,500	"	4	161	114	24.5	Measles 3; diphtheria and croup 4.
BRESLAU - -	295,000	"	4	202	235	41.2	Scarlet fever 2; whooping-cough 2.
MUNICH - -	244,000	"	11	162	129	27.5	Scarlet fever 2; diphtheria and croup 2.
VIENNA - -	769,889	"	11	487	411	28.0	Small-pox 16; whooping-cough 3.
PRAGUE - -	272,333	"	11	-	186	35.6	Small-pox 3; scarlet fever 6.
BUDA-PESTH -	429,532	June	27	285	270	32.7	Sm.-pox 4; typhd. fev. and typhus 3.
TRIESTE - -	150,157	"	13	-	-	-	—
ROME - -	324,649	May	30	182	134	21.5	Small-pox 3; measles 4.
NAPLES - -	504,795	—	—	-	-	-	—
TURIN (10 days)	267,763	June	20	210	184	25.1	Scarlet fev. 3; croup 5.
VENICE - -	144,845	July	4	85	73	26.3	Small-pox 4.
MADRID - -	475,668	—	—	-	-	-	—
LISBON - -	203,681	—	—	-	-	-	—
ALEXANDRIA -	212,034	June	20	-	-	-	—
NEW YORK -	1,356,958	"	20	-	662	25.5	Diph. 23; measles 20; scarlet fever 13.
BROOKLYN -	665,602	"	20	-	318	24.9	Scar. fev. 12; measles 9; diphtheria 9.
PHILADELPHIA -	949,432	"	27	-	411	22.6	Croup 9; scarlet fev. 10.
BALTIMORE -	408,520	"	27	-	196	25.0	—

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 29. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, JULY 25. [Price 1½d.

General Register Office, Somerset House,
27th July, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 19·5 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	July 4.	July 11.	July 18.	July 25.		July 4.	July 11.	July 18.	July 25.
Birkenhead	16·8	21·9	19·6	15·7	Liverpool -	21·1	21·4	22·1	21·2
Birmingham	12·8	16·7	15·0	16·5	London -	17·5	18·0	20·6	20·9
Blackburn -	21·8	18·1	16·2	18·1	Manchester -	24·4	25·8	23·8	24·6
Bolton -	15·6	13·7	17·5	11·4	Newcastle-on-Tyne	23·5	24·2	26·9	26·2
Bradford -	13·4	15·3	12·2	16·3	Norwich -	17·7	21·2	21·7	10·9
Brighton -	14·1	15·5	13·2	9·1	Nottingham -	14·1	15·8	15·8	17·0
Bristol -	13·6	15·5	14·1	13·6	Oldham -	20·6	17·3	16·1	15·3
Cardiff -	19·9	22·0	19·9	19·9	Plymouth -	16·5	24·0	15·1	16·5
Derby -	16·3	12·2	14·0	14·5	Portsmouth -	15·5	16·7	14·3	14·3
Halifax -	27·6	13·5	11·5	18·9	Preston -	21·3	18·7	17·2	27·0
Huddersfield	19·7	16·7	16·1	18·5	Salford -	21·5	21·0	23·3	18·7
Hull -	15·4	15·7	13·4	14·6	Sheffield -	21·5	18·8	23·2	17·1
Leeds -	19·7	15·3	18·0	16·9	Sunderland -	18·7	21·6	18·3	21·2
Leicester -	14·6	16·1	23·8	36·4	Wolverhampton -	19·1	16·5	16·5	11·2

The highest annual death-rates from measles, measured by last week's mortality, were 2·3 in Manchester and 3·7 in Newcastle-upon-Tyne; from whooping-cough, 1·6 in Preston and 1·7 in Birkenhead; from scarlet fever, 1·0 in Newcastle-upon-Tyne and in Preston, and 1·4 in Leeds; and from diarrhoea, 3·6 in London and in Preston, and 13·4 in Leicester. The deaths from diphtheria were 19 in London, and but 5 in the twenty-seven provincial towns. Small-pox caused 14 deaths in London and its outer ring (exclusive of 12 in the Metropolitan Asylum Hospital and Camp at Darent), and one in Liverpool.

LONDON.

In LONDON 2423 BIRTHS and 1636 DEATHS were registered. Allowing for increase of population, the births were 266, and the deaths 141, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had steadily increased in the four preceding weeks, from 16·3 to 20·6, further rose last week to 20·9. During the first three weeks of the current quarter the mean death-rate was 19·8, against 21·3 in the corresponding periods of the nine years 1876-84.

The 1636 deaths included 6 from small-pox, 65 from measles, 11 from scarlet fever, 19 from diphtheria, 51 from whooping-cough, one from typhus, 9 from enteric fever, 2 from ill-defined forms of continued fever, 284 from diarrhoea and dysentery, and 5 from cholera; thus, 453 deaths were referred to these diseases, being 59 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, further declined last week to 6. These 6 deaths were exclusive of 12 of London residents who died in the Metro-

politan Asylum Hospitals situated outside Registration London. Of the total 18 fatal cases, 15 occurred in the Metropolitan Asylum Hospitals, one in the Highgate Small-pox Hospital, and 2 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 2 belonged to Pancras, 3 to Lambeth, and 3 to Greenwich. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the seven preceding weeks from 1389 to 775, had further fallen to 648 on Saturday last; the admissions, which had been 94, 101, and 118 in the three previous weeks, declined last week to 72.

The fatal cases of *measles*, which had been 73 and 82 in the two previous weeks, declined to 65 last week, but exceeded the corrected weekly average by 15; 6 belonged to Fulham and 15 to Islington. The 11 deaths from *scarlet fever* were 33 below the corrected average, and included 3 that belonged to Shoreditch. The 19 deaths referred to *diphtheria* exceeded the numbers in recent weeks, and were 6 above the corrected average; 8 belonged to Islington. The fatal cases of *whooping-cough*, which had been 51 and 77 in the two previous weeks, declined again to 51 last week, and were 4 below the corrected average; 5 belonged to Bethnal Green, and 8 to Wandsworth. The deaths attributed to *diarrhœa* and *dysentery*, which had been 51, 110, and 210 in the three preceding weeks, further rose last week to 284, but were 22 below the corrected average; 241 were of infants aged under one year, and 30 of children aged between one and five years. Of the 5 deaths referred to *cholera*, one was an adult case certified as choleraic diarrhœa, and the 4 other cases were of infants or of children aged under five years.

The deaths referred to *enteric fever*, which had been 9, 10, and 17 in the three preceding weeks, declined again to 9 last week, and were 4 below the corrected average; 2 belonged to Islington. The fatal case of *typhus* occurred in the Fever Hospital at Deptford, and was of an adult male admitted from 1, Howbury Road (Nunhead), Camberwell. Two deaths were indefinitely referred to "continued fever" and to "fever."

The deaths referred to diseases of the respiratory organs, which had been 177 and 197 in the two previous weeks, declined again last week to 180, and were 11 below the corrected weekly average.

The deaths of 2 adult males were respectively referred to hydrophobia, and to glanders.

Different forms of violence caused 42 deaths; 40 were the result of negligence or accident, among which were 23 from fractures and contusions, 7 from drowning, and 5 of infants under one year of age from suffocation. The 23 cases of fractures and contusions were thus returned:—male, aged 48 years, run over by van; male 50, run over by cab; females 1 and 6, run over by cart; male 43, thrown from van; female 34, thrown from cart; male 50, fell from cart; male 59, run over by train at Poplar Station; male 17, crushed by engine on South-Eastern Railway; male 46, fell into dry dock; male 36, fell while cleaning carriage; female 83, fell from chair; male 30, fell on kerb; male 4 months, fell from nurse's arms; female 31, fell from window; male 7, by fall; male 59, by fall of sack of wheat; males 60 and 62, by fall of timber; male 24, crushed between lift and wall; males 54 and 31, and female 73, by fracture. An inquest was held in each of these cases except the last. No case of suicide was registered.

GREATHER LONDON.

In Greater London 3116 births and 2013 deaths were registered, corresponding to annual rates of 31·3 and 20·2 per 1000 of the population. In the Outer Ring 46 deaths resulted from diarrhœa, 18 from measles, 11 from "fever," and 8 from small-pox. The 8 fatal cases of small-pox included 5 in West Ham, 2 in Tottenham, and 1 in Stratford sub-districts. Of the 11 deaths from "fever," 3 occurred in Isleworth, and 2 in Croydon sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 30·03 in.; the lowest reading was 29·69 in. at noon on Sunday, and the highest was 30·26 in. on Wednesday morning. The mean temperature of the *air* was 64°·5, and 1°·5 above the average in the corresponding week of the 20 years ending 1868. The mean was below the average on Thursday, but showed an excess on each of the other days of the week, the hottest day being Saturday. The direction of the *wind* was variable, and the horizontal movement of the air averaged 9·8 miles per hour, which was 0·1 miles above the average in the corresponding week of 16 years. *Rain* fell on Sunday to the amount of 0·01 of an inch. The duration of registered bright sunshine in the week was 55·9 hours, against 53·9 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY in 28 GREAT TOWNS, during the Week ending 25th July, 1885.

CITIES AND BOROUGH.	Registered during the week ending 25th July, 1885.		Deaths from										TEMPERATURE OF THE AIR.				RAINFALL.								
	Cols.	1.	Deaths of		Persons aged 60 Years and upwards.	Deaths from								Mean.				In Inches.	In Centi- meters.						
			1 Year of Age.	Small-pox.		Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typh.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Cases of Death.	From All Causes.	From Diseases in Cols. 6-12.			Fahrenheit.		Centigrade.			
																				High.	Low.		High.	Low.	
26 TOWNS.	-	5414	3332	1164	562	7	125	37	24	108	25	409	90	189	501	66	19.5	4.3	87.1	44.7	61.6	16.45	0.41	1.04	- 28 TOWNS.
LONDON.	-	2423	1636	697	276	6	65	11	19	51	12	284	42	92	306	9	20.9	5.7	87.1	44.7	64.5	18.06	0.01	0.03	LONDON.
BRIGHTON.	-	43	20	6	4	-	-	-	-	-	-	1	-	1	5	2	9.1	0.5	72.5	50.6	80.5	15.84	0.21	0.53	BRIGHTON.
PORTSMOUTH.	-	82	37	11	10	-	-	-	-	-	-	1	-	1	4	-	14.3	0.8	-	-	-	-	-	-	PORTSMOUTH.
NORWICH.	-	55	19	6	8	-	-	-	-	-	-	1	-	1	4	-	10.9	0.6	-	-	-	-	-	-	NORWICH.
PLYMOUTH.	-	50	24	5	3	-	-	-	-	-	-	1	-	2	2	-	16.5	0.7	74.5	51.2	61.2	16.22	0.13	0.33	PLYMOUTH.
BRISTOL.	-	116	57	14	17	-	5	-	-	-	-	3	-	2	6	2	13.6	2.2	80.5	53.0	63.2	17.33	0.65	1.65	BRISTOL.
WOLVERHAMPTON.	-	52	17	5	7	-	-	-	-	-	-	-	-	-	-	-	11.2	0.0	78.0	53.0	61.0	16.11	0.31	0.79	WOLVERHAMPTON.
BIRMINGHAM.	-	269	135	42	21	-	6	1	1	4	-	10	6	10	20	4	16.5	2.7	-	-	-	-	-	-	BIRMINGHAM.
LEICESTER.	-	89	95	55	6	-	-	2	-	5	-	35	4	12	9	1	36.4	16.1	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM.	-	149	69	25	10	-	-	-	3	3	-	8	3	4	8	1	17.0	3.5	80.0	54.1	62.4	16.89	0.21	0.53	NOTTINGHAM.
DERBY.	-	58	25	12	7	-	-	-	-	2	-	2	-	-	-	-	14.5	2.3	-	-	-	-	-	-	DERBY.
BIRENHEAD.	-	51	23	10	2	-	2	-	-	3	-	1	6	1	6	1	15.7	3.4	-	-	-	-	-	-	BIRENHEAD.
LIVERPOOL.	-	344	235	64	27	1	12	6	1	10	2	6	10	12	38	12	21.2	3.3	73.7	55.4	61.9	16.61	0.77	1.96	LIVERPOOL.
BOLTON.	-	63	24	4	9	-	-	-	-	-	1	1	1	-	4	-	11.4	0.9	79.4	52.6	61.0	16.11	0.78	1.98	BOLTON.
MANCHESTER.	-	201	159	46	22	-	15	-	-	5	2	8	6	13	30	2	24.6	4.6	-	-	-	-	-	-	MANCHESTER.
SALFORD.	-	112	73	26	12	-	6	-	-	2	-	8	-	2	7	4	18.7	4.1	-	-	-	-	-	-	SALFORD.
OLDHAM.	-	94	37	8	6	-	-	-	-	2	-	-	-	-	-	-	15.3	0.4	-	-	-	-	-	-	OLDHAM.
BLACKBURN.	-	77	39	10	4	-	-	-	-	2	-	-	-	-	3	2	18.1	1.9	-	-	-	-	-	-	BLACKBURN.
PRESTON.	-	74	52	19	11	-	-	2	-	3	1	7	-	1	4	2	27.0	6.8	79.0	55.5	61.9	16.61	0.94	2.39	PRESTON.
HUDDERSFIELD.	-	40	31	7	5	-	-	-	-	1	-	1	1	1	5	1	18.5	1.2	-	-	-	-	-	-	HUDDERSFIELD.
HALIFAX.	-	77.378	59	28	7	7	-	1	-	1	-	1	1	1	5	1	18.9	1.3	-	-	-	-	-	-	HALIFAX.
BRADFORD.	-	214.431	67	19	11	-	-	-	-	2	-	3	1	4	4	2	16.3	1.2	78.4	54.0	61.2	16.22	0.54	1.37	BRADFORD.
LEEDS.	-	333.139	213	108	36	20	-	9	-	6	1	11	2	7	5	2	16.9	4.2	81.0	54.0	62.2	16.78	0.59	1.50	LEEDS.
SHEFFIELD.	-	201	100	42	16	-	3	1	-	3	-	5	1	1	9	7	17.1	2.0	87.0	55.0	64.1	17.84	0.36	0.91	SHEFFIELD.
HULL.	-	186.292	121	52	12	12	-	-	-	-	2	1	3	3	8	3	14.6	0.8	84.0	49.0	59.7	15.39	0.29	0.74	HULL.
SUNDERLAND.	-	125.827	93	51	11	14	-	1	-	-	-	5	1	2	1	2	21.2	2.5	80.0	49.0	58.1	14.50	0.18	0.46	SUNDERLAND.
NEWCASTLE.	-	163.269	101	77	20	12	-	11	3	2	1	4	1	4	7	1	26.2	7.2	80.0	52.0	61.1	16.17	0.20	0.51	NEWCASTLE.
CARDIFF.	-	57.034	76	87	9	3	-	-	-	1	1	1	4	5	3	1	19.9	1.6	-	-	-	-	-	-	CARDIFF.
EDINBURGH.	-	250.616	128	68	15	13	-	1	-	2	1	7	1	?	7	24	14.2	2.3	82.2	47.3	61.4	16.33	0.32	0.81	EDINBURGH.
GLASGOW.	-	519.965	426	241	64	23	-	6	3	12	4	16	12	?	25	44	22.2	4.4	80.0	43.2	60.9	16.06	0.00	0.00	GLASGOW.
DUBLIN.	-	333.082	190	132	24	23	-	3	2	-	3	4	4	5	40	13	19.5	1.9	81.0	50.9	61.4	16.33	0.79	2.01	DUBLIN.

*Births and Deaths registered last Week.***TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the TWENTY-NINTH Weeks of Ten previous Years.**

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2330	2333	2415	2364	2488	2595	2451	2453	2559	2669	2688·8	2423
Males . .	1161	1219	1226	1210	1251	1303	1223	1288	1316	1370	1370·4	1297
Females .	1169	1114	1189	1154	1237	1292	1228	1165	1243	1299	1318·4	1126
TOTAL Deaths	1471	1878	1438	1787	1190	1482	1943	1321	1781	2007	1777·2	1636
Males . .	737	1010	737	913	608	799	1014	676	906	1025	918·7	849
Females .	734	868	701	874	582	683	929	645	875	982	858·5	787

The numbers in this column are the average weekly numbers in the twenty-ninth week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.
TOTAL Births - -	2561	2429	2544	2391	2209	2409	2464	2373	2419	2483	2420	2411	2423
TOTAL Deaths - -	1549	1465	1496	1554	1538	1521	1315	1284	1279	1366	1412	1616	1636
0-20 - -	699	697	707	745	744	744	655	654	658	690	741	964	998
20-40 - -	227	206	214	209	188	210	178	170	153	179	191	172	153
40-60 - -	277	273	250	254	261	246	218	185	227	238	198	222	209
60-80 - -	281	243	263	290	283	253	218	228	199	226	226	222	214
at 80 years & upwds.	65	46	62	56	62	68	46	47	42	33	56	36	62
Deaths of children { Under 1 year -	324	296	333	334	349	342	305	316	318	372	408	563	627
{ 1-5 -	292	294	254	299	296	294	260	258	256	224	251	304	281
{ 5-20 -	83	107	120	112	99	108	90	80	84	94	82	97	90
Deaths from Small-pox * -	48	66	75	50	55	62	39	37	28	39	23	15	18
" " Measles -	99	91	65	93	90	120	98	95	90	80	73	82	65
" " Scarlet Fever -	12	13	13	12	10	9	12	7	13	9	12	13	11
" " Diphtheria -	15	24	21	10	17	15	17	16	14	18	15	16	19
" " Whooping-cough -	51	46	57	68	50	46	39	42	46	59	51	77	51
" " Typhus -	-	2	-	2	-	-	1	-	2	1	-	1	1
" " Enteric fever -	1	12	16	13	11	13	4	6	11	9	10	17	9
" " Simple Cont ^a fever -	1	-	-	3	4	2	3	2	-	2	1	2	2
" " Diarrhœa and } Dysentery - }	16	13	9	16	20	11	23	24	44	51	110	210	284
" " Cholera -	-	1	-	-	-	-	2	3	2	1	3	7	5
Deaths from the above-mentioned Diseases * }	243	263	256	267	257	278	238	232	250	269	298	440	465
" " Dis. of Respira- } tory System - }	337	287	291	305	302	290	231	196	183	192	177	197	180
" " Phthisis -	191	160	160	179	150	154	140	141	131	165	138	140	138
" " Dis. of Circula- } tory System - }	91	110	106	105	96	102	84	70	73	74	99	86	101
Violent Deaths - -	64	52	46	39	60	59	52	56	39	42	53	58	42
Inquest Cases - -	126	98	104	97	108	104	96	94	81	84	94	114	92
Deaths in Public Institutions	331	319	349	352	371	364	313	306	285	290	312	297	306
TEMPERATURE OF THE AIR:													
Mean -	51·9	46·7	47·4	48·4	56·0	62·6	58·5	58·7	58·3	60·5	65·0	61·2	64·5
Mean of Highest readings -	61·8	57·6	58·9	57·9	66·5	74·5	69·5	70·6	68·2	72·7	79·5	73·5	78·1
Mean of Lowest readings -	42·9	38·4	36·8	41·2	47·8	51·2	47·7	48·4	49·7	49·5	51·5	51·4	52·4
Humidity of the Air - -	78	81	65	79	78	66	75	76	75	67	67	74	72
Rain-fall in inches - -	0·52	0·77	0·07	0·74	0·46	0·27	0·90	0·39	0·11	00·0	0·02	0·49	0·01
Registered Sunshine (in hours)	39·2	31·4	51·5	28·9	39·9	69·6	55·3	41·8	35·2	41·1	60·5	32·8	55·9

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glisher, Esq., F.R.S.; F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quirton, jun., Esq., Norwich; R. (am) Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Pillitter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-NINTH Week of the Year 1885.

CAUSES OF DEATH.										In the Week ending Saturday, 25th July, 1885.										CAUSES OF DEATH.										In the Week ending Saturday, 25th July, 1885.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Corrected Averages for the 24th Weeks of the 10 years 1875-84.										Deaths of Persons of the Ages										Corrected Averages for the 24th Weeks of the 10 years 1875-84.										Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
ALL AGES.										ALL AGES.										ALL AGES.										ALL AGES.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Under 20.										Under 20.										Under 20.										Under 20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0-1.										0-1.										0-1.										0-1.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1-5.										1-5.										1-5.										1-5.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
5-20.										5-20.										5-20.										5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
20 and under 40.										20 and under 40.										20 and under 40.										20 and under 40.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
40 and under 60.										40 and under 60.										40 and under 60.										40 and under 60.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
60 and under 80.										60 and under 80.										60 and under 80.										60 and under 80.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
80 Years and upwards.										80 Years and upwards.										80 Years and upwards.										80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
ALL CAUSES - -										1777.2	1636	627	281	90	153	209	214	62	Diseases of Organs of Special Sense † - -										1.0	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population. As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted. Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical attendant, the case is returned under the heading "no statement." The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, or suicide. All such cases are classed under "accident or negligence." Exclusive of 12 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include															Inquest Cases, Deaths in Public Institutions.	
					Deaths of		Deaths from														
					Infants under 1 Year of Age.	Persons aged 40 Years & upward.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.					
LONDON		3,816,483	2423	1636	627	276	6	65	11	19	51	1	9	2	284	42	92	306			
WEST DISTRICTS.																					
St. Mary Paddington WHH G.J. & W.M.		69888	46	26	12	3	-	3	-	-	3	-	-	-	5	1	4	2			
St. John Paddington H - - G.J.		37330	18	12	1	1	-	-	-	-	1	3	-	-	11	-	2	14			
Kensington Town Ww - - W.M.		12041	71	63	21	13	-	-	-	-	-	-	-	-	-	-	1	2			
Brompton H - - W.M. & C.		43010	10	14	2	5	-	-	-	-	-	-	-	-	2	-	-	-			
St. Peter Hammersmith - - W.M.		7599	7	5	3	-	-	2	-	-	-	-	-	-	2	-	-	-			
St. Paul Hammersmith H W.M. & G.J.		64340	51	27	14	1	-	2	-	-	-	-	1	1	4	1	1	7			
Fulham WwH - - W.M. & C.		42500	43	44	22	9	-	2	1	-	2	-	-	-	3	-	-	-			
Chelsea South HHH - - C.		30296	13	6	5	-	-	-	-	-	-	-	-	-	2	-	-	-			
Chelsea North-west WHHHH - - C.		24925	24	15	5	-	-	1	-	-	-	-	-	-	3	-	-	7			
Chelsea North-east - - C.		32807	21	20	11	2	-	-	-	-	-	-	-	-	6	-	1	-			
Hanover Square H - - G.J.		16862	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	9			
May Fair WH - - G.J.		13491	5	10	1	4	-	-	-	-	-	-	-	-	1	1	1	13			
Belgrave WH - - G.J.		59220	21	80	9	3	-	-	-	-	-	-	1	-	-	-	-	1			
St. John Westminster HH - - C.		35496	34	9	5	1	-	-	-	-	1	-	-	-	1	1	1	3			
St. Margaret Westminster H - - C.		24679	10	5	1	1	-	-	-	-	-	-	-	-	1	-	-	1			
St. James Westminster WH N.R. & G.J.		29941	11	9	2	1	-	1	-	-	-	-	1	-	1	-	-	2			
St. Anne Soho HHHHH - - N		16698	7	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-			
NORTH DISTRICTS.																					
All Souls Marylebone HHHH - W.M.		26759	13	10	2	2	-	-	-	1	-	-	-	-	1	-	-	6			
Cavendish Square HHH - W.M.		14861	1	3	-	1	-	-	-	-	-	-	-	-	5	-	-	1			
Rectory Marylebone WH G.J. & W.M.		24309	13	11	5	2	-	-	1	-	-	-	-	-	6	-	1	3			
St. Mary Marylebone HHH G.J. & W.M.		21118	25	16	10	2	-	-	-	-	-	-	-	-	1	-	-	-			
Christchurch Marylebone H - W.M.		33700	17	8	4	2	-	1	-	-	-	-	-	-	2	-	-	-			
St. John Marylebone H - W.M.		33633	17	10	-	2	-	-	-	-	-	-	-	-	-	-	-	4			
Hamstead WwHHH - N.R. & W.M.		45452	29	7	-	-	-	1	1	1	-	-	1	-	-	-	-	-			
Regent's Park Pancras H - - W.M.		89115	19	12	6	1	-	-	-	-	-	-	-	-	3	-	1	-			
Tottenham-court WHHHH N.R. & W.M.		27729	13	17	4	7	-	-	-	-	1	-	-	-	1	1	2	11			
Gray's Inn Lane HHH - - N.R.		30247	13	7	2	3	-	1	-	-	-	-	-	-	2	-	-	1			
Somers Town H - - N.R.		24369	19	16	1	7	-	-	-	-	1	-	-	-	1	1	2	9			
Camden Town WH - - N.R.		17311	13	16	9	6	-	-	-	-	2	-	1	-	3	-	-	5			
Kentish Town W - - N.R.		87487	58	25	9	6	-	-	-	-	-	2	-	-	-	-	-	-			
Upper Holloway WwWH - - N.R.		67946	47	42	12	11	1	-	-	2	1	-	-	-	11	-	1	9			
Islington South-west HH - - N.R.		109576	38	50	20	6	-	8	-	1	1	-	2	-	8	1	4	-			
Islington South-east - - N.R.		61635	27	25	5	3	-	4	1	-	-	-	-	-	3	-	-	-			
Highbury H - - N.R.		62048	25	23	6	5	-	3	-	4	-	-	-	-	1	-	-	1			
Stoke Newington H - - N.R.		22781	13	8	1	4	-	-	-	-	-	-	-	-	2	-	1	-			
Stamford Hill - - E.L.		9277	17	10	5	1	-	1	-	-	-	-	-	-	4	-	2	-			
West Hackney - - N.R.		37610	22	20	10	1	-	-	-	1	-	-	-	-	5	1	2	-			
Hackney WwWHH - - E.L. & N.R.		76911	54	30	11	5	1	2	2	-	-	-	1	-	4	1	1	8			
South Hackney - - E.L.		39883	22	13	4	3	-	1	-	-	-	-	-	-	-	-	-	-			
CENTRAL DISTRICTS.																					
St. George Bloomsbury - - N.R.		16681	9	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-			
St. Giles South WH - - N.R.		14864	7	15	3	5	-	1	-	-	-	-	-	-	1	1	2	6			
St. Giles North - - N.R.		13837	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin-in-the-Fields HH N.R. & C.		17508	5	9	1	-	-	-	-	1	-	-	-	-	1	1	1	6			
St. Mary-le-Strand H - - N.R.		7515	4	2	1	-	-	1	-	-	-	-	-	-	1	1	2	2			
St. Clement Danes H - - N.R.		8559	4	8	4	1	-	-	-	-	-	-	-	-	1	1	-	-			
St. George-the-Martyr HHHHHH N.R.		18671	7	6	1	-	-	-	-	-	-	-	-	-	1	-	-	3			
St. Andrew Eastern W - - N.R.		10706	5	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-			
Saffron Hill H - - N.R.		6333	5	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-			
St. James Clerkenwell - - N.R.		17516	9	4	4	-	-	-	-	-	2	-	-	-	1	-	-	-			
Amwell Clerkenwell - - N.R.		16231	12	6	3	1	-	-	-	-	-	-	-	-	1	-	-	-			
Pentonville - - N.R.		14773	7	6	3	-	-	-	-	-	-	-	-	-	1	-	1	-			
Geswell-street - - N.R.		17506	10	5	2	-	-	-	-	-	1	-	-	-	1	-	-	-			
Old-street - - N.R.		11541	5	3	3	-	-	-	-	-	-	-	-	-	2	-	-	1			
City-road HHL - - N.R.		18628	19	16	9	2	-	2	-	-	-	-	-	-	1	-	-	-			
Whitcross-street - - N.R.		9217	8	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-			
Finsbury - - N.R.		7463	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Botolph H - - N.R. & E.L.		11174	4	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-			
Cripplegate - - N.R.		7193	3	6	1	1	-	2	-	-	-	-	-	-	1	-	-	-			
St. Sepulchre H - - N.R.		8358	4	18	-	3	-	1	-	1	-	1	-	-	-	2	2	13			
St. Bride W - - N.R.		8396	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Allhallows Barking - - N.R.		13666	-	3	1	2	-	-	-	-	-	-	-	-	-	1	1	-			
Broad Street H - - N.R.		8652	-	3	-	2	-	-	-	-	-	-	-	-	-	-	1	1			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J., signifying Grand Junction Company; W.M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N.R., New River; E.L., East London and K., the Kent Company.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
day, the 25th July, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	The DEATHS registered in the Week include																		
			Total Births during the Week.	Total DEATHS during the Week.	Deaths of			Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under 2 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.					
EAST DISTRICTS.																					
Well Shoreditch	N.R. & E.L.	7376	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Leonard Shoreditch	HL† - N.R.	14967	11	5	2	-	-	-	-	1	-	-	-	-	-	-	2	-	-		
on New Town	- - N.R.	28937	12	23	12	3	-	1	-	-	-	-	-	-	-	-	-	3	-		
on Old Town	- - N.R.	28036	27	14	9	1	-	-	1	-	-	1	-	-	-	-	3	-	-		
gerston	WH - N.R. & E.L.	46275	31	23	6	2	-	3	-	1	-	1	-	1	-	2	1	9	-		
ney-road	H - - E.L.	29788	19	12	3	4	-	1	-	-	-	2	-	-	-	1	-	-	-		
n, Bethnal Green	WH† - E.L.	47832	30	30	12	4	-	-	-	-	-	3	-	-	-	8	-	11	-		
ch, Bethnal Green	- - E.L.	29981	23	4	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-		
n, Bethnal Green	- - E.L.	10810	16	7	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
Fields	H - - E.L. & N.R.	22585	11	10	3	3	-	-	-	-	-	-	-	-	-	3	-	-	-		
End New Town	W - - E.L.	15473	10	5	3	1	-	-	-	-	-	1	-	-	-	2	-	-	-		
chapel Church	H - E.L. & N.R.	17490	13	16	3	1	-	-	-	-	-	-	-	-	-	8	4	15	-		
man's Fields	- - E.L.	9713	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
ate	- - N.R. & E.L.	6102	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
George's, North	- - E.L.	38747	22	18	11	1	-	1	-	-	1	-	-	-	-	6	-	1	-		
ohn, St. George East	W - E.L.	8410	3	11	2	6	-	-	1	-	1	-	-	-	-	3	-	7	-		
Well	H - - E.L. & N.R.	10895	6	6	4	-	-	-	-	-	-	-	-	-	-	2	-	5	-		
lf	- - E.L.	16107	8	8	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-		
house	- - E.L.	32041	24	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
End Old Town West	- - E.L.	37680	28	15	8	3	-	1	-	-	-	-	-	-	-	6	-	-	-		
End Old Town East	WwWH - E.L.	67683	54	24	11	6	-	2	-	-	1	-	-	-	-	4	-	3	1		
ley	WwWH - - E.L.	37074	22	10	5	1	-	-	-	-	1	-	-	-	-	2	-	2	-		
ar	WW - - E.L.	64859	47	36	12	3	-	1	-	-	2	-	-	-	-	3	1	1	12		
		56077	26	25	12	4	-	-	-	-	-	-	-	-	-	5	2	3	1		
SOUTH DISTRICTS.																					
church Southwark	WH L. & S.	13663	8	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
vious Southwark	- - S.	14999	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-road	- - S. & L.	21381	8	9	5	1	-	-	-	-	-	-	-	-	1	3	-	-	-		
ugh-road	WH - - S. & L.	15953	12	7	4	1	-	-	-	-	-	-	-	-	-	2	-	1	-		
on-road	HL - - L. & S.	21318	26	9	5	1	-	-	-	1	-	-	-	-	-	2	1	2	-		
ky Newington	- - S. & L.	23622	21	14	11	1	-	-	-	-	-	-	-	-	-	6	1	1	-		
eter Walworth	W - - S. & L.	59555	52	45	18	14	-	-	-	-	1	-	-	-	-	1	1	4	13		
ary Newington	- - L. & S.	21623	15	12	5	-	-	1	-	-	-	-	-	-	-	2	-	-	-		
ave	WH - - S.	11956	12	9	1	2	-	-	-	-	-	-	-	-	-	1	2	2	6		
er Market	- - S. & L.	16300	7	7	4	2	-	-	-	-	-	-	-	-	-	2	-	1	-		
ary Magdalen	W - - S.	15669	12	9	5	1	-	-	-	-	-	-	-	-	-	2	-	2	1		
ames Bermondsey	- - S.	54683	88	14	8	1	-	1	1	-	1	-	-	-	-	4	-	-	-		
eriths	W - - S. & K.	36024	32	16	10	2	-	-	-	-	-	-	-	-	-	2	1	2	1		
ool-road 1st	H - - L. & S.	15195	8	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	3		
ool-road 2nd	H - - L. & S.	16361	20	8	4	-	-	-	-	-	-	-	-	-	-	5	-	-	-		
eth Church 1st	H - - L. & S.	19876	14	22	7	2	-	1	-	1	-	1	-	-	-	2	2	3	10		
eth Church 2nd	WW - L. & S.	39859	34	21	7	4	-	-	-	-	1	-	-	-	-	6	-	-	8		
ington 1st	- - S. & L.	45232	32	12	9	1	-	1	-	-	-	-	-	-	-	4	-	-	-		
ington 2nd	- - S. & L.	36382	20	7	2	2	-	-	-	-	-	-	-	-	-	8	-	-	-		
on	W - - L. & S.	62837	28	20	6	6	-	-	-	-	-	-	-	-	-	1	-	-	-		
ood	W - - L.	19017	10	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
am	H - - S.	36380	17	9	3	2	-	-	-	-	-	3	-	-	-	1	-	-	1		
Battersen	- - S.	54675	48	35	19	2	-	-	-	-	2	-	-	-	-	11	1	2	-		
Battersen	Ww - - S.	57467	52	40	18	7	-	1	-	-	3	-	-	-	-	10	-	-	-		
aworth	HL - - S.	28004	19	9	5	-	-	-	-	1	-	-	-	-	-	3	1	1	-		
ey	- - S.	13235	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
tham	- - L.	25533	29	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
ch	- - L. & S.	5590	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
erwell	WL†L† - - S. & L.	45104	40	21	9	6	-	-	-	-	2	-	-	-	-	2	-	-	4		
am	W - - S., L. & K.	71089	44	20	10	3	-	-	-	-	1	-	-	-	-	3	1	4	-		
orge Camberwell	- - L. & S.	60810	43	21	6	2	-	1	1	-	-	-	-	-	-	2	2	-	-		
aul Deptford	Ww - - K.	76752	52	36	10	4	3	-	1	-	1	-	1	-	-	8	1	2	3		
icholas Deptford	- - K.	7901	6	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
nich West	H - - K.	21972	11	7	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1		
nich East	WHH - - K.	24608	17	18	2	7	-	-	-	1	1	-	-	-	-	-	3	3	11		
am	H - - K.	5827	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
ham	WH - - K.	21559	11	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
ham	H - - K.	19865	14	13	5	3	-	-	-	-	-	-	-	-	-	1	-	-	6		
	- - L.	26076	21	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
ton	H - - K.	10930	4	5	1	2	-	-	-	-	-	-	-	-	-	-	2	1	-		
nich Dockyard	- - K.	17617	11	3	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
nich Arsenal	HHH - - K.	19048	5	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
stead, West	H - - K.	14009	11	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
stead, East	W - - K.	19241	17	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1		

Following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by w:—

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
General London Sick Asylum in Tottenham Court-road sub-district.	
Albion Infirmary in Upper Holloway sub-district.	
London City Workhouse in Hackney sub-district.	
Albion " " Hoxton New Town sub-district.	
Whitechapel " " Mile End Old Town Eastern sub-dist.	Westminster Union Industrial School in West Battersea sub-district.
	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during Week ending Saturday, 25th July, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Aeres, includ- ing Tidal Water and Fore- shore.	Ename- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
LONDON.—OUTER RING		370,282	950,178	693	377	125	62	8	18	1	5	6	11	46	16	22	28		
30:1	Carshalton <i>wL</i> - -	12228	21118	15	7	-	1	-	-	-	-	-	-	-	-	-	3		
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	5	6	-	-	-	-	-	2	-	-	-	-	-	-		
37:1	Godstone (<i>part of</i>) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
38:1	Croydon <i>WwH</i> - -	20851	101241	62	32	4	11	-	2	-	-	1	2	-	1	1	8		
	Mitcham - -	11697	17932	12	8	2	2	-	1	-	-	-	-	1	1	1	-		
39:1	Wimbledon <i>HHH</i> - -	3220	15950	15	2	1	-	-	-	-	-	-	-	-	-	-	-		
2	Kingston <i>WHH</i> - -	8549	36354	15	17	2	5	-	-	-	-	-	-	-	2	2	4		
3	Esher (<i>part of</i>) * - -	6601	9221	4	2	-	-	-	-	-	-	-	-	-	-	-	-		
4	Hampton <i>H</i> - -	4573	13539	12	2	-	1	-	-	-	-	-	-	-	-	-	-		
40:1	Richmond <i>WH</i> - -	2272	21302	14	3	2	1	-	-	-	-	-	-	1	-	-	-		
2	Mortlake - -	941	12331	12	3	1	1	-	-	-	-	-	-	-	1	1	-		
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	18	6	2	2	-	-	-	-	-	-	1	-	-	-		
2	Chislehurst(<i>pt. of</i>) * <i>WHH</i>	13655	15065	7	3	-	1	-	-	-	-	-	-	-	-	-	1		
42:1	Bexley <i>H</i> - -	18457	24134	15	7	1	3	-	-	-	-	-	-	-	1	1	1		
124:1	Sunbury <i>so</i> - -	11055	11685	5	6	1	-	-	1	-	-	-	1	-	-	1	2		
2	Staines <i>W</i> - -	13277	12099	6	4	3	-	-	-	-	-	-	-	-	-	-	-		
125:1	Hillingdon <i>WH</i> - -	6029	10802	12	4	1	1	-	-	-	-	-	-	-	1	1	1		
2	Uxbridge - -	6178	5225	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes <i>wHL</i> - -	14587	11523	3	1	-	-	-	-	-	-	-	-	-	-	-	1		
126:1	Isleworth <i>W</i> - -	7008	22727	13	7	1	-	-	-	-	-	-	3	-	1	2	-		
2	Twickenham <i>H</i> - -	2477	12479	5	1	-	-	-	-	-	-	-	1	-	-	-	1		
3	Brentford <i>HL</i> - -	4345	27649	19	11	4	3	-	-	-	-	-	-	2	-	1	-		
4	Chiswick - -	1340	15975	17	6	2	1	-	1	-	-	-	-	-	1	-	-		
5	Acton <i>wH</i> - -	6083	22376	20	15	10	1	-	-	-	-	-	-	7	-	-	-		
127:1	Harrow <i>H</i> - -	13809	12796	5	1	-	-	-	-	-	-	-	1	-	-	-	-		
2	Edgware <i>H</i> - -	6994	3749	4	1	1	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden - -	4383	27463	22	19	10	2	-	1	-	1	1	-	2	-	1	-		
4	Hendon <i>W</i> - -	8382	10464	5	3	1	1	-	-	-	-	-	-	-	-	-	1		
128:1	South Mimms - -	15599	6391	2	6	-	2	-	-	-	-	-	-	-	-	-	-		
2	Barnet <i>W</i> - -	5433	10092	7	7	1	2	-	1	-	-	-	-	1	-	-	1		
3	Finchley <i>HL</i> - -	4688	17615	16	2	-	2	-	-	-	-	-	-	-	-	1	-		
129:1	Hornsey <i>H</i> - -	3039	37078	52	9	4	1	-	-	-	-	-	-	3	-	-	-		
2	Tottenham <i>HH</i> - -	4642	46456	50	28	11	1	2	2	-	-	1	1	4	1	1	1		
3	Edmonton <i>WwW</i> - -	7483	23463	15	14	6	2	-	-	-	-	-	-	5	1	1	1		
4	Enfield <i>WH</i> - -	12653	19104	23	5	3	-	-	-	-	-	-	-	-	1	2	-		
5	Waltham Abbey - -	11017	5368	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt - -	8480	7735	6	3	1	1	-	-	-	-	-	-	1	-	-	-		
135:1	Hatfield (<i>part of</i>) *	3206	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137:1	Bushey - -	9331	6621	3	2	-	1	-	-	-	1	-	-	-	-	-	-		
186:1	Stratford - -	832	38606	22	26	11	3	1	1	1	1	1	1	5	1	1	-		
2	West Ham <i>wWwH</i> - -	7351	101053	88	60	27	3	5	5	-	-	-	-	1	9	1	-		
3	Leyton <i>WwL</i> - -	4372	32430	36	10	1	3	-	-	-	-	1	-	-	2	2	2		
4	Walthamstow <i>wH</i> - -	6520	25869	20	15	7	1	-	3	-	-	1	-	3	-	-	-		
187:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	7	5	-	2	-	-	-	-	-	-	-	1	1	-		
189:1	Romford (<i>part of</i>) *	6730	3411	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford - -	8493	7645	7	5	3	1	-	-	-	-	-	-	-	-	-	-		
3	Barking Town - -	4127	9203	11	2	1	-	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1205); 37: 1, the two parishes of Warringham and Earle in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41: 1, the whole of Bromley sub-district except the two parishes of Cudham and Knockholt (pop. 1818); 41: 2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 187: 1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 189: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 25th July, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons Aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
WATER LONDON	448,334	5,199,166	20·2	5·4	2013	752	338	14	83	12	24	57	23	330	58	334	
INNER LONDON	78,052	4,083,928	20·9	5·7	1636	627	276	6	65	11	19	51	12	284	42	306	
OUTER RING	370,282	1,115,238	17·6	4·4	377	125	62	8	18	1	5	6	11	46	16	28	

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 60,522 square miles, which is equivalent to the area of a circle having a radius of 14,933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.		BIRTHS.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
		Week ending		Exclusive of Stillborn.			
CALCUTTA - -	433,219	June	20	-	144	17·3	Fevers 47; cholera 10.
BOMBAY - -	773,196	"	23	272	430	26·5	Fevers 143; measles 19.
MADRAS - -	398,777	"	19	311	245	31·9	Fevers 64; diarrhoea and dysentery 41.
PARIS - -	2,239,928	July	18	1258	875	20·3	Typhd. fev. 38; meas. 23; diph. & crp. 21; diarr. 80.
GENEVA - -	71,453	"	18	31	22	16·1	Whooping-cough 1.
BRUSSELS - -	436,214	"	11	220	191	23·4	Scarlet fever 3; diph. 3; diarrhoeal diseases 41.
AMSTERDAM - -	366,812	"	18	263	162	22·9	Scar. fev. 4; measles 4.
ROTTERDAM - -	166,001	"	18	115	72	22·1	-
THE HAGUE - -	134,552	"	18	106	50	19·3	Whooping-cough 3.
COPENHAGEN - -	280,615	"	14	173	93	17·3	Measles 2.
STOCKHOLM - -	200,143	"	4	109	72	18·7	Scarlet fever 3; diphtheria and croup 4.
CHRISTIANIA - -	128,000	"	18	82	65	26·4	Scar. fev. 5; diph. & croup 14; diarrhoeal dis. 13.
ST. PETERSBURG	928,016	"	11	-	522	29·3	Fevers 12; measles 12; diarrhoeal dis. 126.
BERLIN - -	1,279,599	"	4	821	873	35·6	Diarrhoeal dis. 342; measles 13; diph. and croup 33.
HAMBURG (State)	497,956	"	11	340	243	25·5	Diarrhoea 54; diph. and croup 10.
DRESDEN - -	241,500	"	11	147	98	21·1	Typhus and typh. fev. 2; diph. & crp. 2; diarr. 10.
BRESLAU - -	295,000	"	11	216	262	45·9	Diarr. 79; scar. fev. 2; whooping-cough 2.
MUNICH - -	244,000	"	18	167	180	38·4	Diarrhoea 53; diphtheria and croup 2.
VIENNA - -	769,889	"	18	525	418	28·2	Diarr. 69; small pox 21; measles 5.
PRAGUE - -	272,333	"	18	-	203	38·9	Scarlet fever 12; diarrhoeal dis. 14.
BUDA-PESTH - -	429,532	"	4	334	256	31·0	Typhus and typh. fev. 2; diarrhoea 47.
TRIESTE - -	150,157	June	13	-	-	-	-
ROME - -	380,430	"	6	152	138	21·8	Measles 7.
NAPLES - -	504,795	"	-	-	-	-	-
TURIN (10 days)	267,763	June	30	245	184	25·1	Small-pox 4; typhoid fever 5.
VENICE - -	145,990	July	11	80	75	26·8	Diarr. 10; small-pox 2; typhoid fever 2.
MADRID - -	475,668	-	-	-	-	-	-
LISBON - -	203,681	-	-	-	-	-	-
ALEXANDRIA - -	231,196	June	20	-	-	-	-
NEW YORK - -	1,356,958	"	27	-	678	26·1	Diarrhoea 95; diphtheria 29; measles 20.
BROOKLYN - -	665,602	"	27	-	329	25·8	Diarrhoea 106; diph. 8; measles 5.
PHILADELPHIA - -	949,432	July	4	-	409	22·5	Diph. 10; typhd. fev. 11; diarrhoeal dis. 56.
BALTIMORE - -	408,520	"	4	-	161	20·	Diarrhoeal dis. 42.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 25th JULY, 1885.
[Under the Superintendence of the Astronomer Royal.]

MOON.		READINGS OF THERMOMETERS.										WIND.										RAIN.						
Phases of Moon.	METER.	Mean daily reading (corrected to 32 deg. Fahr.-height).		Dew Point.		Highest in the sun as shown by self-registering thermometer placed on the grass.		Lowest in the sun as shown by self-registering thermometer placed on the grass.		In the Water of the Thames at Deptford by Self-Registering Thermometers.		Between Dew Point Temperature and Air Temperature.		Between mean temperature of the day and the mean temperature of the same day 20 years ago.		Degree of Humidity, complete saturation being 100.		As deduced from Anemometers.		Collected in a Gauge receiving surface is 5 in. above the ground.								
		High.	Low.	Range in day.	Mean daily value.	Mean daily value.	Mean daily value.	High.	Low.	Thermo- est.	Grass.	Mean daily value.	Grat. est.	Least.	Mean of 20 years.	A. M.	P. M.	General Direction.	Oiler's.	Preston square foot.	Amount of Horizontal Movement of Air each day.	Robinson's.						
JULY.																												
SUN. 19	First Qr.	29-693	74-6	59-3	15-3	64-9	59-3	143-7	57-8	65-6	64-7	6-6	14-3	1-5	1-6	82	0-0	1-6	SW.	SW.	6-5	0-0	0-0	430	1-6	198	0-01	6-2
MON. 20	..	29-783	79-4	59-2	20-2	66-0	60-0	154-9	50-0	66-6	65-2	6-0	16-0	1-1	2-8	81	0-0	0-9	WSW.	WSW.	4-4	0-0	0-0	378	1-46	0-00	0-00	5-8
TUES. 21	..	30-161	74-4	57-7	16-7	64-2	58-5	142-3	47-9	66-3	65-2	5-7	13-8	0-0	1-2	82	0-0	0-1	E.	E.	1-2	0-0	0-0	178	-	54	0-00	0-8
WED. 22	..	30-233	76-9	50-5	26-4	63-4	50-6	148-4	39-0	66-6	63-7	12-8	24-5	0-5	0-5	63	0-0	0-2	E. & ESE.	E. & ESE.	2-1	0-0	0-0	226	-	7	0-00	2-2
THURS. 23	..	30-143	76-7	44-7	32-0	61-0	50-5	156-4	32-6	66-6	63-7	10-5	25-3	0-0	-	68	0-0	0-1	E. & ESE.	E. & ESE.	1-7	0-0	0-0	182	-	51	0-00	2-0
FRI. 24	Greatest Dec.S.	30-092	77-6	45-8	31-8	63-2	51-2	155-5	34-8	66-0	64-5	12-0	22-3	0-0	0-5	65	0-0	0-0	E. & ESE.	E. & ESE.	1-4	0-0	0-0	151	-	83	0-00	0-0
SAT. 25	Apogee.	30-129	87-1	49-7	37-4	68-5	55-0	145-8	40-9	66-6	65-9	13-5	29-8	0-0	0-0	62	0-0	0-0	NNE. & SW.	SW.	0-2	0-0	0-0	98	-	136	0-00	0-0
MEANS	..	30-033	78-1	52-4	25-7	64-5	55-0	149-6	43-3	66-3	65-0	9-4	20-9	0-4	1-5	72	SW. & E.	SW. & E.	Sum 1643	Sum + 13	0-01	2-4	
No. of Col.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records during the twenty years ending 1873 for the barometer, and during the twenty years ending 1885 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 9). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1888.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher" and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering instrument. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the city, or from midnight to midnight.

The reading of the barometer decreased from 29-71 in. at the beginning of the week to 29-69 in. on the 20th; increased to 30-08 in. by the 24th; and was 30-13 in. at the end of the week.

SKY AND ATMOSPHERE.

Cloudy throughout. A shower of rain fell shortly before 10h. P.M.

Generally cloudy.

Generally cloudy.

A very fine day. Generally cloudless.

Small amounts of cloud prevailed till afternoon; cloudless afterwards. Very fine.

Slight fog in early morning. Cloudless and very fine throughout day.

Fog prevailed in morning and a dense haze until 2h. P.M.; very fine and bright afterwards.

Registered Sunshine, in hours.

16-0

15-9

15-9

15-8

15-8

15-7

15-7

Sun above Horizon, in hours.

2-6

1-7

1-7

13-0

12-2

12-3

12-4

Electricity. (For explanation of symbols, see Note.)

w. P. throughout

w. P. throughout

w. P. throughout

w. P. in morning; m. P. afterwards.

m. P. generally

m. P. generally

v. P. till 9h. A.M.; N. generally till 2h. P.M.; v. P. afterwards.

DATE.

JULY.

SUNDAY

MONDAY

TUESDAY

WEDNESDAY

THURSDAY

FRIDAY

SATURDAY

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 30. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, AUGUST 1. [Price 1½d.

General Register Office, Somerset House,
4th August, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 21·1 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	July 11.	July 18.	July 25.	Aug. 1.		July 11.	July 18.	July 25.	Aug. 1.
Birkenhead	21·9	19·6	15·7	20·2	Liverpool -	21·4	22·1	21·2	21·4
Birmingham	16·7	15·0	16·5	17·6	London -	18·0	20·6	20·9	22·4
Blackburn -	18·1	16·2	18·1	22·7	Manchester	25·8	23·8	24·6	25·7
Bolton -	13·7	17·5	11·4	18·0	Newcastle-on-Tyne	24·2	26·9	26·2	25·2
Bradford -	15·3	12·2	16·3	15·6	Norwich -	21·2	21·7	10·9	17·2
Brighton -	15·5	13·2	9·1	15·0	Nottingham	15·8	15·8	17·0	17·0
Bristol -	15·5	14·1	13·6	18·9	Oldham -	17·3	16·1	15·3	13·2
Cardiff -	22·0	19·9	19·9	21·0	Plymouth -	24·0	15·1	16·5	11·7
Derby -	12·2	14·0	14·5	18·0	Portsmouth	16·7	14·3	14·3	18·6
Halifax -	13·5	11·5	18·9	20·9	Preston -	18·7	17·2	27·0	24·4
Huddersfield	16·7	16·1	18·5	19·1	Salford -	21·0	23·3	18·7	22·5
Hull -	15·7	13·4	14·6	16·2	Sheffield -	18·8	23·2	17·1	19·5
Leeds -	15·3	18·0	16·9	23·5	Sunderland	21·6	18·3	21·2	19·2
Leicester -	16·1	23·8	36·4	30·3	Wolverhampton -	16·5	16·5	11·2	13·2

The highest annual death-rates from measles, measured by last week's mortality, were 1·7 in Newcastle-upon-Tyne, 2·2 in Manchester, and 2·6 in Salford; from whooping-cough, 1·6 in Preston, 1·7 in Birkenhead, and 2·3 in Blackburn; from scarlet fever, 1·6 in Preston, and 2·7 in Leicester; and from diarrhoea, 4·1 in Salford, 4·4 in London and in Leeds, and 9·2 in Leicester. Small-pox caused 29 deaths in London and its outer ring (exclusive of 6 in the Metropolitan Asylum Hospital and Camp at Darenth), and not one in any of the twenty-seven provincial towns.

LONDON.

In LONDON 2459 BIRTHS and 1750 DEATHS were registered. Allowing for increase of population, the births were 261, and the deaths 57, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had steadily increased in the five preceding weeks from 16·3 to 20·9, further rose last week to 22·4. During the first four weeks of the current quarter the mean death-rate was 20·5, against 21·9 in the corresponding periods of the nine years 1876-84.

The 1750 deaths included 10 from small-pox, 71 from measles, 18 from scarlet fever, 23 from diphtheria, 47 from whooping-cough, 8 from enteric fever, 2 from ill-defined forms of continued fever, 348 from diarrhoea and dysentery, 13 from cholera or choleraic diarrhoea, and not one from typhus; thus, 540 deaths were referred to these diseases, being 6 above the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 11 and 6 in the two previous weeks, rose again last week to 10. These 10 deaths were

exclusive of 6 of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the total 16 fatal cases, 9 occurred in the Metropolitan Asylum Hospitals, 4 in the Highgate Small-pox Hospital (including 3 of patients admitted from outside Registration London), and 3 in private dwelling-houses (including 2 in St. George's, Southwark). After distributing the hospital cases to the several sanitary areas, 4 belonged to the North and 5 to the South groups of registration districts. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the eight preceding weeks from 1389 to 648, had further fallen to 614 on Saturday last; the admissions, which had been 118 and 72 in the two previous weeks, further declined last week to 69. The Highgate Small-pox Hospital contained 40 patients on Saturday last, 6 cases having been admitted during the week.

The fatal cases of *measles*, which had been 82 and 65 in the two previous weeks, rose again to 71 last week, and exceeded the corrected weekly average by 24; 13 belonged to Islington, 9 to Shoreditch, and 6 to Lambeth. The 18 deaths from *scarlet fever* showed an increase upon the low numbers in recent weeks, but were 33 below the corrected average; 2 belonged to Shoreditch, and 2 to Bermondsey. The 23 deaths referred to *diphtheria* also showed an increase upon recent weekly numbers, and were 12 above the corrected average; 3 belonged to Islington, and 3 to Lambeth. The fatal cases of *whooping-cough*, which had been 77 and 51 in the two previous weeks, further declined to 47 last week, and were '6 below the corrected average; 22 occurred in South London. The deaths attributed to *diarrhœa* and *dysentery*, which had been 110, 210, and 284 in the three preceding weeks, further rose last week to 348, and exceeded the corrected average by 23; 283 being of infants aged under one year. Of the 13 deaths referred to *cholera*, 3 were of adults, and were certified as choleraic diarrhœa, while the remaining 10 were of infants aged under two years.

The deaths referred to *enteric fever*, which had been 17 and 9 in the two preceding weeks, were 8 last week, and 8 below the corrected average; 2 belonged to Wandsworth. Two deaths of children were indefinitely referred to "fever."

The deaths referred to diseases of the respiratory organs, which had been 197 and 180 in the two previous weeks, further declined last week to 172, and were 14 below the corrected weekly average.

The death of a child, aged 7, was referred to "sunstroke"; and that of a male, aged 43, to "hydrophobia from the bite of a cat."

Different forms of violence caused 43 deaths; 36 were the result of negligence or accident, among which were 17 from fractures and contusions, 7 from burns and scalds, 5 from drowning, and 2 of infants under one year of age from suffocation. The 17 deaths from fractures and contusions were thus returned:—males, aged 2 and 66 years, run over by cab; female 64, run over by brake; male 4, run over by cart; male 66, thrown from cab; male 35, fell in road; male 39, run over by engine on London, Brighton, and South Coast Railway; male 17, knocked off railway carriage on South-Western Railway; male 56, run over on railway; female 1, fell from window; male 9, and female 9, fell over hand-rail of stairs; male 55, fell down stairs; female 1, fell from bed; male 2, by fall; male 58, by fracture; female 11 months, by concussion. An inquest was held in each of these cases except the last two.

GREATER LONDON.

In Greater London 3123 births and 2163 deaths were registered, corresponding to annual rates of 31·3 and 21·8 per 1000 of the population. In the Outer Ring 80 deaths from diarrhœa, 19 from small-pox, and 19 from measles, were registered. The fatal cases of small-pox included 13 in West Ham, and 2 in Croydon sub-districts; and those of diarrhœa, 13 in West Ham, and 12 in Tottenham sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 30·08 in.; the highest reading was 30·17 in. on Tuesday morning, and the lowest was 29·92 in. at the end of the week. The mean temperature of the *air* was 65°·2, and 2°·5 above the average in the corresponding week of the 20 years ending 1868. The mean was below the average on Wednesday, Friday, and Saturday, but showed an excess on each of the other days of the week. The general direction of the *wind* was N.E., and the horizontal movement of the *air* averaged 12·0 miles per hour, which was 2·1 miles above the average in the corresponding week of 16 years. No rain was measured during the week. The duration of registered bright sunshine in the week was 48·3 hours, against 59·2 hours at Glynde Place, Lewes.

TABLE 2.—BIRTHS, DEATHS, AND METEOROLOGY, 28 GREAT TOWNS, during the week ending 1st August, 1885.

CITIES AND BOROUGHES.	Registered during the Week ending 1st August, 1885.				The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.							RAINFALL.		CITIES AND BOROUGHES.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1.	2.	3.	4.	Deaths of		Deaths from							Deaths in			From All				Mean.	Centigrade.	In Inches.		In Centi- meters.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified. Causes of Death.	From All Causes.	From Diseases Colo. 6-12.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
																				Highest.						Lowest.	Fahrenheit.	Fahrenheit.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Colts.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the THIRTIETH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2362	2279	2429	2414	2482	2488	2755	2577	2631	2590	2720·4	2459
Males . .	1203	1165	1230	1243	1245	1290	1443	1357	1350	1300	1398·6	1260
Females . .	1159	1114	1199	1171	1237	1198	1312	1220	1281	1290	1321·8	1199
TOTAL Deaths	1422	1973	1430	1792	1208	1746	2000	1399	1605	1995	1806·9	1750
Males . .	778	1036	726	938	629	976	1052	716	847	1064	955·5	924
Females . .	644	937	704	854	579	770	948	683	758	931	851·4	826

The numbers in this column are the average weekly numbers in the thirtieth week of the ten years 1875-84, raised by 0·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.
TOTAL Births	2429	2544	2391	2209	2409	2464	2373	2419	2483	2420	2411	2423	2459
TOTAL Deaths	1465	1496	1554	1538	1521	1315	1284	1279	1366	1412	1616	1636	1750
0-20	697	707	745	744	744	655	654	658	690	741	964	998	1111
20-40	206	214	209	188	210	178	170	153	179	191	172	153	165
40-60	273	250	254	261	246	218	185	227	238	198	222	299	211
60-80	243	263	290	283	253	218	228	199	226	226	222	214	220
at 80 years & upwds.	46	62	56	62	68	46	47	42	33	56	36	62	43
Deaths of children { Under 1 year	296	333	334	349	342	305	316	318	372	408	563	627	723
{ 1-5	294	254	299	296	294	260	258	256	224	251	304	231	289
{ 5-20	107	120	112	99	103	90	80	84	94	82	97	90	99
Deaths from Small-pox*	66	75	50	55	62	39	37	28	39	23	15	18	16
" " Measles	91	65	93	90	120	98	95	90	80	73	82	65	71
" " Scarlet Fever	13	13	12	10	9	12	7	13	9	12	13	11	18
" " Diphtheria	24	21	10	17	15	17	16	14	18	15	16	19	23
" " Whooping-cough	46	57	68	50	46	39	42	46	59	51	77	51	47
" " Typhus	2	2	2	-	1	-	2	1	-	1	1	1	-
" " Enteric fever	12	16	13	11	13	4	6	11	9	10	17	9	8
" " Simple Cont'd fever	-	-	3	4	2	3	2	-	2	1	2	2	2
" " Diarrhoea and Dysentery	13	9	16	20	11	28	24	44	51	110	210	284	348
" " Cholera	1	-	-	-	-	2	3	2	1	3	7	5	13
Deaths from the above-mentioned Diseases*	268	256	267	257	278	238	232	250	269	298	440	465	546
" " Dis. of Respiratory System	237	291	305	302	290	231	196	183	192	177	197	180	172
" " Phthisis	160	160	179	150	154	140	141	131	165	138	140	138	137
" " Dis. of Circulatory System	110	106	105	96	102	84	70	73	74	99	86	101	73
Violent Deaths	52	46	39	60	59	52	56	39	42	53	58	42	43
Inquest Cases	98	104	97	108	104	96	94	81	84	94	114	92	75
Deaths in Public Institutions	319	349	352	371	364	313	306	285	290	312	297	306	298
TEMPERATURE OF THE AIR:													
Mean	46·7	47·4	48·4	56·0	62·6	58·5	58·7	58·3	60·5	65·0	61·2	64·5	65·2
Mean of Highest readings	57·6	58·9	57·9	66·5	74·5	69·5	70·6	68·2	72·7	79·5	73·5	78·1	77·7
Mean of Lowest readings	38·4	36·8	41·2	47·8	51·2	47·7	48·4	49·7	49·5	51·5	51·4	52·4	56·4
Humidity of the Air	81	65	79	78	66	75	76	75	67	67	74	72	64
Rain-fall in inches	0·77	0·07	0·74	0·46	0·27	0·90	0·39	0·11	00·0	0·02	0·49	0·01	0·00
Registered Sunshine (in hours)	31·4	51·5	28·9	39·9	69·6	55·3	41·8	35·2	41·1	60·5	32·8	55·9	48·3

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinon, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrottesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Philliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.A.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

Deaths from different Causes.

309

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTIETH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 30th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 1st August, 1885.										CAUSES OF DEATH.	Corrected Averages for the 30th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 1st August, 1885.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
ALL CAUSES - -	1806·9	1750	723	239	99	165	211	220	43	Diseases of Organs of Special Sense † - -	3·0	2	1	-	-	1	-	-	-				
Small-pox †	{ Vaccinated † Unvaccinated No Statement	{ 13·1	4	-	1	2	1	-	-	Diseases of Circulatory System - - -	87·0	73	-	-	9	10	25	28	1				
Measles - -			3	-	-	1	1	1	-	Croup - - -	9·7	7	2	5	-	-	-	-	-				
Scarlet Fever - -			3	1	-	-	2	-	-	Bronchitis - - -	91·2	84	31	14	1	1	7	26	4				
Typhus - -	1·1	-	-	-	-	-	-	-	Pneumonia - - -	57·0	57	12	15	3	5	12	9	1					
Relapsing Fever † -	0·0	-	-	-	-	-	-	-	Pleurisy - - -	4·7	8	-	1	-	2	3	2	-					
Influenza - -	0·1	-	-	-	-	-	-	-	Other Diseases of Respiratory System - -	23·2	16	3	6	2	-	2	3	-					
Whooping-cough - -	52·8	47	15	31	1	-	-	-	Dentition † - -	14·7	24	18	6	-	-	-	-	-					
Diphtheria - -	10·9	23	2	11	10	-	-	-	Quinsy, Sore Throat † -	2·3	3	-	2	-	-	-	-	-					
Simple Continued and Ill-defined Fever -	5·5	2	1	-	1	-	-	-	Enteritis - - -	13·0	15	7	4	1	-	1	2	-					
Enteric Fever - -	15·9	8	-	2	2	3	1	-	Peritonitis - - -	7·4	6	-	-	2	4	-	-	-					
Cholera - -	13·2	13	9	1	-	1	-	2	Diseases of Liver - -	36·7	35	3	-	1	6	15	10	-					
Diarrhoea, Dysentery -	325·2	348	233	49	2	1	5	6	Other Diseases of Digestive System -	28·0	31	2	2	2	3	6	14	2					
Remittent Fever † -	0·7	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands † - -	3·0	2	-	-	-	2	-	-	-					
Hydrophobia - -	0·1	1	-	-	-	1	-	-	Diseases of Urinary System - - -	30·4	26	-	-	2	6	10	7	1					
Glanders - -	0·1	-	-	-	-	-	-	-	Diseases of Generative System - - -	7·2	7	1	-	-	1	2	3	-					
Cowpox and Effects of Vaccination † - -	0·7	-	-	-	-	-	-	-	Accidents of Childbirth -	4·7	2	-	-	-	2	-	-	-					
Veneral Affections -	14·2	20	13	2	-	5	-	-	Diseases of Locomotive System † - -	8·7	6	-	1	2	3	-	-	-					
Erysipelas - -	6·0	3	1	-	2	-	-	-	Diseases of Integumentary System - -	6·2	3	-	-	-	-	3	-	-					
Pyæmia and Septicæmia †	3·0	1	-	-	-	1	-	-	VIOLENT DEATHS ‡														
Puerperal Fever - -	3·8	6	-	-	1	5	-	-	(ACCIDENT.)														
Other Zymotic Diseases †	0·7	1	-	-	-	1	-	-	Fracture and Contusion -	20·7	17	1	5	3	2	3	3	-					
Thrush - -	5·4	4	4	-	-	-	-	-	Gunshot Wound - -	0·1	-	-	-	-	-	-	-	-					
Worms and other Parasitical Diseases - -	0·9	-	-	-	-	-	-	-	Cut, Stab - - -	0·4	-	-	-	-	-	-	-	-					
Starvation, Want of Breast-milk † - -	4·7	2	2	-	-	-	-	-	Burn and Scald - - -	2·8	7	-	2	-	4	1	-	-					
Alcoholism - -	4·5	3	-	-	2	1	-	-	Poison - - -	1·2	-	-	-	-	-	-	-	-					
Rheumatic Fever and Rheumatism of Heart †	{ 9·1	{ 6	-	-	-	3	2	1	-	Drowning - - -	13·7	5	-	3	1	1	-	-					
Rheumatism - - -			4	-	-	-	1	2	2	Suffocation - - -	9·7	4	2	-	1	-	1	-					
Gout - - -			5	-	-	-	-	-	-	Otherwise - - -	5·6	3	1	-	1	-	1	-					
Rickets † - -	4·3	7	2	4	1	-	-	-	(HOMICIDE.)														
Cancer - - -	49·8	50	-	-	-	6	24	19	1	Murder & Manslaughter	2·4	1	1	-	-	-	-	-					
Tabes Mesenterica -	32·3	53	41	10	2	-	-	-	-	(SUICIDE.)													
Tubercular Meningitis -	33·0	35	18	13	4	-	-	-	-	Gunshot Wound - -	0·5	1	-	-	-	1	-	-					
Phthisis - - -	176·9	137	6	7	14	67	38	5	-	Cut, Stab - - -	0·8	1	-	-	-	-	-	-					
Serofula, Tuberculosis -	19·5	23	10	4	5	4	1	1	-	Poison - - -	1·9	1	-	-	-	1	-	-					
Other Constitutional Diseases † - -	7·0	12	1	2	1	2	4	2	-	Drowning - - -	1·4	-	-	-	-	-	-	-					
Premature Birth - -	35·4	45	45	-	-	-	-	-	-	Hanging - - -	1·7	1	-	-	-	-	1	-					
Atelactasis † - -	0·7	1	1	-	-	-	-	-	-	Otherwise - - -	0·7	2	-	-	1	1	-	-					
Conceit Malformations -	7·9	9	8	-	1	-	-	-	-	(EXECUTION.)													
Old Age - - -	37·5	40	-	-	-	1	19	20	-	Hanging - - -	0·0	-	-	-	-	-	-	-					
Apoplexy - - -	39·9	30	1	1	-	2	8	15	3	OTHER CAUSES † - -	23·7	89	71	8	-	1	4	4	1				
Epilepsy - - -	7·1	2	-	-	1	-	-	1	-														
Convulsions - - -	59·9	74	64	8	1	-	-	1	-														
Other Diseases of Brain and Nervous System	85·8	95	21	11	8	8	14	26	7														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9·042 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

† Exclusive of 6 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.		Enume- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include															Deaths in Public Institutions.	Unofficial Causes		
					Deaths of		Deaths from																
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.						
LONDON		3,816,483	2459	1750	723	263	10	71	18	23	47	-	8	2	343	43	75	298	21				
WEST DISTRICTS		668,633	378	313	119	49	-	14	2	6	8	-	1	1	70	6	12	60	2				
NORTH DISTRICTS		805,947	563	410	166	61	6	27	8	4	6	-	3	-	85	7	16	61	1				
CENTRAL DISTRICTS		282,288	127	113	44	14	-	2	-	2	5	-	-	-	17	7	11	23	-				
EAST DISTRICTS		692,738	497	331	132	57	1	19	3	5	6	-	1	-	61	6	11	89	6				
SOUTH DISTRICTS		1,265,927	691	583	262	82	3	9	5	6	22	-	3	1	115	17	25	56	12				
WEST DISTRICTS.																							
St. Mary Paddington WHH G.J. & W.M.		69888	35	26	10	7	-	3	-	-	-	-	-	-	9	-	-	4	-				
St. John Paddington H - - - G.J.		37380	14	13	-	2	-	-	-	-	-	-	-	-	-	1	-	2	6				
Kensington Town Ww - - - W.M.		120141	70	61	25	12	-	2	-	-	2	-	-	-	14	-	2	13	1				
Brompton H - - - W.M. & C.		43010	12	10	8	1	-	-	1	1	-	-	-	-	1	-	-	2	-				
St. Peter Hammersmith - - - W.M.		7399	5	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-				
St. Paul Hammersmith H W.M. & G.J.		64340	53	38	19	3	-	-	-	-	-	-	-	-	-	-	-	-	-				
Fulham WwH - - - W.M. & C.		42900	55	38	19	2	-	-	1	1	3	-	1	1	10	-	2	1	-				
Chelsea South HHH - - - C.		80396	12	18	6	3	-	1	-	-	-	-	-	-	1	-	-	3	-				
Chelsea North-west WHHHH - C.		24925	19	13	3	5	-	-	-	1	-	-	-	-	1	-	-	6	-				
Chelsea North-east - - - C.		32807	19	25	14	2	-	2	-	1	1	-	-	-	5	-	-	-	-				
Hanover Square H - - - G.J.		16862	6	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-				
May Fair Ww - - - G.J.		13491	4	9	1	3	-	-	-	-	-	-	-	-	2	-	-	7	-				
Belgrave HH - - - C.		53220	27	23	4	6	-	-	-	1	-	-	-	-	4	-	2	8	1				
St. John Westminster HH - - C.		35496	21	13	8	1	-	-	-	-	-	-	-	-	2	-	2	7	-				
St. Margaret Westminster H - C.		24679	10	10	1	1	-	-	-	1	-	-	-	-	2	-	2	7	-				
St. James Westminster WH N.R. & G.J.		29941	7	8	3	-	-	1	-	-	1	-	-	-	1	-	1	-	-				
St. Anne Soho HHHHH - - - N.R.		16603	9	5	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-				
NORTH DISTRICTS.																							
All Souls Marylebone HHHH - W.M.		28759	11	10	1	1	-	-	-	-	-	-	-	-	-	-	-	4	-				
Cavendish Square HHH - - - W.M.		14881	4	8	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-				
Rectory Marylebone WH G.J. & W.M.		24809	10	7	5	-	-	1	-	-	-	-	-	-	-	-	2	-	-				
St. Mary Marylebone HHH G.J. & W.M.		21118	21	8	3	3	-	1	-	-	-	-	-	-	3	-	1	1	-				
Christchurch Marylebone H - - W.M.		38700	20	14	6	3	-	1	-	1	-	-	-	-	5	-	-	1	-				
St. John Marylebone H - - - W.M.		33638	10	14	3	1	-	3	-	-	-	-	-	-	2	-	-	-	-				
Hampstead WwHHH - - - N.R. & W.M.		45432	25	14	5	1	-	1	-	-	-	-	-	-	2	1	2	3	-				
Regent's Park Paneras H - - - W.M.		39115	25	12	5	1	-	1	-	1	-	-	-	-	3	-	-	8	-				
Tottenham-court WHHHH N.R. & W.M.		27729	15	21	9	1	-	1	-	-	-	-	-	-	5	1	1	8	-				
Gray's Inn Lane HHH - - - N.R.		80247	15	12	4	2	-	2	-	-	-	-	-	-	3	-	-	4	-				
Somers Town H - - - N.R.		34369	21	9	5	-	-	-	-	-	-	-	-	-	3	-	-	-	-				
Camden Town WH - - - N.R.		17311	16	16	-	9	-	-	-	-	-	1	-	-	1	1	2	12	-				
Kentish Town W - - - N.R.		87487	61	36	16	4	-	-	-	-	1	-	-	-	8	-	2	3	-				
Upper Holloway WWWWH - - - N.R.		67946	33	56	23	8	4	2	-	1	1	-	-	-	11	2	2	15	-				
Islington South-west HH - - - N.R.		100976	19	44	17	7	-	8	-	1	2	-	1	-	7	2	3	1	1				
Islington South-east - - - N.R.		61836	37	27	12	6	-	2	-	2	-	-	-	-	4	-	-	-	-				
Highbury H - - - N.R.		52048	47	21	11	4	-	2	-	1	-	-	-	-	7	-	1	-	-				
Stoke Newington H - - - N.R.		22781	9	6	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-				
Stamford Hill - - - E.L.		9277	12	5	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-				
West Hackney - - - N.R.		37610	22	16	7	3	-	-	-	-	-	-	-	-	1	-	-	-	-				
Hackney WwWHL - - - E.L. & N.R.		76911	53	45	21	6	2	2	5	1	-	-	-	-	9	-	-	12	-				
South Hackney - - - E.I.		39683	30	9	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-				
CENTRAL DISTRICTS.																							
St. George Bloomsbury - - - N.R.		16681	5	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-				
St. Giles South WH - - - N.R.		14864	8	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Giles North - - - N.R.		13837	4	3	1	-	-	-	-	-	1	-	-	-	1	-	-	3	-				
St. Martin-in-the-Fields HH N.R. & C.		17608	6	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Mary-le-Strand H - - - N.R.		7515	1	1	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-				
St. Clement Danes H - - - N.R.		8559	5	6	2	2	-	-	-	-	1	-	-	-	-	-	-	4	-				
St. George-the-Martyr HHHHHH N.R.		13971	10	12	3	-	-	-	-	2	-	-	-	-	3	-	-	5	-				
St. Andrew Eastern W - - - N.R.		10766	4	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-				
Saffron Hill H - - - N.R.		6533	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. James Clerkenwell - - - N.R.		17516	5	5	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-				
Annell Clerkenwell - - - N.R.		19281	17	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Fentonville - - - N.R.		14773	6	6	4	-	-	-	-	-	1	-	-	-	1	2	2	-	-				
Geoswell-street - - - N.R.		17605	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Old-street H - - - N.R.		11641	4	5	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-				
City-road HHL - - - N.R.		18628	19	8	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-				
Whitecross-street - - - N.R.		9217	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Finsbury - - - N.R.		7463	3	1	1	-	-	-	-	-	-	-	-	-	3	1	-	-	-				
St. Botolph H - - - N.R. & E.L.		11174	3	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-				
Cripplegate - - - N.R.		7193	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Sepulchre H - - - N.R.		5358	2	18	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Bride W - - - N.R.		8396	-	3	1	1	-	-	-	-	-	-	-	-	1	4	6	14	-				
Albion Works - - - N.R.		13666	2	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-				
Broad Street H - - - N.R.		6652	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work-house; H—Hospital; L—Lunatic Asylum; W—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

FEVER, DYPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 1st August, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
					Deaths of Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum, in Tottenham Court-road sub-district.	Stepney
Holborn Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum
London City Workhouse in Hackney sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Holborn " in Hoxton New Town sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hack- ney, Brixton, and St. Paul, Deptford sub-districts.
Whitechapel " in Mile End Old Town Eastern sub-dist.	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 1st August, 1885.

Regis- tration (District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Deaths of		Deaths from														
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.				
LONDON.—OUTER RING						370,282	950,178	664	418	141	66	19	19	2	5	8	6	80	13	19	59	5
30:1	Carshalton <i>wL</i> - -	12238	21118	8	10	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-	7	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	7	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
37:1	Godstone (<i>part of</i>) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon <i>WwH</i> - -	20851	101241	43	32	11	3	2	1	-	-	-	-	-	-	3	1	2	2	2	-	
	Mitcham - -	11097	17932	13	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
39:1	Wimbledon <i>HHH</i> - -	3220	15950	8	5	1	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	
2	Kington <i>WHH</i> - -	8549	36354	28	17	7	3	1	-	-	-	-	-	-	-	2	2	2	2	2	-	
3	Esher (<i>part of</i>) * -	6801	9231	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton <i>H</i> - -	4573	13539	7	7	6	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	
40:1	Richmond <i>WH</i> - -	2272	21302	14	8	2	-	-	-	-	-	-	1	-	-	2	-	-	-	2	-	
2	Mortlake - -	941	12331	3	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15689	31142	21	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	13665	15065	4	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
42:1	Bexley <i>H</i> - -	13437	24134	10	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124:1	Sunbury <i>w</i> - -	11055	11685	7	12	2	-	-	2	-	-	-	-	5	-	2	-	-	-	6	-	
2	Staines <i>W</i> - -	13377	12089	2	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
125:1	Hillingdon <i>WH</i> - -	6029	10802	3	6	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
2	Uxbridge - -	6173	5225	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>wHL</i> - -	14587	11523	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
126:1	Isleworth <i>W</i> - -	7008	22727	9	9	1	3	-	-	-	-	-	-	-	-	2	1	1	1	1	-	
2	Twickenham <i>H</i> - -	2477	12479	6	8	2	2	-	-	-	-	-	-	-	-	1	2	2	-	-	-	
3	Brentford <i>HL</i> - -	4345	27649	9	11	4	3	-	-	-	-	-	1	-	3	-	-	-	-	-	1	
4	Chiswick - -	1340	15975	18	8	2	-	-	3	1	-	-	-	-	2	1	1	1	-	-	-	
5	Acton <i>wH</i> - -	6083	22376	12	10	6	3	-	-	-	-	-	-	-	3	-	1	-	-	-	-	
127:1	Harrow <i>H</i> - -	13809	12796	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware <i>H</i> - -	6994	3749	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - -	4383	37453	34	28	9	2	-	4	-	1	1	-	2	-	-	1	-	-	-	-	
4	Hendon <i>W</i> - -	8382	10484	6	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
128:1	South Mimms - -	15599	6391	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet <i>W</i> - -	5483	10092	2	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
3	Finchley <i>HL</i> - -	4638	17615	12	6	1	2	-	-	-	-	-	-	-	1	-	1	2	-	-	-	
129:1	Hornsey <i>H</i> - -	3039	37078	22	12	7	2	-	-	-	-	-	1	-	4	-	-	-	-	-	-	
2	Tottenham <i>HH</i> - -	4642	46456	49	37	15	4	1	3	-	-	-	-	-	12	2	3	2	1	-	-	
3	Edmonton <i>WwW</i> - -	7483	23463	20	17	4	6	1	1	-	-	-	2	-	6	-	-	-	8	-	-	
4	Enfield <i>WH</i> - -	12653	19104	9	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Waltham Abbey - -	11017	5368	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - -	8480	7735	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
135:1	Hatfield (<i>part of</i>) * -	3206	538	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - -	9831	6621	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford - -	882	33606	36	16	6	3	1	-	-	-	-	-	-	4	-	-	-	-	1	-	
2	West Ham <i>wvwH</i> - -	7351	101053	101	68	25	4	13	3	-	1	-	1	13	1	2	11	2	-	-	-	
3	Leyton <i>WwL</i> - -	4372	32430	31	23	6	7	-	-	-	-	-	-	-	2	1	1	9	-	-	-	
4	Walthamstow <i>wH</i> - -	6520	28869	31	10	3	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9669	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139:1	Romford (<i>part of</i>) * -	6730	3411	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - -	8493	7645	4	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
3	Barking Town - -	4127	9203	10	7	4	2	-	-	-	-	-	-	-	3	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Hengley (pop. 1235); 37:1, the two parishes of Warlingham and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1963); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1318); 41:2, the whole of Chislehurst sub-district, except the parish of Chelsfield (pop. 947); 135:1, only the parish of Norton in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 1st August, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,199,166	21·8	6·7	2168	864	329	29	90	20	28	55	16	428	56	357		
INNER LONDON -	78,052	4,083,928	22·4	6·7	1750	723	263	10	71	18	23	47	10	348	43	298		
OUTER RING -	370,282	1,115,238	19·6	6·5	418	141	66	19	19	2	5	8	6	80	13	59		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	June 27	-	150	18·0	Cholera 14; fevers 37; small-pox 4.
BOMBAY - -	773,196	" 30	303	382	23·5	Fevers 97; measles 10.
MADRAS - -	398,777	" 28	-	-	-	-
PARIS - -	2,239,928	July 25	1203	964	22·4	Typhd. fever 36; diph. & croup 24; diarr. 112.
GENEVA - -	71,463	" 25	30	24	17·5	-
BRUSSELS - -	436,214	" 18	222	180	17·9	Diarrhoea 26.
AMSTERDAM -	396,812	" 25	244	146	20·7	Scar. fev. 2; measles 2; whooping-cough 2.
ROTTERDAM -	166,001	" 25	112	56	17·2	Scarlet fever 1.
THE HAGUE -	134,552	" 25	89	48	18·5	Whooping-cough 3.
COPENHAGEN -	280,615	" 21	230	97	18·0	Diarrhoea 14; diphtheria 2.
STOCKHOLM -	200,143	" 11	111	74	19·2	Diarrhoea 19; diph. and croup 3; scar. fev. 2.
CHRISTIANIA -	128,000	" 25	80	47	19·1	Diarrhoea 15; diph. and croup 7.
ST. PETERSBURG	928,016	" 18	-	565	31·8	Diarrhoea 158; diph. 9; typh. fev. and typ. 8.
BERLIN - -	1,279,599	" 11	810	977	39·8	Diarrhoea 405; diph. 34; measles 14.
HAMBURG(State)	497,956	" 18	346	277	29·0	Diarr. 72; diph. & crp. 16; typh. & typhd. fev. 5.
DRESDEN - -	241,500	" 18	158	159	34·2	Diarrhoea 25; diphtheria and croup 5.
BRESLAU - -	295,000	" 18	187	270	47·8	Diarrhoea 101.
MUNICH - -	244,000	" 25	174	179	38·1	Diarrhoea 65; diphtheria and croup 4.
VIENNA - -	769,889	" 25	520	369	24·9	Diarr. 63; small-pox 12; typh. & typhd. fev. 6.
PRAGUE - -	272,333	" 25	-	162	31·0	Diarr. 11; scar. fev. 6; diph. and croup 6.
BUDA-PESTH -	429,532	" 11	381	263	31·8	Diarrhoea 72; small-pox 3.
TRIESTE - -	150,157	June 13	-	-	-	-
ROME - -	330,430	" 13	157	161	25·4	Measles 9; small-pox 4.
NAPLES - -	504,795	-	-	-	-	-
TURIN (10 days)	287,763	July 10	205	198	27·0	Measles 5; diphtheria 3; typhoid fever 7.
VENICE - -	145,990	" 18	-	-	-	-
MADRID - -	475,668	-	-	-	-	-
LISBON - -	203,681	-	-	-	-	-
ALEXANDRIA -	131,596	June 27	-	-	-	-
NEW YORK -	1,356,958	July 4	-	809	31·1	Diarr. 212; diphtheria 22; measles 19.
BROOKLYN -	685,602	" 4	-	477	37·4	Diarr. 201; scar. fev. 11; diphtheria 7.
PHILADELPHIA -	949,432	" 11	-	476	26·2	Diarr. 104; diphtheria 16.
BALTIMORE -	408,520	" 11	-	247	31·5	Diarr. 84; typhoid fev. 3.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 1st August, 1885.
[Under the Superintendence of the Astronomer Royal.]

MOON.		METER.		READINGS OF THERMOMETERS.						DIFFERENCE				WIND.		RAIN.								
Phase of Moon.	Month and Day.	rected and reduced to mean of Fahren. (see heli.)	Mean (see rect.)	Dry.		Dew Point.	Highest in thermometer, as shown by self-registering thermometer with blackened bulb, placed on the Grass.	Lowest on the thermometer, as shown by self-registering thermometer with blackened bulb, placed on the Grass.		In the Water at Deptford, by Self-registering Thermometers.		Between Dew Point and Air Temperature.		Between mean temperature of the same day and mean temperature of 20 years.		Degrees of Humidity, complete saturation being represented on an average by 100.	As deduced from Anemometers.		Robinson's.		Amount of Movement of Air above the ground, in 16 years, each day.			
				High-est.	Low-est.			Range in day.	Mean daily value.	Mean daily value.	Mean daily value.	High-est.	Low-est.	Mean daily value.	Least.		Great-est.	General Direction.	P. M.	Great-est.		Least.	Mean of 24 Obs.	Sum 2021
1885.																								
MONTH AND DAY.																								
JULY.																								
SUN. 26	..	in.	90.2	56.4	33.8	73.2	59.5	145.0	46.0	67.8	66.9	13.7	29.6	0.0	+ 10.5	62	67	SW. & N. E. & ENE.	N. & ESE.	1.9	0.0	0.0	160	75
MON. 27	Full	30.103	87.0	58.3	28.7	70.9	59.5	161.3	49.0	67.8	66.9	11.4	23.2	0.0	+ 8.3	67	67	E. & ENE.	E. & ENE.	2.8	0.0	0.2	215	20
TUES. 28	..	30.155	75.4	58.1	17.3	64.2	49.9	162.0	57.7	68.3	67.7	14.3	22.8	4.6	+ 1.6	60	60	ENE. & NE. ENE. & NE.	ENE. & NE.	5.8	0.0	0.8	386	+ 150
WED. 29	..	30.115	71.3	57.4	13.9	62.2	48.2	148.7	57.4	68.3	67.2	14.0	21.1	4.7	- 0.4	60	60	ENE. & NE. ENE. & NE.	ENE. & NE.	3.8	0.0	0.6	350	+ 113
THURS. 30	..	30.086	75.4	56.4	19.0	62.7	51.8	150.4	55.6	67.3	66.5	10.9	22.1	4.4	+ 0.1	68	65	NE. & NE. NE. & NNE.	NE. & NNE.	3.9	0.0	0.3	318	+ 79
FRI. 31	In Equator	30.017	75.3	54.4	20.9	62.2	50.1	151.0	53.7	66.8	66.1	12.1	23.1	2.4	- 0.4	65	65	NE. & NE. NNE. & NE.	NE. & NNE.	2.7	0.0	0.3	282	+ 40
AUGUST.																								
SAT. 1	..	29.927	69.0	54.1	14.9	60.7	49.3	122.4	48.9	66.8	65.7	11.4	17.5	1.4	- 1.9	66	64	NNE. & NE.	NNE. & NE.	2.5	0.0	0.4	310	+ 66
MEANS	..	30.076	77.7	56.4	21.2	65.2	52.6	148.7	52.6	67.5	66.7	12.5	22.8	2.5	+ 2.5	64	18	NE.	NE.	Sum 2021	Sum 353
No. of Col.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	

SKY AND ATMOSPHERE.									
DATE.	JULY.	Registered Sunshine, in hours.	Sun above Horizon, in hours.						
SUNDAY.	26	12.3	15.7	Thin fog prevailed in early morning. Very fine and hot throughout day, with little or no cloud.					
MONDAY.	27	11.0	15.6	Fog in early morning; fine with small amounts of cloud till evening; cloudy at night.					
TUESDAY.	28	8.2	15.6	Cloudy in morning; fine with small amounts of cloud till evening; overcast at night.					
WEDNESDAY.	29	1.6	15.5	Generally cloudy throughout.					
THURSDAY.	30	6.4	15.5	Overcast in morning; fine with small amounts of cloud till evening; overcast at night.					
FRIDAY.	31	7.4	15.4	Overcast in morning; fine with variable amounts of cloud till evening; overcast at night.					
AUGUST.									
SATURDAY.	1	1.4	15.3	Nearly overcast generally.					
		Sum 48.3	Sum 108.6						

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1885 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature during the 20 years ending 1885, is that derived from the photographic records made at Greenwich during the 20 years ending 1868.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. very.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer increased from 30.13 in. at the beginning of the week to 30.14 in. by 10h. A.M. on the 28th of July; decreased to 30.08 in. by 3h. P.M. on the 27th; increased to 30.17 in. by 9h. A.M. on the 28th; and decreased to 29.92 in. by the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

*Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.*

No. 31. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, AUGUST 8. [Price 1½d.

*General Register Office, Somerset House,
10th August, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 21·8 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	July 18.	July 25.	Aug. 1.	Aug. 8.		July 18.	July 25.	Aug. 1.	Aug. 8.
Birkenhead	19·6	15·7	20·2	15·7	Liverpool	22·1	21·2	21·4	24·9
Birmingham	15·0	16·5	17·6	17·7	London	20·6	20·9	22·4	22·0
Blackburn	16·2	18·1	22·7	14·4	Manchester	23·8	24·6	25·7	24·3
Bolton	17·5	11·4	18·0	14·2	Newcastle-on-Tyne	26·9	26·2	25·2	26·2
Bradford	12·2	16·3	15·6	23·8	Norwich	21·7	10·9	17·2	16·0
Brighton	13·2	9·1	15·0	20·0	Nottingham	15·8	17·0	17·0	22·0
Bristol	14·1	13·6	18·9	21·3	Oldham	16·1	15·3	13·2	16·1
Cardiff	19·9	19·9	21·0	25·3	Plymouth	15·1	16·5	11·7	15·8
Derby	14·0	14·5	18·0	19·2	Portsmouth	14·3	14·3	18·6	18·2
Halifax	11·5	18·9	20·9	18·9	Preston	17·2	27·0	24·4	31·2
Huddersfield	16·1	18·5	19·1	21·5	Salford	23·3	18·7	22·5	23·8
Hull	13·4	14·6	16·2	17·1	Sheffield	23·2	17·1	19·5	21·5
Leeds	18·0	16·9	23·5	23·2	Sunderland	18·3	21·2	19·2	23·7
Leicester	23·8	36·4	30·3	32·2	Wolverhampton	16·5	11·2	13·2	13·2

The highest annual death-rates from measles, measured by last week's mortality, were 1·7 in Newcastle-upon-Tyne, and 2·0 in Manchester; from whooping-cough, 2·2 in Cardiff, 2·3 in Derby, and 2·7 in Plymouth; from scarlet fever, 2·3 in Leicester; and from "fever," 1·1 in Norwich, and 1·2 in Portsmouth. The death-rate from diarrhoea averaged 3·7 in the twenty-eight towns, and ranged upwards to 4·6 in Sunderland, 5·5 in Leeds, 7·2 in Salford, 10·0 in Leicester, and 11·4 in Preston. Small-pox caused 15 deaths in London and its outer ring (exclusive of 9 in the Metropolitan Asylum Hospital and Camp at Darenth), and not one in any of the twenty-seven provincial towns.

LONDON.

In LONDON 2164 BIRTHS and 1720 DEATHS were registered. Allowing for increase of population, the births were 470 below, while the deaths exceeded by 8, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had steadily increased in the six preceding weeks from 16·3 to 22·4, declined last week to 22·0. During the first five weeks of the current quarter the mean death-rate was 20·8, against 22·0 in the corresponding periods of the nine years 1876-84.

The 1720 deaths included 5 from small-pox, 58 from measles, 20 from scarlet fever, 20 from diphtheria, 41 from whooping-cough, 10 from enteric fever, 4 from ill-defined forms of continued fever, 309 from diarrhoea and dysentery, 11 from cholera or choleraic diarrhoea, and not one from typhus; thus, 478 deaths were referred to these diseases, being 15 above the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 6 and 10 in the two previous weeks, declined last week to 5. These 5 deaths were exclusive of 9 of London residents who died in the Metropolitan Asylum Hospitals situated

outside Registration London. Of the total 14 fatal cases, 11 occurred in the Metropolitan Asylum Hospitals, one in the Highgate Small-pox Hospital, and 2 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 2 belonged to Islington, and 4 to Poplar. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the nine preceding weeks from 1389 to 614, had further declined to 518 on Saturday last; the admissions, which had been 118, 72, and 69 in the three previous weeks, further declined last week to 43. The Highgate Small-pox Hospital contained 36 patients on Saturday last, 2 cases having been admitted during the week.

The fatal cases of *measles*, which had ranged between 120 and 65 in the nine preceding weeks, declined last week to 58, and were fewer than in any previous week since the middle of March last, although they exceeded the corrected weekly average by 10; 5 belonged to Fulham, 6 to Marylebone, 5 to Pancras, and 8 to Islington. The 20 deaths from *scarlet fever* showed a further increase upon the low numbers in recent weeks, but were 25 below the corrected average; 11 belonged to East London, of which 3 belonged to Shoreditch, 2 to Stepney, and 2 to Mile End Old Town. The Metropolitan Asylum Hospitals contained 229 scarlet fever patients on Saturday, 22 having been received during the week. The 20 deaths referred to *diphtheria* were 3 below the number in the previous week, and exceeded the corrected average by 9; 3 belonged to Islington, and 2 to Bermondsey. The 41 fatal cases of *whooping-cough*, of which 6 occurred in Islington and 4 in Battersea, were 5 below the corrected average. The deaths attributed to *diarrhœa* and *dysentery*, which had been 110, 210, 284, and 348 in the four preceding weeks, declined again last week to 309, but exceeded the corrected average by 37; 290 were of children aged under five years. Of the 11 deaths referred to *cholera*, 5 were of adults aged upwards of 53 years, and were certified as choleraic diarrhœa or English cholera, while the remaining 6 were of infants aged under two years.

The deaths referred to *enteric fever*, which had been 17, 9, and 8 in the three preceding weeks, rose again last week to 10, but were 2 below the corrected average; 4 belonged to the South group of registration districts. The Metropolitan Asylum Hospitals contained 19 cases of enteric fever, and 4 of typhus, on Saturday last; 5 cases of enteric fever, and 1 of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 197, 180, and 172 in the three previous weeks, rose again last week to 184, but were 4 below the corrected weekly average.

Different forms of violence caused 47 deaths; 41 were the result of negligence or accident, among which were 19 from fractures and contusions, 4 from burns and scalds, 9 from drowning, 2 from poison, and 5 of infants under one year of age from suffocation. The 19 deaths from fractures and contusions were thus returned:—male, aged 40 years, and female aged 5, run over by cart; female 76, run over by tramcar; male 61, run over by cab; male 17, thrown from van; male 28, run over on London and North-Western Railway; male 1, run over by trolley; male 42, kicked by horse; male 43, fell from scaffold; female 14, fell from roof; male 2, fell from barrow; male 43, fell from ladder; male 65, fell from loft; male 6 months, fell from bed; male 34, fell down stairs; female 33, fell in room; male 6 months, fell over rail of towel-horse; male 50, by blow or fall; and female 83, by fracture. An inquest was held in each of these cases except the last.

GREATER LONDON.

In Greater London 2782 births and 2120 deaths were registered, corresponding to annual rates of 27·9 and 21·3 per 1000 of the population. In the Outer Ring 92 deaths from diarrhœa, 13 from measles, 10 from small-pox, and 9 from whooping-cough were registered. The fatal cases of measles included 4 in Sunbury, and those of small-pox, 8 in West Ham sub-districts. Of the 92 deaths from diarrhœa, 19 occurred in Brentford, 19 in Tottenham, and 26 in West Ham districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·76 in.; the highest reading was 29·92 in. at the beginning of the week, and the lowest was 29·57 in. on Friday afternoon. The mean temperature of the *air* was 59°·4, and 3°·3 below the average in the corresponding week of the 20 years ending 1868. The mean was below the average on each day of the week. The direction of the *wind* was variable, and the horizontal movement of the air averaged 9·1 miles per hour, which was 1·5 miles below the average in the corresponding week of 16 years. *Rain* fell on four days of the week, to the aggregate amount of 0·46 of an inch. The duration of registered bright sunshine in the week was 28·8 hours, against 47·8 hours at Glynde Place, Lewes.

TABLE 1.—Births, Deaths, and Meteorology in 28 Great Towns, during the Week ending 8th August, 1885.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the Year 1885.	Registered during the Week ending 8th August, 1885.			The Deaths registered in the Week include												TEMPERATURE OF THE AIR.						RAINFALL.		CITIES AND BOROUGH.				
		BIRTHS.	DEATHS.		Deaths from												Annual Rate of Mortality corresponding to the Week & Deaths			Mean.		In Inches.	In Centi- meters.						
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	From All Causes.	From Diseases in Cols. 6-12.	Fahrenheit.		Centigrade.									
																		Lowest.	Highest.										
																					1.			2.		3.	4.	5.	6.
28 TOWNS.	8,906,446	5031	3715		1446	565	5	109	33	26	94	35	628	102	190	520	85	21·8	5·4	74·0	42·0	55·8	13·23	1·04	2·64			Cols.	- 28 TOWNS.
LONDON.	4,083,928	2164	1720		687	267	5	58	1	1	1	14	309	47	93	297	17	22·0	6·0	74·0	46·9	58·4	15·22	0·46	1·17				LONDON.
BRIGHTON.	114,672	42	44		17	8										9		20·0	4·5	70·0	46·0	58·1	14·50	0·21	0·53				BRIGHTON.
PORTSMOUTH.	134,659	63	47		10	10						3	5	3	5	4		18·2	3·1										PORTSMOUTH.
NORWICH.	91,215	50	28		4	11						2	1			8		16·0	1·7										NORWICH.
PLYMOUTH.	76,045	47	23		10	3					4		2		2	1		15·8	4·1	72·5	44·0								PLYMOUTH.
BRISTOL.	218,169	105	89		26	24		6						3	10	12	6	21·3	4·1	67·0	42·0	55·7	13·17	1·10	2·79				BRISTOL.
WOLVERHAMPTON	79,185	30	20		6	2			1					2	2	2		13·2	2·6	68·8	45·0	53·5	11·95	1·49	3·78				WOLVERHAMPTON.
BIRMINGHAM	427,769	263	145		63	20		2			4	2	28	2	6	17	2	17·7	4·4										BIRMINGHAM.
LEICESTER	186,147	74	84		43	13			6				26		2	8	1	32·2	12·3										LEICESTER.
NOTTINGHAM	211,424	154	89		37	25				1	1		13	4	6	12	1	22·0	3·7	69·3	51·0	56·7	13·72	0·86	2·18				NOTTINGHAM.
DERBY.	89,691	43	33		19	1		1	1		4		5			1		19·2	6·4										DERBY.
BIRKENHEAD	93,093	56	28		9	2		2	1	1	1		2	1	1	5	2	15·7	3·9										BIRKENHEAD.
LIVERPOOL.	579,724	323	277		98	23		14	1	3	12	1	40	8	9	46	12	24·9	6·4	69·0	48·4	55·5	13·06	1·08	2·74				LIVERPOOL.
BOLTON.	110,085	80	30		6	7							1	4	5	4	1	14·2	0·5	67·9	42·5	53·5	11·95	0·40	1·02				BOLTON.
MANCHESTER	337,342	210	157		43	24		13			3		15	4	7	29	4	24·3	4·8										MANCHESTER.
SALFORD	204,075	129	93		39	9		3			1	1	28	4	6	6	2	23·8	8·4										SALFORD.
OLDHAM	126,390	76	39		10	7		1				1	1			3	2	16·1	2·1										OLDHAM.
BLACKBURN	112,574	93	31		13	2					2		3	1	1	4	2	14·4	2·3										BLACKBURN.
PRESTON	100,406	72	60		30	11						2	22	1	1	6		31·2	13·0										PRESTON.
HUDDESFIELD	87,327	65	36		9	10							3		1	3	1	21·5	1·8										HUDDESFIELD.
HALIFAX	77,378	27	28		10	6							1	1	1	1	3	18·9	0·7										HALIFAX.
BRADFORD	214,431	123	98		36	15					4	3	10	2	5	7		23·8	4·1	68·1	43·9	55·1	12·84	0·26	0·66				BRADFORD.
LEEDS	333,139	208	148		72	13		1	2		1	2	35	6	8	10	5	23·2	6·4	71·0	45·0	56·4	13·55	0·28	0·71				LEEDS.
SHEFFIELD	305,716	162	126		53	16		1			6	1	25	5	5	5	13	21·5	5·6	69·0	47·5	53·7	13·17	1·70	4·32				SHEFFIELD.
HULL	186,292	108	61		21	14							7			3	4	17·1	2·0										HULL.
SUNDERLAND	125,827	103	57		27	5		1			1	1	11			4	5	23·7	5·8	63·0	42·0	53·7	12·06	2·81	7·14				SUNDERLAND.
NEWCASTLE	153,269	94	77		28	14		5			1		9	2	7	5	1	26·2	5·1	64·0	50·0	54·5	12·50	3·17	8·05				NEWCASTLE.
CARDIFF	97,034	67	47		20	3					4	2	6	2	4	10		25·3	6·5										CARDIFF.
EDINBURGH	250,016	146	75		27	18		1			2		6	1	?	8	12	15·6	1·9	68·3	47·3	55·1	12·84	1·70	4·32				EDINBURGH.
GLASGOW	519,065	348	245		83	26		3	2		7	3	36	6	?	38	49	24·6	5·3	68·5	45·0	57·0	13·89	1·11	2·82				GLASGOW.
DUBLIN	355,082	143	134		21	21		2	4		2	3	8	2	3	47	15	19·8	2·8	65·3	41·3	55·0	12·78	1·59	4·04				DUBLIN.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the THIRTY-FIRST Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2100	2460	2408	2637	2396	2270	2242	2546	2505	2589	2633·8	2164
Males . .	1086	1255	1271	1370	1206	1092	1129	1329	1253	1300	1340·3	1109
Females .	1014	1205	1137	1267	1190	1178	1113	1217	1252	1289	1293·5	1055
TOTAL Deaths	1840	1679	1439	1877	1349	1693	1717	1369	1465	1767	1712·0	1720
Males . .	701	888	740	966	706	883	854	686	738	938	883·2	935
Females .	639	791	699	911	643	815	863	683	727	829	828·8	785

The numbers in this column are the average weekly numbers in the thirty-first week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.
TOTAL Births	2544	2391	2209	2409	2464	2373	2419	2483	2420	2411	2423	2439	2164
TOTAL Deaths	1496	1554	1538	1521	1315	1284	1279	1366	1412	1616	1636	1750	1720
0-20	707	745	744	744	655	654	653	690	741	964	998	1111	1062
20-40	214	209	188	210	178	170	153	179	191	172	153	165	173
40-60	250	254	261	246	218	185	227	238	198	222	209	211	218
60-80	263	290	283	253	218	228	199	226	226	222	214	220	219
at 80 years & upwards.	62	56	62	68	46	47	42	33	56	36	62	43	48
Deaths of children { Under 1 year	333	334	349	342	305	316	318	372	408	563	627	723	687
{ 1-5	254	299	296	294	260	258	256	224	251	304	281	289	287
{ 5-20	120	112	99	108	90	80	84	94	82	97	90	99	88
Deaths from Small-pox	75	50	55	62	39	37	28	39	23	15	18	16	14
" " Measles	65	93	50	120	98	95	90	80	73	82	65	71	58
" " Scarlet Fever	13	12	10	9	12	7	13	9	12	13	11	18	20
" " Diphtheria	21	10	17	15	17	16	14	18	15	16	19	23	20
" " Whooping-cough	57	68	50	46	39	42	46	59	51	77	51	47	41
" " Typhus	-	2	-	-	1	-	2	1	-	1	1	-	-
" " Enteric fever	16	13	11	13	4	6	11	9	10	17	9	8	10
" " Simple Cont'd fever	-	3	4	2	3	2	-	2	1	2	2	2	4
" " Diarrhoea and Dysentery	9	16	20	11	23	24	44	51	110	210	284	348	309
" " Cholera	-	-	-	-	2	3	2	1	3	7	5	13	11
Deaths from the above-mentioned Diseases	256	267	257	278	238	232	250	269	298	440	465	546	457
" " Dis. of Respiratory System	291	305	302	290	231	196	183	192	177	197	180	172	184
" " Phthisis	160	179	150	154	140	141	131	165	138	140	138	137	159
" " Dis. of Circulatory System	106	105	96	102	84	70	73	74	99	86	101	73	89
Violent Deaths	46	39	60	59	52	56	39	42	53	58	42	43	47
Inquest Cases	104	97	108	104	96	94	81	84	94	114	92	75	93
Deaths in Public Institutions	349	352	371	364	313	306	285	290	312	297	306	298	297
TEMPERATURE OF THE AIR:													
Mean	47·4	48·4	56·0	62·6	58·5	58·7	58·3	60·5	65·0	61·2	64·5	65·2	59·4
Mean of Highest readings	58·9	57·9	66·5	74·5	69·5	70·6	68·2	72·7	79·5	73·5	78·1	77·7	70·8
Mean of Lowest readings	36·8	41·2	47·8	51·2	47·7	48·4	49·7	49·5	51·5	51·4	52·4	56·4	51·1
Humidity of the Air	65	79	78	66	75	76	75	67	67	74	72	64	77
Rain-fall in inches	0·07	0·74	0·46	0·27	0·90	0·39	0·11	00·0	0·02	0·49	0·01	0·00	0·46
Registered Sunshine (in hours)	51·5	28·9	39·9	69·6	55·3	41·8	35·2	41·1	60·5	32·8	55·9	48·3	28·8

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; E. Simpson, Esq., Wrothley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarleton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FIRST Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 31st Weeks of the 10 years 1875-84.	In the Week ending Saturday, 8th August, 1885.										Corrected Averages for the 31st Weeks of the 10 years 1875-84.	In the Week ending Saturday, 8th August, 1885.									
			Deaths of Persons of the Ages											Deaths of Persons of the Ages									
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.					
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.									
ALL CAUSES		1712.0	1720	687	287	88	173	218	219	48													
Small-pox	Vaccinated †	10.9	2	-	-	1	1	-	-	-													
	Unvaccinated		1	-	-	-	1	-	-	-													
	No Statement		2	-	1	-	1	-	-	-													
Scarlet Fever		44.5	20	2	13	5	-	-	-	-													
Erysiphus		1.6	-	-	-	-	-	-	-	-													
Eclapsing Fever †		0.0	-	-	-	-	-	-	-	-													
Influenza		0.0	-	-	-	-	-	-	-	-													
Whooping-cough		46.3	41	13	25	-	-	-	-	-													
Diphtheria		11.0	20	-	13	4	1	2	-	-													
Temple Continued and Ill-defined Fever		2.9	4	-	1	-	1	-	2	-													
Enteric Fever		12.3	10	1	1	3	2	2	1	-													
Cholera		13.0	11	4	2	-	-	2	3	-													
Diarrhoea, Dysentery		272.1	309	251	39	1	2	-	12	4													
Remittent Fever †		0.3	2	-	1	1	-	-	-	-													
Hydrophobia		0.2	-	-	-	-	-	-	-	-													
Randlers		0.1	-	-	-	-	-	-	-	-													
Erysipelas and Effects of Vaccination †		0.0	-	-	-	-	-	-	-	-													
General Affections		12.0	15	10	1	-	1	2	1	-													
Erysipelas		7.2	4	3	-	-	-	1	-	-													
Septicæmia and Septicæmia †		2.7	2	-	-	-	-	2	-	-													
Intermittent Fever		4.7	4	-	-	1	3	-	-	-													
Other Zymotic Diseases †		1.0	-	-	-	-	-	-	-	-													
Scarlet Fever		6.0	4	4	-	-	-	-	-	-													
Small-pox and other Parasitical Diseases		0.3	-	-	-	-	-	-	-	-													
Starvation, Want of Breasts-milk †		3.3	5	5	-	-	-	-	-	-													
Alcoholism		4.5	3	-	-	-	2	1	-	-													
Rheumatic Fever and Rheumatism of Heart		9.3	3	-	-	1	1	1	-	-													
Rheumatism			2	-	-	-	-	2	-	-													
Out		2.5	3	-	-	-	-	-	-	-													
Tickets †		1.7	6	1	4	1	-	-	-	-													
Cancer		45.0	54	-	3	1	8	17	21	4													
Abes Mesenterica		48.5	55	33	16	2	-	1	-	-													
Tubercular Meningitis		33.5	30	16	9	5	-	-	-	-													
Phthisis		165.9	159	10	6	14	72	49	8	-													
Scrophulous Tuberculosis		16.9	30	16	8	5	-	1	-	-													
Other Constitutional Diseases †		6.7	8	1	1	-	2	2	1	1													
Premature Birth		31.4	44	44	-	-	-	-	-	-													
Electrolysis †		3.3	3	3	-	-	-	-	-	-													
Constitutional Malformations		6.2	7	6	-	1	-	-	-	-													
Old Age		40.5	41	-	-	-	1	22	18	-													
Poplery		43.9	36	-	-	1	6	9	17	3													
Epilepsy		6.4	9	-	-	-	6	3	-	-													
Convulsions		53.9	62	53	9	-	-	-	-	-													
Other Diseases of Brain and Nervous System		85.3	89	49	18	8	11	17	21	5													
Diseases of Organs of Special Sense †		3.0	2	1	-	-	1	-	-	-													
Diseases of Circulatory System		85.3	89	1	-	5	11	35	35	2													
Croup		9.5	7	8	4	-	-	-	-	-													
Bronchitis		93.1	94	24	27	-	22	17	20	4													
Pneumonia		59.6	52	11	13	6	8	3	4	2													
Pleurisy		4.3	4	-	-	1	-	3	-	-													
Other Diseases of Respiratory System		21.8	27	7	9	1	3	5	2	-													
Dentition †		14.0	12	7	5	-	-	-	-	-													
Quincy, Sore Throat †		1.3	17	13	1	1	-	-	-	-													
Enteritis		13.1	17	13	1	1	-	-	2	-													
Peritonitis		6.2	3	-	-	-	3	-	-	-													
Diseases of Liver		36.1	17	3	-	-	4	5	5	-													
Other Diseases of Digestive System		34.2	35	16	1	1	2	3	11	1													
Diseases of Lymphatic System & of Ductless Glands †		1.3	1	-	-	1	-	-	-	-													
Diseases of Urinary System		32.3	35	2	-	3	4	12	12	2													
Diseases of Generative System		5.7	7	-	-	-	3	1	3	-													
Accidents of Childbirth		5.6	3	-	-	-	3	-	-	-													
Diseases of Locomotive System †		5.0	5	-	1	2	-	-	2	-													
Diseases of Integumentary System		6.1	4	1	-	-	1	1	1	1													
VIOLENT DEATHS ‡																							
(ACCIDENT.)																							
Fracture and Contusion		21.3	19	2	2	3	3	5	3	1													
Gunshot Wound		0.1	-	-	-	-	-	-	-	-													
Cut, Stab		0.3	-	-	-	-	-	-	-	-													
Burn and Scald		3.2	4	-	2	1	1	-	-	-													
Poison		1.9	2	1	-	-	1	-	-	-													
Drowning		11.3	9	-	-	4	3	1	1	-													
Suffocation		6.9	5	5	-	-	-	-	-	-													
Otherwise		3.7	2	-	-	1	-	-	1	-													
(HOMICIDE.)																							
Murder & Manslaughter		1.2	-	-	-	-	-	-	-	-													
(SUICIDE.)																							
Gunshot Wound		0.5	2	-	-	-	1	1	-	-													
Cut, Stab		1.0	-	-	-	-	-	-	-	-													
Poison		1.7	1	-	-	-	-	-	-	-													
Drowning		1.9	2	-	-	-	-	-	-	-													
Hanging		2.3	1	-	-	-	-	-	-	-													
Otherwise		0.9	-	-	-	-	-	-	-	-													
(EXECUTION.)																							
Hanging		0.1	-	-	-	-	-	-	-	-													
OTHER CAUSES †		95.3	91	81	3	1	-	3	3	-													

* The numbers in this column are the average weekly deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.
† As the ten years average could not be correctly ascertained, the average for the three years 1883-4 has been inserted.
‡ Those cases of small-pox only are returned as "vaccinated," or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical practitioner, the case is returned under the heading "no statement."
§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."
|| Exclusive of 9 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Deaths from												
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON		3,816,483	2164	1720	687	267	5	58	20	20	41	-	10	4	309	47	93	297	17
WEST DISTRICTS		660,663	357	289	115	44	1	9	2	4	7	-	1	1	57	10	14	60	-
NORTH DISTRICTS		905,947	468	401	177	68	2	25	4	5	10	-	2	1	78	9	23	67	2
CENTRAL DISTRICTS		282,238	121	123	42	15	-	2	1	1	2	-	2	-	21	3	9	24	-
EAST DISTRICTS		692,738	426	345	129	45	1	10	10	5	9	-	1	1	53	13	30	69	6
SOUTH DISTRICTS		1,385,927	792	562	224	95	1	12	3	5	13	-	4	1	100	12	17	77	9
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.		66888	31	80	19	2	-	-	1	-	-	-	-	-	7	-	-	4	-
St. John Paddington H - - G.J.		37380	12	9	1	1	-	-	-	-	-	-	-	-	3	-	3	7	-
Kensington Town WH - - W.M.		120141	56	43	15	11	-	1	-	-	1	-	-	-	10	1	1	14	-
Brompton H - - W.M. & C.		43010	17	23	4	6	-	-	-	-	-	-	-	-	1	1	2	-	-
St. Peter Hammersmith - - W.M.		7599	6	4	3	1	-	-	-	-	-	-	-	1	2	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.		64340	84	31	19	1	-	2	-	2	1	-	1	-	11	1	1	5	-
Fulham WH - - W.M. & C.		42000	63	44	17	7	1	3	1	-	-	-	-	-	11	3	4	8	-
Chelsea South HHH - - C.		20896	12	20	8	4	-	1	-	-	-	-	-	-	4	-	-	2	-
Chelsea North-west WHHHH - C.		24925	15	16	8	2	-	-	-	-	1	-	-	-	4	-	1	-	-
Chelsea North-east - - C.		35807	21	12	8	-	-	-	-	-	-	-	-	-	4	-	-	-	-
Hanover Square H - - G.J.		18662	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
May Fair WH - - G.J.		19461	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Belgrave WH - - C.		59220	24	19	3	3	-	1	-	1	1	-	-	-	2	-	1	1	-
St. John Westminster HH - - C.		35496	20	7	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Margaret Westminster H - C.		24679	14	12	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster WH N.R. & G.J.		29941	17	10	4	3	-	1	-	-	1	-	-	-	2	-	-	1	-
St. Anne Soho HHHHH - - N.R.		16608	8	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																			
All Souls Marylebone HHHH - W.M.		26759	11	16	4	5	-	-	-	-	-	-	-	-	1	1	2	9	-
Cavendish Square HHH - - W.M.		14861	4	3	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-
Rectory Marylebone WH G.J. & W.M.		24309	16	6	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
St. Mary Marylebone HHH G.J. & W.M.		21118	19	9	3	1	-	2	-	-	-	-	-	-	2	-	1	2	-
Christchurch Marylebone H - W.M.		38700	12	5	4	-	-	1	-	-	-	-	-	-	5	-	-	-	-
St. John Marylebone H - - W.M.		33633	14	13	5	3	-	3	-	-	-	-	-	-	1	-	-	-	-
Hampstead WHHHH - N.R. & W.M.		45452	24	14	3	1	-	2	-	-	1	-	-	-	1	-	-	1	-
Regent's Park Pancras H - - W.M.		69115	18	11	4	2	-	-	-	1	-	-	-	-	-	1	1	-	-
Tottenham-court WHHHH N.R. & W.M.		27729	11	16	7	1	-	-	-	-	-	-	1	-	3	-	-	10	-
Gray's Inn Lane HHH - - N.R.		30247	13	12	6	1	-	-	-	-	1	-	-	-	6	-	1	1	-
Somers Town H - - N.R.		84369	16	14	8	-	-	1	-	-	-	-	-	-	3	1	1	1	-
Somers Town WH - - N.R.		17311	6	17	7	10	-	-	-	-	-	-	-	-	1	1	1	13	-
Kentish Town W - - N.R.		87487	50	35	15	6	-	4	-	-	-	-	-	-	6	-	4	4	1
Upper Holloway WHWHH - N.R.		67946	38	50	21	7	1	1	1	1	2	-	-	-	10	1	2	14	-
Islington South-west HH - - N.R.		100976	63	52	22	7	-	4	1	-	-	-	-	-	8	-	-	-	-
Islington South-east - - N.R.		61895	29	22	11	3	-	1	-	-	-	-	-	-	7	-	1	-	-
Highbury H - - N.R.		82048	20	22	12	3	-	2	-	2	2	-	-	-	5	-	-	-	-
Stoke Newington H - - N.R.		22781	8	10	4	5	-	-	-	-	-	-	-	1	2	1	1	1	-
Stamford Hill - - E.L.		8277	4	3	1	-	-	2	-	-	1	-	-	-	3	-	-	-	-
West Hackney - - N.R.		37610	21	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hackney WHWHH - E.L. & N.R.		76011	47	49	26	7	1	1	2	1	1	-	1	-	13	2	3	11	-
South Hackney - - E.L.		39683	19	13	6	3	-	-	-	-	-	-	-	-	-	-	2	-	-
CENTRAL DISTRICTS.																			
St. George Bloomsbury - - N.R.		16681	7	4	-	4	-	-	-	-	-	-	-	-	1	-	-	2	3
St. Giles South WH - - N.R.		14864	8	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles North - - N.R.		38387	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.		17308	6	9	2	1	2	-	-	-	-	-	-	-	-	2	4	2	-
St. Mary-le-Strand H - - N.R.		7515	2	3	1	-	-	-	-	-	-	-	1	-	1	-	1	3	-
St. Clement Danes H - - N.R.		8569	3	8	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-
St. George-the-Martyr HHHHHH N.R.		18671	11	17	4	-	-	1	1	1	-	-	-	-	4	-	1	8	-
St. Andrew Eastern W - - N.R.		10706	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Saffron Hill H - - N.R.		6533	4	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. James Clerkenwell - - N.R.		17616	7	10	4	-	-	-	-	-	-	-	-	-	4	-	-	-	-
Amwell Clerkenwell - - N.R.		19281	7	7	6	-	-	-	-	-	1	-	-	-	2	-	-	-	-
Pentonville - - N.R.		14773	8	9	7	0	-	-	-	-	-	-	-	-	3	-	-	-	-
Goosewell-street - - N.R.		17306	5	3	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Old-street H - - N.R.		11541	10	5	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-
City-road HHL - - N.R.		18628	16	9	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-
Whitecross-street - - N.R.		9217	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Finsbury - - N.R.		7463	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - N.R. & E.L.		11174	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - N.R.		7193	1	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Sepulchre H - - N.R.		5358	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-
St. Bride W - - N.R.		8396	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - N.R.		13666	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.		8652	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; A—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifying Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. in Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
Saturday, the 8th August, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the week.	Total Deaths during the week.	The DEATHS registered in the Week include														
					Infants under Year of Age.	Persons aged 60 Years & un- der.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.
EAST DISTRICTS.																			
Holywell Shoreditch	N.R. & E.L.	7376	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Leonard Shoreditch	N.R.	14867	7	9	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton New Town	N.R.	29637	10	15	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Horton Old Town	N.R.	28036	14	10	3	2	-	1	-	1	1	-	-	-	-	-	-	-	-
Haggerston	N.R. & E.L.	46275	27	30	9	4	-	-	3	-	-	-	-	-	5	2	2	6	-
Hackney-road	E.L.	29738	10	12	6	2	-	1	1	-	-	-	-	-	1	1	2	1	-
Green, Bethnal Green	E.L.	47832	23	19	8	2	-	-	-	1	-	-	-	-	4	-	1	3	-
Church, Bethnal Green	E.L.	29881	21	13	6	1	-	1	-	-	-	-	-	-	1	-	2	-	-
Town, Bethnal Green	E.L.	16810	13	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spitalfields	E.L. & N.R.	22585	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town	E.L.	15473	14	11	2	1	-	1	1	-	-	-	-	-	2	1	2	1	-
Whitechapel Church	E.L. & N.R.	17490	10	20	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-
Goodman's Fields	E.L.	9713	4	3	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Aldgate	N.R. & E.L.	6102	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North	E.L.	38747	31	23	9	4	-	1	1	1	1	-	-	1	4	1	2	6	1
St. John, St. George East	E.L.	8410	3	9	3	2	-	-	-	-	-	-	-	-	1	2	2	-	-
Shadwell	E.L. & N.R.	10395	7	15	6	-	-	-	-	1	-	-	-	-	3	1	2	7	-
Ratcliff	E.L.	16107	5	7	1	1	-	1	-	-	-	-	-	-	4	1	1	1	-
Limehouse	E.L.	32041	17	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town West	E.L.	37660	29	15	6	2	-	1	-	-	2	-	-	-	-	-	-	-	-
Mile End Old Town East	E.L.	67653	38	36	11	7	-	2	1	-	-	-	1	-	4	1	2	7	1
Bow	E.L.	37074	17	12	7	1	-	-	-	-	-	-	-	-	1	2	2	-	-
Bromley	E.L.	64359	40	51	16	11	1	1	1	1	3	-	-	-	3	-	1	14	-
Poplar	E.L.	55077	40	17	8	1	-	-	-	1	-	-	-	-	2	-	3	2	-
SOUTH DISTRICTS.																			
Christchurch Southwark	L. & S.	13663	8	8	4	2	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Saviour Southwark	S.	14599	13	6	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-
Kent-road	S. & L.	21381	11	5	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
Borough-road	S. & L.	13953	10	5	3	-	-	-	-	-	-	-	-	-	3	-	-	1	-
London-road	L. & S.	21318	10	13	6	1	-	3	-	-	-	-	-	-	1	-	1	1	-
Trinity Newington	S. & L.	26672	15	10	3	1	-	-	-	-	-	-	-	-	5	-	-	-	-
St. Peter Walworth	S. & L.	59555	29	35	10	11	-	1	-	1	-	-	1	-	1	-	-	14	-
St. Mary Newington	L. & S.	51223	15	6	2	2	-	-	-	-	-	-	-	-	1	-	-	13	-
St. Olave	S.	11956	5	15	3	2	-	-	1	1	-	-	-	-	-	-	-	-	-
Leather Market	S. & L.	16300	9	4	2	-	-	-	1	-	-	-	-	-	-	-	-	2	-
St. Mary Magdalen	S.	15669	10	7	1	3	-	-	-	-	-	-	-	-	5	-	-	-	-
St. James Bermondsey	S.	54683	44	17	5	2	-	1	-	1	-	-	-	-	1	4	1	3	-
Rotherhithe	S. & K.	36024	23	17	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterloo-road 1st	L. & S.	15195	6	5	3	1	-	-	-	-	1	-	-	-	2	-	-	-	1
Waterloo-road 2nd	L. & S.	16231	13	8	4	-	-	-	-	-	-	-	-	-	2	1	3	4	-
Lambeth Church 1st	L. & S.	19876	17	18	1	2	-	-	-	-	-	-	-	-	5	-	-	10	-
Lambeth Church 2nd	L. & S.	39559	22	20	9	5	-	-	-	-	1	-	-	-	2	-	-	6	2
Kennington 1st	S. & L.	45232	20	17	9	1	-	1	-	-	1	-	1	-	3	-	-	-	-
Kennington 2nd	S. & L.	35332	24	15	6	4	-	-	-	-	-	-	-	-	3	-	-	-	-
Brixton	L. & S.	62337	35	15	7	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Norwood	L.	19017	15	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Clapham	S.	36330	16	7	2	2	-	-	-	-	-	-	-	-	3	-	-	-	-
East Battersea	S.	54675	51	35	19	5	-	-	-	2	-	-	-	-	11	1	1	1	-
West Battersea	S.	52587	45	46	24	8	-	2	-	-	2	-	-	-	4	2	1	4	-
Wandsworth	S.	28004	23	21	8	2	-	-	-	1	-	-	-	-	1	-	-	-	-
Putney	S.	13235	3	5	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Streatham	L.	26553	22	11	2	4	-	-	-	-	-	-	-	-	-	-	-	-	1
Dulwich	L. & S.	5590	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell	S. & L.	49104	29	22	6	5	-	-	-	-	-	-	-	-	2	-	1	2	-
Peckham	S. & K.	71089	59	41	21	3	-	1	-	-	2	-	-	-	13	3	1	1	-
St. George Camberwell	L. & S.	50810	34	22	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Deptford	K.	76752	37	27	16	2	-	1	-	-	1	-	1	-	4	-	-	-	1
St. Nicholas Deptford	K.	7301	3	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West	K.	21972	9	7	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Greenwich East	K.	24608	20	19	4	6	1	-	-	-	1	-	-	-	1	1	1	10	-
Eltham	K.	5827	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee	K.	21559	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham	K.	19865	17	7	3	2	-	-	-	-	-	-	-	-	1	-	-	2	-
Sydenham	L.	26076	24	9	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Charlton	K.	10630	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Dockyard	K.	17617	8	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Woolwich Arsenal	K.	19148	21	9	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead, West	K.	14049	10	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, East	K.	19241	8	5	2	-	-	-	-	-	-	-	-	-	2	-	-	1	-

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:—

<p> Marylebone Infirmary in Kensington Town sub-district. Central London Sick Asylum, in Tottenham Court-road sub-district. Holborn Infirmary in Upper Holloway sub-district. London City Workhouse " Hackney sub-district. Histon " " Hoxton New Town sub-district. Whitechapel " " Mile End Old Town Eastern sub-district. </p>	<p> London City Workhouse in { Mile End Old Town Eastern sub-dist. and " " " " Bromley sub-district. Stepney " " Bromley sub-district. Poplar & Stepney Sick Asylum " " " Westminster " " Non Industrial School in West Battersea sub-district. Metropolitan Asylum District Hospitals in Fulham, Hampstead, Haverhill, Ennis, and St. Paul, Dartford sub-district. </p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 8th August, 1885.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, including Tidal Water and Fore-shore.	Enu-merated Popu-lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
LONDON—OUTER RING		370,282	950,178	618	400	168	63	10	13	1	3	9	5	92	5	13	33	5		
30:1	Carshalton wL - -	12288	21113	12	3	-	1	-	-	-	-	-	-	-	-	-	1	-		
2	Epsom (part of) * WH	9971	10710	2	3	-	1	-	-	-	-	-	1	-	-	-	-	-		
37:1	Godstone (part of) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
38:1	Croydon WH - -	20851	101241	56	30	10	7	1	-	-	1	-	-	2	1	1	4	1		
	Mitcham - -	11097	17932	11	3	1	1	-	-	-	-	-	-	1	-	-	-	-		
39:1	Wimbledon HHH - -	3220	15950	8	7	2	2	-	1	-	-	1	-	2	-	-	-	-		
2	Kingston WHH - -	8549	36354	21	10	4	1	-	-	-	-	-	-	5	-	-	1	-		
3	Esher (part of) * -	6601	9221	12	2	1	-	-	-	-	-	-	-	-	-	1	-	-		
4	Hampton H - -	4573	13339	4	6	-	1	-	-	-	-	-	-	1	1	1	-	-		
40:1	Richmond WH - -	2272	21302	11	8	2	2	-	-	-	-	-	1	2	-	-	1	-		
2	Mortlake - -	941	12331	6	2	-	-	-	-	-	-	-	-	1	-	-	-	-		
41:1	Bromley (pt. of) * HH	15669	31142	10	3	-	-	-	-	-	-	1	-	-	1	1	-	-		
2	Chislehurst (pt. of) * WHH	13665	15065	14	4	2	1	-	-	-	-	-	-	-	-	-	-	-		
42:1	Bexley H - -	13437	24134	9	6	4	2	-	-	-	-	-	-	2	-	-	-	-		
124:1	Sunbury w - -	11055	11685	7	9	3	-	-	4	-	-	-	1	-	-	-	1	-		
2	Staines W - -	13277	12089	6	6	5	-	-	-	-	-	-	-	2	-	1	1	-		
125:1	Hillingdon WH - -	6029	10802	6	7	3	2	-	-	-	-	-	-	1	-	1	1	-		
2	Uxbridge - -	6178	5225	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes wHL - -	14587	11523	-	6	1	3	-	-	-	-	-	-	1	-	1	2	-		
126:1	Isleworth W - -	7006	22727	16	17	7	5	-	-	-	-	-	-	2	1	1	1	-		
2	Twickenham H - -	2477	12479	12	4	2	1	-	-	-	-	-	-	2	-	-	-	-		
3	Brentford HL - -	4845	27649	23	6	4	1	-	-	-	-	-	-	5	-	1	-	-		
4	Chiswick - -	1340	15675	12	7	3	-	-	-	1	1	-	-	3	-	-	-	-		
5	Acton wH - -	6033	22376	16	20	11	4	-	-	-	-	-	-	7	-	1	1	-		
127:1	Harrow H - -	13809	12796	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Edgware H - -	6994	3749	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden - -	4983	27453	22	23	13	2	-	2	-	-	2	-	5	-	-	-	-		
4	Hendon W - -	8332	10484	10	6	2	1	-	-	-	-	1	-	-	-	-	4	-		
128:1	South Mimms - -	15599	6391	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet W - -	5483	10092	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Finchley HL - -	4688	17615	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
129:1	Hornsey H - -	3039	37078	21	13	5	2	-	-	-	-	-	-	2	-	1	-	-		
2	Tottenham HH - -	4642	46456	39	37	17	5	-	1	-	-	-	1	11	-	-	-	1		
3	Edmonton Wwv - -	7483	23463	17	18	3	6	1	1	-	-	1	-	4	-	-	10	-		
4	Enfield WH - -	12653	19104	4	9	5	2	-	-	-	-	-	-	2	-	1	-	1		
5	Waltham Abbey - -	11017	5368	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt - -	8480	7735	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-		
135:1	Hatfield (part of) * -	3306	583	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
137:1	Bushey - -	9331	6621	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
136:1	Stratford - -	882	38605	31	16	4	2	-	1	-	-	-	-	5	-	-	-	-		
2	West Ham wvwwH - -	7351	101053	90	56	34	2	8	2	-	1	-	-	10	-	-	5	1		
3	Leyton WwL - -	4372	32430	23	15	8	2	-	-	-	-	-	-	5	-	-	-	-		
4	Walthamstow wH - -	6520	25869	24	18	5	1	-	1	-	-	2	1	6	-	-	-	1		
137:1	Chigwell (part of) * H	11761	9669	3	2	1	-	-	-	-	-	-	-	1	-	-	-	-		
139:1	Romford (part of) * -	6730	3411	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford - -	8493	7645	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town - -	4127	9203	6	3	2	-	-	-	-	-	-	-	2	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:— 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warrington and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1933); 41:1, the whole of Bromley sub-district, except the two parishes of Cadham and Knowsholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chislefield Bois (pop. 875); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 8th August, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,199,166	21·3	6·0	2120	855	330	15	71	21	23	50	19	401	52	330		
INNER LONDON -	78,052	4,083,928	22·0	6·0	1720	637	267	5	58	20	20	41	14	303	47	297		
OUTER RING -	370,282	1,115,238	18·7	6·2	400	168	63	10	13	1	3	9	5	92	5	33		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
Calcutta	433,219	July 4	—	194	23·3	Fevers 56; cholera 16.
Bombay	773,196	" 7	283	3·6	24·4	Fevers 128; cholera 6.
Madras	398,777	" 3	364	247	32·2	Fevers 59.
Paris	2,230,928	August 1	997	952	22·1	Diarr. 145; typh. fev. 42; meas. 33; diph. & erp. 18.
Geneva	71,453	" 1	24	18	13·1	Typhus and typh. fev. 1; diarrhoea 2.
Brussels	436,214	July 25	245	154	18·2	Diarrhoea 31; whooping- cough 3; croup 5.
Amsterdam	366,812	August 1	250	124	17·5	Scarlet fever 4; croup 2; whooping-cough 2.
Rotterdam	166,061	" 1	127	55	17·2	Scar. fev. 2; measles 1.
The Hague	134,552	" 1	103	39	15·1	Whooping-cough 5; typh. and typhoid fever 1.
Copenhagen	280,615	July 28	129	103	19·2	Diphtheria 2; croup 2.
Stockholm	200,143	" 18	117	100	25·9	Diarrhoea 18; measles 2.
Christiania	128,000	August 1	75	33	13·4	Diarrhoea 8; diph. and croup 3; scar. fev. 2.
St. Petersburg	928,016	July 25	—	509	28·6	Diarr. 156; typhus and typh. fev. 10; meas 8.
Berlin	1,279,599	" 18	831	1010	41·2	Diarrhoea 516; meas. 10; diph. 12; scar. fev. 8.
Hamburg (State)	497,956	" 25	£79	231	24·2	Diarr. 55; diph. & croup 10; typh. & typh. fev. 5.
Dresden	241,500	" 25	150	136	20·3	Diarrhoea 25; diphtheria and croup 6.
Breslau	295,000	" 25	211	242	42·4	Diarrhoea 102; whooping- cough 4.
Munich	244,000	August 1	143	161	34·3	Diarrhoea 60; diphtheria and croup 3.
Vienna	769,889	" 1	478	361	24·4	Diarr. 67; small pox 16.
Prague	272,333	" 1	—	152	29·1	Scar. fev. 4; typh. & typh. fev. 3; diph. & croup 3.
Buda-Pesth	420,532	July 18	300	278	33·7	Diarr. 59; scar. fev. 2; diph. and croup 2.
Trieste	150,157	June 13	—	—	—	—
Rome	330,430	" 20	154	152	24·	Measles 9.
Naples	504,735	—	—	—	—	—
Turin (10 days)	267,763	July 20	—	—	—	—
Venice	145,990	" 18	66	86	30·7	Diarrhoea 18; small- pox 5; measles 4.
Madrid	475,668	—	—	—	—	—
Lisbon	203,681	—	—	—	—	—
Alexandria	31,96	August 3	—	—	—	—
New York	1,350,958	July 11	—	920	35·4	Diarrhoeal dis. 297; diph- theria 24; measles 11.
Brooklyn	665,602	" 11	—	585	45·9	Diarr. dis. 286; scar. fev. 7; diph. 7; croup 5.
Philadelphia	340,432	" 18	—	530	20·1	Diarr. dis. 154; scar. fev. 10; typh. fev. 6; diph. 7.
Baltimore	408,520	" 18	—	212	27·1	Diarr. dis. 72; croup 2; diphtheria 1.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 8th August, 1885.
[Under the Superintendence of the Astronomer Royal.]

[illegible]

SKY AND ATMOSPHERE.

DATE.		ELECTRICITY. (For explanation of symbols, see Notes.)	Registered Sunshine, in hours.	Sun above horizon, in hours.	SKY AND ATMOSPHERE.
August.					
SUNDAY	2	v. P. throughout	2.0	15.3	Generally cloudy.
MONDAY	3	w. P. in morning; w. N. till 8h. P.M.; m. P. afterwards.	0.0	15.2	Overcast till evening; fine afterwards. Cloudless after 10h. P.M.
TUESDAY	4	v. P. generally.	3.9	15.2	Fine; generally cloudy. A little rain at night.
WEDNESDAY	5	w. P. in morning; v. P. and v. N. afterwards.	0.2	15.1	Cloudy; slight fog in morning. Showery in afternoon. Slight thunderstorm about 7h. P.M.
THURSDAY	6	w. P. till 2h. P.M.; v. N. and v. P. till 7h. P.M.; m. P. afterwards.	5.6	15.1	Fine with variable amounts of cloud in morning; generally cloudy with occasional thunder-showers afterwards.
FRIDAY	7	w. P. generally till 9h. P.M.; N. and v. P. till 4h. P.M.; w. P. afterwards.	6.7	15.0	Variable. Light showers. Occasional thunder.
SATURDAY	8	w. P. in morning; w. N. in afternoon; v. P. afterwards.	10.4	15.0	Fine. Variable amounts of cloud prevailed till night; cloudless at night.
			Sum 23.8	Sum 105.9	

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 32. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, AUGUST 15. [Price 1½d.

General Register Office, Somerset House,
17th August, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 20·5 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	July 25.	Aug. 1.	Aug. 8.	Aug. 15.		July 25.	Aug. 1.	Aug. 8.	Aug. 15.
Birkenhead	15·7	20·2	15·7	25·8	Liverpool -	21·2	21·4	24·9	23·0
Birmingham	16·5	17·6	17·7	23·7	London -	20·9	22·4	22·0	18·8
Blackburn -	18·1	22·7	14·4	20·4	Manchester	24·6	25·7	24·3	30·5
Bolton -	11·4	18·0	14·2	15·6	Newcastle-on-Tyne	26·2	25·2	26·2	24·9
Bradford	16·3	15·6	23·8	12·4	Norwich -	10·9	17·2	16·0	20·0
Brighton -	9·1	15·0	20·0	22·3	Nottingham	17·0	17·0	22·0	15·5
Bristol -	13·6	18·9	21·3	20·8	Oldham -	15·3	13·2	16·1	18·2
Cardiff -	19·9	21·0	25·3	23·1	Plymouth -	16·5	11·7	15·8	22·0
Derby -	14·5	18·0	19·2	14·5	Portsmouth	14·3	18·6	18·2	16·3
Halifax -	18·9	20·9	18·9	18·9	Preston -	27·0	24·4	31·2	33·8
Huddersfield	18·5	19·1	21·5	19·1	Salford -	18·7	22·5	23·8	27·4
Hull -	14·6	16·2	17·1	16·8	Sheffield -	17·1	19·5	21·5	24·4
Leeds -	16·9	23·5	23·2	21·8	Sunderland	21·2	19·2	23·7	25·4
Leicester	36·4	30·3	32·2	20·3	Wolverhampton	11·2	13·2	13·2	15·2

The highest annual death-rates from measles, measured by last week's mortality, were 1·7 in Newcastle-upon-Tyne and Birkenhead; from whooping-cough, 1·3 in Wolverhampton, and 2·1 in Plymouth; from scarlet fever, 2·1 in Sunderland; and from "fever," 1·1 in Hull, 1·2 in Portsmouth, and 1·6 in Cardiff. The death-rate from diarrhoea averaged 3·2 in the twenty-eight towns, and ranged upwards to 5·1 in Sheffield and Newcastle-upon-Tyne, 5·2 in Leeds, 7·4 in Salford, and 10·4 in Preston. Small-pox caused 26 deaths in London and its outer ring (exclusive of 3 in the Metropolitan Asylum Hospital and Camp at Darent), and one in Hull.

LONDON.

In LONDON 2885 BIRTHS and 1472 DEATHS were registered. Allowing for increase of population, the births exceeded by 341, while the deaths were 151 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 22·4 and 22·0 in the two preceding weeks, further declined last week to 18·8. During the first six weeks of the current quarter the mean death-rate was 20·5, against 21·8 in the corresponding periods of the nine years 1876-84.

The 1472 deaths included 12 from small-pox, 49 from measles, 9 from scarlet fever, 13 from diphtheria, 44 from whooping-cough, 3 from typhus, 13 from enteric fever, 1 from an ill-defined form of continued fever, 222 from diarrhoea and dysentery, and 5 from cholera or choleraic diarrhoea; thus, 371 deaths were referred to these diseases, being 38 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 10 and 5 in the two previous weeks, rose last week to 12. These 12 deaths were exclusive of

3 of London residents who died in the Metropolitan Asylum Hospitals situated outside Registration London. Of the total 15 fatal cases, 8 occurred in the Metropolitan Asylum Hospitals, and 7 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 2 belonged to Islington, 3 to Poplar, 3 to Newington, and 2 to Camberwell; 2 of the 3 fatal cases belonging to Newington occurred in private dwelling-houses. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the ten preceding weeks from 1389 to 518, had further declined to 399 on Saturday last; the admissions, which had declined in the four previous weeks from 118 to 43, were 44 last week. The Highgate Small-pox Hospital contained 28 patients on Saturday last, one case having been admitted during the week.

The fatal cases of *measles*, which had been 71 and 58 in the two preceding weeks, further declined to 49 last week, and, although fewer than in any week since the end of February last, exceeded the corrected average by 8; 6 belonged to Marylebone, 5 to Islington, and 4 to Fulham. The 9 deaths from *scarlet fever* showed a considerable decline from the numbers in the two previous weeks, and were 41 below the corrected average; 2 occurred in Bermondsey. The Metropolitan Asylum Hospitals contained 230 scarlet fever patients on Saturday, 24 having been received during the week. The deaths referred to *diphtheria*, which had been 23 and 20 in the two previous weeks, declined to 13, and corresponded with the corrected average; 2 belonged to Kensington, 2 to Chelsea, 2 to Newington, and 2 to Lambeth. The 44 fatal cases of *whooping-cough* exceeded the corrected average by 4, and included 6 in Fulham, 5 in Pancras, and 6 in Lambeth. The deaths attributed to *diarrhoea* and *dysentery*, which had steadily increased in the six preceding weeks from 51 to 309, declined last week to 222, and were 3 below the corrected average; 202 were of children under five years of age. Of the 5 deaths referred to *cholera*, one of a child aged 2 years, was certified as "English cholera," 2 of infants and one of an adult as "choleraic diarrhoea," and one of an infant as "cholera infantum."

The deaths referred to *enteric fever*, which had been 8 and 10 in the two preceding weeks, further rose to 13 last week, but were 4 below the corrected average; 7 belonged to South London, of which 2 belonged to Newington, and 2 (occurring in Clapham) to Wandsworth. The 3 deaths attributed to *typhus* occurred at 23, Richmond Road, Paddington; at 27, Munden Street, Fulham; and at 18, Queen Street, Deptford. The Metropolitan Asylum Hospitals contained 19 cases of enteric fever, and 3 of typhus, on Saturday last; 4 cases of enteric fever, and not one of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 172 and 184 in the two previous weeks, declined last week to 162, and were 29 below the corrected weekly average.

Different forms of violence caused 55 deaths; 45 were the result of negligence or accident, among which were 18 from fractures and contusions, 5 from burns and scalds, 7 from drowning, 2 from poison, and 9 of infants under one year of age from suffocation. The 18 deaths from fractures and contusions were thus returned:—male, aged 48 years, run over by tramcar; male 6, run over by cart; male 44, fell from cab; male 22, fell from van; male 5, crushed by timber carriage; males 31 and 41, kicked by horse; male 62, run over on Great Northern Railway; female 77, fell in street; male 65, fell from stack of deals; male 35, fell in yard; female 7 weeks, fell from bed; male 52, fell down stairs; males 3 months and 25 years, and female 59, by fall; male 11, and female 80, by fracture. An inquest was held in each of these cases. Nine cases of suicide were registered.

GREATER LONDON.

In Greater London 3709 births and 1916 deaths were registered, corresponding to annual rates of 37·2 and 19·2 per 1000 of the population. In the Outer Ring 90 deaths from diarrhoea, 16 from measles, 14 from small-pox, and 10 from whooping-cough were registered. The fatal cases of measles included 4 in Willesden, and 3 in Chiswick sub-districts; those of small-pox, 8 in West Ham, 2 in Croydon, and 2 in Bexley sub-districts. Of the 90 deaths from diarrhoea, 14 occurred in Brentford, 11 in Edmonton, and 39 in West Ham districts.

On pages 327-8 will be found Dr. Frankland's report upon the quality of the waters supplied to the Metropolis by the various water companies during July. The Thames waters, delivered by the companies drawing their supply from that source, excepting only that of the Chelsea Company, contained less organic matter

than those delivered in the previous month. All the samples were clear and bright. The Lea water distributed by the New River Company was remarkably free from organic matter, and was in this respect little inferior to the deep-well waters; while the East London Company's supply resembled the Thames waters. Both these waters were clear and bright on delivery. The deep-well waters furnished by the Kent and Colne Valley Companies, and by the Tottenham Local Board, were of their usual excellent quality for drinking. The Colne Valley Company's water had been softened with lime, and thus rendered suitable for all domestic purposes.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·80 in.; the lowest reading was 29·48 in. on Monday evening, and the highest was 30·16 in. on Saturday morning. The mean temperature of the *air* was 59°·6, and 2°·9 below the average in the corresponding week of the 20 years ending 1868. The mean showed a slight excess on Monday, but was below the average on each of the other days of the week; on Friday the mean fell to 54°·2 and was 8°·2 below the average. The general direction of the *wind* was S.W., and the horizontal movement of the air averaged 13·8 miles per hour, which was 3·5 miles above the average in the corresponding week of 16 years. *Rain* fell on Sunday and Wednesday, to the aggregate amount of 0·09 of an inch. The duration of registered bright sunshine in the week was 48·4 hours, against 62·1 hours at Glynde Place, Lewes.

THE REGISTRAR GENERAL has to acknowledge the courtesy of the LONDON WATER COMPANIES who have furnished him with the average daily quantity of Water supplied during the month of JULY 1885; according to their returns 179,112,515 gallons or 813,790 cubic metres of water (equal to about as many *tuns* by measure, *tons* by weight,) were supplied daily; or 257 gallons (116·8 decalitres), being rather more than a *ton* by weight, to each house, and 33·0 gallons (15·0 decalitres) to each person, against 32·6 gallons during July 1884.

COMPANIES.	Number of Houses, &c. supplied in		Average daily Supply of Water in Gallons.	
	JULY. 1884.	JULY. 1885.	JULY. 1884.	JULY. 1885.
TOTAL SUPPLY	674,945	696,562	171,374,033	179,112,515
From Thames	327,273	336,319	86,021,021	92,206,678
From Lea and from other Sources . .	347,672	360,243	85,353,012	86,905,837
THAMES.				
Chelsea	32,955	33,591	11,356,000	11,662,900
West Middlesex	64,707	66,430	15,773,122	16,607,715
Southwark and Vauxhall	102,308	104,450	23,034,785	25,677,965
Grand Junction	49,233	50,949	16,464,514	18,113,980
Lambeth	77,980	80,399	18,492,600	20,144,018
LEA AND OTHER SOURCES.				
New River	141,847	144,705	33,915,000	32,999,000
East London	144,372	151,082	39,584,908	40,698,256
Kent	61,453	64,456	11,853,104	13,208,681

Note.—The Return for July 1885, as compared with that for the corresponding month of 1884, shows an increase of 21,617 houses, and of 7,738,482 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JULY.

Grove House, Pembroke Square, W.,
14th August, 1885.

SIR,

I HAVE to report to you in the following Table the results of the chemical analyses of the waters supplied to the inner, and portions also of the outer, circle of the Metropolis during the month of July.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity contained in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Colne Valley 0·4, Tottenham 0·6, Kent 0·6, New River 0·8, West Middlesex 2·1, Lambeth 2·3, East London 2·3, Southwark 2·3, Grand Junction 2·4, Chelsea 2·8.

The Thames water sent out by the West Middlesex, Southwark, Grand Junction, and Lambeth Companies contained less organic matter than in the previous month's samples, whilst the organic matter in the Chelsea Company's water, although very moderate in amount, was slightly in excess of that present in the others. All the samples were clear and bright.

Of the water taken from the Lea, that distributed by the New River Company contained a remarkably small proportion of organic matter, the amount being but little more than that in the deep well waters.

The East London Company's supply resembled the Thames waters. Both waters were clear and bright on delivery.

The deep-well water furnished by the Kent and Colne Valley Companies, and by the Tottenham Local Board of Health was, as usual, of excellent quality for drinking, and the Colne Valley Company's water being softened with lime was thereby also rendered fit for all domestic uses.

Seen through a stratum two feet deep, the waters presented the following appearances:—Kent, Colne Valley, and Tottenham, clear and colourless; New River, nearly colourless and clear; Chelsea, West Middlesex, Southwark, Grand Junction, Lambeth, and East London, very pale yellow and clear.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that town was "very slightly turbid, the organic matter being considerably higher than of late."

Dr. Mills, F.R.S., of Anderson's College, Glasgow, reports that the water supplied to that city from Loch Katrine was "light brown in colour and contained a little suspended matter."

I am, &c.

The Registrar General, &c. &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.			Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Mat- ter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.		July 25th.	°								
	Chelsea - - -	{ Cab Rank, Horseguards, Whitehall. }	19.4	23.18	.131	.037	0	.095	.132	1.7	16.9	
	West Middlesex -	{ July 25th, Cab Rank, Portland-road. }	20.7	23.34	.098	.023	0	.132	.155	1.8	16.9	
	Southwark - - -	{ July 25th, Cab Rank, Bricklayers Arms, Old Kent-road. }	21.4	23.12	.115	.020	0	.101	.121	1.7	16.3	
	Grand Junction -	{ July 25th, Cab Rank, Uxbridge-rd., near Marble Arch. }	20.3	24.60	.104	.037	0	.163	.200	1.7	17.1	
	Lambeth - - -	{ July 25th, Cab Rank, St. George's- road, Southwark. }	20.3	24.58	.099	.034	0	.142	.176	1.8	17.7	
	LEA.		July 25th.									
	New River - - -	{ Cab Rank, Tottenham Court-road. }	20.5	25.26	.032	.014	0	.176	.190	1.8	18.3	
Outer Circle.	East London - - -	{ July 25th, Fire Brigade Station, Commercial-road, E. }	20.5	24.48	.104	.031	0	.134	.165	1.8	17.4	
	DEEP WELLS.		July 29th.									
	Kent - - - - -	{ Greenwich Police Station, Blackheath-road. }	14.2	40.78	.027	.009	0	.403	.412	2.6	30.0	
	Colne Valley - - -	{ July 15th, Bushey. }	—	12.84	.016	.009	0	.344	.353	1.8	3.4	
	Tottenham - - -	{ July 16th, Tottenham. }	—	36.56	.024	.011	.040	.000	.044	2.4	20.6	
Corporation of Birming- ham* - - - - -			{ July 6th, 11, Court, Dartmouth Street. }	17.8	24.14	.155	.049	.001	.205	.255	1.4	17.7
Corporation of Glasgow† -			{ July 15th, Loch Katrine Water. }	13.0	2.80	.192	.026	0	.006	.032	.7	1.0
Column 1.			2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, Medical Officer of Health and Analyst to the Borough.

† Analysed by Dr. E. J. Mills, F.R.S., of Anderson's College, Glasgow.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 25th July at the Horseguards cab-rank, had a temperature of 19.4 C.; 100,000 lbs. of it contained 23.18 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained .131 lb. of carbon and .037 lb. of nitrogen. The above quantity of water also contained no ammonia, and .095 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was .132 lb. The above weight of water also contained 1.7 lbs. of chlorine; and 16.9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Table 1.—Births, Deaths, and Meteorology in 28 Great Towns, during the Week ending 15th August, 1885.

CITIES AND BOROUGHES.	POPULATION estimated to the middle of the year 1885.		Registered during the week ending 16th August, 1885.		The DEATHS registered in the week include										TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGHES.					
	1.	2.	3.	4.	Deaths of Persons aged 60 Years and upwards.		Small-pox.	Measles.	Scarlet Fever.	Deaths from				Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	From All Week's Deaths		Mean.		In Inches.	In Centi- meters.			
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.				Whooping- cough.	Diphtheria.	Rever.	Diarrhea.													
Cols.	BIRTHS.		DEATHS.												Highest.		Lowest.		Fahrenheit.		Fahrenheit.					
28 TOWNS.	8,906,446	6144	3497	1282	593	13	98	28	15	84	46	549	115	200	479	70	20.5	4.9	76.1	37.0	55.6	13.12	0.49	1.24		
LONDON.	4,083,928	2885	1472	555	257	12	49	9	13	44	17	222	55	98	260	6	18.8	4.7	76.1	40.2	59.6	15.34	0.09	0.23		
BRIGHTON.	114,672	61	49	16	9	-	-	-	-	2	3	6	4	4	7	1	22.3	4.1	71.5	46.3	59.2	15.11	0.00	0.00		
PORTSMOUTH.	134,659	112	42	16	9	-	-	-	-	2	1	4	-	2	1	3	-	20.0	4.0	-	-	-	-	-		
NORWICH.	91,215	63	35	15	7	-	-	-	-	2	1	4	-	2	1	3	-	22.0	4.8	68.0	47.0	57.6	14.23	0.34	0.86	
PLYMOUTH.	76,045	44	32	9	4	-	-	-	-	3	1	3	1	1	3	-	22.0	3.6	70.0	41.5	56.5	13.61	0.44	1.12		
BRISTOL.	218,169	150	87	27	15	-	3	-	1	2	1	8	6	9	11	2	20.8	3.6	70.0	41.5	56.5	13.61	0.44	1.12		
WOLVERHAMPTON.	79,185	67	23	7	3	-	-	1	-	2	-	3	-	1	1	1	15.2	4.0	67.5	37.0	53.2	11.78	0.28	0.71		
BIRMINGHAM.	427,769	320	194	76	35	-	3	2	-	2	-	38	5	17	25	2	23.7	5.5	-	-	-	-	-	-		
LEICESTER.	136,147	85	53	20	14	-	-	-	-	-	2	10	1	3	9	4	20.3	4.6	-	-	-	-	-	-		
NOTTINGHAM.	211,424	145	63	33	5	-	-	-	-	2	-	15	4	5	4	2	15.5	4.2	71.3	39.4	55.1	12.84	0.38	0.97		
DERBY.	89,691	65	25	11	3	-	1	1	-	1	-	3	1	2	2	2	14.5	3.5	-	-	-	-	-	-		
BIRKENHEAD.	93,683	69	46	18	4	-	3	-	-	1	-	5	1	1	2	2	25.8	5.0	-	-	-	-	-	-		
LIVERPOOL.	579,724	370	256	83	23	-	16	1	1	8	3	42	11	11	32	5	23.0	6.4	68.0	45.3	55.3	12.95	0.64	1.63		
BOLTON.	119,085	65	33	13	7	-	-	1	-	-	-	5	2	3	3	2	15.6	2.8	67.4	38.4	52.3	11.28	1.48	3.76		
MANCHESTER.	337,342	232	197	49	34	-	7	-	-	3	3	21	8	12	40	7	30.5	5.3	-	-	-	-	-	-		
SALFORD.	204,075	183	107	54	11	-	2	-	-	1	1	20	2	2	13	3	27.4	8.4	-	-	-	-	-	-		
OLDHAM.	126,380	76	44	11	8	-	2	-	-	1	-	5	2	2	1	4	18.2	2.1	-	-	-	-	-	-		
BLACKBURN.	112,574	72	44	14	10	-	-	1	-	-	-	5	2	2	1	4	20.4	2.8	-	-	-	-	-	-		
PRESTON.	100,406	62	65	35	10	-	-	-	-	1	1	20	1	2	5	2	33.8	11.4	67.0	42.0	54.4	12.44	1.25	3.17		
HUDDERSFIELD.	87,327	37	32	9	9	-	-	-	-	1	1	1	1	1	3	4	19.1	1.2	-	-	-	-	-	-		
HALEFAX.	77,378	38	28	5	6	-	-	-	-	1	1	4	-	-	-	3	18.9	4.0	-	-	-	-	-	-		
BRADFORD.	214,431	124	51	14	10	-	-	-	-	2	-	5	2	4	4	1	12.4	1.7	68.6	42.0	54.2	12.33	0.38	0.97		
LEEDS.	333,139	199	139	59	26	-	1	-	-	-	2	33	1	6	14	7	21.8	5.6	70.0	41.0	55.2	12.89	0.28	0.71		
SHEFFIELD.	306,716	190	143	50	28	-	4	-	-	4	1	30	1	1	14	5	24.4	7.3	73.0	38.0	55.3	12.95	0.57	1.45		
HULL.	186,292	146	60	14	14	1	-	1	-	4	4	2	2	2	9	2	16.8	2.2	72.0	38.0	55.0	12.78	0.20	0.51		
SUNDERLAND.	125,527	107	61	18	11	-	1	5	-	-	2	7	1	1	1	5	25.4	6.2	-	-	-	-	-	-		
NEWCASTLE.	153,269	120	73	25	8	-	5	1	-	-	-	15	1	1	6	6	24.9	7.2	-	-	-	-	-	-		
CARDIFF.	97,634	107	43	16	6	-	-	1	-	1	3	5	-	2	1	1	23.1	5.4	-	-	-	-	-	-		
EDINBURGH.	250,616	123	91	24	22	-	-	-	6	2	1	9	-	?	15	21	18.9	3.7	67.0	40.5	54.8	12.67	1.02	2.59		
GLASGOW.	519,965	350	256	74	37	-	2	4	1	13	7	40	7	?	27	36	25.7	6.2	65.5	37.0	53.4	11.89	1.35	3.43		
DUBLIN.	363,982	179	155	33	27	-	4	2	-	-	7	5	3	8	24	33	22.9	2.7	67.4	35.9	54.1	12.28	0.25	0.63		

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the THIRTY-SECOND Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2395	2276	2235	2241	2327	2602	2477	2304	2261	2212	2544.1	2885
Males . .	1212	1149	1155	1142	1211	1327	1286	1214	1162	1125	1306.8	1505
Females . .	1183	1127	1080	1099	1116	1275	1191	1090	1099	1087	1237.3	1380
TOTAL Deaths	1483	1572	1293	1694	1223	1670	1578	1432	1312	1624	1622.7	1472
Males . .	783	823	680	890	648	894	805	785	653	862	853.1	766
Females . .	700	749	613	804	575	776	773	647	659	762	769.6	706

The numbers in this column are the average weekly numbers in the thirty-second week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.
TOTAL Births - -	2391	2209	2409	2464	2373	2419	2483	2420	2411	2423	2459	2164	2885
TOTAL Deaths - -	1554	1538	1521	1315	1284	1279	1366	1412	1616	1636	1750	1720	1472
0-20 - -	745	744	744	655	654	658	690	741	964	998	1111	1062	870
20-40 - -	209	188	210	178	170	153	179	191	172	153	165	173	144
40-60 - -	254	261	246	218	185	227	238	198	222	209	211	218	201
60-80 - -	290	283	253	218	228	199	226	226	222	214	220	219	212
at 80 years & upwds.	56	62	68	46	47	42	33	56	36	62	43	48	45
Deaths of children { Under 1 year - -	334	349	342	305	316	318	372	408	563	627	723	687	555
{ 1-5 - -	299	296	294	260	258	256	224	251	304	281	289	287	232
{ 5-20 - -	112	99	108	90	80	84	94	82	97	90	99	88	83
Deaths from Small-pox * - -	50	55	62	39	37	28	39	23	15	18	16	14	15
" " Measles - -	93	90	120	98	95	90	80	73	82	65	71	58	49
" " Scarlet Fever - -	12	10	9	12	7	13	9	12	13	11	18	20	9
" " Diphtheria - -	10	17	15	17	16	14	18	15	16	19	23	20	13
" " Whooping-cough - -	68	50	46	39	42	46	59	51	77	51	47	41	44
" " Typhus - -	2	-	-	1	-	2	1	-	1	1	-	-	3
" " Enteric fever - -	13	11	13	4	6	11	9	10	17	9	8	10	13
" " Simple Cont'd fever - -	3	4	2	3	2	-	2	1	2	2	2	4	1
" " Diarrhœa and } - -	16	20	11	23	24	44	51	110	210	284	348	309	222
" " Dysentery } - -	-	-	-	2	3	2	1	3	7	5	13	11	5
" " Cholera - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Deaths from the above-mentioned Diseases* } - -	267	257	278	238	232	250	269	298	440	465	546	487	374
" " Dis. of Respiratory System } - -	305	302	290	231	196	183	192	177	197	180	172	184	162
" " Phthisis - -	179	150	154	140	141	131	165	138	140	138	137	159	134
" " Dis. of Circulatory System } - -	105	96	102	84	70	73	74	99	86	101	73	89	85
Violent Deaths - -	39	60	59	52	56	39	42	53	58	42	43	47	55
Inquest Cases - -	97	108	104	96	94	81	84	94	114	92	75	93	98
Deaths in Public Institutions - -	352	371	364	313	306	285	290	312	297	306	298	297	260
TEMPERATURE OF THE AIR: - -													
Mean - -	48.4	56.0	62.6	58.5	58.7	58.3	60.5	65.0	61.2	64.5	65.2	59.4	59.6
Mean of Highest readings - -	57.9	66.5	74.5	69.5	70.6	68.2	72.7	79.5	73.5	78.1	77.7	70.8	72.5
Mean of Lowest readings - -	41.2	47.8	51.2	47.7	48.4	49.7	49.5	51.5	51.4	52.4	56.4	51.1	49.9
Humidity of the Air - -	79	78	66	75	76	75	67	67	74	72	64	77	74
Rain-fall in inches - -	0.74	0.46	0.27	0.90	0.39	0.11	0.00	0.02	0.49	0.01	0.00	0.46	0.09
Registered Sunshine (in hours) - -	28.9	39.9	69.6	55.3	41.8	35.2	41.1	60.5	32.8	55.9	48.3	28.8	43.4

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Pilliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peck, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SECOND Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 32nd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 15th August, 1885.										CAUSES OF DEATH.		Corrected Averages for the 32nd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 15th August, 1885.																				
			Deaths of Persons of the Ages													Deaths of Persons of the Ages																				
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.				20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																	
				0-1.	1-5.	5-20.						0-1.								1-5.	5-20.															
ALL CAUSES		1622.7	1472	555	231	83	144	202	212	45		Diseases of Organs of Special Sense † - -		1.0	3	-	-	1	2	-	-	-	-		Diseases of Circulatory System - -		79.5	83	1	-	6	14	22	38	4	
Small-pox †		{ Vaccinated † Unvaccinated No Statement	2	-	1	1	-	-	-	-		Croup - - - - -		13.4	19	1	9	2	-	-	-	-	-	2		Bronchitis - - - - -		22.3	71	19	20	1	-	9	20	2
Measles - - - - -			41.0	49	9	36	3	1	-	-	-		Pneumonia - - - - -		58.4	61	14	25	5	3	6	7	1	-		Pleurisy - - - - -		4.8	3	-	-	1	1	-	-	-
Scarlet Fever - - -			50.4	9	-	7	1	1	-	-	-		Other Diseases of Respiratory System - - †		21.6	15	7	2	1	-	-	3	2	-	-		Dentition † - - - - -		13.3	13	9	4	-	-	-	-
Typhus - - - - -		1.3	3	-	-	1	-	2	-	-		Quinsy, Sore Throat † -		1.7	2	-	-	1	-	-	-	1	-	-		Enteritis - - - - -		12.4	16	10	2	1	1	-	2	-
Relapsing Fever † -		0.0	-	-	-	-	-	-	-	-		Peritonitis - - - - -		7.0	4	-	-	1	2	-	-	-	1	-		Diseases of Liver - - -		34.1	30	2	-	-	6	15	5	2
Influenza - - - - -		0.0	-	-	-	-	-	-	-	-		Other Diseases of Digestive System - - †		29.4	56	12	-	2	3	13	6	-	-	-		Diseases of Lymphatic System & of Ductless Glands † - - - -		2.7	2	-	-	1	-	1	-	-
Whooping-cough - -		39.8	44	24	18	1	-	1	-	-		Diseases of Urinary System - - - - -		31.3	31	-	-	-	4	12	13	2	-	-		Diseases of Generative System - - - - -		4.9	2	-	-	-	1	1	-	-
Diphtheria - - - - -		12.5	13	1	7	4	1	-	-	-		Accidents of Childbirth -		5.2	4	-	-	-	2	2	-	-	-	-		Diseases of Locomotive System † - - - -		7.3	6	-	1	3	-	1	1	-
Simple Continued and Ill-defined Fever - †		2.8	1	-	-	-	-	1	-	-		Diseases of Integumentary System - - - - -		5.6	6	-	2	-	-	3	1	-	-	-		VIOLENT DEATHS ‡										
Enteric Fever - - -		16.6	13	-	3	6	1	-	1	-		(ACCIDENT.)														Fracture and Contusion -		22.4	18	2	-	3	4	5	3	1
Cholera - - - - -		3.1	5	3	1	-	1	-	-	-		Gunshot Wound - - -		0.2	-	-	-	-	-	-	-	-	-	-		Cut, Stab - - - - -		0.7	2	-	-	-	-	1	1	-
Diarrhoea, Dysentery -		225.3	222	173	29	2	1	3	9	5		Burn and Scald - - -		2.6	5	-	-	1	2	2	-	-	-	-		Poison - - - - -		1.5	2	-	2	-	-	-	-	-
Remittent Fever † -		0.0	-	-	-	-	-	-	-	-		Drowning - - - - -		11.7	7	9	-	3	2	2	-	-	-	-		Suffocation - - - - -		9.4	9	9	-	-	-	-	-	-
Hydrophobia - - -		0.0	1	-	-	1	-	-	-	-		Otherwise - - - - -		5.3	2	1	-	-	-	1	-	-	-	-		(HOMICIDE.)										
Glanders - - - - -		0.0	-	-	-	-	-	-	-	-		Murder & Manslaughter -		1.7	1	-	1	-	-	-	-	-	-	-		(SUICIDE.)										
Cowpox and Effects of Vaccination † - †		1.0	1	1	-	-	-	-	-	-		Gunshot Wound - - -		0.7	-	-	-	-	-	-	-	-	-	-		Gunshot Wound - - -		0.7	-	-	-	-	-	-	-	-
Venerer Affections -		10.7	9	9	-	-	-	-	-	-		Cut, Stab - - - - -		1.0	-	-	-	-	-	1	-	-	-	-		Cut, Stab - - - - -		1.0	-	-	-	-	-	-	-	-
Erysipelas - - - - -		8.6	3	-	-	-	-	1	2	-		Poison - - - - -		1.2	5	-	-	-	-	-	-	-	-	-		Drowning - - - - -		1.5	-	-	-	-	-	-	-	-
Pyæmia and Septicæmia †		2.3	4	2	1	1	-	-	-	-		Hanging - - - - -		1.8	1	-	-	-	-	-	-	-	-	-		Hanging - - - - -		1.8	1	-	-	-	-	-	1	-
Puerperal Fever - - -		5.0	3	-	-	1	2	-	-	-		Otherwise - - - - -		0.9	1	-	-	-	-	-	-	-	-	-		Otherwise - - - - -		0.9	1	-	-	-	-	-	1	-
Other Zymotic Diseases †		0.3	1	-	1	-	-	-	-	-		(EXECUTION.)														Hanging - - - - -		0.0	-	-	-	-	-	-	-	-
Thrush - - - - -		5.7	4	4	-	-	-	-	-	-		OTHER CAUSES † - -		80.7	75	62	6	1	-	5	1	-	-	-		OTHER CAUSES † - -		80.7	75	62	6	1	-	5	1	-
Worms and other Parasitical Diseases - †		0.0	-	-	-	-	-	-	-	-																										
Starvation, Want of Breast-milk † - †		2.7	3	3	-	-	-	-	-	-																										
Alcoholism - - - - -		5.8	6	-	-	-	1	2	3	-																										
Rheumatic Fever and Rheumatism of Heart †		{ 11.0	8	-	1	1	2	4	-	-																										
Rheumatism - - - - -			2	-	-	-	-	1	1	-	-																									
Gout - - - - -			2.7	1	-	-	-	-	1	-	-																									
Rickets † - - - - -		2.0	3	-	2	1	-	-	-	-																										
Cancer - - - - -		48.2	38	-	-	-	5	17	14	2																										
Tabes Mesenterica -		44.4	52	42	9	1	-	-	-	-																										
Tubercular Meningitis -		32.7	29	14	13	2	-	-	-	-																										
Phthisis - - - - -		161.3	134	3	6	15	67	34	9	-																										
Serofula, Tuberculosis -		15.7	20	14	2	2	1	1	-	-																										
Other Constitutional Diseases † - †		5.0	8	-	-	-	1	3	4	-																										
Premature Birth - - -		20.4	33	33	-	-	-	-	-	-																										
Atelectasis † - - -		4.0	2	2	-	-	-	-	-	-																										
Congenital Malformations - †		7.5	10	10	-	-	-	-	-	-																										
Old Age - - - - -		39.5	44	-	-	-	-	-	22	23																										
Apoplexy - - - - -		41.7	29	-	-	1	1	8	18	1																										
Epilepsy - - - - -		6.9	10	-	-	1	1	4	4	-																										
Convulsions - - - - -		51.6	37	34	3	-	-	-	-	-																										
Other Diseases of Brain and Nervous System †		77.9	74	22	16	2	7	6	13	3																										

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.04 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence as to causes is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

† Exclusive of 3 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

		The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of		Deaths from													Deaths in Public Institutions.	Un- classified Causes.
					Infants under 1 Year of Age.	Persons aged 15 Years and up- wards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.				
LONDON		3,816,483	2885	1472	555	257	12	49	9	13	44	3	13	1	222	55	93	260			
WEST DISTRICTS		669,683	442	274	94	49	1	12	2	4	7	2	2	-	36	4	13	58			
NORTH DISTRICTS		905,947	612	319	113	63	4	14	2	-	8	-	1	-	45	9	20	56			
CENTRAL DISTRICTS		282,238	200	106	36	20	-	1	1	-	1	-	2	-	17	3	8	23			
EAST DISTRICTS		692,738	597	266	98	52	1	10	1	2	7	-	-	-	43	15	24	59			
SOUTH DISTRICTS		1,265,927	1034	487	214	73	6	12	3	7	21	1	8	1	81	24	33	64			
WEST DISTRICTS.																					
St. Mary Paddington WHH G.J. & W.M.		69888	59	30	8	8	-	3	-	-	-	1	-	-	5	-	1	6			
St. John Paddington H - - - G.J.		37380	10	14	3	5	-	1	-	1	-	-	-	-	1	1	7	7			
Kensington Town WH - - - W.M.		120141	72	42	18	1	1	3	1	1	-	-	-	-	2	1	1	3			
Brompton H - - - W.M. & C.		48010	19	3	3	-	-	-	-	-	-	-	-	-	-	-	-	3			
St. Peter Hammersmith - - - W.M.		7599	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1			
St. Paul Hammersmith H W.M. & G.J.		64340	53	23	8	7	-	2	-	-	4	-	-	-	6	5	2	3			
Fulham WHH - - - W.M. & C.		42906	61	34	13	6	-	1	-	-	2	1	-	-	8	1	2	3			
Chelsea South HHH - - - C.		30396	21	12	6	-	-	1	-	1	-	-	-	-	2	1	1	2			
Chelsea North-west WHHHH - C.		24925	16	17	3	3	-	-	-	-	-	-	-	-	2	-	1	9			
Chelsea North-east - - - C.		32807	20	15	9	1	-	-	1	-	-	-	-	-	3	-	-	-			
Hanover Square H - - - G.J.		16862	5	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-			
May Fair WH - - - G.J.		13491	2	6	-	6	-	-	-	-	-	-	-	-	-	-	-	4			
Belgrave HH - - - C.		59220	23	22	4	4	-	-	-	1	-	-	-	-	3	-	-	9			
St. John Westminster HH - - - C.		35496	18	10	5	-	-	-	-	-	-	-	-	-	5	-	-	1			
St. Margaret Westminster H - - C.		24679	16	13	5	1	-	-	-	-	-	1	-	-	2	-	-	7			
St. James Westminster WH N.R. & G.J.		29941	9	12	4	6	-	-	-	-	-	-	1	-	1	-	2	4			
St. Anne Soho HHHHH - - - N.R.		16608	13	7	2	-	-	-	-	-	-	-	-	-	1	-	-	2			
NORTH DISTRICTS.																					
All Souls Marylebone HHHH - W.M.		26759	13	10	3	1	-	-	-	-	-	-	-	-	-	1	1	5			
Cavendish Square HHH - - - W.M.		14891	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Rectory Marylebone WH G.J. & W.M.		24899	10	3	1	2	-	-	-	-	-	-	-	-	1	-	-	-			
St. Mary Marylebone HHH G.J. & W.M.		21118	23	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1			
Christchurch Marylebone H - - W.M.		33700	19	15	3	-	-	2	-	-	1	-	-	-	2	-	1	-			
St. John Marylebone H - - - W.M.		33633	12	12	2	3	-	4	-	-	-	-	-	-	1	-	-	-			
Hampstead WHHHH - N.R. & W.M.		45452	29	10	3	3	-	1	-	-	-	-	-	-	2	-	-	4			
Regent's Park Pancras H - - - W.M.		39113	17	13	8	-	-	-	-	1	-	-	-	-	2	-	-	-			
Tottenham-court WHHHH N.R. & W.M.		27729	17	17	8	4	-	-	-	1	-	-	-	-	3	2	2	7			
Gray's Inn Lane HHH - - - N.R.		80247	14	13	3	5	-	-	-	-	-	-	-	-	1	1	2	3			
Somers Town H - - - N.R.		84369	27	12	5	2	-	-	-	-	-	-	-	-	1	-	1	1			
Camden Town WH - - - N.R.		17811	13	7	3	2	-	-	-	-	-	-	-	-	5	-	1	4			
Kentish Town W - - - N.R.		87487	77	29	14	6	1	-	-	-	2	-	-	-	7	1	2	7			
Upper Holloway WHWHH - - - N.R.		67946	49	38	16	8	-	2	-	-	-	-	-	-	8	-	1	11			
Islington South-west HH - - - N.R.		100976	79	34	11	6	-	2	1	-	-	1	-	-	8	-	-	-			
Islington South-east - - - N.R.		61825	46	14	4	3	-	1	-	-	1	-	-	-	2	-	2	-			
Highbury H - - - N.R.		82048	36	15	5	3	-	-	-	-	-	-	-	-	1	-	1	1			
Stoke Newington H - - - N.R.		22781	16	8	5	2	-	-	-	-	-	-	-	-	3	-	-	-			
Stamford Hill - - - E.L.		9277	5	4	1	1	-	-	-	-	-	-	-	-	1	1	1	-			
West Hackney - - - N.R.		37610	22	8	2	4	-	-	-	-	-	-	-	-	1	1	1	-			
Hackney WHWHHL - - - E.L. & N.R.		76911	38	40	15	5	3	1	1	-	-	-	-	-	6	2	3	11			
South Hackney - - - E.L.		89883	25	9	3	2	-	1	-	-	1	-	-	-	2	-	-	-			
CENTRAL DISTRICTS.																					
St. George Bloomsbury - - - N.R.		16681	14	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-			
St. Giles South WH - - - N.R.		14864	20	7	-	4	-	-	-	-	-	-	1	-	-	-	-	2			
St. Giles North - - - N.R.		13837	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin-in-the-Fields HH N.R. & C.		12508	5	4	-	1	-	-	-	-	-	-	-	-	-	1	1	3			
St. Mary-le-strand H - - - N.R.		7615	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Clement Danes H - - - N.R.		8559	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	3			
St. George-the-Martyr HHHHHH N.R.		18371	10	6	-	3	-	-	-	-	-	-	-	-	1	-	2	2			
St. Andrew Eastern W - - - N.R.		10706	6	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-			
Saffron Hill H - - - N.R.		6533	5	6	4	-	-	1	1	-	-	-	-	-	2	-	1	-			
St. James Clerkenwell - - - N.R.		17516	10	5	3	1	-	-	-	-	-	-	-	-	1	1	-	-			
Anwell Clerkenwell - - - N.R.		19221	14	8	2	2	-	-	-	-	-	-	-	-	3	1	1	-			
Pentonville - - - N.R.		14773	17	5	1	1	-	-	-	-	-	-	-	-	1	1	1	-			
Goswell-street - - - N.R.		17506	14	6	3	-	-	-	-	-	-	-	-	-	1	1	2	-			
Old-street H - - - N.R.		11541	12	6	3	1	-	-	-	-	-	-	-	-	1	-	-	-			
City-road HHL - - - N.R.		18628	26	11	8	-	-	-	-	-	-	-	-	-	1	-	-	1			
Whitecross-street - - - N.R.		9217	8	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-			
Finsbury - - - N.R.		7463	5	4	1	2	-	-	-	-	-	1	-	-	-	-	-	-			
St. Botolph H - - - N.R. & E.L.		11174	6	3	1	1	-	-	-	1	-	-	-	-	1	-	-	-			
Cripplegate - - - N.R.		7193	2	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-			
St. Sepulchre H - - - N.R.		14773	1	13	3	1	-	-	-	-	-	1	-	-	1	-	-	12			
St. Bride W - - - N.R.		8366	6	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-			
Allhallows Barking - - - N.R.		13666	2	5	-	1	-	-	-	-	-	-	-	-	1	-	-	-			
Broad Street H - - - N.R.		3652	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; W—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J., Grand Junction Company; W.M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N.R., New River; E.L., East London and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, SCARLET FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 15th August, 1885.

		The DEATHS registered in the Week include																
REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of													
					Deaths from													
					Infants Under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
EAST DISTRICTS.																		
Holywell Shoreditch	N.R. & E.L.	7376	9	3	2	1	-	-	-	-	-	-	1	-	-	-	-	
St. Leonard Shoreditch	N.R.	14967	16	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
Hoxton New Town	N.R.	26937	29	13	5	5	-	-	-	-	-	-	3	-	1	4	-	
Hoxton Old Town	N.R.	28036	20	11	5	2	-	-	-	-	-	-	-	-	1	-	-	
Haggerston	N.R. & E.L.	46275	42	22	10	2	-	1	1	-	-	-	7	-	1	4	-	
Hackney-road	E.L.	29738	36	10	5	2	-	-	-	-	-	-	1	-	1	-	-	
Green, Bethnal Green	E.L.	47932	45	21	2	4	-	2	-	-	-	-	1	-	1	-	-	
Church, Bethnal Green	E.L.	29981	27	11	5	1	-	-	-	-	-	-	2	-	11	-	-	
Town, Bethnal Green	E.L.	18310	14	6	3	-	-	-	-	-	-	-	1	-	2	-	-	
Spitalfields	E.L. & N.R.	22585	19	5	5	-	-	-	-	-	-	-	-	-	1	-	-	
Mile End New Town	E.L.	15473	23	7	1	5	-	-	-	-	-	-	-	-	1	-	-	
Whitechapel Church	E.L. & N.R.	17490	10	13	2	6	-	-	-	-	-	-	1	3	4	6	11	
Goodman's Fields	E.L.	9713	2	3	2	-	-	-	-	-	-	-	2	-	-	-	-	
Aldgate	N.R. & E.L.	6102	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. George's, North	E.L.	38747	33	9	3	1	-	1	-	-	-	-	2	-	1	-	-	
St. John, St. George East	E.L.	9410	13	3	-	2	-	-	-	-	-	-	1	-	2	-	-	
Shadwell	E.L. & N.R.	16395	10	9	2	-	-	-	-	-	-	-	3	1	1	5	-	
Ratcliff	E.L.	16107	15	8	2	1	-	-	-	-	-	-	1	1	1	-	-	
Limehouse	E.L.	32041	19	7	1	1	-	-	-	-	-	-	-	-	-	-	-	
Mile End Old Town West	E.L.	37960	30	14	8	2	-	1	-	2	-	-	3	-	-	-	-	
Mile End Old Town East	E.L.	67553	42	17	5	5	-	1	-	1	-	-	-	1	1	2	1	
Bow	E.L.	37074	27	12	3	3	-	1	-	-	-	-	1	1	1	-	-	
Bromley	E.L.	64359	54	33	13	7	-	2	-	2	-	-	6	2	2	13	-	
Poplar	E.L.	55077	54	32	11	2	1	-	-	-	-	-	5	2	5	1	-	
SOUTH DISTRICTS.																		
Christchurch Southwark	L. & S.	12663	12	3	1	1	-	-	-	-	-	-	1	-	-	1	-	
St. Saviour Southwark	S.	14999	12	4	2	-	-	1	-	-	-	-	-	-	-	-	-	
Kent-road	S. & L.	21381	10	9	2	-	-	-	-	-	-	-	3	-	-	-	-	
Borough-road	S. & L.	15953	12	5	2	-	-	-	-	-	-	-	3	-	-	-	-	
London-road	L. & S.	21318	19	9	4	-	-	1	-	1	-	-	3	-	1	-	-	
Trinity Newington	S. & L.	25672	20	6	3	1	-	-	-	-	-	-	1	-	-	-	-	
St. Peter Walworth	S. & L.	59535	51	26	19	6	2	-	-	-	-	-	2	2	2	7	-	
St. Mary Newington	L. & S.	21623	17	12	6	2	-	-	1	-	-	-	3	-	-	-	-	
St. Olave	S.	11956	3	17	3	2	-	-	-	-	-	-	-	3	3	12	-	
Leather Market	S. & L.	16300	12	2	1	-	-	-	-	-	-	-	1	-	-	-	-	
St. Mary Magdalen	S.	15669	14	7	4	1	-	-	-	-	-	-	1	-	-	1	-	
St. James Bermondsey	S.	54683	45	14	7	1	-	-	-	-	-	-	1	1	-	-	-	
Rotherhithe	S. & K.	36024	23	17	6	5	-	-	1	2	-	-	2	-	1	3	-	
Waterloo-road 1st	L. & S.	15195	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Waterloo-road 2nd	L. & S.	16351	21	4	4	-	-	-	-	-	-	-	1	2	1	2	-	
Lambeth Church 1st	L. & S.	15876	19	18	5	-	-	-	-	-	-	-	1	3	6	10	1	
Lambeth Church 2nd	L. & S.	39639	43	20	6	3	-	-	-	-	-	-	3	-	-	8	-	
Kennington 1st	S. & L.	45232	26	19	9	5	-	-	-	-	-	-	3	-	1	-	-	
Kennington 2nd	S. & L.	35832	29	7	3	1	-	-	-	-	-	-	-	-	-	-	-	
Brixton	L. & S.	62887	40	17	9	2	-	-	1	-	-	-	1	-	-	2	-	
Norwood	L.	19017	15	3	1	-	-	-	-	-	-	-	-	1	1	-	1	
Platham	S.	26380	30	9	4	1	-	-	-	-	-	-	-	-	-	-	-	
East Battersea	S.	5465	68	19	10	2	-	-	-	-	2	-	3	-	-	-	-	
West Battersea	S.	51637	57	15	10	1	-	3	-	-	-	-	3	-	1	1	-	
Vandsworth	S.	28004	24	12	8	1	-	-	-	-	-	-	5	1	-	-	-	
Mutney	S.	13235	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Streatham	L.	25553	13	6	3	-	-	-	-	-	-	-	1	1	1	-	-	
Dulwich	L. & S.	5590	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell	S. & L.	29104	43	17	6	4	-	-	1	-	-	-	2	-	2	6	-	
Camberwell	S. & K.	71089	48	25	12	6	-	1	-	-	-	-	6	4	4	-	-	
St. George Camberwell	L. & S.	50810	33	21	11	1	1	2	-	-	-	-	9	-	1	-	-	
St. Paul Deptford	K.	76752	63	27	15	1	2	-	-	-	-	-	8	2	2	3	1	
St. Nicholas Deptford	K.	7201	5	5	2	-	-	-	-	-	1	-	-	-	-	-	-	
Greenwich West	K.	21972	13	6	1	3	-	-	-	-	-	-	1	1	1	-	-	
Greenwich East	K.	24608	47	25	10	6	1	-	-	-	-	3	1	1	-	7	-	
Waltham	K.	5827	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Waltham	K.	21559	10	5	3	2	-	-	-	-	-	-	-	-	-	-	-	
Waltham	K.	19865	17	12	8	2	-	1	-	-	-	-	-	-	-	-	-	
Waltham	L.	26076	23	12	3	2	-	1	-	-	3	-	-	-	-	-	-	
Waltham	K.	10930	8	6	2	1	-	-	-	1	1	-	-	-	-	-	-	
Waltham Dockyard	K.	17617	12	11	4	4	-	-	-	-	-	-	1	-	-	-	-	
Waltham Arsenal	K.	19148	11	4	2	-	-	-	-	-	-	-	-	1	1	-	1	
Waltham	K.	14069	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
Waltham	K.	19241	24	9	2	4	-	-	-	-	-	-	-	1	1	1	1	

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Marybone Infirmary in Kensington Town sub-district.	London City Workhouse in Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum, in Tottenham Court-road sub-district.	Stepney in Bromley sub-district.
Holborn Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum in West Battersea sub-district.
London City Workhouse in Hackney sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Holborn in Hoxton New Town sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Whitechapel in Mile End Old Town Eastern sub-dist.	

† Private, Lunatic Asylums in which paupers are received.

Area, Population, Births, Deaths, &c. in Outer Ring.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 15th August, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Ename- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.
						Deaths of		Deaths from													
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.					
LONDON—OUTER RING		370,282	950,178	824	444	185	75	14	16	1	3	10	6	90	10	23	41	10			
30:1	Carshalton <i>wL</i> - -	12223	21118	14	13	4	1	-	-	-	-	-	-	2	-	-	6	-			
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-			
37:1	Godstone (<i>part of</i>) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
38:1	Croydon <i>WwH</i> - -	20851	101241	75	41	14	8	2	-	-	-	1	-	4	1	1	7	-			
	Mitcham - - -	11697	17932	15	5	-	3	-	-	-	-	-	-	1	-	-	-	-			
39:1	Wimbledon <i>HHH</i> - -	3220	15950	17	5	2	-	-	1	-	-	1	-	-	-	-	-	-			
2	Kingston <i>WHH</i> - -	8540	36354	28	17	9	3	-	-	-	-	1	-	3	-	1	2	-			
3	Esher (<i>part of</i>) * -	6601	9231	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-			
4	Hampton <i>H</i> - - -	4573	15339	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-			
40:1	Richmond <i>WH</i> - -	2272	21302	11	8	3	2	-	-	-	-	-	-	1	1	1	-	-			
2	Mortlake - - -	941	12331	6	5	2	-	-	1	-	-	-	-	1	2	2	-	-			
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	25	6	1	2	-	-	-	-	-	-	1	-	-	-	-			
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	13665	15065	20	2	-	-	-	-	-	-	-	-	1	-	-	1	-			
42:1	Bexley <i>H</i> - - -	13437	24134	15	12	2	3	2	-	-	-	-	-	2	-	1	-	1			
124:1	Sunbury <i>w</i> - - -	11055	11685	10	7	2	1	-	1	-	-	-	3	-	-	-	3	-			
2	Staines <i>W</i> - - -	13277	12089	10	3	1	1	-	-	-	-	-	-	-	-	1	-	-			
125:1	Hillingdon <i>WH</i> - -	6029	10802	12	4	2	1	-	-	-	-	-	-	-	-	-	1	-			
2	Uxbridge - - -	6178	5225	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
3	Hayes <i>wHL</i> - - -	14587	11523	14	4	-	2	-	-	-	-	-	-	-	-	-	1	-			
1:6:1	Isleworth <i>W</i> - - -	7008	22727	10	10	2	1	-	-	-	-	-	-	2	-	1	1	-			
2	Twickenham <i>H</i> - -	2477	12479	16	5	3	1	-	-	-	-	-	-	1	-	1	-	-			
3	Brentford <i>HL</i> - -	4345	27649	16	16	9	1	-	-	-	-	-	-	3	1	3	-	-			
4	Chiswick - - -	1340	15675	20	9	3	2	-	3	-	-	-	-	-	-	-	-	-			
5	Acton <i>wH</i> - - -	6083	22876	13	13	11	-	-	1	-	-	-	-	8	-	1	-	-			
127:1	Harrow <i>H</i> - - -	13809	12796	5	3	1	1	-	1	-	-	-	-	-	-	-	-	-			
2	Edgware <i>H</i> - - -	6994	3749	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-			
3	Willesden - - -	4383	27453	23	21	10	2	-	4	-	1	-	-	4	-	1	-	-			
4	Hendon <i>W</i> - - -	8332	10484	8	5	-	1	-	-	-	-	-	-	1	1	1	1	-			
128:1	South Mimms - -	15599	6391	5	3	1	2	-	-	-	-	-	-	-	-	-	-	-			
2	Barnet <i>W</i> - - -	5433	10092	3	4	-	1	-	-	-	1	-	-	1	-	-	-	-			
3	Finchley <i>HL</i> - -	4688	17615	12	3	1	2	-	-	1	-	-	-	-	-	-	5	-			
129:1	Hornsey <i>H</i> - - -	3039	37073	23	13	6	3	-	-	-	-	-	2	3	-	1	-	-			
2	Tottenham <i>HH</i> - -	4642	46456	58	19	8	3	-	1	-	-	1	-	4	1	2	1	-			
3	Edmonton <i>WwH</i> - -	7433	23463	21	14	5	6	-	-	-	-	-	1	3	-	-	3	-			
4	Enfield <i>WH</i> - - -	12653	19104	42	11	3	3	1	1	-	-	-	-	1	-	-	-	1			
5	Waltham Abbey - -	11017	5368	1	5	1	2	-	-	-	-	-	-	-	1	2	-	-			
6	Cheshunt - - -	8480	7735	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
135:1	Hatfield (<i>part of</i>) * -	2306	688	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
137:1	Bushey - - -	9831	6621	3	5	-	4	-	-	-	-	-	-	-	-	-	-	-			
136:1	Stratford - - -	882	38606	29	21	12	3	1	1	-	-	1	-	5	-	-	-	1			
2	West Ham <i>wvH</i> - -	7351	101033	123	39	36	2	8	-	-	-	1	-	19	1	2	3	6			
3	Leyton <i>WwL</i> - - -	4372	32480	24	24	13	2	-	1	-	-	4	-	4	-	-	4	-			
4	Walthamstow <i>wH</i> - -	6520	28669	32	20	11	-	-	-	-	1	-	-	11	-	-	-	1			
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9689	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-			
139:1	Romford (<i>part of</i>) * -	6730	3411	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	Ilford - - -	8493	7645	13	3	-	-	-	-	-	-	-	-	1	-	-	-	-			
3	Barking Town - -	4127	9203	8	4	3	1	-	-	-	-	-	-	2	-	-	-	-			

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—
 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Hleadley (pop. 1235); 37:1, the two parishes of Warrington and Farley in Godstone sub-district; 39:5, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1318); 41:2, the whole of Chislehurst sub-district, except the parish of Chislefield (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 876); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 15th August, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from											Deaths in Public Institutions.	
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
GREATER LONDON	448,334	5,199,166	19·2	5·1	1916	740	332	26	65	10	16	54	23	312	65	302				
INNER LONDON -	78,052	4,083,928	18·8	4·7	1472	555	257	12	49	9	13	44	17	222	55	261				
OUTER RING -	370,282	1,115,238	20·8	6·6	444	185	75	14	16	1	3	10	6	90	10	41				

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.		BIRTHS.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
		Week ending		Exclusive of Stillborn.			
CALCUTTA -	433,219	July	11	-	201	24·2	Fevers 54; cholera 22.
BOMBAY -	773,196	"	14	264	380	23·4	Fevers 104; cholera 10; measles 8.
MADRAS -	398,777	"	10	323	321	41·7	Fevers 89; diarr. dis. 64.
PARIS -	2,239,928	August	8	1209	884	20·5	Diarr. dis. 151; typh. fev. 33; diph. and croup 23.
GENEVA -	71,453	"	8	34	33	24·1	-
BRUSSELS -	436,214	"	1	241	170	21·3	Diarr. dis. 28; croup 3; scarlet fever 2.
AMSTERDAM -	366,812	"	8	260	141	19·9	Whooping-cough 2; crp. 2; typh. & typh. fev. 2.
ROTTERDAM -	166,001	"	8	125	61	18·7	Scarlet fever 1.
THE HAGUE -	134,562	"	8	93	59	22·8	Diphtheria 2; whooping-cough 2.
COPENHAGEN -	280,615	"	4	198	109	20·3	Diarrhoeal disease 9.
STOCKHOLM -	200,143	July	25	142	82	21·8	Diarrhoeal dis. 25; diph. and croup 3.
CHRISTIANIA -	158,000	August	8	73	51	21·9	Diarr. dis. 16; diph. and croup 8; scar. fev. 2.
ST. PETERSBURG	928,016	"	1	-	495	27·8	Diarr. dis. 156; meas. 11; typh. and typh. fev. 10.
BERLIN -	1,279,599	July	25	730	953	33·9	Diarr. dis. 444; diph. 25; measles 11.
HAMBURG(State)	497,956	August	1	336	215	22·5	Diarr. dis. 54; diph. and croup 9.
DRESDEN -	241,500	"	1	153	122	26·1	Diarr. dis. 22; diph. & crp. 3; typh. & typh. fev. 2.
BRESLAU -	295,000	"	1	165	206	36·1	Diarr. dis. 63; whooping-cough 4.
MUNICH -	244,000	"	8	178	181	35·6	Diarr. dis. 56; diph. and croup 3.
VIENNA -	769,889	"	8	-	-	-	-
PRAGUE -	272,333	"	8	-	187	35·8	Diarr. dis. 13; scarlet fever 4.
BUDA-PESTH -	429,532	July	25	295	272	32·9	Diarr. dis. 81; diph. and croup 3; small-pox 2.
TRIESTE -	150,157	"	25	-	101	34·9	Diarr. dis. 21; diphtheria and croup 5.
ROME -	380,430	June	27	161	147	23·2	Small-pox 5; measles 7.
NAPLES -	504,795	-	-	-	-	-	-
TURIN (10 days)	267,703	July	20	239	155	21·1	Diphtheria 4; whooping-cough 3.
VENICE -	145,990	"	25	75	88	31·5	Diarr. dis. 16; small-pox 4; measles 4.
MADRID -	475,668	-	-	-	-	-	-
LISBON -	203,681	-	-	-	-	-	-
ALEXANDRIA -	311,196	August	3	-	-	-	-
NEW YORK -	1,356,958	July	18	-	1019	39·2	Diarrhoeal dis. 395; diphtheria 29; measles 14.
BROOKLYN -	665,602	"	18	-	493	38·6	Diarr. dis. 191; scar. fev. 7; diphtheria 6.
PHILADELPHIA -	949,432	"	25	-	695	38·2	Diarr. dis. 172; typhoid fever 14.
BALTIMORE -	408,520	"	25	-	318	40·6	Diarr. dis. 90; whooping-cough 5.

[Under the Superintendence of the Astronomer Royal.]

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sum above Horizon, in hours.
August.			
9	w. P. throughout	4.5	14.9
SUNDAY			
10	w. P. in morning; w. N. and v. P. after- wards.	3.9	14.9
MONDAY			
11	w. P. throughout	7.9	14.8
TUESDAY			
12	Insolation defective in morning; w. N. after- wards.	3.6	14.7
WEDNESDAY			
13	Insolation defective until 7h. m.; w. N. v. P. afterwards.	10.6	14.7
THURSDAY			
14	w. P. till 9h. a.m.; w. N. till 6h. p.m.; v. P. afterwards.	7.9	14.6
FRIDAY			
15	w. P. till 4h. p.m.; w. N. till 8h. p.m.; v. P. afterwards.	10.0	14.6
SATURDAY			
		Sum 48.4	Sum 163.2

SKY AND ATMOSPHERE.

Overcast with rain in morning; very fine during the remainder of the day. Cloudless at night.

Partially cloudy till evening; cloudless at night, and lightning was seen frequently.

Occasional flashes of lightning seen until 1h. a.m.; cloudless till 11.30 a.m.; fine morning; variable amounts of cloud afterwards. Fine.

Variable. Showery in afternoon and evening.

Fine. Variable amounts of cloud prevailed till evening; cloudless at night.

Dense mist in morning; small amounts of cloud prevailed till evening; cloudless at night. A fine day.

A very fine day. The amount of cloud was generally small.

The height of the cistern of the barometer is considered to be 150 feet above the mean level of the sea.

Observations are usually taken at 9h. a.m.; noon; 3h. p.m.; and 9h. p.m. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value (column 5). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables, from a discussion of the photographic records made at Greenwich during the 50 years ending 1868.

In reading the 17th and 24th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Office Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. very.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 29.80 in. at the beginning of the week to 29.48 in. by 9h. p.m. on the 10th; increased to 29.68 in. by 9h. p.m. on the 11th; decreased to 29.54 in. by 9h. p.m. on the 12th; increased to 30.16 in. by 9h. a.m. on the 15th; and decreased to 30.11 in. by the end of the week.

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h, A.M.; noon; 3h, P.M.; and 9h, P.M. The means of the readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1898 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the maximum and minimum thermometers, forming the mean daily temperature. The mean daily amount and degree of dry Glaciers is derived from the mean daily values of the dry and wet thermometers by Gay Lussac's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1868.

records made at Greenwich during the 20 years ending 1800. In reading the 17th and 28th columns it will be borne in mind that + is read "*higher*," and "*lower*," then the average.

- "lower," than the average.
The thermometers in the water of the Thames are suspended at a depth of two feet below the surface of the jetties of the Foreign Cattle Market at Deptford, and

the surface, at the end of one of the jettes of the foreign cattle market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the

The record of Electricity is derived from Thomson's self-registering Instrument. The Corporation of London.

symbols employed are: —P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 29·80 in. at the beginning of the week to 29·48 in. by 9 h. P.M. on the 10th; increased to 29·68 in. by 9 h. P.M. on the 11th; decreased to 29·54 in.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 2, EAST HARDING ST., FETTER LANE, E.C.

No. 33. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, AUGUST 22. [Price 1½d.

General Register Office, Somerset House,
24th August, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 19·7 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.		Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.
Birkenhead	20·2	15·7	25·8	18·5	Liverpool -	21·4	24·9	23·0	25·0
Birmingham	17·6	17·7	23·7	20·7	London -	22·4	22·0	18·8	18·8
Blackburn -	22·7	14·4	20·4	19·0	Manchester -	25·7	24·3	30·5	24·4
Bolton -	18·0	14·2	15·6	10·9	Newcastle-on-Tyne	25·2	26·2	24·9	28·3
Bradford -	15·6	23·8	12·4	12·7	Norwich -	17·2	16·0	20·0	14·9
Brighton -	15·0	20·0	22·3	14·6	Nottingham -	17·0	22·0	15·5	17·3
Bristol -	18·9	21·3	20·8	17·2	Oldham -	13·2	16·1	18·2	13·2
Cardiff -	21·0	25·8	23·1	24·2	Plymouth -	11·7	15·8	22·0	21·3
Derby -	18·0	19·2	14·5	23·9	Portsmouth -	18·6	18·2	16·3	21·7
Halifax -	20·9	18·9	18·9	13·5	Preston -	24·4	31·2	33·8	30·1
Huddersfield	19·1	21·5	19·1	18·5	Salford -	22·5	23·8	27·4	22·1
Hull -	16·2	17·1	16·8	12·6	Sheffield -	19·5	21·5	24·4	24·2
Leeds -	23·5	23·2	21·8	19·4	Sunderland -	19·2	23·7	25·4	20·0
Leicester -	30·3	32·2	20·3	22·2	Wolverhampton -	13·2	13·2	15·2	21·7

The highest annual death-rates from measles, measured by last week's mortality, were 1·4 in Bristol, and 1·7 in Newcastle-upon-Tyne; from whooping-cough, 1·4 in Sheffield and Plymouth, and 2·2 in Cardiff; from scarlet fever, 1·3 in Wolverhampton; and from "fever," 1·0 in Nottingham and 2·7 in Portsmouth. The death-rate from diarrhoea averaged 2·5 in the twenty-eight towns, showing a further decline from the rates in recent weeks; it ranged upwards to 4·6 in Portsmouth, 5·1 in Salford, and 13·0 in Preston. Small-pox caused 7 deaths in London and its outer ring, and not one in any of the twenty-seven provincial towns.

LONDON.

In LONDON 2535 BIRTHS and 1473 DEATHS were registered. Allowing for increase of population, the births were 220, and the deaths 130, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been equal to 22·4, 22·0, and 18·8 in the three preceding weeks, was again 18·8 last week. During the first seven weeks of the current quarter the mean death-rate was 20·2, against 21·6 in the corresponding periods of the nine years 1876-84.

The 1473 deaths included 4 from small-pox, 38 from measles, 12 from scarlet fever, 13 from diphtheria, 43 from whooping-cough, 15 from enteric fever, 1 from an undefined form of continued fever, 163 from diarrhoea and dysentery, 7 from cholera, and not one from typhus; thus, 296 deaths were referred to these diseases, being 94 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 5 and 12 in the two previous weeks, declined last week to 4. These 4 deaths were exclusive of one of a London resident who died in the Metropolitan Asylum Hospital Ship

outside Registration London. Of the total 5 fatal cases, 2 occurred in the Metropolitan Asylum Hospitals, one in the London Hospital (admitted from West Ham), and 2 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, one belonged to Paddington, one to St. Martin-in-the-Fields, one to Poplar, and one to Bermondsey. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the eleven preceding weeks from 1389 to 399, had further declined to 347 on Saturday last; the admissions, which had been 43 and 44 in the two previous weeks, were 41 last week.

The fatal cases of *measles*, which had been 71, 58, and 49 in the three preceding weeks, further declined last week to 38, were fewer than in any week since the middle of February last, and were 6 below the corrected weekly average; 5 occurred in Islington, 4 in Kensington, and 4 in Fulham. The 12 deaths from *scarlet fever* showed an increase of 3 upon the low number in the previous week, but were 31 below the corrected average; all occurred in private dwelling-houses, including 2 in Shoreditch and 2 in Bermondsey. The Metropolitan Asylum Hospitals contained 234 scarlet fever patients on Saturday, 29 having been received during the week. The 13 deaths referred to *diphtheria* corresponded with the number in the previous week, and exceeded the corrected average by 2; 2 belonged to Westminster, 4 to Islington, and 2 to Shoreditch. The 43 fatal cases of *whooping-cough* were within one of the number in the previous week, and were 3 above the corrected average; 4 belonged to Pancras, 4 to Islington, and 4 to Lambeth. The deaths attributed to *diarrhœa* and *dysentery*, which had been 348, 309, and 222 in the three preceding weeks, further declined last week to 163, and were 49 below the corrected average; 127 were of infants under one year of age, and 21 of children aged between one and five years. Of the 7 deaths referred to *cholera*, 3 were of adults, and 2 of infants, certified as choleraic diarrhœa; one was of a child aged 10 years, certified as English cholera; and one of an infant, aged 5 weeks, certified as cholera infantum.

The deaths referred to *enteric fever*, which had been 8, 10, and 13 in the three preceding weeks, further rose to 15 last week, but were 2 below the corrected average; all occurred in private dwelling-houses, including 3 in Islington, and 10 in South London, of which 3 occurred within the Greenwich sanitary area. The death of a child, aged 6 years, at 10, Baldwin Street, St. Luke's, was indefinitely referred to "Febris continua."

The deaths referred to diseases of the respiratory organs, which had been 184 and 162 in the two previous weeks, were 165 last week, and 15 below the average.

Different forms of violence caused 53 deaths; 48 were the result of negligence or accident, among which were 21 from fractures and contusions, 4 from burns and scalds, 8 from drowning, 5 from poison, and 8 of infants under one year of age from suffocation. The 21 deaths from fractures and contusions were thus returned:—males, aged 4 and 41 years, and female, aged 1 year, run over by van; female 3, run over by cart; male 51, fell from dray; male 22, fell from van; male 33, run over on railway; male 25, run over on London and South-Western Railway; male 39, injured through leaving train in motion; male 46, fell from scaffold; male 56, and female 82, fell down stairs; male 9, fell into area; male 76, fell from ladder; female 67, fell in street; male 34, fell from tree; female 38, fell from window; female 41 (intoxicated), by fall; male 20, crushed by machinery; female 1, by fall of chair; male 4, by fracture. An inquest was held in each of these 21 cases except the last two. Four cases of suicide were registered.

GREATER LONDON.

In Greater London 3253 births and 1883 deaths were registered, corresponding to annual rates of 32·6 and 18·9 per 1000 of the population. In the Outer Ring 67 deaths from diarrhœa, 8 from measles, and 3 from small-pox, were registered. The fatal cases of diarrhœa included 12 in West Ham, 7 in Tottenham, and 6 in Walthamstow sub-districts. The deaths from small-pox were fewer than in any previous week of this year.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·83 in.; the highest reading was 30·11 in. at the beginning of the week, and the lowest 29·65 in. on Saturday afternoon. The mean temperature of the air was 58·2, and 3·4 below the average in the corresponding week of the 20 years ending 1868. The mean showed a slight excess on Sunday and Monday, but was considerably below the average on each of the other days of the week. The direction of the *wind* was variable, and the horizontal movement of the air averaged 9·0 miles per hour, which was 0·5 below the average in the corresponding week of 16 years. *Rain* fell on two days in the week, to the aggregate amount of 0·14 of an inch. The duration of registered bright sunshine was 19·7 hours, against 27·4 hours at Glynde Place, Lewes.

TABLE 2.—BIRTHS, DEATHS, AND METEOROLOGY IN 28 GREAT TOWNS, during the Week ending 22nd August, 1885.

CITIES AND BOROUGHES.	Registered during the Week ending 22nd August, 1885.			The DEATHS registered in the Week include													TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGHES.		
	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from													Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centi- meters.			
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unspecified Causes of Death.	From All Causes.	From Diseases in Cols. 6-12.								
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
28 TOWNS -	8,906,446	5767	3364	1178	566	4	84	37	18	87	44	423	108	184	506	70	19.7	4.1	80.2	40.4	55.9	13.28	0.20	0.51	- 28 TOWNS.
LONDON -	4,083,928	2535	1473	499	271	4	38	12	13	43	16	163	53	92	292	8	18.8	3.7	80.2	45.6	58.2	14.55	0.14	0.36	LONDON.
BRIGHTON -	114,672	67	32	11	3	-	-	-	-	1	-	12	1	1	1	1	14.6	1.4	71.5	46.3	57.1	13.95	0.06	0.15	BRIGHTON.
PORTSMOUTH -	134,659	109	56	18	5	-	-	-	-	1	7	12	1	3	5	-	21.7	7.7	-	-	-	-	-	-	PORTSMOUTH.
NORWICH -	91,215	63	26	7	7	-	-	-	-	1	-	2	2	2	2	2	14.9	1.7	-	-	-	-	-	-	NORWICH.
PLYMOUTH -	76,045	50	31	10	5	-	1	-	-	2	-	1	4	5	10	1	17.2	2.7	75.3	45.5	58.6	14.78	0.00	0.00	PLYMOUTH.
BRISTOL -	218,169	113	72	24	15	-	6	-	-	2	6	4	4	5	10	1	21.3	3.3	74.0	42.5	56.6	13.67	0.30	0.76	BRISTOL.
WOLVERHAMPTON	79,185	57	33	9	7	-	-	2	-	-	1	6	2	3	8	1	21.7	5.9	73.0	41.2	55.0	12.78	0.15	0.38	WOLVERHAMPTON.
BIRMINGHAM -	427,769	274	170	67	24	-	5	-	-	4	1	32	8	13	39	-	20.7	5.2	-	-	-	-	-	-	BIRMINGHAM.
LEICESTER -	136,147	88	58	33	8	-	-	-	-	3	2	9	2	4	2	3	22.2	5.4	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM -	211,424	137	70	23	12	-	8	-	-	1	4	12	1	2	-	1	23.3	4.9	74.4	48.0	56.8	13.78	0.65	1.63	NOTTINGHAM.
DERBY -	89,691	45	41	13	8	-	-	-	-	1	-	6	4	5	7	-	17.9	4.7	-	-	-	-	-	-	DERBY.
BIRKENHEAD -	93,093	70	33	11	4	-	2	1	-	2	1	3	2	3	11	1	18.5	5.0	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL -	579,724	396	278	93	37	-	8	7	2	5	6	41	9	10	42	16	25.0	6.2	68.9	47.0	57.0	13.89	0.09	0.23	LIVERPOOL.
BOLTON -	110,085	60	23	11	1	-	-	-	-	-	-	-	-	-	-	1	10.9	0.9	68.9	40.4	54.3	12.39	0.11	0.28	BOLTON.
MANCHESTER -	337,342	248	138	53	16	-	8	2	-	2	-	18	2	10	27	4	24.4	4.6	-	-	-	-	-	-	MANCHESTER.
SAFORD -	204,075	122	89	43	13	-	3	-	1	2	1	20	1	3	6	4	22.8	6.9	-	-	-	-	-	-	SAFORD.
OLDHAM -	126,890	110	32	8	7	-	1	1	-	-	-	1	1	1	2	1	13.2	1.2	-	-	-	-	-	-	OLDHAM.
BLACKBURN -	112,574	104	41	13	9	-	-	1	-	2	-	-	2	3	6	2	19.0	1.9	-	-	-	-	-	-	BLACKBURN.
PRESTON -	100,406	73	58	25	11	-	-	-	-	1	-	25	-	1	6	1	30.1	13.5	67.5	46.0	54.2	12.33	0.04	0.10	PRESTON.
HUDDESFIELD -	87,327	53	31	7	10	-	-	1	-	-	-	-	1	1	1	1	18.5	0.6	-	-	-	-	-	-	HUDDESFIELD.
HALIFAX -	77,378	52	20	4	5	-	-	-	-	-	-	2	1	1	2	2	13.5	1.3	-	-	-	-	-	-	HALIFAX.
BRADFORD -	214,431	122	52	13	11	-	-	-	-	-	-	7	1	1	2	1	12.7	1.7	71.0	46.8	54.9	12.72	0.06	0.15	BRADFORD.
LEEDS -	333,139	241	124	43	25	-	-	4	-	3	2	12	2	7	11	1	19.4	8.3	76.0	47.0	58.0	14.44	0.10	0.25	LEEDS.
SHEFFIELD -	305,716	181	142	60	20	-	2	3	-	8	-	23	4	3	15	11	24.2	6.1	73.0	47.5	55.1	12.84	0.31	0.79	SHEFFIELD.
HULL -	186,292	124	45	13	10	-	-	-	-	-	-	-	1	1	4	1	12.6	0.6	74.0	42.0	53.8	12.12	0.70	1.78	HULL.
SUNDERLAND -	125,327	81	48	14	5	-	-	-	-	-	-	1	4	2	4	4	20.0	2.5	75.0	47.0	54.5	12.50	0.15	0.38	SUNDERLAND.
NEWCASTLE -	153,299	113	83	31	14	-	5	-	-	-	2	8	4	5	5	4	28.3	5.1	67.0	49.0	53.8	12.12	0.11	0.28	NEWCASTLE.
CARDIFF -	47,034	76	45	22	3	-	-	1	-	4	-	5	-	2	2	4	24.2	5.4	-	-	-	-	-	-	CARDIFF.
EDINBURGH -	250,010	148	82	14	22	-	-	-	-	1	-	7	2	3	19	12	17.1	2.1	70.9	41.8	57.5	14.17	0.02	0.05	EDINBURGH.
GLASGOW -	519,965	385	240	69	25	-	-	-	-	8	1	34	8	9	27	37	24.1	5.3	75.5	37.3	56.3	13.50	0.00	0.00	GLASGOW.
DUBLIN -	352,082	202	184	45	41	-	-	-	-	3	4	7	2	3	64	32	27.2	2.7	71.0	40.5	56.5	13.61	0.02	0.05	DUBLIN.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the THIRTY-THIRD Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2299	2285	2611	2421	2702	2512	2532	2670	2652	2579	2754.8	2535
Males . .	1155	1145	1375	1255	1359	1275	1244	1388	1398	1335	1409.8	1285
Females .	1144	1140	1236	1166	1343	1237	1288	1282	1254	1244	1345.0	1250
TOTAL Deaths	1453	1509	1309	1517	1349	1492	1474	1528	1437	1634	1603.9	1473
Males . .	770	752	669	793	723	759	765	796	756	810	828.0	725
Females .	683	757	640	724	626	733	709	732	681	824	775.2	748

The numbers in this column are the average weekly numbers in the thirty-third week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.
TOTAL Births	2209	2409	2464	2373	2419	2483	2420	2411	2423	2459	2164	2885	2535
TOTAL Deaths	1538	1521	1315	1284	1279	1366	1412	1616	1636	1750	1720	1472	1473
0-20	744	744	655	654	658	690	741	964	998	1111	1062	870	790
20-40	188	210	178	170	153	179	191	172	153	165	173	144	175
40-60	261	246	218	185	227	238	198	222	209	211	218	201	237
60-80	283	253	218	228	199	226	222	214	220	214	219	212	221
at 80 years & upwds.	62	68	46	47	42	33	56	36	62	43	48	45	50
Deaths of children													
Under 1 year	349	342	305	316	318	372	408	563	627	723	687	555	499
1-5	296	294	260	258	256	224	251	304	281	289	287	232	214
5-20	99	108	90	80	84	94	82	97	90	99	88	83	77
Deaths from Small-pox*	55	62	39	37	28	39	23	15	18	16	14	15	5
" " Measles	90	120	98	95	90	80	73	82	65	71	58	49	38
" " Scarlet Fever	10	9	12	7	13	9	12	13	11	18	20	9	12
" " Diphtheria	17	15	17	16	14	18	15	16	19	23	20	13	13
" " Whooping-cough	50	46	39	42	46	59	51	77	51	47	41	44	43
" " Typhus	11	—	1	—	2	1	—	1	1	—	—	3	—
" " Enteric fever	11	13	4	6	11	9	10	17	9	8	10	13	15
" " Simple Cont'd fever	4	2	3	2	—	2	1	2	2	2	4	1	1
" " Diarrhœa and Dysentery	20	11	23	24	44	51	110	210	284	348	309	222	163
" " Cholera	—	—	2	3	2	1	3	7	5	13	11	5	7
Deaths from the above-mentioned Diseases*	257	278	238	232	250	269	298	440	465	546	487	374	297
" " Dis. of Respiratory System	302	290	231	196	183	192	177	197	180	172	184	162	165
" " Phthisis	150	154	140	141	131	165	138	140	138	137	159	134	151
" " Dis. of Circulatory System	96	102	84	70	73	74	99	86	101	73	89	85	110
Violent Deaths	60	59	52	56	39	42	53	58	42	43	47	55	53
Inquest Cases	108	104	96	94	81	84	94	114	92	75	93	98	92
Deaths in Public Institutions	371	364	313	306	285	290	312	297	306	293	297	260	292
TEMPERATURE OF THE AIR:													
Mean	56.0	62.6	58.5	58.7	58.3	60.5	65.0	61.2	64.5	65.2	59.4	59.6	58.2
Mean of Highest readings	66.5	74.5	69.5	70.6	68.2	72.7	79.5	73.5	78.1	77.7	70.8	72.5	69.4
Mean of Lowest readings	47.8	51.2	47.7	48.4	49.7	49.5	51.5	51.4	52.4	56.4	51.1	49.9	49.4
Humidity of the Air	78	66	75	76	75	67	67	74	72	64	77	74	80
Rain-fall in inches	0.46	0.27	0.90	0.39	0.11	00.0	0.02	0.49	0.01	0.00	0.46	0.09	0.14
Registered Sunshine (in hours)	39.9	69.6	55.3	41.8	35.2	41.1	60.5	32.8	55.9	48.3	28.8	48.4	19.7

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; R. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-THIRD Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 33rd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 22nd August, 1885.										CAUSES OF DEATH.		Corrected Averages for the 33rd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 22nd August, 1885.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			Deaths of Persons of the Ages													Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			ALL AGES.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	0-1.				1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
ALL CAUSES	1603·2	1473	499	214	77	175	237	221	50	Diseases of Organs of Special Sense †	1·0	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9·046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

† Exclusive of 1 death of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

		The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total BIRTHS during the Week.	Total DEATHS during the Week.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.					
LONDON		3,816,483	2535	1473	499	271	4	38	12	13	43	-	15	1	163	53	92	292			
WEST DISTRICTS		669,633	364	255	43	50	2	11	2	3	5	-	1	-	27	10	23	63			
NORTH DISTRICTS		905,947	582	365	130	77	-	11	1	6	11	-	3	-	50	11	22	75			
CENTRAL DISTRICTS		282,238	142	91	24	21	-	1	1	-	-	-	1	1	6	4	8	20			
EAST DISTRICTS		692,738	529	273	87	29	2	6	4	3	12	-	-	-	23	11	20	63			
SOUTH DISTRICTS		1,265,927	918	489	185	84	-	9	4	1	15	-	10	-	58	17	19	71			
WEST DISTRICTS.																					
St. Mary Paddington WHH G.J. & W.M.		69888	41	27	12	4	1	2	-	-	-	-	-	-	4	-	4	-			
St. John Paddington H - - G.J.		37330	16	9	2	1	-	-	-	-	-	-	-	-	2	3	4	6			
Kensington Town WH - - W.M.		12041	52	41	10	12	-	4	-	1	2	-	-	-	-	-	5	9			
Brompton H - - W.M. & C.		43010	13	14	2	4	-	-	-	-	-	-	-	-	-	-	3	5			
St. Peter Hammersmith - - W.M.		7599	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Paul Hammersmith H W.M. & G.J.		64340	60	23	11	1	2	-	-	1	-	-	-	-	6	8	3	3			
Fulham WHH - - W.M. & C.		42606	47	21	5	3	1	2	1	-	-	-	-	-	3	-	1	3			
Chelsea South HHH - - C.		36396	17	12	5	1	-	-	-	-	1	-	-	-	3	-	2	2			
Chelsea North-west WHHHH - - C.		24925	12	17	3	6	-	-	-	-	-	-	1	-	1	-	-	13			
Chelsea North-east - - C.		32807	25	10	3	1	-	-	-	-	-	-	-	-	1	-	-	-			
Hanover Square H - - G.J.		16862	3	6	3	-	-	-	1	-	-	-	-	-	1	1	1	-			
May Fair WW - - G.J.		18191	5	7	-	2	-	-	-	-	-	-	-	-	1	-	5	-			
Belgrave HH - - G.		59220	24	22	3	6	-	-	-	1	-	-	-	-	1	-	1	1			
St. John Westminster HH - - C.		35496	14	10	5	2	-	-	-	-	-	-	-	-	2	1	1	1			
St. Margaret Westminster H - - C.		24679	10	13	2	1	-	-	-	2	-	-	-	-	-	2	8	-			
St. James Westminster WH N.R. & G.J.		29941	5	17	4	4	-	1	-	-	-	-	-	-	2	-	-	3			
St. Anne Soho HHHHH - - N.R.		16608	14	4	1	2	-	-	-	-	-	-	-	-	1	-	-	-			
NORTH DISTRICTS.																					
All Souls Marylebone HHHH - W.M.		29759	16	14	4	3	-	-	-	1	-	-	-	-	-	1	1	6			
Cavendish Square HHH - W.M.		14881	3	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-			
Rectory Marylebone WH G.J. & W.M.		24809	14	7	4	-	-	-	-	-	-	-	-	-	2	-	-	-			
St. Mary Marylebone HHH G.J. & W.M.		21118	34	9	3	2	-	1	-	-	-	-	-	-	1	-	-	-			
Christchurch Marylebone H - W.M.		33700	10	15	4	4	-	-	-	-	-	-	-	-	2	3	-	-			
St. John Marylebone H - W.M.		33633	14	17	5	5	-	1	-	-	-	-	-	-	3	-	-	-			
Hampstead WHHHH - N.R. & W.M.		45452	28	12	3	3	-	-	-	-	1	-	-	-	3	-	1	-			
Regent's Park Paneras H - W.M.		39115	24	8	3	1	-	-	-	-	1	-	-	-	1	1	1	-			
Tottenham-court WHHHH N.R. & W.M.		27729	11	33	4	7	-	1	-	-	-	-	-	-	2	-	27	-			
Gray's Inn Lane HHH - N.R.		30247	19	13	5	1	-	1	-	-	1	-	-	-	1	1	1	1			
Somers Town H - - N.R.		34369	24	13	8	2	-	-	-	-	-	-	-	-	2	1	1	1			
Camden Town WH - - N.R.		17811	9	17	4	7	-	-	-	-	-	-	-	-	6	-	2	10			
Kentish Town W - - N.R.		67487	59	37	12	10	-	1	-	-	2	-	-	-	2	1	2	12			
Upper Holloway WWWH - N.R.		67946	47	38	11	7	-	-	-	2	1	-	2	-	5	-	3	-			
Islington South-west HH - N.R.		100976	72	32	12	5	-	4	-	1	2	-	1	-	2	-	-	-			
Islington South-east - - N.R.		61335	39	18	6	4	-	-	-	-	-	-	1	-	3	-	1	-			
Highbury H - - N.R.		52048	30	13	8	2	-	1	-	1	1	-	-	-	2	-	-	-			
Stoke Newington H - - N.R.		22781	11	9	6	1	-	-	-	-	-	-	-	-	2	-	2	-			
Stamford Hill - - E.L.		3227	10	5	2	2	-	-	-	-	-	-	-	-	3	-	-	-			
West Hackney - - N.R.		37610	28	11	6	1	-	-	1	-	-	-	-	-	8	1	1	0			
Hackney WHHHH - E.L. & N.R.		76911	57	25	13	7	-	-	-	-	-	-	-	-	9	1	1	-			
South Hackney - - E.L.		39883	23	14	5	2	-	-	-	-	2	-	-	-	1	2	1	-			
CENTRAL DISTRICTS.																					
St. George Bloomsbury - - N.R.		16681	7	4	-	3	-	-	-	-	-	-	-	-	-	1	-	-			
St. Giles South WH - - N.R.		14864	12	8	4	2	-	-	1	-	-	-	1	-	-	-	1	3			
St. Giles North - - N.R.		13837	9	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-			
St. Martin-in-the-Fields HH N.R. & C.		17508	4	8	1	1	-	-	-	-	-	-	-	-	-	-	1	2			
St. Mary-le-Strand H - - N.R.		7515	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-			
St. Clement Danes H - - N.R.		8559	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2			
St. George-the-Martyr HHHHHH N.R.		18671	8	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1			
St. Andrew Eastern W - - N.R.		10706	3	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-			
Saffron Hill H - - N.R.		6533	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
St. James Clerkenwell - - N.R.		17516	15	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Amwell Clerkenwell - - N.R.		19281	13	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-			
Pentonville - - N.R.		14773	10	5	1	-	-	1	-	-	-	-	-	-	1	-	-	-			
Goswell-street - - N.R.		17506	6	4	2	1	-	1	-	-	-	-	-	-	1	-	-	-			
Old-street H - - N.R.		11541	5	4	1	2	-	-	-	-	-	-	-	-	1	-	-	-			
City-road HHL - - N.R.		18628	15	6	2	-	-	-	-	-	-	-	-	-	1	-	1	2			
Whitecross-street - - N.R.		9217	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Finsbury - - N.R.		7463	2	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-			
St. Botolph H - - N.R. & E.L.		11174	6	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-			
Cripplegate - - N.R.		7193	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
St. Sepulchre H - - N.R.		3338	3	10	-	2	-	-	-	-	-	-	-	-	-	2	2	0			
St. Bride W - - N.R.		8396	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Alhhalows Barking - - N.R.		13566	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Broad Street H - - N.R.		2652	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; u—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifying Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the week ending on the 22nd August, 1885.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of													
				Deaths from													
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple continued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
EAST DISTRICTS.																	
St. Andrew's Church	N.R. & E.L.	7376	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Leonard's Church	N.R.	14967	14	8	2	-	-	-	-	1	-	-	-	-	-	-	-
St. Martin's Church	N.R.	29937	30	14	4	2	-	-	1	-	-	-	-	-	-	1	3
St. Mark's Church	N.R.	28036	17	12	5	2	-	-	-	-	-	-	-	-	-	2	2
St. Margaret's Church	N.R. & E.L.	46275	36	27	9	4	-	-	1	1	1	-	-	-	-	3	8
St. Mary's Church	E.L.	29738	31	11	6	1	-	-	-	-	-	-	-	-	-	-	-
St. Michael's Church	E.L.	47382	33	21	4	3	-	-	-	-	2	-	-	1	-	-	-
St. Nicholas' Church	E.L.	29981	25	5	3	1	-	-	-	1	1	-	-	-	-	2	7
St. Paul's Church	E.L.	18810	22	2	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Peter's Church	E.L. & N.R.	22685	15	8	4	2	-	-	-	-	-	-	-	-	-	-	1
St. Vincent's Church	E.L.	15473	15	7	2	3	-	-	1	-	-	-	-	-	-	1	-
St. James' Church	E.L. & N.R.	17490	14	20	2	3	-	-	1	1	-	-	-	1	-	4	18
St. John's Church	E.L.	9713	4	2	1	1	-	-	-	-	-	-	-	-	4	4	-
St. Luke's Church	N.R. & E.L.	6102	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North	E.L.	38747	28	15	4	2	-	-	-	-	2	-	-	-	3	1	-
St. George's, East	E.L.	8410	5	5	1	-	-	-	-	-	-	-	-	-	3	1	-
St. Andrew's, North	E.L. & N.R.	16385	10	7	1	-	-	-	-	-	-	-	-	-	1	-	-
St. Andrew's, East	E.L.	16107	6	4	2	-	-	-	-	-	-	-	-	-	1	-	-
St. James' Church	E.L.	32041	30	10	5	1	-	-	-	-	-	-	-	-	1	1	-
St. John's Church	E.L.	37660	33	10	2	1	-	-	-	-	2	-	-	-	2	1	-
St. Luke's Church	E.L.	67653	38	24	5	4	-	-	1	1	-	-	-	-	2	1	-
St. Mary's Church	E.L.	37074	29	14	6	3	1	-	-	-	1	-	-	-	1	1	-
St. Peter's Church	E.L.	64359	51	29	10	3	-	-	1	-	-	-	-	-	4	1	-
St. Vincent's Church	E.L.	56077	31	17	7	2	-	-	1	-	-	-	-	-	4	1	-
SOUTH DISTRICTS.																	
St. Andrew's Church	L. & S.	13663	6	5	2	3	-	-	-	-	-	-	-	-	-	-	-
St. Martin's Church	S.	14699	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Michael's Church	S. & L.	21381	11	7	2	2	-	-	-	-	-	-	-	-	-	-	-
St. Nicholas' Church	S. & L.	16593	17	6	5	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul's Church	L. & S.	21318	19	11	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church	S. & L.	26672	24	5	2	1	-	-	-	-	-	-	-	-	-	-	-
St. Vincent's Church	S. & L.	59555	34	20	9	6	-	-	-	-	-	-	-	-	-	-	-
St. John's Church	L. & S.	51623	16	10	3	1	-	-	1	-	1	-	-	-	1	1	-
St. Andrew's Church	S.	11956	10	18	3	-	-	-	-	-	-	-	-	-	2	2	-
St. Martin's Church	S. & L.	16800	10	8	2	-	-	-	-	-	-	-	-	-	2	3	-
St. Michael's Church	S.	15669	12	8	3	3	-	-	2	1	-	-	-	-	-	-	-
St. Nicholas' Church	S.	54683	41	15	10	1	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church	S. & K.	36024	22	11	5	2	-	-	1	-	-	-	-	-	1	-	-
St. Vincent's Church	L. & S.	15195	7	8	3	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Church	L. & S.	16161	19	6	1	1	-	-	1	-	-	-	-	-	1	1	-
St. Michael's Church	L. & S.	19876	11	16	4	3	-	-	-	-	-	-	-	-	2	2	-
St. Nicholas' Church	L. & S.	39859	18	27	5	10	-	-	1	-	-	-	-	-	2	5	-
St. Paul's Church	S. & L.	45232	25	11	5	-	-	-	-	-	2	-	-	-	2	3	-
St. Vincent's Church	S. & L.	35332	26	13	3	3	-	-	-	1	-	-	-	-	3	1	-
St. John's Church	L. & S.	62837	46	15	8	1	-	-	-	-	-	-	-	-	3	3	-
St. Mary's Church	L.	19017	11	7	3	2	-	-	-	-	2	-	-	-	1	-	-
St. Andrew's Church	S.	26380	22	18	3	5	-	-	-	-	-	-	-	-	2	3	-
St. Martin's Church	S.	54675	47	13	15	2	-	-	-	1	-	-	-	-	2	3	-
St. Michael's Church	S.	62687	50	21	12	3	-	-	-	-	-	-	-	-	5	2	-
St. Nicholas' Church	S.	28004	23	14	6	4	-	-	-	-	-	-	-	-	4	2	-
St. Peter's Church	S.	18235	5	3	2	1	-	-	-	-	-	-	-	-	1	1	-
St. Vincent's Church	L.	25553	18	5	2	-	-	-	-	-	-	-	-	-	1	1	-
St. Andrew's Church	L. & S.	5590	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin's Church	S. & L.	29104	15	14	2	-	-	-	1	-	-	-	-	-	2	-	-
St. Michael's Church	S., L., & K.	71089	50	24	9	7	-	-	-	-	1	-	-	-	3	-	-
St. Nicholas' Church	L. & S.	60810	58	19	12	1	-	-	1	-	-	-	-	-	3	-	-
St. Peter's Church	K.	76762	74	30	12	3	-	-	-	-	-	-	-	-	2	-	-
St. Vincent's Church	K.	7501	7	1	1	-	-	-	-	-	-	-	-	-	1	-	-
St. John's Church	K.	21972	6	10	2	2	-	-	-	-	-	-	-	-	1	-	-
St. Mary's Church	K.	24608	16	16	7	6	-	-	-	1	-	-	-	-	1	1	-
St. Andrew's Church	K.	5827	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Martin's Church	K.	21559	11	7	3	1	-	-	-	-	-	-	-	-	1	1	-
St. Michael's Church	K.	19865	16	8	4	3	-	-	-	1	-	-	-	-	1	-	-
St. Nicholas' Church	L.	20076	12	6	2	2	-	-	-	-	-	-	-	-	1	-	-
St. Peter's Church	K.	10980	10	6	4	-	-	-	-	-	3	-	-	-	1	-	-
St. Vincent's Church	K.	17617	7	5	-	-	-	-	-	-	1	-	-	-	-	1	-
St. John's Church	K.	19048	11	6	-	2	-	-	-	-	-	-	-	-	-	-	-
St. Mary's Church	K.	14609	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Nicholas' Church	K.	16241	23	7	4	-	-	-	-	-	-	-	-	-	-	-	-

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in Mile End Old Town Eastern sub-dist. and Stepney Bromley sub-district.
London City Workhouse in Upper Holloway sub-district.	Stepney Poplar & Stepney Sick Asylum
London City Workhouse in Hackney sub-district.	Westminster Union Industrial School in West Battersea sub-district.
London City Workhouse in Brixton New Town sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Whitechapel " Mile End Old Town Eastern sub-dist.	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 22nd August, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore,	Enu- me- rated Popu- lation, 1881,	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.			
LONDON—OUTER RING		370,282	950,178	718	410	157	88	3	8	1	1	7	4	67	10	14	37	
30:1	Carshalton <i>wL</i> - -	12228	21118	19	8	3	2	-	-	-	-	-	-	3	-	-	-	
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	3	7	1	4	-	-	-	-	-	-	1	-	-	4	
37:1	Godstone (<i>part of</i>) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon <i>WwH</i> - -	20851	101241	63	43	13	14	1	-	-	-	-	-	4	-	-	11	
	Mitcham - -	11697	17932	15	9	3	2	-	-	-	-	-	-	-	-	-	-	
39:1	Wimbledon <i>HHH</i> - -	3220	13950	10	6	1	1	-	-	-	-	-	-	1	-	-	-	
2	Kingston <i>WHH</i> - -	8549	36354	24	4	1	1	-	-	-	-	-	-	1	1	1	-	
3	Esher (<i>part of</i>) * -	6801	9221	8	1	1	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton <i>H</i> - -	4573	13539	8	9	1	2	-	-	-	-	-	-	-	1	1	-	
40:1	Richmond <i>WH</i> - -	2272	21302	11	6	1	3	-	-	-	-	-	-	-	1	1	2	
2	Mortlake - -	941	12331	12	6	3	1	-	-	-	-	-	-	2	-	-	-	
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	20	9	4	2	-	-	-	-	1	-	2	-	-	-	
2	Chislehurst(<i>pt. of</i>) * <i>WHH</i>	13665	15065	4	7	5	-	-	-	-	-	-	-	3	-	-	1	
42:1	Bexley <i>H</i> - -	13437	24134	16	4	1	-	-	-	-	-	-	-	-	-	-	-	
124:1	Sunbury <i>w</i> - -	11055	11685	2	4	1	-	-	1	-	-	-	1	1	-	-	-	
2	Staines <i>W</i> - -	13277	12089	9	5	2	2	-	-	-	-	-	-	2	-	-	-	
125:1	Hillingdon <i>WH</i> - -	6029	10802	11	4	2	1	-	-	-	-	-	-	-	-	1	-	
2	Uxbridge - -	6178	5225	3	3	1	1	-	-	-	-	-	-	-	1	1	-	
3	Hayes <i>wHL</i> - -	14587	11523	2	6	-	2	-	-	-	-	-	-	-	-	-	5	
126:1	Isleworth <i>W</i> - -	7008	22727	11	9	3	2	-	-	-	-	-	1	2	-	-	1	
2	Twickenham <i>H</i> - -	2477	12479	10	3	-	1	-	-	-	-	-	-	-	-	1	-	
3	Brentford <i>HL</i> - -	4245	27649	18	8	1	3	-	-	-	-	-	-	1	-	-	-	
4	Chiswick - -	1240	15975	11	12	5	1	-	1	1	-	-	1	2	-	-	-	
5	Acton <i>wH</i> - -	6083	22876	15	14	7	1	-	-	-	-	-	1	3	-	-	-	
127:1	Harrow <i>H</i> - -	13809	12796	8	3	1	-	-	-	-	-	-	-	1	-	-	-	
2	Edgware <i>H</i> - -	6994	3749	4	3	1	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - -	4283	27453	21	14	4	5	-	2	-	-	-	-	4	-	-	-	
4	Hendon <i>W</i> - -	8382	10484	14	-	-	-	-	-	-	-	-	-	-	-	-	-	
128:1	South Mimms - -	15599	6391	5	5	2	2	-	-	-	-	-	-	1	-	-	-	
2	Barnet <i>W</i> - -	5433	10092	6	6	1	3	-	-	-	-	-	-	1	-	-	1	
3	Finchley <i>HL</i> - -	4688	17615	12	11	1	3	-	-	-	-	1	-	-	-	-	6	
129:1	Hornsey <i>H</i> - -	3039	37078	28	11	4	1	-	-	-	-	-	-	-	-	-	-	
2	Tottenham <i>HH</i> - -	4642	46456	52	30	15	3	-	1	-	1	1	-	7	3	4	1	
3	Edmonton <i>Ww</i> - -	7483	23463	16	7	4	1	-	-	-	-	-	-	1	-	-	1	
4	Enfield <i>WH</i> - -	12653	19104	7	9	5	2	-	-	-	-	-	-	2	-	-	-	
5	Waltham Abbey - -	11017	5363	3	2	2	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - -	8480	7735	4	5	-	3	-	-	-	-	-	-	-	-	-	-	
135:1	Hatfield (<i>part of</i>) * -	3306	553	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - -	9331	6621	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
186:1	Stratford - -	882	38606	27	14	6	1	-	-	-	-	-	-	1	2	2	-	
2	West Ham <i>wvwH</i> - -	7351	101053	119	65	34	11	1	1	-	-	-	-	12	-	-	1	
3	Leyton <i>WwL</i> - -	4372	32430	30	11	6	1	-	1	-	-	1	-	1	-	-	3	
4	Walthamstow <i>wH</i> - -	6530	25869	35	21	10	6	-	1	-	-	3	-	6	-	-	-	
187:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
189:1	Romford (<i>part of</i>) * -	6730	3411	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - -	8493	7643	8	1	-	-	-	-	-	-	-	-	1	-	-	-	
3	Barking Town - -	4127	9203	12	3	-	-	1	-	-	-	-	-	1	1	1	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Hleadley (pop. 1265); 37:1, the two parishes of Warlingham and Earle in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41:3, the whole of Chislehurst sub-district, except the parish of Chelsford (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 187:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 189:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 22nd August, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from												Deaths in Public Institutions.	
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.					
GREATER LONDON	448,334	5,199,166	18.9	3.8	1883	656	359	7	46	13	14	50	20	230	63	329					
INNER LONDON -	78,052	4,083,928	18.8	3.7	1473	499	271	4	38	12	13	43	16	163	53	292					
OUTER RING -	370,282	1,115,238	19.2	4.3	410	157	88	3	8	1	1	7	4	67	10	37					

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal 700*522 square miles, which is equivalent to the area of a circle having a radius of 14*933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	July	18	-	209	25.1	Fevers 57; cholera 29.
BOMBAY - -	773,196	"	21	278	387	23.8	Fevers 105; cholera 12.
MADRAS - -	398,777	"	17	300	281	36.6	Fevers 65; diarr. dis. 55.
PARIS - - -	2,239,928	August	15	1158	887	20.6	Typd. fev. 37; diph. & crp. 30; diarr. dis. 150.
GENEVA - -	71,453	"	15	20	25	18.2	Typh. and typhd. fev. 1.
BRUSSELS - -	436,214	"	8	258	163	22.1	Small-pox 1; diarr. dis. 43; scar. fev. 4.
AMSTERDAM -	366,812	"	15	250	132	18.7	Typh. and typhd. fev. 1; scarlet fever 2.
ROTTERDAM -	166,001	"	15	128	41	12.6	-
THE HAGUE -	134,552	"	15	99	65	25.1	Diphtheria 1.
COPENHAGEN -	280,615	"	11	193	104	19.3	Diarrhoeal disease 13.
STOCKHOLM -	200,143	"	1	119	68	17.7	Diphtheria and croup 3; diarrhoeal dis. 18.
CHRISTIANIA -	128,000	"	15	90	59	24.0	Diphtheria and croup 11; diarrhoeal dis. 19.
ST. PETERSBURG	928,016	"	8	-	477	26.8	Typhus and typh. fev. 7; diph. 8; diarr. dis. 144.
BERLIN - -	1,279,599	"	1	803	768	31.3	Diph. 19; scar. fev. 7; diarrhoeal disease 293.
HAMBURG (State)	407,956	"	8	343	232	24.3	Diph. and croup 6; scar. fev. 5; diarr. dis. 51.
DRESDEN - -	241,500	"	8	170	130	28.0	Diphtheria and croup 4.
BRESLAU - -	295,000	"	8	187	163	28.6	Diphtheria 2; diarrhoeal disease 42.
MUNICH - -	244,000	"	15	198	168	35.8	Diphtheria and croup 3; diarrhoeal disease 82.
VIENNA - -	769,889	"	15	554	367	24.8	Small-pox 16; typhus & typhoid fever 4.
PRAGUE - -	272,333	"	15	-	164	31.4	Scar. fev. 8; small-pox 2.
BUDA-PESTH -	429,532	"	1	303	261	31.6	Small-pox 4; diarrh. 45.
TRIESTE - -	150,157	"	1	-	-	-	-
ROME - -	330,430	July	4	166	159	25.1	Small-pox 7; measles 9; diarr. dis. 26.
NAPLES - -	504,795	-	-	-	-	-	-
TURIN (11 days)	267,763	July	31	253	180	22.3	Typhoid fever 4; diphtheria 2.
VENICE - -	145,990	August	1	91	89	31.8	Sm.-pox 3; typhd. fev. 5; diarr. dis. 24.
MADRID - -	475,668	-	-	-	-	-	-
LISBON - -	203,681	-	-	-	-	-	-
ALEXANDRIA -	231,596	August	3	-	-	-	-
NEW YORK -	1,356,958	July	25	-	1094	42.1	Measles 16; diph. 26; diarr. dis. 381.
BROOKLYN -	665,602	"	25	-	509	39.9	Scarlet fever 4; diarrhoeal dis. 186.
PHILADELPHIA -	940,432	August	1	-	575	31.6	Diphtheria 7; typhoid fever 10; scar. fev. 5.
BALTIMORE -	408,520	"	1	-	217	27.7	Diphtheria 4; typhoid fever 5.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 22nd August, 1885.
[Under the Superintendence of the Astronomer Royal.]

1885. MONTH AND DAY.	Phases of Moon.	READINGS OF THERMOMETERS.										DIFFERENCE				WIND.				RAIN. Collected Gauge receiving surface above the ground.					
		METEOR.		Dry.		Dew Point.		Lowest on the day.		Highest in the day.		In the Water at depth of 1 foot.		Between Dew Point and Air Temperature.		Between mean temperature of the day and night.		Degree of humidity, complete saturation being 100.			As deduced from Anemometers.				
		Mean daily reading.		Range in day.		Mean daily value.		Mean daily value.		Thermometer blackened in vacuum, placed on the thermometer.		Thermometer registering itself.		Mean daily value.		Mean daily value.		Mean of 24 observations.			Amount of Horizontal Movement of Air, in each day.		Robinson's.		
		High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.		High- est.	Low- est.	High- est.	Low- est.	
		est.	est.	est.	est.	est.	est.	est.	est.	est.	est.	est.	est.	est.	est.	est.	est.	est.	est.		est.	est.	est.	est.	est.
AUGUST.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°		
SUN. 16	..	30-048	79-4	49-2	30-2	64-7	51-2	143-5	39-7	62-8	62-7	13-5	23-5	2-3	+ 2-6	62	SE. Calm & WSW.	WSW.	0-1	0-0	0-0	0-0	0-0		
MON. 17	First Qr.	29-911	80-2	48-7	31-5	63-8	54-1	150-2	36-9	63-3	62-9	9-7	21-0	0-0	+ 1-9	71	WSW. & NW. NW. & N. NNE.	2-6	0-0	0-2	0-0	2-0			
TUES. 18	..	29-932	66-3	46-9	19-4	56-3	50-1	108-5	36-0	63-3	63-2	6-2	12-1	1-4	+ 5-5	80	NNW. & N. N. NNE.	1-2	0-0	0-1	0-0	0-0			
WED. 19	..	29-890	64-8	45-6	19-2	54-2	48-9	106-0	34-7	62-8	62-7	5-3	13-3	0-0	- 7-4	82	N. N. N.	1-7	0-0	0-3	0-0	0-0			
THURS. 20	Greatest Dec.S.	29-714	67-3	51-9	15-4	55-5	53-5	139-8	50-0	62-6	62-1	2-0	17-0	0-0	- 5-9	93	NNW. N.	7-3	0-0	1-0	0-0	0-0			
FRI. 21	Apogee.	29-679	62-4	52-5	9-9	56-5	51-5	103-8	44-8	62-3	61-7	5-0	11-2	1-8	- 4-8	83	N. & NNW. NNW. & N. NNE.	2-7	0-0	0-2	0-0	0-0			
SAT. 22	..	29-652	65-7	50-7	15-0	56-4	53-1	108-3	40-0	62-2	61-7	3-3	10-6	0-0	- 4-9	89	N. WSW. & NW. NNE.	2-1	0-0	0-1	0-0	0-0			
MEANS .	..	29-832	69-4	49-4	20-1	53-2	51-8	122-9	40-3	62-8	62-4	6-4	15-5	0-8	- 3-4	80	Variable.	Sum	0-14			
No. of Col.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27

DATE.		ELECTRICITY.		REGISTERED RAINFALL.		SKY AND ATMOSPHERE.		Sun above horizon.	
AUGUST.		(For explanation of symbols see Note.)		In hours.				In hours.	
SUNDAY	16	W. P. in morning; v. P. afterwards.		9-9	14-5	A very fine day. Small amounts of light cloud generally prevailed.			
MONDAY	17	W. P. and W. N. till evening; m. P. afterwards.		4-6	14-4	Fine. Partially cloudy till evening; cloudless at night.			
TUESDAY	18	W. P. in morning; v. P. afterwards.		0-1	14-4	Generally overcast till afternoon; cloudless after 7h. P.M.			
WEDNESDAY	19	W. P. in morning; v. P. afterwards.		0-1	14-3	Generally overcast.			
THURSDAY	20	W. P. generally till 1h. P. till 10h. P.M.; m. P. afterwards.		2-3	14-3	The amount of cloud varied throughout. A thunderstorm with heavy rain and hail shortly after 2h. P.M.; occasional showers afterwards.			
FRIDAY	21	W. P. till 7h. P.M.; v. P. afterwards.		2-0	14-2	The amount of cloud was usually large. A fine day.			
SATURDAY	22	W. P. throughout		0-7	14-1	Shower in early morning; overcast till 3h. P.M.; showers with variable amounts of cloud till 7h. P.M.; cloudless with exceptions at night.			
				Sum	19-7			Sum	100-2

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1883 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 29 years ending 1883.

In reading the 17th and 26th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are -P: positive; N: negative; W: weak; m: moderate; s: strong; and v: variable.

The numbers in column 23, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer is commenced from 30-11 in. at the beginning of the week to 29-89 in. by 3h. P.M. on the 17th; increased to 29-94 in. by 9h. P.M. on the 18th; decreased to 29-65 in. by 3h. P.M. on the 22nd; and was 29-67 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 34. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, AUGUST 29. [Price 1½d.

General Register Office, Somerset House,
31st August, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 18·4 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.		Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.
Birkenhead	15·7	25·8	18·5	19·6	Liverpool -	24·9	23·0	25·0	20·3
Birmingham	17·7	23·7	20·7	17·9	London -	22·0	18·8	18·8	17·5
Blackburn -	14·4	20·4	19·0	15·8	Manchester -	24·3	30·5	24·4	21·5
Bolton -	14·2	15·6	10·9	13·7	Newcastle-on-Tyne	26·2	24·9	28·3	21·8
Bradford -	23·8	12·4	12·7	17·3	Norwich -	16·0	20·0	14·9	14·9
Brighton -	20·0	22·3	14·6	20·9	Nottingham -	22·0	15·5	17·3	15·3
Bristol -	21·3	20·8	17·2	15·5	Oldham -	16·1	18·2	13·2	15·3
Cardiff -	25·3	23·1	24·2	18·8	Plymouth -	15·8	22·0	21·3	24·7
Derby -	19·2	14·5	23·9	20·4	Portsmouth -	18·2	16·3	21·7	23·6
Halifax -	18·9	18·9	13·5	16·2	Preston -	31·2	33·8	30·1	27·5
Huddersfield	21·5	19·1	18·5	16·1	Salford -	23·8	27·4	22·1	24·5
Hull -	17·1	16·8	12·6	17·4	Sheffield -	21·5	24·4	24·2	18·4
Leeds -	23·2	21·8	19·4	18·6	Sunderland -	23·7	25·4	20·0	22·9
Leicester -	32·2	20·3	22·2	14·6	Wolverhampton -	13·2	15·2	21·7	21·7

The highest annual death-rates from whooping-cough, measured by last week's mortality, were 1·4 in Blackburn, 1·6 in Cardiff, and 1·7 in Derby; from measles, 1·7 in Derby; and from "fever," 1·2 in Sunderland, and 1·5 in Portsmouth. The death-rate from diarrhœa averaged 2·2 per 1000 in the twenty-eight towns, showing a further decline from the rates in recent weeks; it was, however, equal to 5·6 in Salford, 5·8 in Portsmouth, and 9·4 in Preston. Small-pox caused 15 deaths in London and its outer ring (exclusive of 4 in the Metropolitan Asylum Hospital Ships), and one in Manchester.

LONDON.

In LONDON 2413 BIRTHS and 1371 DEATHS were registered. Allowing for increase of population, the births were 276, and the deaths 155, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·8 in each of the two preceding weeks, declined to 17·5 last week. During the first eight weeks of the current quarter the mean death-rate was 19·9 per 1000, against 21·3 in the corresponding periods of the nine years 1876-84.

The 1371 deaths included 5 from small-pox, 55 from measles, 12 from scarlet fever, 14 from diphtheria, 45 from whooping-cough, 14 from enteric fever, 3 from ill-defined forms of continued fever, 121 from diarrhœa and dysentery, 6 from cholera and choleraic diarrhœa, and not one from typhus; thus, 275 deaths were referred to these diseases, being 83 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 12 and 4 in the two preceding weeks, were 5 last week. These 5 deaths were exclusive of 4 of

London residents who died in the Metropolitan Asylum Hospital Ships situated outside Registration London. Of the total 9 cases, 6 occurred in the Metropolitan Asylum Hospitals, and 3 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 2 belonged to Hackney, and 2 to Camberwell. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the twelve preceding weeks from 1389 to 347, had further fallen to 310 on Saturday last; the admissions, which had been 44 and 41 in the two previous weeks, were 43 last week.

The fatal cases of *measles*, which had declined from 71 to 38 in the four preceding weeks, rose again last week to 55, and exceeded the corrected weekly average by 26; 8 belonged to Fulham, 7 to Islington, 5 to Newington, 4 to Hackney, and 4 to Lambeth. The 12 deaths from *scarlet fever* corresponded with the number in the previous week, and were 38 below the corrected average; 2 occurred in Mile End Old Town. The Metropolitan Asylum Hospitals contained 253 scarlet fever patients on Saturday last, 34 having been received during the week. The 14 fatal cases of *diphtheria* exceeded by one the number in each of the two preceding weeks, and corresponded with the corrected average; 3 belonged to Fulham, and 3 to Islington. The 45 deaths from *whooping-cough* differed but slightly from recent weekly numbers, and were 6 above the average; 4 belonged to Fulham, 3 to Marylebone, 3 to Mile End Old Town, 3 to Bermondsey, 6 to Wandsworth, and 5 to Greenwich. The deaths referred to *diarrhœa* and *dysentery*, which had declined in the four preceding weeks from 348 to 163, further fell last week to 121, and were 72 below the corrected average; 89 were of infants under one year of age, and 20 of children aged between one and five years. The 6 deaths attributed to *cholera* and *choleraic diarrhœa* included 3 of infants and 3 of adults.

The deaths referred to *enteric fever*, which had steadily increased in the four previous weeks from 8 to 15, were 14 last week, and 2 below the corrected average; 3 belonged to Islington, and 2 to Newington. The Metropolitan Asylum Hospitals contained 21 cases of enteric fever, and 1 of typhus on Saturday last; 6 cases of enteric fever, and not one of typhus, were admitted during the week. Three deaths were indefinitely referred to "simple continued fever" and "low fever."

The deaths referred to diseases of the respiratory organs, which had been 162 and 165 in the two preceding weeks, were 201 last week, and exceeded by 36 the corrected weekly average.

Different forms of violence caused 52 deaths; 46 were the result of negligence or accident, among which were 19 from fractures and contusions, 7 from burns and scalds, 4 from drowning, one from poison, and 7 of infants under one year of age from suffocation. The 19 deaths from fractures and contusions were thus returned:—male, aged 76 years, run over by tramcar; male 48, run over by cab; male 65, run over by wagon; male 42, thrown from cab; male 18, struck by railway train; male 21, by fall of sleeper; male 88, fell down stairs; female 66, fell in street; male 61, and female 3, fell into area; male 35, fell from staging; male 32, fell from parapet of house; male 60, fell from ship; female 8, fell from swing; male 55, fell in garden; male 3, and female 8 months, by blow on head; male 32, by fall of case; and female 6, struck by stone. An inquest was held in each of these 19 cases. Four cases of suicide were registered.

GREATER LONDON.

In Greater London 3111 births and 1177 deaths were registered, corresponding to annual rates of 31·2 and 17·8 per 1000 of the population. In the Outer Ring 64 deaths from diarrhœa, 10 from small-pox, and 8 from measles, were registered. The fatal cases of diarrhœa included 10 in West Ham, and 7 in Walthamstow sub-districts. Of the 10 deaths from small-pox, 5 occurred in West Ham and 3 in Croydon sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·76 in.; the highest reading was 29·87 in. on Tuesday morning, and the lowest 29·64 in. on Saturday afternoon. The mean temperature of the *air* was 57°·6, and 3°·3 below the average in the corresponding week of the 20 years ending 1868. The mean showed a deficiency throughout the week. The general direction of the *wind* was E.N.E., and the horizontal movement of the air averaged 11·4 miles per hour, which was 1·6 above the average in the corresponding week of 16 years. *Rain* fell on Thursday to the amount of 0·61 of an inch. The duration of registered bright sunshine was 25·7 hours, against 40·3 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY IN 28 GREAT TOWNS, during the week ending 29th August, 1885.

CITIES AND BOROUGHES.	POPULATION estimated middle of the Year 1885.		Registered during the Week ending 29th August, 1885.		Deaths of													Deaths from													TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGHES.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	1.	2.	3.	4.	5.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths			Mean.		In Inches.	In Cent.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
																	Persons aged 60 Years and upwards.	Infants under 1 Year of Age.	From All Causes.	From 1885.	From 1886.			From 1887.	Lowest.	Fahrenheit.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the THIRTY-FOUR Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2802	2616	2323	2491	2370	2497	2393	2554	2450	2660	2688·6	2413
Males . .	1180	1866	1190	1244	1177	1253	1209	1306	1242	1381	1368·3	1226
Females . .	1122	1250	1133	1247	1193	1244	1184	1248	1208	1279	1320·3	1187
TOTAL Deaths	1440	1370	1261	1433	1322	1488	1342	1401	1356	1579	1525·8	1371
Males . .	738	714	662	737	734	789	696	755	699	825	801·4	692
Females . .	702	656	599	696	588	699	646	646	657	754	724·4	679

The numbers in this column are the average weekly numbers in the thirty-fourth week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.
TOTAL Births - -	2409	2464	2373	2419	2483	2420	2411	2423	2459	2164	2885	2535	2413
TOTAL Deaths - -	1521	1315	1284	1279	1366	1412	1616	1636	1750	1720	1472	1473	1371
0-20 - -	744	655	654	658	690	741	964	998	1111	1062	870	790	713
20-40 - -	210	178	170	153	179	191	172	153	165	173	144	175	180
40-60 - -	246	218	185	227	238	198	222	209	211	218	201	237	207
60-80 - -	253	218	223	199	226	226	222	214	220	219	212	221	227
at 80 years & upwds.	68	46	47	42	33	56	36	62	43	48	45	50	44
Deaths of children { Under 1 year -	342	305	316	318	372	408	563	627	723	687	555	499	408
{ 1-5 - -	294	260	258	256	224	251	304	281	289	287	232	214	230
{ 5-20 - -	108	90	80	84	94	82	97	90	99	88	83	77	75
Deaths from Small-pox* -	62	39	37	28	39	23	15	18	16	14	15	5	9
" " Measles - -	120	98	95	90	80	73	82	65	71	58	49	38	55
" " Scarlet Fever - -	9	12	7	13	9	12	13	11	18	20	9	12	12
" " Diphtheria - -	15	17	16	14	18	15	16	19	23	20	13	13	14
" " Whooping-cough - -	46	39	42	46	59	51	77	51	47	41	44	43	45
" " Typhus - -	-	1	-	2	1	-	1	1	-	-	3	-	-
" " Enteric fever - -	13	4	6	11	9	10	17	9	8	10	13	15	14
" " Simple Cont'd Fever -	2	3	2	-	2	1	2	2	2	4	1	1	3
" " Diarrhœa and Dysentery - }	11	23	24	44	51	110	210	284	348	309	222	163	121
" " Cholera - -	-	2	3	2	1	3	7	5	13	11	5	7	6
Deaths from the above-mentioned Diseases* }	278	238	232	250	269	298	440	465	546	487	374	297	279
" " Dis. of Respiratory System }	290	231	196	183	192	177	197	180	172	184	162	165	201
" " Phthisis - -	154	140	141	131	165	138	140	138	137	159	134	151	157
" " Dis. of Circulatory System }	102	84	70	73	74	99	86	101	73	89	85	110	94
Violent Deaths - -	59	52	56	39	42	53	58	42	43	47	55	53	52
Inquest Cases - -	104	96	94	81	84	94	114	92	75	93	98	92	81
Deaths in Public Institutions	364	313	306	285	290	312	297	306	298	297	260	292	302
TEMPERATURE OF THE AIR:													
Mean - -	62·6	58·5	58·7	58·3	60·5	65·0	61·2	64·5	65·2	59·4	59·6	58·2	57·6
Mean of Highest readings -	74·5	69·5	70·6	68·2	72·7	79·5	73·5	78·1	77·7	70·8	72·5	69·4	63·4
Mean of Lowest readings -	51·2	47·7	48·4	49·7	49·5	51·5	51·4	52·4	56·4	51·1	49·9	49·4	49·2
Humidity of the Air - -	66	75	76	75	67	67	74	72	64	77	74	80	75
Rain-fall in inches - -	0·27	0·90	0·39	0·11	00·0	0·02	0·49	0·01	0·00	0·46	0·09	0·14	0·61
Registered Sunshine (in hours)	69·6	55·3	41·8	35·2	41·1	60·5	32·8	55·9	48·3	28·8	48·4	19·7	25·7

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, Jun., Esq., Norwich; R. Camm Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrothesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, Jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FOURTH Week of the Year 1885.

In the Week ending Saturday, 29th August, 1885.										In the Week ending Saturday, 29th August, 1885.									
Deaths of Persons of the Ages										Deaths of Persons of the Ages									
ALL AGES.		Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.		Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.		
0-1.	1-5.	5-20.	0-1.	1-5.					5-20.										
CAUSES OF DEATH.										CAUSES OF DEATH.									
ALL CAUSES - - - - -										ALL CAUSES - - - - -									
Corrected Averages for the 34th Weeks of the 10 years 1875-84.										Corrected Averages for the 34th Weeks of the 10 years 1875-84.									
1525·8										1525·8									
1371										1371									
408										408									
230										230									
75										75									
180										180									
207										207									
227										227									
44										44									
Small-pox { Vaccinated † Unvaccinated No Statement										Small-pox { Vaccinated † Unvaccinated No Statement									
10·7 {										10·7 {									
29·4										29·4									
50·2										50·2									
1·1										1·1									
0·0										0·0									
0·0										0·0									
39·0										39·0									
13·6										13·6									
2·8										2·8									
15·8										15·8									
7·6										7·6									
122·8										122·8									
0·3										0·3									
0·1										0·1									
0·1										0·1									
0·0										0·0									
12·0										12·0									
6·2										6·2									
3·3										3·3									
4·3										4·3									
1·7										1·7									
6·9										6·9									
0·5										0·5									
1·8										1·8									
4·5										4·5									
9·1 {										9·1 {									
3·4										3·4									
4·3										4·3									
44·5										44·5									
44·8										44·8									
30·6										30·6									
161·3										161·3									
15·7										15·7									
6·3										6·3									
31·3										31·3									
1·0										1·0									
6·9										6·9									
41·6										41·6									
35·0										35·0									
5·9										5·9									
49·8										49·8									
76·8										76·8									
10·6										10·6									
81·3										81·3									
50·2										50·2									
3·5										3·5									
19·6										19·6									
14·0										14·0									
2·7										2·7									
9·8										9·8									
6·0										6·0									
33·6										33·6									
23·2										23·2									
1·0										1·0									
27·4										27·4									
5·6										5·6									
5·6										5·6									
6·0										6·0									
5·3										5·3									
VIOLENT DEATHS ‡										VIOLENT DEATHS ‡									
(ACCIDENT.)										(ACCIDENT.)									
Fracture and Contusion										Fracture and Contusion									
Gunshot Wound										Gunshot Wound									
Cut, Stab										Cut, Stab									
Burn and Scald										Burn and Scald									
Poison										Poison									
Drowning										Drowning									
Suffocation										Suffocation									
Otherwise										Otherwise									
(HOMICIDE.)										(HOMICIDE.)									
Murder & Manslaughter										Murder & Manslaughter									
(SUICIDE.)										(SUICIDE.)									
Gunshot Wound										Gunshot Wound									
Cut, Stab										Cut, Stab									
Poison										Poison									
Drowning										Drowning									
Hanging										Hanging									
Otherwise										Otherwise									
(EXECUTION.)										(EXECUTION.)									
Hanging										Hanging									
OTHER CAUSES † - -										OTHER CAUSES † - -									

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9·046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased was, or has not been vaccinated, or when the cause of death is not certified by a registered medical man, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 4 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET
during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include															Deaths in Public Institutions.	Unnatural Causes.		
					Deaths of		Deaths from																
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.						
LONDON		3,816,483	2413	1371	408	271	5	55	12	14	45	-	14	3	121	52	81	302	1				
WEST DISTRICTS		669,683	383	277	78	58	-	14	1	6	5	-	4	-	32	11	16	84	-				
NORTH DISTRICTS		905,947	535	273	72	60	2	13	3	3	7	-	4	2	25	9	16	55	-				
CENTRAL DISTRICTS		282,238	170	118	32	16	-	7	-	2	3	-	-	-	7	9	14	32	-				
EAST DISTRICTS		692,788	475	264	96	47	-	5	3	2	8	-	-	-	30	11	13	56	-				
SOUTH DISTRICTS		1,265,927	847	439	130	90	3	16	5	1	22	-	6	1	27	12	22	75	-				
WEST DISTRICTS.																							
St. Mary Paddington WHH G.J. & W.M.		69888	54	23	9	4	-	-	-	1	-	-	-	-	3	1	1	4	-				
St. John Paddington H - - G.J.		37380	8	9	3	1	-	-	-	-	-	-	1	-	1	1	-	3	-				
Kensington Town WH - - W.M.		120141	54	50	12	15	-	2	-	1	-	-	1	-	4	-	-	17	-				
Brompton H - - W.M. & C.		49010	15	15	3	1	-	-	-	-	-	-	-	-	1	-	-	6	-				
St. Peter Hammersmith - - W.M.		7599	4	4	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-				
St. Paul Hammersmith H W.M. & G.J.		64340	55	36	10	4	-	5	1	2	1	-	1	-	4	2	3	4	-				
Fulham WH - - W.M. & C.		42906	57	39	12	12	-	3	-	1	3	-	-	-	3	-	1	10	-				
Chelsea South HHH - - C.		50396	14	15	7	1	-	1	-	1	-	-	1	-	1	-	1	3	-				
Chelsea North-west WHHHH - C.		24925	17	8	3	2	-	-	-	-	1	-	-	-	1	-	1	4	-				
Chelsea North-east - - C.		32807	17	12	4	4	-	1	-	-	-	-	-	-	1	2	2	-	-				
Hanover Square H - - G.J.		16662	9	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-				
May Fair WH - - G.J.		18491	2	17	1	6	-	-	-	-	-	-	-	-	3	2	2	17	-				
Belgrave HH! - - C.		59220	21	18	3	3	-	1	-	-	-	-	-	-	2	1	1	9	-				
St. John Westminster HH - - C.		36496	23	8	3	1	-	-	-	-	-	-	-	-	2	1	2	3	-				
St. Margaret Westminster H - C.		24679	11	9	4	1	-	-	-	-	-	-	-	-	1	1	-	4	-				
St. James Westminster WH N.R. & G.J.		29941	18	9	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-				
St. Anne Soho HHHHH - - N.R.		16608	7	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-				
NORTH DISTRICTS.																							
All Souls Marylebone HHHH - W.M.		26759	9	15	3	4	-	-	-	-	2	-	-	1	1	1	1	3	-				
Cavendish Square HHH - - W.M.		14831	4	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-				
Rectory Marylebone WH - - W.M.		24809	9	5	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-				
St. Mary Marylebone HHH G.J. & W.M.		21118	25	7	4	-	-	-	-	-	-	-	-	-	2	-	-	3	-				
St. Christopher Marylebone H - W.M.		38700	15	13	3	4	-	1	-	-	-	-	-	-	-	-	1	-	-				
St. John Marylebone H - - W.M.		33633	19	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
Hampstead WHHH - N.R. & W.M.		45452	26	12	2	5	-	-	-	-	-	-	-	-	-	-	1	5	-				
Regent's Park Pancras H - - W.M.		39115	12	10	3	2	-	-	-	-	-	-	-	-	1	1	2	-	-				
Tottenham-court WHHHH N.R. & W.M.		27729	12	20	3	5	-	-	-	-	-	-	-	-	1	2	3	9	-				
Gray's Inn Lane HHH - - N.R.		30247	14	6	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-				
Somers Town H - - N.R.		34369	21	12	3	1	-	-	-	1	-	-	-	-	2	-	-	6	-				
Camden Town WH - - N.R.		17311	11	7	2	4	-	-	-	-	-	-	-	-	-	4	5	6	-				
Kentish Town W - - N.R.		87487	48	23	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-				
Upper Holloway WHWH - - N.R.		67946	50	26	11	6	-	1	-	3	-	-	-	-	3	-	-	9	-				
Islington South-west HH - - N.R.		100976	69	33	10	7	-	6	-	-	2	-	1	1	1	1	1	1	-				
Islington South-east - - N.R.		61825	37	10	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-				
Highbury H - - N.R.		52048	28	11	2	2	-	-	-	-	-	-	1	-	1	-	-	-	-				
Stoke Newington H - - N.R.		22781	14	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-				
Stamford Hill - - E.L.		9277	19	6	2	-	-	2	-	-	-	-	-	-	1	-	-	-	-				
West Hackney - - N.R.		37610	55	30	10	5	2	1	3	-	1	-	2	-	2	-	-	12	-				
Hackney WHWHH - - E.L. & N.R.		76911	24	10	2	3	-	1	-	-	-	-	-	-	1	-	1	-	-				
South Hackney - - E.L.		39888	24	10	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-				
CENTRAL DISTRICTS.																							
St. George Bloomsbury - - N.R.		16681	6	8	2	3	-	1	-	-	-	-	-	-	1	1	2	-	-				
St. Giles South WH - - N.R.		14864	9	13	6	2	-	-	-	-	-	-	-	-	-	-	1	3	-				
St. Giles North - - N.R.		13837	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Martin-in-the-Fields HH N.R. & C.		17508	6	9	2	1	-	1	-	-	-	-	-	-	-	2	2	4	-				
St. Mary-le-Strand H - - N.R.		7515	2	2	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-				
St. Clement Danes H - - N.R.		8559	4	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. George-the-Martyr HHHHH N.R.		18671	7	11	4	-	-	-	-	-	-	-	-	-	1	-	1	6	-				
St. Andrew Eastern W - - N.R.		10706	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-				
Saffron Hill H - - N.R.		6333	6	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-				
St. James Clerkenwell - - N.R.		17516	13	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-				
Amwell Clerkenwell - - N.R.		19281	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Pentonville - - N.R.		14773	20	7	2	-	-	2	-	-	1	-	-	-	1	-	-	-	-				
Goswell-street - - N.R.		17596	20	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-				
Old-street H - - N.R.		11541	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
City-road HHL - - N.R.		18628	20	6	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-				
Whitecross-street - - N.R.		9217	7	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-				
Finsbury - - N.R.		7463	1	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-				
St. Botolph H - - N.R. & E.L.		11174	2	5	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-				
Cripplegate - - N.R.		7193	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Sepulchre H - - N.R.		5333	2	16	1	2	-	-	-	2	-	-	-	-	-	2	3	15	-				
St. Bride W - - N.R.		8396	1	3	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-				
Alhallowes Barking - - N.R.		13666	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
Broad Street H - - N.R.		5652	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *W*—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signified Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, SCARLET-FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT on Friday, the 29th August, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																			
Wywell Shoreditch	-	N.R. & E.L.	7376	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Leonard Shoreditch	HL†	-	14967	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
ton New Town	W	-	29337	20	11	2	6	-	-	-	-	-	-	-	-	-	-	-	-
ton Old Town	-	-	28036	22	15	6	3	-	-	-	-	-	-	-	-	-	-	-	-
gerston WH	-	N.R. & E.L.	46275	24	26	6	3	-	1	1	-	-	-	-	3	3	1	9	1
keyn-road	H	-	29738	16	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-
en, Bethnal Green	WHL†	-	47332	29	23	4	8	-	-	-	-	-	-	-	4	-	-	-	-
reh, Bethnal Green	-	-	29981	19	15	9	1	-	-	-	1	-	-	-	2	1	1	10	-
n, Bethnal Green	-	-	19810	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
alfields	H	-	E.L. & N.R.	22285	3	5	-	2	-	-	-	-	-	-	1	-	-	-	-
End New Town	W	-	E.L.	15473	6	8	2	2	-	-	-	-	-	-	1	-	-	-	-
techapel Church	H	-	E.L. & N.R.	17490	5	18	4	3	-	-	-	-	-	-	3	4	4	12	-
zman's Fields	-	-	E.L.	9713	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
gate	-	-	N.R. & E.L.	6102	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
George's, North	-	-	E.L.	38747	19	15	9	1	-	-	-	1	-	-	4	-	-	-	-
John, St. George East	W	-	E.L.	5410	6	6	-	2	-	-	-	-	-	-	-	-	-	-	-
llwell	H	-	E.L. & N.R.	10395	6	6	1	-	-	-	-	1	-	-	-	1	1	3	-
lliff	-	-	E.L.	16107	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
llhouse	-	-	E.L.	32041	26	6	5	1	-	1	-	-	-	-	1	-	-	-	1
End Old Town West	-	-	E.L.	37980	34	10	3	-	-	1	2	-	-	-	2	-	-	-	-
End Old Town East	W & H	-	E.L.	67653	51	20	13	1	-	1	-	3	-	-	1	1	1	1	1
ley	W & H	-	E.L.	37074	27	11	5	1	-	-	-	1	-	-	1	-	1	-	-
ar	W & W	-	E.L.	64359	66	20	9	5	-	1	-	1	-	-	3	-	7	8	-
			E.L.	55077	37	21	7	5	-	-	-	2	-	-	4	1	1	3	-
SOUTH DISTRICTS.																			
church Southwark	WH	L. & S.	12663	8	6	-	4	-	-	-	-	-	-	-	-	-	-	3	-
aviour Southwark	-	S.	14599	8	5	-	2	-	-	-	-	-	-	-	-	-	1	-	-
ugh-road	WH	-	S. & L.	21381	11	4	3	1	-	-	-	1	-	-	-	-	-	-	-
on-road	HL	-	L. & S.	21318	16	6	3	2	-	1	1	-	-	-	-	-	-	-	-
ity Newington	-	S. & L.	26672	15	9	4	2	-	-	-	-	-	-	-	-	-	-	1	-
eter Walworth	W	-	S. & L.	59555	37	27	8	5	-	2	1	-	-	-	1	-	-	-	-
ary Newington	-	L. & S.	12623	8	9	3	-	1	3	-	-	-	-	-	2	-	7	1	-
ave	WH	-	S.	11956	5	19	2	6	-	-	-	-	-	-	1	3	4	15	-
ber Market	-	S. & L.	16300	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
ary Magdalen	W	-	S.	16669	4	7	1	2	-	1	-	-	-	-	-	-	1	1	-
ames Bermondsey	-	S.	54683	39	18	4	2	-	-	1	-	-	-	-	-	-	-	-	-
erbithe	W	-	S. & K.	36024	30	9	1	-	-	1	1	-	-	-	1	-	-	1	-
erloo-road 1st	H	-	L. & S.	16195	14	5	2	1	-	-	2	-	-	-	-	-	-	1	-
erloo-road 2nd	H	-	L. & S.	16261	23	3	2	1	-	-	-	-	-	-	2	1	1	-	-
eth Church 1st	H	-	L. & S.	19876	11	18	2	2	-	-	-	-	-	-	-	2	4	12	-
eth Church 2nd	WW	-	L. & S.	39859	10	19	7	4	-	-	-	1	-	-	-	-	-	9	-
ington 1st	-	S. & L.	45232	26	12	6	4	-	-	-	-	-	-	-	-	-	-	-	-
ington 2nd	-	S. & L.	36382	20	6	2	2	-	-	-	-	-	-	-	-	-	-	-	2
ton	W & W	-	L. & S.	62857	30	18	6	4	-	2	-	-	-	-	-	-	1	-	-
road	W	-	L.	19017	9	7	3	1	-	-	-	-	-	-	1	-	-	-	-
am	H	-	-	36380	18	8	4	-	-	-	-	-	-	-	-	-	-	-	-
Battersea	-	S.	54675	61	16	7	3	-	-	-	-	3	-	-	1	3	-	-	-
Battersea	W & W	-	S.	52587	53	16	7	5	-	1	-	-	-	-	-	-	1	-	1
aworth	HL	-	S.	28004	14	11	4	1	-	-	-	-	-	-	1	1	-	2	-
ey	-	S.	15235	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
tham	-	L.	25553	24	9	5	2	-	-	-	-	-	-	-	1	-	-	-	2
ich	-	L. & S.	5590	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
erwell	WL†L†	-	S. & L.	59104	32	20	7	4	-	1	-	-	-	-	1	-	-	4	-
am	W	-	S., L. & K.	71089	17	22	9	5	1	-	-	-	-	-	-	-	-	-	-
eorge Camberwell	-	L. & S.	60810	32	14	3	4	-	-	-	-	1	-	-	2	1	1	1	-
aul Deptford	W & W	-	K.	76712	58	26	6	7	1	-	-	1	-	-	2	1	4	1	-
icholas Deptford	-	K.	7901	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
wich West	H	-	K.	23972	17	6	1	3	-	-	-	-	-	-	-	-	-	1	-
wich East	WHH	-	K.	24608	18	10	2	2	-	-	-	-	-	-	5	-	-	-	-
m	H	-	K.	5827	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
sham	WH	-	K.	21829	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
sham	H	-	K.	15865	15	5	1	2	-	-	-	-	-	-	-	1	-	-	-
	H	-	L.	26076	18	12	6	1	-	-	-	-	-	-	-	-	-	1	-
ton	H	-	K.	10980	5	4	1	1	-	-	-	-	-	-	-	-	-	1	-
wich Dockyard	-	K.	17617	12	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
wich Arsenal	HHH	-	K.	19448	18	2	1	-	-	-	-	-	-	-	-	-	-	-	-
stead, West	H	-	K.	14609	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-
stead, East	W	-	K.	15241	9	10	1	2	-	1	-	1	-	-	1	1	1	5	-

Following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by †:-

Wyndham Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
St. Leonard London Sick Asylum in Tottenham Court-road sub-district.	Stepney { Poplar & Stepney Sick Asylum Bromley sub-district.
St. Leonard Infirmary in Upper Holloway sub-district.	Westminster Union Industrial School in West Battersea sub-district.
London City Workhouse { Hackney sub-district. Hoxton New Town sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
St. Leonard London City Workhouse { Mile End Old Town Eastern sub-dist.	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 29th August, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes.
LONDON—OUTER RING		370,282	950,178	698	406	138	78	10	8	2	1	7	6	64	9	14	41	
30:1	Carshalton <i>wL</i> - -	12238	21118	7	7	1	2	-	-	-	-	-	-	-	-	-	2	
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	3	3	2	1	-	-	-	-	-	-	1	-	-	-	
37:1	Godstone (<i>part of</i>) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon <i>wWH</i> - -	20851	101241	79	42	8	9	3	1	-	-	2	-	-	4	2	3	
	Mitcham - - -	11697	17932	11	4	4	-	-	-	-	-	-	-	1	-	-	-	
39:1	Wimbledon <i>HHH</i> - -	3220	15950	10	7	2	2	-	1	-	-	-	-	2	-	-	1	
2	Kingston <i>WHH</i> - -	8549	36354	19	13	3	2	-	-	-	-	-	-	1	-	1	1	
3	Esher (<i>part of</i>) * -	6601	9221	3	3	1	1	-	-	-	-	-	-	-	1	1	-	
4	Hampton <i>H</i> - - -	4573	13539	9	5	1	1	-	-	-	-	-	-	-	1	1	1	
40:1	Richmond <i>WH</i> - -	2272	21302	16	6	3	1	-	-	-	-	-	-	2	-	-	-	
2	Mortlake - - -	941	12331	6	4	3	-	-	-	-	-	-	-	2	-	-	-	
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	18	11	4	1	-	-	-	-	1	-	4	-	-	-	
2	Chislehurst(<i>pt. of</i>) * <i>WHH</i>	13665	15065	7	8	3	1	-	-	-	-	-	-	2	-	-	1	
42:1	Bexley <i>H</i> - - -	13437	24134	16	5	2	1	-	-	-	-	-	-	2	-	-	-	
124:1	Sunbury <i>w</i> - - -	11055	11635	7	9	-	-	-	-	-	-	-	4	1	-	-	5	
2	Staines <i>W</i> - - -	13277	12089	11	6	2	2	-	-	-	-	-	-	2	-	-	-	
125:1	Hillingdon <i>WH</i> - -	6029	10802	4	2	-	2	-	-	-	-	-	-	-	-	-	1	
2	Uxbridge - - -	6173	5225	5	3	1	1	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>wHL</i> - - -	14567	11523	19	5	2	2	-	-	-	-	-	-	1	-	-	1	
126:1	Isleworth <i>W</i> - - -	7008	22727	11	12	3	4	-	-	-	-	-	-	1	1	2	2	
2	Twickenham <i>H</i> - -	2477	12479	13	8	1	1	-	-	-	-	-	-	1	-	-	1	
3	Brentford <i>HL</i> - -	4345	27649	12	9	4	2	-	-	-	-	-	-	2	-	-	-	
4	Chiswick - - -	1340	15675	12	5	2	-	-	1	-	-	-	-	-	-	-	-	
5	Acton <i>wH</i> - - -	6088	22876	15	11	9	-	-	-	-	-	-	-	2	-	-	-	
127:1	Harrow <i>H</i> - - -	13809	12796	13	1	-	1	-	-	-	-	-	-	-	-	-	-	
2	Edgware <i>H</i> - - -	6994	3749	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - - -	4383	27453	23	14	7	2	-	-	-	-	-	-	4	-	-	-	
4	Hendon <i>W</i> - - -	6382	10484	6	12	6	2	-	-	-	-	1	-	3	-	-	4	
128:1	South Mimms - -	15599	6391	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
2	Barnet <i>W</i> - - -	5433	10092	10	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley <i>HL</i> - -	4688	17615	10	3	-	1	-	-	-	-	-	-	-	1	1	-	
129:1	Hornsey <i>H</i> - - -	3039	37078	29	9	3	5	-	-	1	-	-	-	1	-	-	-	
2	Tottenham <i>HH</i> - -	4642	46456	55	19	8	3	-	-	-	1	-	-	3	-	-	1	
3	Edmonton <i>Www</i> - -	7483	23463	10	12	6	5	-	1	-	-	-	-	-	-	-	7	
4	Enfield <i>WH</i> - - -	12653	19104	23	14	4	5	1	-	-	-	2	-	1	-	1	-	
5	Waltham Abbey - -	11017	5368	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - - -	8480	7735	8	4	1	2	-	-	-	-	-	-	-	-	-	-	
135:1	Hatfield (<i>part of</i>) *	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - - -	9631	6621	4	2	-	-	-	-	-	-	-	-	-	1	1	-	
138:1	Stratford - - -	882	38606	21	16	8	3	-	-	1	-	1	2	3	-	-	-	
2	West Ham <i>wvwWH</i> - -	7351	101053	99	48	19	8	5	1	-	-	-	-	10	1	3	3	
3	Leyton <i>wWL</i> - - -	4872	32430	25	20	4	4	1	-	-	-	-	-	1	-	-	7	
4	Walthamstow <i>wH</i> - -	6520	28869	16	36	11	-	-	2	-	-	-	-	7	-	-	-	
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9693	4	3	-	-	-	-	-	-	-	-	-	-	-	-	
139:1	Romford (<i>part of</i>) *	6730	3411	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
2	Ilford - - -	8493	7645	6	2	-	-	-	-	-	-	-	-	-	1	1	-	
3	Barking Town - -	4127	9203	18	-	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Hendley (pop. 1235); 37:1, the two parishes of Warrington and Earle in Godstone sub-district; 38:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS AND Rate of MORTALITY during the Week ending Saturday, 29th August, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.		
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.					
																Cols.	1.		2.	3.
REATER LONDON	448,334	5,199,166	17·8	3·7	1777	546	349	15	63	14	15	52	23	185	61	343				
INNER LONDON -	78,052	4,083,928	17·5	3·4	1371	403	271	5	55	12	14	45	17	121	52	302				
OUTER RING -	370,282	1,115,238	19·0	4·6	406	138	78	10	8	2	1	7	6	64	9	41				

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	July	25	-	247	29·7	Fevers 71; cholera 49.
BOMBAY - -	773,196	"	28	285	433	26·7	Fevers 112; cholera 13.
MADRAS - -	398,777	"	24	322	304	39·6	Fevers 76; diarr. dis. 54.
PARIS - - -	2,239,928	August	22	1181	950	22·1	Diarr. dis. 152; typ. & typh. 29; meas. 15; dip. & cp. 18.
GENEVA - -	71,453	"	22	22	18	13·1	Diarr. dis. 2; typhus and typhoid fever 1.
BRUSSELS - -	436,214	"	15	234	219	26·6	Scarlet fever 4; diph. 3; diarrhoeal dis. 51.
AMSTERDAM -	366,812	"	22	253	141	19·9	Scarlet fever 2; diphtheria 3.
ROTTERDAM -	166,001	"	22	127	70	21·4	Scarlet fever 1.
THE HAGUE -	134,552	"	22	93	59	22·8	Whooping-cough 3.
COPENHAGEN -	280,615	"	18	204	90	16·7	Diarr. dis. 10; scar. fev. 2; typh. & typh. fev. 2.
STOCKHOLM -	200,143	"	8	114	81	21·0	Diphtheria and croup 3; diarrhoeal dis. 19.
CHRISTIANIA -	128,000	"	22	69	51	20·7	Scar. fev. 4; diph. and croup 3; diarr. dis. 14.
ST. PETERSBURG	928,016	"	15	-	520	29·2	Typhus and typh. fev. 11; meas. 11; diarr. dis. 139.
BERLIN - - -	1,279,599	"	8	795	694	28·3	Scar. fev. 11; diph. 17; diarrhoeal disease 223.
HAMBURG (State)	497,956	"	15	344	243	25·5	Typ. & typh. fev. 7; diph. & crp. 5; diarr. dis. 66.
DRESDEN - -	241,500	"	15	-	-	-	-
BRESLAU - -	295,000	"	15	191	204	35·8	Whooping-cough 4; diarr. disease 56.
MUNICH - - -	244,000	"	22	137	143	30·5	Typhus and typh. fev. 3; diarrhoeal disease 50.
VIENNA - - -	769,889	"	22	443	305	20·6	Small-pox 16; typhus 3; diarr. dis. 51.
PRAGUE - - -	272,333	"	22	-	164	31·4	Scar. fev. 5; typhus and typhoid fever 2.
BUDA-PESTH -	429,532	"	8	231	237	28·7	Small-pox 4; diarrhoeal diseases 53.
TRIESTE - - -	150,157	"	1	-	-	-	-
ROME - - -	330,430	July	11	181	164	25·9	Measles 5; typhd. fev. 2.
NAPLES - - -	504,793	-	-	-	-	-	-
TURIN - - -	267,763	August	10	-	-	-	-
VENICE - - -	145,990	"	8	75	81	23·9	Sm.-pox 6; typhd. fev. 2.
MADRID - - -	475,663	-	-	-	-	-	-
LISBON - - -	203,681	-	-	-	-	-	-
ALEXANDRIA -	331,596	-	-	-	-	-	-
NEW YORK - -	1,356,958	"	1	-	926	35·6	Diphtheria 15; whooping-cough 14; diarr. dis. 208.
BROOKLYN - -	665,602	"	1	-	362	28·4	Scar. fev. 3; diarr. dis. 116; whooping-cough 4.
PHILADELPHIA -	940,432	"	8	-	404	23·2	Diphtheria 5; typhoid fev. 7; diarr. dis. 82.
BALTIMORE - -	408,520	"	8	-	154	19·7	Diphtheria 6; typhoid fev. 3; diarr. dis. 31.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 29th August, 1885.

[Under the Superintendence of the Astronomer Royal.]

1885. MONTH AND DAY.	MOON. Phases of Moon.	READINGS OF THERMOMETERS.				DIFFERENCE.				WIND.				RAIN.			
		Barom.		Dry.		Wet.		In the Water		Between Dew Point		Degree of humidity.		As deduced from Anemometers.		Collected	
		in.		Range		Mean		Lowest		Temperature		Between		General Direction.		in a	
		High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.
1885.																	
MON. 23.	..	29.782	63.2	48.7	14.5	54.9	48.8	89.4	38.0	62.6	61.7	6.1	10.4	0.0	0.0	0.0	0.0
TUES. 24.	..	29.886	70.6	47.9	22.7	58.4	50.6	112.3	38.0	61.4	61.3	7.8	17.3	0.2	0.2	0.0	0.0
WED. 25.	Full	29.842	74.8	46.7	28.1	59.8	50.4	144.3	38.2	61.6	61.5	9.4	22.3	0.0	0.0	0.0	0.0
THURS. 26.	..	29.810	74.0	49.0	25.0	60.7	51.7	135.9	38.1	61.8	61.2	9.0	18.5	0.0	0.0	0.0	0.0
FRI. 27.	..	29.743	62.3	50.9	11.4	55.1	52.7	94.5	43.5	61.8	61.2	2.4	9.3	0.0	0.0	0.0	0.0
SAT. 28.	In Equator	29.689	63.9	52.1	11.8	56.7	48.6	119.8	43.5	61.6	60.7	8.1	15.5	1.4	1.4	0.0	0.0
SUN. 29.	..	29.658	70.1	49.1	21.0	57.9	45.9	143.2	41.5	60.8	60.2	12.0	23.2	4.6	4.6	0.0	0.0
MEANS.	..	29.759	68.4	49.2	19.2	57.6	49.8	119.9	40.1	61.7	61.1	7.8	16.6	0.9	0.9	0.0	0.0
No. of Col.	8	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)		Registered Sunshine, in hours.	Sun above Horizon, in hours.	SKY AND ATMOSPHERE.
23 SUNDAY	w. P. generally	0.3	14.1		Overcast till afternoon; variable afterwards.
24 MONDAY	w. P. throughout	2.8	14.0		Misty in morning; haze and thin cloud prevailed till evening; cloudless at night.
25 TUESDAY	w. P. till evening; m. P. at night.	7.2	13.9		Cloudless but misty in early morning; a dense fog prevailed between 6h. A.M. and 8h. A.M.; fine with variable amounts of cloud afterwards.
26 WEDNESDAY	w. P. throughout	4.0	13.9		Fine but generally cloudy till evening; overcast at night.
27 THURSDAY	s. P. and s. N. till 6h. A.M.; w. P. after- wards.	1.2	13.8		Overcast with heavy rain in morning; fine after- wards with variable amounts of cloud.
28 FRIDAY	w. P. throughout	0.9	13.8		Generally cloudy. Windy.
29 SATURDAY	w. P. in morning; v. P. afterwards.	9.3	13.7		A very fine day. Partially cloudy. Windy.
		Sum 25.7	Sum 97.2		

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1885 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily wet point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1888.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer increased from 29.67 in. at the beginning of the week to 29.87 in. by 3h. A.M. on the 29th; decreased to 29.64 in. by 3h. P.M. on the 29th; and was 29.70 in. at the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

*Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.*

No. 35. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, SEPTEMBER 5. [Price 1½d.

*General Register Office, Somerset House,
7th September, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 18·0 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.		Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.
Birkenhead	25·8	18·5	19·6	20·2	Liverpool -	23·0	25·0	20·3	23·9
Birmingham	23·7	20·7	17·9	17·8	London -	18·8	18·8	17·5	15·8
Blackburn -	20·4	19·0	15·8	18·1	Manchester -	30·5	24·4	21·5	24·6
Bolton -	15·6	10·9	13·7	19·0	Newcastle-on-Tyne	24·9	28·3	21·8	20·4
Bradford -	12·4	12·7	17·3	18·0	Norwich -	20·0	14·9	14·9	17·7
Brighton -	22·3	14·6	20·9	16·4	Nottingham -	15·5	17·3	15·3	17·3
Bristol -	20·8	17·2	15·5	15·8	Oldham -	18·2	13·2	15·3	21·1
Cardiff -	23·1	24·2	18·8	25·3	Plymouth -	22·0	21·3	24·7	19·9
Derby -	14·5	23·9	20·4	22·1	Portsmouth -	16·3	21·7	23·6	22·9
Halifax -	18·9	13·5	16·2	17·5	Preston -	33·8	30·1	27·5	24·4
Huddersfield	19·1	18·5	16·1	8·4	Salford -	27·4	22·1	24·5	23·0
Hull -	16·8	12·6	17·4	15·1	Sheffield -	24·4	24·2	18·4	17·8
Leeds -	21·8	19·4	18·6	17·5	Sunderland -	25·4	20·0	22·9	23·3
Leicester -	20·3	22·2	14·6	22·2	Wolverhampton -	15·2	21·7	21·7	16·5

The highest annual death-rates from whooping-cough, measured by last week's mortality, were 2·2 in Cardiff, and 2·8 in Blackburn; from scarlet fever, 1·1 in Leicester, and 1·2 in Sunderland; from "fever," 1·1 in Birkenhead; and from measles, 2·1 in Oldham. The death-rate from diarrhoea averaged 2·1 per 1000 in the twenty-eight towns, and showed a further decline from the rates in recent weeks; it was, however, equal to 4·3 in Birmingham, 5·0 in Portsmouth, 6·1 in Salford, and 8·8 in Preston. Of the 21 deaths from diphtheria, 16 occurred in London, and 3 in Liverpool. Small-pox caused 5 deaths in London and its outer ring (exclusive of 3 in the Metropolitan Asylum Hospital Ship "Atlas"), and not one in any of the provincial towns.

LONDON.

In LONDON 2538 BIRTHS and 1238 DEATHS were registered. Allowing for increase of population, the births were 101, and the deaths 252, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·8 and 17·5 in the two preceding weeks, further declined to 15·8 last week, a lower rate than in any week since September 1881. During the first nine weeks of the current quarter the mean death-rate was 19·4 per 1000, against 21·0 in the corresponding periods of the nine years 1876-84.

The 1238 deaths included 3 from small-pox, 46 from measles, 14 from scarlet fever, 16 from diphtheria, 30 from whooping-cough, 8 from enteric fever, 83 from diarrhoea and dysentery, 3 from cholera and choleraic diarrhoea, and not one either from typhus or ill-defined forms of continued fever; thus, 203 deaths were referred to these diseases, being 134 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 4 and 5 in the two preceding weeks, declined to 3 last week. These 3 deaths were exclusive of 3 of London residents who died in the Metropolitan Asylum Hospital Ship "Atlas" situated outside Registration London. Of the total 6 cases, 4 occurred in the Metropolitan Asylum Hospitals, and 2 in private dwelling-houses. After distributing the hospital cases to the several sanitary areas, 4 belonged to South London, including 2 to Newington. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the thirteen preceding weeks from 1389 to 310, further fell to 295 on Saturday last; the admissions, which had been 41 and 43 in the two previous weeks, further rose to 47 last week.

The fatal cases of *measles*, which had been 38 and 55 in the two preceding weeks, declined to 46 last week, but exceeded the corrected weekly average by 17; 5 belonged to Fulham, 7 to Islington, 4 to Hackney, and 4 to Lambeth. The 14 deaths from *scarlet fever* exceeded by 2 the number in the preceding week, but were 35 below the corrected average; 3 belonged to Paddington, 2 to Shoreditch, and 2 to Bethnal Green. The Metropolitan Asylum Hospitals contained 266 scarlet fever patients on Saturday last, 32 having been received during the week. The 16 fatal cases of *diphtheria* showed a further increase upon recent weekly numbers, and exceeded the corrected average by 4; 2 belonged to Islington, 2 to Hackney, 2 to Newington, 2 to Lambeth, and 3 to Peckham. The deaths referred to *whooping-cough*, which had been 43 and 45 in the two previous weeks, declined to 30 last week, and were 6 below the corrected average; 12 belonged to South London, including 4 to Wandsworth. The fatal cases of *diarrhœa* and *dysentery*, which had declined in the five preceding weeks from 348 to 121, further fell last week to 83, and were less than half the corrected weekly average; 62 were of infants under one year of age, and 12 of children aged between one and five years. Of the 3 deaths referred to *cholera*, one was of an adult and one of a child certified as choleraic diarrhœa; and one was of an infant, aged eight weeks, certified as cholera infantum.

The deaths referred to *enteric fever*, which had been 15 and 14 in the two preceding weeks, further declined last week to 8, and were 9 below the corrected average; 2 belonged to Hackney. The Metropolitan Asylum Hospitals contained 22 cases of enteric fever, and 1 of typhus on Saturday last; 3 cases of enteric fever, and not one of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 165 and 201 in the two preceding weeks, declined to 159 last week, and were 13 below the corrected weekly average.

Different forms of violence caused 38 deaths; 32 were the result of negligence or accident, among which were 15 from fractures and contusions, 3 from burns and scalds, 4 from drowning, and 8 of infants under one year of age from suffocation. The 15 deaths from fractures and contusions were thus returned:—male, aged 67 years, thrown from cab; female 57, knocked down by horse; female 40, run over by cart; males 17, 18, and 30, run over on railway; female 42, fell down stairs; males 1, 26, and female 5, fell in street; male 53, fell from ladder; male 54, fell from roof of house; male 64, by fall of safe; male 44, by fall; and male 50, by fracture. An inquest was held in each of these 15 cases. Six cases of suicide were registered.

GREATER LONDON.

In Greater London 3258 births and 1574 deaths were registered, corresponding to annual rates of 32·7 and 15·8 per 1000 of the population. In the Outer Ring 32 deaths from diarrhœa, 9 from measles, 6 from whooping-cough, 6 from "fever," and 2 from small-pox, were registered. The 2 fatal cases of small-pox were recorded in the district of West Ham; and 3 deaths from measles occurred in Wimbledon sub-district.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·66 in.; the highest reading was 29·95 in. at mid-day on Tuesday, and the lowest 29·38 in. on Friday afternoon. The mean temperature of the *air* was 57°·2, and 2°·7 below the average in the corresponding week of the 20 years ending 1868. The mean showed a slight excess on Thursday, and corresponded with the average on Friday; but on each of the other days of the week it was below the average. The direction of the *wind* was variable, and the horizontal movement of the *air* averaged 10·1 miles per hour, which was 0·5 below the average in the corresponding week of 16 years. *Rain* fell on five days of the week, to the aggregate amount of 0·40 of an inch. The duration of registered bright sunshine in the week was 26·9 hours, against 24·9 hours at Glynde Place, Lewes.

TABLE 1.—Births, Deaths, and Meteorology in 28 GREAT TOWNS, during the Week ending 5th September, 1885.

CITIES AND BOROUGHs.	POPULATION estimated to the middle of the Year 1885.		Registered during the Week ending 5th Sept., 1885.		The DEATHS registered in the Week include										Deaths from				Deaths				Annual Rate per 1000, corresponding to the Week's Deaths				TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGHs.																																																																																																																																																																																																								
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	Inquest Causes.				Deaths in Public Institutions.	Unclassified Causes of Death.	From All Causes.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.		From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in Houses.	From Diseases in

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the THIRTY-FIFTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2304	2329	2496	2404	2502	2403	2358	2496	2448	2460	2638·9	2538
Males . . .	1175	1162	1248	1251	1296	1220	1185	1284	1249	1211	1339·2	1307
Females . .	1129	1167	1248	1153	1206	1183	1173	1212	1199	1249	1299·7	1231
TOTAL Deaths	1429	1288	1238	1365	1391	1460	1190	1473	1292	1542	1490·4	1238
Males . . .	755	668	630	711	718	766	632	736	693	815	776·8	663
Females . .	674	620	608	654	673	694	558	737	599	727	713·6	575

The numbers in this column are the average weekly numbers in the thirty-fifth week of the ten years 1875-84, raised by 0·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.
TOTAL Births - -	2464	2373	2419	2483	2420	2411	2423	2459	2164	2885	2535	2413	2588
TOTAL Deaths - -	1315	1284	1279	1366	1412	1616	1636	1750	1720	1472	1473	1371	1238
0-20 - -	655	654	658	690	741	964	998	1111	1062	870	790	713	619
20-40 - -	178	170	153	179	191	172	153	165	173	144	175	180	163
40-60 - -	218	185	227	238	198	222	299	211	218	201	237	207	231
60-80 - -	218	228	199	226	226	222	214	220	219	212	221	227	183
at 80 years & upwds.	46	47	42	33	56	86	62	43	43	45	50	44	42
Deaths of children { Under 1 year - -	305	316	318	372	408	563	627	723	687	555	499	408	362
{ 1-5 - -	260	258	256	224	251	304	281	289	287	232	214	230	192
{ 5-20 - -	90	80	84	94	82	97	90	99	88	83	77	75	65
Deaths from Small-pox* - -	39	37	28	39	23	15	18	16	14	15	5	9	6
" " Measles - -	98	95	90	80	73	82	65	71	58	49	38	55	46
" " Scarlet Fever - -	12	7	13	9	12	13	11	18	20	9	12	12	14
" " Diphtheria - -	17	16	14	18	15	16	19	23	20	13	13	14	16
" " Whooping-cough - -	39	42	46	59	51	77	51	47	41	44	43	45	30
" " Typhus - -	1	-	2	1	-	1	1	-	-	3	-	-	-
" " Enteric fever - -	4	6	11	9	10	17	9	8	10	13	15	14	8
" " Simple Cont'd fever - -	3	2	-	2	1	2	2	2	4	1	1	3	-
" " Diarrhoea and Dysentery - -	23	24	44	51	110	210	284	348	309	222	163	121	88
" " Cholera - -	2	3	2	1	3	7	5	13	11	5	7	6	3
Deaths from the above-mentioned Diseases* }	238	232	250	269	298	440	465	546	487	374	297	279	206
" " Dis. of Respiratory System }	231	196	183	192	177	197	180	172	184	162	165	201	159
" " Phthisis }	140	141	131	165	138	140	138	137	159	134	151	157	147
" " Dis. of Circulatory System }	84	70	73	74	99	86	101	73	89	85	110	94	97
Violent Deaths - -	52	56	39	42	53	58	42	43	47	55	53	52	38
Inquest Cases - -	96	94	81	84	94	114	92	75	93	98	92	81	76
Deaths in Public Institutions	313	306	285	290	312	297	306	298	297	260	292	302	259
TEMPERATURE OF THE AIR:													
Mean - -	58·5	58·7	58·3	60·5	65·0	61·2	64·5	65·2	59·4	59·6	58·2	57·6	57·2
Mean of Highest readings - -	69·5	70·6	68·2	72·7	79·5	73·5	78·1	77·7	70·8	72·5	69·4	68·4	68·1
Mean of Lowest readings - -	47·7	48·4	49·7	49·5	51·5	51·4	52·4	56·4	51·1	49·9	49·4	49·2	48·6
Humidity of the Air - -	75	76	75	67	67	74	72	64	77	74	80	75	79
Rain-fall in inches - -	0·90	0·39	0·11	00·0	0·02	0·49	0·01	0·00	0·46	0·09	0·14	0·61	0·40
Registered Sunshine (in hours)	55·3	41·8	35·2	41·1	60·5	32·8	55·9	48·3	28·8	43·4	19·7	25·7	26·9

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Phillier, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FIFTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 35th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 5th September, 1885.										Corrected Averages for the 35th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 5th September, 1885.										
		Deaths of Persons of the Ages											Deaths of Persons of the Ages										
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-5.	5-20.						0-1.		1-5.					5-20.					
ALL CAUSES	1490·4	1238	362	192	65	163	231	183	42	Diseases of Organs of Special Sense †	1·0	1	1	-	-	-	-	-	-	-	-	-	-
Small-pox { Vaccinated †	10·1	-	-	-	-	-	-	-	-	Diseases of Circulatory System	79·8	97	2	1	5	20	38	25	6	-	-	-	-
Unvaccinated		1	1	-	-	-	-	-	-	Croup	10·3	12	2	9	1	-	-	-	-	-	-	-	
No Statement		2	1	-	-	-	1	-	-	Bronchitis	83·4	76	21	13	1	1	12	25	3	-	-	-	
Measles	28·6	46	7	34	5	-	-	-	-	Pneumonia	50·2	54	19	13	4	4	10	4	-	-	-	-	
Scarlet Fever	48·7	14	2	11	1	-	-	-	-	Pleurisy	4·7	3	-	1	-	1	1	-	-	-	-	-	
Typhus	2·2	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System	20·6	14	1	4	1	1	4	2	1	-	-	-	
Relapsing Fever †	0·0	-	-	-	-	-	-	-	-	Dentition †	7·7	12	6	6	-	-	-	-	-	-	-	-	
Influenza	0·0	-	-	-	-	-	-	-	-	Quinsy, Sore Throat †	8·7	3	-	1	-	2	-	-	-	-	-	-	
Whooping-cough	36·2	30	13	17	-	-	-	-	-	Enteritis	9·4	10	3	2	-	2	1	1	1	-	-	-	
Diphtheria	12·1	16	3	9	4	-	-	-	-	Peritonitis	6·5	9	1	-	3	2	2	1	-	-	-	-	
Simple Continued and Ill-defined Fever	2·9	-	-	-	-	-	-	-	-	Diseases of Liver	32·0	23	4	-	-	-	13	5	1	-	-	-	
Enteric Fever	16·9	8	-	1	1	3	-	3	-	Other Diseases of Digestive System	27·3	29	8	2	1	5	2	11	-	-	-	-	
Cholera	8·2	3	1	1	-	1	-	-	-	Diseases of Lymphatic System & of Ductless Glands †	1·3	2	1	-	-	-	-	1	-	-	-	-	
Diarrhoea, Dysentery	171·3	83	62	12	-	-	2	7	-	Diseases of Urinary System	82·1	30	1	1	2	8	11	7	-	-	-	-	
Remittent Fever †	0·0	-	-	-	-	-	-	-	-	Diseases of Generative System	4·4	4	-	-	1	-	2	1	-	-	-	-	
Hydrophobia	0·2	-	-	-	-	-	-	-	-	Accidents of Childbirth	6·8	2	-	-	-	-	2	-	-	-	-	-	
Glanders	0·1	-	-	-	-	-	-	-	-	Diseases of Locomotive System †	5·3	7	-	-	3	2	1	-	1	-	-	-	
Cowpox and Effects of Vaccination †	0·3	-	-	-	-	-	-	-	-	Diseases of Integumentary System	5·7	5	2	-	-	-	2	1	-	-	-	-	
Venernal Affections	12·8	11	9	-	-	1	1	-	-	VIOLENT DEATHS ‡													
Erysipelas	5·7	7	1	-	-	1	2	3	-	(ACCIDENT.)													
Pyæmia and Septicæmia †	1·7	1	-	-	-	-	1	-	-	Fracture and Contusion	20·9	15	-	1	3	2	7	2	-	-	-	-	
Puerperal Fever	5·5	3	-	-	-	3	-	-	-	Gunshot Wound	0·2	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Diseases †	0·3	2	-	1	-	1	-	-	-	Cut, Stab	0·9	-	-	-	-	-	-	-	-	-	-	-	
Thrush	6·0	1	1	-	-	-	-	-	-	Burn and Scald	3·8	3	-	2	-	-	-	1	-	-	-	-	
Worms and other Parasitical Diseases	0·5	-	-	-	-	-	-	-	-	Poison	1·1	-	-	-	-	-	-	-	-	-	-	-	
Starvation, Want of Breast-milk †	4·0	3	3	-	-	-	-	-	-	Drowning	9·8	4	-	-	1	1	2	-	-	-	-	-	
Alcoholism	4·1	5	-	-	-	2	3	-	-	Suffocation	8·8	9	8	-	-	-	1	-	-	-	-	-	
Rheumatic Fever and Rheumatism of Heart	9·3	12	-	-	4	4	3	1	-	Otherwise	3·3	1	1	-	-	-	-	-	-	-	-	-	
Rheumatism		3	-	-	-	-	1	1	1	(HOMICIDE.)													
Gout		3·6	4	-	-	-	2	2	-	Murder & Manslaughter	1·3	-	-	-	-	-	-	-	-	-	-	-	
Rickets †	1·7	2	-	2	-	-	-	-	-	(SUICIDE.)													
Cancer	42·9	52	-	-	2	7	22	19	2	Gunshot Wound	0·4	-	-	-	-	-	-	-	-	-	-	-	
Tabes Mesenterica	41·4	35	26	7	2	-	-	-	-	Cut, Stab	0·4	2	-	-	-	-	1	1	-	-	-	-	
Tubercular Meningitis	28·4	24	9	11	4	-	-	-	-	Poison	1·5	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	185·0	147	4	4	7	76	47	9	-	Drowning	0·8	-	-	-	-	-	-	-	-	-	-	-	
Scrophula, Tuberculosis	15·3	22	10	8	1	2	1	-	-	Hanging	2·0	-	-	-	-	-	-	-	-	-	-	-	
Other Constitutional Diseases †	10·0	10	1	-	1	3	2	2	1	Otherwise	0·9	-	-	-	-	-	-	-	-	-	-	-	
Premature Birth	33·4	27	27	-	-	-	-	-	-	(EXECUTION.)													
Atelectasis †	2·0	4	4	-	-	-	-	-	-	Hanging	0·2	-	-	-	-	-	-	-	-	-	-	-	
Congenital Malformations	7·0	5	5	-	-	-	-	-	-	OTHER CAUSES †	79·0	64	55	2	-	-	3	2	2	-	-	-	
Old Age	46·0	88	-	-	-	-	1	20	17														
Apoplexy	38·1	31	-	-	-	3	11	14	3														
Epilepsy	9·1	3	-	-	-	1	-	1	1														
Convulsions	46·3	31	25	5	1	-	-	-	-														
Other Diseases of Brain and Nervous System	72·6	57	12	10	6	4	15	8	2														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9·046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

† Exclusive of 3 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include																		
					Deaths of		Deaths from																
					Infants under 1 Year of Age.	Persons aged 50 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes.				
LONDON					3,816,483	2538	1238	362	225	3	46	14	16	30	-	8	-	83	33	76	259	18	
WEST DISTRICTS					669,638	381	244	68	45	1	8	3	1	5	-	1	-	15	7	15	66	1	
NORTH DISTRICTS					905,947	578	290	78	55	-	16	1	5	4	-	2	-	14	7	13	56	2	
CENTRAL DISTRICTS					282,238	148	85	23	17	-	2	-	-	1	-	-	-	3	3	8	26	2	
EAST DISTRICTS					692,738	518	251	74	45	1	8	6	1	8	-	2	-	18	11	22	46	3	
SOUTH DISTRICTS					1,265,927	933	398	119	63	1	12	4	9	13	-	3	-	33	10	18	65	5	
WEST DISTRICTS.																							
St. Mary Paddington WHH G.J. & W.M.					60888	41	27	6	9	-	-	-	2	-	-	-	-	2	-	2	4	-	
St. John Paddington H - - G.J.					37330	8	12	-	2	-	-	1	2	-	-	-	-	-	2	2	8	-	
Kensington Town WH - - W.M.					120141	62	38	9	8	1	2	-	-	-	-	-	-	3	-	1	13	-	
Brompton H - - W.M. & C.					48010	8	7	1	2	-	-	-	-	1	-	-	-	-	-	-	1	-	
St. Peter Hammersmith - - W.M.					7599	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.					64340	44	18	9	3	-	-	2	-	-	-	-	5	-	-	1	-	-	
Fulham WH - - W.M. & C.					42900	66	29	7	5	-	3	-	-	1	-	-	2	-	1	5	-	-	
Chelsea South HHH - - C.					80896	20	10	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	
Chelsea North-west WHHHH - C.					32807	26	11	6	-	-	-	-	-	1	-	-	-	1	-	2	8	-	
Chelsea North-east - - C.					16862	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hanover Square H - - G.J.					13491	2	9	1	6	-	-	-	-	-	-	-	-	1	1	8	-	-	
May Fair WH - - G.J.					59220	19	25	8	2	-	-	-	-	-	-	-	-	2	3	11	-	-	
Belgrave WHH - - C.					35496	27	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Westminster HH - - C.					24679	6	14	2	2	-	-	-	-	1	-	-	-	-	-	6	1	-	
St. Margaret Westminster H - C.					29941	8	13	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-
St. James Westminster WH N.R. & G.J.					16608	7	2	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
St. Anne Soho HHHHH - - N.R.																							
NORTH DISTRICTS.																							
All Souls Marylebone HHHH - W.M.					28759	11	3	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Cavendish Square HHH - - W.M.					14891	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Rectory Marylebone WH G.J. & W.M.					24809	32	9	4	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
St. Mary Maryleb. HHH G.J. & W.M.					21118	15	11	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H - W.M.					33700	19	8	5	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-
St. John Marylebone H - W.M.					33633	25	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead WHHHH - N.R. & W.M.					45452	19	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Regent's Park Pancras H - W.M.					39115	17	6	-	1	-	-	-	-	-	-	-	-	-	1	1	4	-	-
Tottenham-court WHHHH N.R. & W.M.					27729	23	8	2	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-
Gray's Inn Lane HHH - - N.R.					30247	16	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Somers Town H - - N.R.					84369	14	4	1	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Camden Town WH - - N.R.					17311	59	22	4	3	-	-	-	-	-	-	-	-	-	-	-	7	-	-
Kentish Town W - - N.R.					87487	55	32	3	12	-	2	-	2	-	-	-	-	1	1	2	18	-	-
Upper Holloway WHWHH - N.R.					67946	62	37	15	5	-	2	-	2	-	-	-	-	6	1	2	-	1	-
Islington South-west HH - - N.R.					100976	35	20	5	2	-	2	-	2	-	-	-	-	-	1	-	-	-	-
Islington South-east - - N.R.					61895	19	15	5	5	-	1	-	-	-	-	-	-	3	2	1	-	-	-
Highbury H - - N.R.					52048	18	8	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - - N.R.					22781	12	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - E.L.					9277	23	7	5	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
West Hackney - - N.R.					87610	60	38	12	11	-	3	1	-	1	-	2	-	2	-	1	18	1	-
Hackney WHWHHL - - E.L. & N.R.					76911	19	10	4	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
South Hackney - - E.L.					39883	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																							
St. George Bloomsbury - - N.R.					16681	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - - N.R.					14864	3	6	3	3	-	-	-	-	-	-	-	-	-	1	1	1	4	-
St. Giles North - - N.R.					13837	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.					17508	11	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary-le-Strand H - - N.R.					7515	8	5	2	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-
St. Clement Danes H - - N.R.					8559	8	5	1	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-
St. George-the-Martyr HHHHHH N.R.					18671	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Eastern W - - N.R.					10706	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Saffron Hill H - - N.R.					6533	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - N.R.					17516	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.R.					16281	11	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - N.R.					14773	4	3	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-
Goosewell-street - - N.R.					17506	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old-street H - - N.R.					11541	21	8	6	1	-	-	-	-	-	-	-	-	-	1	1	2	2	1
City-road HHL - - N.R.					18628	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whitecross-street - - N.R.					9217	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - N.R.					7463	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - N.R. & E.L.					11174	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Cripplegate - - N.R.					7193	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - - N.R.					5353	1	15	-	1	-	-	-	-	-	-	-	-	-	1	1	14	-	-
St. Bride W - - N.R.					8396	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - N.R.					13666	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.					3632	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Work-house; *H*—Hospital; *L*—Lunatic Asylum; *w*—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—*G.J.* signifies Grand Junction Company; *W.M.* West Middlesex; *C.* Chelsea; *S.* Southwark and Vauxhall; *L.* Lambeth; *N.R.* New River; *E.L.* East London; and *K.* Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, SCARLET-FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the week ending on Saturday, the 5th September, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Deaths of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by W:-
Marylebone Infirmary in Kensington Town sub-district.
General London Sick Asylum in Tottenham Court-road sub-district.
Holborn Infirmary in Upper Holloway sub-district.
London City Workhouse in Hackney sub-district.
London " in Brixton New Town sub-district.
Whitechapel " Mile End Old Town Eastern sub-dist.
London City Workhouse in Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Stepney " Bromley sub-district.
Poplar & Stepney Sick Asylum in West Battersea sub-district.
Westminster Union Industrial School in Fulham, Hammersmith, Hackney, Brixton, and St. Paul, Deptford sub-districts.
† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION: BIRTHS and DEATHS registered during the Week ending Saturday, 5th September, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Un- certified Causes.
LONDON—OUTER RING		370.282	950,178	720	386	103	63	2	9	4	5	6	6	32	8	11	44	2
30:1	Carshalton <i>wL</i> - -	12228	21118	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37:1	Godstone (<i>part of</i>) * -	2754	1235	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
38:1	Croydon <i>WwH</i> - -	20851	101241	67	26	8	7	-	-	-	1	-	-	3	-	-	7	1
	Mitcham - - -	11697	17932	11	4	2	-	-	-	-	-	1	-	1	-	-	-	-
39:1	Wimbledon <i>HHH</i> - -	3220	15950	19	8	3	1	-	3	-	-	-	-	-	-	-	-	-
2	Kingston <i>WHH</i> - -	8549	36354	17	9	3	2	-	-	-	-	-	-	1	-	-	3	-
3	Esher (<i>part of</i>) * -	6601	9221	11	5	3	1	-	-	-	-	-	-	-	1	1	-	-
4	Hampton <i>H</i> - - -	4573	13539	11	5	-	2	-	-	-	-	-	-	-	1	1	-	-
40:1	Richmond <i>WH</i> - -	2272	21302	12	9	4	3	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake - - -	941	12331	10	5	5	-	-	-	-	-	-	-	3	-	-	-	-
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	22	3	2	-	-	-	-	-	2	-	-	1	1	-	-
2	Chislehurst(<i>pt. of</i>) * <i>WHH</i>	13665	15065	22	6	2	-	-	-	-	-	-	-	-	-	1	-	-
42:1	Bexley <i>H</i> - - -	13437	24134	8	4	-	1	-	-	-	-	-	-	1	-	-	-	-
124:1	Sunbury <i>w</i> - - -	11055	11685	5	4	3	-	-	-	-	-	-	-	-	-	1	-	-
2	Staines <i>W</i> - - -	13277	12089	7	3	-	1	-	1	-	-	-	-	-	-	-	1	-
125:1	Hillingdon <i>WH</i> - -	6029	10802	7	6	2	3	-	-	-	-	-	1	-	-	-	1	-
2	Uxbridge - - -	6178	5225	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes <i>wHL</i> - - -	14537	11523	5	8	2	-	-	1	-	-	-	-	-	1	1	3	-
126:1	Isleworth <i>W</i> - - -	7008	22727	13	5	1	1	-	-	-	-	-	-	-	-	-	3	-
2	Twickenham <i>H</i> - -	2477	12479	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford <i>HL</i> - -	4345	27649	13	10	1	5	-	1	-	-	-	-	-	1	-	-	-
4	Chiswick - - -	1340	15975	15	5	2	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton <i>wH</i> - - -	6083	22876	15	9	3	1	-	-	-	-	-	-	2	-	-	1	-
127:1	Harrow <i>H</i> - - -	13809	12796	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>H</i> - - -	6994	3749	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden - - -	4983	27453	26	17	5	2	-	1	2	1	-	2	3	1	-	-	-
4	Hendon <i>W</i> - - -	8382	10484	13	4	-	1	-	-	-	-	-	-	-	-	1	2	-
128:1	South Mimms - - -	15899	6391	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-
2	Barnet <i>W</i> - - -	5483	10092	4	3	-	1	-	-	-	-	-	-	-	-	-	2	-
3	Finchley <i>HL</i> - - -	4688	17615	13	11	-	3	-	-	-	-	-	-	-	-	-	7	-
129:1	Hornsey <i>H</i> - - -	3039	37078	33	2	1	-	-	-	-	-	-	-	1	-	-	-	-
2	Tottenham <i>HH</i> - -	4642	46456	45	26	11	4	-	-	-	-	2	1	1	-	-	-	-
3	Edmonton <i>Ww</i> - -	7483	23463	20	11	3	3	-	-	-	-	-	-	-	-	-	5	-
4	Enfield <i>WH</i> - - -	12633	19104	14	7	4	1	-	-	-	-	1	-	1	-	1	-	-
5	Waltham Abbey -	11017	5363	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - - -	8480	7735	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
135:1	Hatfield (<i>part of</i>) * -	3306	583	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey - - -	9831	6621	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-
136:1	Stratford - - -	882	33603	34	6	1	1	-	-	-	-	-	-	-	-	-	-	-
2	West Ham <i>wvwwH</i> -	7351	101053	121	52	19	9	1	1	1	3	-	1	9	1	1	2	1
3	Leyton <i>WwL</i> - - -	4372	32430	31	15	5	3	-	-	-	-	-	-	3	-	-	5	-
4	Walthamstow <i>wH</i> -	6520	22869	11	28	3	2	1	1	-	-	-	-	3	-	1	-	-
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9669	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139:1	Romford (<i>part of</i>) * -	6730	3411	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - - -	8493	7645	2	5	1	2	-	-	-	-	1	-	-	-	-	-	-
3	Barking Town - -	4127	9203	11	1	-	-	-	-	-	-	-	-	-	1	1	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—
 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1235); 37: 1, the two parishes of Warrington and Farley in Godstone sub-district; 38: 3, the whole of Esher sub-district, except the parish of Esner (pop. 1993); 41: 1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41: 2, the whole of Chislehurst sub-district, except the parish of Chislehurst Bois (pop. 875); 139: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 5th September, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include													
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from											Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.			
GREATER LONDON	448,334	5,199,166	15·8	2·6	1574	465	288	5	55	18	21	36	14	115	46	303			
INNER LONDON -	78,052	4,083,928	15·8	2·6	1238	362	225	3	46	14	16	30	8	83	38	259			
OUTER RING	370,282	1,115,238	15·7	3·0	336	103	63	2	9	4	5	6	6	32	8	44			

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	August 1	-	219	26·3	Fevers 57; cholera 26.
BOMBAY - -	773,196	" 4	297	454	28·0	Fevers 128; cholera 18.
MADRAS - -	398,777	July 31	315	266	31·6	Fevers 65; diarr. dis. 54.
PARIS - -	2,230,928	August 29	1220	949	22·0	Typh. fev. 36; diph. & crp. 15; diarr. dis. 133.
GENEVA - -	71,453	" 29	26	23	16·8	—
BRUSSELS - -	436,214	" 22	250	177	21·5	Croup 8; diarr. dis. 48.
AMSTERDAM - -	366,812	" 29	291	123	17·4	Typh. and typhd. fev. 1; scarlet fever 2.
ROTTERDAM - -	166,001	" 29	136	50	15·3	Scarlet fever 5.
THE HAGUE - -	134,552	" 29	104	50	19·3	Croup 2; whooping-cough 5.
COPENHAGEN - -	580,615	" 25	204	90	16·7	Diarr. dis. 10; scar. fev. 2; typh. & typhd. fev. 2.
STOCKHOLM - -	200,143	" 15	136	74	19·2	Scarlet fever 2; diarrhoeal dis. 15.
CHRISTIANIA - -	128,000	" 29	69	67	27·2	Diphtheria and croup 14; diarrhoeal dis. 13.
ST. PETERSBURG	928,016	" 22	-	533	30·0	Typhus and typh. fev. 7; diph. 9; diarr. dis. 155.
BERLIN - -	1,279,509	" 15	865	600	24·5	Diph. 27; typh. & typhd. fev. 7; diarr. dis. 159.
HAMBURG(State)	497,956	" 22	324	257	26·9	Diphtheria and croup 7; diarrhoeal dis. 47.
DRESDEN - -	241,500	" 15	158	120	25·8	Diarrhoeal dis. 21; diph. and croup 5.
BRESLAU - -	295,000	" 22	191	186	32·6	Diphtheria 3; diarrhoeal diseases 39.
MUNICH - -	244,000	" 29	167	140	29·8	Typhus and typh. fev. 2; diarrhoeal diseases 35.
VIENNA - -	769,889	" 29	528	341	23·0	Small-pox 8; diph. 4; diarrhoeal dis. 48.
PRAGUE - -	272,333	" 29	-	164	31·4	Sm.-pox 4; dip. & croup 4; scar. fev. 4; diarr. dis. 9.
BUDA-PESTH - -	429,532	" 15	307	231	28·0	Sm.-pox 4; typh. & typhd. fev. 4; diarr. dis. 55.
TRIESTE - -	150,157	" 1	-	-	-	—
ROME - -	330,430	July 18	194	177	27·9	Sm.-pox 3; typhd. fev. 2; diarrhoeal diseases 30.
NAPLES - -	504,795	—	-	-	-	—
TURIN (10 days)	267,763	August 10	-	-	-	—
VENICE - -	145,990	" 15	68	78	27·9	Sm.-pox 3; typhd. fev. 4.
MADRID - -	475,668	—	-	-	-	—
LISBON - -	208,681	—	-	-	-	—
ALEXANDRIA - -	314,900	—	-	-	-	—
NEW YORK - -	1,356,958	" 8	-	618	24·9	Diphtheria 15; whooping-cough 16; diarr. dis. 159.
BROOKLYN - -	665,602	" 8	-	287	22·5	Diphtheria 7; scarlet fev. 6; diarr. dis. 91.
PHILADELPHIA - -	949,432	" 15	-	467	25·7	Diphtheria 7; typhoid fever 13; diarr. dis. 68.
BALTIMORE - -	408,520	" 15	-	170	21·7	Diphtheria 5; typhoid fever 2; diarr. dis. 30.

[Under the Superintendence of the Astronomer Royal.]

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	SKY AND ATMOSPHERE.	
				Augst.	
SUNDAY . 30	m. P. throughout	4.8	13.7	Fine; partially cloudy till evening; overcast at night.	
MONDAY . 31	w. P. till 3h. P.M.; w. N. till 6h. P.M.; w. P. afterwards.	0.0	13.6	Overcast. Occasional showers.	
SEPTEMBER.					
TUESDAY . 1	w. P. in morning; m. P. afterwards.	4.2	13.5	A fine day. Generally cloudy till evening; cloudless at night.	
WEDNESDAY . 2	w. P. generally; w. N. about 3h. P.M.	0.2	13.4	Generally overcast. Frequent showers.	
THURSDAY . 3	w. N. in early morning; w. P. generally.	6.4	13.4	Overcast with rain in morning; fine afterwards; partially cloudy till evening; cloudless at night.	
FRIDAY . 4	w. P. generally	4.8	13.3	Fine generally. Partially cloudy till evening; cloudless at night. Showery between 9h. A.M. and 10h. A.M.	
SATURDAY . 5	w. P. till 2h. P.M.; s. N. and s. P. till 4h. P.M.; w. P. afterwards.	6.5	13.2	Fine generally. Partially cloudy. A heavy shower of rain about 3h. P.M.	Sum 46.9
			Sum		94.1

Observations are usually taken at 9h, A.M.; noon; 3h, P.M.; and 9h, P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers (Table 5), to give the mean daily dew point (Table 6). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glashier's Hygrometric Tables.

The thermometers in the water of the Thiames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Controller of Customs.

The record of Electricity is derived from Thomson's self-registering Instrument. The numbers employed are: $-P$, positive; N , negative; w , weak; m , moderate; s , strong; and v , variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

Some of the observations are to be understood as being taken at Deptford.

The results of our meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer increased from 29.70 in. at the beginning of the week to 29.95 in. by noon on the 1st of September; decreased to 29.38 in. by 3h. P.M. on the 4th; and was 29.47 in. at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 36, 1885. VOL. XLVI.] WEEK ENDING SATURDAY, SEPTEMBER 12. [Price 1½d.

*General Register Office, Somerset House,
14th September, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 17·3 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.		Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.
Birkenhead	18·5	19·6	20·2	20·7	Liverpool - -	25·0	20·3	23·9	23·2
Birmingham	20·7	17·9	17·8	16·1	London - -	18·8	17·5	15·8	15·6
Blackburn -	19·0	15·8	18·1	21·3	Manchester -	24·4	21·5	24·6	23·2
Bolton -	10·9	13·7	19·0	13·3	Newcastle-on-Tyne	28·3	21·8	20·4	25·2
Bradford -	12·7	17·3	18·0	14·1	Norwich - -	14·9	14·9	17·7	20·0
Brighton -	14·6	20·9	16·4	12·3	Nottingham -	17·3	15·3	17·3	15·5
Bristol -	17·2	15·5	15·8	14·1	Oldham - -	13·2	15·3	21·1	13·6
Cardiff -	24·2	18·8	25·3	24·2	Plymouth - -	21·3	24·7	19·9	23·3
Derby -	23·9	20·4	22·1	18·0	Portsmouth -	21·7	23·6	22·9	18·2
Halifax -	13·5	16·2	17·5	19·6	Preston - -	30·1	27·5	24·4	27·5
Huddersfield	18·5	16·1	8·4	26·9	Salford - -	22·1	24·5	23·0	21·7
Hull - -	12·6	17·4	15·1	12·6	Sheffield - -	24·2	18·4	17·8	18·1
Leeds - -	19·4	18·6	17·5	18·0	Sunderland -	20·0	22·9	23·3	16·7
Leicester -	22·2	14·6	22·2	15·3	Wolverhampton -	21·7	21·7	16·5	15·8

The highest annual death-rates from whooping-cough, measured by last week's mortality, were 1·4 in Blackburn, and 1·7 in Derby; from measles, 1·1 in Manchester, and 1·4 in Newcastle-upon-Tyne; from scarlet fever, 1·0 in Preston, 1·2 in Huddersfield, and 1·5 in Leicester; from "fever," 1·5 in Leicester, and 1·6 in Preston; and from diarrhoea, 4·3 in Cardiff, 4·6 in Blackburn, and 6·2 in Preston. Of the 31 deaths from diphtheria, 22 occurred in London, 2 in Birmingham, 2 in Bradford, and 2 in Cardiff. Small-pox caused 11 deaths in London and its outer ring (exclusive of 6 in the Metropolitan Asylum Hospital Ship "Atlas"), and one in Bristol.

LONDON.

In LONDON 2330 BIRTHS and 1221 DEATHS were registered. Allowing for increase of population, the births were 357, and the deaths 228, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·8, 17·5, and 15·8 in the three preceding weeks, further declined to 15·6 last week, a lower rate than in any week on record. During the first ten weeks of the current quarter the mean death-rate was 19·0 per 1000, against 20·7 in the corresponding periods of the nine years 1876-84.

The 1221 deaths included 3 from small-pox, 25 from measles, 15 from scarlet fever, 22 from diphtheria, 39 from whooping-cough, 1 from typhus, 12 from enteric fever, 1 from an ill-defined form of continued fever, 62 from diarrhoea and dysentery, and not one from cholera or choleraic diarrhoea; thus, 180 deaths were referred to these diseases, being 114 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 5 and 3 in the two preceding weeks, were again 3 last week. These 3 deaths were exclusive of 6 of London residents who died in the Metropolitan Asylum Hospital Ship "Atlas" situated outside Registration London. Of the total 9 cases, 8 occurred in the Metropolitan Asylum Hospitals, and 1 in the Highgate Small-pox Hospital. After distributing the hospital cases to the several sanitary areas, 2 belonged to Poplar. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the fourteen preceding weeks from 1389 to 295, further fell to 213 on Saturday last; the admissions, which had been 43 and 47 in the two previous weeks, fell to 32 last week.

The deaths from *measles*, which had been 55 and 46 in the two preceding weeks, further declined to 25 last week, but exceeded by 3 the corrected weekly average; 3 belonged to Fulham, 3 to Islington, and 3 to Camberwell. The 15 fatal cases of *scarlet fever* showed a further slight increase upon recent weekly numbers, but were 31 below the corrected average; 12 belonged to East London, including 3 to Shoreditch, 3 to Mile End Old Town, and 3 to Poplar. The Metropolitan Asylum Hospitals contained 269 scarlet fever patients on Saturday last, 32 having been received during the week. The deaths referred to *diphtheria*, which had been 13, 14, and 16 in the three preceding weeks, further rose to 22 last week, and exceeded by 9 the corrected average weekly number; 6 belonged to Islington, 2 to St. George-in-the-East, and 4 to Camberwell. The 39 fatal cases of *whooping-cough* exceeded by 9 the number recorded in the previous week, and were 2 above the corrected average; 16 belonged to South London, including 4 to Deptford. The deaths referred to *diarrhœa* and *dysentery*, which had declined in the six preceding weeks from 348 to 83, further fell last week to 62, and were 78 below the corrected average weekly number; 57 were of infants and children under 5 years of age.

The fatal cases of *enteric fever*, which had declined from 15 to 8 in the three preceding weeks, rose to 12 last week, but were 6 below the corrected average; 7 belonged to South London, including 2 to Lambeth, and 2 to Lewisham. The death from *typhus* was of a child, aged 5 years, at 136, Watergate Street, Deptford. The Metropolitan Asylum Hospitals contained 24 cases of enteric fever, and 1 of typhus on Saturday last; 4 cases of enteric fever, and not one of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 201 and 159 in the two preceding weeks, rose again to 175 last week, and were 9 above the corrected weekly average.

Different forms of violence caused 48 deaths; 35 were the result of negligence or accident, among which were 17 from fractures and contusions, 7 from burns and scalds, 3 from drowning, and 4 of infants under one year of age from suffocation. The 17 deaths from fractures and contusions were thus returned:—male, aged 76 years, run over by wagon; males 5 and 64, run over by van; male 13, fell from van; males 14 and 37, run over by train; male 24, fell from scaffold; males 3 and 51, fell from window; female 59, fell from chair; female 3, fell down stone steps; male 14, fell into hold of barge; male 29, and female 49 (intoxicated), fell in street; male 9, fell from gate; male 53, fell from ship's staging; and male 5, crushed by a stone. An inquest was held in each of these 17 cases. Twelve cases of suicide were registered.

GREATER LONDON.

In Greater London 2980 births and 1518 deaths were registered, equal to annual rates of 29.9 and 15.2 per 1000 of the population. In the Outer Ring 24 deaths from diarrhœa, 8 from small-pox, 7 from whooping-cough, and 5 from "fever," were registered. Of the 8 fatal cases of small-pox, 5 were recorded in West Ham, 1 in Stratford, 1 in Croydon, and 1 in Harrow sub-districts.

On pages 369-70 will be found Dr. Frankland's report upon the quality of the waters supplied to the Metropolis by the various water companies during August. The Thames waters, as delivered by the companies drawing their supply from that source, contained still smaller proportions of organic matter than in the months of April, May, June, and July. All the samples were clear and bright. The Lea water distributed by the New River Company was remarkably free from organic matter, the proportion barely exceeding that in the deep-well waters; while the East London Company's supply resembled the Thames waters. Both waters were clear and bright on delivery. The deep-well waters delivered by the Kent and

Colne Valley Companies, and by the Tottenham Local Board, were, as usual, of excellent quality for drinking. The Colne Valley Company's water, being softened with lime, was also well fitted for all domestic purposes.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·56 in.; the highest reading was 29·77 in. on Saturday morning, and the lowest 29·29 in. on Friday morning. The mean temperature of the *air* was 56°·3, and 2°·3 below the average in the corresponding week of the 20 years ending 1868. The mean showed an excess on Sunday the 6th instant, but was below the average throughout the remainder of the week. The direction of the *wind* was variable, and the horizontal movement of the air averaged 14·3 miles per hour, which was 2·9 above the average in the corresponding week of 16 years. *Rain* fell on six days of the week, to the aggregate amount of 1·93 inches. The duration of registered bright sunshine in the week was 21·1 hours, against 24·0 hours at Glynde Place, Lewes.

THE REGISTRAR GENERAL has to acknowledge the courtesy of the LONDON WATER COMPANIES who have furnished him with the average daily quantity of Water supplied during the month of AUGUST 1885; according to their returns 167,771,518 gallons or 762,263 cubic metres of water (equal to about as many *tuns* by measure, *tons* by weight,) were supplied daily; or 240 gallons (109·0 decalitres), being rather more than a *ton* by weight, to each house, and 30·8 gallons (14·0 decalitres) to each person, against 32·7 gallons during August 1884.

COMPANIES.	Number of Houses, &c. supplied in		Average daily Supply of Water in Gallons.	
	AUGUST. 1884.	AUGUST. 1885.	AUGUST. 1884.	AUGUST. 1885.
TOTAL SUPPLY . . .	676,610	698,005	172,653,319	167,771,518
From Thames	328,008	336,798	86,536,247	87,966,237
From Lea and from other Sources . . .	348,602	361,207	86,117,072	79,805,281
THAMES.				
Chelsea	32,998	33,640	11,074,300	10,918,800
West Middlesex	64,887	66,430	15,170,692	15,561,967
Southwark and Vauxhall	102,507	104,617	24,397,216	25,161,861
Grand Junction	49,375	51,072	16,345,439	16,503,109
Lambeth	78,241	81,039	19,368,600	19,820,500
LEA AND OTHER SOURCES.				
New River	142,148	145,119	35,383,000	31,646,000
East London	144,773	151,439	40,387,651	36,093,172
Kent	61,681	64,649	12,347,421	12,066,109

Note.—The Return for August 1885, as compared with that for the corresponding month of 1884, shows an increase of 21,395 houses, and a decrease of 4,881,801 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING AUGUST.

Grove House, Pembridge Square, W.,
11th September, 1885.

SIR, I HAVE to report to you in the following Table the results of the chemical analyses of the waters supplied to the inner, and portions also of the outer, circle of the Metropolis during the month of August.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity contained in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Kent 0·5, Tottenham 0·6, Colne Valley 0·6, New River 0·7, Grand Junction 1·2, Southwark 1·5, Chelsea 1·6, East London 1·7, Lambeth 2·1, West Middlesex 2·1.

The Thames water sent out by the Chelsea, West Middlesex, Southwark, Grand Junction, and Lambeth Companies which during the months of April, May, June, and July was characterized by the small proportion of organic matter it contained, exhibited during the past month a still further improvement in this respect, the amount of organic matter present in the samples of the Grand Junction, Southwark, and Chelsea Companies' water being most exceptionally small. All the waters were clear and bright.

The water from the river Lea, distributed by the New River Company was again remarkably free from organic matter, the proportion barely exceeding that present in the deep well waters, whilst the East London Company's supply resembled the Thames waters. Both waters were clear and bright on delivery. This exceptional quality of the river waters is attributable

to the prolonged drought and the consequent reduction in the amount of surface water gaining access to the rivers, which are now almost exclusively fed by pure spring water.

The deep-well water delivered by the Kent and Colne Valley Companies, and by the Tottenham Local Board of Health was, as usual, of excellent quality for drinking, and the Colne Valley Company by softening their supply with lime, thereby rendered it also well fitted for washing and all other domestic purposes.

Seen through a stratum two feet deep, the waters presented the following appearances:—Kent, Colne Valley, Tottenham, and New River, clear and colourless; Chelsea, West Middlesex, Southwark, Grand Junction, Lambeth, and East London, clear and very pale yellow.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that town was "slightly turbid, the organic matter being the same as in the previous month."

Dr. Mills, F.R.S., of Anderson's College, Glasgow, reports that the water supplied to that city from Loch Katrine was "light brown in colour and contained considerably more suspended matter than usual; the organic matter being unusually high."

The Registrar General, &c. &c.

I am, &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	COMPANIES OR LOCAL AUTHORITIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Mat- ter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.										
	Chelsea - - -	{ August 17th, Cab Rank, Horseguards, Whitehall. }	17·8	23·68	·074	·023	0	·116	·139	1·8	16·9
	West Middlesex -	{ August 17th, Cab Rank, Portland-road. }	19·7	22·94	·096	·030	0	·105	·135	1·7	16·0
	Southwark - - -	{ August 17th, Cab Rank, Bricklayers Arms, Old Kent-road. }	19·7	23·56	·069	·022	0	·106	·128	1·8	16·9
	Grand Junction -	{ August 17th, Cab Rank, Uxbridge-rd., near Marble Arch. }	18·7	23·56	·051	·021	0	·114	·135	1·7	16·6
	Lambeth - - -	{ August 17th, Cab Rank, St. George's- road, Southwark. }	18·0	24·00	·099	·026	0	·126	·152	1·7	17·1
Outer Circle.	LEA.										
	New River - - -	{ August 17th, Cab Rank, Tottenham Court-road. }	18·2	24·68	·028	·014	0	·134	·148	1·8	17·1
	East London - -	{ August 17th, Fire Brigade Station, Commercial-road, E. }	18·0	23·26	·082	·019	0	·134	·153	1·9	16·6
	DEEP WELLS.										
	Kent - - - - -	{ August 29th, Greenwich Police Station, Blackheath-road. }	14·5	34·30	·020	·008	0	·451	·459	2·0	25·7
	Colne Valley - -	{ August 21st, Bushey. }	—	13·44	·024	·011	0	·352	·363	1·7	5·0
	Tottenham - - -	{ August 27th, Tottenham. }	—	36·80	·024	·009	·065	·000	·064	2·4	18·9
	Corporation of Birm- ingham* - - - -	{ August 28th, 132, Steelhouse-lane. }	15·0	25·20	·152	·042	·003	·220	·264	2·0	15·4
	Corporation of Glasgowl-†	{ August 17th, Loch Katrine Water. }	14·0	2·90	·274	·038	0	·006	·044	·7	1·0
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, Medical Officer of Health and Analyst to the Borough.

† Analysed by Dr. E. J. Mills, F.R.S., of Anderson's College, Glasgow.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 17th August at the Horseguards cab-rank, had a temperature of 17°·8 C.; 100,000 lbs. of it contained 23·68 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·074 lb. of carbon and ·023 lb. of nitrogen. The above quantity of water also contained no ammonia, and ·116 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·139 lb. The above weight of water also contained 1·8 lbs. of chlorine; and 16·9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.--BIRTHS, DEATHS, and METEOROLOGY in 28 GREAT TOWNS, during the Week ending 12th September, 1885.

CITIES AND BOROUGHES.	POPULATION estimated to the middle of the year 1886.	Registered during the Week ending 12th Sept., 1885.			The DEATHS registered in the Week include													TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGHES.
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Deaths of Persons aged 1 Year and upwards.		Deaths from							Deaths in Public Institutions.	Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths		Mean.		In Inches.	In Cent.				
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhoid.	Violence.	Highest.	Lowest.			Fahrenheit.	Centigrade.								
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.	
28 TOWNS.	8,506,446	5310	2960	807	620	4	56	45	31	67	42	233	107	189	495	60	17.3	2.8	75.1	43.0	54.8	12.67	1.54	3.91	28 TOWNS.
LONDON.	4,083,928	2330	1221	303	257	3	25	15	22	39	14	62	48	88	279	14	15.6	2.3	75.1	47.4	56.3	13.50	1.93	4.90	LONDON.
BRIGHTON.	114,672	58	27	6	7	-	1	-	-	1	1	8	1	1	4	-	12.3	2.3	69.0	48.8	56.8	13.78	1.92	4.88	BRIGHTON.
PORTSMOUTH.	134,659	90	47	16	8	-	-	-	-	1	2	8	4	2	3	5	-	18.2	4.6	-	-	-	-	-	PORTSMOUTH.
NORWICH.	91,215	56	35	6	18	-	-	-	-	-	-	4	2	3	5	-	20.0	2.3	-	-	-	-	-	-	NORWICH.
PLYMOUTH.	76,045	33	34	9	8	-	-	-	-	-	-	4	1	4	4	1	23.3	2.4	66.0	48.8	56.2	13.44	1.73	4.39	PLYMOUTH.
BRISTOL.	218,169	118	59	10	13	1	1	-	-	-	-	3	1	4	4	1	14.1	1.2	67.2	48.5	56.1	13.39	2.17	5.51	BRISTOL.
WOLVERHAMPTON	79,185	42	24	7	7	-	-	-	-	-	-	2	2	2	2	1	15.8	1.3	65.0	43.0	52.8	11.56	1.97	5.00	WOLVERHAMPTON.
BIRMINGHAM	457,769	250	132	40	31	-	1	1	2	2	1	13	6	12	21	3	16.1	2.4	-	-	-	-	-	-	BIRMINGHAM.
LEICESTER.	136,147	80	40	13	7	-	1	4	1	1	4	3	1	3	2	8	15.3	5.0	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM	211,424	128	63	22	19	-	1	1	1	1	13	4	5	7	-	15.5	3.9	67.9	47.0	55.1	12.84	2.26	5.74	NOTTINGHAM.	
DERBY.	89,691	40	31	6	7	-	-	1	-	3	2	2	-	1	4	1	18.0	3.5	-	-	-	-	-	-	DERBY.
BIRMINGHAM.	138,093	64	37	12	8	-	2	1	1	1	1	1	-	1	4	1	20.7	3.4	-	-	-	-	-	-	BIRMINGHAM.
LIVERPOOL.	579,724	420	258	78	33	-	6	4	1	6	7	22	9	9	40	7	23.2	4.1	64.8	49.3	54.8	12.67	1.16	2.95	LIVERPOOL.
BOLTON.	110,065	73	28	6	7	-	1	-	-	-	-	4	2	3	3	1	13.3	2.4	65.3	45.6	52.2	11.22	2.01	5.11	BOLTON.
MANCHESTER	337,342	203	150	45	29	-	7	3	-	1	17	6	15	30	5	23.2	4.5	-	-	-	-	-	-	-	MANCHESTER.
SALFORD.	204,075	125	85	29	14	-	4	2	-	1	12	1	1	9	4	21.7	5.1	-	-	-	-	-	-	-	SALFORD.
OLDHAM.	126,350	74	33	9	9	-	2	-	-	1	1	-	-	1	3	13.6	1.7	-	-	-	-	-	-	-	OLDHAM.
BLACKBURN.	112,574	77	46	17	10	-	-	2	-	3	-	10	1	1	4	-	21.3	6.0	-	-	-	-	-	-	BLACKBURN.
PRESTON.	100,406	65	53	20	9	-	-	2	-	1	3	12	1	1	4	-	27.5	9.4	64.0	46.0	54.3	12.39	1.36	3.45	PRESTON.
HUDDESFIELD.	87,327	56	45	12	11	-	-	2	-	-	3	4	5	2	26.9	1.2	19.6	1.2	-	-	-	-	-	-	HUDDESFIELD.
HALIFAX.	77,378	45	29	4	11	-	-	-	-	-	1	1	-	-	2	1	19.6	1.3	-	-	-	-	-	-	HALIFAX.
BRADFORD.	214,431	117	58	13	15	-	-	-	2	-	1	3	1	6	8	1	14.1	1.5	63.8	47.4	53.9	12.17	0.61	1.55	BRADFORD.
LEEDS.	383,139	215	115	34	14	-	1	2	-	-	8	6	7	11	3	18.0	2.0	67.0	48.0	55.2	12.89	0.38	0.97	LEEDS.	
SHEFFIELD.	305,716	173	106	36	22	-	1	3	-	2	10	4	5	12	4	18.1	2.6	70.0	47.0	54.1	12.28	1.45	3.68	SHEFFIELD.	
HULL.	186,292	104	45	16	9	-	-	-	-	-	1	6	2	2	6	2	12.6	2.0	-	-	-	-	-	-	HULL.
SUNDERLAND.	125,827	13	40	10	14	-	-	2	-	-	-	-	1	4	5	1	16.7	1.2	-	-	-	-	-	-	SUNDERLAND.
NEWCASTLE.	153,269	98	74	14	15	-	4	2	-	1	1	2	2	4	13	2	25.2	3.4	65.0	45.0	54.7	12.61	1.07	2.72	NEWCASTLE.
CARDIFF.	37,634	73	45	14	8	-	-	-	2	1	-	8	4	4	9	1	24.2	5.9	-	-	-	-	-	-	CARDIFF.
EDINBURGH.	250,616	150	62	9	13	1	-	-	1	-	2	3	4	?	19	9	12.9	1.5	64.2	41.0	53.8	12.12	0.75	1.90	EDINBURGH.
GLASGOW.	510,305	327	206	51	30	1	4	7	1	7	6	18	5	?	28	30	20.7	4.4	-	-	-	-	-	-	GLASGOW.
DUBLIN.	353,052	176	181	45	41	-	-	1	-	2	6	18	2	1	49	32	26.7	4.0	67.3	39.9	54.0	12.22	0.66	1.68	DUBLIN.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the THIRTY-SIXTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2288	2384	2356	2416	2646	2463	2513	2566	2434	2574	2686·9	2330
Males . .	1172	1266	1184	1233	1232	1232	1231	1264	1214	1334	1363·8	1164
Females . .	1116	1118	1172	1183	1319	1231	1232	1302	1220	1240	1323·1	1166
TOTAL Deaths	1492	1231	1180	1260	1393	1391	1229	1322	1257	1529	1448·6	1221
Males . .	794	667	615	639	766	748	653	711	653	767	764·8	614
Females . .	698	564	565	621	627	643	576	611	604	762	683·8	607

The numbers in this column are the average weekly numbers in the thirty-sixth week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

			June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	
TOTAL Births	-	-	2373	2419	2483	2420	2411	2423	2459	2164	2885	2535	2413	2538	2330	
TOTAL Deaths	-	-	1284	1279	1366	1412	1616	1636	1750	1720	1472	1473	1371	1238	1221	
0-20	-	-	654	658	690	741	964	998	1111	1062	870	790	713	619	585	
20-40	-	-	170	153	179	191	172	153	165	173	144	175	180	163	174	
40-60	-	-	185	227	238	198	222	209	211	218	201	237	207	231	205	
60-80	-	-	228	199	226	226	222	214	220	219	212	221	227	183	213	
at 80 years & upwds.			47	42	33	56	96	62	43	48	45	50	44	42	44	
Deaths of children	{	Under 1 year	-	316	318	372	408	563	627	723	687	555	499	408	362	303
1-5		-	258	256	224	251	304	281	289	287	232	214	230	192	203	
5-20		-	80	84	94	82	97	90	99	88	83	77	75	65	79	
Deaths from Small-pox	-	-	37	28	39	23	15	18	16	14	15	5	9	6	9	
" " Measles	-	-	95	90	80	73	82	65	71	58	49	38	55	46	25	
" " Scarlet Fever	-	-	7	13	9	12	13	11	18	20	9	12	12	14	15	
" " Diphtheria	-	-	16	14	18	15	16	19	23	20	13	13	14	16	22	
" " Whooping-cough	-	-	42	46	59	51	77	51	47	41	44	43	45	30	39	
" " Typhus	-	-	-	2	1	-	1	1	-	-	3	-	-	-	1	
" " Enteric fever	-	-	6	11	9	10	17	9	8	10	13	15	14	3	12	
" " Simple Cont'd fever	-	-	2	-	2	1	2	2	2	4	1	1	3	-	1	
" " Diarrhoea and Dysentery	-	-	24	44	51	110	210	284	348	309	222	163	121	83	62	
" " Cholera	-	-	3	2	1	3	7	5	13	11	5	7	6	3	-	
Deaths from the above-mentioned Diseases	-	-	232	250	269	298	440	465	546	487	374	297	279	206	186	
" " Dis. of Respiratory System	-	-	196	183	192	177	197	180	172	184	162	165	201	159	175	
" " Phthisis	-	-	141	131	165	138	140	138	137	159	134	151	157	147	139	
" " Dis. of Circulatory System	-	-	70	73	74	99	86	101	73	89	85	110	94	97	90	
Violent Deaths	-	-	56	39	42	53	58	42	43	47	55	53	52	38	43	
Inquest Cases	-	-	94	81	84	94	114	92	75	93	98	92	81	76	88	
Deaths in Public Institutions	-	-	306	285	290	312	297	306	298	297	260	292	302	259	279	
TEMPERATURE OF THE AIR:																
Mean	-	-	58·7	58·3	60·5	65·0	61·2	64·5	65·2	59·4	59·6	58·2	57·6	57·2	56·3	
Mean of Highest readings	-	-	70·6	68·2	72·7	79·5	73·5	78·1	77·7	70·8	72·5	69·4	68·4	68·1	66·1	
Mean of Lowest readings	-	-	48·4	49·7	49·5	51·5	51·4	52·4	56·4	51·1	49·9	49·4	49·2	43·6	49·3	
Humidity of the Air	-	-	76	75	67	67	74	72	64	77	74	80	75	79	85	
Rain-fall in inches	-	-	0·39	0·11	00·0	0·02	0·49	0·01	0·00	0·46	0·09	0·14	0·61	0·40	1·93	
Registered Sunshine (in hours)	-	-	41·8	35·2	41·1	60·5	32·8	55·9	48·3	28·8	48·4	19·7	25·7	26·9	21·1	

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, Jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotham; Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, Jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filler, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SIXTH Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 36th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 12th September, 1885.										Corrected Averages for the 36th Weeks of the 10 years 1875-84.	CAUSES OF DEATH.		Corrected Averages for the 36th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 12th September, 1885.										Corrected Averages for the 36th Weeks of the 10 years 1875-84.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
			Deaths of Persons of the Ages														Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.					20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				0-1.	1-5.	5-20.						0-1.									1-5.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
ALL CAUSES	- -	1448.6	1221	303	203	79	174	205	213	44		Diseases of Organs of Special Sense † - -	2.3	2	-	-	1	-	-	1	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 0.04 per cent. for increase of population.
† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.
‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When a medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical man, the case is returned under the heading "no statement."
§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."
¶ Exclusive of 6 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLE during the Week ending

		The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON		3,816,483	2330	1221	303	257	3	25	15	22	39	1	12	1	62	48	88	279		
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		69888	36	14	4	2	-	1	-	-	-	-	-	-	-	-	-	2		
St. John Paddington H - G.J.		37380	10	12	1	2	-	-	-	-	1	-	1	-	-	2	-	8		
Kennington Town Ww - W.M.		120141	58	40	5	19	-	-	-	-	-	-	-	-	-	-	-	17		
Brompton H - W.M. & C.		43010	13	9	1	1	-	-	-	-	-	-	-	-	1	1	1	7		
St. Peter Hammersmith - W.M.		7599	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.		64340	43	25	6	7	1	2	-	1	1	-	-	-	1	1	1	5		
Fulham WwH - W.M. & C.		42900	59	24	8	7	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea South HHH - C.		80396	27	12	3	2	-	-	-	2	-	-	-	-	-	2	1	-		
Chelsea North-west WHHHH - C.		24925	9	6	1	1	-	-	-	1	-	-	-	-	-	-	-	4		
Chelsea North-east - C.		32807	18	5	2	1	-	-	-	-	-	-	-	-	2	-	-	-		
Hanover Square H - G.J.		16862	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
May Fair W - G.J.		18491	4	6	1	4	-	-	-	-	-	-	-	-	-	-	-	5		
Belgrave WHH - C.		69220	17	18	3	4	-	-	1	1	-	-	-	-	-	2	2	6		
St. John Westminster HH - C.		35499	24	12	1	3	-	-	-	-	-	-	-	-	-	-	1	1		
St. Margaret Westminster H - C.		24679	16	7	1	2	-	-	-	-	-	-	-	-	-	-	-	4		
St. James Westminster WH N.R. & G.J.		29941	10	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
St. Anne Soho HHHHH - N.R.		16608	8	6	4	-	-	-	-	-	-	-	-	-	1	-	1	-		
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.		26759	9	13	3	-	-	-	-	-	-	-	-	-	-	-	1	8		
Cavendish Square HHH - W.M.		14881	1	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-		
Rectory Marylebone WH G.J. & W.M.		24909	15	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-		
St. Mary Maryleb. HHH G.J. & W.M.		21118	23	10	2	4	-	-	-	-	-	-	-	-	-	1	1	-		
Christchurch Marylebone H - W.M.		33700	12	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone H - W.M.		33633	13	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead WwHHH - N.R. & W.M.		45452	21	7	-	3	-	1	-	-	-	-	-	-	-	1	1	-		
Regent's Park Paneras H - W.M.		39115	14	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Tottenham-court WHHHH N.R. & W.M.		27729	14	16	-	3	-	-	-	-	-	-	-	-	-	-	-	12		
Gray's Inn Lane HHH - N.R.		30247	11	9	1	2	-	-	1	-	-	-	-	-	1	2	4	1		
Somers Town H - N.R.		34369	19	14	5	4	-	-	-	1	-	1	-	-	1	1	2	7		
Camden Town WH - N.R.		17311	19	12	2	3	-	-	-	-	-	-	-	-	-	2	4	4		
Kentish Town W - N.R.		87487	45	19	8	3	-	1	1	1	-	-	-	-	-	-	-	-		
Upper Holloway WWWWH - N.R.		67946	46	37	6	10	1	2	-	4	-	-	-	-	3	-	-	13		
Islington South-west HH - N.R.		100976	60	25	10	1	1	-	1	1	-	-	-	-	-	4	5	-		
Islington South-east - N.R.		61825	38	12	3	5	-	-	-	1	-	-	-	-	1	1	-	-		
Highbury H - N.R.		52048	27	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-		
Stoke Newington H - N.R.		22781	12	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-		
Stamford Hill - E.L.		9277	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
West Hackney - N.R.		37610	15	11	4	1	-	-	-	-	-	-	-	-	1	-	-	-		
Hackney WwvHL - E.L. & N.R.		76911	54	23	5	5	1	-	9	-	-	1	-	-	1	1	2	8		
South Hackney - E.L.		39883	24	7	2	-	-	-	-	-	-	-	-	-	-	1	1	-		
CENTRAL DISTRICTS.																				
St. George Bloomsbury - N.R.		16881	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - N.R.		14864	15	7	5	-	-	-	-	1	-	-	-	-	-	-	-	2		
St. Giles North - N.R.		13837	3	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-		
St. Martin-in-the-Fields HH N.R. & C.		17508	8	8	1	-	-	-	-	-	-	-	-	-	-	2	3	4		
St. Mary-le-Strand H - N.R.		7615	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
St. Clement Dances H - N.R.		8559	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. George-the-Martyr HHHHHH N.R.		18671	8	5	4	-	-	-	1	-	-	-	-	-	2	-	-	3		
St. Andrew Eastern W - N.R.		10706	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Saffron Hill H - N.R.		6533	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. James Clerkenwell - N.R.		17516	12	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - N.R.		19281	11	10	4	1	-	-	-	-	-	-	-	-	-	2	1	-		
Pentonville - N.R.		14773	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Goswell-street - N.R.		17506	10	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Old-street H - N.R.		11541	9	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-		
City-road HHL - N.R.		18628	16	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-		
Whitecross-street - N.R.		9217	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
Finsbury - N.E.		7463	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - N.R. & E.L.		11174	4	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-		
Cripplegate - N.R.		7193	1	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-		
St. Sepulchre H - N.R.		8338	1	2	3	3	-	-	1	-	-	-	-	-	-	1	4	19		
St. Bride W - N.R.		8396	2	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1		
Allhallows Barking - N.R.		13666	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - N.R.		5652	1	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifying Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London and Kent Company.

FEVER, DYPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 12th September, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Deaths of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Septicæmia con- tinued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by †:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Holborn Infirmary in Upper Holloway sub-district.	Stepney Poor & Stepney Sick Asylum in Mile End Old Town Eastern sub-dist. and Bromley sub-district.
London City Workhouse in Hoxton New Town sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Whitechapel in Mile End Old Town Eastern sub-dist.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 12th September, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Ename- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 66 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING		370,282	950,178	650	297	69	85	8	6	1	1	7	5	24	11	17	34	10
30:1	Carshalton <i>wL</i> - -	12228	21118	5	10	1	3	-	-	-	-	-	-	-	-	-	6	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
37:1	Godstone (<i>part of</i>) * -	2754	1235	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon <i>WwH</i> - -	20851	101241	58	25	7	9	1	-	-	-	-	1	2	1	1	5	-
	Mitcham - -	11097	17932	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-
39:1	Wimbledon <i>HHH</i> - -	3220	15950	8	4	1	-	-	-	-	-	1	-	-	-	-	-	-
2	Kingston <i>WHH</i> - -	8549	36354	27	13	1	3	-	-	-	-	-	-	-	2	2	1	1
3	Esher (<i>part of</i>) * -	6601	9221	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Hampton <i>H</i> - -	4573	13539	11	4	1	3	-	-	-	-	-	-	-	-	-	-	-
40:1	Richmond <i>WH</i> - -	2272	21302	12	4	1	1	-	-	-	-	-	-	1	-	-	1	-
2	Mortlake - -	941	12331	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	24	8	2	2	-	-	-	-	1	-	1	-	-	-	-
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	13665	15065	11	3	1	2	-	-	-	-	-	-	-	-	-	1	-
42:1	Bexley <i>H</i> - -	13437	24134	8	6	2	2	-	-	-	-	-	1	-	-	-	-	1
124:1	Sunbury <i>w</i> - -	11055	11685	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines <i>W</i> - -	13277	12089	7	1	1	-	-	-	-	-	-	-	1	-	-	-	-
125:1	Hillingdon <i>WH</i> - -	6029	10802	13	4	1	2	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge - -	6178	5225	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
3	Hayes <i>wHL</i> - -	14537	11523	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
126:1	Isleworth <i>W</i> - -	7008	22727	7	12	1	5	-	-	-	-	-	-	-	2	2	4	-
2	Twickenham <i>H</i> - -	2477	12479	7	4	-	2	-	-	-	-	-	-	-	-	1	-	-
3	Brentford <i>HL</i> - -	4345	27649	15	8	2	1	-	1	-	-	-	-	1	1	3	-	-
4	Chiswick - -	1340	15975	14	7	3	-	-	-	-	-	-	-	1	-	-	-	-
5	Acton <i>wH</i> - -	6083	22676	18	9	3	3	-	-	-	-	-	-	3	-	-	-	1
127:1	Harrow <i>H</i> - -	13609	12796	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>H</i> - -	6994	3749	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden - -	4383	27453	21	9	2	2	-	1	-	-	2	-	-	-	-	-	-
4	Hendon <i>W</i> - -	8382	10484	5	5	3	1	-	-	-	-	-	-	-	-	-	2	-
128:1	South Mimms - -	15599	6391	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet <i>W</i> - -	5433	10092	9	1	-	-	-	-	1	-	-	-	-	-	-	-	-
3	Finchley <i>HL</i> - -	4688	17615	17	5	1	1	-	-	-	-	-	-	-	-	-	1	-
129:1	Hornsey <i>H</i> - -	3039	37078	23	5	-	4	-	-	-	-	-	-	1	-	-	-	-
2	Tottenham <i>HH</i> - -	4642	46456	56	28	8	8	-	-	-	-	-	-	2	1	1	1	4
3	Edmonton <i>WwW</i> - -	7483	23463	15	6	2	1	-	-	-	-	-	-	3	-	-	-	-
4	Enfield <i>WH</i> - -	12653	19104	14	10	1	4	-	1	-	-	-	-	2	1	2	1	-
5	Waltham Abbey - -	11017	5368	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - -	8480	7735	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
135:1	Hatfield (<i>part of</i>) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey - -	9331	6321	1	3	-	2	-	-	-	1	-	-	-	-	-	-	-
186:1	Stratford - -	882	35606	20	15	4	4	1	1	-	-	-	1	1	-	-	-	-
2	West Ham <i>wWwH</i> - -	7351	101053	71	46	9	6	5	1	-	-	1	2	3	2	2	6	2
3	Leyton <i>WwL</i> - -	4372	32480	40	11	1	6	-	1	-	-	-	-	-	1	1	2	1
4	Walthamstow <i>wH</i> - -	6520	28809	22	9	6	1	-	-	-	-	2	-	2	-	-	-	-
187:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	10	2	-	-	-	-	-	-	-	-	-	-	-	1	-
189:1	Romford (<i>part of</i>) * -	6730	3411	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - -	8493	7645	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town - -	4127	9203	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30:2, the whole of Epsom sub-district, except the parishes of Ashted and Headley (pop. 1265); 37:1, the two parishes of Warrincham and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1933); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 187:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 189:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 12th September, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,199,166	15.2	2.3	1518	372	342	11	31	16	23	46	19	86	59	313		
INNER LONDON	78,052	4,083,928	15.6	2.3	1221	303	257	3	25	15	22	39	14	62	48	279		
OUTER RING	370,282	1,115,238	13.0	2.4	297	69	85	8	6	1	1	7	5	24	11	34		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700,522 square miles, which is equivalent to the area of a circle having a radius of 14,933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	August 8	-	-	-	-
BOMBAY - -	773,196	" 11	251	448	27.6	Fevers 144; cholera 8.
MADRAS - -	398,777	" 7	299	273	35.6	Fevers 53; diarr. dis. 69.
PARIS - -	2,230,928	September 5	1142	878	20.4	Typd. fev. 25; sm.-pox 5; dip.&c.p. 16; diarr. dis. 123.
GENEVA - -	71,453	" 5	20	32	23.4	-
BRUSSELS - -	436,214	August 29	280	194	23.3	Typh. and typhd. fev. 2; diarr. dis. 48.
AMSTERDAM -	306,812	September 5	245	134	18.9	-
ROTTERDAM -	166,001	" 5	126	54	16.6	-
THE HAGUE -	134,552	" 5	115	54	20.9	Scarlet fever 1; whooping-cough 3.
COPENHAGEN -	280,615	" 1	198	102	19.0	Croup 2; diarr. dis. 12.
STOCKHOLM -	200,143	August 22	148	75	19.5	Measles 2; diarrhoeal diseases 19.
CHRISTIANIA -	128,000	September 5	80	41	16.7	Diphtheria and croup 5; diarrhoeal dis. 8.
ST. PETERSBURG	928,016	August 29	-	485	27.3	Typ. & typhd. fev. 8; diarrhoeal diseases 149.
BERLIN - -	1,279,590	" 22	871	574	23.4	Diph. 26; typh. & typhd. 10; diarr. dis. 148.
HAMBURG (State)	497,956	" 29	377	238	24.9	Diphtheria and croup 11; diarrhoeal dis. 46.
DRESDEN - -	241,500	" 15	158	120	25.8	Diphtheria and croup 5; diarr. dis. 21.
BRESLAU - -	295,000	" 29	222	149	26.1	Diphtheria 3; diarrhoeal diseases 29.
MUNICH - -	244,000	September 5	176	130	27.7	Diphtheria and croup 2; diarrhoeal diseases 32.
VIENNA - -	769,889	" 5	460	332	22.4	Small-pox 9; diarrhoeal diseases 38.
PRAGUE - -	272,333	" 5	-	136	26.1	Small-pox 2; scarlet fever 5.
BUDA-PESTH -	429,532	August 22	290	260	31.5	Sm.-px. 6; dip. & croup 5; diarrhoeal dis. 49.
TRIESTE - -	150,157	" 1	-	-	-	-
ROME - -	390,430	July 25	155	198	31.3	Typhd. fev. 6; sm.-pox 3; diarrhoeal diseases 38.
NAPLES - -	504,793	-	-	-	-	-
TURIN (10 days)	267,703	August 10	237	163	22.2	Whooping-cough 6; diphtheria 2.
VENICE - -	145,900	" 22	77	81	28.9	Small-pox 8; diarrhoeal diseases 15.
MADRID - -	475,668	-	-	-	-	-
LISBON - -	203,681	-	-	-	-	-
ALEXANDRIA -	381,96	-	-	-	-	-
NEW YORK -	1,356,938	August 15	-	756	29.1	Diphtheria 17; whooping-cough 26; diarr. dis. 181.
BROOKLYN -	665,602	" 15	-	317	24.9	Diphtheria 3; scarlet fev. 4; diarr. dis. 80.
PHILADELPHIA -	949,432	" 22	-	417	22.9	Typhd. fev. 16; diph. 6; diarrhoeal diseases 60.
BALTIMORE -	408,520	" 22	-	137	17.5	Typhoid fever 6; diphtheria 3.

[Under the Superintendence of the Astronomer Royal.]

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Horizon, in hours.	SKY AND ATMOSPHERE.
SEPTEMBER.				
SUNDAY . 6	w. P. throughout	4.7	13.2	A fine day. Partially cloudy till evening; cloudless at night.
MONDAY . 7	w. P. and v. N.	0.3	13.1	Overcast, with slight exceptions throughout. Rain fell frequently. Distant thunder heard shortly before 9h. A.M.
TUESDAY . 8	w. P. generally	2.9	13.0	Generally cloudy till evening; overcast with rain at night.
WEDNESDAY . 9	w. N. till 1h. A.M.; w. P. till 1h. P.M.; v. P. and v. N. till 6h. P.M.; m. P. afterwards.	8.8	13.0	Rain fell heavily in early morning; fine afterwards, with variable amounts of cloud till evening; cloudless at night.
THURSDAY . 10	v. N. and w. P. afterwards.	2.4	12.9	Fine in morning; overcast afterwards. A little rain fell about noon, and heavy rain at night.
FRIDAY . 11	a. N. and s. P. till 1h. A.M.; v. P. principally afterwards.	2.0	12.9	Overcast with strong wind and rain in morning; fine afterwards; cloudy till evening; generally cloudless at night.
SATURDAY . 12	w. P. throughout	0.0	12.8	Overcast. Occasional rain. Windy from afternoon.
		Sun 21.1	Sum 90.9	

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 37. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, SEPTEMBER 19. [Price 1½d.

General Register Office, Somerset House,
21st September, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 17·1 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.		Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.
Birkenhead	19·6	20·2	20·7	20·2	Liverpool -	20·3	23·9	23·2	21·4
Birmingham	17·9	17·8	16·1	12·7	London -	17·5	15·8	15·6	15·7
Blackburn -	15·8	18·1	21·3	14·4	Manchester	21·5	24·6	23·2	20·6
Bolton -	13·7	19·0	13·3	23·7	Newcastle-on-Tyne	21·8	20·4	25·2	22·1
Bradford	17·3	18·0	14·1	14·6	Norwich -	14·9	17·7	20·0	17·7
Brighton -	20·9	16·4	12·3	17·3	Nottingham	15·3	17·3	15·5	17·8
Bristol -	15·5	15·8	14·1	16·7	Oldham -	15·3	21·1	13·6	18·2
Cardiff -	18·8	25·3	24·2	23·7	Plymouth -	24·7	19·9	23·3	19·9
Derby	20·4	22·1	18·0	16·9	Portsmouth	23·6	22·9	18·2	21·7
Halifax -	16·2	17·5	19·6	20·2	Preston -	27·5	24·4	27·5	28·6
Huddersfield	16·1	8·4	26·9	11·4	Salford -	24·5	23·0	21·7	20·5
Hull -	17·4	15·1	12·6	15·7	Sheffield -	18·4	17·8	18·1	17·8
Leeds -	18·6	17·5	18·0	15·3	Sunderland	22·9	23·3	16·7	17·1
Leicester -	14·6	22·2	15·3	18·0	Wolverhampton	21·7	16·5	15·8	21·1

The highest annual death-rates from scarlet fever, measured by last week's mortality, were 1·3 in Wolverhampton, 1·5 in Leicester, and 1·6 in Preston; from fever, 1·1 in Norwich, and 1·9 in Portsmouth; from measles, 1·1 in Liverpool; and from diarrhoea, 3·8 in Cardiff, 5·8 in Portsmouth, and 6·8 in Preston. Of the 32 deaths from diphtheria, 25 occurred in London, 2 in Newcastle-upon-Tyne, and 2 in Cardiff. Small-pox caused 9 deaths in London and its outer ring (exclusive of 2 in the Metropolitan Asylum Hospital Ship "Atlas"), and not one in any of the twenty-seven provincial towns.

LONDON.

In LONDON 2542 BIRTHS and 1231 DEATHS were registered. Allowing for increase of population, the births were 99, and the deaths 157, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had declined in the four preceding weeks from 18·8 to 15·6, was last week 15·7. During the first eleven weeks of the current quarter the death-rate was 18·7 per 1000, against 20·4 in the corresponding periods of the nine years 1876-84.

The 1231 deaths included 6 from small-pox, 14 from measles, 20 from scarlet fever, 25 from diphtheria, 25 from whooping-cough, 9 from enteric fever, 3 from ill-defined forms of continued fever, 40 from diarrhoea and dysentery, 1 from choleraic diarrhoea, and not one from typhus; thus, 143 deaths were referred to these diseases, being 122 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 3 in each of the two preceding weeks, rose to 6 last week. These 6 deaths were exclusive of

2 of London residents who died in the Metropolitan Asylum Hospital Ship "Atlas" situated outside Registration London. Of the total 8 cases, 2 occurred in the Metropolitan Asylum Hospitals, 2 in the Highgate Small-pox Hospital, and 4 in private dwelling houses. After distributing the hospital cases to the several sanitary areas, 2 belonged to Hackney. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had steadily declined in the fifteen preceding weeks from 1389 to 213, further fell to 195 on Saturday last; the admissions, which had been 47 and 32 in the two previous weeks, were 47 last week.

The deaths from *measles*, which had declined from 55 to 25 in the three preceding weeks, further fell to 14 last week, and were 4 below the corrected weekly average; 2 belonged to Fulham and 3 to Lambeth. The 20 fatal cases of *scarlet fever* showed a further increase upon recent weekly numbers, but were 28 below the corrected average; 3 belonged to Fulham and 10 to East London, including 4 to Shoreditch and 3 to Bethnal Green. The Metropolitan Asylum Hospitals contained 282 scarlet fever patients on Saturday last, 33, having been received during the week. The deaths referred to *diphtheria*, which had increased in the four preceding weeks from 13 to 22, further rose to 25 last week, and exceeded the number in any week since the beginning of the year; 2 belonged to Kensington, 3 to Islington, 3 to Hackney, 3 to St. Luke's, and 2 to Greenwich. The 25 fatal cases of *whooping-cough* showed a decline of 14 from the number in the preceding week, and were 9 below the corrected weekly average; 9 belonged to East London, including 5 to Shoreditch. The deaths referred to *diarrhæa* and *dysentery*, which had declined in the seven preceding weeks from 348 to 62, further fell last week to 40, and were 74 below the corrected average weekly number; 33 were of infants and children under 5 years of age. The death of a female, aged 17 years, was referred to *choleraic diarrhæa*.

The fatal cases of *enteric fever*, which had been 8 and 12 in the two preceding weeks, declined to 9 last week, and were 13 below the corrected average; 4 belonged to South London, including 2 to Wandsworth. The Metropolitan Asylum Hospitals contained 27 cases of enteric fever, and 1 of typhus, on Saturday last; 4 cases of enteric fever, and not one of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 159 and 175 in the two preceding weeks, declined to 162 last week, and were 31 below the corrected weekly average.

The death of a male, aged 8 years, at 12, Brunswick Street, Hackney, was referred to hydrophobia.

Different forms of violence caused 49 deaths; 39 were the result of negligence or accident, among which were 20 from fractures and contusions, 6 from burns and scalds, 2 from drowning, 2 from poison, and 7 of infants under one year of age from suffocation. The 20 deaths from fractures and contusions were thus returned:—male, aged 50 years, thrown from omnibus; male 26, fell from cart; females 3 and 7, run over by van; male 1, run over; male 52, crushed in railway collision; male 19, run over on railway; female 2, fell from steps; male 56 and female 65, fell in street; female 57, fell down stairs; male 17, fell from mast; males 45, 45, 55, and female 62 (intoxicated), by fall; male 34, struck against bracket; male 87, by contusion; and males 40 and 45, by fracture. An inquest was held in each of these 20 cases. Eight cases of suicide were registered.

GREATER LONDON.

In Greater London 3267 births and 1506 deaths were registered, corresponding to annual rates of 32·8 and 15·1 per 1000 of the population. In the Outer Ring 3 fatal cases of small-pox were recorded, of which 2 occurred in West Ham, and one in Kingston sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·81 in.; the highest reading was 29·93 in. on Friday evening, and the lowest 29·64 in. on Tuesday afternoon. The mean temperature of the *air* was 57°·7, and 0°·4 above the average in the corresponding week of the 20 years ending 1868. The mean showed an excess on three days of the week, the warmest day being Tuesday, when the mean was 65°·4, and as much as 8°·0 above the average. The general direction of the *wind* was S.W., and the horizontal movement of the air averaged 11·5 miles per hour, which was slightly below the average in the corresponding week of 16 years. *Rain* fell on four days of the week, to the aggregate amount of 0·86 of an inch. The duration of registered bright sunshine in the week was 15·4 hours, against 17·0 hours at Glynede Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY in 28 GREAT TOWNS, during the Week ending 19th September, 1885.

CITIES AND BOROUGH.	Registered during the Week ending 19th Sept., 1885.		The Deaths registered in the Week include												TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.			
	POPULATION estimated at middle of the Year 1885.	BIRTHS.	DEATHS.	Deaths from												Mean.		In Inches.	In Centi- meters.					
				Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	From All Causes.	From 6-12. Diseases in Colic.							
																				1 Year of Age.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.
28 TOWNS.	8,606,446	5567	2923	779	577	6	36	49	32	46	41	183	111	185	508	81	17.1	2.3	76.4	42.5	55.4	13.00	0.71	1.80
LONDON.	4,083,628	2542	1231	284	261	6	14	20	25	25	12	40	49	93	288	16	15.7	1.8	76.4	47.8	57.7	14.23	0.86	2.18
BRIGHTON.	114,672	52	38	11	12	-	-	-	1	1	-	15	1	3	3	2	17.3	0.9	68.5	48.8	56.6	13.67	1.10	2.79
PORTSMOUTH.	134,659	91	56	20	7	-	-	-	-	-	-	-	-	-	-	-	21.7	7.7	-	-	-	-	-	-
NORWICH.	91,215	43	31	7	9	-	-	-	-	-	2	-	1	2	1	1	17.7	1.1	-	-	-	-	-	-
PLYMOUTH.	76,045	39	29	11	5	-	-	-	-	-	-	2	-	1	3	1	19.9	1.4	66.0	46.5	56.1	13.39	0.38	0.97
BRISTOL.	218,169	137	70	18	14	-	-	-	-	-	1	7	4	5	12	2	16.7	1.9	71.0	46.2	57.5	14.17	0.29	0.74
WOLVERHAMPTON.	79,185	47	32	8	9	-	-	2	-	-	-	3	-	1	5	-	21.1	3.3	70.2	42.5	53.3	11.84	0.57	1.45
BIRMINGHAM.	427,769	255	104	86	9	-	1	-	1	-	1	10	5	8	15	1	12.7	1.6	-	-	-	-	-	-
LEICESTER.	136,147	75	47	11	12	-	-	4	-	-	2	5	3	5	13	-	18.0	4.2	-	-	-	-	-	-
NOTTINGHAM.	211,424	145	72	16	16	-	-	-	-	1	1	4	-	3	5	1	17.8	1.5	73.9	47.6	56.5	13.61	0.65	1.65
DERBY.	89,931	68	29	7	5	-	-	-	-	-	-	2	1	1	6	1	16.9	2.3	-	-	-	-	-	-
BIRKENHEAD.	43,993	71	36	7	9	-	-	1	-	1	-	-	3	4	5	3	20.2	1.1	-	-	-	-	-	-
LIVERPOOL.	579,724	369	238	63	29	-	12	5	1	3	6	16	17	20	44	11	21.4	3.9	68.3	48.9	55.6	13.12	0.94	2.39
BOLTON.	110,055	83	50	14	13	-	-	-	-	2	-	6	-	2	3	1	23.7	3.8	68.1	42.7	52.5	11.39	1.41	3.58
MANCHESTER.	337,342	203	133	43	27	-	3	1	-	2	-	13	2	5	23	3	20.6	2.9	-	-	-	-	-	-
SALFORD.	204,075	123	80	34	13	-	3	-	-	1	-	8	1	1	12	3	20.5	3.1	-	-	-	-	-	-
OLDHAM.	126,590	103	44	15	5	-	1	-	-	-	-	2	1	1	5	4	16.2	2.1	-	-	-	-	-	-
BLACKBURN.	112,574	87	31	12	6	-	-	-	-	1	1	4	2	2	1	3	28.6	8.3	68.0	45.0	55.3	12.95	1.49	3.78
PRESTON.	100,406	71	25	10	6	-	-	-	-	-	-	13	2	2	7	-	11.4	1.2	-	-	-	-	-	-
HUDDERSFIELD.	87,327	41	19	5	2	-	-	-	-	1	-	-	2	2	2	2	20.2	0.0	-	-	-	-	-	-
HAULFAX.	77,378	42	30	2	12	-	-	-	-	-	-	-	-	1	7	2	14.6	0.5	70.0	45.0	54.7	12.61	0.48	1.22
BRADFORD.	214,431	103	60	13	18	-	-	-	-	-	1	1	3	6	7	2	15.3	2.7	71.0	45.0	55.9	13.28	0.39	0.99
LEEDS.	333,139	199	98	25	17	-	-	-	-	2	3	9	4	5	6	6	16.3	2.7	71.0	44.0	55.9	13.28	0.39	0.99
SHEFFIELD.	305,716	201	104	37	22	-	1	1	-	3	2	11	3	3	9	5	17.8	3.1	70.0	44.0	54.4	12.44	0.60	1.52
HULL.	186,262	113	56	9	17	-	-	-	-	-	3	2	1	2	4	5	15.7	1.7	-	-	-	-	-	-
SUNDERLAND.	125,327	76	41	13	6	-	-	-	-	-	-	2	1	2	1	5	17.1	2.1	70.0	44.0	54.0	12.22	0.45	1.14
NEWCASTLE.	158,109	104	65	19	7	-	1	-	2	1	1	1	2	2	8	3	22.1	2.0	68.0	47.0	55.2	12.89	0.32	0.81
CARDIFF.	17,634	84	44	18	5	-	-	-	2	-	-	7	2	3	5	-	23.7	5.9	-	-	-	-	-	-
EDINBURGH.	270,616	134	67	18	13	-	-	-	-	1	1	5	1	?	9	14	14.0	1.5	66.0	39.9	54.4	12.44	0.84	2.13
GLASGOW.	510,945	388	190	44	24	-	1	8	-	3	1	12	7	?	31	31	19.1	2.5	63.0	34.5	52.9	11.61	1.13	2.87
DUBLIN.	355,082	188	155	35	38	-	-	-	1	3	5	9	1	2	35	30	22.9	3.1	66.1	41.0	53.9	12.17	0.82	2.08

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the THIRTY-SEVENTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2289	2396	2368	2373	2394	2382	2493	2430	2488	2604	2640·8	2542
Males . . .	1153	1211	1189	1202	1199	1218	1245	1248	1256	1340	1397·0	1330
Females . .	1131	1185	1179	1171	1195	1169	1248	1182	1232	1264	1303·8	1212
TOTAL Deaths	1338	1119	1261	1259	1262	1438	1151	1269	1260	1273	1388·2	1291
Males . . .	685	593	648	645	663	764	580	634	661	696	715·3	693
Females . .	653	526	613	614	599	674	571	635	599	687	672·9	598

* The numbers in this column are the average weekly numbers in the thirty-seventh week of the ten years 1875-84, raised by 0·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.
TOTAL Births - -	2419	2483	2420	2411	2423	2459	2164	2885	2535	2413	2538	2330	2542
TOTAL Deaths - -	1279	1366	1412	1616	1636	1750	1720	1472	1473	1371	1238	1221	1231
0-20 - -	658	690	741	964	998	1111	1062	870	790	713	619	585	536
20-40 - -	153	179	191	172	153	165	173	144	175	180	163	174	191
40-60 - -	227	238	198	222	209	211	218	201	237	207	231	205	243
60-80 - -	199	226	226	222	214	220	219	212	221	227	183	213	211
at 80 years & upwds.	42	33	56	86	62	43	48	45	50	44	42	44	50
Deaths of children { Under 1 year -	318	372	408	563	627	723	687	555	499	408	362	303	284
{ 1-5 - -	256	224	251	304	281	289	287	232	214	230	192	203	172
{ 5-20 - -	84	94	82	97	90	99	88	83	77	75	65	79	80
Deaths from Small-pox* -	28	39	23	15	18	16	14	15	5	9	6	9	8
" " Measles - -	90	80	73	82	65	71	58	49	38	55	46	25	14
" " Scarlet Fever -	13	9	12	13	11	18	20	9	12	12	14	15	20
" " Diphtheria - -	14	18	15	16	19	23	20	18	13	14	16	22	25
" " Whooping-cough -	46	59	51	77	51	47	41	44	43	45	30	39	25
" " Typhus - -	2	1	-	1	1	-	-	3	-	-	-	1	-
" " Enteric fever - -	11	9	10	17	9	8	10	13	15	14	8	12	9
" " Simple Cont'd fever -	-	2	1	2	2	2	4	1	1	3	-	1	3
" " Diarrhoea and Dysentery - }	44	51	110	210	234	348	309	222	163	121	83	62	40
" " Cholera - -	2	1	3	7	5	13	11	5	7	6	3	-	1
Deaths from the above-mentioned Diseases* }	250	269	298	440	465	546	487	374	297	279	206	186	145
" " Dis. of Respiratory System }	183	192	177	197	180	172	184	162	165	201	159	175	152
" " Phthisis - -	131	165	138	140	138	137	159	134	151	157	147	139	155
" " Dis. of Circulatory System }	73	74	99	86	101	73	89	85	110	94	97	90	106
Violent Deaths - -	39	42	53	58	42	43	47	55	53	52	38	48	49
Inquest Cases - -	81	84	94	114	92	75	93	98	92	81	76	88	93
Deaths in Public Institutions	285	290	312	297	306	298	297	260	292	302	259	279	288
TEMPERATURE OF THE AIR:													
Mean - -	58·3	60·5	65·0	61·2	64·5	65·2	59·4	59·6	58·2	57·6	57·2	56·3	57·7
Mean of Highest readings -	68·2	72·7	79·5	73·5	78·1	77·7	70·8	72·5	69·4	68·4	68·1	66·1	66·3
Mean of Lowest readings -	49·7	49·5	51·5	51·4	52·4	56·4	51·1	49·9	49·4	49·2	48·6	49·3	51·2
Humidity of the Air - -	75	67	67	74	72	64	77	74	80	75	79	85	86
Rain-fall in inches - -	0·11	00·0	0·02	0·49	0·01	0·00	0·46	0·09	0·14	0·61	0·40	1·93	0·86
Registered Sunshine (in hours)	35·2	41·1	60·5	32·8	55·9	48·3	28·8	48·4	19·7	25·7	26·9	21·1	15·4

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SEVENTH Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 37th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 19th September, 1885.										Corrected Averages for the 37th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 19th September, 1885.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			Deaths of Persons of the Ages											Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			ALL AGES.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	0-1.		1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
ALL CAUSES	1388.2	1231	234	172	80	191	243	211	50	Diseases of Organs of Special Sense †	0.0	5	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased was, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

† Exclusive of 2 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include																	
					Deaths of		Deaths from															
					Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euterie (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
LONDON		3,816,483	2542	1231	234	261	6	14	20	25	25	-	9	3	40	49	93	234	1			
WEST DISTRICTS.																						
St. Mary Paddington WHH G.J. & W.M.		69888	47	22	8	7	-	-	-	-	-	-	-	-	1	-	-	3	8			
St. John Paddington H - - G.J.		37330	9	14	2	5	-	-	-	-	-	-	-	1	-	-	1	5				
Kensington Town Ww - - W.M.		12041	58	28	6	6	-	-	-	2	-	-	-	1	1	-	1	20				
Brompton H - - W.M. & C.		43010	16	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1				
St. Peter Hammersmith - - W.M.		7369	3	2	-	2	-	-	-	-	-	-	-	-	2	2	5	1				
St. Paul Hammersmith H W.M. & G.J.		64340	54	33	6	6	-	2	1	1	1	-	-	-	2	2	3	2				
Fulham WwH - - W.M. & C.		42966	40	15	8	-	-	-	-	2	-	-	-	-	1	-	-	-				
Chelsea South HHH - - C.		30396	22	11	1	2	-	-	-	-	-	-	-	-	-	-	1	10				
Chelsea North-west WHHHH - - C.		24925	17	20	1	4	-	-	-	-	-	-	-	-	1	-	-	-				
Chelsea North-east - - C.		32867	17	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-				
Hanover Square H - - G.J.		16862	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3				
May Fair W - - G.J.		13491	6	4	-	2	-	-	-	-	-	-	-	-	1	4	5	9				
Belgrave WHH - - C.		69220	26	15	3	2	-	-	-	-	-	-	-	-	-	-	1	2				
St. John Westminster HH - - C.		35496	24	5	-	-	-	-	-	-	-	-	-	-	-	-	-	4				
St. Margaret Westminster H - - C.		24679	15	8	-	1	-	-	-	-	-	-	-	-	-	-	-	2				
St. James Westminster WH N.R. & G.J.		29941	12	6	-	4	-	-	-	-	-	-	-	-	-	-	1	1				
St. Anne Soho HHHHH - - N.R.		14668	10	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-				
NORTH DISTRICTS.																						
All Souls Marylebone HHHH - W.M.		26759	15	9	-	3	-	-	-	-	-	-	-	-	-	-	1	6				
Cavendish Square HHH - - W.M.		14891	12	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1				
Rectory Marylebone WH G.J. & W.M.		24809	16	4	-	2	-	-	1	-	-	-	-	-	-	-	-	1				
St. Mary Maryleb. HHH G.J. & W.M.		21118	30	9	4	1	-	-	-	-	-	-	-	-	-	-	1	2				
Christchurch Marylebone H - W.M.		33700	15	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-				
St. John Marylebone H - - W.M.		33633	15	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-				
Hampstead WwHHH - N.R. & W.M.		45452	25	14	-	5	-	-	-	-	-	-	1	-	-	1	1	2				
Regent's Park Paneras H - - W.M.		39115	22	11	4	2	-	-	-	-	-	1	-	-	-	1	-	-				
Tottenham-court WHHHH N.R. & W.M.		27729	9	13	1	3	-	-	-	1	-	1	-	-	-	-	9	-				
Gray's Inn Lane HHH - - N.R.		30247	16	11	1	3	-	-	-	-	-	-	-	-	-	-	1	-				
Somers Town H - - N.R.		34369	23	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-				
Camden Town WH - - N.R.		17311	11	15	2	7	-	1	-	-	-	-	1	-	1	2	8	-				
Kentish Town W - - N.R.		97487	72	27	6	3	-	-	-	1	1	-	-	-	-	1	2	6				
Upper Holloway WwWwH - - N.R.		67946	52	31	3	4	2	-	-	2	-	-	-	-	-	1	1	6				
Islington South-west HH - - N.R.		109576	75	32	11	6	-	-	1	2	1	-	1	1	1	1	2	4				
Islington South-east - - N.R.		61835	41	18	5	3	-	-	-	-	-	-	-	-	-	-	1	-				
Highbury H - - N.R.		52048	32	17	3	4	1	-	-	1	-	-	-	-	-	-	1	-				
Stoke Newington H - - N.R.		22781	13	6	1	1	-	-	-	1	-	-	-	-	-	1	-	-				
Stamford Hill - - E.L.		9277	9	3	2	1	-	-	-	-	-	-	-	-	-	-	1	-				
West Hackney - - N.R.		37610	13	6	2	3	-	-	-	-	-	-	-	-	-	-	1	-				
Hackney WwWwHL - - E.L. & N.R.		76911	54	28	3	7	1	1	3	-	-	-	-	-	-	-	1	11				
South Hackney - - E.L.		39883	30	13	3	-	-	-	-	1	-	-	-	-	-	-	-	-				
CENTRAL DISTRICTS.																						
St. George Bloomsbury - - N.R.		16681	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1				
St. Giles South WH - - N.R.		14864	3	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-				
St. Giles North - - N.R.		13837	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-				
St. Martin-in-the-Fields HH N.R. & C.		17508	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Mary-le-Strand H - - N.R.		7515	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Clement Danes H - - N.R.		8559	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. George-the-Martyr HHHHHH N.R.		18671	10	10	1	3	-	-	-	-	-	-	-	-	2	-	-	3				
St. Andrew Eastern W - - N.R.		10706	2	5	1	1	-	1	-	-	-	-	-	-	-	-	1	-				
Saffron Hill H - - N.R.		6533	13	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-				
St. James Clerkenwell - - N.R.		17516	6	5	1	1	-	-	-	-	-	-	-	-	1	-	-	-				
Anwell Clerkenwell - - N.R.		16231	9	5	3	1	1	1	-	-	2	-	-	-	-	-	-	-				
Pentonville - - N.R.		14773	9	5	3	1	1	1	-	-	-	-	-	-	1	1	-	-				
Gooswell-street - - N.R.		17506	15	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-				
Old-street H - - N.R.		11541	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-				
City-road HHL - - N.R.		18628	28	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-				
Whitecross-street - - N.R.		9217	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Finsbury - - N.R.		7463	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Botolph H - - N.R. & E.L.		11174	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Cripplegate - - N.R.		7193	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. Sepulchre H - - N.R.		5358	1	17	1	2	-	-	-	3	-	-	-	-	-	-	2	16				
St. Bride W - - N.R.		8396	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Allhallows Barking - - N.R.		13666	3	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-				
Broad Street H - - N.R.		6662	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-				

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work-house; H—Hospital; L—Lunatic Asylum; W—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J., signifies Grand Junction Company; W.M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N.R., New River; E.L., East London; and K., the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 19th September, 1885.

REGISTRATION SUB-DISTRICTS.		Enumerated Popu- lation, 1881.	Total Births during the Week.	Total DEATHS during the Week.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																			
Holywell Shoreditch	N.R. & E.L.	7376	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
St. Leonard Shoreditch	N.R.	14967	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hoxton New Town	N.R.	29987	22	13	2	2	-	2	1	2	-	-	-	-	-	1	-		
Hoxton Old Town	N.R.	28086	22	8	1	2	-	-	1	-	-	-	-	-	-	-	-		
Haggerston	N.R. & E.L.	46275	28	20	5	4	-	-	2	-	2	-	-	1	-	7	-		
Hackney-road	H	29738	23	12	3	1	-	-	2	1	-	-	-	1	-	1	-		
Green, Bethnal Green	WHL†	47932	33	33	3	10	-	-	1	-	2	-	-	1	-	16	-		
Church, Bethnal Green	H	29981	22	8	1	2	-	-	-	-	-	-	-	-	-	-	-		
Town, Bethnal Green	H	18810	15	6	3	1	-	-	-	-	-	-	-	-	-	-	-		
Spitalfields	H	22585	12	6	1	1	-	-	-	-	-	-	-	-	1	2	-		
Mile End New Town	W	15473	9	5	-	2	-	-	-	-	-	-	-	-	-	-	4		
Whitechapel Church	H	17490	6	18	1	-	-	-	-	1	-	-	-	-	3	3	16		
Goodman's Fields	H	9713	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Aldgate	N.R. & E.L.	6102	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. George's, North	H	38747	23	7	2	1	1	-	1	-	-	-	-	-	1	1	-		
St. John, St. George East	W	8410	5	8	2	2	-	-	-	-	1	-	-	2	1	1	2		
Shadwell	H	10895	10	4	2	-	-	1	-	-	-	-	-	-	-	1	3		
Ratcliff	H	16107	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
Limehouse	H	32041	26	13	7	-	-	1	-	-	-	-	-	-	1	2	-		
Mile End Old Town West	H	37660	23	9	3	-	-	-	-	-	1	-	-	-	-	1	-		
Mile End Old Town East	WwWH	67653	53	17	5	5	-	-	-	-	-	-	-	-	2	2	1		
Row	H	37074	23	9	4	2	-	-	-	-	-	-	-	-	-	-	-		
Bromley	WwWH	64859	40	23	3	3	-	-	1	-	-	-	-	-	4	5	12		
Poplar	WwWH	55077	34	19	6	4	-	-	-	-	-	-	-	-	4	4	3		
SOUTH DISTRICTS.																			
Christchurch Southwark	WH	18663	12	7	3	2	-	-	-	-	-	-	-	-	-	1	-		
St. Saviour Southwark	H	14969	6	5	1	1	-	-	-	-	-	-	-	-	-	1	-		
Kent-road	H	21381	19	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
Borough-road	WH	13953	11	7	2	-	-	-	-	1	-	-	-	-	-	-	-		
London-road	HL	21318	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-		
Trinity Newington	H	26672	16	11	3	1	-	1	-	-	-	-	-	-	1	1	1		
St. Peter Walworth	W	33655	55	24	6	9	-	-	-	-	-	-	-	-	1	11	-		
St. Mary Newington	H	21623	15	4	1	-	-	-	-	-	-	-	-	-	-	1	-		
St. Olave	WH	11956	4	18	2	1	-	-	1	-	-	-	-	1	2	3	12		
Leather Market	H	16800	13	6	2	-	-	1	-	-	-	-	-	-	-	-	-		
St. Mary Magdalen	W	15689	17	6	2	-	-	-	-	-	1	-	-	-	-	-	-		
St. James Bermondsey	H	54683	48	13	4	-	-	-	-	-	1	-	-	1	-	-	1		
Rotherhithe	W	36024	27	22	4	7	-	-	-	-	-	-	-	-	1	2	9		
Waterloo-road 1st	H	15195	8	7	2	1	-	-	-	-	-	-	-	-	-	-	2		
Waterloo-road 2nd	H	16381	20	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Lambeth Church 1st	H	19876	22	16	3	2	-	2	-	1	-	-	-	2	-	-	11		
Lambeth Church 2nd	WW	39639	25	16	1	3	-	-	-	1	-	-	-	-	-	1	5		
Kennington 1st	H	45232	29	9	1	2	-	-	-	-	-	-	-	-	-	-	-		
Kennington 2nd	H	35382	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-		
Brixton	Ww	62887	43	17	2	4	-	-	-	-	-	-	-	-	3	3	1		
Norwood	W	19017	13	7	2	-	-	-	-	-	-	-	-	-	-	-	-		
Clapham	H	36950	21	6	4	2	-	-	-	-	-	-	-	-	-	-	1		
East Battersea	H	54675	61	13	6	2	-	-	1	-	-	-	-	1	-	-	1		
West Battersea	Ww	51687	44	14	5	3	-	-	1	-	1	-	-	1	1	1	2		
Wandsworth	HL	28004	14	15	4	6	-	-	-	1	-	-	-	2	-	-	3		
Putney	H	13235	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-		
Streatham	H	25553	23	6	2	2	-	-	-	-	-	-	-	-	-	-	-		
Dulwich	H	8290	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-		
Camberwell	WHL†	39104	54	27	4	11	-	-	1	-	-	-	-	1	-	-	7		
Peckham	W	71089	54	24	8	6	-	-	-	-	-	-	-	-	1	-	1		
St. George Camberwell	H	50810	39	11	5	1	-	-	-	-	-	-	-	-	1	1	-		
St. Paul Deptford	Ww	76752	65	12	3	3	-	-	-	-	1	-	-	-	1	1	1		
St. Nicholas Deptford	H	7501	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Greenwich West	H	21972	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-		
Greenwich East	WHH	24608	18	17	4	5	-	1	-	1	-	-	-	1	-	-	8		
Eltham	H	5827	5	3	2	-	-	-	-	-	-	-	-	-	-	-	1		
Lee	H	21559	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Lewisham	WH	18865	24	7	2	1	-	-	-	1	-	-	-	1	-	1	2		
Sydenham	H	26076	16	5	2	1	-	-	-	-	-	-	1	-	-	-	-		
Charlton	H	10950	6	3	1	1	-	-	-	-	-	-	-	-	1	1	1		
Woolwich Dockyard	H	17617	14	6	1	3	-	-	-	-	-	-	-	-	1	1	-		
Woolwich Arsenal	HHH	19048	14	7	3	1	-	-	-	-	-	-	-	1	-	1	-		
Plumstead, West	H	14009	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Plumstead, East	W	19241	12	5	2	1	-	-	-	-	-	-	-	1	-	1	3		

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by *w*:-

Marplebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.	Stepney
Holborn Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum
London City Workhouse. " Hackney sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Holborn " Hoxton New Town sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hax-ney, Brixton, and St. Paul, Deptford sub-districts.
Whitechapel " Mile End Old Town Eastern sub-dist.	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 19th September, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Ename- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes.
LONDON—OUTER RING		370,282	950,178	725	275	74	74	3	2	2	2	6	1	13	3	6	42	
30:1	Carshalton <i>wL</i> - -	12228	21118	10	2	-	-	-	-	-	-	-	-	1	-	-	-	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	7	7	1	2	-	-	-	-	-	-	-	-	-	5	-
37:1	Godstone (<i>part of</i>) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon <i>WwH</i> - -	20851	101241	63	36	5	8	-	-	-	1	-	-	1	1	1	13	-
	Mitcham - -	11697	17932	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-
39:1	Wimbledon <i>HHH</i> - -	3220	15950	16	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Kingston <i>WHH</i> - -	8549	36354	37	10	3	3	1	-	-	-	-	-	-	-	1	5	-
3	Esher (<i>part of</i>) * -	6001	9221	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Hampton <i>H</i> - -	4573	13539	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-
40:1	Richmond <i>WH</i> - -	2272	21302	15	6	2	4	-	-	-	-	-	-	2	-	-	-	-
2	Mortlake - -	941	12331	13	4	-	3	-	-	-	-	-	-	-	-	-	-	-
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	18	10	3	3	-	-	-	-	-	-	-	-	-	-	-
2	Chislehurst(<i>pt. of</i>) * <i>WHH</i>	13665	15065	10	3	-	1	-	-	-	-	-	-	-	-	-	2	-
42:1	Bexley <i>H</i> - -	13437	24134	20	4	-	-	-	-	1	-	-	-	-	-	-	-	-
124:1	Sunbury <i>w</i> - -	11055	11685	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines <i>W</i> - -	13277	12089	5	4	1	1	-	-	-	-	-	-	1	-	-	-	-
125:1	Hillingdon <i>WH</i> - -	6029	10802	9	3	-	3	-	-	-	-	-	-	-	-	-	3	-
2	Uxbridge - -	6178	5225	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes <i>wHL</i> - -	14587	11523	9	5	2	1	-	-	-	-	-	-	1	-	-	1	-
126:1	Isleworth <i>W</i> - -	7008	22727	7	9	5	-	-	-	-	-	-	1	1	2	2	1	-
2	Twickenham <i>H</i> - -	2477	12479	10	4	-	1	-	-	-	-	1	-	-	-	-	-	-
3	Brentford <i>HL</i> - -	4345	27649	31	11	1	5	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - -	1340	15975	12	4	3	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton <i>wH</i> - -	6083	22876	19	5	-	2	-	-	-	-	-	-	-	-	-	-	-
127:1	Harrow <i>H</i> - -	13809	12796	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>H</i> - -	6994	3749	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden - -	4383	27453	18	12	8	-	-	1	-	-	-	-	-	-	1	-	-
4	Hendon <i>W</i> - -	8382	10484	0	2	-	-	-	-	-	-	-	-	-	-	-	-	-
128:1	South Mimms - -	15599	6391	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet <i>W</i> - -	5433	10092	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley <i>HL</i> - -	4088	17615	17	7	1	4	-	-	-	-	-	-	-	-	-	4	-
129:1	Hornsey <i>H</i> - -	3039	37078	22	8	2	2	-	-	-	-	-	-	-	-	-	-	-
2	Tottenham <i>HH</i> - -	4642	46456	63	17	5	7	-	1	-	-	-	-	2	-	-	-	-
3	Edmonton <i>WwH</i> - -	7493	23463	18	14	3	3	-	-	1	-	1	-	1	-	-	3	-
4	Enfield <i>WH</i> - -	12653	19104	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-
5	Waltham Abbey - -	11017	5368	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - -	8480	7735	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
135:1	Hatfield (<i>part of</i>) * -	3306	683	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey - -	9331	6621	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
138:1	Stratford - -	882	38606	29	14	7	-	-	-	-	-	2	-	1	-	-	-	-
2	West Ham <i>wvwH</i> - -	7351	101053	117	33	9	5	2	-	-	1	-	-	1	-	1	1	-
3	Leyton <i>WwL</i> - -	4372	32430	28	6	2	-	-	-	-	-	-	-	-	-	-	2	-
4	Walthamstow <i>wH</i> - -	6520	28869	30	3	1	1	-	-	-	-	-	-	1	-	-	-	-
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9669	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139:1	Romford (<i>part of</i>) * -	6730	3411	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - -	8493	7645	3	3	2	-	-	-	-	-	2	-	-	-	-	-	-
3	Barking Town - -	4127	9203	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warlingham and Parle in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 19th September, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Deaths in Public Institutions.	
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
REATER LONDON	448,334	5,199,166	15.1	1.7	1506	358	335	9	16	22	27	31	13	53	52	330		
INNER LONDON	78,052	4,083,928	15.7	1.8	1231	284	261	6	14	20	25	25	12	40	40	285		
OUTER RING	370,282	1,115,238	12.9	1.4	275	74	74	3	2	2	2	6	1	13	3	42		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal 700.522 square miles, which is equivalent to the area of a circle having a radius of 14.933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA	433,219	August 15	-	218	28.2	Fevers 65; cholera 16; small-pox 3.
BOMBAY	773,196	" 18	265	425	26.2	Fevers 115; cholera 9.
MADRAS	398,777	" 14	311	263	34.3	Fevers 54; cholera 1.
PARIS	2,239,028	September 12	1229	803	18.6	Typd. fev. 25; sm.-pox 7.
GENEVA	71,453	" 12	29	18	18.1	—
BRUSSELS	436,214	" 5	235	192	20.4	Typh. and typhd. fev. 3; diarr. dis. 50.
AMSTERDAM	366,812	" 12	282	133	18.9	Typhus and typhoid fever 2.
ROTTERDAM	166,001	" 12	124	65	19.9	Scarlet fever 2.
THE HAGUE	184,552	" 12	102	48	18.5	Diphtheria 1.
COPENHAGEN	580,615	" 8	203	93	17.3	Diphtheria 3; diarrhoeal diseases 10.
STOCKHOLM	200,143	August 29	129	76	19.7	Scar. fev. 2; wh.-cough 4; diarrhoeal diseases 11.
CHRISTIANIA	128,000	September 12	72	52	21.1	Scarlet fev. 3; whooping-cough 3.
ST. PETERSBURG	928,016	" 5	-	508	28.6	Typ. & typd. fev. 15; dip. 7; scar. fev. 8; diarr. dis. 118.
BERLIN	1,279,599	August 29	822	564	23.0	Diph. 27; typh. & typd. 11; diarr. dis. 96.
HAMBURG (State)	497,956	September 5	353	240	25.1	Diph. & croup 6; typh. & typd. 2; diarr. dis. 49.
DRESDEN	241,500	August 20	130	89	19.2	Scar. fev. 2; diph. and croup 6.
BRESLAU	295,000	September 5	201	154	27.0	Diphtheria 7; diarrhoeal diseases 22.
MUNICH	244,000	" 12	154	124	26.4	Diphtheria and croup 2; diarrhoeal diseases 33.
VIENNA	769,889	" 12	540	290	19.6	Small-pox 9; diph. 3; diarrhoeal dis. 42.
PRAGUE	272,333	" 12	-	149	28.5	Small-pox 1; scarlet fever 6.
BUDA-PESTH	429,532	August 20	277	203	24.6	Sm.-pox 4; typh. & typd. fev. 5; diarr. dis. 40.
TRIESTE	150,157	" 1	-	-	-	—
ROME	330,430	" 1	213	175	27.6	Sm.-pox 3; typhd. fev. 5; diarrhoeal diseases 38.
NAPLES	504,795	—	-	-	-	—
TURIN (10 days)	267,763	August 20	206	175	23.9	Typhoid fever 6; diphtheria 2.
VENICE	145,990	" 29	66	73	25.7	Small-pox 5; typhoid fever 3.
MADRID	475,663	—	-	-	-	—
LISBON	203,681	—	-	-	-	—
ALEXANDRIA	531,596	—	-	-	-	—
NEW YORK	1,356,958	August 22	-	623	24.0	Diphtheria 13; whooping-cough 10; diarr. dis. 143.
BROOKLYN	665,602	" 22	-	298	23.4	Scarlet fever 7; diph. 11; diarrhoeal dis. 79.
PHILADELPHIA	949,432	" 20	-	365	20.1	Diphtheria 8; typhoid fever 28.
BALTIMORE	408,520	" 20	-	161	20.6	Scarlet fever 4; typhoid fever 3; diphtheria 3.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 19th SEPTEMBER, 1885.
[Under the Superintendence of the Astronomer Royal.]

1885. MONTH AND DAY.	MOON. Phase of Moon.	READINGS OF THERMOMETERS.					DIFFERENCE		DEGREE OF HUMIDITY.		WIND.		RAIN.	
		METEOR.		DRY.		Dew Point.	Between Day Point and Night Point.		Between surface of water and air.		As deduced from Anemometers.		Collected Gauge.	
		High. est.	Low. est.	Range in day.	Mean daily value.		High. est.	Low. est.	Mean daily value.	Least.	General Direction.	Pressure square foot.	Amount of rain.	Receiving vessel.
SEPT.														
SUN. 13	..	66.4	50.7	15.7	57.8	52.5	106.1	45.5	58.8	58.5	WSW. & SW.	7.0	0.0	0.01
MON. 14	..	70.8	49.7	21.1	60.1	58.6	114.9	44.4	59.4	58.8	SW.	7.0	0.0	0.00
TUES. 15	..	76.4	57.7	18.7	65.4	58.8	126.0	55.8	60.0	59.3	SW. & SSW.	7.0	0.0	0.00
WED. 16	First Qr.	68.6	53.8	14.8	59.0	53.3	110.4	48.9	60.8	59.9	WSW. & SW.	7.0	0.0	0.22
THURS. 17	..	59.6	50.0	9.6	53.9	52.1	78.3	43.0	60.8	60.2	SE. & NE.	1.4	0.0	0.00
FRI. 18	Apogee.	64.4	48.5	15.9	54.8	50.5	101.8	41.2	60.8	59.7	N. E. & S.	0.1	0.0	0.00
SAT. 19	..	57.9	47.8	10.1	53.2	51.3	74.6	39.8	60.4	59.7	SW. & WSW.	9.2	0.0	0.14
MEANS	..	66.3	51.2	15.1	57.7	53.2	101.7	45.5	60.1	59.4	SW.	0.86
No. of Col.	3	5	6	7	8	9	10	11	12	13	14	15	16	17

DATE.		ELECTRICITY.		REGISTERED SUNSHINE.		SUN ABOVE HORIZON.		SKY AND ATMOSPHERE.	
SEPTEMBER.		(For explanation of symbols, see Note.)		in hours.		in hours.			
SUNDAY	13	W. P. throughout	0.6	12.7	12.7	12.7	12.7	A little rain fell in early morning; fine with variable amounts of cloud till evening; cloudless at night.	Observations are usually taken at 8h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
MONDAY	14	W. P. throughout	2.4	12.7	12.7	12.7	12.7	Overcast till 1h. P.M.; fine with large amounts of cloud afterwards.	The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1888.
TUESDAY	15	W. P. generally	9.3	12.6	12.6	12.6	12.6	A very fine day. The amount of cloud was generally small till night; overcast after 10h. P.M.	In reading the 17th and 28th columns it will be borne in mind that + is read "higher," and - "lower," than the average.
WEDNESDAY	16	W. P. till 7h. P.M.; v. P. and v. N. afterwards.	1.5	12.6	12.6	12.6	12.6	Overcast in morning; fine and partially cloudy in afternoon; overcast and showery at night.	The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.
THURSDAY	17	W. N. and v. P. till 2h. A.M.; w. P. afterwards.	0.1	12.5	12.5	12.5	12.5	Rain fell generally throughout morning until 10h. A.M.; overcast till afternoon; fine with variable amounts of cloud till 9h. P.M.; generally cloudless afterwards. Fog prevalent after 11h. P.M.	The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are +, -; positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
FRIDAY	18	W. P. generally	1.5	12.4	12.4	12.4	12.4	Fog in early morning; cloudy till afternoon; cloudless at night.	The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
SATURDAY	19	W. P. throughout	0.0	12.3	12.3	12.3	12.3	Rain fell between 8h. A.M. and 11h. A.M.; overcast till evening; fine with variable amounts of cloud at night.	The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.
									The reading of the anemometer is 29.68 in. at the beginning of the week to 29.92 in. by 8h. P.M. on the 13th; decreased to 29.64 in. by 3h. P.M. on the 15th; increased to 29.92 in. by noon on the 16th; decreased to 29.77 in. by 9h. A.M. on the 17th; increased to 29.83 in. by 9h. P.M. on the 18th; decreased to 29.75 in. by 3h. P.M. on the 19th; and was 29.81 in. at 20

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

*Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 2, EAST HARDING ST., FETTER LANE, E.C.*

No. 38. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, SEPTEMBER 26. [Price 1½d.

*General Register Office, Somerset House,
28th September, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 15·9 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.		Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.
Birkenhead	20·2	20·7	20·2	15·7	Liverpool -	23·9	23·2	21·4	21·7
Birmingham	17·8	16·1	12·7	15·5	London -	15·8	15·6	15·7	13·8
Blackburn -	18·1	21·3	14·4	18·1	Manchester -	24·6	23·2	20·6	21·7
Bolton -	19·0	13·3	23·7	19·9	Newcastle-on-Tyne	20·4	25·2	22·1	19·1
Bradford -	18·0	14·1	14·6	14·8	Norwich -	17·7	20·0	17·7	14·3
Brighton -	16·4	12·3	17·3	16·8	Nottingham -	17·3	15·5	17·8	15·8
Bristol -	15·8	14·1	16·7	10·0	Oldham -	21·1	13·6	18·2	14·5
Cardiff -	25·3	24·2	23·7	22·0	Plymouth -	19·9	23·3	19·9	22·0
Derby -	22·1	18·0	16·9	14·0	Portsmouth -	22·9	18·2	21·7	18·6
Halifax -	17·5	19·6	20·2	17·5	Preston -	24·4	27·5	28·6	23·4
Huddersfield	8·4	26·9	11·4	14·3	Salford -	23·0	21·7	20·5	17·4
Hull -	15·1	12·6	15·7	11·8	Sheffield -	17·8	18·1	17·8	21·8
Leeds -	17·5	18·0	15·3	16·4	Sunderland -	23·3	16·7	17·1	20·0
Leicester -	22·2	15·3	18·0	18·0	Wolverhampton -	16·5	15·8	21·1	13·8

The highest annual death-rates from diarrhoea, measured by last week's mortality, were 2·1 in Preston, 2·2 in Manchester, 2·4 in Bolton, 2·7 in Plymouth, and 3·7 in Blackburn; and from "fever," 1·2 in Portsmouth and in Oldham, and 1·5 in Leicester. Of the 28 deaths from diphtheria, 18 occurred in London, 2 in Birmingham, and 3 in Liverpool. Small-pox caused 8 deaths in London and its outer ring (exclusive of 8 in the Metropolitan Asylum Hospital Ship "Atlas" moored off Dartford), and not one in any of the twenty-seven provincial towns.

LONDON.

In LONDON 2438 BIRTHS and 1081 DEATHS were registered. Allowing for increase of population, the births were 216, and the deaths 355, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·8, 15·6, and 15·7 in the three preceding weeks, declined last week to 13·8, which was considerably lower than the rate recorded in any week since the first publication of the Registrar General's Weekly Returns. During the first twelve weeks of the current quarter the death-rate averaged 18·3 per 1000, against 20·3 in the corresponding periods of the nine years 1876-84.

The 1081 deaths included 3 from small-pox, 15 from measles, 16 from scarlet fever, 18 from diphtheria, 26 from whooping-cough, 14 from enteric fever, 3 from ill-defined forms of continued fever, 49 from diarrhoea and dysentery, 1 from infantile cholera, and not one from typhus; thus, 145 deaths were referred to these diseases, being 100 below the corrected average weekly number.

The fatal cases of small-pox registered in London, which had been 3 and 6 in the two preceding weeks, declined again last week to 3. These 3 deaths were

exclusive of 8 of London residents who died in the Metropolitan Asylum Hospital Ship "Atlas", moored off Dartford and outside Registration London. Of the total 11 cases, 9 occurred in the Metropolitan Asylum Hospitals, and 2 in private dwelling houses in Camberwell. After distributing the hospital cases to the several sanitary areas, 2 belonged to Kensington, and 2 to Poplar. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had steadily declined in the sixteen preceding weeks from 1389 to 195, had further fallen to 153 on Saturday last; the admissions, which had been 32 and 47 in the two preceding weeks, fell to 27. The Highgate Small-pox Hospital contained 10 patients on Saturday last, 2 having been admitted during the week.

The fatal cases of *measles*, which had declined in the four preceding weeks from 55 to 14, were 15 last week, and were 2 below the corrected average; 7 belonged to South London, including 5 to Lambeth. The 16 deaths from *scarlet fever* showed a decline of 4 from the number in the previous week, and were 37 below the corrected average; 12 belonged to East London, including 4 to Bethnal Green, 4 to St. George-in-the-East, and 2 to Poplar. The Metropolitan Asylum Hospitals contained 274 scarlet fever patients on Saturday last, 27 having been received during the week. The deaths referred to *diphtheria*, which had steadily increased in the five preceding weeks from 13 to 25, declined again last week to 18, but exceeded the corrected average by 2; 7 belonged to Islington, and 3 to Wandsworth. The 26 fatal cases of *whooping-cough* exceeded those in the previous week by one, but were 6 below the corrected average; 3 belonged to Bethnal Green, and 3 to Wandsworth. The deaths referred to *diarrhoea* and *dysentery*, which had declined in the eight preceding weeks from 348 to 40, were 49 last week, and 40 below the corrected average; 42 were of infants and children under 5 years of age. The death of an infant, aged 7 months, was referred to "cholera infantum."

The deaths from *enteric fever*, which had been 12 and 9 in the two preceding weeks, rose to 14 last week, but were 10 below the corrected average; 2 belonged to Hackney, 3 to Mile End Old Town, and 3 to Camberwell. The Metropolitan Asylum Hospitals contained 22 cases of enteric fever, and 1 of typhus, on Saturday last; one case of enteric fever, and not one of typhus, were admitted.

The deaths referred to diseases of the respiratory organs, which had been 175 and 152 in the two preceding weeks, were 159 last week, and were 50 below the corrected weekly average.

The deaths of 2 children, aged 4 and 6 years, and of a male, aged 62 years, were referred to hydrophobia.

Different forms of violence caused 45 deaths; 35 were the result of negligence or accident, among which were 23 from fractures and contusions, 3 from burns and scalds, and one (of a female employed at a white-lead factory) from lead-poisoning. The 23 deaths from fractures and contusions were thus returned:—male, aged 1 year, run over by van; male 7, crushed by van; male 7, and female 9, run over by cab; male 60, from collision with van; male 60, run over on railway; male 46, fell down stairs; male 13, fell from swing; males 33 and 53, fell down steps; females 49 (intoxicated), and 75, fell in street; male 33, fell from scaffold; male 15, fell into hole; male 38, fell from loop-hole at hop factory; male 1, fell from table; male 47, and females 44 (intoxicated), and 67, by fall; female 59, by concussion; male 36 (delirium tremens), fell from bed; females 47, and 51, by fracture. An inquest was held in each of these 23 cases, except the last three.

GREATER LONDON.

In Greater London 3193 births and 1360 deaths were registered, corresponding to annual rates of 32·0 and 13·6 per 1000 of the population. In the Outer Ring 5 fatal cases of small-pox were registered, including 4 in West Ham and one in Barking Town sub-districts. Four deaths from diphtheria occurred in Hornsey and 3 in West Ham sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·90 in.; the highest reading was 30·17 in. on Tuesday morning, and the lowest 29·68 in. on Friday afternoon. The mean temperature of the *air* was 52°·7, and 3°·4 below the average in the corresponding week of the 20 years ending 1868. The mean showed an excess on Tuesday and Wednesday, but was below the average on each of the other days of the week. The general direction of the *wind* was W., and the horizontal movement of the air averaged 10·0 miles per hour, which was 0·9 below the average in the corresponding week of 16 years. *Rain* fell on four days of the week, to the aggregate amount of 0·18 of an inch. The registered bright sunshine in the week was 34·1 hours, against 42·4 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY in 28 GREAT TOWNS, during the Week ending 26th September, 1885.

Births, Deaths, Meteorology.

391

CITIES AND BOROUGHES.	POPULATION estimated middle of the Year 1885.	Registered during the Week ending 26th Sept., 1885.		The DEATHS registered in the Week include												TEMPERATURE OF THE AIR.						RAINFALL.		CITIES AND BOROUGHES.						
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhoid Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths.		TEMPERATURE OF THE AIR.		Mean.	Centigrade.		Fahrenheit.	Lowest.	Fahrenheit.	In Inches.	In Centi- meters.	
					4.	5.												6.	7.	8.	9.									10.
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	25.	26.	27.	28.	29.	30.	
28 TOWNS.	8,506,446	5665	2717	739	544	3	37	36	28	59	55	156	107	181	434	61	15-9	2-2	70-2	31-9	50-7	10-39	0-29	0-74	0-29	0-74	0-29	0-74	0-29	
LONDON.	4,083,928	2438	1081	260	237	3	15	16	18	26	17	49	45	80	234	11	13-8	1-8	70-2	35-8	52-7	11-50	0-18	0-46	0-18	0-46	0-18	0-46	0-18	
BRIGHTON.	114,672	58	37	10	12	-	-	-	1	1	3	5	1	4	6	1	16-8	3-1	68-3	36-3	53-1	11-73	0-01	0-03	0-01	0-03	0-01	0-03	0-01	
PORTSMOUTH.	134,659	97	48	9	13	-	-	-	-	-	3	5	1	4	8	-	18-6	0-0	68-3	36-3	53-1	11-73	0-01	0-03	0-01	0-03	0-01	0-03	0-01	
NORWICH.	94,215	66	25	6	10	-	-	-	-	-	-	5	1	4	8	-	14-3	0-0	68-3	36-3	53-1	11-73	0-01	0-03	0-01	0-03	0-01	0-03	0-01	
PLYMOUTH.	76,045	42	32	11	12	-	-	-	1	-	-	4	4	5	2	-	22-0	3-4	64-1	42-9	52-9	11-61	0-39	0-99	0-39	0-99	0-39	0-99	0-39	
BRISTOL.	213,169	118	42	13	9	-	1	-	-	-	3	1	2	3	7	2	10-0	1-2	67-0	37-6	51-9	11-06	0-11	0-28	0-11	0-28	0-11	0-28	0-11	
WOLVERHAMPTON.	79,185	67	21	7	3	-	-	-	-	-	-	3	1	2	1	-	13-8	2-0	65-0	33-9	48-9	9-39	0-24	0-61	0-24	0-61	0-24	0-61	0-24	
BIRMINGHAM.	427,769	260	127	36	58	-	2	-	2	8	2	9	3	7	20	1	15-6	2-2	-	-	-	-	-	-	-	-	-	-	-	
LEICESTER.	136,147	107	47	11	7	-	-	2	-	1	4	1	4	5	8	-	18-0	3-1	-	-	-	-	-	-	-	-	-	-	-	
NOTTINGHAM.	211,424	166	64	15	17	-	1	1	-	2	-	2	3	4	2	1	15-8	1-5	67-0	32-1	50-7	10-39	0-03	0-08	0-03	0-08	0-03	0-08	0-03	
DERBY.	89,691	57	24	7	8	-	-	-	-	-	-	-	-	-	-	-	14-0	0-6	-	-	-	-	-	-	-	-	-	-	-	
BIRKENHEAD.	93,083	69	28	8	3	-	1	-	-	-	-	-	-	-	1	1	15-7	1-1	-	-	-	-	-	-	-	-	-	-	-	
LIVERPOOL.	579,724	253	241	55	35	-	7	4	3	9	8	14	13	15	42	12	21-7	4-1	63-3	38-6	50-0	10-00	0-76	1-93	0-76	1-93	0-76	1-93	0-76	
BOLTON.	110,085	87	42	14	6	-	-	2	-	1	-	5	-	-	1	3	1	19-9	3-8	61-9	31-9	47-2	8-44	0-73	1-98	0-73	1-98	0-73	1-98	0-73
MANCHESTER.	337,342	236	140	40	22	-	3	-	1	3	-	14	6	13	32	3	21-7	3-2	-	-	-	-	-	-	-	-	-	-	-	
SALFORD.	204,075	145	68	22	8	-	3	1	-	-	-	8	1	3	7	-	17-4	3-1	-	-	-	-	-	-	-	-	-	-	-	
OLDHAM.	126,390	73	35	11	8	-	2	-	1	-	3	-	-	-	3	-	14-5	2-5	-	-	-	-	-	-	-	-	-	-	-	
BLACKBURN.	112,574	88	39	10	9	-	-	-	1	-	-	8	2	3	9	1	18-1	4-2	-	-	-	-	-	-	-	-	-	-	-	
PRESTON.	100,406	84	45	22	8	-	-	-	1	1	2	1	4	2	2	-	23-4	4-7	62-0	36-0	50-5	10-28	0-48	1-22	0-48	1-22	0-48	1-22	0-48	
HUDDESFIELD.	87,327	40	24	7	5	-	-	-	-	-	-	1	1	2	3	4	14-3	1-8	-	-	-	-	-	-	-	-	-	-	-	
HALEFAX.	77,378	37	26	7	6	-	-	-	-	-	-	-	-	-	1	-	17-5	0-7	-	-	-	-	-	-	-	-	-	-	-	
BRADFORD.	214,431	137	61	19	12	-	-	-	-	-	-	2	5	7	7	1	14-8	0-5	62-3	35-6	50-7	10-39	0-15	0-38	0-15	0-38	0-15	0-38	0-15	
LEEDS.	383,139	253	105	34	15	-	1	4	1	2	3	8	2	4	10	1	16-4	3-0	67-0	35-0	51-2	10-67	0-03	0-08	0-03	0-08	0-03	0-08	0-03	
SHEFFIELD.	305,716	219	128	68	18	-	-	1	-	2	4	7	1	1	5	9	21-8	2-4	67-0	37-0	51-2	10-67	0-00	0-00	0-00	0-00	0-00	0-00	0-00	
HULL.	186,292	110	42	8	11	-	-	-	-	-	-	2	1	1	1	4	2	11-8	0-8	65-0	32-0	48-8	9-34	0-55	1-40	0-55	1-40	0-55	1-40	
SUNDERLAND.	125,327	79	48	9	8	-	-	-	-	1	1	2	1	1	1	6	1	20-0	2-5	-	-	-	-	-	-	-	-	-	-	
NEWCASTLE.	153,269	107	56	16	8	-	-	-	-	-	2	4	3	5	4	4	19-1	2-0	64-0	38-0	49-5	9-72	0-28	0-71	0-28	0-71	0-28	0-71	0-28	
CARDIFF.	97,034	92	41	14	6	-	-	-	-	-	1	1	1	3	4	1	22-0	2-2	-	-	-	-	-	-	-	-	-	-	-	
EDINBURGH.	250,616	134	77	16	21	-	-	1	-	1	1	3	4	4	11	16	16-0	1-2	60-0	34-6	50-7	10-39	0-08	0-20	0-08	0-20	0-08	0-20	0-08	
GLASGOW.	519,965	380	183	39	29	-	-	9	2	7	4	10	8	10	35	23	19-4	3-2	61-0	36-0	50-4	10-22	0-28	0-71	0-28	0-71	0-28	0-71	0-28	
DUBLIN.	353,082	190	149	30	24	-	-	5	1	1	1	8	4	5	42	19	22-0	2-5	64-1	34-9	49-1	9-50	0-05	0-13	0-05	0-13	0-05	0-13	0-05	

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the THIRTY-EIGHTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2127	2423	2286	2491	2573	2599	2330	2544	2470	2498	2654.3	2438
Males . . .	1101	1213	1156	1335	1270	1360	1300	1289	1258	1299	1361.0	1318
Females . .	1026	1210	1130	1156	1303	1239	1130	1255	1212	1199	1293.3	1120
TOTAL Deaths	1319	1280	1179	1250	1366	1441	1279	1450	1236	1315	1435.6	1081
Males . . .	680	645	609	635	664	753	662	756	659	631	796.0	551
Females . .	639	635	570	615	702	683	617	694	627	634	699.6	530

* The numbers in this column are the average weekly numbers in the thirty-eighth week of the ten years 1875-84, raised by 0.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.
TOTAL Births	2483	2420	2411	2423	2459	2164	2885	2535	2413	2538	2330	2542	2438
TOTAL Deaths	1366	1412	1616	1636	1750	1720	1472	1473	1371	1238	1221	1231	1081
0-20	690	741	964	998	1111	1062	870	790	713	619	585	536	490
20-40	179	191	172	153	165	173	144	175	180	163	174	191	170
40-60	238	198	222	209	211	218	201	237	207	231	205	243	184
60-80	226	226	222	214	220	219	212	221	227	183	213	211	186
at 80 years & upwds.	33	56	36	62	43	48	45	50	44	42	44	50	51
Deaths of children { Under 1 year	372	408	563	627	723	687	555	499	408	362	303	284	260
{ 1-5	224	251	304	281	289	287	232	214	230	192	203	172	149
{ 5-20	94	82	97	90	99	88	83	77	75	65	79	80	81
Deaths from Small-pox *	39	23	15	18	16	14	15	5	9	6	9	8	11
" Measles	80	73	82	65	71	58	49	38	55	46	25	14	15
" Scarlet Fever	9	12	13	11	18	20	9	12	12	14	15	20	16
" Diphtheria	18	15	16	19	23	20	13	13	14	16	22	25	18
" Whooping-cough	59	51	77	51	47	41	44	43	45	30	39	25	26
" Typhus	1	-	1	1	-	-	3	-	-	-	1	-	-
" Enteric fever	9	10	17	9	8	10	13	15	14	8	12	9	14
" Simple Cont'd fever	2	1	2	2	2	4	1	1	3	-	1	3	3
" Diarrhoea and	51	110	210	234	348	309	222	163	121	83	62	40	49
" Dysentery	1	3	7	5	13	11	5	7	6	3	-	1	1
" Cholera	1	3	7	5	13	11	5	7	6	3	-	1	1
Deaths from the above-mentioned Diseases *	269	298	440	465	546	487	374	297	279	206	186	145	153
" Dis. of Respiratory System	192	177	197	180	172	184	162	165	201	159	175	152	159
" Phthisis	165	138	140	138	137	159	134	151	157	147	139	155	150
" Dis. of Circulatory System	74	99	86	101	73	89	85	110	94	97	90	106	83
Violent Deaths	42	53	58	42	43	47	55	53	52	38	48	49	45
Inquest Cases	84	94	114	92	75	93	98	92	81	76	88	93	80
Deaths in Public Institutions	190	312	297	306	298	297	260	292	302	259	279	238	234
TEMPERATURE OF THE AIR:													
Mean	60.5	65.0	61.2	64.5	65.2	59.4	59.6	58.2	57.6	57.2	56.3	57.7	52.7
Mean of Highest readings	72.7	79.5	73.5	78.1	77.7	70.8	72.5	69.4	68.4	68.1	66.1	66.3	62.5
Mean of Lowest readings	49.5	51.5	51.4	52.4	56.4	51.1	49.9	49.4	49.2	48.6	49.3	51.2	43.8
Humidity of the Air	67	67	74	72	64	77	74	80	75	79	85	86	77
Rain-fall in inches	00.0	0.02	0.49	0.01	0.00	0.46	0.09	0.14	0.61	0.40	1.93	0.36	0.18
Registered Sunshine (in hours)	41.1	60.5	32.8	55.9	48.3	28.8	48.4	19.7	25.7	26.9	21.1	15.4	34.1

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S. — F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filbiter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. B. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

Deaths from different Causes.

393

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-EIGHTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 38th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 26th September, 1885.										CAUSES OF DEATH.	Corrected Averages for the 38th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 26th September, 1885.										
		Deaths of Persons of the Ages												Deaths of Persons of the Ages										
		ALL AGES.												ALL AGES.										
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	0-1.	1-5.	5-20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.							
ALL CAUSES - -	1435.6	1081	260	149	81	170	184	186	51			Diseases of Organs of Special Sense † - -	2.0	2	-	-	2	-	-	-	-	-	-	-
Small-pox { Vaccinated †	7.1	-	-	-	-	-	-	-	-			Diseases of Circulatory System - - -	87.7	83	1	-	5	9	29	31	8			
Unvaccinated		1	-	-	1	1	-	-	-			Croup - - -	11.7	11	2	8	1	-	-	-	-	-	-	
No Statement		2	-	-	-	-	-	-	-			Bronchitis - - -	108.7	77	19	20	-	1	12	18	10	7	-	
Measles - - -	16.6	15	4	10	1	-	-	-	-			Pneumonia - - -	58.8	51	10	9	2	10	7	10	3	-	-	
Scarlet Fever - -	52.6	16	2	11	3	-	-	-	-			Pleurisy - - -	4.5	4	-	-	-	1	3	-	-	-	-	
Typhus - - -	2.1	-	-	-	-	-	-	-	-			Other Diseases of Respiratory System - -	25.2	16	1	5	1	1	4	4	-	-	-	
Relapsing Fever † -	0.0	-	-	-	-	-	-	-	-			Dentition † - - -	7.7	5	2	3	-	-	-	-	-	-	-	
Influenza - - -	0.4	-	-	-	-	-	-	-	-			Quinsy, Sore Throat † -	3.7	-	-	-	-	-	-	-	-	-	-	
Whooping-cough -	32.2	26	9	16	1	-	-	-	-			Enteritis - - -	10.6	5	1	2	1	-	-	1	-	-	-	
Diphtheria - - -	15.6	18	1	10	7	-	-	-	-			Peritonitis - - -	7.6	10	1	-	2	3	2	2	-	-	-	
Simple Continued and Ill-defined Fever -	2.5	3	-	1	1	-	-	1	-			Diseases of Liver - - -	31.7	22	4	-	-	2	7	9	-	-	-	
Enteric Fever - -	24.4	14	-	1	9	4	-	-	-			Other Diseases of Digestive System -	30.6	30	4	4	3	7	6	6	-	-	-	
Cholera - - -	2.1	1	1	-	-	-	-	-	-			Diseases of Lymphatic System & of Ductless Glands † - -	2.7	-	-	-	-	-	-	-	-	-	-	
Diarrhoea, Dysentery	89.4	49	87	5	-	2	1	2	2			Diseases of Urinary System - - -	82.1	30	-	1	-	7	8	14	-	-	-	
Remittent Fever † -	0.3	-	-	-	-	-	-	-	-			Diseases of Generative System - - -	4.5	1	1	-	-	-	-	-	-	-	-	
Hydrophobia - -	0.2	3	-	1	1	-	-	1	-			Accidents of Childbirth -	5.5	5	-	-	-	5	-	-	-	-	-	
Glanders - - -	0.1	-	-	-	-	-	-	-	-			Diseases of Locomotive System † - - -	7.0	4	-	-	3	-	-	1	-	-	-	
Cowpox and Effects of Vaccination † - -	0.7	-	-	-	-	-	-	-	-			Diseases of Integumentary System - - -	7.2	-	-	-	-	-	-	-	-	-	-	
Veneral Affections -	12.0	10	8	-	-	1	1	-	-			VIOLENT DEATHS ‡												
Erysipelas - - -	6.2	3	2	-	-	-	-	-	1			(ACCIDENT.)												
Pyæmia and Septicæmia †	3.0	-	-	-	-	-	-	-	-			Fracture and Contusion -	21.4	23	-	2	5	4	8	4	-	-	-	
Puerperal Fever -	5.3	1	-	-	-	1	-	-	-			Gunshot Wound - - -	0.1	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Diseases †	1.7	-	-	-	-	-	-	-	-			Cut, Stab - - -	0.2	-	-	-	-	-	-	-	-	-	-	
Thrush - - -	3.5	3	3	-	-	-	-	-	-			Burn and Scald - - -	3.2	3	-	2	-	-	1	-	-	-	-	
Worms and other Parasitical Diseases - -	0.5	-	-	-	-	-	-	-	-			Poison - - -	1.3	1	-	-	-	-	1	-	-	-	-	
Starvation, Want of Breast-milk † - -	2.7	1	1	-	-	-	-	-	-			Drowning - - -	9.9	1	-	-	-	1	-	-	-	-	-	
Alcoholism - - -	5.3	2	-	-	-	-	2	-	-			Suffocation - - -	8.8	2	1	1	-	-	7	9	-	-	-	
Rheumatic Fever and Rheumatism of Heart	10.0	11	-	-	4	5	1	1	-			Otherwise - - -	3.7	5	3	-	-	-	1	1	-	-	-	
Rheumatism - - -		1	-	-	-	-	-	-	-			(HOMICIDE.)												
Gout - - -	3.2	-	-	-	-	-	-	-	-			Murder & Manslaughter	1.5	-	-	-	-	-	-	-	-	-	-	
Rickets † - - -	2.0	2	1	1	-	-	-	-	-			(SUICIDE.)												
Cancer - - -	46.0	45	-	-	-	6	19	20	-			Gunshot Wound - - -	0.7	1	-	-	-	-	1	-	-	-	-	
Tabes Mesenterica -	39.0	23	18	5	-	1	-	-	-			Cut, Stab - - -	0.9	1	-	-	-	1	-	-	-	-	-	
Tubercular Meningitis	28.8	20	6	11	3	-	-	-	-			Poison - - -	1.0	2	-	-	-	2	-	-	-	-	-	
Phthisis - - -	165.3	150	1	3	17	78	44	7	-			Drowning - - -	1.6	1	-	-	-	1	-	-	-	-	-	
Serofula, Tuberculosis	13.7	9	3	4	-	1	1	-	-			Hanging - - -	0.9	3	-	-	-	-	3	-	-	-	-	
Other Constitutional Diseases † - -	7.7	7	1	1	-	1	1	3	-			Otherwise - - -	0.5	2	-	-	-	2	-	-	-	-	-	
Premature Birth - -	32.2	21	21	-	-	-	-	-	-			(EXECUTION.)												
Atelectasis † - -	1.3	1	1	-	-	-	-	-	-			Hanging - - -	0.0	-	-	-	-	-	-	-	-	-	-	
Congenital Malformations - - -	5.5	3	8	-	-	-	-	-	-			OTHER CAUSES † - -	70.7	58	43	5	-	-	2	3	-	-	-	
Old Age - - -	43.6	34	-	-	-	-	12	22	-															
Apoplexy - - -	41.9	33	1	1	-	2	10	16	3															
Epilepsy - - -	7.0	6	-	-	-	2	2	2	-															
Convulsions - - -	41.5	27	26	-	1	-	-	-	-															
Other Diseases of Brain and Nervous System	79.8	57	9	6	7	7	16	5	-															

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

† Exclusive of 8 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Un- certified Causes of Death.
LONDON . . .	3,816,483	2438	1081	260	237	3	15	16	18	26	-	14	3	49	45	80	234	11
WEST DISTRICTS . . .	669,683	341	174	34	41	-	-	-	3	4	-	2	1	7	10	11	48	-
NORTH DISTRICTS . . .	905,947	557	245	51	61	-	-	5	8	6	-	5	-	10	9	16	56	-
CENTRAL DISTRICTS . . .	282,288	149	93	26	18	-	2	1	1	-	-	1	1	8	6	10	27	1
EAST DISTRICTS . . .	692,738	514	220	55	43	-	2	1	5	-	-	3	-	8	8	15	56	4
SOUTH DISTRICTS . . .	1,365,927	877	349	94	74	3	7	2	5	11	-	5	1	16	12	23	47	6
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.	69888	39	24	6	9	-	-	-	1	-	-	-	-	1	1	1	4	-
St. John Paddington H - - G.J.	37380	9	3	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-
Kensington Town Ww - - W.M.	120141	47	25	6	10	-	-	-	-	-	-	1	-	1	1	1	6	-
Brompton H - - W.M. & C.	43010	22	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Peter Hammersmith - - W.M.	7599	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.	64340	53	18	5	4	-	-	-	-	-	-	1	-	3	-	-	4	-
Fulham WwH - - W.M. & C.	42900	44	13	4	2	-	-	-	-	-	-	1	-	1	-	-	4	-
Chelsea South HHH - - C.	30396	9	9	-	1	-	-	-	2	1	-	-	-	-	1	1	3	-
Chelsea North-west WHHHH - C.	24925	12	15	2	3	-	-	-	-	-	-	-	-	-	-	-	10	-
Chelsea North-east - - C.	32807	22	12	2	1	-	-	-	-	-	-	-	-	-	4	4	-	-
Hanover Square H - - G.J.	16862	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
May Fair W - - G.J.	13491	2	6	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Belgrave WHH - - C.	59220	22	19	1	1	-	-	-	-	-	-	-	-	-	-	-	8	-
St. John Westminster HH - C.	35496	28	9	4	-	-	-	-	1	-	-	-	-	1	-	-	2	-
St. Margaret Westminster H - C.	24679	8	9	1	2	-	-	-	-	-	-	-	-	-	3	3	3	-
St. James Westminster WH N.R. & G.J.	29941	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Anne Soho HHHHH - - N.R.	18608	5	5	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone HHHH - W.M.	26759	8	16	1	3	-	-	-	-	-	-	-	-	-	2	2	11	-
Cavendish Square HHH - W.M.	14881	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Rectory Marylebone WH G.J. & W.M.	24809	14	6	2	1	-	1	-	-	-	-	1	-	1	-	1	1	-
St. Mary Marylebone HHH G.J. & W.M.	21118	16	5	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone H - W.M.	33700	21	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
St. John Marylebone H - W.M.	35683	15	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hamstead WwHHH - N.R. & W.M.	45452	32	15	5	1	-	1	3	-	-	-	1	-	-	-	-	3	-
Regent's Park Paneras H - W.M.	39115	22	7	2	1	-	1	-	-	1	-	-	-	1	-	-	-	-
Tottenham-court WHHHH N.R. & W.M.	27729	10	18	1	4	-	-	1	-	-	-	-	-	-	1	1	13	-
Gray's Inn Lane HHH - N.R.	30247	12	6	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Somers Town H - - N.R.	24369	22	5	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-
Camden Town WH - - N.R.	17311	14	12	2	6	-	-	1	-	-	-	-	-	1	1	1	7	-
Kentish Town W - - N.R.	87487	42	23	5	6	-	1	-	-	-	-	1	-	1	1	-	4	-
Upper Holloway WwWwH - N.R.	67846	57	28	5	7	-	-	6	-	-	-	-	-	1	-	-	8	-
Islington South-west HH - N.R.	100676	60	20	7	3	-	-	-	1	-	-	-	-	-	-	2	-	-
Islington South-east - - N.R.	61895	30	13	5	3	-	-	-	-	-	-	-	-	2	-	-	-	-
Highbury H - - N.R.	32048	39	14	2	7	-	-	-	1	-	-	-	-	-	-	2	-	-
Stoke Newington H - - N.R.	22781	17	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - E.L.	9277	3	5	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
West Hackney - - N.R.	37610	24	6	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
Hackney WwWwHL - E.L. & N.R.	76911	57	23	9	2	-	-	-	-	2	-	-	-	-	-	3	7	-
South Hackney - - E.L.	39683	26	5	1	2	-	-	1	-	-	-	-	-	1	-	-	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16681	8	7	4	2	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Giles South WH - - N.R.	14864	7	5	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
St. Giles North - - N.R.	13887	7	7	8	-	-	1	-	-	-	-	-	-	1	-	1	-	-
St. Martin-in-the-Fields HH N.R. & C.	17508	8	7	3	1	-	-	-	-	-	-	-	-	1	1	2	5	-
St. Mary-le-Strand H - - N.R.	7515	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
St. Clement Danes H - - N.R.	8559	6	7	1	2	-	1	-	-	-	-	-	-	-	-	-	4	-
St. George-the-Martyr HHHHHH N.R.	18671	16	13	2	-	-	-	-	-	-	-	1	-	-	-	1	7	-
St. Andrew Eastern W - - N.R.	10706	2	3	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-
Saffron Hill H - - N.R.	6538	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - N.R.	17516	10	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Arncliffe Clerkenwell - - N.R.	19281	6	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - N.R.	14773	12	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
Goswell-street - - N.R.	17506	9	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Old-street H - - N.R.	11541	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHL - - N.R.	18628	20	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whitecross-street - - N.R.	9217	5	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Finchbury - - N.R.	7463	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - N.R. & E.L.	11174	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - N.R.	7193	1	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - - N.R.	5568	3	10	2	1	-	-	-	1	-	-	-	-	-	-	-	8	-
St. Bride W - - N.R.	8396	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - N.R.	13666	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.	5652	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work-house; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 26th September, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include													
					Deaths of				Deaths from									
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simultaneous continued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
EAST DISTRICTS.																		
Holywell Shoreditch	-	N.R. & E.L.	7376	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Leonard Shoreditch	HL†	-	N.R.	14667	14	4	2	-	-	-	-	-	-	-	-	-	-	-
Hoxton New Town	W	-	N.R.	29637	23	13	3	3	-	-	-	-	-	-	1	2	4	1
Hoxton Old Town	-	-	N.R.	28036	20	7	2	-	-	-	-	-	-	-	1	1	-	-
Haggerston	WH	-	N.R. & E.L.	46275	41	24	10	5	-	-	1	2	-	-	1	1	7	-
Hackney-road	H	-	E.L.	26738	21	7	2	1	-	-	1	-	-	-	-	2	-	-
Green, Bethnal Green	WHL†	-	E.L.	47332	29	17	7	1	-	-	-	-	-	-	1	1	-	-
Church, Bethnal Green	-	-	E.L.	23081	16	9	5	-	-	1	-	-	-	-	1	-	8	-
Town, Bethnal Green	-	-	E.L.	19310	19	5	1	-	-	-	-	-	-	-	-	-	-	-
Spitalfields	H	-	E.L. & N.R.	22585	17	8	3	1	-	1	-	-	-	-	-	1	-	-
Mile End New Town	W	-	E.L.	15473	9	7	-	3	-	-	-	-	-	-	-	2	-	-
Whitechapel Church	H	-	E.L. & N.R.	17490	10	12	1	3	-	-	-	-	-	-	-	-	5	10
Goodman's Fields	-	-	E.L.	9713	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Aldgate	-	-	N.R. & E.L.	6102	7	1	1	-	-	-	-	-	-	-	1	-	-	-
St. George's, North	-	-	E.L.	38747	31	7	1	3	-	-	-	-	-	-	1	-	-	2
St. John, St. George East	W	-	E.L.	8410	5	14	-	4	-	2	-	-	-	-	-	-	9	-
Shadwell	H	-	E.L. & N.R.	10895	10	2	2	-	-	-	-	-	-	-	1	-	2	-
Ratcliff	-	-	E.L.	16107	5	2	1	-	-	-	-	-	-	-	-	-	-	-
Limehouse	-	-	E.L.	32041	29	13	2	1	-	-	-	-	-	-	-	-	-	-
Mile End Old Town West	-	-	E.L.	37760	29	4	2	-	-	-	-	-	-	-	-	1	-	1
Mile End Old Town East	WHH	-	E.L.	67653	51	25	6	5	-	1	1	-	-	-	-	1	3	-
Bow	-	-	E.L.	37074	25	7	3	1	-	-	1	-	-	-	-	-	-	-
Bromley	WHH	-	E.L.	64359	65	19	5	3	-	-	-	-	-	-	-	2	3	-
Poplar	WHH	-	E.L.	55077	18	12	3	3	-	-	1	-	-	-	1	-	8	-
SOUTH DISTRICTS.																		
Christchurch Southwark	WH	L. & S.	12663	9	3	2	1	-	-	-	-	-	-	-	-	-	1	-
St. Saviour Southwark	-	S.	14999	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Rent-road	-	S. & L.	21361	19	6	3	-	-	-	-	-	-	-	-	-	1	-	-
Borough-road	WH	-	S. & L.	15953	6	5	-	-	-	-	-	-	-	-	-	-	-	-
London-road	HL	-	L. & S.	21318	12	11	2	1	-	-	-	-	-	-	1	1	1	-
Trinity Newington	-	-	S. & L.	26672	18	5	2	1	-	-	-	-	-	-	-	1	-	-
St. Peter Walworth	W	-	S. & L.	59555	42	15	3	5	-	-	1	-	-	-	-	1	1	-
St. Mary Newington	-	-	L. & S.	21623	18	4	2	-	-	-	-	-	-	-	-	1	2	-
St. Olave	WH	-	S.	11956	5	10	-	2	-	-	-	-	-	-	-	3	4	7
Leather Market	-	-	S. & L.	16300	15	3	2	-	-	-	1	-	-	-	-	-	-	1
St. Mary Magdalen	W	-	S.	15669	12	5	1	1	-	-	-	-	-	-	-	1	1	-
St. James Bermondsey	-	-	S.	54683	36	10	3	2	-	1	-	-	-	-	-	-	-	1
Rotherhithe	W	-	S. & K.	36024	30	7	3	1	-	-	-	-	-	-	-	-	-	-
Waterloo-road 1st	H	-	L. & S.	15195	16	8	3	1	-	1	-	-	-	-	-	-	3	-
Waterloo-road 2nd	H	-	L. & S.	16361	23	4	1	1	-	-	-	-	-	-	2	-	-	-
Lambeth Church 1st	H	-	L. & S.	19876	13	3	1	2	-	-	-	-	-	-	-	-	5	1
Lambeth Church 2nd	WW	-	L. & S.	39859	27	11	1	4	-	-	-	1	-	-	-	-	-	-
Kennington 1st	-	-	S. & L.	45232	37	12	5	1	-	2	-	-	-	-	3	-	-	-
Kennington 2nd	-	-	S. & L.	35332	15	8	1	2	-	1	-	-	-	-	1	1	-	-
Hixton	WH	-	L. & S.	62337	33	11	1	4	-	-	-	-	-	-	-	-	2	-
Norwood	W	-	L.	19017	17	8	2	1	-	1	-	-	2	-	-	-	-	-
Clapham	H	-	S.	36340	19	11	2	2	-	-	-	-	-	-	1	-	-	-
East Battersea	-	-	S.	54675	45	11	4	3	-	-	-	1	-	-	1	-	-	-
West Battersea	WH	-	S.	52587	43	18	4	6	-	-	-	2	-	-	-	-	4	-
Wandsworth	HL	-	S.	28004	26	2	1	-	-	1	-	-	-	-	1	-	-	-
Putney	-	-	S.	13235	4	3	-	3	-	-	-	-	-	-	-	-	-	-
Streatham	-	-	L.	25553	16	7	3	-	-	-	-	-	-	-	-	-	-	-
Dulwich	-	-	L. & S.	5590	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell	WL†	-	S. & L.	59104	48	19	2	7	-	-	-	-	-	-	-	2	2	6
Peckham	W	-	S., L., & K.	71089	40	25	9	3	1	-	-	-	-	2	-	1	-	-
St. George Camberwell	-	-	L. & S.	60810	39	16	6	2	-	-	-	-	-	-	1	1	-	2
St. Paul Deptford	WH	-	K.	76759	39	15	6	3	1	-	-	-	-	-	-	1	2	1
St. Nicholas Deptford	-	-	K.	7501	6	3	2	-	-	-	-	-	-	-	-	-	-	-
Greenwich West	H	-	K.	21972	11	5	2	-	-	-	-	-	-	-	-	1	1	-
Greenwich East	WHH	-	K.	24608	18	13	2	3	-	-	-	1	-	-	-	1	1	5
Eltham	H	-	K.	5827	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee	-	-	K.	21559	11	4	2	-	-	-	-	-	-	-	-	-	-	-
Lewisham	WH	-	K.	19865	15	8	2	2	-	-	-	1	-	-	-	1	-	-
Sydenham	H	-	L.	26076	15	5	-	1	-	-	-	-	1	-	-	-	1	-
Charlton	H	-	K.	16920	3	4	1	1	-	-	-	-	1	-	-	-	-	-
Woolwich Dockyard	-	-	K.	17617	16	4	1	1	-	-	-	-	-	-	-	-	1	-
Woolwich Arsenal	HHH	-	K.	19048	11	2	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead, West	H	-	K.	14009	18	5	1	2	-	-	-	-	-	-	-	-	-	-
Plumstead, East	W	-	K.	19241	17	9	3	3	-	-	1	-	-	-	-	1	3	-

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.	Stepney " " Bromley sub-district.
Holborn Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum " "
London City Workhouse " Hoxton sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Holborn " Hoxton New Town sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Whitechapel " Mile End Old Town Eastern sub-dist.	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA ; POPULATION ; BIRTHS and DEATHS registered during the Week ending Saturday, 26th September, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Aeres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING		370,282	950,178	755	279	77	49	5	1	2	8	5	2	13	6	13	32	8
30:1	Carshalton <i>wL</i> - -	12228	21118	12	6	1	1	-	-	-	-	-	1	-	-	-	3	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37:1	Godstone (<i>part of</i>) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon <i>WwH</i> - -	20851	101241	70	34	10	3	-	-	-	-	-	-	-	1	2	3	1
	Mitcham - - -	11697	17932	9	3	2	-	-	-	-	-	1	-	-	-	-	-	-
39:1	Wimbledon <i>HHH</i> - -	3220	15950	17	5	3	-	-	1	-	-	-	-	1	-	-	-	-
2	Kingston <i>WHH</i> - -	8549	36354	23	7	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Esher (<i>part of</i>) * -	6601	9221	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton <i>H</i> - - -	4573	13539	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
40:1	Richmond <i>WH</i> - -	2272	21302	18	5	3	-	-	-	-	-	-	-	3	-	-	1	-
2	Mortlake - - -	941	12331	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	26	12	2	5	-	-	-	1	-	-	-	-	-	1	-
2	Chislehurst(<i>pt.of</i>)* <i>WHH</i>	13865	15065	13	4	-	1	-	-	-	-	-	-	-	-	-	1	-
42:1	Bexley <i>H</i> - - -	13437	24134	18	9	5	3	-	-	-	-	-	-	-	-	2	-	-
124:1	Sunbury <i>w</i> - - -	11055	11685	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines <i>W</i> - - -	13277	12089	18	4	-	1	-	-	-	-	1	-	-	-	-	-	-
125:1	Hillingdon <i>WH</i> - -	6029	10802	10	2	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge - - -	6178	8225	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes <i>wHL</i> - - -	14537	11523	4	7	3	2	-	-	-	-	-	-	-	-	-	3	1
126:1	Isleworth <i>W</i> - - -	7006	22727	21	4	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Twickenham <i>H</i> - -	2477	12479	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford <i>HL</i> - -	4345	27649	13	6	2	1	-	-	-	-	-	-	-	-	1	-	-
4	Chiswick - - -	1340	15975	10	5	2	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton <i>wH</i> - - -	6083	22576	11	5	3	-	-	-	-	-	-	-	-	-	-	-	-
127:1	Harrow. <i>H</i> - - -	13899	12796	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>H</i> - - -	6994	3749	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden - - -	4383	27453	31	6	4	-	-	-	-	-	-	-	1	-	-	-	-
4	Hendon <i>W</i> - - -	8382	10484	6	8	-	5	-	-	-	-	-	-	-	1	1	-	-
128:1	South Mimms - - -	15599	6391	5	3	1	1	-	-	-	-	-	1	-	-	-	-	-
2	Barnet <i>W</i> - - -	5433	10092	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Finchley <i>HL</i> - - -	4688	17615	12	5	1	2	-	-	-	-	-	-	-	-	-	3	-
129:1	Hornsey <i>H</i> - - -	3039	37078	20	13	2	2	-	-	-	4	-	-	-	-	1	1	-
2	Tottenham <i>HH</i> - -	4642	46456	49	15	1	1	-	-	-	-	-	-	1	2	3	3	1
3	Edmonton <i>WwW</i> - -	7483	23463	29	9	3	3	-	-	-	-	-	-	1	-	1	3	-
4	Enfield <i>WH</i> - - -	12653	19104	15	7	2	1	-	-	-	-	1	-	-	-	-	-	-
5	Waltham Abbey - -	11017	5368	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - - -	8480	7735	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
135:1	Hatfield (<i>part of</i>) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey - - -	9331	6621	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136:1	Stratford - - -	882	38606	36	14	6	3	-	-	1	-	1	-	-	-	-	-	-
2	West Ham <i>wWwH</i> - -	7351	101053	104	33	9	-	4	-	1	3	-	-	2	1	1	3	2
3	Leyton <i>WwL</i> - - -	4372	32430	27	11	3	3	-	-	-	-	-	-	-	-	-	6	-
4	Walthamstow <i>wH</i> - -	6520	25869	25	6	2	2	-	-	-	-	-	-	-	1	1	-	1
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9689	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-
139:1	Romford (<i>part of</i>) * -	6730	3411	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - - -	8493	7645	4	2	-	-	-	-	-	1	1	-	-	-	-	-	-
3	Barking Town - - -	4127	9203	12	3	2	-	1	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 12365); 37: 1, the two parishes of Warlingham and Farley in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1933); 41: 1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1315); 41: 2, the whole of Chislehurst sub-district, except the parish of Chelsfield (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 137: 1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS AND Rate of MORTALITY during the Week ending Saturday, 26th September, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
GREATER LONDON	448,334	5,199,166	13·6	1·8	1360	337	286	8	16	18	26	31	19	62	51	266	
INNER LONDON -	78,052	4,083,928	13·8	1·8	1081	260	237	3	15	16	18	26	17	49	45	234	
OUTER RING -	370,282	1,115,238	13·1	1·7	279	77	49	5	1	2	8	5	2	13	6	32	

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	August 22	-	228	27·4	Fevers 77; cholera 14; diarrhoeal diseases 26.
BOMBAY - -	773,196	" 25	293	409	25·2	Fevers 109; cholera 5; diarrhoeal diseases 35.
MADRAS - -	308,777	" 21	-	-	-	-
PARIS - - -	2,239,928	September 19	1222	901	20·0	Typd. fev. 25; diph. and croup 16; diarr. dis. 114.
GENEVA - -	71,453	" 19	30	23	16·8	Whooping-cough 1.
BRUSSELS - -	436,214	" 12	251	196	23·5	Typh. and typhd. fev. 1; diarr. dis. 47.
AMSTERDAM -	366,812	" 19	283	120	17·0	Scarlet fever 3; diphtheria 3.
ROTTERDAM -	166,001	" 19	134	48	14·7	Scarlet fever 2; croup 1.
THE HAGUE -	134,552	" 19	127	44	17·0	Whooping-cough 4.
COPENHAGEN -	280,615	" 15	231	80	14·9	Diphtheria 1; croup 1.
STOCKHOLM -	200,143	" 5	124	63	16·4	Diphtheria and croup 2; diarr. dis. 16.
CHRISTIANIA -	128,000	" 19	75	43	17·5	Scarlet fever 4; diphtheria and croup 10.
ST. PETERSBURG	928,016	" 12	-	467	26·3	Typh. and typhd. fev. 9; scar. fev. 12; diarr. dis. 103.
BERLIN - -	1,279,599	" 5	707	510	20·8	Scar. fev. 12; diph. 32; typh. & typhd. fev. 11; diarr. dis. 70.
HAMBURG (State)	497,956	" 12	343	248	26·0	Typh. & typhd. fev. 7; diph. & croup 12; scar. fev. 7.
DRESDEN - -	241,500	" 5	145	105	22·6	Scarlet fever 6.
BRESLAU - -	298,000	" 12	214	144	25·2	Diph. 3; typh. & typhd. fever 2.
MUNICH - -	244,000	" 19	-	-	-	-
VIENNA - -	769,889	" 19	523	357	24·1	Sm.-pox 10; diphtheria 5; typh. & typhd. fev. 5.
PRAGUE - -	272,333	" 19	-	139	26·6	Small-pox 3; scarlet fever 5.
BUDA-PESTH -	429,532	" 5	313	211	25·5	Sm.-pox 5; typh. & typhd. fev. 3; diarr. dis. 36.
TRIESTE - -	150,157	August 1	-	-	-	-
ROME - -	330,430	" 8	229	212	33·5	Sm.-pox 2; typhd. fev. 4; diarrhoeal diseases 29.
NAPLES - -	504,795	-	-	-	-	-
TURIN (11 days)	267,763	August 31	279	194	24·1	Diphtheria 3; whooping-cough 5.
VENICE - -	145,900	September 5	80	72	25·7	Small-pox 5; typhoid fever 1.
MADRID - -	475,668	-	-	-	-	-
LISBON - -	203,681	-	-	-	-	-
ALEXANDRIA -	31,596	-	-	-	-	-
NEW YORK -	1,356,958	August 29	-	642	24·7	Diphtheria 17; whooping-cough 16; diarr. dis. 127.
BROOKLYN -	665,602	" 29	-	307	24·1	Scarlet fever 4; diph. 6; diarrhoeal dis. 64.
PHILADELPHIA -	949,432	September 5	-	397	21·8	Diphtheria 8; typhoid fever 23; scar. fev. 3.
BALTIMORE -	408,520	" 5	-	159	20·3	Diphtheria 13; typhoid fever 5.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 26th SEPTEMBER, 1885.
[Under the Superintendence of the Astronomer Royal.]

OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.										OBSERVATIONS OF THE MONTH.									
OBSERVATIONS OF THE MONTH.										OBSERVATIONS OF THE YEAR.																			

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 39. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, OCTOBER 3. [Price 1½d.

General Register Office, Somerset House,
5th October, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 17·6 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.		Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.
Birkenhead	20·7	20·2	15·7	12·9	Liverpool - -	23·2	21·4	21·7	23·3
Birmingham	16·1	12·7	15·5	17·6	London - - -	15·6	15·7	13·8	16·0
Blackburn -	21·3	14·4	18·1	17·2	Manchester -	23·2	20·6	21·7	22·4
Bolton -	13·3	23·7	19·9	12·3	Newcastle-on-Tyne	25·2	22·1	19·1	23·8
Bradford -	14·1	14·6	14·8	16·3	Norwich - -	20·0	17·7	14·3	13·7
Brighton -	12·3	17·3	16·8	15·9	Nottingham -	15·5	17·8	15·8	13·6
Bristol -	14·1	16·7	10·0	17·7	Oldham - - -	13·6	18·2	14·5	26·0
Cardiff -	24·2	23·7	22·0	25·3	Plymouth - -	23·3	19·9	22·0	24·0
Derby -	18·0	16·9	14·0	17·5	Portsmouth -	18·2	21·7	18·6	22·9
Halifax -	19·6	20·2	17·5	13·5	Preston - - -	27·5	28·6	23·4	18·2
Huddersfield	26·9	11·4	14·3	14·9	Salford - - -	21·7	20·5	17·4	18·9
Hull - - -	12·6	15·7	11·8	14·0	Sheffield - -	18·1	17·8	21·8	20·0
Leeds -	18·0	15·3	16·4	18·5	Sunderland -	16·7	17·1	20·0	16·2
Leicester -	15·3	18·0	18·0	19·9	Wolverhampton	15·8	21·1	13·8	21·7

The highest annual death-rates from diarrhœa, measured by last week's mortality, were 2·1 in Sunderland, and 3·1 in Preston; from "fever," 1·1 in Norwich, and 1·2 in Portsmouth; from measles, 1·3 in Salford; from scarlet fever, 1·5 in Leicester; and from whooping-cough, 1·0 in Salford, and 1·4 in Blackburn. Of the 35 deaths from diphtheria, 24 occurred in London, and 6 in Liverpool. Small-pox caused 7 deaths in London and its outer ring (exclusive of 2 in the Metropolitan Asylum Hospital Ship "Atlas" moored off Dartford), one in Bristol, and one in Liverpool.

LONDON.

In LONDON 2516 BIRTHS and 1251 DEATHS were registered. Allowing for increase of population, the births were 157, and the deaths 160, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·7 and 13·8 in the two preceding weeks, rose again last week to 16·0. During the thirteen weeks ending last Saturday the death-rate averaged 18·1 per 1000, against 20·0 in the corresponding periods of the nine years 1876-84.

The 1251 deaths included 5 from small-pox, 20 from measles, 14 from scarlet fever, 24 from diphtheria, 22 from whooping-cough, 1 from typhus, 16 from enteric fever, 1 from an ill-defined form of continued fever, 42 from diarrhœa and dysentery, and 1 from choleraic diarrhœa; thus, 146 deaths were referred to these diseases, being 92 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 6 and 3 in the two preceding weeks, were 5 last week. These 5 deaths were exclusive of 2 of London residents who died in the Metropolitan Asylum Hospital Ship "Atlas",

moored off Dartford and outside Registration London. Of the total 7 cases, 4 occurred in the Metropolitan Asylum Hospitals, one in the Pancras Workhouse in Camden Town, and 2 in private dwelling houses. After distributing the hospital cases to the several sanitary areas, 2 belonged to Pancras, and 2 to Camberwell. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had steadily declined in the seventeen preceding weeks from 1389 to 153, had further fallen to 131 on Saturday last; the admissions, which had been 47 and 27 in the two preceding weeks, were 18 last week. The Highgate Small-pox Hospital contained 6 patients on Saturday last, no admission having occurred during the week.

The fatal cases of *measles*, which had been 14 and 15 in the two previous weeks, further rose to 20 last week, and exceeded the corrected weekly average by 4; 3 belonged to Pancras, 3 to Shoreditch, and 3 to Lambeth. The 14 deaths from *scarlet fever* showed a further decline from recent weekly numbers, and were 47 below the corrected average; 2 belonged to Shoreditch, and 2 to Bethnal Green. The Metropolitan Asylum Hospitals contained 275 scarlet fever patients on Saturday last, 32 having been received during the week. The deaths referred to *diphtheria*, which had been 25 and 18 in the two preceding weeks, rose again to 24 last week, and exceeded the corrected average by 10; 3 belonged to Islington, 3 to Camberwell, 2 to Hackney, and 2 to Greenwich. The 22 fatal cases of *whooping-cough* showed a further decline from recent weekly numbers, and were 8 below the corrected average; 7 belonged to East London, and 3 to Wandsworth. The deaths referred to *diarrhœa* and *dysentery*, which had been 40 and 49 in the two preceding weeks, were 42 last week, and 36 below the corrected average; 36 were of infants and children under 5 years of age. The death of a male, aged 41 years, was referred to *choleraic diarrhœa*.

The deaths from *enteric fever*, which had been 9 and 14 in the two preceding weeks, further rose to 16 last week, but were 8 below the corrected average; 2 belonged to Stepney, 2 to Poplar, and one was of an inmate of the Guards Hospital, who had been admitted from Cyprus. The death attributed to *typhus* was of a child, aged 10 years, at 57, Hornsey Road, Islington. The death of a child, aged 8 years, at 36, Plough Street Buildings, Whitechapel, was indefinitely referred to "continued fever." The Metropolitan Asylum Hospitals contained 28 cases of enteric fever, and one of typhus, on Saturday last; 9 cases of enteric fever, and not one of typhus, were admitted.

The deaths referred to diseases of the respiratory organs, which had been 152 and 159 in the two preceding weeks, further rose last week to 205, but were 13 below the corrected weekly average.

The death of a child, aged 8 years, in the North-Eastern Children's Hospital, was referred to hydrophobia.

Different forms of violence caused 45 deaths; 35 were the result of negligence or accident, among which were 13 from fractures and contusions, 2 from burns and scalds, 4 from drowning, and 10 of infants under one year of age from suffocation. The 13 deaths from fractures and contusions were thus returned:—male, aged 13 years, thrown from van; male 30, run over by van; male 35 (intoxicated), fell from cab; male 18, crushed by truck in street; male 11, run over by tram-car; male 34, run over on railway; male 8, fell from fence; male 41 (intoxicated), and female 70, fell in street; male 31, fell from timber-stack; female 84, fell on floor; male 54, crushed by fall of a flour-mill floor; male 58, by fracture. An inquest was held in each of these 13 cases. Nine cases of suicide were registered.

GREATER LONDON.

In Greater London 3316 births and 1555 deaths were registered, corresponding to annual rates of 33·3 and 15·6 per 1000 of the population. Two fatal cases of small-pox were recorded in West Ham sub-district, and 2 of diphtheria in Tottenham sub-district.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·65 in.; the highest reading was 29·84 in. on Monday and Friday mornings, and the lowest 29·31 in. on Wednesday afternoon. The mean temperature of the *air* was 49°·6, and 5°·2 below the average in the corresponding week of the 20 years ending 1868. The mean showed a deficiency on each day of the week; the coldest day was Sunday the 27th ultimo, when the mean was only 40°·5, and 15°·0 below the average. The general direction of the *wind* was S.W., and the horizontal movement of the air averaged 13·1 miles per hour, which was 2·6 above the average in the corresponding week of 16 years. *Rain* fell on six days of the week, to the aggregate amount of 0·52 of an inch. The duration of registered bright sunshine in the week was 16·6 hours, against 28·7 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY IN 28 GREAT TOWNS, during the Week ending 3rd October, 1885.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the Year 1885.	Registered during the Week ending 3rd Oct., 1885.		The DEATHS registered in the Week include												TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGH.		
		BIRTHS.	DEATHS.	Deaths of Persons aged 60 Years and upwards.	Deaths from								Deaths in Public Institutions.				Causes of Death.	Mean.				In Inches.		In Cent.	
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	From All Causes.		From Diseases in Cols. 6-12.	Highest.	Lowest.	Fahrenheit.				Centigrade.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	
28 TOWNS.	8,506,446	5525	3007	797	603	7	46	49	35	52	41	136	94	185	506	62	17.6	2.1	64.3	28.6	47.7	8.72	0.72	1.83	
LONDON.	4,083,928	2516	1251	304	274	5	20	14	24	22	18	42	45	89	285	11	16.0	1.8	61.1	30.6	49.6	9.78	0.52	1.82	
BRIGHTON.	114,672	54	35	11	10				1	3					5		15.9	1.8	64.3	34.0	50.4	10.22	0.86	2.13	
PORTSMOUTH.	184,659	88	59	14	9					1		5	1	4	5		23.9	3.5							
NORWICH.	91,215	52	24	5	7						2	1			4		13.7	1.7							
PLYMOUTH.	76,045	37	35	3	12			1						3	6		24.0	2.1	62.2	34.5	49.2	9.55	0.69	1.75	
BRISTOL.	218,169	138	74	20	11	1	1	2		2		2	1	8	11		17.7	1.9	60.0	32.0	47.9	8.83	1.06	2.69	
WOLVERHAMPTON.	79,185	56	33	12	8			1				3		1	8		21.7	2.6	57.8	28.6	44.3	6.84	0.46	1.17	
BIRMINGHAM.	427,769	280	144	45	58			1	1		2	10	6	11	19		17.6	1.7							
LEICESTER.	136,147	84	52	15	14			4		1	1	5	2	2	7		13.6	2.5	60.6	31.6	47.1	8.89	0.51	1.80	
NOTTINGHAM.	211,424	113	55	19	11		3	1	1			5			3		17.5	1.2							
DERBY.	89,691	52	30	7	10			1									12.9	1.1							
BIRKENHEAD.	93,063	57	23	7	4		1	1					2	2	5		12.9	1.1							
LIVERPOOL.	679,724	337	259	78	31	1	9	6	6	7	4	15	10	12	32		23.3	4.3	59.7	40.8	48.9	9.39	0.70	1.78	
BOLTON.	110,085	59	26	4	7						1	3		1	3		12.3	1.9	56.6	33.6	45.0	7.22	1.48	3.76	
MANCHESTER.	337,842	221	145	33	29		1			3	2	8	4	16	33		22.4	2.2							
SALFORD.	204,075	133	74	18	12		5	3		4	2	6	1	2	10		18.9	5.1							
OLDHAM.	126,350	94	63	18	10				2		1	1	3	3	9		26.0	2.9							
BLACKBURN.	112,574	65	37	16	7					3	1	2	1	2	2		17.2	2.8							
PRESTON.	100,406	85	35	11	9		1					6		2	2		18.2	4.2	58.0	37.0	48.5	9.17	1.21	3.07	
HUDDESFIELD.	87,327	54	25	8	5								1	1	3		14.9	0.0							
HALIFAX.	77,378	44	20	4	6									1	4		13.5	0.0							
BRADFORD.	214,431	106	67	15	12			2				4	4	8	4		16.3	1.5	59.4	35.0	46.7	8.17	0.65	1.65	
LEEDS.	333,139	210	118	27	23			5	1			4	4	7	8		18.5	1.6	62.0	37.0	48.3	9.06	0.54	1.37	
SHEFFIELD.	305,716	207	117	42	19					2	1	5		2	14		20.0	1.5	61.0	34.0	47.8	8.78	0.66	1.68	
HULL.	186,292	112	50	13	13					1	2	2	2	2	4		14.0	1.7	60.0	37.0	47.8	8.78	0.63	1.35	
SUNDERLAND.	125,327	88	39	13	6			1		1		5	1	2	2		16.2	2.9	58.0	39.0	47.2	8.44	0.40	1.02	
NEWCASTLE.	163,509	99	70	20	11		2	1	1				1	2	6		23.8	1.7	58.0	36.0	47.3	8.50	0.50	1.27	
CARDIFF.	57,634	84	47	15	5					2		2		3	8		25.3	3.2							
EDINBURGH.	220,016	136	71	16	20		1		2	2	1	2	2	?	7		14.8	1.7	57.6	31.6	48.0	8.89	1.11	2.82	
GLASGOW.	519,665	334	186	37	28		1	6	1	7	1	7	4	?	26		18.7	2.4	56.3	26.0	48.1	8.95	1.31	3.33	
DUBLIN.	353,052	219	143	35	30			2		2		3	3	3	41		21.1	2.1	58.6	31.9	48.8	9.34	0.55	1.40	

Births and Deaths registered last Week.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the THIRTY-NINTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2368	2285	2410	2494	2473	2453	2518	2538	2399	2571	2672.6	2516
Males . .	1224	1217	1245	1262	1244	1268	1312	1309	1234	1317	1377.5	1253
Females .	1144	1068	1165	1232	1229	1185	1206	1229	1165	1254	1295.1	1263
TOTAL Deaths	1401	1230	1237	1355	1198	1353	1217	1449	1257	1243	1410.5	1251
Males . .	725	683	646	693	605	704	635	745	662	648	795.6	660
Females .	676	547	591	662	588	649	582	704	595	595	674.9	591

* The numbers in this column are the average weekly numbers in the thirty-ninth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.
TOTAL Births	-	-	2420	2411	2423	2459	2164	2885	2535	2413	2538	2330	2516
TOTAL Deaths	-	-	1412	1616	1636	1750	1720	1472	1478	1371	1238	1221	1231
0-20	-	-	741	964	998	1111	1062	870	790	713	619	585	575
20-40	-	-	191	172	153	165	173	144	175	180	163	174	191
40-60	-	-	198	222	209	211	218	201	237	207	231	205	243
60-80	-	-	226	222	214	220	219	212	221	227	183	213	211
at 80 years & upwds.	-	-	56	36	62	43	48	45	50	44	42	44	50
Deaths of { Under 1 year -	408	563	627	723	687	555	499	408	362	303	284	260	304
children { 1-5 -	251	304	281	289	287	232	214	230	192	203	172	149	167
{ 5-20 -	82	97	90	99	88	83	77	75	65	79	80	81	104
Deaths from Small-pox *	23	15	18	16	14	15	5	9	6	9	8	11	7
" " Measles -	73	82	65	71	58	49	38	55	46	25	14	15	20
" " Scarlet Fever -	12	13	11	18	20	9	12	12	14	15	20	16	14
" " Diphtheria -	15	16	19	23	20	13	13	14	16	22	25	18	24
" " Whooping-cough -	51	77	51	47	41	44	43	45	30	39	25	26	22
" " Typhus -	-	1	1	-	-	3	-	-	-	1	-	-	1
" " Enteric fever -	10	17	9	8	10	13	15	14	8	12	9	14	16
" " Simple Cont'd fever -	1	2	2	2	4	1	1	3	-	1	3	3	1
" " Diarrhœa and Dysentery -	110	210	284	348	309	222	163	121	83	62	40	49	42
" " Cholera -	3	7	5	13	11	5	7	6	3	-	1	1	1
Deaths from the above-mentioned Diseases *	298	440	465	546	487	374	297	279	206	186	145	153	148
" " Dis. of Respiratory System -	177	197	180	172	184	162	165	201	159	175	152	159	205
" " Phthisis -	138	140	138	137	159	134	151	157	147	139	155	150	159
" " Dis. of Circulatory System -	99	86	101	73	89	85	110	94	97	90	106	83	84
Violent Deaths -	53	58	42	43	47	55	53	52	38	48	49	45	45
Inquest Cases -	94	114	92	75	93	98	92	81	76	88	93	80	89
Deaths in Public Institutions	312	297	306	298	297	260	292	302	259	279	288	234	285
TEMPERATURE OF THE AIR:													
Mean -	65.0	61.2	64.5	65.2	59.4	59.6	58.2	57.6	57.2	56.3	57.7	52.7	49.6
Mean of Highest readings -	79.5	73.5	78.1	77.7	70.8	72.5	69.4	68.4	68.1	66.1	66.3	62.5	57.8
Mean of Lowest readings -	51.5	51.4	52.4	56.4	51.1	49.9	49.4	49.2	48.6	49.3	51.2	43.8	42.1
Humidity of the Air -	67	74	72	64	77	74	80	75	79	85	86	77	84
Rain-fall in inches -	0.02	0.49	0.01	0.00	0.46	0.09	0.14	0.61	0.40	1.93	0.86	0.18	0.52
Registered Sunshine (in hours)	60.5	32.8	55.9	48.3	28.8	48.4	19.7	25.7	26.9	21.1	15.4	34.1	16.6

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S. :- F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Camm Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filmer, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Llyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-NINTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 39th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 3rd October, 1885.										CAUSES OF DEATH.	Corrected Averages for the 39th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 3rd October, 1885.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
ALL CAUSES - -	1410.5	1251	304	167	104	185	217	240	34	Diseases of Organs of Special Sense † - -	3.0	5	-	1	2	-	2	-	-				
Small-pox { Vaccinated † - - - - -	7.4	-	-	-	-	-	-	-	-	Diseases of Circulatory System - - - -	84.1	84	1	1	14	13	23	27	5				
Unvaccinated - - - - -		1	-	-	1	-	1	1	-	Croup - - - - -	11.4	11	2	8	1	-	-	-	-				
No Statement - - - - -		4	-	1	1	-	-	-	-	Bronchitis - - - -	118.1	101	23	20	2	1	7	38	7				
Measles - - - - -	16.2	20	3	17	-	-	-	-	-	Pneumonia - - - -	59.2	63	14	10	2	9	13	13	-				
Scarlet Fever - - -	61.4	14	2	9	3	-	-	-	-	Pleurisy - - - - -	4.8	7	-	2	1	2	2	-	-				
Typhus - - - - -	2.0	1	-	1	-	-	-	-	-	Other Diseases of Respiratory System - -	24.5	23	8	4	-	1	5	4	1				
Relapsing Fever † -	0.0	-	-	-	-	-	-	-	-	Dentition † - - - -	8.3	12	4	8	-	-	-	-	-				
Influenza - - - -	0.0	-	-	-	-	-	-	-	-	Quinsy, Sore Throat † -	2.3	-	-	-	-	-	-	-	-				
Whooping-cough - -	29.8	22	14	8	-	-	-	-	-	Enteritis - - - - -	8.3	5	-	-	1	1	2	1	-				
Diphtheria - - - -	14.0	24	2	14	7	-	-	1	-	Peritonitis - - - -	5.9	5	-	-	-	1	3	1	-				
Simple Continued and Ill-defined Fever - -	3.2	1	-	-	1	-	-	-	-	Diseases of Liver - -	28.7	20	1	-	1	2	9	7	-				
Enteric Fever - - -	23.9	16	-	1	6	9	-	-	-	Other Diseases of Digestive System -	26.6	31	10	-	2	2	8	8	1				
Cholera - - - - -	2.5	1	-	-	-	-	1	-	-	Diseases of Lymphatic System & of Ductless Glands † - - - -	1.7	2	-	-	-	1	-	1	-				
Diarrhoea, Dysentery	77.5	42	80	6	1	1	1	3	-	Diseases of Urinary System - - - - -	31.6	51	-	2	4	7	16	22	-				
Remittent Fever † -	0.3	-	-	-	-	-	-	-	-	Diseases of Generative System - - - - -	5.0	6	1	-	-	4	-	1	-				
Hydrophobia - - -	0.5	1	-	-	1	-	-	-	-	Accidents of Childbirth -	5.0	6	-	-	-	5	1	-	-				
Glanders - - - - -	0.0	-	-	-	-	-	-	-	-	Diseases of Locomotive System † - - - -	6.7	9	-	1	4	2	1	1	-				
Cowpox and Effects of Vaccination † - - -	0.3	-	-	-	-	-	-	-	-	Diseases of Integumentary System - - - -	6.0	7	3	-	-	1	-	3	-				
Venereal Affections -	10.8	10	7	1	-	-	1	1	-	VIOLENT DEATHS ‡													
Erysipelas - - - -	5.8	7	1	-	-	2	2	1	1	(ACCIDENT.)													
Pyæmia and Septicæmia †	3.0	6	1	1	-	-	1	2	1	Fracture and Contusion	21.5	13	-	-	4	4	3	1	1				
Puerperal Fever - -	4.0	5	-	-	5	-	-	-	-	Gunshot Wound - - -	0.1	1	-	-	-	-	1	-	-				
Other Zymotic Diseases †	0.3	-	-	-	-	-	-	-	-	Cut, Stab - - - - -	0.5	-	-	-	-	-	-	-	-				
Thrush - - - - -	4.7	1	1	-	-	-	-	-	-	Burn and Scald - - -	2.3	2	-	1	-	-	1	-	-				
Worms and other Parasitical Diseases - - -	0.1	-	-	-	-	-	-	-	-	Poison - - - - -	1.0	-	-	-	-	-	-	-	-				
Starvation, Want of Breast-milk † - - -	1.7	8	3	-	-	-	-	-	-	Drowning - - - - -	7.4	4	1	-	2	-	1	-	-				
Alcoholism - - - -	4.5	3	-	-	-	3	-	-	-	Suffocation - - - -	7.9	12	10	-	1	1	-	-	-				
Rheumatic Fever and Rheumatism of Heart	10.0	5	-	-	2	1	2	-	-	Otherwise - - - - -	2.3	3	2	-	1	-	-	-	-				
Rheumatism - - - -		3	-	-	-	-	2	1	-	(HOMICIDE.)													
Gout - - - - -	3.4	1	-	-	-	-	-	1	-	Murder & Manslaughter	2.1	1	-	-	-	-	1	-	-				
Rickets † - - - -	1.7	1	-	1	-	-	-	-	-	(SUICIDE.)													
Cancer - - - - -	47.5	54	-	-	1	7	28	19	1	Gunshot Wound - - -	0.5	-	-	-	-	-	-	-	-				
Tabes Mesenterica -	38.1	26	16	10	-	-	-	-	-	Cut, Stab - - - - -	1.7	1	-	-	-	-	1	-	-				
Tubercular Meningitis	25.8	24	10	9	5	-	-	-	-	Poison - - - - -	0.9	5	-	-	-	2	2	1	-				
Phthisis - - - - -	167.3	159	-	4	16	82	50	7	-	Drowning - - - - -	0.9	1	-	-	-	1	-	-	-				
Scrofula, Tuberculosis	12.5	15	3	6	4	1	1	-	-	Hanging - - - - -	1.5	1	-	-	-	-	1	-	-				
Other Constitutional Diseases † - - -	8.7	11	-	-	1	1	5	4	-	Otherwise - - - - -	0.9	1	-	-	-	1	-	-	-				
Premature Birth - - -	23.4	41	41	-	-	-	-	-	-	(EXECUTION.)													
Atelactasia † - - -	1.0	5	5	-	-	-	-	-	-	Hanging - - - - -	0.0	-	-	-	-	-	-	-	-				
Congenital Malformations - - - -	7.3	9	8	-	1	-	-	-	-	OTHER CAUSES † - -	76.0	69	40	10	3	2	2	2	-				
Old Age - - - - -	44.3	35	-	-	-	-	20	15	-														
Apoplexy - - - - -	39.4	38	1	1	-	5	10	21	-														
Epilepsy - - - - -	5.7	4	-	-	1	2	-	1	-														
Convulsions - - - -	39.6	31	20	5	-	-	-	-	-														
Other Diseases of Brain and Nervous System	77.0	55	7	6	6	4	11	21	-														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.048 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

† Exclusive of 2 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET
during the Week ending

		The DEATHS registered in the Week include																				
REGISTRATION		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total DEATHS during the Week.	Deaths of		Deaths from													Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes
SUB-DISTRICTS.					Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.						
LONDON		3,816,483	2516	1251	304	274	5	20	14	24	22	1	16	1	42	45	89	285	11			
WEST DISTRICTS.																						
St. Mary Paddington WHH G.J. & W.M.		66883	39	27	8	9	-	-	-	1	1	-	-	-	-	2	1	2	2			
St. John Paddington H - - G.J.		37380	10	12	-	5	-	-	-	1	-	-	-	-	-	-	1	2	4			
Kensington Town Ww - - W.M.		120141	45	38	8	6	-	-	-	1	1	-	-	-	1	1	2	16	-			
Brompton H - - W.M. & C.		43010	11	6	1	1	-	-	-	-	1	-	-	-	-	-	-	2	-			
St. Peter Hammersmith - - W.M.		7599	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Paul Hammersmith H W.M. & G.J.		64340	51	32	14	4	-	1	-	-	1	-	-	-	3	-	2	-	-			
Fulham WvH - - W.M. & C.		42906	45	22	5	5	-	1	-	-	-	1	-	-	3	-	1	5	-			
Chelsea South HHH - - C.		30896	21	14	4	1	-	-	-	-	1	-	-	-	-	-	1	1	-			
Chelsea North-west WHHHH - C.		24925	27	15	4	6	-	-	-	-	-	-	-	-	-	-	-	9	-			
Chelsea North-east - - C.		32807	19	9	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-			
Hanover Square H - - G.J.		16862	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
May Fair W - - G.J.		13491	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-			
Belgrave WHH - - C.		59220	31	16	4	2	-	1	-	-	-	-	-	-	-	1	1	6	1			
St. John Westminster HH - - C.		35496	12	6	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-			
St. Margaret Westminster H - C.		24679	11	6	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-			
St. James Westminster WH N.R. & G.J.		29941	10	4	2	7	-	-	-	-	-	-	-	-	-	-	-	1	-			
St. Anne Soho HHHHH - - N.R.		16008	12	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-			
NORTH DISTRICTS.																						
All Souls Marylebone HHHH - W.M.		26759	13	9	2	1	-	-	-	1	1	-	-	-	-	-	1	4	-			
Cavendish Square HHH - - W.M.		14891	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Rectory Marylebone WH G.J. & W.M.		24809	6	6	7	5	-	-	-	-	-	-	-	-	1	-	-	-	-			
St. Mary Marylebone HHH G.J. & W.M.		21118	30	7	3	-	-	-	-	-	-	-	-	-	-	-	-	4	-			
Christchurch Marylebone H - W.M.		33700	21	6	3	2	-	-	-	-	-	-	-	-	-	-	1	2	-			
St. John Marylebone H - - W.M.		33633	20	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Hamstead WvHHH - N.R. & W.M.		45452	25	15	1	9	-	-	1	1	-	-	-	-	-	2	3	3	-			
Regent's Park Pancras H - - W.M.		39115	28	12	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-			
Tottenham-court vHHHH N.R. & W.M.		27729	18	20	4	3	-	-	-	1	-	-	-	-	-	1	3	12	-			
Gray's Inn Lane HHH - - N.R.		30247	13	14	4	3	-	1	-	-	-	-	-	-	-	-	-	5	-			
Somers Town H - - N.R.		34369	23	9	2	1	-	1	-	-	-	-	-	-	1	1	1	-	-			
Camden Town WH - - N.R.		17311	18	8	2	6	1	-	-	-	-	-	-	-	-	-	-	-	-			
Kentish Town W - - N.R.		87487	58	25	6	8	-	-	1	-	-	-	-	-	-	2	2	6	-			
Upper Holloway WvWvH - - N.R.		67946	40	29	7	6	-	-	-	1	1	-	-	-	-	1	2	13	-			
Islington South-west HH - - N.R.		100976	70	19	6	2	-	-	1	-	1	-	-	-	-	1	-	-	-			
Islington South-east - - N.R.		61895	40	23	7	8	-	-	-	-	-	-	-	-	2	-	2	-	-			
Highbury H - - N.R.		52048	33	16	4	6	-	-	-	1	1	1	-	-	-	1	3	1	-			
Stoke Newington H - - N.R.		22781	5	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-			
Stamford Hill - - E.L.		9277	23	6	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-			
West Hackney - - N.R.		37610	23	6	2	1	-	-	-	1	1	-	-	-	-	1	1	-	-			
Hackney WvWvHL - - E.L. & N.R.		76911	51	30	4	4	-	-	-	-	-	1	-	-	1	1	2	14	-			
South Hackney - - E.L.		39883	24	5	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-			
CENTRAL DISTRICTS.																						
St. George Bloomsbury - - N.R.		16681	6	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-			
St. Giles South WH - - N.R.		14864	13	10	1	5	-	-	-	-	-	-	-	-	-	-	1	1	-			
St. Giles North - - N.R.		13887	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-			
St. Martin-in-the-Fields HH N.R. & C.		17508	7	6	-	2	-	1	-	-	-	-	-	-	-	2	2	3	-			
St. Mary-le-Strand H - - N.R.		7615	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Clement Danes H - - N.R.		8559	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. George-the-Martyr HHHHH N.R.		18671	9	9	3	1	-	1	-	-	-	-	-	-	-	-	-	2	-			
St. Andrew Eastern W - - N.R.		10706	3	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
Saffron Hill H - - N.R.		6533	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. James Clerkenwell - - N.R.		17516	15	9	2	2	-	2	-	-	1	-	-	-	-	-	-	-	-			
Amwell Clerkenwell - - N.R.		12981	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Pentonville - - N.R.		14773	8	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-			
Goswell-street - - N.R.		17506	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Old-street H - - N.R.		11541	9	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
City-road HHL - - N.R.		18628	21	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Whitecross-street - - N.R.		9217	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Finsbury - - N.R.		7463	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Botolph H - - N.R. & E.L.		11174	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Cripplegate - - N.R.		7193	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Sepulchre H - - N.R.		5358	-	20	-	2	-	-	-	1	-	-	1	-	-	1	1	19	-			
St. Bride W - - N.R.		8396	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Allhallows Barking - - N.R.		13666	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Broad Street H - - N.R.		5652	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work-house; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
Saturday, the 3rd October, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include															
					Deaths of		Deaths from													
					Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Septic con- taminated Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
EAST DISTRICTS.																				
Holywell Shoreditch	N.R. & E.L.	7376	8	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1
St. Leonard Shoreditch	HL†	14967	7	7	1	2	-	-	-	-	-	-	-	-	-	-	1	1	3	-
Hoxton New Town	-	29937	17	16	-	9	-	-	1	-	-	-	-	-	-	-	-	-	18	-
Hoxton Old Town	-	28636	16	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haggerston	WH -	46275	29	14	4	4	-	-	2	1	-	1	-	-	-	-	1	4	-	-
Hackney-road	H -	29738	19	9	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Green, Bethnal Green	WH†	47322	36	19	5	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Church, Bethnal Green	-	29881	18	8	3	1	-	-	1	-	-	1	-	-	-	1	2	9	-	-
Town, Bethnal Green	-	18310	16	7	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Spitalfields	H -	22585	8	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Mill End New Town	W	15473	11	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Whitechapel Church	H	17490	13	15	1	1	-	-	-	-	1	-	-	4	1	1	-	1	10	-
Goodman's Fields	-	3713	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aldgate	-	6102	5	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. George's, North	-	38747	50	16	6	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-
St. John, St. George East	W	8410	12	11	4	5	-	-	-	-	-	-	-	-	-	1	1	7	-	-
Shadwell	H -	10885	4	6	4	1	-	-	-	-	1	-	-	-	-	-	-	1	4	1
Ratcliff	-	16107	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincolns	-	32041	25	7	2	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Mill End Old Town West	-	37660	28	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mill End Old Town East	WWWH	67633	52	20	8	9	-	-	1	1	2	-	1	-	1	1	1	8	1	-
Bow	-	37074	24	6	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Bromley	WWWH	64359	49	31	5	9	-	-	1	-	-	-	-	1	-	-	2	4	15	-
Poplar	WWH	55077	39	18	3	5	-	-	1	-	1	-	1	1	-	-	1	2	-	-
SOUTH DISTRICTS.																				
Christchurch Southwark	WH	L. & S.	13663	10	7	1	4	-	-	-	-	-	-	-	-	-	-	-	1	1
St. Saviour Southwark	-	S.	14999	7	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road	-	S. & L.	21381	19	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Borough-road	WH	-	15053	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London-road	HL	-	21318	10	11	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Trinity Newington	-	S. & L.	26672	20	12	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Peter Walworth	W	S. & L.	53555	31	13	4	4	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Mary Newington	-	L. & S.	21623	18	5	1	1	-	-	-	-	-	-	-	-	-	-	-	7	1
St. Olave	WH	-	11956	4	12	-	3	-	-	-	-	-	-	-	-	1	1	1	7	-
Leather Market	-	S. & L.	16200	5	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Mary Magdalen	W	-	15669	12	5	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
St. James Bermondsey	-	S.	54683	13	23	8	8	-	-	-	-	-	-	-	-	-	-	2	-	-
Rotherhithe	W	-	36024	33	17	3	4	-	-	-	-	-	-	-	-	2	1	1	3	-
Waterloo-road 1st	H -	L. & S.	15195	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Waterloo-road 2nd	H -	L. & S.	16321	17	6	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st	H -	L. & S.	10876	24	12	1	3	-	-	-	-	-	-	-	-	-	-	-	8	-
Lambeth Church 2nd	WW	L. & S.	39559	35	18	3	5	-	-	-	-	-	-	-	-	-	-	2	6	-
Kennington 1st	-	S. & L.	45332	37	10	2	1	-	-	2	-	-	-	-	-	-	-	1	7	-
Kennington 2nd	-	S. & L.	35332	22	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Brixton	WW	L. & S.	62837	42	13	-	4	-	-	-	-	-	-	-	-	1	-	-	-	-
Norwood	W	-	19017	11	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Clapham	H -	-	36840	25	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea	-	S.	54675	16	14	7	2	-	-	-	-	2	-	1	-	1	-	-	-	-
West Battersea	WW	-	25657	10	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	HL	-	28004	14	10	3	-	-	-	-	-	1	-	-	-	1	1	1	1	-
Putney	-	S.	13235	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Streatham	-	L.	25553	24	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	-	-	5590	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell	WLL†	-	59104	27	19	-	6	1	-	-	8	-	-	-	-	-	-	1	5	-
Peckham	W	-	71389	54	24	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. George Camberwell	-	L. & K.	50810	51	20	7	3	-	-	-	-	-	-	-	-	-	2	3	-	-
St. Paul Deptford	WW	-	76752	54	25	5	4	2	-	1	-	-	-	-	-	-	-	-	2	-
St. Nicholas Deptford	-	K.	7501	9	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich West	H	-	21672	12	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Greenwich East	WHH	-	24608	33	12	2	4	-	-	-	-	-	-	-	-	2	3	3	5	-
Eltham	H -	-	5827	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee	-	K.	21549	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham	WH	-	19865	23	5	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-
Sydenham	H	-	26076	18	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Charlton	H -	-	10930	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Woolwich Dockyard	-	K.	1757	13	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Woolwich Arsenal	HHH	-	19048	18	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Plumstead, West	H	-	14069	13	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, East	W	-	12241	14	9	1	4	-	-	-	-	-	-	-	-	-	2	2	4	-

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and
Central London Sick Asylum in Tottenham Court-road sub-district.	Stepney { Bromley sub-district.
Holborn Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum { Bromley sub-district.
London City Workhouse " Roper's sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Holborn " Hoxton New Town sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hags-
Whitechapel " Mile End Old Town Eastern sub-dist.	ney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA ; POPULATION ; BIRTHS and DEATHS registered during the Week ending Saturday, 3rd October, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING		370,232	950,178	800	304	80	87	2	5	1	7	2	3	7	11	18	30	4
30: 1	Carshalton <i>wL</i> - -	12223	21118	12	6	4	1	-	-	-	-	-	-	1	-	-	2	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
37: 1	Godstone (<i>part of</i>) * -	2754	1235	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
38: 1	Croydon <i>WwH</i> - -	20851	101241	67	32	5	11	-	-	-	-	-	-	-	3	4	6	-
	Mitcham - -	11697	17932	10	6	2	2	-	-	-	-	-	-	1	-	-	-	-
39: 1	Wimbledon <i>HHH</i> - -	3220	15950	20	5	1	2	-	-	-	-	-	-	1	-	-	-	-
2	Kingston <i>WHH</i> - -	8549	36354	25	8	1	7	-	-	-	-	-	-	-	-	-	-	-
3	Esher (<i>part of</i>) * -	6601	9221	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Hampton <i>H</i> - -	4573	13539	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-
40: 1	Richmond <i>WH</i> - -	2272	21302	11	8	-	1	-	-	-	-	-	-	-	-	1	4	-
2	Mortlake - -	941	12331	10	4	1	-	-	-	-	-	-	-	-	1	1	-	-
41: 1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	17	14	2	5	-	-	-	-	-	-	-	2	2	-	-
2	Chislehurst(<i>pt. of</i>) * <i>WHH</i>	13665	15065	17	6	-	3	-	-	-	-	-	-	-	-	-	-	-
42: 1	Bexley <i>H</i> - -	13437	24134	20	3	-	1	-	-	-	-	-	-	-	-	-	-	-
124: 1	Sunbury <i>w</i> - -	11055	11685	2	9	2	2	-	-	-	-	1	-	-	1	2	-	-
2	Staines <i>W</i> - -	13277	12089	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-
125: 1	Hillingdon <i>WH</i> - -	6029	10802	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - -	6178	5225	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes <i>wHL</i> - -	14587	11523	14	3	-	1	-	-	-	-	-	-	-	-	-	2	-
126: 1	Isleworth <i>W</i> - -	7008	22727	22	4	-	2	-	-	-	-	-	1	-	-	-	-	-
2	Twickenham <i>H</i> - -	2477	12479	5	5	3	1	-	1	-	-	-	-	-	-	-	-	-
3	Brentford <i>HL</i> - -	4345	27649	29	8	2	2	-	-	1	-	-	-	-	-	-	-	-
4	Chiswick - -	1340	15975	11	8	1	1	-	2	-	-	-	-	-	-	-	-	-
5	Acton <i>wH</i> - -	6083	22876	23	7	3	2	-	1	-	-	-	-	-	-	-	-	-
127: 1	Harrow <i>H</i> - -	13809	12796	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>H</i> - -	6994	3749	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden - -	4383	27453	26	3	1	1	-	-	-	-	-	-	-	-	-	-	-
4	Hendon <i>W</i> - -	8382	10484	11	6	2	3	-	-	-	-	-	-	-	-	1	2	-
128: 1	South Mimms - -	15599	6391	7	2	1	-	-	-	-	1	-	-	-	-	-	-	-
2	Barnet <i>W</i> - -	5433	10092	6	4	-	3	-	-	-	-	-	-	-	-	-	1	-
3	Finchley <i>HL</i> - -	4688	17615	12	10	3	4	-	-	-	1	-	-	-	-	-	4	-
129: 1	Hornsey <i>H</i> - -	3039	37078	37	11	3	2	-	-	-	-	-	-	-	-	1	-	-
2	Tottenham <i>HH</i> - -	4642	46456	60	23	6	5	-	-	-	2	-	-	-	1	2	-	-
3	Edmonton <i>Ww</i> - -	7483	23463	28	6	1	4	-	-	-	-	-	-	-	-	-	4	-
4	Enfield <i>WH</i> - -	12653	19104	4	2	1	-	-	-	-	-	-	-	1	-	-	-	-
5	Waltham Abbey - -	11017	5368	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - -	8480	7735	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-
135: 1	Hatfield (<i>part of</i>) * -	3306	583	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey - -	9331	6221	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
136: 1	Stratford - -	882	38606	26	14	4	4	-	-	-	-	-	1	-	-	-	-	-
2	West Ham <i>wwwH</i> - -	7351	101053	123	39	14	4	2	1	-	2	-	-	-	3	3	1	-
3	Leyton <i>WwL</i> - -	4372	32430	24	13	6	1	-	-	-	-	-	-	-	-	-	3	-
4	Walthamstow <i>wH</i> - -	6520	28869	29	7	2	1	-	-	-	-	1	-	-	-	1	-	-
137: 1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9669	4	6	3	3	-	-	-	-	-	1	-	-	-	-	-
139: 1	Romford (<i>part of</i>) * -	6730	3411	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - -	8493	7645	9	4	-	2	-	-	-	1	-	-	-	-	-	-	-
3	Barking Town - -	4127	9203	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:— 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Hendley (pop. 1235); 37: 1, the two parishes of Warringham and Farley in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41: 1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813); 41: 2, the whole of Chislehurst sub-district, except the parish of Chelsfield (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 137: 1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 3rd October, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
GREATER LONDON	448,334	5,199,166	15·6	1·7	1555	384	361	7	25	15	31	24	21	49	56	315	
INNER LONDON -	78,052	4,083,928	16·0	1·8	1251	304	274	5	20	14	24	22	18	42	45	285	
OUTER RING -	370,282	1,115,238	14·2	1·3	304	80	87	2	5	1	7	2	3	7	11	30	

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA	433,210	August 29	-	267	32·1	Fevers 96; cholera 8.
BOMBAY	773,196	September 1	290	414	25·5	Fevers 110; cholera 5.
MADRAS	398,777	August 21	298	253	33·0	Fevers 57; cholera 2; diarrhoeal diseases 47.
PARIS	2,230,928	September 26	1150	775	18·1	Typh. fev. 23; dip. & crp. 20; meas. 10; diarr. dis. 106.
GENEVA	71,453	" 26	20	27	19·7	---
BRUSSELS	436,214	" 19	239	175	20·8	Scar. fev. 2; diph. 2; diarrhoeal diseases 36.
AMSTERDAM	366,812	" 26	243	123	17·6	Measles 3.
ROTTERDAM	166,001	" 26	132	53	16·4	Scarlet fever 1.
THE HAGUE	134,552	" 26	101	36	13·9	Croup 2.
COPENHAGEN	280,615	" 22	217	89	16·5	Typhd. fev. 1; whooping-cough 2; diarr. dis. 11.
STOCKHOLM	200,143	" 12	132	72	18·7	Diphtheria and croup 2; diarr. dis. 17.
CHRISTIANIA	128,000	" 26	78	50	20·3	Scarlet fever 3; diphtheria and croup 11.
ST. PETERSBURG	928,016	" 19	-	450	25·3	Typh. and typhd. fev. 11; scar. fev. 21; diar. dis. 77.
BERLIN	1,270,599	" 12	819	493	20·1	Diphtheria 37; scarlet fev. 14; diarr. dis. 57.
HAMBURG (State)	407,956	" 19	330	240	26·1	Diph. and croup 14; scar. fev. 4; diarr. dis. 39.
DRESDEN	241,500	" 12	156	90	19·4	Diphtheria and croup 4; typh. & typhd. fev. 3.
BRESLAU	205,000	" 19	188	150	26·3	Diphtheria 8; whooping-cough 5; diarr. dis. 18.
MUNICH	244,000	" 26	146	113	24·1	Diphtheria and croup 3; diarrhoeal diseases 27.
VIENNA	769,889	" 26	475	319	21·5	Sm.-pox 14; diphtheria 5; typh. & typhd. fev. 4.
PRAGUE	272,333	" 26	-	127	24·3	Sm.-px. 3; dip. & croup 6; scarlet fever 4.
BUDA-PESTH	429,532	" 12	288	190	23·0	Sm.-pox 2; typh. & typhd. fev. 6; diarr. dis. 34.
TRIESTE	150,157	" 12	-	64	22·2	Sm.-pox 4; dip. & crp. 5; typhoid fev. 3.
ROME	330,430	August 15	195	178	28·1	Small-pox 4; typhd. fev. 8; dip. 3; diarr. dis. 26.
NAPLES	504,795	-	-	-	-	---
TURIN (10 days)	267,763	September 10	216	144	19·6	Typhoid fever 3; whooping-cough 4.
VENICE	145,090	" 12	75	70	25·0	Sm.-pox 12; typhd. fev. 3; diarrhoeal diseases 12.
MADRID	475,668	-	-	-	-	---
LISBON	203,681	-	-	-	-	---
ALEXANDRIA	131,106	-	-	-	-	---
NEW YORK	1,356,958	September 5	-	665	25·6	Diphtheria 19; whooping-cough 20; diarr. dis. 121.
BROOKLYN	665,602	" 5	-	325	25·5	Scarlet fever 10; dip. 8; diarrhoeal dis. 57.
PHILADELPHIA	940,432	" 12	-	388	21·3	Diphtheria 12; typhoid fever 17.
BALTIMORE	408,520	" 12	-	132	16·9	Diphtheria 5; typhoid fever 3.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 3rd OCTOBER, 1885.
[Under the Superintendence of the Astronomer Royal.]

MOON.	METEER.		READINGS OF THERMOMETERS.										DIFFERENCE.				WIND.				RAIN.				
	Phases of Moon.	Mean reading (cent. Fahrten. held).	Dry.		Dew Point.		Highest in shade, as shown by self-registering thermometer with blackened bulb placed on the Grass.	Lowest in shade, as shown by self-registering thermometer with blackened bulb placed on the Grass.	In the Water at the bottom of the Thames.		Between Damp Point and Air Temperature.		Between mean temperature of the surface of the water and mean temperature of the air on an average of 10 days.	Degree of humidity, complete saturation being 100.	As deduced from Anemometers.										
			High. est.	Low. est.	Range in day.	Mean daily value.			Mean daily value.	Great. est.	Least.	A.M.			P.M.	Great. est.	Least.	Mean of each day.	Robinson's.	Amount of Depreciation from Average of Air of each day.					
1885.																									
MONTH AND DAY.																									
SEPT.																									
SUN.	27	in.	29.733	51.7	30.6	21.1	40.5	39.4	85.5	22.3	55.1	54.8	1.1	10.4	0.0	-15.0	96	WSW & NNE.	NNE & N.	0.1	0.0	149	-106	0.01	0.0
MON.	28	..	29.806	54.1	37.3	16.8	45.4	38.5	87.0	28.0	55.5	55.2	6.9	13.8	0.0	-10.0	77	NNW & NW & WSW.	NW & WSW.	0.1	0.1	199	-55	0.00	0.5
TUES.	29	..	29.523	60.0	45.8	14.2	53.4	52.0	78.3	35.2	55.7	55.3	1.4	6.8	0.0	-1.8	95	SSW & NNW.	Variable.	0.0	0.4	209	-44	0.29	1.5
WED.	30	Greatest Dec.N.	29.384	61.1	48.2	12.9	54.0	50.8	97.1	40.6	55.1	54.8	3.2	6.6	0.0	-0.9	89	SW.	SW.	0.0	0.0	424	+172	0.07	3.8
OCTOBER.																									
THURS.	1	Last Qr.	29.583	58.3	44.5	13.8	50.4	43.4	105.7	35.8	55.9	55.3	7.0	13.1	0.8	-4.3	77	WSW & WSW.	WSW.	0.0	0.9	411	+160	0.10	5.5
FRI.	2	..	29.747	59.8	44.6	15.2	52.9	47.9	94.9	37.0	55.7	54.8	5.0	9.3	1.5	-1.5	83	WSW & SW.	SW.	0.0	1.7	473	+223	0.01	7.2
SAT.	3	Perigee.	29.750	59.3	44.0	15.3	50.8	41.0	105.3	34.0	55.7	55.2	9.8	17.0	2.0	-3.2	69	SW & WNW.	WNW.	0.0	1.2	329	+81	0.04	1.5
MEANS		...	29.649	57.8	42.1	15.6	49.6	44.7	93.4	33.3	55.5	55.1	4.9	11.0	0.6	-5.2	84	SW.	SW.	Sum	Sum	Sum	Sum
No of Col.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27

DATE.	ELECTRICITY (To be filled in by the observer.)	Hatched Sun above Horizon.		SKY AND ATMOSPHERE.		Hatched Sun above Horizon.	
		in hours.	in hours.			in hours.	in hours.
SUNDAY 27		0.3	11.5	Cloudy till evening, and a slight shower fell at 3h. P.M.; cloudless at night.			
MONDAY 28		2.7	11.7	Generally cloudy. Fog prevailed in morning.			
TUESDAY 29		0.0	11.7	Overcast till evening; variable afterwards. Rain fell between 3h. A.M. and 9h. A.M. and a shower fell in afternoon; foggy at night.			
WEDNESDAY 30	Record not reliable	0.3	11.6	Overcast with occasional rain till evening; cloudless at night.			
OCTOBER.							
THURSDAY 1		5.3	11.6	Showers in early morning; fine afterwards; partially cloudy till evening; generally cloudless at night and faint lightning was seen occasionally.			
FRIDAY 2		0.1	11.5	Generally overcast. Rain at night.			
SATURDAY 3		7.4	11.4	Rain fell in early morning; afterwards fine. Variable amounts of cloud prevailed till evening; cloudless at night.			
		Sum	Sum			Sum	Sum
		16.6	81.3				

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1885 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily wet point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 29 years ending 1885.

In reading the 17th and 26th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of electricity is derived from Thomson's self-registering instrument. The symbols employed are, - P. positive; N. negative; W. weak; m. moderate; s. strong; and v. very.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 29.74 in. at the beginning of the week to 29.71 in. by 10h. A.M. on the 27th of September; increased to 29.84 in. by 9h. A.M. on the 28th; decreased to 29.55 in. by 9h. A.M. on the 29th; increased to 29.66 in. by 9h. A.M. on the same day; decreased to 29.31 in. by 3h. P.M. on 30th; increased to 29.84 in. by 9h. A.M. on the 2nd of October; decreased to 29.62 in. by 9h. P.M. on the same day, and increased to 29.59 in. by 9h. A.M. on the 3rd.

OFFICIAL COPY.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 40. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, OCTOBER 10. [Price 1½d.

General Register Office, Somerset House,
12th October, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 17·6 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.		Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.
Birkenhead	20·2	15·7	12·9	14·6	Liverpool -	21·4	21·7	23·3	22·5
Birmingham	12·7	15·5	17·6	15·6	London -	15·7	13·8	16·0	16·7
Blackburn -	14·4	18·1	17·2	14·8	Manchester	20·6	21·7	22·4	22·7
Bolton -	23·7	19·9	12·3	19·0	Newcastle-on-Tyne	22·1	19·1	23·8	20·1
Bradford	14·6	14·8	16·3	15·3	Norwich -	17·7	14·3	13·7	16·6
Brighton -	17·3	16·8	15·9	15·5	Nottingham	17·8	15·8	13·6	15·1
Bristol -	16·7	10·0	17·7	14·1	Oldham -	18·2	14·5	26·0	17·8
Cardiff -	23·7	22·0	25·3	22·6	Plymouth -	19·9	22·0	24·0	23·3
Derby -	16·9	14·0	17·5	14·0	Portsmouth	21·7	18·6	22·9	21·3
Halifax -	20·2	17·5	13·5	16·9	Preston -	28·6	23·4	18·2	28·1
Huddersfield	11·4	14·3	14·9	14·3	Salford -	20·5	17·4	18·9	20·2
Hull -	15·7	11·8	14·0	16·8	Sheffield -	17·8	21·8	20·0	20·1
Leeds -	15·3	16·4	18·5	17·7	Sunderland	17·1	20·0	16·2	19·2
Leicester -	18·0	18·0	19·9	13·8	Wolverhampton -	21·1	13·8	21·7	13·8

The highest annual death-rates from diarrhoea, were 1·9 in Portsmouth and 3·6 in Preston; from "fever," 1·3 in Halifax, and 1·6 in Cardiff; from scarlet fever 1·6 in Preston; and from measles, 1·0 in Salford. Of the 24 deaths from diphtheria, 14 occurred in London, and 2 in Salford. Small-pox caused 2 deaths in London and its outer ring (exclusive of one in the Metropolitan Asylum Hospital Ship "Atlas" moored off Dartford), and not one in any of the twenty-seven provincial towns.

LONDON.

In LONDON 2491 BIRTHS and 1309 DEATHS were registered. Allowing for increase of population, the births were 164, and the deaths 146, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 13·8 and 16·0 in the two preceding weeks, further rose last week to 16·7.

The 1309 deaths included 2 from small-pox, 17 from measles, 21 from scarlet fever, 14 from diphtheria, 34 from whooping-cough, 2 from typhus, 12 from enteric fever, 6 from ill-defined forms of continued fever, 35 from diarrhoea and dysentery, and 1 from English cholera; thus, 144 deaths were referred to these diseases, being 82 below the corrected average weekly number.

The fatal cases of *small-pox* registered in London, which had been 3 and 5 in the two preceding weeks, declined to 2 last week. These 2 deaths were exclusive of one of a London resident who died in the Metropolitan Asylum Hospital Ship "Atlas", moored off Dartford and outside Registration London. Of the total 3 cases, 2 occurred in the Metropolitan Asylum Hospitals (admitted from Lambeth and Epsom), and one at 33, Brindley Street, Paddington. The number of small-pox

patients in the Metropolitan Asylum Hospitals, which had steadily declined in the eighteen preceding weeks from 1389 to 131, had further fallen to 112 on Saturday last; the admissions, which had been 47, 27, and 18 in the three preceding weeks, further declined last week to 15.

The fatal cases of *measles*, which had been 15 and 20 in the two preceding weeks, declined again to 17 last week, and were 4 below the corrected average; 3 belonged to Paddington, and 3 to Lambeth. The 21 deaths from *scarlet fever* showed an increase upon recent weekly numbers, but were 42 below the corrected average; 2 belonged to Hackney, 2 to St. Luke's, and 16 to East London. Of the 14 deaths from *diphtheria*, 2 belonged to Fulham, 3 to Islington, 2 to Lambeth, and 2 to Camberwell. The 34 fatal cases of *whooping-cough* exceeded the numbers in recent weeks, and were 7 above the corrected average; 9 belonged to the West, and 11 to the South groups of districts. The 35 deaths attributed to *diarrhoea* were 24 below the corrected average. The death of a child, aged 2 years, was referred to *English cholera*.

The 12 deaths referred to *enteric fever* were 15 below the corrected average; 2 belonged to Chelsea, and 2 to Westminster. The 2 deaths attributed to *typhus* belonged to 70, Banner Street, St. Luke's, and to 30, Suffolk Street, Poplar. Four deaths were indefinitely referred to "fever" or "continued fever."

DEATHS BELONGING TO THE SEVERAL SANITARY AREAS OF REGISTRATION LONDON, registered in the 13 WEEKS ENDING ON 3RD OCTOBER, 1885.

In the following Table the deaths in Hospitals and in other Public Institutions

SANITARY AREAS.	Deaths.	Deaths from Principal Zymotic Diseases.									Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and continued Fever.	Diarrhoea.		
REGISTRATION LONDON	18,334	136	610	185	237	541	7	150	24	2043	5983	187
WEST.												
Paddington	443	2	17	6	3	11	1	4	2	48	136	191
Kensington	654	8	25	3	9	18		2		60	187	195
Fulham	775	5	49	7	9	30	1	4	3	147	195	223
Chelsea	414		14	1	6	17		5		63	182	253
St. George Hanover Square	303	1	3	1	5	3		2		21	67	155
Westminster	241				4	3		1		23	78	179
St. James Westminster	125		5		1	5		1		10	32	224
NORTH.												
Marylebone	699	2	46		3	10		4	1	80	200	188
Hampstead	150	4	8		2	3		2		9	25	74
Pancras	1063	8	26	8	10	20		11		102	303	186
Islington	1392	11	88	7	45	41	1	12	3	167	450	185
Hackney	818	8	30	6	18	15		10	1	100	299	189
CENTRAL.												
St. Giles	252	1	5	1	2	3		3		16	67	218
St. Martin-in-the-Fields	67	1	1		1					3	17	185
Strand	147	1	3			7		3		14	48	244
Holborn	175	2	7	3	1			1		19	50	205
Clerkenwell	329	3	17	1	4	9		2	1	46	119	210
St. Luke's	279	2	7	1	4	4		2		1	39	106
London City	232	2	4	3	1	6				14	35	267
EAST.												
Shoreditch	691	3	32	26	9	21		1		74	216	213
Bethnal Green	680	1	22	18	8	21				71	230	186
Whitechapel	816	1	10	4	2	4		1	2	36	101	184
St. George-in-the-East	349	2	6	13	5	15		1	1	68	93	212
Stepney	333	1	14	7	4	5		4		29	95	189
Mile End Old Town	457		23	14	2	21		8		42	146	149
Poplar	780	17	21	13	4	26		5		77	254	181
SOUTH.												
St. Saviour Southwark	153		1			2		1		13	41	169
St. George Southwark	258	3	9	3	2	7		2	1	46	112	222
Newington	564	13	12	3	8	6		1	2	47	218	221
St. Olave Southwark	55											
Bermondsey	410	2	13	12	5	13		2		51	22	256
Rotherhithe	180	2	3	4	2			3	1	21	66	188
Lambeth	1144	6	35	4	18	36	1	8		126	373	163
Wandsworth	1620	1	13	3	11	39		13	2	154	401	186
Camberwell	874	14	14	4	13	20	1	5		92	302	176
Greenwich	634	7	6	4	5	42	2	8	1	64	226	182
Lewisham (excluding Penge)	213	1	7		5	13		8		21	71	186
Woolwich	169		3	1	1	8		2		15	37	113
Plumstead (including Mottingham Hamlet)	247	1	2	2	5	15		3		22	72	127

have been distributed to the areas from which the deceased inmates were admitted. The deaths of 72 London residents who died in the Metropolitan Asylum Hospitals outside Registration London have been included and similarly distributed; while, on the other hand, the deaths of 210 non-residents who died in Public Institutions inside London have been excluded.

GREATER LONDON.

In Greater London 3247 births and 1603 deaths were registered, corresponding to annual rates of 32·6 and 16·1 per 1000 of the population. In the Outer Ring 8 deaths from diphtheria and 7 from "fever" were registered; those from diphtheria included 3 in Ilford (all in one house), and 2 in Hornsey sub-districts. Two deaths from "fever" occurred in Stratford sub-district.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·40 in.; the highest reading was 29·82 in. at the beginning of the week, and the lowest 28·78 in. on Saturday morning. The mean temperature of the *air* was 47°·6, and 5°·2 below the average in the corresponding week of the 20 years ending 1868. The mean was considerably below the average on each day of the week; the coldest days being Monday, Thursday, and Saturday. The general direction of the *wind* was S.W., and the horizontal movement of the air averaged 16·0 miles per hour, which was 5·8 above the average in the corresponding week of 16 years. *Rain* fell on each day of the week, to the aggregate amount of 1·09 of an inch. The duration of registered bright sunshine in the week was 14·4 hours, against 21·4 hours at Glynde Place, Lewes.

THE REGISTRAR GENERAL has to acknowledge the courtesy of the LONDON WATER COMPANIES who have furnished him with the average daily quantity of Water supplied during the month of SEPTEMBER 1885; according to their returns 157,551,438 gallons or 715,828 cubic metres of water (equal to about as many *tuns* by measure, *tons* by weight,) were supplied daily; or 225 gallons (102·2 decalitres), rather more than a *ton* by weight, to each house, and 28·9 gallons (13·1 decalitres) to each person, against 30·8 gallons during September 1884.

COMPANIES.	Number of Houses, &c. supplied in		Average daily Supply of Water in Gallons.	
	SEPTEMBER. 1884.	SEPTEMBER. 1885.	SEPTEMBER. 1884.	SEPTEMBER. 1885.
TOTAL SUPPLY	678,804	699,978	163,075,377	157,551,438
From Thames	329,041	337,951	81,387,440	81,949,838
From Lea and from other Sources	349,763	362,027	81,687,937	75,601,600
THAMES.				
Chelsea	33,063	33,722	10,370,300	10,061,086
West Middlesex	65,014	66,679	14,236,745	14,579,313
Southwark and Vauxhall	102,781	104,926	24,260,973	24,486,006
Grand Junction	49,583	51,228	15,044,722	15,471,933
Lambeth	78,600	81,396	17,474,700	17,351,500
LEA AND OTHER SOURCES.				
New River	142,443	145,263	31,679,000	29,795,000
East London	145,340	151,961	38,933,855	34,927,152
Kent	61,980	64,803	11,075,082	10,879,448

Note.—The Return for September 1885, as compared with that for the corresponding month of 1884, shows an increase of 21,174 houses, and a decrease of 5,523,939 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING SEPTEMBER.

Grove House, Pembroke Square, W.
9th October, 1885.

SIR, I HAVE to report to you in the following Table the results of the chemical analyses of the waters supplied to the inner, and portions also of the outer, circle of the Metropolis during the month of September.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity contained in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Kent 0·5, Colne Valley 0·8, Tottenham 1·2, New River 1·5, Lambeth 2·1, East London 2·3, Chelsea 2·7, Southwark 2·8, Grand Junction 2·8, West Middlesex 3·0.

The Thames water sent out by the Chelsea, West Middlesex, Southwark, Grand Junction, and Lambeth Companies exhibited a marked increase in the amount of organic matter as compared with the exceptionally small proportion present in the previous month's samples. This increase in organic matter, which is relatively large although absolutely small, is the result of the breaking up of the summer drought. All the waters were clear and bright on delivery.

The water drawn from the Lea by the New River Company, and from the Thames and the Lea by the East London Company participated in the increase in organic matter noticed above. The New River Company's supply, however, contained less organic matter than any of the other

river-waters, whilst the East London Company's water ranked, in this respect, with the best of the Thames samples. Both waters were delivered in a clear and bright condition.

The deep-well water distributed by the Kent and Colne Valley Companies, and by the Tottenham Local Board of Health was, as usual, of excellent quality for drinking, and the Colne Valley Company, by softening their supply with lime, thereby rendered it also well fitted for all domestic uses.

Seen through a stratum two feet deep, the waters presented the following appearances:—Kent, Colne Valley, and Tottenham, clear and colourless; New River, clear and nearly colourless; Chelsea, West Middlesex, Southwark, Grand Junction, Lambeth, and East London, clear and pale yellow.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that town was "very slightly turbid and closely resembled in both chemical and physical characters that of last month."

Dr. Mills, F.R.S., of Anderson's College, Glasgow, reports that the water supplied to that city from Loch Katrine was "light brown in colour and contained a little suspended matter."

I am, &c.

The Registrar General, &c. &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Mat- ter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.										
	Chelsea - - -	{ September 28th, Cab Rank, Horseguards, Whitehall. }	13·9	26·28	·126	·031	0	·229	·260	1·9	17·7
	West Middlesex -	{ September 28th, Cab Rank, Portland-road. }	14·3	24·14	·155	·022	0	·185	·207	1·8	16·9
	Southwark - - -	{ September 28th, Cab Rank, Bricklayers Arms, Old Kent-road. }	12·6	26·48	·143	·024	0	·357	·381	1·8	17·7
	Grand Junction -	{ September 28th, Cab Rank, Uxbridge-rd., near Marble Arch. }	13·4	24·86	·131	·036	0	·195	·234	1·8	16·9
	Lambeth - - -	{ September 28th, Cab Rank, St. George's- road, Southwark. }	14·3	26·00	·103	·022	0	·212	·234	1·8	18·0
	LEA.										
	New River - - -	{ September 28th, Cab Rank, Tottenham Court-road. }	13·5	25·84	·072	·015	0	·202	·217	1·7	18·9
Outer Circle.	East London - -	{ September 28th, Fire Brigade Station, Commercial-road, E. }	13·2	27·16	·112	·023	0	·173	·201	1·9	18·3
	DEEP WELLS.										
	Kent - - - - -	{ September 29th, Greenwich Police Station, Blackheath-road. }	14·2	38·80	·024	·006	0	·424	·430	2·2	26·5
	Colne Valley - -	{ September 19th, Bushey. }	—	13·74	·037	·010	0	·353	·363	2·0	5·3
	Tottenham - - -	{ September 30th, Tottenham. }	—	37·64	·060	·011	·060	·000	·080	2·4	19·1
Corporation of Birming- ham* - - - - -		{ September 7th, 3, Hawthorne-road. }	14·4	27·80	·109	·035	·003	·154	·191	1·6	16·8
Corporation of Glasgow†.		{ September 15th, Loch Katrine Water. }	12·3	2·90	·214	·031	0	·006	·037	·7	1·0
Column 1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, Medical Officer of Health and Analyst to the Borough.

† Analysed by Dr. E. J. Mills, F.R.S., of Anderson's College, Glasgow.

The numbers in columns 4–11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 28th September at the Horseguards cab-rank, had a temperature of 13·9 C.; 100,000 lbs. of it contained 26·28 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·126 lb. of carbon and ·031 lb. of nitrogen. The above quantity of water also contained no ammonia, and ·229 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·260 lb. The above weight of water also contained 1·9 lbs. of chlorine; and 17·7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—Births, Deaths, and Meteorology in 28 GREAT TOWNS, during the Week ending 10th October, 1885.

CITIES AND BOROUGHES.	POPULATION estimated to the middle of the Year 1885.	Registered during the Week ending 10th Oct., 1885.		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.							RAINFALL.		CITIES AND BOROUGHES.		
		BIRTHS.	DEATHS.	Deaths of		Deaths from						Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	Annual Rate per 1000 corresponding to the Week's Deaths			Mean.		In Inches.	In Centi- meters.				
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.				Diarrhoea.	Violence.	From All Causes.	From Diseases in Cols. 6-12.	Highest.			Lowest.		Fahrenheit.	Centigrade.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	
28 TOWNS.	8,06,446	5622	3011	859	627	2	38	49	24	51	42	97	124	221	470	55	17-6	1-8	59-9	32-0	45-9	7-72	1-27	3-23	
LONDON.	4,083,928	2491	1309	369	287	2	17	21	14	34	20	35	62	109	285	13	16-7	1-8	59-9	36-9	47-6	8-67	1-09	2-77	
BRIGHTON.	114,672	60	34	5	11	-	2	-	-	-	-	5	2	5	3	-	15-5	0-9	57-5	40-8	47-6	8-67	1-30	3-30	
PORTSMOUTH.	184,669	81	55	16	13	-	-	-	-	-	-	-	-	-	-	-	16-6	1-1	-	-	-	-	-	-	
NORWICH.	91,215	66	29	7	11	-	-	-	-	-	1	1	1	1	2	-	23-3	1-4	59-0	40-5	49-5	9-72	1-32	3-35	
PLYMOUTH.	76,045	49	34	10	9	-	-	-	-	-	-	-	-	-	-	-	14-1	1-7	57-4	39-0	47-3	8-50	1-74	4-42	
BRISTOL.	218,169	146	10	15	13	2	-	1	1	1	-	2	1	2	2	1	13-8	2-6	55-1	33-5	43-2	6-22	1-26	3-20	
WOLVERHAMPTON.	70,185	46	21	9	3	-	-	-	-	-	-	-	-	-	-	-	15-6	0-9	-	-	-	-	-	-	
BIRMINGHAM.	427,769	239	128	39	83	-	1	-	1	2	-	3	9	12	22	1	13-8	1-5	-	-	-	-	-	-	
LEICESTER.	186,147	83	36	5	9	-	-	2	1	-	1	1	2	2	4	1	15-1	1-0	56-9	38-5	46-0	7-78	1-29	3-28	
NOTTINGHAM.	211,424	167	61	15	13	-	1	-	1	-	1	-	2	1	2	-	14-0	1-2	-	-	-	-	-	-	
DERBY.	89,691	44	24	6	3	-	-	-	-	-	-	-	-	-	-	-	14-6	1-1	-	-	-	-	-	-	
BIRKENHEAD.	13,063	65	26	7	4	-	-	-	-	-	-	-	-	-	-	-	22-5	2-2	54-9	40-3	46-3	7-95	2-01	5-11	
LIVERPOOL.	579,724	339	250	79	35	-	3	6	1	1	3	10	13	17	32	12	19-0	1-9	53-1	36-8	43-8	6-56	2-09	5-31	
BOLTON.	119,085	68	40	12	5	-	-	-	-	-	1	5	6	11	36	2	22-7	2-2	-	-	-	-	-	-	
MANCHESTER.	387,342	207	147	44	24	-	5	2	-	1	1	5	6	11	36	2	22-7	2-2	-	-	-	-	-	-	
SALFORD.	204,075	150	79	33	14	-	4	-	2	-	2	1	-	1	5	3	20-2	2-3	-	-	-	-	-	-	
OLDHAM.	126,390	85	43	10	10	-	-	-	-	1	-	1	3	3	7	1	17-8	1-2	-	-	-	-	-	-	
BLACKBURN.	112,574	77	32	14	4	-	-	-	-	-	-	-	2	2	4	-	14-8	0-9	-	-	-	-	-	-	
PRESTON.	100,406	73	54	25	9	-	-	-	-	-	1	7	-	6	-	-	28-1	5-7	-	-	-	-	-	-	
HUDDESFIELD.	87,327	67	24	4	9	-	-	-	-	-	1	1	4	4	5	-	14-3	1-2	-	-	-	-	-	-	
HALIFAX.	77,378	39	25	5	7	-	-	-	-	-	2	1	1	1	-	-	16-9	2-7	-	-	-	-	-	-	
BRADFORD.	214,431	134	63	12	11	-	1	-	-	-	-	3	2	6	1	3	15-3	1-0	54-0	37-3	45-6	7-56	1-14	2-90	
LEEDS.	333,139	232	113	37	21	-	1	-	1	1	2	3	4	8	8	1	17-7	1-9	57-0	39-0	47-0	8-33	0-84	2-13	
SHEFFIELD.	305,716	219	118	40	24	-	-	-	4	-	4	-	2	3	11	7	20-1	1-5	58-0	39-0	46-3	7-39	1-39	3-53	
HULL.	186,292	120	60	13	13	-	-	-	-	-	-	-	-	-	-	-	16-8	0-6	56-0	32-0	44-3	6-84	0-76	1-93	
SUNDERLAND.	125,327	86	46	15	10	-	-	-	2	-	-	-	2	5	5	-	19-2	1-2	54-0	40-0	45-4	7-44	1-06	2-69	
NEWCASTLE.	163,509	116	59	25	11	-	1	-	1	-	1	2	-	3	3	-	20-1	1-7	54-0	36-0	44-5	6-95	0-45	1-14	
CARDIFF.	37,034	73	42	18	11	-	-	-	-	-	3	1	1	3	4	-	22-6	2-7	-	-	-	-	-	-	
EDINBURGH.	250,616	137	69	14	20	-	-	-	3	-	1	1	2	?	15	14	14-4	1-0	53-0	31-4	45-5	7-50	0-48	1-22	
GLASGOW.	519,965	340	195	40	27	-	-	-	7	3	8	9	5	?	28	39	19-6	2-9	-	-	-	-	-	-	
DUBLIN.	353,982	185	143	33	37	-	-	3	-	1	3	4	9	8	40	19	21-1	1-6	54-7	35-8	46-0	7-78	1-43	3-63	

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FORTIETH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2246	2476	2420	2429	2580	2261	2468	2467	2387	2610	2654.6	2491
Males . .	1149	1299	1253	1246	1243	1125	1238	1265	1221	1311	1346.7	1279
Females . .	1097	1177	1167	1183	1337	1136	1230	1202	1166	1299	1307.9	1212
TOTAL Deaths	1397	1200	1308	1355	1318	1398	1362	1422	1252	1328	1454.7	1309
Males . .	747	620	667	740	708	742	679	736	637	705	761.3	655
Females . .	650	580	641	615	610	656	683	686	615	623	693.4	654

* The numbers in this column are the average weekly numbers in the fortieth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.
TOTAL Births	2411	2423	2459	2164	2885	2535	2413	2538	2330	2542	2438	2516	2491
TOTAL Deaths	1616	1636	1750	1720	1472	1473	1371	1238	1221	1231	1081	1251	1309
0-20	964	998	1111	1062	870	790	713	619	585	536	490	575	579
20-40	172	153	165	173	144	175	180	163	174	191	170	185	191
40-60	222	209	211	218	201	237	207	231	205	243	184	217	252
60-80	222	214	220	219	212	221	227	183	213	211	186	240	246
at 80 years & upwards	36	62	43	48	45	50	44	42	44	50	51	34	41
Deaths of children { Under 1 year	563	627	723	687	555	499	408	362	303	284	260	304	309
{ 1-5	304	281	289	287	232	214	230	192	203	172	149	167	187
{ 5-20	97	90	99	88	83	77	75	65	79	80	81	104	83
Deaths from Small-pox*	15	18	16	14	15	5	9	6	9	8	11	7	13
" " Measles	82	65	71	58	49	38	55	46	25	14	15	20	17
" " Scarlet Fever	13	11	18	20	9	12	12	14	15	20	16	14	21
" " Diphtheria	16	19	23	20	13	13	14	16	22	25	18	24	14
" " Whooping-cough	77	51	47	41	44	43	45	30	39	25	26	22	34
" " Typhus	1	1	-	-	3	-	-	-	1	-	-	1	2
" " Enteric fever	17	9	8	10	13	15	14	8	12	9	14	16	12
" " Simple Cont'd fever	2	2	2	4	1	1	3	-	1	3	3	1	6
" " Diarrhoea and Dysentery	210	284	348	309	222	163	121	83	62	40	49	42	85
" " Cholera	7	5	13	11	5	7	6	3	-	1	1	1	1
Deaths from the above-mentioned Diseases*	440	465	546	487	374	297	279	206	186	145	153	148	145
" " Dis. of Respiratory System	197	180	172	184	162	165	201	159	175	152	159	205	231
" " Phthisis	140	138	137	159	134	151	157	147	139	155	150	159	146
" " Dis. of Circulatory System	86	101	73	89	85	110	94	97	90	106	83	84	116
Violent Deaths	58	42	43	47	55	53	52	38	48	49	45	45	62
Inquest Cases	114	92	75	93	98	92	81	76	88	93	80	89	109
Deaths in Public Institutions	297	306	298	297	260	292	302	259	279	288	234	285	285
TEMPERATURE OF THE AIR:													
Mean	61.2	64.5	65.2	59.4	59.6	58.2	57.6	57.2	56.3	57.7	52.7	49.6	47.6
Mean of Highest readings	73.5	78.1	77.7	70.8	72.5	69.4	68.4	68.1	66.1	66.3	62.5	57.8	59.9
Mean of Lowest readings	51.4	52.4	56.4	51.1	49.9	49.4	49.2	48.6	49.3	51.2	43.8	42.1	36.9
Humidity of the Air	74	72	64	77	74	80	75	79	85	86	77	84	84
Rain-fall in inches	0.49	0.01	0.00	0.46	0.09	0.14	0.61	0.40	1.93	0.86	0.18	0.52	1.09
Registered Sunshine (in hours)	32.8	55.9	48.3	28.8	48.4	19.7	25.7	26.9	21.1	15.4	34.1	16.6	14.4

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—P. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Camm Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrothesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTIETH Week of the Year 1885.

CAUSES OF DEATH.										CAUSES OF DEATH.																					
Corrected Averages for the 40th Weeks of the 10 years 1875-84.										Corrected Averages for the 40th Weeks of the 10 years 1875-84.																					
In the Week ending Saturday, 10th October, 1885.										In the Week ending Saturday, 10th October, 1885.																					
Deaths of Persons of the Ages										Deaths of Persons of the Ages																					
ALL AGES.										ALL AGES.																					
Under 20.										Under 20.																					
0-1. 1-5. 5-20. 20 and under 40. 40 and under 60. 60 and under 80. 80 Years and upwards.										0-1. 1-5. 5-20. 20 and under 40. 40 and under 60. 60 and under 80. 80 Years and upwards.																					
ALL CAUSES	1454.7	1309	309	187	83	191	252	246	41	Diseases of Organs of Special Sense †	1.3	-	-	-	-	-	-	-	-	Diseases of Circulatory System	94.4	116	-	-	10	17	39	46	4		
Small-pox †	7.3	1	-	-	-	-	-	1	-	Croup	15.2	5	1	3	1	-	-	-	-	-	Bronchitis	132.7	139	52	34	2	1	17	23	8	
Vaccinated †		-	-	-	-	-	-	-	-	Pneumonia	73.2	59	22	5	4	6	9	13	-	-	Pleurisy	5.3	5	-	1	-	-	-	-	-	
Unvaccinated		-	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System	27.1	23	2	3	1	3	10	3	1	-	-	-	-	-	-	-	-	-		
No Statement		1	-	-	-	-	-	1	-	Dentition †	10.3	13	6	7	-	-	-	-	-	-	Quinsy, Sore Throat †	0.3	6	3	2	-	1	-	-	-	
Measles	20.5	17	1	14	2	-	-	-	-	Enteritis	8.3	9	3	-	2	-	-	-	-	-	Peritonitis	4.4	4	-	-	2	-	1	1	-	
Scarlet Fever	63.1	21	2	15	4	-	-	-	-	Diseases of Liver	35.4	34	4	-	-	6	13	11	-	-	Other Diseases of Digestive System	28.9	26	11	-	1	4	4	6	-	
Typhus	2.4	2	-	1	-	1	-	-	-	Diseases of Lymphatic System & of Ductless Glands †	0.3	3	-	-	-	3	-	-	-	-	Diseases of Urinary System	32.9	23	1	1	2	4	9	10	1	
Relapsing Fever †	0.0	-	-	-	-	-	-	-	-	Diseases of Generative System	5.6	3	-	-	-	-	1	2	-	-	Accidents of Childbirth	5.3	-	-	-	-	-	-	-	-	
Influenza	0.1	-	-	-	-	-	-	-	-	Accidents of Childbirth	5.3	-	-	-	-	-	-	-	-	-	Diseases of Locomotive System †	7.0	4	-	1	1	1	1	-	-	
Whooping-cough	27.0	34	7	22	5	-	-	-	-	Diseases of Integumentary System	7.2	7	-	-	-	-	2	5	-	-	VIOLENT DEATHS ‡										
Diphtheria	15.3	14	-	12	2	-	-	-	-	(ACCIDENT.)											Fracture and Contusion	22.4	25	-	2	2	7	7	7	-	
Simple Continued and Ill-defined Fever	3.1	6	-	2	-	2	1	1	-	Gunshot Wound	0.1	-	-	-	-	-	-	-	-	-	Cut, Stab	0.9	-	-	-	-	-	-	-	-	
Enteric Fever	26.8	12	-	-	5	6	-	1	-	Burn and Scald	4.3	4	-	2	-	1	-	1	-	-	Poison	1.5	1	-	-	-	-	-	-	-	
Cholera	1.3	1	-	1	-	-	-	-	-	Drowning	6.4	1	-	-	-	-	1	-	-	-	Suffocation	7.3	16	13	1	-	2	-	-	-	
Diarrhoea, Dysentery	59.0	35	19	8	1	1	1	3	2	Otherwise	3.1	2	1	-	1	-	-	-	-	-	(HOMICIDE.)										
Remittent Fever †	0.0	-	-	-	-	-	-	-	-	(SUICIDE.)											Murder & Manslaughter	0.9	3	2	1	-	-	-	-	-	
Hydrophobia	0.0	1	-	1	-	-	-	-	-	Gunshot Wound	0.3	2	-	-	-	2	-	-	-	-	Cut, Stab	1.1	-	-	-	-	-	1	1	-	
Glanders	0.0	-	-	-	-	-	-	-	-	Poison	1.0	2	-	-	-	-	-	-	-	-	Drowning	1.1	-	-	-	-	-	1	1	-	
Cowpox and Effects of Vaccination †	0.0	-	-	-	-	-	-	-	-	Hanging	1.7	2	-	-	-	1	-	1	-	-	Otherwise	0.8	1	-	-	-	-	-	-	-	
Veneral Affections	9.4	5	3	-	1	-	1	-	-	(EXECUTION.)											Hanging	0.0	1	-	-	-	-	1	-	-	
Erysipelas	5.6	10	5	-	-	3	2	-	-	OTHER CAUSES †	72.0	59	50	4	-	3	-	2	-	-											
Pyæmia and Septicæmia †	2.3	3	-	-	-	1	1	1	-																						
Puerperal Fever	4.1	8	-	-	8	-	-	-	-																						
Other Zymotic Diseases †	3.3	3	1	1	-	1	-	-	-																						
Thrush	3.7	4	4	-	-	-	-	-	-																						
Worms and other Parasitical Diseases	0.4	-	-	-	-	-	-	-	-																						
Starvation, Want of Breast-milk †	3.0	1	1	-	-	-	-	-	-																						
Alcoholism	4.0	5	-	-	-	2	3	-	-																						
Rheumatic Fever and Rheumatism of Heart	10.4	15	-	1	4	8	1	1	-																						
Rheumatism		3	-	-	-	1	1	1	-																						
Gout		2.0	1	-	-	-	-	1	-	-																					
Rickets †	2.0	1	-	1	-	-	-	-	-																						
Cancer	48.8	64	-	-	1	5	32	25	1																						
Tabs Mesenterica	38.2	19	11	7	1	-	-	-	-																						
Tubercular Meningitis	24.9	21	3	15	3	-	-	-	-																						
Phthisis	163.3	146	2	2	15	68	51	8	-																						
Scrofula, Tuberculosis	14.8	12	4	5	2	1	-	-	-																						
Other Constitutional Diseases †	6.3	18	2	-	2	6	5	3	-																						
Premature Birth	31.4	30	30	-	-	-	-	-	-																						
Atelectasis †	3.7	5	5	-	-	-	-	-	-																						
Concennial Malformations	6.1	6	4	2	-	-	-	-	-																						
Old Age	42.1	41	-	-	-	-	-	23	13																						
Apoplexy	42.4	42	-	-	-	6	17	17	2																						
Epilepsy	8.0	8	-	-	1	3	3	1	-																						
Convulsions	46.0	30	27	3	-	-	-	-	-																						
Other Diseases of Brain and Nervous System	63.8	53	7	7	5	4	11	20	4																						

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased was, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 1 death of London resident from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

		The DEATHS registered in the Week include																				
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of																	
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
LONDON		3,816,488	2491	1309	309	287	2	17	21	14	34	2	12	6	35	62	109	285	13			
WEST DISTRICTS		669,683	361	218	38	54	1	4	1	2	9	-	3	1	8	4	13	61	2			
NORTH DISTRICTS		905,947	573	265	49	60	1	-	4	4	7	-	1	1	6	11	21	53	-			
CENTRAL DISTRICTS		282,238	163	117	32	15	-	2	1	1	3	-	2	1	4	10	14	34	-			
EAST DISTRICTS		692,738	464	284	80	59	-	3	15	2	4	2	2	2	4	15	23	70	7			
SOUTH DISTRICTS		1,955,927	925	425	110	90	-	8	-	5	11	-	4	1	13	22	38	62	4			
WEST DISTRICTS.																						
St. Mary Paddington WHH G.J. & W.M.		69888	45	19	6	6	1	3	-	-	-	-	-	1	-	1	3	1	-			
St. John Paddington H - G.J.		37330	8	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Kensington Town Ww - W.M.		120141	51	40	6	11	-	-	-	-	1	-	-	-	2	1	12	12	-			
Brompton H - W.M. & C.		43010	21	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-			
St. Peter Hammersmith - W.M.		7599	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Paul Hammersmith H W.M. & G.J.		43430	48	19	3	3	-	-	-	-	-	-	-	-	-	-	1	3	1			
Fulham Wwh - W.M. & C.		42900	44	26	6	1	-	-	1	2	3	-	-	-	2	-	-	7	-			
Chelsea South HHH - C.		30398	14	10	-	5	-	-	-	-	1	-	1	-	-	-	-	-	-			
Chelsea North-west WHHHH - C.		24925	12	23	4	8	-	-	-	-	1	-	-	-	-	-	1	11	1			
Chelsea North-east - C.		32807	32	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Hanover Square H - G.J.		14862	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
May Fair W - G.J.		13491	5	5	-	3	-	-	-	-	-	-	-	-	1	-	-	5	-			
Belgrave WHH - C.		69220	30	18	2	3	-	1	-	-	1	-	-	-	3	1	2	6	-			
St. John Westminster HH - C.		35496	19	18	5	2	-	-	-	-	-	-	2	-	-	-	2	2	-			
St. Margaret Westminster H - C.		24679	9	10	2	2	-	-	-	-	-	-	-	-	-	1	1	5	-			
St. James Westminster WH N.R. & G.J.		29941	7	8	-	5	-	-	-	1	-	-	-	-	-	-	-	4	-			
St. Anne Soho HHHHH - N.R.		16698	9	6	-	1	-	-	-	-	1	-	-	-	-	-	-	2	-			
NORTH DISTRICTS.																						
All Souls Marylebone HHHH - W.M.		26759	13	12	2	1	-	-	-	-	2	-	-	-	-	-	1	2	-			
Cavendish Square HHH - W.M.		14891	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Rectory Marylebone WHH G.J. & W.M.		24809	7	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Mary Maryleb. HHH G.J. & W.M.		21118	28	5	3	1	-	-	-	-	-	-	-	-	-	-	-	3	-			
Christchurch Marylebone H - W.M.		38700	22	10	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-			
St. John Marylebone H - W.M.		33638	14	9	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-			
Hamstead WwHHH - N.R. & W.M.		45452	25	13	1	1	-	-	2	-	-	-	-	-	-	-	-	5	-			
Regent's Park Pancras H - W.M.		39115	31	4	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-			
Tottenham-court WHHHH N.R. & W.M.		27729	13	18	2	2	-	-	-	-	-	-	-	-	-	2	2	13	-			
Gray's Inn Lane HHH - N.R.		30247	16	11	-	5	-	-	-	-	-	-	-	-	-	2	12	4	-			
Somers Town H - N.R.		34369	22	6	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-			
Camden Town WH - N.R.		17311	14	19	1	6	-	-	-	-	1	-	-	-	-	1	3	5	-			
Kentish Town W - N.R.		67487	50	17	3	4	-	-	-	-	-	-	-	-	-	1	2	6	-			
Upper Holloway WWWH - N.R.		67946	43	24	1	7	1	-	-	2	-	-	-	-	2	-	-	11	-			
Islington South-west HH - N.R.		100876	68	26	5	6	-	-	-	1	-	1	-	-	-	-	1	-	-			
Islington South-east HH - N.R.		61825	19	1	6	-	-	-	-	-	1	-	-	-	-	1	-	-	-			
Highbury H - N.R.		62043	30	13	4	4	-	-	-	1	-	-	-	1	-	-	-	-	-			
Stoke Newington H - N.R.		22781	13	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Stamford Hill - E.L.		9277	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
West Hackney - N.R.		37610	54	29	7	4	-	-	-	-	-	-	-	-	-	1	3	-	-			
Hackney WwwwHL - E.L. & N.R.		76911	24	29	7	4	-	-	1	-	-	-	-	-	-	2	3	9	-			
South Hackney - E.L.		39683	24	14	4	2	-	-	1	-	1	-	-	-	-	2	3	-	-			
CENTRAL DISTRICTS.																						
St. George Bloomsbury - N.R.		16681	11	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
St. Giles South WH - N.R.		14864	6	9	1	4	-	-	-	-	-	-	-	-	-	-	-	5	-			
St. Giles North - N.R.		13837	8	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-			
St. Martin-in-the-Fields HH N.R. & C.		17508	6	6	1	1	-	-	-	-	1	-	-	-	-	2	2	1	-			
St. Mary-le-Strand H - N.R.		7515	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-			
St. Clement Danes H - N.R.		8559	5	9	2	-	-	-	-	-	-	-	-	-	-	-	2	5	-			
St. George-the-Martyr HHHHHH N.R.		18671	19	10	3	1	-	-	-	-	-	-	1	-	1	-	2	5	-			
St. Andrew Eastern W - N.R.		10706	8	3	1	1	-	1	-	-	-	-	-	-	-	-	-	4	-			
Saffron Hill H - N.R.		6533	4	4	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-			
St. James Clerkwell - N.R.		17516	11	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-			
Amwell Clerkwell - N.R.		16221	13	6	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-			
Pentonville - N.R.		14773	9	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Geoswell-street - N.R.		17506	12	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-			
Old-street H - N.R.		11541	12	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
City-road HHL - N.R.		18628	16	7	4	1	-	-	-	-	-	-	-	-	1	1	1	1	-			
Whitecross-street - N.R.		9217	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Finsbury - N.R.		7463	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-			
St. Botolph H - N.R. & E.L.		11174	9	7	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-			
Cripplegate - N.R.		7193	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Sepulchre H - N.R.		5338	1	20	-	1	-	-	-	-	-	-	1	-	-	2	2	17	-			
St. Bride W - N.R.		8396	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Allhallows Barking - N.R.		13666	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Broad Street H - N.R.		5632	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; W—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
Saturday, the 10th October, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include												
					Deaths of	Deaths from											
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Septic con- tinued Fever.	Diarrhœa.	Violence.	Inquest Cases.
																	Deaths in Public Institutions.
																	Uncertified Causes of Death.
EAST DISTRICTS.																	
Holywell Shoreditch	N.R. & E.L.	7376	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Leonard Shoreditch	HL†	14967	6	7	4	1	-	-	1	-	-	-	-	-	-	1	-
Hoxton New Town	W	29937	16	14	1	5	-	-	2	-	1	1	-	-	-	1	5
Hoxton Old Town	-	28036	17	12	4	3	-	-	-	-	-	-	-	-	3	3	-
Baggerston	WH	46275	34	33	11	8	-	-	1	-	-	-	-	-	-	12	-
Hackney-road	H	29798	14	7	2	2	-	-	-	-	-	-	1	-	-	1	2
Green, Bethnal Green	WH†	47322	26	24	7	5	-	-	1	-	-	-	-	-	1	3	-
Church, Bethnal Green	-	29981	25	11	4	1	-	1	-	-	1	-	-	-	1	2	-
Town, Bethnal Green	-	18310	12	5	2	-	-	1	-	-	-	-	-	-	-	-	-
Spitalfields	H	22585	11	3	1	1	-	-	-	-	-	-	-	-	-	1	-
Mile End New Town	W	15473	16	11	2	3	-	-	-	1	-	-	-	-	-	2	-
Whitechapel Church	H	17490	9	18	2	1	-	-	-	-	-	-	-	1	2	12	-
Goodman's Fields	-	9713	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Aldgate	-	6102	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
St. George's, North	-	38747	27	15	5	2	-	-	-	-	-	-	-	-	1	1	2
St. John, St. George East	W	8410	5	6	1	3	-	-	1	-	-	-	-	-	-	-	-
Shadwell	H	16995	8	7	2	-	-	-	-	-	-	-	-	-	-	1	3
Ratcliff	-	16107	12	5	2	1	-	-	-	-	-	-	-	-	1	1	-
Limehouse	-	32041	21	10	4	1	-	-	1	-	1	-	-	1	-	-	-
Mile End Old Town West	-	37960	25	8	3	2	-	-	-	-	-	-	-	-	1	1	1
Mile End Old Town East	W & H	67633	47	26	6	4	-	1	3	-	-	-	-	1	1	2	5
Bow	-	37074	32	5	-	1	-	-	-	-	-	-	1	-	-	-	-
Bromley	W & H	64359	53	36	11	9	-	-	-	1	1	-	-	1	-	1	17
Poplar	W & H	55077	34	23	5	1	-	-	4	-	-	1	-	-	1	1	2
SOUTH DISTRICTS.																	
Christchurch Southwark	WH	18663	7	5	-	3	-	1	-	-	-	-	-	-	-	-	-
St. Saviour Southwark	-	14999	6	6	1	1	-	-	-	-	-	-	-	-	-	-	-
Kent-road	-	21381	20	10	7	-	-	-	-	-	-	-	1	-	1	1	2
Borough-road	WH	16953	16	7	3	1	-	-	-	-	-	-	-	-	1	1	2
London-road	-	21319	13	7	2	-	-	1	-	-	-	-	-	-	1	1	-
Trinity Newington	-	26672	16	13	4	2	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth	W	59555	48	20	6	6	-	-	-	1	-	-	-	-	1	1	8
St. Mary Newington	-	21623	19	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Olave	WH	11956	15	6	-	1	-	-	-	-	-	-	-	-	-	-	5
Leather Market	-	16300	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Magdalen	W	15669	14	5	2	2	-	-	-	-	-	-	-	-	-	-	1
St. James Bermondsey	-	54688	26	19	7	1	-	-	-	1	-	-	-	-	-	-	1
Rotherhithe	W	36024	24	18	5	4	-	-	-	1	-	-	-	-	1	2	3
Waterloo-road 1st	H	15195	10	3	-	1	-	-	-	-	-	-	-	-	1	1	-
Waterloo-road 2nd	H	16351	22	7	2	2	-	1	-	-	-	-	-	-	1	1	-
Lambeth Church 1st	H	18876	11	11	1	1	-	-	-	-	2	-	-	-	3	3	8
Lambeth Church 2nd	W & W	39859	27	20	6	5	-	-	-	-	-	-	-	-	-	1	10
Kennington 1st	-	45232	26	16	2	3	-	2	-	-	3	-	-	-	2	2	2
Kennington 2nd	-	35382	19	7	2	-	-	-	-	1	-	-	1	-	2	2	-
Brixton	W & W	62837	31	12	-	4	-	-	-	-	-	-	1	-	1	1	1
Norwood	W	19017	12	6	2	1	-	-	-	-	1	-	-	-	-	-	-
Clapham	H	36380	21	8	-	3	-	-	-	-	-	-	1	-	1	2	-
East Battersea	-	46775	55	16	5	3	-	1	-	-	-	-	-	-	1	1	-
West Battersea	W & W	52887	63	24	6	9	-	1	-	-	2	-	-	-	1	1	2
Wandsworth	HL	28004	21	7	1	2	-	-	-	-	-	-	-	-	1	-	6
Putney	-	13235	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham	-	25553	22	7	2	3	-	-	-	-	-	-	-	-	2	-	-
Dulwich	-	5590	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell	W & L†	59104	51	22	5	6	-	-	-	1	-	-	-	-	-	1	1
Peckham	W	71089	51	16	9	4	-	-	-	-	-	-	-	-	1	1	3
St. George Camberwell	-	60810	35	19	5	3	-	1	-	-	-	-	-	-	2	1	-
St. Paul Deptford	W & W	76752	38	22	9	3	-	-	-	-	1	-	-	-	-	1	2
St. Nicholas Deptford	-	7901	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West	H	21972	17	3	2	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich East	WHH	24608	15	18	4	8	-	-	-	-	2	-	-	-	-	-	9
Eltham	H	5827	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee	-	21539	6	3	1	2	-	-	-	-	-	-	-	-	1	-	-
Lewisham	WH	19865	16	7	2	2	-	-	-	-	-	-	-	1	-	-	2
Sydenham	H	26076	18	10	3	3	-	-	-	-	-	-	-	1	-	1	-
Charlton	H	10930	5	8	-	4	-	-	-	-	-	-	-	-	-	-	2
Woodwich Dockyard	-	17617	12	5	1	3	-	-	-	-	-	-	-	-	1	1	-
Woodwich Arsenal	HHH	19048	12	10	3	3	-	-	-	-	-	-	-	-	-	-	-
P Plumstead, West	H	14009	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
P Plumstead, East	W	13241	20	5	-	-	-	-	-	-	-	-	-	-	1	1	-

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by †:-

Marybone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.	Stepney
Holborn Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum
London City Workhouse) in Hackney sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Holborn	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Whitechapel	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 10th October, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING		370,282	950,178	756	294	72	60	-	2	-	8	3	7	10	7	14	24	7	
30:1	Carshalton <i>wL</i> - -	12233	21118	6	4	-	1	-	-	-	-	-	-	-	-	-	3	-	
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
37:1	Godstone (<i>part of</i>) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon <i>WwH</i> - -	20851	101241	67	20	4	7	-	-	-	-	-	-	1	-	-	1	-	
	Mitcham - - -	11697	17932	11	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
39:1	Wimbledon <i>HHH</i> - -	3220	15950	17	8	2	1	-	-	-	-	-	-	1	-	-	-	-	
2	Kingston <i>WHH</i> - -	8549	36354	19	10	-	2	-	-	-	-	-	-	-	-	-	1	-	
3	Esher (<i>part of</i>) * -	6601	9291	13	2	1	-	-	-	-	-	-	-	-	-	1	-	-	
4	Hampton <i>H</i> - - -	4573	13539	8	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
40:1	Richmond <i>WH</i> - -	2272	21302	10	4	2	-	-	-	-	-	-	-	1	-	-	-	-	
2	Mortlake - - -	941	12381	11	3	3	-	-	-	-	-	-	-	1	-	-	-	-	
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	16	8	5	1	-	-	-	-	-	-	-	-	-	-	-	
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	18665	15065	11	3	1	1	-	-	-	-	-	-	-	-	-	1	-	
42:1	Bexley <i>H</i> - - -	18437	24134	15	5	-	1	-	-	-	-	-	1	-	-	-	-	-	
124:1	Sunbury <i>w</i> - - -	11055	11685	8	4	2	2	-	-	-	-	-	1	-	-	-	1	1	
2	Staines <i>W</i> - - -	13277	12089	6	5	-	-	-	-	-	-	-	1	-	-	-	-	-	
125:1	Hillingdon <i>WH</i> - -	6029	10802	11	5	1	1	-	-	-	-	-	-	-	-	-	2	-	
2	Uxbridge - - -	6178	5225	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>wHL</i> - - -	14537	11623	1	6	-	2	-	-	-	-	-	-	-	-	1	4	-	
126:1	Isleworth <i>W</i> - - -	7008	22727	14	14	-	3	-	-	-	-	-	-	-	1	4	3	-	
2	Twickenham <i>H</i> - -	2477	12479	11	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford <i>HL</i> - -	4945	27649	8	6	1	-	-	-	-	-	-	-	1	-	1	1	-	
4	Chiswick - - -	1340	15975	17	6	4	1	-	-	-	-	-	-	3	-	-	-	-	
5	Acton <i>wH</i> - - -	6053	22876	15	7	1	3	-	-	-	-	-	1	-	-	-	-	-	
127:1	Harrow <i>H</i> - - -	13809	12796	12	3	-	2	-	-	-	1	-	-	-	-	-	-	-	
2	Edgware <i>H</i> - - -	6994	3749	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - - -	4383	27433	21	12	5	3	-	-	-	-	-	-	-	1	1	-	-	
4	Hendon <i>W</i> - - -	8382	10484	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
128:1	South Mimms - -	15599	6391	5	2	-	-	-	-	-	1	-	-	-	-	-	-	-	
2	Barnet <i>W</i> - - -	5483	10092	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley <i>HL</i> - -	4688	17615	17	4	2	-	-	-	-	-	-	-	-	-	-	1	-	
129:1	Hornsey <i>H</i> - - -	3089	37078	26	12	1	2	-	-	-	2	-	-	-	1	1	-	-	
2	Tottenham <i>HH</i> - -	4642	46456	66	24	7	7	-	1	-	1	1	-	-	1	1	-	1	
3	Edmonton <i>WwW</i> - -	7483	23463	18	4	-	3	-	-	-	-	-	-	-	1	1	2	-	
4	Enfield <i>WH</i> - - -	12653	19104	27	11	6	1	-	1	-	-	1	-	-	-	-	-	-	
5	Waltham Abbey - -	11017	5363	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - - -	8480	7735	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
135:1	Hatfield (<i>part of</i>) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - - -	9331	6621	5	2	-	-	-	-	-	-	-	-	-	1	1	-	-	
136:1	Stratford - - -	882	38606	26	14	3	2	-	-	-	-	-	2	-	-	-	-	-	
2	West Ham <i>wWwH</i> - -	7351	101053	102	34	10	4	-	-	-	-	-	-	1	-	1	-	4	
3	Leyton <i>WwL</i> - - -	4372	32430	40	13	2	2	-	-	-	-	1	-	1	-	-	4	1	
4	Walthamstow <i>wH</i> - -	6520	28869	34	8	1	2	-	-	-	-	-	-	-	-	-	-	-	
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9339	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
138:1	Romford (<i>part of</i>) * -	6730	3411	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - - -	8493	7845	6	6	3	-	-	-	-	3	-	1	-	-	-	-	-	
3	Barking Town - -	4127	9203	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
 30:2, the whole of Epsom sub-district, except the parishes of Ainstead and Headley (pop. 1265); 37:1, the two parishes of Warlingham and Farley except the two parishes of Cudham and Knockholt (pop. 1813); 41:2, the whole of Chislehurst sub-district, except the parish of Chelsfield (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 10th October, 1885.

THE GREATER LONDON.		Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															
				From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from													Deaths in Public Institutions.
							Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.						
GREATER LONDON	448,334	5,199,166	16·1	1·7	1603	381	347	2	19	21	22	37	27	45	69	309						
INNER LONDON -	78,052	4,083,928	16·7	1·8	1309	309	287	2	17	21	14	34	20	35	62	285						
OUTER RING -	370,282	1,115,238	18·8	1·4	294	72	60	-	2	-	8	3	7	10	7	24						

NOTE.—The area of Greater London is 443,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
		Week ending					
CALCUTTA - -	433,219	September	5	-	-	-	-
BOMBAY - -	773,196	"	8	281	430	26.5	Cholera 11; fevers 128.
MADRAS - -	398,777	August	28	258	227	29.5	Cholera 5; fevers 57.
PARIS - -	2,239,928	October	3	1057	882	20.5	Typd. fev. 29; meas. 15;
GENEVA - -	71,453	"	3	40	23	16.8	dip. & cp. 22; diarr. dis. 105.
BRUSSELS - -	436,214	September	26	243	150	17.8	-
AMSTERDAM -	366,812	October	3	264	154	21.8	Typhus and typh. fev. 2;
ROTTERDAM -	166,001	"	3	141	57	17.5	diph. 2; diarr. dis. 30.
THE HAGUE -	184,552	"	3	102	56	21.6	Scarlet fever 4; diph-
COPENHAGEN -	280,615	September	29	213	82	15.2	theria 4.
STOCKHOLM -	200,143	"	19	135	81	21.0	Scarlet fever 1; diph-
CHRISTIANIA -	128,000	October	3	70	41	16.7	theria 1.
ST. PETERSBURG	928,016	September	26	-	412	23.2	Diphtheria 2.
BERLIN - -	1,279,599	"	19	819	537	22.1	Diphtheria 2; typhoid
HAMBURG (State)	497,956	"	26	354	232	24.3	fever 1.
DRESDEN - -	241,500	"	19	177	105	22.6	Scar. fev. 5; diph. and
BRESLAU - -	295,000	"	26	171	144	25.2	croup 4.
MUNICH - -	244,000	October	3	171	124	26.4	Scarlet fever 3; diph-
VIENNA - -	769,889	"	3	554	294	19.9	theria and croup 7.
PRAGUE - -	272,333	"	3	-	131	25.1	Typh. and typhd. fev. 16;
BUDA-PESTH -	429,532	September	19	302	222	27.9	scar. fev. 12; diph. 6.
TRIESTE - -	150,157	"	19	-	68	23.5	Scar. fev. 17; diph. & crp. 34;
ROME - -	330,430	August	22	186	161	25.4	typ. and typhd. fev. 7;
NAPLES - -	504,795	-	-	-	-	-	Typ. & typhd. fev. 5; diph.
TURIN (10 days)	267,763	September	20	-	-	-	& crp. 13; diarr. dis. 32.
VENICE - -	145,990	"	19	87	72	25.7	Scarlet fever 2; diph. and
MADRID - -	475,668	-	-	-	-	-	croup 4.
LISBON - -	203,681	-	-	-	-	-	Diphtheria 2; diarrhoeal
ALEXANDRIA -	331,396	-	-	-	-	-	diseases 19.
NEW YORK -	1,356,958	September	12	-	646	24.8	Small-pox 1; scar. fev. 2;
BROOKLYN -	665,602	"	12	-	264	20.7	diarrhoeal diseases 23.
PHILADELPHIA -	949,432	"	19	-	361	19.8	Sm.-pox 10; typh. & typhd.
BALTIMORE -	408,520	"	19	-	171	21.8	fev. 3; diph. & croup 7.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 10th OCTOBER, 1885.
[Under the Superintendence of the Astronomer Royal.]

MONTH. 1885. MONTH AND DAY.	Phase of Moon.	METER. Mean daily reading (cor- rected and re- ferred to 32° Fahren- heit).	READINGS OF THERMOMETERS.										DIFFERENCE				WIND.				RAIN. (Collected from Gauge surround- ing surface of ground.)				
			Dry.		Mean daily value.		Mean daily value.		Lowest in the sun, as self- register- ing thermo- meter.		Lowest on the Grass, as self- register- ing thermo- meter.		In the Water at Deptford by Self- registering Thermometers.		Between Dew Point Temperature and Air Temperature.		Between Temperature of surface of the day and mean tem- perature of the same day sentenced on an aver- age of 25 years.		Degree of Hu- midity, from simple compari- son of temper- ature and moisture			As deduced from Anemometers.			
			High- est.	Low- est.	Range in day.	Mean daily value.	Mean daily value.	Highest in the sun, as self- register- ing thermo- meter.	Lowest on the Grass, as self- register- ing thermo- meter.	Lowest in the Water at Deptford by Self- registering Thermometers.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean of 24 Obs.	Robinson's.		Amount of Depart- ment Horizontal Movement Average of each day.					
			High- est.	Low- est.	Range in day.	Mean daily value.	Mean daily value.	Highest in the sun, as self- register- ing thermo- meter.	Lowest on the Grass, as self- register- ing thermo- meter.	Lowest in the Water at Deptford by Self- registering Thermometers.	Mean daily value.	Great- est.	Least.	Mean of 24 Obs.	Robinson's.		Amount of Depart- ment Horizontal Movement Average of each day.		Amount of Depart- ment Horizontal Movement Average of each day.						
OCTOBER.																									
SUN.	4	in.	29.681	59.9	39.2	10.7	49.6	43.8	105.6	29.6	54.2	53.3	5.8	13.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5			
MON.	5	..	29.490	52.9	43.0	9.9	46.4	43.4	67.4	37.0	54.7	53.8	3.0	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5			
TUES.	6	..	29.486	55.5	39.6	15.9	43.4	44.4	98.1	32.1	54.3	53.3	4.0	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0			
WED.	7	In	29.672	54.5	41.0	13.5	47.8	40.0	89.1	34.0	54.1	52.8	7.8	12.4	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0			
THURS.	8	New.	29.356	55.1	36.9	18.2	46.7	44.1	77.1	29.7	52.2	50.8	2.6	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
FRI.	9	..	29.210	53.3	43.1	10.2	47.4	41.1	89.9	37.0	52.2	51.6	6.3	11.2	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0			
SAT.	10	..	28.916	50.2	44.6	5.6	46.8	43.8	60.1	41.2	51.7	51.0	3.0	6.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0			
MEANS		..	29.402	54.5	41.1	13.4	47.6	42.9	83.9	34.4	53.3	52.4	4.6	9.8	0.4	0.4	1.6			
No. of Col.		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	27			

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1885 for the thermometers. For the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers, forming the mean daily value (column 8). The mean daily values are given by Clouston's Hydrographic Tables.

The average temperature of the air is that derived from a discussion of the photographic records at Greenwich during the 20 years ending 1888.

— "Lower," than the average.
The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are — P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 29.52 in. at the beginning of the week to 29.46 in. by 3h. P.M. on the 5th; increased to 29.63 in. by 9h. A.M. on the 6th; decreased to 29.20 in. by 1h. A.M. on the 7th; increased to 29.79 in. by 9h. P.M. on the same day; decreased to 28.78 in. by 9h. A.M. on the 10th; and was 29.10 in. at the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 41. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, OCTOBER 17. [Price 1½d.

*General Register Office, Somerset House,
19th October, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 17·7 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.		Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.
Birkenhead	15·7	12·9	14·6	19·1	Liverpool - -	21·7	23·3	22·5	19·9
Birmingham	15·5	17·6	15·6	17·1	London - - -	13·8	16·0	16·7	17·2
Blackburn -	18·1	17·2	14·8	17·6	Manchester -	21·7	22·4	22·7	24·0
Bolton - - -	19·9	12·3	19·0	18·5	Newcastle-on-Tyne	19·1	23·8	20·1	16·7
Bradford - -	14·8	16·3	15·3	14·8	Norwich - - -	14·3	13·7	16·6	18·9
Brighton - -	16·8	15·9	15·5	18·2	Nottingham -	15·8	13·6	15·1	14·3
Bristol - - -	10·0	17·7	14·1	15·5	Oldham - - -	14·5	26·0	17·8	19·8
Cardiff - - -	22·0	25·3	22·6	23·1	Plymouth - -	22·0	24·0	23·3	20·6
Derby - - - -	14·0	17·5	14·0	16·9	Portsmouth -	18·6	22·9	21·3	17·4
Halifax - - -	17·5	13·5	16·9	18·9	Preston - - -	23·4	18·2	28·6	27·0
Huddersfield	14·3	14·9	14·3	9·0	Salford - - -	17·4	18·9	20·2	20·7
Hull - - - - -	11·8	14·0	16·8	14·0	Sheffield - -	21·8	20·0	20·1	16·7
Leeds - - - -	16·4	18·5	17·7	18·8	Sunderland -	20·0	16·2	19·2	18·7
Leicester - -	18·0	19·9	13·8	11·1	Wolverhampton	13·8	21·7	13·8	21·7

The highest annual death-rates from diarrhoea, measured by last week's mortality, were 1·9 in Portsmouth and 2·0 in Wolverhampton; from measles, 1·7 in Newcastle-upon-Tyne and 2·3 in Brighton; from scarlet fever, 1·6 in Preston, 1·7 in Birkenhead, and 2·0 in Wolverhampton; from whooping-cough, 1·6 in Cardiff and 1·7 in Birkenhead; and from "fever," 1·0 in Newcastle-upon-Tyne, 1·1 in Norwich, 1·2 in Portsmouth, and 1·4 in Plymouth. Of the 39 deaths from diphtheria, 23 occurred in London, 5 in Liverpool, 2 in Birkenhead, 2 in Manchester, and 2 in Sunderland. Small-pox caused but one death in London and its outer ring, one in Nottingham, and one in Manchester.

LONDON.

In LONDON 2582 BIRTHS and 1346 DEATHS were registered. Allowing for increase of population, the births were 93, and the deaths 182, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 13·8, 16·0, and 16·7 in the three preceding weeks, further rose last week to 17·2. During the thirteen weeks of last quarter the death-rate averaged 18·1 per 1000, against 20·0 in the corresponding periods of the nine years 1876-84.

The 1346 deaths included 28 from measles, 22 from scarlet fever, 23 from diphtheria, 29 from whooping-cough, 10 from enteric fever, 27 from diarrhoea and dysentery, 1 from infantile cholera, and not one either from small-pox, typhus, or any ill-defined form of continued fever; thus, 140 deaths were referred to these diseases, being 92 below the corrected average weekly number.

No fatal case of *small-pox* was registered in London, the corrected average weekly number being 9. The last occasion on which a weekly return for London showed no fatal case of small-pox was in November 1883. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had steadily declined in the nineteen preceding weeks from 1389 to 122, had further fallen to 111 on Saturday last; the admissions, which had declined from 47 to 15 in the four preceding weeks, were 16 last week. The Highgate Small-pox Hospital contained 3 patients on Saturday last, one having been admitted during the week.

The 28 fatal cases of *measles* showed a further increase upon recent weekly numbers, and exceeded the corrected weekly average by 4; 6 belonged to Fulham, 4 to Pancras, and 11 to the South London districts. The deaths from *scarlet fever*, which had been 14 and 21 in the two preceding weeks, further rose last week to 22, but were 45 below the corrected average; 3 belonged to Shoreditch, 4 to Mile End Old Town, and 4 to Camberwell. The Metropolitan Asylum Hospitals contained 291 scarlet fever patients on Saturday last (against 275 and 278 on the two preceding Saturdays), 35 cases having been admitted during the week. The deaths referred to *diphtheria*, which had been 24 and 14 in the two previous weeks, rose again to 23 last week, which exceeded the corrected average by 7; 3 belonged to Fulham, 5 to Islington, 2 to Whitechapel, 2 to Stepney, 2 to Poplar, and 2 to Lambeth. The 29 fatal cases of *whooping-cough* showed a decline of 5 from the number in the previous week, but were 2 above the corrected average; 9 belonged to the East, and 12 to the South groups of districts. The 27 deaths attributed to *diarrhoea* and *dysentery* showed a further decline from recent weekly numbers, and were 27 below the corrected average; 18 were of infants and children under five years of age. The death of an infant, aged six months, was referred to *cholera infantum*.

The deaths referred to *enteric fever*, which had been 16 and 12 in the two preceding weeks, further declined to 10 last week, and were 18 below the corrected average; 2 belonged to Islington, 2 to Poplar, and 2 to Wandsworth. The Metropolitan Asylum Hospitals contained 28 cases of enteric fever, and 5 of typhus, on Saturday last; 5 cases of enteric fever, and not one of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had increased in the four preceding weeks from 152 to 231, further rose last week to 301, and exceeded the corrected weekly average by 22.

Different forms of violence caused 44 deaths; 37 were the result of negligence or accident, among which were 14 from fractures and contusions, 5 from burns and scalds, 2 from drowning, 5 from poison (including one of a painter, and one of a labourer female at leadworks, from lead-poisoning), and 6 of infants under one year of age from suffocation. The 14 deaths from fractures and contusions were thus returned:—male, aged 26 years, thrown from carriage; male 56, fell from trap; male 62, and female 62, run over by cab; male 8, and female 3, run over by van; male 47 (intoxicated), fell in street; male 4, fell from bed; male 14, fell down well of staircase; males 31 and 60, and females 42 and 88, by fall; male 32, by fall of iron joist. An inquest was held in each of these 14 cases. Six cases of suicide were registered.

GREATER LONDON.

In Greater London 3379 births and 1624 deaths were registered, equal to annual rates of 33·9 and 16·3 per 1000 of the population. In the Outer Ring, one fatal case of small-pox was registered in West Ham, and 2 of "fever" in Sunbury sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·72 in.; the lowest reading was 29·10 in. at the beginning of the week, and the highest 30·01 in. on Saturday morning. The mean temperature of the *air* was 45°·4, and 6°·0 below the average in the corresponding week of the 20 years ending 1868. The mean showed a slight excess on Friday, but was considerably below the average on each of the other days of the week. The direction of the *wind* was variable, and the horizontal movement of the air averaged 12·9 miles per hour, which was 2·3 above the average in the corresponding week of 16 years. *Rain* fell on five days of the week, to the aggregate amount of 0·44 of an inch. The duration of registered bright sunshine in the week was 13·9 hours, against 18·1 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY IN 28 GREAT TOWNS, during the Week ending 17th October, 1885.

CITIES AND BOROUGHES.	POPULATION estimated to the middle of the Year 1885.	Registered during the Week ending 17th Oct., 1885.		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGHES.				
		BIRTHS.	DEATHS.	Deaths of 1 Year of Age.		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Causes of Death.	Mean.			In Inches.	In Centi-meters.					
				Persons aged 60 Years and upwards.	Infants under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid.	Diarrhoea.				Violence.									
																	Highest.	Lowest.				Fahrenheit.	Centigrade.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
28 TOWNS.	8,506,446	5724	3025	804	636	2	66	58	39	59	38	78	90	178	479	75	17.7	2.0	59.4	29.8	45.1	7.28	0.55	1.40	28 TOWNS.
LONDON.	4,083,928	2582	1346	319	308	-	28	22	23	29	10	27	44	82	265	16	17.2	1.8	59.4	31.5	45.4	7.44	0.44	1.12	LONDON.
BRIGHTON.	114,672	45	40	7	11	-	5	-	1	-	3	5	1	3	4	1	18.2	2.7	56.3	36.0	45.3	7.39	0.20	0.51	BRIGHTON.
PORTSMOUTH.	184,659	97	46	17	10	-	-	-	-	2	2	2	2	2	2	2	18.9	2.3	-	-	-	-	-	-	PORTSMOUTH.
NORWICH.	91,215	57	33	7	5	-	-	-	-	2	2	2	2	2	2	2	20.6	2.1	55.7	35.0	45.8	7.67	0.50	1.27	NORWICH.
PLYMOUTH.	76,045	48	30	3	12	-	-	-	-	-	2	2	2	7	14	2	21.5	0.7	56.0	32.5	45.0	7.22	0.42	1.07	PLYMOUTH.
BRISTOL.	218,169	124	65	19	13	-	-	-	-	-	1	2	2	7	14	2	20.6	0.7	56.0	32.5	45.0	7.22	0.42	1.07	BRISTOL.
WOLVERHAMPTON.	79,185	67	33	4	10	-	-	3	-	-	-	3	-	-	6	-	21.7	4.0	56.1	29.8	41.9	5.50	0.48	1.22	WOLVERHAMPTON.
BIRMINGHAM.	427,769	266	140	35	32	-	1	-	-	2	4	3	9	17	39	5	17.1	1.2	-	-	-	-	-	-	BIRMINGHAM.
LEICESTER.	136,147	78	29	8	4	-	-	2	-	1	1	1	2	3	4	2	11.1	1.5	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM.	211,424	148	68	16	16	1	2	-	1	1	1	2	1	2	2	4	14.3	2.0	57.4	35.5	45.9	7.72	0.50	1.27	NOTTINGHAM.
DERBY.	89,691	49	29	9	9	-	-	-	-	1	1	-	-	2	4	2	16.9	0.6	-	-	-	-	-	-	DERBY.
BIRKENHEAD.	13,093	62	34	12	6	-	-	3	2	3	1	-	1	1	8	1	19.1	5.0	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL.	279,724	386	221	71	27	-	11	4	5	7	2	9	8	9	30	14	19.9	3.4	54.1	35.4	45.2	7.33	0.34	0.86	LIVERPOOL.
BOLTON.	110,055	69	39	16	5	-	-	-	-	2	-	1	1	2	1	1	18.5	1.4	53.6	33.6	43.1	6.17	0.55	1.40	BOLTON.
MANCHESTER.	337,342	261	155	44	25	1	4	5	2	3	1	3	4	11	34	3	24.0	2.9	-	-	-	-	-	-	MANCHESTER.
SALFORD.	204,075	160	81	27	12	-	5	3	-	-	2	2	2	3	13	-	20.7	2.6	-	-	-	-	-	-	SALFORD.
OLDHAM.	126,390	78	48	14	11	-	1	-	-	2	-	1	1	1	6	3	19.8	1.7	-	-	-	-	-	-	OLDHAM.
BLACKBURN.	112,574	82	38	13	12	-	-	-	-	2	2	2	2	-	1	1	17.6	1.9	-	-	-	-	-	-	BLACKBURN.
PRESTON.	100,406	74	52	16	16	-	-	3	-	1	-	-	-	-	6	1	27.0	3.1	54.0	34.0	44.8	7.12	0.16	0.41	PRESTON.
HUDDESFIELD.	87,327	47	15	2	3	-	-	-	1	-	-	-	-	-	3	-	9.0	0.6	-	-	-	-	-	-	HUDDESFIELD.
HALIFAX.	77,378	38	28	2	8	-	-	2	-	-	1	-	-	-	4	2	18.9	2.0	-	-	-	-	-	-	HALIFAX.
BRADFORD.	214,431	110	61	19	15	-	-	1	-	-	1	-	-	2	5	1	14.8	0.5	52.1	36.6	44.7	7.06	0.41	1.04	BRADFORD.
LEEDS.	333,139	214	120	31	22	-	2	3	1	1	1	2	3	12	14	1	18.8	1.7	56.0	36.0	46.7	8.17	0.47	1.19	LEEDS.
SHEFFIELD.	305,716	221	98	29	13	-	1	1	1	-	1	1	3	3	5	6	16.7	0.9	55.0	37.0	46.7	8.17	0.63	1.60	SHEFFIELD.
HULL.	186,292	85	50	12	10	-	-	1	3	-	-	6	3	4	4	3	14.0	2.8	-	-	-	-	-	-	HULL.
SUNDERLAND.	125,827	84	45	19	8	-	-	-	1	-	-	-	1	1	2	3	18.7	1.7	53.0	35.0	45.5	7.50	1.48	3.76	SUNDERLAND.
NEWCASTLE.	153,169	102	49	11	8	-	5	2	-	1	3	1	1	2	2	3	16.7	4.1	53.0	37.0	44.7	7.06	1.15	2.92	NEWCASTLE.
CARDIFF.	47,034	95	43	22	5	-	-	-	-	3	-	2	3	5	4	-	23.1	2.7	-	-	-	-	-	-	CARDIFF.
EDINBURGH.	270,616	134	83	16	20	-	1	1	1	2	3	3	3	3	20	24	17.3	2.3	51.0	30.0	44.7	7.06	0.10	0.25	EDINBURGH.
GLASGOW.	519,965	386	204	42	23	-	1	8	3	6	4	3	6	4	32	29	20.5	2.5	-	-	-	-	-	-	GLASGOW.
DUBLIN.	353,952	153	145	24	32	-	1	-	1	3	3	3	4	4	41	19	21.4	2.4	57.0	33.5	44.8	7.12	0.46	1.17	DUBLIN.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FORTY-FIRST Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2325	2358	2392	2358	2675	2606	2550	2477	2504	2282	2674.6	2582
Males . . .	1217	1220	1188	1171	1380	1318	1356	1256	1280	1168	1369.0	1319
Females . .	1108	1138	1204	1187	1295	1288	1194	1221	1224	1114	1305.6	1263
TOTAL Deaths	1442	1257	1321	1418	1366	1405	1460	1563	1438	1344	1528.2	1346
Males . . .	791	657	653	692	729	742	741	791	758	664	787.7	667
Females . .	651	600	663	726	637	663	719	772	680	680	740.5	679

* The numbers in this column are the average weekly numbers in the forty-first week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

		July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.
TOTAL Births	-	2423	2459	2164	2885	2535	2413	2538	2330	2542	2438	2516	2491	2582
TOTAL Deaths	-	1636	1750	1720	1472	1473	1371	1238	1221	1231	1081	1251	1309	1346
0-20	-	998	1111	1062	870	790	713	619	585	536	490	575	579	632
20-40	-	153	165	173	144	175	180	163	174	191	170	185	191	181
40-60	-	209	211	218	201	237	207	231	205	243	184	217	252	225
60-80	-	214	220	219	212	221	227	183	213	211	186	240	246	244
at 80 years & upwds.	-	62	43	48	45	50	44	42	44	50	51	34	41	64
Deaths of children	{													
Under 1 year	-	627	723	687	555	499	408	362	303	284	260	304	309	319
1-5	-	281	289	287	232	214	230	192	203	172	149	167	187	231
5-20	-	90	99	88	83	77	75	65	79	80	81	104	83	82
Deaths from Small-pox*	-	18	16	14	15	5	9	6	9	8	11	7	3	-
" " Measles	-	65	71	58	49	38	55	46	25	14	15	20	17	28
" " Scarlet Fever	-	11	18	20	9	12	12	14	15	20	16	14	21	22
" " Diphtheria	-	19	23	20	13	13	14	16	22	25	18	24	14	23
" " Whooping-cough	-	51	47	41	44	43	45	30	39	25	26	22	34	29
" " Typhus	-	1	-	-	3	-	-	-	1	-	-	1	2	-
" " Enteric fever	-	9	8	10	13	15	14	8	12	9	14	16	12	10
" " Simple Cont'd fever	-	2	2	4	1	1	3	-	1	3	3	1	6	-
" " Diarrhoea and } Dysentery	- }	284	348	309	222	163	121	83	62	40	49	42	35	27
" " Cholera	-	5	13	11	5	7	6	3	-	1	1	1	1	1
Deaths from the above- mentioned Diseases*	}	465	546	487	374	297	279	206	186	145	153	148	145	140
" " Dis. of Respira- tory System	}	180	172	184	162	165	201	159	175	152	159	205	231	301
" " Phthisis	-	138	137	159	134	151	157	147	139	155	150	159	146	161
" " Dis. of Circula- tory System	}	101	73	89	85	110	94	97	90	106	83	84	116	87
Violent Deaths	-	42	43	47	55	53	52	38	48	49	45	45	62	44
Inquest Cases	-	92	75	93	98	92	81	76	88	93	80	89	109	82
Deaths in Public Institutions	-	306	298	297	260	292	302	259	279	288	234	235	285	265
TEMPERATURE OF THE AIR:														
Mean	-	64.5	65.2	59.4	59.6	58.2	57.6	57.2	56.3	57.7	52.7	49.6	47.6	45.4
Mean of Highest readings	-	78.1	77.7	70.8	72.5	69.4	68.4	68.1	66.1	66.3	62.5	57.8	59.9	52.1
Mean of Lowest readings	-	52.4	56.4	51.1	49.9	49.4	49.2	48.6	49.3	51.2	43.8	42.1	36.9	38.5
Humidity of the Air	-	72	64	77	74	80	75	79	85	86	77	84	84	82
Rain-fall in inches	-	0.01	0.00	0.46	0.09	0.14	0.61	0.40	1.93	0.86	0.18	0.52	1.09	0.44
Registered Sunshine (in hours)	-	55.9	48.3	28.8	48.4	19.7	25.7	26.9	21.1	15.4	34.1	16.6	14.4	13.9

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:-F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

Deaths from different Causes.

425

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FIRST Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 41st Weeks of the 10 years 1875-84.	In the Week ending Saturday, 17th October, 1885.										CAUSES OF DEATH.	Corrected Averages for the 41st Weeks of the 10 years 1875-84.	In the Week ending Saturday, 17th October, 1885.									
			Deaths of Persons of the Ages												Deaths of Persons of the Ages									
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
				0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
ALL CAUSES		1528'2	1346	319	231	82	181	225	244	64	Diseases of Organs of Special Sense †	4'3	2	-	-	2	-	-	-	-	-	-	-	-
Small-pox	Vaccinated † Unvaccinated No Statement	8'7	-	-	-	-	-	-	-	-	Diseases of Circulatory System	97'9	87	2	-	5	9	32	35	4	-	-	-	-
Measles		24'4	23	2	23	2	1	-	-	-	Croup	15'2	14	1	13	-	-	-	-	-	-	-	-	-
Scarlet Fever		67'2	22	2	14	5	1	-	-	-	Bronchitis	166'8	133	72	36	2	1	18	45	12	-	-	-	-
Typhus		2'0	-	-	-	-	-	-	-	-	Pneumonia	74'8	73	13	22	4	11	14	8	1	-	-	-	-
Relapsing Fever †		0'0	-	-	-	-	-	-	-	-	Pleurisy	4'3	4	-	-	-	-	1	3	-	-	-	-	-
Influenza		0'1	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System	27'5	24	5	5	2	3	7	2	-	-	-	-	-
Whooping-cough		26'8	29	10	18	1	-	-	-	-	Dentition †	10'7	11	4	7	-	-	-	-	-	-	-	-	-
Diphtheria		16'2	23	2	16	4	1	-	-	-	Quinsy, Sore Throat †	2'0	4	-	2	-	1	1	-	-	-	-	-	-
Simple Continued and Ill-defined Fever		3'8	-	-	-	-	-	-	-	-	Enteritis	7'1	7	1	1	3	1	-	1	-	-	-	-	-
Enteric Fever		27'6	10	-	2	3	5	-	-	-	Peritonitis	7'6	9	-	1	2	4	-	-	-	2	-	-	-
Cholera		0'8	1	1	-	-	-	-	-	-	Diseases of Liver	31'4	23	1	-	1	4	13	9	-	-	-	-	-
Diarrhoea, Dysentery		54'0	27	13	5	1	1	1	3	3	Other Diseases of Digestive System	31'0	39	9	4	-	10	6	8	2	-	-	-	-
Remittent Fever †		0'0	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands †	1'3	2	-	-	1	1	-	-	-	-	-	-	-
Hydrophobia		0'3	-	-	-	-	-	-	-	-	Diseases of Urinary System	32'1	34	1	-	2	3	13	15	-	-	-	-	-
Glanders		0'0	-	-	-	-	-	-	-	-	Diseases of Generative System	6'0	4	-	-	1	1	2	-	-	-	-	-	-
Cowpox and Effects of Vaccination †		0'3	-	-	-	-	-	-	-	-	Accidents of Childbirth	4'7	5	-	-	-	3	2	-	-	-	-	-	-
Veneral Affections		9'6	7	6	1	-	-	-	-	-	Diseases of Locomotive System †	8'3	6	-	1	2	1	1	1	-	-	-	-	-
Erysipelas		7'5	5	2	-	-	1	2	-	-	Diseases of Integumentary System	7'6	9	4	-	-	2	2	-	1	-	-	-	-
Pyæmia and Septicæmia †		5'3	2	-	-	2	-	-	-	-	VIOLENT DEATHS ‡													
Puerperal Fever		4'1	5	-	-	5	-	-	-	-	(ACCIDENT.)													
Other Zymotic Diseases †		1'7	1	1	-	-	-	-	-	-	Fracture and Contusion	21'2	14	-	2	2	3	3	3	1	-	-	-	-
Thrush		5'2	2	2	-	-	-	-	-	-	Gunshot Wound	0'0	-	-	-	-	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases		0'3	1	-	-	-	-	1	-	-	Cut, Stab	0'4	1	-	-	-	-	1	-	-	-	-	-	-
Starvation, Want of Breast-milk †		3'0	1	1	-	-	-	-	-	-	Burn and Scald	4'1	5	-	4	1	-	-	-	-	-	-	-	-
Alcoholism		5'0	4	-	-	1	1	2	-	-	Poison	1'6	5	1	1	-	-	3	-	-	-	-	-	-
Rheumatic Fever and Rheumatism of Heart		11'1	7	-	-	2	1	2	2	-	Drowning	3'9	2	-	-	-	1	1	-	-	-	-	-	-
Rheumatism		-	1	-	-	-	-	-	1	-	Suffocation	10'8	7	6	-	-	-	1	-	-	-	-	-	-
Gout		2'3	2	-	-	-	-	-	-	-	Otherwise	2'2	3	1	-	-	-	1	1	-	-	-	-	-
Rickets †		2'7	2	1	1	-	-	-	-	-	(HOMICIDE.)													
Cancer		47'1	43	-	-	4	17	20	2	-	Murder & Manslaughter	1'9	1	-	-	-	1	-	-	-	-	-	-	-
Tabes Mesenterica		32'6	23	13	7	1	2	-	-	-	(SUICIDE.)													
Tubercular Meningitis		23'7	23	9	11	3	-	-	-	-	Gunshot Wound	0'4	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis		176'4	161	3	3	18	83	47	7	-	Cut, Stab	1'8	3	-	-	2	1	-	-	-	-	-	-	-
Scrofula, Tuberculosis		14'0	15	6	6	2	-	1	-	-	Poison	1'6	1	-	-	-	-	-	1	-	-	-	-	-
Other Constitutional Diseases †		11'7	12	3	-	-	4	1	2	2	Drowning	0'8	-	-	-	-	-	-	-	-	-	-	-	-
Premature Birth		34'0	33	36	-	-	-	-	-	-	Hanging	1'3	2	-	-	-	2	-	-	-	-	-	-	-
Atelectasis †		3'0	1	1	-	-	-	-	-	-	Otherwise	0'4	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Malformations		7'9	6	4	1	1	-	-	-	-	(EXECUTION.)													
Old Age		46'6	40	-	-	-	-	17	23	-	Hanging	0'3	-	-	-	-	-	-	-	-	-	-	-	-
Apoplexy		45'9	47	2	-	4	10	25	6	-	OTHER CAUSES †	67'3	46	37	6	-	-	-	3	-	-	-	-	-
Epilepsy		7'7	7	-	-	2	1	4	-	-														
Convulsions		45'3	41	34	7	-	-	-	-	-														
Other Diseases of Brain and Nervous System		80'0	73	7	11	7	4	13	26	5														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9'046 per cent. for increase of population.
† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.
‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

		The DEATHS registered in the Week include																	
REGISTRATION		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of		Deaths from											Deaths in Public Institutions.	Uncertified Causes of Death.
SUB-DISTRICTS.					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.	Inquest Cases.		
LONDON		3,816,483	2582	1346	319	308	-	23	22	23	20	-	10	-	27	44	82	265	1
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.		69888	46	22	7	3	-	-	-	-	-	-	-	-	-	-	-	3	-
St. John Paddington H - - G.J.		37380	15	3	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
Kensington Town WH - - W.M.		120141	63	49	9	16	-	1	-	1	-	-	-	-	4	2	1	23	-
Brompton H - - W.M. & C.		48010	14	8	2	3	-	-	-	1	-	-	-	-	-	-	-	2	-
St. Peter Hammersmith - - W.M.		7599	6	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.		24340	47	20	5	3	-	2	-	-	-	-	-	-	1	-	1	1	-
Fulham WH - - W.M. & C.		42900	57	21	6	1	-	3	-	2	-	-	-	-	1	-	1	1	-
Chelsea South HHH - - C.		80896	37	13	3	2	-	-	-	-	-	-	-	-	1	-	-	1	-
Chelsea North-west WHHHH - - C.		24252	18	23	3	7	-	-	-	-	-	-	-	-	-	-	-	19	-
Chelsea North-east - - C.		32807	35	12	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Hanover Square H - - G.J.		16862	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
May Fair W - - G.J.		13961	3	10	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave WHH - - C.		59220	24	14	3	4	-	-	-	-	-	-	-	-	-	-	-	8	-
St. John Westminster HH - - C.		35496	19	11	2	4	-	-	-	-	-	-	-	-	-	1	1	2	1
St. Margaret Westminster H - - C.		24679	12	7	8	1	-	-	-	2	1	-	-	-	1	-	-	1	1
St. James Westminster WH N.R. & G.J.		29941	11	9	8	2	-	1	-	-	-	-	-	-	-	-	-	3	-
St. Anne Soho HHHHH - - N.R.		16808	14	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	2
NORTH DISTRICTS.																			
Ali Souls Marylebone HHHH - W.M.		26759	12	15	2	4	-	-	-	1	-	-	-	-	-	-	-	8	-
Carvendish Square WHH - - W.M.		14891	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Rectory Marylebone WH G.J. & W.M.		24809	12	9	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Mary Maryleb. HHH G.J. & W.M.		21118	18	11	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-
Christchurch Marylebone H - - W.M.		38700	20	11	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone H - - W.M.		33633	11	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Hampstead WHHHH - N.R. & W.M.		45452	23	10	1	6	-	-	-	-	1	-	-	-	-	-	-	-	-
Regent's Park Pancras H - - W.M.		39115	21	8	2	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Tottenham-court WHHHH N.R. & W.M.		27729	18	20	2	2	-	1	-	-	-	-	-	-	1	1	-	-	-
Gray's Inn Lane HHH - - N.R.		30247	25	15	1	2	-	-	-	-	-	-	-	-	3	-	-	10	-
Somers Town H - - N.R.		34369	20	13	6	2	-	-	-	-	-	-	-	-	1	-	-	6	-
Camden Town WH - - N.R.		17311	12	12	4	5	-	-	-	-	-	-	-	-	1	2	4	3	-
Kentish Town W - - N.R.		87487	64	24	3	6	-	-	-	-	-	-	-	-	1	-	-	6	-
Upper Holloway WWWH - - N.R.		67946	36	30	10	6	-	-	-	2	-	-	-	-	-	-	-	-	-
Islington South-west HH - - N.R.		100976	44	19	6	-	-	2	1	-	-	-	-	-	-	1	2	-	-
Islington South-east - - N.R.		61895	31	15	2	5	-	-	-	-	1	-	-	-	1	3	3	2	-
Highbury H - - N.R.		52048	14	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - - N.R.		22781	5	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - N.R.		9277	19	13	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney - - N.R.		27430	50	29	7	10	-	-	-	-	-	-	-	-	-	-	-	-	-
Hackney WWWHL - - E.L. & N.R.		78911	32	12	4	2	-	-	-	-	-	-	-	-	1	1	2	8	-
South Hackney - - E.L.		39883						1	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																			
St. George Bloomsbury - - N.R.		16931	14	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - - N.R.		14864	10	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles North - - N.R.		13837	6	4	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-
St. Martin-in-the-Fields HH N.R. & C.		17506	6	10	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary-le-Strand H - - N.R.		7515	3	-	-	-	-	1	-	-	-	-	-	-	-	3	4	4	-
St. Clement Danes H - - N.R.		8559	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George-the-Martyr HHHHHH N.R.		18671	10	10	1	5	-	-	-	1	-	-	-	-	-	-	-	2	-
St. Andrew Eastern W - - N.R.		10706	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Saffron Hill H - - N.R.		6533	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - N.R.		17516	9	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.R.		19281	13	5	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - N.R.		14773	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - N.R.		17006	8	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Old-street H - - N.R.		11541	13	6	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
City-road HHL - - N.R.		18623	14	9	1	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Whitecross-street - - N.R.		9217	12	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1
Finsbury - - N.R.		7463	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - N.R. & E.L.		11174	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - N.R.		7193	2	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre H - - N.R.		5593	1	14	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Bride W - - N.R.		8306	3	1	-	-	-	-	-	-	-	-	-	-	-	-	4	5	11
Alhambra Barking - - N.R.		13686	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.		8692	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work-house; H—Hospital; L—Lunatic Asylum; &—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts: G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, SCARLET-FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
Saturday, the 17th October, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include															Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
					Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
					Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

The following WORKHOUSE establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Marylebone Infirmary in Kensington Town sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.
Hobborn Infirmary in Upper Holloway sub-district.
London City Workhouse " Hackney sub-district.
" " Hoxton New Town sub-district.
Whitechapel " " Mile End Old Town Eastern sub-district.
London City Workhouse in Mile End Old Town Eastern sub-district and Bromley sub-district.
Stepney " Bromley sub-district.
Poplar & Stepney Sick Asylum " Bromley sub-district.
Westminster Union Industrial School in West Battersea sub-district.
Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 17th October, 1885.

Regis- tration (District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- mer- ated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING		370,282	950,178	797	278	67	66	1	3	3	5	5	3	3	8	19	30	6
30:1	Carshalton <i>wL</i> - -	12238	21118	13	5	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	4	10	3	1	-	-	-	-	-	-	-	-	1	4	1
37:1	Godstone (<i>part of</i>) * -	2754	1235	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon <i>WH</i> - -	20851	101241	81	33	8	10	-	-	-	1	-	-	-	-	-	9	-
	Mitcham - -	11697	17932	13	5	1	2	-	-	-	-	-	-	-	-	-	-	1
39:1	Wimbledon <i>HHH</i> - -	3220	15950	13	3	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston <i>WHH</i> - -	8549	36354	22	8	-	4	-	-	-	-	-	-	-	1	2	-	-
3	Esher (<i>part of</i>) * -	6601	9221	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton <i>H</i> - -	4573	13539	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40:1	Richmond <i>WH</i> - -	2272	21302	13	5	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake - -	941	12331	10	5	-	2	-	-	-	-	-	-	-	-	-	-	-
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	26	6	1	-	-	-	-	-	-	-	-	1	1	-	-
2	Chislehurst(<i>pt. of</i>)* <i>WHH</i>	13665	15065	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42:1	Bexley <i>H</i> - -	13437	24134	18	3	2	1	-	-	-	-	-	-	-	-	-	-	1
124:1	Sunbury <i>w</i> - -	11055	11685	8	5	1	1	-	-	-	-	-	2	-	-	1	-	-
2	Staines <i>W</i> - -	13277	12089	11	2	-	1	-	-	-	-	1	-	-	-	-	-	-
125:1	Hillingdon <i>WH</i> - -	6029	10802	4	5	1	2	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge - -	6178	5225	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Hayes <i>wHL</i> - -	14587	11523	7	6	-	2	-	-	-	-	-	-	-	1	1	4	-
126:1	Isleworth <i>W</i> - -	7003	22727	15	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Twickenham <i>H</i> - -	2477	12479	6	6	1	1	-	-	-	-	-	1	-	-	2	-	-
3	Brentford <i>HL</i> - -	4345	27849	24	10	1	3	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - -	1340	15975	10	5	-	1	-	-	-	1	-	-	-	-	-	-	-
5	Acton <i>wH</i> - -	6033	22376	13	7	3	2	-	-	-	-	-	-	-	1	1	1	-
127:1	Harrow <i>H</i> - -	13809	12796	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>H</i> - -	6994	3749	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden - -	4533	27453	44	8	3	-	-	-	-	-	-	-	1	-	-	-	-
4	Hendon <i>W</i> - -	8332	10484	10	4	-	2	-	-	-	-	-	-	-	-	-	1	-
128:1	South Mimms - -	15599	6591	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet <i>W</i> - -	5433	10092	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley <i>HL</i> - -	4633	17615	11	5	-	1	-	-	-	-	-	-	-	-	2	1	-
129:1	Hornsey <i>H</i> - -	3039	37078	27	6	1	2	-	-	1	1	-	-	-	-	-	-	-
2	Tottenham <i>HH</i> - -	4642	46456	48	14	1	4	-	1	-	-	-	-	-	-	-	-	-
3	Edmonton <i>Wwv</i> - -	7483	23463	22	8	1	4	-	-	-	-	-	-	-	1	1	-	-
4	Enfield <i>WH</i> - -	12653	19104	15	7	2	-	-	2	-	-	1	-	-	-	-	-	-
5	Waltham Abbey - -	11017	5368	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - -	8480	7735	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
135:1	Hatfield (<i>part of</i>) * -	3306	533	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey - -	9331	6621	2	3	-	-	-	-	-	1	-	-	-	-	-	-	-
136:1	Stratford - -	882	38606	34	9	6	-	-	-	1	-	-	-	-	-	-	-	-
2	West Ham <i>wvwwH</i> - -	7351	101053	126	35	16	4	1	-	1	1	2	-	-	2	5	-	1
3	Leyton <i>WwL</i> - -	4372	32430	21	16	4	5	-	-	-	-	-	-	-	1	1	7	1
4	Walthamstow <i>wH</i> - -	6520	28869	33	10	5	3	-	-	-	-	1	-	-	-	-	1	-
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
139:1	Romford (<i>part of</i>) * -	6730	3411	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - -	8493	7615	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town - -	4127	9203	16	3	2	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30:2, the whole of Epsom sub-district, except the parishes of Ashted and Headley (pop. 1265); 37:1, the two parishes of Warlingham and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 375); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 17th October, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.		
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
GREATER LONDON	448,334	5,199,166	16·3	1·6	1624	386	374	1	31	25	28	34	13	30	52	295				
INNER LONDON -	78,052	4,083,928	17·2	1·8	1346	319	308	-	28	22	23	29	10	27	44	265				
OUTER RING -	370,282	1,115,238	18·0	1·1	278	67	66	1	3	3	5	5	3	3	8	30				

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	September 5	-	-	-	-
BOMBAY - -	773,196	" 15	246	428	26·4	Fevers 127; cholera 6.
MADRAS - -	398,777	" 4	343	282	36·7	Fevers 67; diarrhoeal diseases 43.
PARIS - - -	2,230,928	October 10	1272	823	18·9	Typd. fev. 21; dip. & cp. 26; sm.-px. 3; diarr. dis. 71.
GENEVA - -	71,453	" 10	30	29	21·2	-
BRUSSELS - -	436,214	" 3	249	131	17·4	Diphtheria 2; diarrhoeal diseases 20.
AMSTERDAM -	366,812	" 10	252	129	18·0	Scar. fev. 6; croup 3.
ROTTERDAM -	166,001	" 10	125	62	19·0	Scarlet fever 4.
THE HAGUE -	134,552	" 10	83	49	18·9	Croup 4; diphtheria 1.
COPENHAGEN -	280,615	" 6	231	87	16·2	Diphtheria 3.
STOCKHOLM -	200,143	September 26	129	78	20·3	Diphtheria and croup 5.
CHRISTIANIA -	128,000	October 10	56	42	17·1	Scar. fev. 5; diph. and croup 8.
ST. PETERSBURG	928,016	" 3	-	431	24·2	Typh. and typhd. fev. 9; scar. fev. 13; diarr. dis. 76.
BERLIN - - -	1,279,599	September 26	896	497	20·2	Scar. fev. 18; diphtheria 33; typ. and typhd. fev. 3.
HAMBURG (State)	497,956	October 3	390	193	20·7	Scarlet fever 7; diph. and croup 6; diarr. dis. 28.
DRESDEN - -	241,500	September 26	151	88	18·9	Diphtheria and croup 14.
BRESLAU - -	298,000	October 3	213	143	25·1	Diph. 2; typh. & typhd. fever 2.
MUNICH - - -	244,000	" 10	165	114	24·3	Diph. & croup 5; typh. & typhd. fever 2; diarr. dis. 17.
VIENNA - - -	769,589	" 10	485	303	20·5	Sm.-pox 8; diphtheria 5; typh. & typhd. fev. 3.
PRAGUE - - -	272,333	" 10	-	133	25·5	Small-pox 5; scar. fev. 5; typh. & typhd. fev. 3.
BUDA-PESTH -	429,532	September 26	313	164	19·9	Sm.-pox 5; typh. & typhd. fev. 6; diph. & croup 5.
TRIESTE - - -	150,157	" 26	-	97	33·6	Small-pox 2; diph. and croup 4.
ROME - - -	380,430	August 23	-	-	-	-
NAPLES - - -	504,795	-	-	-	-	-
TURIN (10 days)	267,768	September 30	218	139	19·0	Typhoid fever 6; diphtheria 2.
VENICE - - -	145,990	" 26	79	61	21·8	Sm.-pox 5; typhd. fev. 3.
MADRID - - -	475,668	-	-	-	-	-
LISBON - - -	203,681	-	-	-	-	-
ALEXANDRIA -	331,396	-	-	-	-	-
NEW YORK - -	1,356,958	September 19	-	659	25·3	Diphtheria 24; whooping-cough 18; diarr. dis. 104.
BROOKLYN - -	665,602	" 19	-	253	19·8	Scarlet fever 3; diph. 11; diarrhoeal dis. 42.
PHILADELPHIA -	949,432	" 26	-	337	18·5	Diphtheria 9; typhoid fever 17.
BALTIMORE - -	408,520	" 26	-	135	17·2	Diphtheria 6; typhoid fever 4.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 17th OCTOBER, 1885.
[Under the Superintendence of the Astronomer Royal.]

MOON.		METER.				READINGS OF THERMOMETERS.										DIFFERENCE				As deduced from Anemometers.				WIND.		RAIN.						
Phases of Moon.	MONTH AND DAY.	Mean daily reading		Dew Point.	Highest in the shade, as shown by self-registering thermometer.		Lowest in the shade, as shown by self-registering thermometer.		In the Water of the Thames by Self-Registering Thermometers.		Between Damp Point and Air Temperature.		Between mean temperature of the day and the mean temperature of the same day of 20 years.		Degrees of fluidity, complete saturation, being registered by 100.		General Direction.		P.M.		Great- est.		Least.		Mean of 24 Obs.		Amount of Depar- ture from Horizontal Movement of Air of each day.		Robinson's.		Collected in a gauge 5 in. above the ground.	KAIN.
		High- est.	Low- est.		Range in day.	Mean value.	Mean value.	High- est.	Low- est.	High- est.	Low- est.	Mean daily value.	Great- est.	Least.	A.M.	N.	N. & NNW.	N. & NNW.	7-9	0-0	0-9	lbs.	lbs.	Miles.	Miles.	Inches						
in.	29-400	49-8	36-2	13-6	43-5	35-8	79-3	26-5	50-9	50-8	7-7	11-8	1-5	8-4	74	N.	N. & NNW.	13-0	0-0	1-7	42-0	17-4	0-02	0-0	0-8							
..	29-534	49-9	31-5	18-4	41-4	36-5	74-2	22-2	51-7	49-0	4-9	10-1	0-0	-10-3	83	WNW. & N.	N. & NNW.	7-9	0-0	0-9	31-5	+ 67	0-00	0-0	0-0							
..	29-650	47-1	37-9	9-2	42-6	35-5	55-6	31-5	51-7	49-3	7-1	9-7	4-6	-9-0	76	NNW. & NW.	NNW. & NW.	6-7	0-0	1-7	46-4	+ 214	0-03	0-0	0-0							
Great Dec.S.	29-634	48-2	40-5	7-7	43-4	42-1	77-4	40-1	50-2	48-8	1-3	4-7	0-9	-8-0	95	NW. & W.	WSW & SNV.	4-3	0-0	0-6	32-4	+ 71	0-18	0-0	0-0							
..	29-926	54-1	43-4	10-7	49-0	41-7	103-2	38-1	49-8	48-8	7-3	13-0	0-0	-2-3	75	SE. & ESE.	ESE. & NE.	5-1	0-0	0-8	32-1	+ 65	0-01	0-0	0-0							
First Apogee.	29-915	59-4	42-9	16-5	51-3	45-0	105-9	36-0	49-8	48-8	6-3	13-5	0-0	+ 0-1	79	ENE. & ESE.	SE. & ESE.	3-9	0-0	0-4	24-5	- 14	0-20	2-0	2-0							
..	29-982	56-2	36-8	19-4	46-9	45-2	78-1	29-7	49-8	49-6	1-7	7-5	0-0	-4-2	94	Variable.	WSW & NNW.	0-0	0-0	0-0	76	+ 186	0-00	0-0	0-0							
MEANS	29-720	52-1	38-5	13-6	45-4	40-3	82-0	32-0	50-6	49-3	5-2	10-0	1-0	-6-0	82	Variable.	Sum 2165	+ 391	Sum 0-44	0-4	0-4	0-4							
No. of Col.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27							

SKY AND ATMOSPHERE.

DATE.	Electricity. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.
SUNDAY	11	0-1	10-9
MORNDAY	12	0-2	10-9
TUESDAY	13	0-0	10-8
WEDNESDAY	14	0-1	10-7
THURSDAY	15	6-7	10-7
FRIDAY	16	6-7	10-6
SATURDAY	17	0-1	10-5
No. of Col.	3	29	30

The height of the cistern of the barometer is considered to be 139 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean reading of the wet bulb thermometer, and the mean daily value of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1888.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are: +, P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer increased from 29-10 in. at the beginning of the week to 29-76 in. by noon on the 18th; decreased to 29-60 in. by 9h. A.M. on the 14th; increased to 29-97 in. by noon on the 15th; decreased to 29-84 in. by 9h. P.M. on the 16th; increased to 29-91 in. by 9h. A.M. on the 17th; and was 29-96 in. at the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

*Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.*

No. 42. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, OCTOBER 24. [Price 1½d.

*General Register Office, Somerset House,
26th October, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 18·5 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.		Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.
Birkenhead	12·9	14·6	19·1	20·7	Liverpool - -	23·3	22·5	19·9	22·4
Birmingham	17·6	15·6	17·1	15·7	London - -	16·0	16·7	17·2	18·6
Blackburn -	17·2	14·8	17·6	22·3	Manchester -	22·4	22·7	24·0	22·7
Bolton -	12·3	19·0	18·5	23·2	Newcastle-on-Tyne	23·8	20·1	16·7	22·5
Bradford -	16·3	15·3	14·8	13·6	Norwich - -	13·7	16·6	18·9	11·4
Brighton -	15·9	15·5	18·2	20·5	Nottingham -	13·6	15·1	14·3	14·8
Bristol -	17·7	14·1	15·5	17·5	Oldham - -	26·0	17·8	19·8	18·6
Cardiff -	25·3	22·6	23·1	21·0	Plymouth - -	24·0	23·3	20·6	21·3
Derby -	17·5	14·0	16·9	15·1	Portsmouth -	22·9	21·3	17·4	15·9
Halifax -	13·5	16·9	18·9	18·2	Preston - -	18·2	28·6	27·0	19·8
Huddersfield	14·9	14·3	9·0	13·7	Salford - -	18·9	20·2	20·7	19·2
Hull -	14·0	16·8	14·0	14·0	Sheffield - -	20·0	20·1	16·7	18·1
Leeds -	18·5	17·7	18·8	17·4	Sunderland -	16·2	19·2	18·7	17·1
Leicester -	19·9	13·8	11·1	14·9	Wolverhampton -	21·7	13·8	21·7	18·4

The highest annual death-rates from measles, measured by last week's mortality, were 1·5 in Salford, 2·0 in Newcastle-upon-Tyne, and 2·3 in Brighton; from scarlet fever, 1·6 in Cardiff and in Preston, and 1·9 in Leicester; from whooping-cough, 2·2 in Cardiff; and from "fever," 1·1 in Norwich, 1·2 in Derby, 1·5 in Portsmouth, and 1·6 in Preston. Of the 27 deaths from diphtheria, 18 occurred in London, 3 in Birmingham, and 2 in Liverpool. Small-pox caused 4 deaths in the twenty-eight large towns, of which 3 occurred in Liverpool and 1 in Sunderland.

LONDON.

In LONDON 2572 BIRTHS and 1458 DEATHS were registered. Allowing for increase of population, the births were 173, and the deaths 127, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had increased in the four preceding weeks from 13·8 to 17·2, further rose last week to 18·6. During the first three weeks of the current quarter the death-rate averaged 17·5 per 1000, against 19·3, the mean rate in the corresponding periods of the nine years 1876-84.

The 1458 deaths included 27 from measles, 18 from scarlet fever, 18 from diphtheria, 31 from whooping-cough, 11 from enteric fever, 21 from diarrhoea and dysentery, and not one from small-pox, typhus, any ill-defined form of continued fever or from cholera; thus, 126 deaths were referred to these diseases, being 104 below the corrected average weekly number.

No fatal case of *small-pox* was registered in London during the fortnight ending last Saturday, the corrected average number for the two weeks being 16. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had steadily declined in the twenty preceding weeks from 1389 to 112, had further fallen to 99 on Saturday last; the admissions, which had been 15 and 16 in the two preceding weeks, declined to 11 last week. The Highgate Small-pox Hospital contained 5 patients on Saturday last, 2 having been admitted during the week.

The fatal cases of *measles*, which had been 17 and 28 in the two preceding weeks, were 27 last week, and 2 below the corrected weekly average; 10 belonged to the West, and 9 to the South groups of registration districts. The deaths referred to *scarlet fever*, which had been 14, 21, and 22 in the three preceding weeks, declined again last week to 18, and were 54 below the corrected average; 13 belonged to East London, including 4 to Shoreditch, 4 to Bethnal Green, and 2 to Poplar. The Metropolitan Asylum Hospitals contained 290 scarlet fever patients on Saturday last (against 278 and 291 on the two preceding Saturdays), 20 cases having been admitted during the week. The 18 deaths referred to *diphtheria* showed a decline of 5 from the number in the previous week, but exceeded the corrected average by one; 4 belonged to Islington, 2 to Hackney, and 2 to Wandsworth. The fatal cases of *whooping-cough*, which had been 34 and 29 in the two previous weeks, rose again last week to 31, and exceeded the corrected average by 3; 10 belonged to the East, and 12 to the South groups of districts. The 21 deaths attributed to *diarrhœa* and *dysentery* showed a further decline from recent weekly numbers, and were 19 below the corrected average; 15 were of infants and children under five years of age.

The deaths referred to *enteric fever*, which had been 16, 12, and 10 in the three preceding weeks, were 11 last week, and were 18 below the corrected weekly average; 2 belonged to Mile End Old Town, and 6 to South London, including 2 to Greenwich. The Metropolitan Asylum Hospitals contained 35 cases of enteric fever, and not one of typhus, on Saturday last; 4 cases of enteric fever, and not one of typhus, were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had increased in the five preceding weeks from 152 to 301, further rose last week to 356, and were 29 below the corrected weekly average.

The deaths of 2 females, aged respectively 30 and 11 years, in Mile End Old Town and Greenwich, were referred to hydrophobia. Since the beginning of this year 19 deaths from this cause have been registered in London, of which 12 have occurred since the middle of July. The average annual number returned in London during the ten years 1875-84 did not exceed 6.

Different forms of violence caused 50 deaths; 45 were the result of negligence or accident, among which were 14 from fractures and contusions, 11 from burns and scalds, 2 from drowning, and 15 of infants under one year of age from suffocation. The 14 deaths from fractures and contusions were thus returned:—male, aged 38 years, run over by cab; male 7, and female 93, run over by cart; male 33, run over on railway; male 38, crushed by engine; male 1, and female 55, fell from window; male 42, fell on pavement; females 65 (intoxicated), and 71, fell down stairs; male 49, by fall of coils of iron; male 9, and female 76, by fall; female 74, by fracture. An inquest was held in each of these 14 cases except the last. Four cases of suicide were registered.

GREATER LONDON.

In Greater London 3229 births and 1780 deaths were registered, equal to annual rates of 32·4 and 17·9 per 1000 of the population. In the Outer Ring, 7 deaths from diphtheria were registered, including 2 in West Ham sub-district.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·56 in.; the highest reading was 29·99 in. on Sunday at noon, and the lowest 29·02 in. on Saturday morning. The mean temperature of the *air* was 45·1, and 5·1 below the average in the corresponding week of the 20 years ending 1868. The mean was considerably below the average on each day of the week, the deficiency ranging from 6·3 on Tuesday, to 4·4 on Friday. The direction of the *wind* was variable, and the horizontal movement of the *air* averaged 8·8 miles per hour, which was 2·3 below the average in the corresponding week of 16 years. *Rain* fell on four days of the week, to the aggregate amount of 0·94 of an inch. The duration of registered bright sunshine in the week was 5·6 hours, against 9·1 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY in 28 GREAT TOWNS, during the Week ending 24th October, 1885.

[illegible]

Births and Deaths registered last Week.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FORTY-SECOND Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2222	2641	2527	2558	2637	2962	2681	2358	2370	2812	2744.5	2572
Males . . .	1132	1363	1233	1287	1335	1219	1353	1209	1217	1436	1396.8	1282
Females . .	1090	1278	1269	1271	1302	1143	1328	1149	1153	1376	1347.7	1290
TOTAL Deaths	1563	1224	1403	1369	1499	1518	1586	1444	1408	1517	1534.6	1458
Males . . .	804	634	741	707	778	797	842	736	722	777	822.0	742
Females . .	759	590	662	662	721	721	744	708	686	740	762.6	716

* The numbers in this column are the average weekly numbers in the forty-second week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.
TOTAL Births - -	2459	2164	2885	2535	2413	2538	2330	2542	2438	2516	2491	2582	2572
TOTAL Deaths - -	1750	1720	1472	1473	1371	1238	1221	1231	1081	1251	1309	1346	1458
0—20 - -	1111	1062	870	790	713	619	585	536	490	575	579	632	630
20—40 - -	165	173	144	175	180	163	174	191	170	185	191	181	206
40—60 - -	211	218	201	237	207	231	205	243	184	217	252	225	268
60—80 - -	220	219	212	221	227	183	213	211	186	240	246	244	284
at 80 years & upwds.	43	48	45	50	44	42	44	50	51	34	41	64	70
Deaths of children { Under 1 year -	723	687	555	499	408	362	303	284	260	304	309	319	347
{ 1—5 - -	289	287	232	214	230	192	203	172	149	167	187	231	206
{ 5—20 - -	99	88	83	77	75	65	79	80	81	104	83	82	77
Deaths from Small-pox* -	16	14	15	5	9	6	9	8	11	7	3	-	-
" " Measles - -	71	58	49	38	55	46	25	14	15	20	17	23	27
" " Scarlet Fever - -	18	20	9	12	12	14	15	20	16	14	21	22	18
" " Diphtheria - -	23	20	13	13	14	16	22	25	18	24	14	23	18
" " Whooping-cough -	47	41	44	43	45	30	39	25	26	22	34	29	31
" " Typhus - -	-	-	3	-	-	-	1	-	-	1	2	-	-
" " Enteric fever - -	8	10	13	15	14	8	12	9	14	16	12	10	11
" " Simple Cont ^d fever -	2	4	1	1	3	-	1	3	3	1	6	-	-
" " Diarrhœa and } Dysentery - }	348	309	222	163	121	83	62	40	49	42	35	27	21
" " Cholera - -	13	11	5	7	6	3	-	1	1	1	1	1	-
Deaths from the above-mentioned Diseases* }	546	487	374	297	279	206	186	145	153	148	145	140	126
" " Dis. of Respiratory System }	172	184	162	165	201	159	175	152	159	205	231	301	356
" " Phthisis - - }	137	159	134	151	157	147	139	155	150	159	146	161	165
" " Dis. of Circulatory System }	73	89	85	110	94	97	90	106	83	84	116	87	130
Violent Deaths - -	43	47	55	53	52	38	48	49	45	45	62	44	50
Inquest Cases - -	75	93	98	92	81	76	88	93	80	89	109	82	108
Deaths in Public Institutions	298	297	260	292	302	259	279	288	234	285	285	265	286
TEMPERATURE OF THE AIR:													
Mean - -	65.2	59.4	59.6	58.2	57.6	57.2	56.3	57.7	52.7	49.6	47.6	45.4	45.1
Mean of Highest readings -	77.7	70.8	72.5	69.4	68.4	63.1	66.1	66.3	62.5	57.8	59.9	52.1	50.5
Mean of Lowest readings -	56.4	51.1	49.9	49.4	49.2	43.6	49.3	51.2	43.8	42.1	36.9	38.5	40.3
Humidity of the Air - -	64	77	74	80	75	79	85	86	77	84	84	82	89
Rain-fall in inches - -	0.00	0.46	0.09	0.14	0.61	0.40	1.93	0.86	0.18	0.52	1.09	0.44	0.94
Registered Sunshine (in hours)	48.3	28.8	48.4	19.7	25.7	26.9	21.1	15.4	34.1	16.6	14.4	13.9	5.6

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cam Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Pillitter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-SECOND Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 42nd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 24th October, 1885.										CAUSES OF DEATH.	Corrected Averages for the 42nd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 24th October, 1885.									
			Deaths of Persons of the Ages												Deaths of Persons of the Ages									
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
				0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
ALL CAUSES - -		1584.6	1458	347	206	77	206	268	284	70			Diseases of Organs of Special Sense † - -	3.3	3	1	-	1	-	1	-	-		
Small-pox	{ Vaccinated † Unvaccinated No Statement	{ 7.6 {	-	-	-	-	-	-	-	-			Diseases of Circulatory System - - -	97.7	130	-	2	9	25	47	42	5		
Measles - - -		28.7	27	4	22	1	-	-	-	-			Croup - - -	15.5	15	-	13	2	-	-	-	-		
Scarlet Fever - -		72.2	18	1	14	3	-	-	-	-			Bronchitis - - -	189.6	213	68	34	2	4	26	71	13		
Typhus - - -		2.2	-	-	-	-	-	-	-	-			Pneumonia - - -	84.4	88	20	18	2	15	16	15	2		
Relapsing Fever † -		0.0	-	-	-	-	-	-	-	-			Pleurisy - - -	4.8	3	-	-	-	1	1	1	-		
Influenza - - -		0.4	-	-	-	-	-	-	-	-			Other Diseases of Respiratory System - -	32.3	32	5	5	-	6	7	8	1		
Whooping-cough -		27.7	31	16	15	-	-	-	-	-			Dentition † - - -	9.7	13	5	8	-	-	-	-	-		
Diphtheria - - -		17.3	18	1	10	7	-	-	-	-			Quinsy, Sore Throat † -	2.3	1	-	-	1	-	-	-	-		
Simple Continued and Ill-defined Fever -		4.0	-	-	-	-	-	-	-	-			Enteritis - - -	7.1	9	5	-	-	3	-	1	-		
Enteric Fever - -		29.2	11	-	1	4	4	2	-	-			Peritonitis - - -	7.5	6	2	-	-	1	1	2	-		
Cholera - - -		0.4	-	-	-	-	-	-	-	-			Diseases of Liver - - -	32.9	28	2	-	-	5	9	12	-		
Diarrhoea, Dysentery		40.3	21	12	3	-	-	1	3	2			Other Diseases of Digestive System -	25.5	22	7	1	2	2	4	4	2		
Remittent Fever † -		0.0	-	-	-	-	-	-	-	-			Diseases of Lymphatic System & of Ductless Glands † - -	1.3	3	1	-	-	-	2	-	-		
Hydrophobia - -		0.2	2	-	-	1	1	-	-	-			Diseases of Urinary System - - -	40.3	48	2	-	2	7	12	20	5		
Glanders - - -		0.1	-	-	-	-	-	-	-	-			Diseases of Generative System - - -	6.1	4	-	-	-	3	-	1	-		
Cowpox and Effects of Vaccination † - -		0.3	1	1	-	-	-	-	-	-			Accidents of Childbirth -	5.7	4	-	-	-	2	2	-	-		
Veneral Affections		11.2	11	8	-	-	3	-	-	-			Diseases of Locomotive System † - - -	8.3	10	1	-	3	3	1	1	1		
Erysipelas - - -		8.0	11	1	1	-	1	4	4	-			Diseases of Integumentary System - - -	6.2	4	2	1	-	1	-	-	-		
Pyæmia and Septicæmia †		2.0	3	-	-	1	2	-	-	-			VIOLENT DEATHS ‡											
Puerperal Fever - -		5.6	4	-	-	-	4	-	-	-			(ACCIDENT.)											
Other Zymotic Diseases †		0.7	3	-	1	-	-	2	-	-			Fracture and Contusion	23.1	14	-	1	2	3	3	4	1		
Thrush - - -		2.9	1	-	1	-	-	-	-	-			Gunshot Wound - - -	0.2	-	-	-	-	-	-	-	-		
Worms and other Parasitical Diseases - - -		0.9	-	-	-	-	-	-	-	-			Cut, Stab - - -	0.3	-	-	-	-	-	-	-	-		
Starvation, Want of Breast-milk † - -		2.3	4	3	-	-	-	1	-	-			Burn and Scald - - -	4.4	11	1	7	-	-	-	-	-		
Alcoholism - - -		4.9	4	-	-	-	1	2	1	-			Poison - - -	1.5	1	1	2	-	-	1	-	-		
Rheumatic Fever and Rheumatism of Heart	{ 9.9 {	6	-	-	2	2	2	-	-	-			Drowning - - -	5.5	2	-	-	-	-	2	-	-		
Rheumatism - - -		4	-	-	-	-	1	3	-	-			Suffocation - - -	12.2	17	15	2	-	-	-	-	-		
Gout - - -		3.2	7	-	-	-	-	-	-	-			Otherwise - - -	3.9	-	-	-	-	-	-	-	-		
Rickets † - - -		4.0	3	-	3	-	-	-	1	6			(HOMICIDE.)											
Cancer - - -		49.2	50	-	-	1	5	23	16	2			Murder & Manslaughter	1.5	1	1	-	-	-	-	-	-		
Tabes Mesenterica		37.4	21	13	6	1	1	-	-	-			(SUICIDE.)											
Tubercular Meningitis		25.6	18	4	12	2	-	-	-	-			Gunshot Wound - - -	0.2	-	-	-	-	-	-	-	-		
Phthisis - - -		180.7	165	2	4	14	83	53	5	-			Cut, Stab - - -	1.0	1	-	-	-	-	1	-	-		
Serofula, Tuberculosis		13.8	17	7	4	2	3	-	1	-			Poison - - -	1.0	-	-	-	-	-	-	-	-		
Other Constitutional Diseases † - -		10.3	12	1	-	1	1	4	5	-			Drowning - - -	1.6	-	-	-	-	-	-	-	-		
Premature Birth - -		38.9	46	46	-	-	-	-	-	-			Hanging - - -	1.3	1	-	-	-	-	-	-	-		
Atelectasis † - - -		2.3	3	3	-	-	-	-	-	-			Otherwise - - -	0.4	2	-	-	-	2	-	-	-		
Concennial Malformations - - -		6.1	4	4	-	-	-	-	-	-			(EXECUTION.)											
Old Age - - -		49.1	38	-	-	-	-	-	9	20			Hanging - - -	0.1	-	-	-	-	-	-	-	-		
Apoplexy - - -		43.8	41	-	-	-	2	13	23	3			OTHER CAUSES † - -	60.3	48	40	4	1	1	-	1	1		
Epilepsy - - -		8.3	7	-	-	2	2	2	1	-														
Convulsions - - -		45.8	38	34	3	-	-	-	1	-														
Other Diseases of Brain and Nervous System		79.6	69	10	7	6	7	14	22	3														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1881.	Total BIRTHS during the Week.	Total DEATHS during the Week.	Deaths from												Deaths in Public Institutions.	Uncertified Causes	
				Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euterie (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.			
LONDON	3,816,483	2572	1458	347	354	-	27	18	18	31	-	11	-	21	50	108	286	25
WEST DISTRICTS	669,638	400	241	44	61	-	11	-	4	2	-	1	-	4	10	19	52	3
NORTH DISTRICTS	905,947	572	312	85	73	-	5	3	9	5	-	1	-	4	12	21	56	1
CENTRAL DISTRICTS	282,238	175	106	18	27	-	-	1	-	2	-	-	-	1	8	18	27	-
EAST DISTRICTS	692,738	477	285	70	58	-	2	13	2	10	-	3	-	6	11	24	63	10
SOUTH DISTRICTS	1,265,927	948	514	130	135	-	9	1	3	12	-	6	-	6	9	26	88	11
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.	68888	48	22	3	5	-	2	-	2	-	-	-	-	-	1	2	6	-
St. John Paddington H - - G.J.	37390	11	9	1	1	-	-	-	-	-	-	-	-	-	-	3	2	-
Kensington Town Ww - - W.M.	120141	62	36	7	18	-	-	-	-	-	1	-	-	-	-	4	1	-
Brompton H - - W.M. & C.	48010	12	14	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Hammersmith - - W.M.	7590	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.	64340	51	25	4	3	-	2	-	-	-	-	-	-	-	2	2	5	-
Fulham WwH - - W.M. & C.	42900	53	12	2	1	-	1	-	1	-	-	-	-	1	1	1	2	-
Chelsea South HHH - - C.	30396	18	15	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North-west WHHHH - - C.	24925	31	11	2	3	-	-	-	-	-	-	-	-	1	-	1	6	1
Chelsea North-east - - C.	32807	21	16	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Hanover Square H - - G.J.	16862	3	6	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
May Fair W - - G.J.	13491	3	9	1	4	-	-	-	-	-	-	-	-	-	-	1	9	-
Belgrave WHH - - C.	59220	38	18	2	1	-	1	-	-	-	-	-	-	-	-	-	8	1
St. John Westminster HH - - C.	35496	14	16	8	1	-	-	-	1	-	1	-	-	2	2	1	1	-
St. Margaret Westminster H - - C.	24679	7	12	2	6	-	-	-	-	-	-	-	-	1	2	3	-	-
St. James Westminster WH N.R. & G.J.	20941	16	8	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Anne Soho HHHHH - - N.R.	16608	10	9	2	2	-	1	-	-	-	-	-	-	-	-	1	1	-
NORTH DISTRICTS.																		
All Souls Marylebone HHHH - W.M.	26759	10	14	1	3	-	-	-	-	-	-	-	-	-	-	2	4	-
Cavendish Square HHH - - W.M.	14891	3	4	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Rectory Marylebone WH G.J. & W.M.	24809	13	11	6	2	-	1	-	-	-	-	-	-	1	1	1	3	-
St. Mary Marylebone. HHH G.J. & W.M.	21118	13	7	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone H - - W.M.	33700	22	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone H - - W.M.	59633	11	14	1	4	-	-	-	-	-	-	-	-	1	1	-	-	-
Hampstead WwHHH - N.R. & W.M.	45452	30	13	3	6	-	-	-	1	-	-	-	-	-	-	-	2	-
Regent's Park Pancras H - - W.M.	89115	23	18	6	1	-	-	-	1	-	-	-	-	-	-	-	1	-
Tottenham-court WHHHH N.R. & W.M.	27729	11	14	1	4	-	-	-	-	-	-	-	-	-	-	-	6	-
Gray's Inn Lane HHH - - N.R.	30247	18	11	5	-	-	-	-	1	-	-	-	-	1	-	1	4	-
Somers Town H - - N.R.	84359	26	11	3	3	-	-	-	-	-	-	-	-	-	1	1	2	-
Camden Town WH - - N.R.	17311	15	7	1	3	-	-	-	-	1	-	-	-	-	1	1	2	-
Kentish Town W - - N.R.	87487	64	38	8	7	-	3	-	1	-	-	-	-	2	3	10	1	-
Upper Holloway WwWwH - - N.R.	67946	63	28	6	6	-	-	-	4	-	-	-	-	-	-	-	9	-
Islington South-west HH - - N.R.	100976	63	26	7	8	-	-	-	1	-	-	-	-	2	1	3	1	-
Islington South-east - - N.R.	61895	33	22	9	4	-	-	-	1	-	-	-	-	-	1	2	-	-
Highbury H - - N.R.	82048	26	15	4	6	-	-	-	-	-	-	-	-	-	1	2	-	-
Stoke Newington H - - N.R.	22781	24	8	2	4	-	-	-	1	-	-	-	-	-	-	-	-	-
Stamford Hill - - E.L.	9277	3	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney - - N.R.	37610	18	7	2	3	-	-	-	1	-	1	-	-	-	-	-	-	-
Hackney WwWwHL - - E.L. & N.R.	76911	49	29	10	7	-	1	1	-	-	-	-	-	-	2	2	11	-
South Hackney - - E.L.	39883	29	11	4	2	-	-	-	1	-	-	-	-	-	-	1	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16681	10	5	1	2	-	-	-	-	-	-	-	-	-	1	2	-	-
St. Giles South WH - - N.R.	14884	22	6	2	1	-	-	-	-	-	-	-	-	-	-	1	3	-
St. Giles North - - N.R.	18887	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.	17508	6	9	1	3	-	-	-	-	-	-	-	-	-	-	-	4	-
St. Mary-le-Strand H - - N.R.	7515	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Clement Danes H - - N.R.	8559	2	4	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-
St. George-the-Martyr HHHHHH N.R.	18671	10	8	1	3	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Andrew Eastern W - - N.R.	10706	9	5	1	3	-	-	-	-	-	-	-	-	-	-	-	2	1
Saffron Hill H - - N.R.	6533	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. James Clerkenwell - - N.R.	17516	16	8	1	1	-	-	-	-	1	-	-	-	-	1	1	2	-
Amwell Clerkenwell - - N.R.	19281	10	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - N.R.	14773	13	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Goswell-street - - N.R.	17506	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Old-street H - - N.R.	11541	17	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
City-road HHL - - N.R.	18628	14	8	1	1	-	-	-	1	-	-	-	-	-	1	1	1	-
Whitecross-street - - N.R.	9217	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - N.R.	7463	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - N.R. & E.L.	11174	5	7	-	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Cripplegate - - N.R.	7193	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - - N.R.	5358	4	1	-	2	-	-	-	-	-	-	-	-	-	3	3	13	-
St. Bride W - - N.R.	8396	7	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Allhallows Barking - - N.R.	13666	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.	5652	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; w—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts: G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 24th October, 1885.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														
				Deaths of				Deaths from										
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
Holywell Shoreditch	N.R. & E.L.	7376	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Leonard Shoreditch	N.R.	14967	7	3	-	-	-	1	-	-	-	-	-	-	-	-	-	
Hoxton New Town	-	26937	16	16	2	9	-	-	-	-	-	-	-	1	2	7	-	
Hoxton Old Town	N.R.	28086	20	8	2	3	-	-	1	-	-	-	-	-	1	-	-	
Haggerston	N.R. & E.L.	46275	30	23	7	4	-	-	-	1	-	-	-	1	-	8	-	
Hackney-road	H-	26733	17	9	2	2	-	-	-	-	-	-	-	-	-	-	-	
Green, Bethnal Green	WHL†	47332	44	26	6	5	-	-	1	-	-	-	-	1	-	-	-	
Church, Bethnal Green	-	29981	21	9	-	-	-	-	1	-	3	-	-	-	-	-	-	
Town, Bethnal Green	-	19810	18	6	3	-	-	-	-	-	-	-	-	-	-	-	-	
Spitalfields	H-	22585	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
Mile End New Town	W	15473	17	9	2	1	-	-	-	-	-	-	-	-	1	-	-	
Whitechapel Church	H	17490	16	17	4	3	-	-	-	1	-	-	-	3	3	11	-	
Goodman's Fields	-	9713	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Alidgate	-	6102	5	3	1	-	-	-	-	1	-	-	-	1	-	-	-	
St. George's, North	-	38747	35	22	9	1	-	-	-	1	1	1	-	1	3	-	-	
St. John, St. George East	W	8410	8	14	-	8	-	-	-	-	-	-	-	-	-	11	4	
Shadwell	H-	10995	9	5	1	1	-	-	-	-	-	1	-	-	-	1	-	
Ratcliff	-	16107	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Limehouse	-	32041	17	9	2	-	-	-	-	1	-	-	1	-	-	-	-	
Mile End Old Town West	-	37980	22	11	2	5	-	-	-	-	-	-	1	1	-	-	-	
Mile End Old Town East	WWH-	67553	54	24	8	4	-	-	1	-	-	1	-	1	2	4	1	
Bow	-	37074	27	11	3	-	-	-	-	2	-	-	-	1	2	-	-	
Bromley	WHH-	64359	47	28	6	6	-	-	1	-	1	-	-	1	2	10	-	
Poplar	WHH	45077	23	21	6	4	-	-	-	-	1	-	-	3	5	2	-	
SOUTH DISTRICTS.																		
Christchurch Southwark	WH	L. & S.	13663	5	4	-	1	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark	-	S.	14599	11	4	2	1	-	-	-	-	-	-	-	-	-	-	
Kent-road	-	S. & L.	21381	16	8	5	1	-	-	-	-	1	-	-	-	-	-	
Rough-road	WH	S. & L.	15953	13	3	-	2	-	-	-	-	-	-	-	1	1	-	
London-road	HL	L. & S.	21318	11	9	2	3	-	-	-	-	-	-	-	1	1	-	
Trinity Newington	-	S. & L.	26672	18	8	1	2	-	-	-	-	-	-	-	-	-	-	
St. Peter Walworth	W	S. & L.	58555	49	42	13	14	-	-	-	1	-	-	-	2	-	1	
St. Mary Newington	-	L. & S.	21623	23	7	3	2	-	-	-	-	-	-	-	-	15	-	
St. Olave	WH	-	11956	12	14	3	2	-	-	-	-	-	-	-	-	-	-	
Leather Market	-	S. & L.	10200	5	5	2	2	-	-	1	-	1	-	-	-	9	-	
St. Mary Magdalen	W	-	16669	8	10	1	2	-	-	-	1	-	-	-	-	-	-	
St. James Bermondsey	-	S.	54683	48	15	3	3	-	-	-	-	-	-	1	1	3	-	
Rotherhithe	W	S. & K.	50024	34	20	4	4	-	-	-	-	-	-	-	-	9	-	
Waterloo-road 1st	H-	L. & S.	15795	6	9	3	3	-	1	-	-	-	-	-	-	-	1	
Waterloo-road 2nd	H-	L. & S.	16361	20	5	1	-	-	-	-	1	-	-	-	-	2	-	
Lambeth Church 1st	H-	L. & S.	19876	16	15	2	3	-	1	-	1	-	-	2	2	9	-	
Lambeth Church 2nd	WH-	L. & S.	39859	30	23	6	7	-	-	-	-	-	-	-	1	7	1	
Kennington 1st	-	S. & L.	45332	30	15	1	1	-	-	-	1	-	-	-	-	-	-	
Kennington 2nd	-	S. & L.	32332	17	9	3	1	-	-	-	-	-	-	-	-	-	-	
Trinity	WH-	L. & S.	62837	35	19	5	6	-	-	-	-	-	-	1	1	-	-	
Norwood	W	-	19017	14	6	1	3	-	-	-	-	1	-	-	-	-	1	
Elephant	H-	-	36380	19	7	-	2	-	-	-	-	1	-	-	1	-	-	
East Battersea	-	-	54675	53	16	4	2	-	1	-	-	-	-	-	-	-	-	
West Battersea	WH-	-	55487	63	41	14	10	-	-	1	-	1	-	-	1	6	1	
Vandsworth	HL	-	28004	22	1	1	-	-	-	-	1	-	-	2	-	-	-	
Putney	-	-	18255	6	4	1	-	-	-	-	-	-	-	-	-	-	-	
Streatham	-	-	25553	12	8	3	-	-	-	-	-	-	-	1	-	-	-	
Dulwich	-	-	5590	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
Camdenwell	WLT†	-	45044	40	37	8	11	-	-	-	-	-	-	-	2	-	-	
Beckham	W-	S., L. & K.	71069	65	19	5	5	-	-	-	-	-	-	1	1	14	1	
St. George Camberwell	-	L. & S.	60810	49	25	9	4	-	2	-	-	-	-	-	1	3	-	
St. Paul Deptford	WH-	-	76732	61	26	12	7	-	-	-	3	-	-	-	2	-	1	
St. Nicholas Deptford	-	-	7901	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West	H-	-	21972	15	7	-	1	-	-	-	-	1	-	-	-	-	-	
Greenwich East	WHH	-	24608	23	20	1	7	-	-	-	-	-	-	1	1	2	11	
Elephant	H-	-	5827	5	1	-	1	-	-	-	-	-	-	-	-	-	-	
Elephant	-	-	21559	11	6	1	3	-	-	-	-	-	-	-	-	-	-	
Elephant	WH-	-	19865	19	8	1	2	-	-	-	-	1	-	-	1	-	1	
Elephant	H-	-	26076	14	10	2	4	-	-	-	-	-	-	-	-	-	-	
Elephant	H-	-	10930	2	4	2	2	-	-	-	-	-	-	-	-	-	-	
Elephant Dockyard	-	-	17617	10	4	-	2	-	-	-	-	-	-	-	-	-	-	
Elephant Arsenal	HHH	-	19448	11	6	-	1	-	-	-	-	-	-	-	1	-	-	
Elephant	West H-	-	14669	13	6	3	-	-	-	-	-	-	-	-	-	-	-	
Elephant	East W	-	16241	17	6	2	3	-	-	1	-	-	-	-	-	1	-	

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Stepney Bromley sub-district.
Central London Sick Asylum, in Tottenham Court-road sub-district.	Poplar & Stepney Sick Asylum
Holborn Infirmary in Upper Holloway sub-district.	Westminster Union Industrial School in West Battersea sub-district.
London City Workhouse Hackney sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hammersmith, Haxney, Brixton, and St. Paul, Deptford sub-districts.
Holborn " Mile End Old Town sub-district.	
Whitechapel " Mile End Old Town Eastern sub-dist.	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA ; POPULATION ; BIRTHS and DEATHS registered during Week ending Saturday, 24th October, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Aeres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
LONDON—OUTER RING		370,282	950,178	657	322	80	85	-	6	3	7	6	3	1	12	21	39		
30:1	Carshalton <i>wL</i> - -	12228	21118	11	7	1	4	-	-	-	-	-	-	-	-	-	-		
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	4	2	-	1	-	-	-	-	-	-	-	-	-	-		
37:1	Godstone (<i>part of</i>) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
38:1	Croydon <i>WwH</i> - -	20851	101241	57	28	8	9	-	-	-	-	1	-	-	1	2	1		
	Mitcham - -	11697	17932	10	-	-	-	-	-	-	-	-	-	-	-	-	-		
39:1	Wimbledon <i>HHH</i> - -	3220	15950	12	3	-	1	-	-	-	-	-	-	-	-	-	1		
2	Kingston <i>WHH</i> - -	8549	36354	27	16	1	8	-	-	-	-	-	-	-	-	1	4		
3	Esher (<i>part of</i>) * - -	6901	9221	8	3	-	-	-	-	-	-	-	-	-	-	-	-		
4	Hampton <i>H</i> - -	4573	13539	9	-	-	-	-	-	-	-	-	-	-	-	-	-		
40:1	Richmond <i>WH</i> - -	2272	21302	1	3	1	-	-	-	-	-	-	-	-	-	-	2		
2	Mortlake - -	941	12331	7	6	3	-	-	-	-	-	-	-	-	1	2	-		
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	25	7	2	1	-	-	-	-	1	1	-	-	-	-		
2	Chislehurst(<i>pt.of</i>)* <i>WHH</i>	13665	15065	8	8	-	3	-	-	-	-	-	-	-	1	1	5		
42:1	Bexley <i>H</i> - - -	13437	24134	-	10	2	4	-	1	-	-	-	-	-	1	1	-		
124:1	Sunbury <i>w</i> - -	11055	11685	6	3	1	1	-	-	-	-	-	1	-	-	-	1		
2	Staines <i>W</i> - -	13277	12089	3	2	-	1	-	-	-	-	-	-	-	-	-	-		
125:1	Hillingdon <i>WH</i> - -	6029	10802	5	2	-	1	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge - -	6178	8225	1	3	1	1	-	-	-	-	-	-	-	-	1	-		
3	Hayes <i>wHL</i> - -	14587	11523	6	5	1	2	-	-	-	-	-	-	-	-	1	-		
126:1	Isleworth <i>W</i> - -	7008	22727	4	5	-	4	-	-	-	-	-	-	-	-	-	3		
2	Twickenham <i>H</i> - -	2477	12479	5	3	-	3	-	-	-	-	-	-	-	-	2	-		
3	Brentford <i>HL</i> - -	4345	27649	17	5	2	2	-	-	-	-	-	-	-	-	1	-		
4	Chiswick - -	1240	15975	14	2	-	-	-	-	-	-	-	-	-	1	1	-		
5	Acton <i>wH</i> - -	6083	22876	12	7	4	2	-	-	-	-	-	-	-	1	1	-		
127:1	Harrow <i>H</i> - -	13809	12796	9	3	2	1	-	1	-	-	-	-	-	1	1	-		
2	Edgware <i>H</i> - -	6994	3749	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden - -	4383	27453	26	13	3	2	-	1	1	1	-	-	-	1	1	-		
4	Hendon <i>W</i> - -	8382	10484	11	6	4	2	-	-	-	-	-	-	-	-	-	2		
128:1	South Mimms - -	15599	6391	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet <i>W</i> - -	5483	10092	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
3	Finchley <i>HL</i> - -	4688	17615	5	10	-	1	-	1	-	-	-	-	-	-	-	6		
129:1	Hornsey <i>H</i> - - -	3039	37078	19	6	2	2	-	-	-	1	-	-	-	-	-	-		
2	Tottenham <i>HH</i> - -	4642	46456	51	22	4	6	-	-	-	1	-	-	-	1	1	1		
3	Edmonton <i>WwW</i> - -	7483	23463	20	9	4	4	-	-	-	-	-	-	1	-	-	4		
4	Enfield <i>WH</i> - -	12653	19104	29	11	2	1	-	2	-	-	1	-	-	-	-	-		
5	Waltham Abbey - -	11017	5368	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt - -	8480	7735	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
125:1	Hatfield (<i>part of</i>) *	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137:1	Bushey - - -	9331	6621	7	6	2	1	-	-	-	-	-	1	-	-	-	-		
186:1	Stratford - - -	882	38606	26	13	8	4	-	1	1	-	-	-	-	-	-	-		
2	West Ham <i>wWwH</i> - -	7351	101053	82	38	9	2	-	-	-	2	2	-	-	1	1	-		
3	Leyton <i>WwL</i> - -	4372	32430	35	24	5	6	-	-	-	-	1	-	-	-	-	9		
4	Walthamstow <i>wH</i> - -	6530	28869	32	10	3	-	-	-	-	1	-	-	-	1	1	-		
187:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	9	2	1	1	-	-	-	-	-	-	-	-	-	-		
189:1	Romford (<i>part of</i>) *	6730	3411	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford - - -	8498	7645	3	4	1	1	-	-	-	-	-	-	-	1	2	-		
3	Barking Town - -	4127	9203	9	7	2	3	-	-	-	1	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warlingham and Faw in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district except the two parishes of Cudham and Knockholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chisle (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 187:1, the whole of Chigwell sub-district, except the parish of They Bois (pop. 575); 189:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 24th October, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,199,166	17.9	1.5	1780	427	439	-	33	21	25	37	14	22	62	325		
INNER LONDON -	78,052	4,083,928	18.6	1.6	1458	347	354	-	27	18	18	31	11	21	50	286		
OUTER RING -	370,282	1,115,238	15.1	1.2	322	80	85	-	6	3	7	6	3	1	12	30		

NOTE.—The area of Greater London is 448,334 acres.

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700,522 square miles, which is equivalent to the area of a circle having a radius of 14,933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA -	433,219	September 5	-	252	30.3	Fever 67; cholera 11; diarrhoeal dis. 40.
BOMBAY -	773,196	" 22	239	397	24.5	Fever 107; cholera 2; diarrhoeal dis. 37.
MADRAS -	398,777	" 11	321	230	30.0	Fever 43; diarrhoeal diseases 44.
PARIS -	2,239,928	October 17	1025	897	20.6	Typd. fev. 43; sm.-px. 5; dip. & cp. 27; inf. diarr. 54.
GENEVA -	71,453	" 17	24	27	19.7	--
BRUSSELS -	436,214	" 10	257	130	15.5	Typ. and typ. fev. 2; diarrhoeal diseases 21.
AMSTERDAM -	366,812	" 17	258	140	19.8	Scarlet fever 7; diphtheria 2; croup 4.
ROTTERDAM -	166,001	" 17	107	68	20.8	Scarlet fever 1.
THE HAGUE -	134,552	" 17	120	56	21.6	Croup 3.
COPENHAGEN -	280,615	" 13	241	88	16.4	Diphtheria 5; diarrhoeal diseases 9.
STOCKHOLM -	200,143	" 3	152	72	18.7	Diphtheria and croup 5; diarr. dis. 13.
CHRISTIANIA -	128,000	" 17	69	45	18.3	Scar. fev. 3; diph. and croup 6.
ST. PETERSBURG	928,016	" 10	-	403	22.7	Typ. & typ. fev. 7; sc. fev. 19; diph. 7; diarr. dis. 48.
BERLIN -	1,279,599	" 3	850	505	20.5	Dip. 34; typ. & typ. fev. 6; sc. fev. 15; diarr. dis. 55.
HAMBURG (State)	497,956	" 10	380	225	23.6	Sc. fev. 8; tp. & typ. fev. 6; dip. & cp. 9; diarr. dis. 32.
DRESDEN -	241,500	" 3	172	101	21.7	Diphtheria and croup 7; measles 3.
BRESLAU -	295,000	" 10	179	134	23.4	Diphtheria 8; diarrhoeal diseases 14.
MUNICH -	244,000	" 17	163	144	30.7	Diphtheria and croup 5; diarrhoeal diseases 28.
VIENNA -	769,889	" 17	489	292	19.7	Sm.-pox 13; diphtheria 2; diarrhoeal diseases 27.
PRAGUE -	272,333	" 17	-	137	26.3	Small-pox 5; scar. fev. 8; diph. and croup 6.
BUDA-PESTH -	429,532	" 3	289	190	23.0	Sm.-pox 7; typ. & typ. fev. 3; diarr. dis. 20.
TRIESTE -	150,157	" 3	-	71	24.6	Small-pox 4; diph. and croup 10.
ROME -	330,430	August 29	204	140	22.1	Typhus and typh. fev. 5; diarrhoeal diseases 28.
NAPLES -	504,795	-	-	-	-	-
TURIN (10 days)	267,763	October 10	-	-	-	-
VENICE -	145,990	" 3	82	62	22.2	Small-pox 10; diph. and croup 2; typ. fev. 2.
MADRID -	475,668	-	-	-	-	-
LISBON -	203,681	-	-	-	-	-
ALEXANDRIA -	331,396	-	-	-	-	-
NEW YORK -	1,356,958	September 23	-	600	23.1	Diphtheria 29; fevers 18; diarrhoeal dis. 84.
BROOKLYN -	665,602	" 26	-	262	20.5	Diphtheria 5; typhoid fever 4; diarr. dis. 31.
PHILADELPHIA -	949,432	October 3	-	337	18.5	Diphtheria 11; typhoid fever 7.
BALTIMORE -	408,520	" 3	-	135	17.2	Diphtheria 11; typhoid fever 4.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 43. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, OCTOBER 31. [Price 1½d.

*General Register Office, Somerset House,
2nd November, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 18·0 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.		Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.
Birkenhead	14·6	19·1	20·7	17·4	Liverpool -	22·5	19·9	22·4	23·4
Birmingham	15·6	17·1	15·7	14·0	London -	16·7	17·2	18·6	17·5
Blackburn	14·8	17·6	22·3	16·7	Manchester	22·7	24·0	22·7	21·8
Bolton -	19·0	18·5	23·2	15·6	Newcastle-on-Tyne	20·1	16·7	22·5	19·8
Bradford -	15·3	14·8	13·6	13·1	Norwich -	16·6	18·9	11·4	9·7
Brighton -	15·5	18·2	20·5	23·7	Nottingham	15·1	14·3	14·8	17·0
Bristol -	14·1	15·5	17·5	18·7	Oldham -	17·8	19·8	18·6	21·5
Cardiff	22·6	23·1	21·0	21·0	Plymouth -	23·3	20·6	21·3	24·0
Derby -	14·0	16·9	15·1	19·8	Portsmouth	21·3	17·4	15·9	15·1
Halifax -	16·9	18·9	18·2	14·8	Preston -	28·6	27·0	19·8	20·3
Huddersfield	14·3	9·0	13·7	23·9	Salford -	20·2	20·7	19·2	21·2
Hull -	16·8	14·0	14·0	15·7	Sheffield	20·1	16·7	18·1	17·1
Leeds	17·7	18·8	17·4	18·6	Sunderland	19·2	18·7	17·1	14·2
Leicester	13·8	11·1	14·9	17·6	Wolverhampton	13·8	21·7	18·4	17·8

The highest annual death-rates from measles, measured by last week's mortality, were 1·4 in Manchester and 2·0 in Newcastle-upon-Tyne; from scarlet fever, 1·0 in Preston and 1·5 in Leicester; from whooping-cough, 1·0 in Preston, 1·1 in Birkenhead, and 1·2 in Sunderland; and from "fever," 1·1 in Cardiff, 1·2 in Portsmouth, and 1·4 in Plymouth. Of the 19 deaths from diphtheria in the twenty-eight towns, 10 occurred in London, and 3 in Liverpool. Small-pox caused 5 deaths in London and its outer ring (exclusive of 5 in the Metropolitan Asylum Ship "Atlas" moored off Dartford), one in Nottingham, and one in Preston.

LONDON.

In LONDON 2581 BIRTHS and 1366 DEATHS were registered. Allowing for increase of population, the births were 227, and the deaths 244, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·7, 17·2, and 18·6 in the three preceding weeks, declined again last week to 17·5. During the first four weeks of the current quarter the death-rate averaged 17·5 per 1000, against 19·6, the mean rate in the corresponding periods of the nine years 1876-84.

The 1366 deaths included 4 from small-pox, 23 from measles, 10 from scarlet fever, 10 from diphtheria, 36 from whooping-cough, 8 from enteric fever, 2 from ill-defined forms of continued fever, 17 from diarrhoea and dysentery, 1 from infantile cholera, and not one from typhus; thus, 111 deaths were referred to these diseases, being 112 below the corrected average weekly number.

Four deaths from small-pox were registered in London last week, whereas in the preceding fortnight no death had been referred to this disease. These 4 deaths were

exclusive of 5 of London residents who died in the Metropolitan Asylum Hospital Ship "Atlas", moored off Dartford and outside Registration London. Of the total 9 fatal cases, 5 occurred in the Metropolitan Asylum Hospitals, one in the Highgate Small-pox Hospital, and 3 in private dwelling-houses. Three belonged to Camberwell, of which 2 occurred in the Hospital Ship "Atlas," and one in a private dwelling-house. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had steadily declined in the twenty-one preceding weeks from 1389 to 99, further fell to 88 on Saturday last; the admissions, which had been 16 and 11 in the two previous weeks, were 14 last week. The Highgate Small-pox Hospital contained 6 patients on Saturday last, 2 having been admitted during the week.

The fatal cases of *measles*, which had been 28 and 27 in the two preceding weeks, declined to 23 last week, and were 8 below the corrected average; 6 belonged to Clerkenwell. The 10 deaths from *scarlet fever* showed a further decline from recent weekly numbers, and were 64 below the corrected average; 2 belonged to St. Luke's, and 2 to Shoreditch. The Metropolitan Asylum Hospitals contained 298 scarlet fever patients on Saturday last, 33 having been admitted during the week. The deaths referred to *diphtheria*, which had been 23 and 18 in the two previous weeks, further declined to 10 last week, and were 5 below the corrected average; 3 occurred in Guy's Hospital, of which 2 were of children admitted from 102, Union Street, St. Saviour Southwark. The 36 fatal cases of *whooping-cough*, showed a further increase upon the numbers returned in the two previous weeks, and exceeded the corrected average by 7; 6 belonged to Islington, 3 to Chelsea, and 3 to Greenwich. The 17 deaths attributed to *diarrhœa* and *dysentery* showed a further decline from recent weekly numbers, and were 13 below the corrected average; 9 were of infants aged under one year.

The deaths referred to *enteric fever*, which had ranged from 16 to 10 in the five preceding weeks, further declined last week to 8, and were 21 below the corrected average; 2 belonged to Battersea in Wandsworth sanitary area. The Metropolitan Asylum Hospitals contained 36 cases of enteric fever, and not one of typhus, on Saturday last; 6 cases of enteric fever were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had increased in the five preceding weeks from 152 to 356, further rose last week to 358, but were 9 below the corrected average.

The death of a child, aged 10 years, in University College Hospital, admitted from 3, Livery Stables, Sharples Hall Street, Pancras, resulted from hydrophobia. This raises the number of deaths referred to this cause in London since the beginning of this year to 20; the average annual number in the ten years 1875-84 being 6.

Different forms of violence caused 43 deaths; 36 were the result of negligence or accident, among which were 11 from fractures and contusions, 10 from burns and scalds, and 9 of infants under one year of age from suffocation. The 11 deaths from fractures and contusions were thus returned:—male, aged 57 years, run over by cab; male 66, and female 54, run over by cart; male 61, fell from plank; females 1 and 10, fell from bed; male 17, fell in ship; male 47, kicked by horse; male 19, kicked by a man; male 16, by shock from machinery on board ship; male 34, by fall. An inquest was held in each of these 11 cases except the last. Five cases of suicide were registered.

GREATER LONDON.

In Greater London 3335 births and 1710 deaths were registered, equal to annual rates of 33·5 and 17·2 per 1000 of the population. In the Outer Ring, 9 deaths from diphtheria, and one from small-pox were registered. Two deaths from diphtheria occurred in Hayes, in Tottenham, and in West Ham sub-districts; and the fatal case of small-pox in Leyton. A death resulted from hydrophobia in Brentford.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·37 in.; the lowest reading was 28·91 in. on Monday at noon, and the highest 29·84 in. on Friday morning. The mean temperature of the *air* was 44°·0, and 4°·2 below the average in the corresponding week of the 20 years ending 1868. The mean showed a small excess on Monday, but was considerably below the average on each of the other days of the week. The direction of the *wind* was variable, and the horizontal movement of the *air* averaged 15·5 miles per hour, which was 4·1 above the average in the corresponding week of 16 years. *Rain* fell on four days of the week, to the aggregate amount of 0·80 of an inch. The duration of registered bright sunshine in the week was 13·3 hours, against 19·7 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY in 28 GREAT TOWNS, during the Week ending 31st October, 1885.

CITIES AND BOROUGHES.	POPULATION estimated middle of the Year 1885.	Registered during the Week ending 31st Oct., 1885.			The DEATHS registered in the Week include												TEMPERATURE OF THE AIR.				RAINFALL.		Cols.	
		1.	2.	3.	Deaths of Persons aged 60 Years 1 Year of Age.	Deaths from								Annual Rate per 1000, corresponding to the Week's Deaths	Mean.			In Inches.	In Cent.					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.		Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.			From All Causes.	From Diseases C-12.	Highest.		Lowest.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.
28 TOWNS.	8,606,446	5895	3075	778	696	6	65	33	19	64	32	54	104	205	504	76	180	1.6	58.2	28.8	42.5	5.84	1.38	3.51
LONDON.	4,083,928	2581	1366	323	334	4	23	10	10	36	10	17	43	94	291	12	17.5	1.4	57.1	32.3	44.0	6.67	0.80	2.03
BRIGHTON.	114,672	73	52	12	18	-	2	-	1	1	-	-	1	2	10	1	23.7	1.8	54.7	36.5	42.9	6.06	1.17	2.97
PORTSMOUTH.	134,659	89	39	6	5	-	-	-	1	1	3	1	1	4	4	-	13.1	2.3	-	-	-	-	-	-
NORWICH.	91,215	74	17	3	5	-	-	-	-	-	-	-	-	-	-	-	9.7	0.0	-	-	-	-	-	-
PLYMOUTH.	76,045	35	35	8	13	-	-	-	-	-	2	-	2	4	1	-	24.0	1.4	57.0	33.8	45.6	7.56	1.84	4.67
BRISTOL.	218,169	148	78	24	22	-	3	-	-	-	1	1	4	5	8	3	18.7	1.2	58.2	33.2	43.5	6.39	0.55	1.40
WOLVERHAMPTON.	79,185	54	27	8	7	-	-	-	-	-	-	-	-	-	4	-	17.8	0.0	55.0	28.8	40.5	4.72	1.35	3.43
BIRMINGHAM.	427,769	287	115	30	28	-	1	-	1	1	2	6	4	11	17	1	14.0	1.3	-	-	-	-	-	-
LEICESTER.	136,147	95	46	11	12	-	-	4	1	-	-	-	-	8	6	3	17.6	1.9	-	-	-	-	-	-
NOTTINGHAM.	211,424	138	69	18	19	1	3	1	-	-	-	-	5	7	6	1	17.0	1.2	55.4	33.1	42.6	5.90	1.43	3.63
DERBY.	89,691	73	34	10	3	-	-	1	-	-	-	-	1	3	2	3	19.8	0.6	-	-	-	-	-	-
BIRKENHEAD.	93,093	75	31	5	6	-	1	1	-	2	-	-	-	1	2	2	17.4	2.2	-	-	-	-	-	-
LIVERPOOL.	579,724	397	200	65	38	-	6	4	3	8	6	4	12	16	50	8	23.4	2.8	51.4	36.0	42.6	5.90	2.04	5.18
BOLTON.	110,085	62	33	10	7	-	-	-	-	-	-	2	2	2	1	-	15.6	0.9	50.0	30.8	39.8	4.34	3.04	7.72
MANCHESTER.	337,342	219	141	35	24	-	9	-	-	2	-	4	8	14	30	3	21.8	2.3	-	-	-	-	-	-
SALFORD.	204,075	155	83	26	8	-	4	3	-	3	-	2	4	5	15	6	21.2	3.1	-	-	-	-	-	-
OLDHAM.	126,390	79	52	18	10	-	3	1	-	1	-	-	2	2	6	2	21.5	2.1	-	-	-	-	-	-
BLACKBURN.	112,574	70	36	13	8	-	-	-	1	1	1	1	1	1	1	1	16.7	0.9	-	-	-	-	-	-
PRESTON.	100,406	83	39	14	8	1	-	2	-	2	-	4	-	1	3	2	20.3	4.7	51.0	33.0	41.9	5.50	1.01	2.57
HUDDESFIELD.	87,327	36	40	11	14	-	-	-	-	-	-	-	-	-	5	2	23.9	0.0	-	-	-	-	-	-
HALIFAX.	77,378	41	22	2	8	-	-	-	-	-	-	-	-	-	2	-	14.8	0.0	-	-	-	-	-	-
BRADFORD.	214,431	144	54	10	16	-	2	-	-	1	1	2	-	2	2	-	13.1	1.5	51.3	34.0	42.0	5.56	1.20	3.05
LEEDS.	333,139	242	119	33	29	-	1	1	-	3	2	3	5	7	12	2	18.6	1.6	53.0	35.0	43.4	6.33	0.98	2.49
SHEFFIELD.	305,716	209	100	33	21	-	-	-	1	-	-	5	3	4	10	8	17.1	1.0	51.0	31.0	40.8	4.89	2.09	5.31
HULL.	186,292	145	56	11	12	-	-	2	-	-	-	-	1	2	5	7	15.7	0.6	55.0	32.0	42.1	5.62	0.86	2.44
SUNDERLAND.	125,327	87	34	10	9	-	-	-	3	1	-	-	-	1	2	3	14.2	2.1	-	-	-	-	-	-
NEWCASTLE.	153,309	115	58	11	9	-	6	2	-	-	1	-	3	5	5	3	19.8	3.1	50.0	36.0	42.7	5.95	0.89	2.26
CARDIFF.	97,034	89	39	18	3	-	1	-	1	-	2	2	3	4	2	3	21.0	3.2	-	-	-	-	-	-
EDINBURGH.	250,616	152	75	8	17	-	-	1	2	2	-	2	5	?	14	12	15.6	1.5	49.2	27.4	40.9	4.84	0.46	1.17
GLASGOW.	519,965	371	273	68	48	-	1	9	4	6	3	7	10	?	43	39	27.4	3.0	49.8	22.0	40.6	4.78	1.27	3.23
DUBLIN.	353,082	167	173	34	39	-	-	4	-	4	4	-	8	3	49	30	25.6	1.8	52.6	30.1	43.2	6.22	0.94	2.39

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FORTY-THIRD Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2566	2431	2474	2509	2547	2490	2753	2570	2724	2694	2807·8	2581
Males . .	1312	1201	1263	1304	1280	1310	1378	1336	1366	1391	1432·9	1338
Females . .	1254	1230	1211	1196	1267	1180	1375	1234	1358	1303	1374·9	1243
TOTAL Deaths	1477	1277	1499	1446	1561	1521	1588	1466	1450	1463	1608·2	1366
Males . .	758	677	775	744	831	796	822	767	753	744	836·0	696
Females . .	719	600	724	702	730	725	766	699	697	719	772·2	670

* The numbers in this column are the average weekly numbers in the forty-third week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.
TOTAL Births - -	2164	2885	2535	2413	2538	2330	2542	2438	2516	2491	2582	2572	2581
TOTAL Deaths - -	1720	1472	1473	1371	1238	1221	1231	1081	1251	1309	1346	1458	1366
0—20 - -	1062	870	790	718	619	585	536	490	575	579	632	630	596
20—40 - -	173	144	175	180	163	174	191	170	185	191	181	206	179
40—60 - -	218	201	237	207	231	205	243	184	217	252	225	268	257
60—80 - -	219	212	221	227	183	213	211	186	240	246	244	284	268
at 80 years & upwds.	48	45	50	44	42	44	50	51	34	41	64	70	66
Deaths of children { Under 1 year - -	687	555	499	408	362	303	284	260	304	309	319	347	323
{ 1—5 - -	287	232	214	230	192	203	172	149	167	187	231	206	191
{ 5—20 - -	88	83	77	75	65	79	80	81	104	83	82	77	82
Deaths from Small-pox* - -	14	15	5	9	6	9	8	11	7	3	-	-	9
" " Measles - -	58	49	38	55	46	25	14	15	20	17	28	27	23
" " Scarlet Fever - -	20	9	12	12	14	15	20	16	14	21	22	18	10
" " Diphtheria - -	20	13	13	14	16	22	25	18	24	14	23	18	10
" " Whooping-cough - -	41	44	43	45	30	39	25	26	22	34	29	31	36
" " Typhus - -	-	3	-	-	-	1	-	-	1	2	-	-	-
" " Enteric fever - -	10	13	15	14	8	12	9	14	16	12	10	11	8
" " Simple Cont ^a fever - -	4	1	1	3	-	1	3	3	1	6	-	-	2
" " Diarrhœa and } " " Dysentery - }	309	222	163	121	83	62	40	49	42	35	27	21	17
" " Cholera - -	11	5	7	6	3	-	1	1	1	1	-	-	1
Deaths from the above-mentioned Diseases* }	487	374	297	279	206	186	145	153	148	145	140	126	116
" " Dis. of Respira- } " " tory System }	184	162	165	201	159	175	152	159	205	231	301	356	358
" " Phthisis - -	159	134	151	157	147	139	155	150	159	146	161	165	158
" " Dis. of Circula- } " " tory System }	89	85	110	94	97	90	106	83	84	116	87	130	100
Violent Deaths - -	47	55	53	52	38	48	49	45	45	62	44	50	43
Inquest Cases - -	93	98	92	81	76	88	93	80	89	109	82	108	94
Deaths in Public Institutions	297	260	292	302	259	279	288	234	285	285	265	286	291
TEMPERATURE OF THE AIR:													
Mean - -	59·4	59·6	58·2	57·6	57·2	56·3	57·7	52·7	49·6	47·6	45·4	45·1	44·0
Mean of Highest readings - -	70·8	72·5	69·4	68·4	68·1	66·1	66·3	62·5	57·8	59·9	52·1	50·5	49·8
Mean of Lowest readings - -	51·1	49·9	49·4	49·2	48·6	49·3	51·2	43·8	42·1	36·9	38·5	40·8	38·4
Humidity of the Air - -	77	74	80	75	79	85	86	77	84	84	82	89	84
Rain-fall in inches - -	0·46	0·09	0·14	0·61	0·40	1·93	0·36	0·18	0·52	1·09	0·44	0·94	0·80
Registered Sunshine (in hours)	28·8	48·4	19·7	25·7	26·9	21·1	15·4	34·1	16·6	14·4	13·9	5·6	13·3

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cam Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbott, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.L.C.S., Preston; D. Doncaster, jun., Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Piltner, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-THIRD Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 43rd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 31st October, 1885.										CAUSES OF DEATH.	Corrected Averages for the 43rd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 31st October, 1885.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		Deaths of Persons of the Ages												Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.					ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			0-1.	1-5.	5-20.										0-1.	1-5.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
ALL CAUSES	1608.2	1366	323	191	82	179	257	268	66		Diseases of Organs of Special Sense †	1.3	2	-	-	1	1	-	-	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased was, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 5 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHHERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (or TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHOEA, VIOLENCE, INQUEST CASES, DEATHS in PUBLIC INSTITUTIONS, and UNREGISTERED CAUSES during the Week ending

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Deaths from														
			Total DEATHS during the Week.	Deaths of														
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON		3,816,483	2581	1366	323	33	4	23	10	10	36	-	8	2	17	43	94	291
WEST DISTRICTS		669,633	364	281	53	56	-	5	-	-	5	-	3	-	8	6	12	56
NORTH DISTRICTS		805,947	579	506	70	77	1	4	2	4	11	-	1	2	1	11	25	63
CENTRAL DISTRICTS		282,238	171	111	26	21	-	6	2	-	1	-	1	-	-	4	10	30
EAST DISTRICTS		692,738	513	260	60	64	1	1	3	2	7	-	1	-	4	12	36	72
SOUTH DISTRICTS		1,265,927	954	464	114	116	2	7	3	4	12	-	2	-	7	10	21	75
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.		69888	47	24	5	5	-	2	-	-	-	-	-	-	1	-	-	6
St. John Paddington H - - G.J.		37380	13	18	-	6	-	-	-	-	-	-	-	-	-	2	-	3
Kensington Town WH - - W.M.		120141	55	33	6	14	-	-	-	-	-	-	-	-	-	-	-	5
Brompton H - - W.M. & C.		43010	12	9	4	3	-	-	-	-	-	-	-	-	-	-	-	1
St. Peter Hammersmith - - W.M.		7599	2	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-
St. Paul Hammersmith H W.M. & G.J.		64340	47	23	9	1	-	-	-	-	1	-	-	-	1	-	-	-
Fulham WH - - W.M. & C.		42900	56	22	8	7	-	-	-	-	-	-	-	-	1	2	4	3
Chelsea South HHH - - C.		30896	15	22	6	2	-	-	-	1	-	-	-	-	-	-	-	15
Chelsea North-west WHHHH - - C.		24925	13	21	2	6	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North-east - - C.		32807	23	12	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanover Square H - - G.J.		16862	5	-	-	2	-	-	-	-	-	-	-	-	-	-	-	5
May Fair W - - G.J.		18491	3	6	-	4	-	1	-	-	-	-	-	-	-	-	-	5
Belgrave WHH - - C.		59220	22	15	2	4	-	-	-	1	-	-	-	-	-	-	-	1
St. John Westminster HH - - C.		35496	21	7	1	1	-	-	-	-	-	-	-	-	1	-	-	4
St. Margaret Westminster H - - C.		24679	12	6	1	4	-	-	-	-	-	-	-	-	-	-	-	3
St. James Westminster WH N.R. & G.J.		29941	11	8	1	4	-	-	-	-	-	-	-	-	-	1	1	-
St. Anne Soho HHHHH - - N.R.		16608	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone HHHH - W.M.		26759	12	15	4	2	-	-	-	1	2	-	-	-	-	1	2	7
Cavendish Square HHH - - W.M.		14891	6	3	1	2	-	-	-	-	-	-	-	-	-	-	1	2
Rector Marylebone WH G.J. & W.M.		24809	15	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone HHH G.J. & W.M.		21118	18	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone H - - W.M.		38700	19	7	2	1	-	-	-	-	-	-	-	-	-	1	1	-
St. John Marylebone H - - W.M.		33633	16	8	1	3	-	-	-	-	-	-	-	-	-	2	2	-
Hampstead WHHHH - N.R. & W.M.		45452	18	16	5	3	1	1	1	-	-	-	-	-	-	1	4	1
Regent's Park Pancras H - - W.M.		39115	19	14	2	7	-	-	-	1	-	-	-	-	-	1	-	-
Tottenham-court WHHHH N.R. & W.M.		27729	12	13	1	3	-	-	1	-	-	-	-	-	-	1	2	9
Gray's Inn Lane HHH - - N.R.		30247	26	10	3	2	-	-	-	-	-	-	-	-	-	-	-	2
Somers Town H - - N.R.		34389	13	8	2	2	-	-	-	1	-	-	-	-	-	-	-	1
Camden Town WH - - N.R.		17311	17	15	4	5	-	-	-	-	-	-	-	-	-	1	1	12
Kentish Town W - - N.R.		67487	54	32	9	8	-	1	1	-	-	-	-	-	-	-	-	8
Upper Holloway WWWH - - N.R.		67946	50	30	8	10	1	-	-	3	-	-	-	-	-	-	-	11
Islington South-west HH - - N.R.		100976	78	33	9	6	1	-	-	1	-	1	-	-	-	2	5	-
Islington South-east - - N.R.		118326	41	23	3	7	-	1	-	1	-	-	-	-	-	-	-	-
Highbury H - - N.R.		52048	34	9	2	2	-	-	-	1	-	-	-	-	-	1	2	-
Stoke Newington H - - N.R.		22781	19	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - E.L.		9277	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney - - N.R.		37610	16	8	3	8	-	-	-	-	-	-	-	-	-	-	-	-
Hackney WHHHH - - E.L. & N.R.		76911	61	25	8	8	-	-	-	1	1	-	-	-	-	1	1	4
South Hackney - - E.L.		39888	21	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.		16681	14	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - - N.R.		14864	4	4	2	1	-	-	-	-	1	-	-	-	-	-	1	1
St. Giles North - - N.R.		13837	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.		17508	12	8	-	1	-	-	-	-	-	-	-	-	-	-	-	5
St. Mary-le-Strand H - - N.R.		7515	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes H - - N.R.		8559	4	6	-	2	-	-	-	-	-	-	-	-	-	1	3	3
St. George-the-Martyr HHHHHH N.R.		18671	11	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Eastern W - - N.R.		10706	4	5	1	3	-	-	-	-	-	-	-	-	-	-	-	2
Saffron Hill H - - N.R.		6538	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	2
St. James Clerkenwell - - N.R.		17516	13	6	2	1	-	1	-	-	-	-	-	-	-	1	-	-
Amwell Clerkenwell - - N.R.		16281	15	11	3	1	-	4	-	-	-	-	-	-	-	1	-	-
Pentonville - - N.R.		14773	4	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - N.R.		17506	14	5	2	-	-	1	-	1	-	-	-	-	-	-	-	-
Old-street H - - N.R.		11541	7	5	2	1	-	-	1	-	-	-	-	-	-	-	-	-
City-road HHH - - N.R.		13623	24	8	4	-	-	-	-	1	-	-	-	-	-	1	1	3
Whitecross-street - - N.R.		9217	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - N.R.		7463	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - N.R. & E.L.		11174	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - N.R.		7193	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - - N.R.		5358	2	14	1	1	-	-	-	-	-	1	-	-	-	2	2	14
St. Bride W - - N.R.		3596	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - N.R.		13666	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.		5652	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; M—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts: G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
Saturday, the 31st October, 1885.

			The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.			Enne- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of										Deaths from						
						Infants under 1 Year of age	Persons aged 40 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Zinteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
EAST DISTRICTS.																						
Holywell Shoreditch	-	N.R. & E.L.	7376	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-				
St. Leonard Shoreditch	HL†	- N.R.	14967	7	6	1	2	-	-	1	-	-	-	-	-	1	-	-				
Horton New Town	W	- N.R.	28937	22	5	-	3	+	-	-	-	-	-	-	-	-	2	-				
Horton Old Town	-	- N.R.	28036	29	9	5	1	-	-	1	-	-	-	-	-	1	-	-				
Jaggerston	WH	- N.R. & E.L.	46276	36	13	3	4	-	-	-	1	-	-	1	1	1	5	-				
Blackney-road	H-	- E.L.	26738	25	10	2	1	-	-	-	-	-	-	-	-	2	1	-				
Green, Bethnal Green	WBL†	- E.L.	47932	38	24	3	3	-	-	-	-	1	-	-	1	1	9	-				
Church, Bethnal Green	-	- E.L.	29981	24	7	3	2	-	-	-	1	-	-	-	-	1	-	-				
Town, Bethnal Green	-	- E.L.	19810	17	6	1	1	-	-	-	-	-	-	-	-	-	-	-				
Spitalfields	H-	- E.L. & N.R.	22585	15	5	-	-	-	-	-	-	-	-	-	1	2	-	-				
Mile End New Town	W	- E.L.	15473	17	12	9	4	-	-	-	-	-	-	-	1	2	3	-				
Whitechapel Church	H	- E.L. & N.R.	17490	12	3	1	-	-	-	-	-	-	-	-	3	3	6	-				
Goodman's Fields	-	- E.L.	9713	12	3	-	-	-	-	1	-	-	-	-	-	-	-	-				
Aldgate	-	- N.R. & E.L.	6102	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-				
St. George's North	-	- E.L.	38747	20	9	1	2	-	-	-	1	-	-	-	-	-	-	-				
St. John, St. George East	W	- E.L.	5410	2	3	-	1	-	-	-	-	-	-	-	-	2	-	-				
Shadwell	H-	- E.L. & N.R.	16895	8	8	2	-	-	-	1	-	-	-	-	-	-	6	-				
Ratcliff	-	- E.L.	16107	10	5	2	1	-	-	-	-	-	-	-	-	2	-	-				
Limehouse	-	- E.L.	82041	22	11	7	2	-	-	-	1	-	-	-	1	2	-	-				
Mile End Old Town West	-	- E.L.	37960	26	13	3	4	1	-	-	-	-	-	-	-	-	-	-				
Mile End Old Town East	WWWH-E.L.	- E.L.	67653	43	38	9	11	-	1	1	-	1	-	1	-	3	10	1				
Bow	-	- E.L.	37074	40	11	5	3	-	-	-	-	-	-	-	-	1	-	-				
Bromley	WWWH-H-	- E.L.	64859	39	40	6	10	-	-	-	1	-	-	1	3	4	19	-				
Poplar	WWWH	- E.L.	55077	42	14	5	4	-	-	-	-	-	-	1	-	-	2	1				
SOUTH DISTRICTS.																						
Christchurch Southwark	WH	- L. & S.	15663	8	4	1	2	-	-	-	-	-	-	-	-	-	3	-				
St. Saviour Southwark	-	- S.	14999	14	4	1	-	-	-	-	-	-	-	-	-	-	-	-				
Kent-road	-	- S. & L.	21851	12	7	1	1	-	-	-	-	-	-	-	-	-	-	-				
Borough-road	WH.	- S. & L.	16963	13	7	2	2	-	-	1	-	-	-	-	-	2	-	-				
London-road	HL	- L. & S.	21318	14	5	1	-	-	-	-	-	-	-	-	-	-	-	-				
Trinity Newington	-	- S. & L.	26672	17	7	1	2	-	-	1	-	-	-	-	-	-	-	-				
St. Peter Walworth	W	- S. & L.	59555	53	28	4	7	-	-	2	-	-	-	1	-	-	13	-				
St. Mary Newington	-	- L. & S.	51623	10	10	3	2	-	-	-	-	-	-	-	-	-	-	-				
St. Olave	WH	- S.	11956	17	13	1	3	-	-	-	3	-	-	-	2	2	12	-				
Leather Market	-	- S. & L.	16300	12	2	1	-	-	-	-	-	-	-	-	-	2	-	-				
St. Mary Magdalen	W	- S.	15669	11	9	1	4	-	-	-	-	-	-	1	1	1	3	-				
St. James Bermondsey	-	- S.	54683	50	18	6	5	-	-	-	-	-	-	-	-	-	-	-				
Rotherhithe	W.	- S. & K.	36024	25	14	6	2	-	-	-	1	-	-	-	1	1	2	-				
Waterloo-road 1st	H-	- L. & S.	15195	12	9	2	1	-	-	-	-	-	-	-	-	-	-	-				
Waterloo-road 2nd	H-	- L. & S.	16361	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
Lambeth Church 1st	H	- L. & S.	19876	18	14	4	1	-	-	1	-	-	-	-	1	2	6	-				
Lambeth Church 2nd	WW	- L. & S.	39859	27	10	6	7	-	-	-	-	-	-	-	1	1	7	-				
Kennington 1st	-	- S. & L.	45232	20	14	2	2	-	-	1	1	-	-	-	-	-	1	-				
Kennington 2nd	-	- S. & L.	33382	14	7	1	4	-	-	-	-	-	-	-	-	-	-	-				
Brixton	WW	- L. & S.	62837	38	17	3	3	-	-	1	-	-	-	-	-	3	-	-				
Northwood	W	- L.	19017	13	6	1	3	-	-	-	-	-	-	-	-	-	-	-				
Clapham	H-	- S.	36850	53	10	2	4	-	-	-	-	-	-	-	-	-	1	-				
East Battersea	-	- S.	55655	47	26	8	9	-	-	-	-	-	-	1	-	-	5	1				
West Battersea	WW	- S.	27570	43	27	5	7	-	-	1	-	-	-	-	-	-	-	-				
Wandsworth	HL	- S.	28604	31	8	-	-	-	-	-	-	-	-	-	-	-	-	-				
Putney	-	- S.	13235	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-				
Streatham	-	- L.	25553	28	13	6	1	-	-	-	-	-	-	-	-	-	-	-				
Dulwich	-	- L. & S.	5590	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-				
Camberwell	WLLA	- S. & L.	5004	57	22	5	7	-	-	-	-	-	-	-	-	-	4	-				
Peckham	W-	- S., L., & K.	71439	49	22	7	7	1	-	-	-	-	-	-	-	3	1	5				
St. George Camberwell	-	- L. & S.	40810	51	15	6	3	-	-	-	-	-	-	2	1	1	-	-				
St. Paul Deptford	WW	- K.	76752	61	27	8	4	-	-	1	-	2	-	-	-	1	-	1				
St. Nicholas Deptford	-	- K.	7501	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
Greenwich West	H	- K.	21972	11	7	1	2	-	-	-	-	-	-	-	2	1	3	-				
Greenwich East	WHH	- K.	54608	22	15	-	6	-	-	-	-	1	-	-	-	-	-	-				
Eltham	H-	- K.	5827	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Lee	-	- K.	21559	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-				
Lewisham	WH	- K.	19865	22	13	4	3	-	-	-	2	-	-	-	-	-	1	-				
Sydenham	H	- L.	20076	16	5	1	1	-	-	-	-	-	-	-	-	-	-	-				
Charlton	H-	- K.	10930	6	4	1	-	1	-	-	-	-	-	-	-	-	2	-				
Woolwich Dockyard	-	- K.	17617	17	4	-	1	-	-	-	-	-	-	-	-	-	-	-				
Woolwich Arsenal	HHH	- K.	19043	17	9	2	3	-	-	-	-	-	-	-	-	-	-	-				
Plumstead, West	H	- K.	14009	11	5	1	3	-	-	-	-	-	-	-	-	-	-	-				
Plumstead, East	W	- K.	19241	12	9	2	4	-	-	-	1	-	-	1	-	-	4	-				

The following WAREHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by *:-

Marylebone Infirmary in Kensington Town sub-district.	
Central London Sick Asylum, in Tottenham Court-road sub-district.	
Holborn Infirmary " " Upper Holloway sub-district.	
London City Workhouse " Hackney sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Stepney " Bromley sub-district. Bromley sub-district.
Holborn " " Hoxton New Town sub-district.	Poplar & Stepney Sick Asylum
Whitechapel " " Mile End Old Town Eastern sub-dist.	Westminster Union Industrial School in West Battersea sub-district. Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hack- ney, Brixton, and St. Paul, Dearsford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 31st October, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING		370,282	950,178	754	344	79	78	1	3	3	9	6	5	7	7	16	36	7
30:1	Carshalton <i>wL</i> - -	12298	21118	18	10	1	2	-	-	-	-	-	-	-	-	-	6	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	8	5	-	1	-	-	1	-	-	-	-	-	-	1	-
37:1	Godstone (<i>part of</i>) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon <i>WwH</i> - -	20851	101241	69	28	8	7	-	-	-	-	-	-	-	2	2	4	-
	Mitcham - -	11697	17932	9	9	1	5	-	-	-	-	-	1	-	-	-	1	1
39:1	Wimbledon <i>HHH</i> - -	3220	15950	15	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Kingston <i>WHH</i> - -	8549	36354	26	7	1	2	-	1	-	-	1	-	-	1	1	-	-
3	Esher (<i>part of</i>) * -	6601	9221	4	4	1	2	-	-	-	-	-	-	1	-	-	-	-
4	Hampton <i>H</i> - -	4573	13539	5	7	1	2	-	-	-	-	-	-	-	1	1	-	-
40:1	Richmond <i>WH</i> - -	2272	21302	14	8	-	3	-	-	-	-	-	-	-	-	-	3	-
2	Mortlake - -	941	12331	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	23	6	-	1	-	-	-	1	-	-	-	-	-	-	-
2	Chislehurst(<i>pt.of</i>)* <i>WHH</i>	13665	15065	4	3	-	3	-	-	-	-	-	-	-	-	-	2	-
42:1	Bexley <i>H</i> - -	13437	24134	14	4	-	2	-	-	-	-	-	-	-	-	-	-	-
124:1	Sunbury <i>w</i> - -	11055	11685	9	2	1	-	-	-	-	-	-	-	-	-	1	-	-
2	Staines <i>W</i> - -	13277	12089	4	4	1	1	-	-	-	-	-	1	-	-	-	-	-
125:1	Hillingdon <i>WH</i> - -	6029	10802	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - -	6178	5225	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes <i>wHL</i> - -	14587	11523	6	8	4	1	-	-	-	2	-	-	1	-	-	1	-
126:1	Isleworth <i>W</i> - -	7008	22727	17	4	1	-	-	-	-	-	-	-	1	-	-	1	-
2	Twickenham <i>H</i> - -	2477	12479	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford <i>HL</i> - -	4845	27649	26	4	-	2	-	-	-	-	-	-	-	-	1	1	-
4	Chiswick - -	1340	15975	16	5	1	1	-	-	-	1	-	-	1	-	-	-	-
5	Acton <i>wH</i> - -	6083	22876	26	8	2	3	-	-	-	-	-	-	-	-	-	-	-
127:1	Harrow <i>H</i> - -	13809	12796	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>H</i> - -	6994	3749	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willisden - -	4383	27453	22	8	1	2	-	-	-	-	1	-	-	-	-	-	-
4	Hendon <i>W</i> - -	8382	10484	6	2	-	1	-	-	-	-	-	-	-	-	-	2	-
128:1	South Mimms - -	15599	6391	1	7	2	2	-	-	1	-	-	-	-	-	-	-	-
2	Barnet <i>W</i> - -	5483	10092	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-
0	Finchley <i>WH</i> - -	4688	17613	10	4	1	0	-	-	-	-	-	-	-	-	-	-	-
129:1	Hornsey <i>H</i> - -	3039	37078	37	9	5	-	-	-	-	-	-	-	-	1	1	-	-
2	Tottenham <i>HH</i> - -	4642	46456	62	25	8	7	-	-	-	2	1	-	-	-	3	-	-
3	Edmonton <i>Wwv</i> - -	7483	23463	15	12	3	5	-	1	-	-	-	-	-	2	1	1	6
4	Enfield <i>WH</i> - -	12653	19104	13	4	1	-	-	-	-	1	1	-	-	-	-	-	-
5	Waltham Abbey - -	11017	5368	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - -	8480	7735	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
135:1	Hatfield (<i>part of</i>) * -	3806	538	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey - -	9331	6621	2	5	-	2	-	-	-	-	-	-	-	-	-	-	-
136:1	Stratford - -	882	38606	21	16	3	4	-	-	-	-	1	-	-	-	2	-	-
2	West Ham <i>wvwwH</i> - -	7351	101063	114	66	16	6	-	1	-	2	1	1	-	-	2	-	6
3	Leyton <i>WwL</i> - -	4372	32480	27	21	6	4	1	-	1	-	-	1	-	-	-	6	-
4	Walthamstow <i>wH</i> - -	6520	28869	29	8	3	1	-	-	-	-	-	-	1	-	-	-	-
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9669	4	4	-	-	-	-	-	-	-	1	-	-	-	-	-
139:1	Romford (<i>part of</i>) * -	6730	3411	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - -	8493	7645	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town - -	4127	9203	11	2	-	-	-	-	-	-	-	-	-	1	1	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warrington and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1933); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813); 41:2, the whole of Chislehurst sub-district, except the parish of Chelsfield (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 31st October, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from												Deaths in Public Institutions.	
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.					
GREATER LONDON	448,334	5,199,166	17.2	1.4	1710	402	412	5	26	13	19	42	15	24	50	327					
INNER LONDON -	78,052	4,083,928	17.5	1.4	1366	323	334	4	23	10	10	36	10	17	43	291					
OUTER RING -	870,282	1,115,238	16.1	1.6	344	79	78	1	3	3	9	6	5	7	7	36					

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal 700.522 square miles, which is equivalent to the area of a circle having a radius of 14.933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA	433,210	September 12	-	-	-	-
BOMBAY	773,196	" 29	327	422	20.0	Fevers 125; diarrhoeal diseases 29.
MADRAS	308,777	" 18	301	252	32.8	Fevers 50; diarrhoeal diseases 48.
PARIS	2,239,928	October 24	1164	913	21.2	Typh. fev. 45; sm.-px. 6; dip. & cp. 26; inf. diarr. 62.
GENEVA	71,453	" 24	22	31	22.6	Typh. and typhd. fev. 1.
BRUSSELS	436,214	" 17	229	127	15.1	Typh. and typhd. fev. 1; diarrhoeal diseases 19.
AMSTERDAM	366,812	" 24	250	129	18.3	Diphtheria 4; croup 3.
ROTTERDAM	166,001	" 24	128	75	23.0	Scarlet fever 2.
THE HAGUE	134,552	" 24	101	51	19.7	Croup 2.
COPENHAGEN	280,615	" 20	228	72	13.4	Typhoid fever 1; diarrhoeal diseases 5.
STOCKHOLM	200,143	" 10	165	68	17.7	Diphtheria and croup 8; diarr. dis. 11.
CHRISTIANIA	128,000	" 24	76	44	17.8	Scar. fev. 4; diph. and croup 8.
ST. PETERSBURG	928,016	" 17	-	407	22.9	Typhus and typh. fev. 11; sc. fev. 19; diarr. dis. 62.
BERLIN	1,279,599	" 10	891	509	20.7	Diph. 41; typh. & typhd. fever 5; scar. fev. 8.
HAMBURG (State)	497,956	" 17	348	225	23.6	Diphtheria and croup 11; sc. fev. 7; diarr. dis. 38.
DRESDEN	241,500	" 10	162	92	19.8	Diphtheria 10; scarlet
BRISLAU	200,000	" 17	185	147	25.7	Diphtheria 7; diarrhoeal diseases 10.
MUNICH	244,000	" 24	172	119	25.4	Diphtheria and croup 4; diarrhoeal diseases 15.
VIENNA	769,889	" 24	486	313	21.1	Sm.-pox 14; diphtheria 6; fevers 4.
PRAGUE	272,333	" 24	-	128	24.5	Small-pox 9; scarlet fever 7.
BUDA-PESTH	429,532	" 10	307	191	23.1	Sm.-pox 9; typh. & typhd. fever 4; diarr. dis. 25.
TRIESTE	150,157	" 10	-	85	20.4	Small-pox 2; diph. and croup 8.
ROME	380,430	September 5	-	-	-	-
NAPLES	504,795	-	-	-	-	-
TURIN (10 days)	267,763	October 10	-	-	-	-
VENICE	145,990	" 10	65	72	25.7	Sm.-pox 9; typhd. fev. 2.
MADRID	475,668	-	-	-	-	-
LISBON	203,681	-	-	-	-	-
ALEXANDRIA	331,596	-	-	-	-	-
NEW YORK	1,356,958	October 3	-	543	20.9	Small-pox 3; diphtheria 10; diarrhoeal dis. 59.
BROOKLYN	665,602	" 3	-	226	17.7	Scar. fev. 4; diphtheria 7; diarrhoeal diseases 17.
PHILADELPHIA	949,432	" 10	-	340	18.7	Diphtheria 10; typhoid fever 14; scar. fev. 6.
BALTIMORE	408,520	" 10	-	157	20.1	Diphtheria 9; typhoid fever 3.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 31st OCTOBER, 1885.
[Under the Superintendence of the Astronomer Royal.]

MOON.	READINGS OF THERMOMETERS.										DIFFERENCE				WIND.				Ozone.					
	Baromet.					Thermometers.					As deduced from Anemometers.				As deduced from Anemometers.									
	Inches.					Fahrenheit.					General Direction.				General Direction.									
	Max.	Min.	Mean.	Dew Point.	Wet Bulb.	Max.	Min.	Mean.	Dew Point.	Wet Bulb.	A.M.	P.M.	Great-est.	Least.	A.M.	P.M.	Great-est.	Least.						
	OCTOBER.																							
SUN.	25	29.456	49.6	36.8	12.8	41.2	37.2	69.3	29.8	47.6	47.6	0.0	9.1	1.0	0.0	W. & W.N.W.	W. & S.W.	0.9	0.0	285	15	0.00	1.5	
MON.	26	28.991	57.1	43.0	14.1	50.5	46.8	77.9	31.9	48.4	47.5	3.7	7.6	0.8	0.0	S.W. & W.N.W.	W. & W.N.W.	7.5	0.0	484	213	0.20	9.5	
TUES.	27	29.229	49.9	39.0	10.9	44.5	36.0	80.2	32.0	48.2	47.9	8.5	14.9	3.5	0.0	W. & W.N.W.	W.N.W. & W.S.W.	12.0	0.0	480	208	0.00	0.0	
WED.	28 (Greatest Dec.N.)	29.324	48.6	37.4	11.2	43.1	35.4	80.0	30.2	47.8	45.9	7.7	14.1	1.2	0.0	W. & W.S.W.	W.N.W.	7.1	0.0	525	+252	0.01	0.0	
THURS.	29 (Perigee.)	29.696	50.4	39.8	10.6	44.9	38.9	81.3	32.0	47.6	46.9	6.0	10.0	1.4	0.0	N.W. & N.	N.	3.0	0.0	349	+75	0.00	0.0	
FRI.	30 (Last Q.)	29.735	46.9	32.3	14.6	40.6	38.3	64.0	25.4	47.4	45.9	2.3	9.9	0.0	0.0	Calm & Variable.	S.E. & E.S.E.	0.5	0.0	156	-119	0.01	0.2	
SAT.	31	29.184	46.4	40.4	6.0	43.4	43.0	57.2	39.0	47.0	46.3	0.4	2.0	0.0	0.0	E.S.E. & E.	N.	11.3	0.0	320	+44	0.58	0.8	
MEANS	..	29.374	49.8	38.4	11.5	44.0	39.4	72.7	31.5	47.7	46.9	4.7	9.7	1.1	0.0	Variable.				Sum	2599	+688	0.80	1.7
No. of Col.	3	4	5	6	7	8	9	D	11	12	13	14	15	16	17	19	20	21	22	23	24	25	26	27

DATE.		ELECTRICITY.		REGISTERED SUNSHINE.		SKY AND ATMOSPHERE.	
OCTOBER.		(For explanation of symbols, see Note.)		in hours.		in hours.	
SUNDAY	25	s. P. generally .	.	3.6	10.0	Fine. Amount of cloud generally small.	
MONDAY	26	W. P. in morning; s. N. for a short time in afternoon; m. P. afterwards.	.	0.1	10.0	Overcast and showery till afternoon; fine with variable amounts of cloud afterwards.	
TUESDAY	27	v. P. throughout .	.	3.6	9.9	Fine; partially cloudy till evening; cloudless with slight recessions at night.	
WEDNESDAY	28	m. P. in morning; v. P. till 10h. P.M.; s. N. afterwards.	.	3.8	9.8	Fine; variable amounts of cloud. A little rain at night.	
THURSDAY	29	s. N. generally; m. P. for a short time in afternoon.	.	2.2	9.8	Fine; generally cloudy.	
FRIDAY	30	m. P. till 5h. P.M.; s. N. till 7h. P.M.; v. P. afterwards.	.	0.0	9.7	Fine in morning; solar halo between 9h. A.M. and noon; overcast afterwards. Occasional rain at night.	
SATURDAY	31	m. P. till 6h. A.M.; v. N. and v. P. afterwards.	.	0.0	9.7	Overcast. Frequent rain. Great gloom in afternoon.	
Sum				19.3	Sum	68.9	

The height of the cistern of the barometer is considered to be 153 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1883 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 29 years ending 1885.

In reading the 17th and 24th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Office, Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are +, P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer increased from 29.28 in. at the beginning of the week to 29.49 in. by noon on the 25th; decreased to 28.91 in. by noon on the 26th; increased to 29.84 in. by 9h. A.M. of the 27th; decreased to 28.91 in. by 3h. P.M. on the 31st; and was 29.24 in. at 9h. A.M. of the 1st of November.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 44. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, NOVEMBER 7. [Price 1½d.

General Register Office, Somerset House,
9th November, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 19·9 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.		Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.
Birkenhead	19·1	20·7	17·4	23·5	Liverpool -	19·9	22·4	23·4	24·4
Birmingham	17·1	15·7	14·0	16·3	London -	17·2	18·6	17·5	18·9
Blackburn -	17·6	22·3	16·7	24·6	Manchester -	24·0	22·7	21·8	27·1
Bolton -	18·5	23·2	15·6	28·9	Newcastle-on-Tyne	16·7	22·5	19·8	22·5
Bradford -	14·8	13·6	13·1	16·3	Norwich -	18·9	11·4	9·7	20·6
Brighton -	18·2	20·5	23·7	13·6	Nottingham -	14·3	14·8	17·0	20·0
Bristol -	15·5	17·5	18·7	20·3	Oldham -	19·8	18·6	21·5	26·4
Cardiff -	23·1	21·0	21·0	19·9	Plymouth -	20·6	21·3	24·0	26·1
Derby -	16·9	15·1	19·8	16·9	Portsmouth -	17·4	15·9	15·1	20·1
Halifax -	18·9	18·2	14·8	13·5	Preston -	27·0	19·8	20·3	33·3
Huddersfield	9·0	13·7	23·9	17·9	Salford -	20·7	19·2	21·2	18·1
Hull -	14·0	14·0	15·7	16·2	Sheffield -	16·7	18·1	17·1	19·6
Leeds -	18·8	17·4	18·6	18·6	Sunderland -	18·7	17·1	14·2	15·0
Leicester -	11·1	14·9	17·6	15·7	Wolverhampton -	21·7	18·4	17·8	20·4

The highest annual death-rates from measles, measured by last week's mortality, were 1·1 in Manchester, 1·2 in Liverpool, and 2·7 in Newcastle-upon-Tyne; from scarlet fever, 1·1 in Leeds; and from "fever," 1·2 in Portsmouth, and 1·7 in Norwich. Of the 30 deaths from diphtheria in the twenty-eight towns, 16 occurred in London, 3 in Liverpool, and 3 in Birmingham. Small-pox caused 3 deaths in London and its outer ring (exclusive of 4 in the Metropolitan Asylum Ship "Atlas" moored off Dartford), and one in Liverpool.

LONDON.

In LONDON 2695 BIRTHS and 1483 DEATHS were registered. Allowing for increase of population, the births were 192, and the deaths 144, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·6 and 17·5 in the two preceding weeks, rose last week to 18·9. During the first five weeks of the current quarter the death-rate averaged 17·8, and was 2·0 below the mean rate in the corresponding periods of the nine years 1876-84.

The 1483 deaths included 1 from small-pox, 41 from measles, 15 from scarlet fever, 16 from diphtheria, 29 from whooping-cough, 10 from enteric fever, 1 from an ill-defined form of continued fever, 8 from diarrhoea and dysentery, and not one either from typhus or from cholera; thus, 121 deaths were referred to these diseases, being 101 below the corrected average weekly number.

One death from small-pox was registered in London last week, against 4 in the preceding week. The deaths from small-pox of 4 London residents were, however,

registered in the Metropolitan Asylum Hospital Ship "Atlas", moored off Dartford and outside Registration London. Of the total 5 fatal cases, the 4 in the Metropolitan Asylum Hospital Ship had been admitted from Paddington, Newington, Greenwich, and Lewisham sanitary areas, and the fifth case occurred in a private house in Camberwell. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had steadily declined in the twenty-two preceding weeks from 1389 to 88, were 90 on Saturday last; the admissions, which had been 16, 11, and 14 in the three previous weeks, rose to 21 last week. The Highgate Small-pox Hospital contained 9 patients on Saturday last, 3 having been admitted during the week.

The fatal cases of *measles*, which had been 28, 27, and 23 in the three preceding weeks, rose to 41 last week, and exceeded the corrected weekly average by 6; 12 belonged to Pancras (including 8 in Kentish Town), 4 to St. Saviour, Southwark, and 4 to Lambeth. The 15 deaths from *scarlet fever* showed an increase of 5 upon the low number in the previous week, but were 59 below the corrected average; 4 belonged to Bethnal Green, and 2 to Hackney. The Metropolitan Asylum Hospitals contained 286 scarlet fever patients on Saturday last, 25 having been admitted during the week. The deaths referred to *diphtheria*, which had been 22, 18, and 10 in the three preceding weeks, rose again last week to 16, and exceeded the corrected average by 2; 2 belonged to Kensington, 2 to Islington, and 3 to Lambeth. The 29 fatal cases of *whooping-cough* showed a decline of 7 from the number in the previous week, but exceeded the corrected weekly average by 2; 4 belonged to Shoreditch, and 4 to Bethnal Green. The deaths attributed to *diarrhoea* and *dysentery* showed a further considerable decline from recent weekly numbers, and were 20 below the corrected average; 5 were of infants aged under one year.

The deaths referred to *enteric fever*, which had declined from 16 to 8 in the five preceding weeks, rose again last week to 10, but were 20 below the corrected average; 6 belonged to South London, including 3 to Lambeth, 2 to Bermondsey, and one to Rotherhithe. The death of a female, aged 82 years, was referred to "low fever." The Metropolitan Asylum Hospitals contained 40 cases of enteric fever, and not one of typhus, on Saturday last; 7 cases of enteric fever were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had increased in the seven preceding weeks from 152 to 358, further rose last week to 394, and exceeded the corrected average by 4.

The death of a child, aged 8 years, at 99, Leverton Street, Pancras, resulted from hydrophobia, raising the number of deaths referred to this cause in London since the beginning of this year to 21; the average annual number in the ten years 1875-84 being 6.

Different forms of violence caused 40 deaths; 31 were the result of negligence or accident, among which were 10 from fractures and contusions, 3 from burns and scalds, 4 from drowning, 3 from poison, and 8 of infants under one year of age from suffocation. The 10 deaths from fractures and contusions were thus returned:—female, aged 60 years, run over by cab; female 69, knocked down by horse; males 29, and 40, run over on railway; female 73, fell in workhouse ward; male 4, fell on pavement; male 7, fell while at play; male 10, thrown from window of a burning house; male 37, by fall off a pile of deals; female 79, by fall. An inquest was held in each of these 10 cases. Nine cases of suicide were registered.

GREATER LONDON.

In Greater London 3440 births and 1884 deaths were registered, corresponding to annual rates of 34·5 and 18·9 per 1000 of the population. In the Outer Ring 12 fatal cases of measles, 8 of diphtheria, and 7 of "fever," were registered. Three deaths from diphtheria occurred in one family in Edmonton sub-district. The 7 deaths referred to "fever," included 3 in Leyton, and 2 in West Ham sub-districts.

On pages 453-4 will be found Dr. Frankland's report upon the quality of the waters supplied to the Metropolis by the various water companies during October. The Thames waters sent out by the Grand Junction and by the Lambeth companies, were of similar quality to those supplied in the previous month, while the waters sent out by the other companies drawing their supply from the Thames, showed a marked increase in the amount of organic matter, though it was below the average for the season. All the samples were clear and bright. The Lea water supplied

by the New River Company was, as regards organic matter, second only to the best of the deep-well waters; while the East London Company's water from the same source was equal to the best of the Thames waters. Both the samples were clear and bright on delivery. The deep-well waters furnished by the Kent and Colne Valley Companies, and by the Tottenham Local Board, were of their usual excellent quality for drinking. The Colne Valley Company's water had been softened with lime, and thus rendered suitable for all domestic purposes.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·86 in.; the lowest reading was 29·24 in. at the beginning of the week, and the highest 30·17 in. at the end of the week. The mean temperature of the *air* was 44°·6, and 1°·4 below the average in the corresponding week of the 20 years ending 1868. The mean showed an excess on Monday and Tuesday, but was below the average on each of the other days of the week. The general direction of the *wind* was S.W., and the horizontal movement of the air averaged 11·5 miles per hour, which was 0·1 below the average in the corresponding week of 16 years. *Rain* fell on four days of the week, to the aggregate amount of 0·47 of an inch. The duration of registered bright sunshine in the week was 7·1 hours, against 13·0 hours at Glynde Place, Lewes.

THE REGISTRAR GENERAL has to acknowledge the courtesy of the LONDON WATER COMPANIES who have furnished him with the average daily quantity of Water supplied during the month of OCTOBER 1885; according to their returns 152,494,501 gallons or 692,852 cubic metres of water (equal to about as many *tuns* by measure, *tons* by weight,) were supplied daily; or 217 gallons (98·6 decalitres), rather less than a *ton* by weight, to each house, and 27·9 gallons (12·7 decalitres) to each person, against 29·3 gallons during October 1884.

COMPANIES.	Number of Houses, &c. supplied in		Average daily Supply of Water in Gallons.	
	OCTOBER. 1884.	OCTOBER. 1885.	OCTOBER. 1884.	OCTOBER. 1885.
TOTAL SUPPLY	680,723	701,633	155,833,568	152,494,501
From Thames	330,008	338,024	78,386,138	77,942,305
From Lea and from other Sources	350,715	363,009	77,447,430	74,552,196
THAMES.				
Chelsea	33,134	33,776	9,965,880	9,640,454
West Middlesex	65,306	66,894	13,978,995	14,045,727
Southwark and Vauxhall	102,956	105,053	23,408,235	23,336,068
Grand Junction	49,740	51,330	14,598,428	14,702,056
Lambeth	78,872	81,371	16,434,000	16,218,000
LEA AND OTHER SOURCES.				
New River	142,676	145,690	29,402,000	28,316,000
East London	145,754	152,288	37,505,701	35,854,878
Kent	62,285	65,031	10,479,729	10,881,818

Note.—The Return for October 1885, as compared with that for the corresponding month of 1884, shows an increase of 20,910 houses, and a decrease of 3,339,067 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING OCTOBER.

Grove House, Pembroke Square, W.,
6th November, 1885.

SIR,

I HAVE to report to you in the following Table the results of the chemical analyses of the waters supplied to the inner, and portions also of the outer, circle of the Metropolis during the month of October.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity contained in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Kent 0·5, Colne Valley 0·6, New River 0·9, Tottenham 1·3, East London and Lambeth 2·5, Grand Junction 2·9, Chelsea 3·4, West Middlesex 3·6, Southwark 3·9.

The Thames water sent out by the Grand Junction and Lambeth Companies exhibited no material difference in character from that of the previous month's samples, a marked increase in the amount of organic matter was, however, noticeable in the case of the Southwark, Chelsea, and West Middlesex Companies' waters, but the actual proportion present was small for this season of the year. All the samples were clear and bright.

The water drawn from the Lea and distributed by the New River Company contained only a very small proportion of organic matter, the supply being second, in this respect, only to the best

X X 2

of the deep-well waters. The water of the East London Company ranked with the best samples of the Thames waters. Both waters were clear and bright on delivery.

The deep-well water furnished by the Kent and Colne Valley Companies, and by the Tottenham Local Board of Health was, as usual, of excellent quality for drinking, and the Colne Valley Company, by softening their supply with lime, thereby rendered it also well fitted for washing and other domestic uses.

Seen through a stratum two feet deep, the waters presented the following appearances:—Kent, Colne Valley, and Tottenham, clear and colourless; New River, clear and nearly colourless; East London, clear and very pale yellow; Chelsea, West Middlesex, Southwark, Grand Junction, and Lambeth, clear and pale yellow.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports of the water supplied to that town that "the last three monthly samples have not varied materially in either chemical or physical characters."

Dr. Mills, F.R.S., of Anderson's College, Glasgow, reports that the water supplied to that city from Loch Katrine was "light brown in colour and contained a little suspended matter."

I am, &c.

The Registrar General, &c. &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	COMPANIES OR LOCAL AUTHORITIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Mat- ter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.										
	Chelsea - - -	{ October 26th, Cab Rank, Horseguards, Whitehall. }	10.5	22.64	.168	.032	0	.148	.180	1.8	15.7
	West Middlesex -	{ October 26th, Cab Rank, Portland-road. }	10.5	26.10	.185	.030	0	.247	.277	1.9	18.0
	Southwark - - -	{ October 26th, Cab Rank, Bricklayers Arms, Old Kent-road. }	10.3	26.98	.198	.032	0	.258	.290	2.0	18.0
	Grand Junction -	{ October 26th, Cab Rank, Uxbridge-rd., near Marble Arch. }	9.5	27.44	.144	.026	0	.220	.246	1.9	19.1
	Lambeth - - -	{ October 26th, Cab Rank, St. George's- road, Southwark. }	10.1	27.34	.123	.027	0	.242	.269	1.9	18.9
Outer Circle.	LEA.										
	New River - - -	{ October 26th, Cab Rank, Tottenham Court-road. }	9.9	29.40	.043	.011	0	.307	.318	1.8	20.9
	East London - - -	{ October 26th, Fire Brigade Station, Commercial-road, E. }	9.9	31.28	.126	.024	0	.285	.309	2.0	21.5
	DEEP WELLS.										
	Kent - - - - -	{ October 26th, Greenwich Police Station, Blackheath-road. }	12.3	41.38	.023	.007	0	.460	.467	2.4	28.3
	Colne Valley - - -	{ October 21st, Bushey. }	—	11.50	.026	.011	0	.316	.327	1.7	3.3
	Tottenham - - -	{ October 22nd, Tottenham. }	—	37.66	.059	.017	.060	0	.066	2.4	20.6
	Corporation of Birming- ham* - - - - -	{ October 7th, 16, Court, Great Barr-street. }	10.5	24.18	.100	.087	.008	.110	.149	1.6	14.2
	Corporation of Glasgow†	{ October 15th, Loch Katrine Water. }	8.3	2.90	.188	.023	0	.006	.029	.7	1.0
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, Medical Officer of Health and Analyst to the Borough.

† Analysed by Dr. E. J. Mills, F.R.S., of Anderson's College, Glasgow.

The numbers in columns 4–11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 26th October at the Horseguards cab-rank, had a temperature of 10°.5 C.; 100,000 lbs. of it contained 22.64 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained .168 lb. of carbon and .032 lb. of nitrogen. The above quantity of water also contained no ammonia, and .148 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was .180 lb. The above weight of water also contained 1.8 lbs. of chlorine; and 15.7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—Births, Deaths, and Meteorology in 28 Great Towns, during the Week ending 7th November, 1885.

CITIES AND BOROUGHES.	POPULATION estimated at the middle of the Year 1885.		Registered during the Week ending 7th Nov., 1885.		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.						RAINFALL.		CITIES AND BOROUGHES.	
	1.	2.	3.	Deaths of 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from						Deaths in Public Institutions.	Unidentified Causes of Death.	Annual Rate per 1,000 corresponding to the Week's Deaths			TEMPERATURE OF THE AIR.			In Inches.	In Centi- meters.			
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.			Diarrhea.	Violence.	From All Causes.	From Diseases in 1884-5.	Highest.	Lowest.			Mean.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.
28 TOWNS.	8,606,446	5936	3389	812	746	2	84	48	30	42	42	38	113	219	548	86	19.9	1.7	62.0	29.2	44.8	7.12	0.84	2.13
LONDON.	4,083,928	2695	1483	334	364	1	41	15	16	29	11	8	40	93	313	19	18.9	1.5	55.8	31.6	44.6	7.01	0.47	1.19
BRIGHTON.	114,672	63	30	5	10	-	1	-	-	2	1	-	1	1	3	1	13.6	1.8	53.2	30.7	43.5	6.39	0.50	1.27
PORTSMOUTH.	134,659	85	52	13	13	-	-	-	-	-	3	-	2	2	5	1	20.1	1.5	-	-	-	-	-	-
NORWICH.	81,215	79	36	9	12	-	-	-	-	-	3	-	2	4	7	1	20.6	2.3	-	-	-	-	-	-
PLYMOUTH.	76,045	51	38	8	15	-	-	-	1	-	-	3	1	6	5	3	20.1	1.0	55.1	38.2	46.9	8.28	0.85	2.16
BRISTOL.	218,169	117	85	22	29	-	-	-	1	-	1	1	4	6	5	3	30.3	1.0	54.0	36.0	46.1	7.84	1.24	3.15
WOLVERHAMPTON.	79,185	47	31	11	6	-	-	-	1	1	1	1	1	1	2	5	20.4	1.3	55.0	29.2	41.7	5.39	0.86	2.18
BIRMINGHAM.	427,769	206	134	34	28	-	3	-	3	-	-	3	7	10	24	1	16.3	1.1	-	-	-	-	-	-
LEICESTER.	136,147	90	41	4	13	-	-	2	1	-	-	1	2	5	4	2	15.7	1.5	-	-	-	-	-	-
NOTTINGHAM.	211,424	171	81	23	22	-	3	-	9	5	3	2	8	9	5	1	20.0	2.0	56.2	32.8	43.9	6.61	1.18	3.00
DERBY.	89,691	63	29	5	6	-	1	1	-	-	-	-	-	3	1	1	16.9	1.2	-	-	-	-	-	-
BIRKENHEAD.	93,693	63	42	11	4	-	-	1	-	1	1	-	6	8	7	1	23.5	1.7	-	-	-	-	-	-
LIVERPOOL.	579,724	387	271	72	33	1	13	5	3	6	7	1	12	12	50	10	24.4	3.2	59.2	38.2	46.9	8.28	1.19	3.02
BOLTON.	110,085	77	61	21	10	-	-	-	1	-	-	-	1	3	5	-	28.9	0.5	55.5	31.5	42.4	5.78	1.80	4.57
MANCHESTER.	387,842	232	175	41	32	-	7	4	1	-	2	4	6	18	23	-	27.1	2.8	-	-	-	-	-	-
SALFORD.	204,075	144	71	20	6	-	3	-	-	1	1	1	4	6	4	8	18.1	1.5	-	-	-	-	-	-
OLDHAM.	126,330	104	64	19	10	-	1	-	-	-	-	1	1	2	3	9	26.4	0.8	-	-	-	-	-	-
BLACKBURN.	112,574	81	53	15	6	-	-	-	-	-	-	1	2	1	1	9	24.6	1.4	-	-	-	-	-	-
PRESTON.	100,406	80	64	18	12	-	-	1	-	-	1	2	2	2	9	2	33.3	2.1	56.0	35.0	43.7	6.50	1.67	4.24
HUDDESFIELD.	87,327	54	30	8	10	-	-	-	-	1	-	-	-	-	2	2	17.9	0.6	-	-	-	-	-	-
HALIFAX.	77,378	40	20	2	6	-	-	-	1	-	-	-	-	-	6	1	13.5	0.7	-	-	-	-	-	-
BRADFORD.	214,431	122	67	18	13	-	1	3	1	-	-	1	2	7	5	2	16.3	1.5	57.4	33.6	44.2	6.78	0.44	1.12
LEEDS.	333,139	201	119	25	26	-	1	7	1	-	-	1	6	15	18	4	18.6	1.9	60.0	34.0	46.4	8.00	0.58	1.42
SHEFFIELD.	305,716	211	115	26	28	-	1	2	1	1	1	1	1	3	13	7	19.6	1.0	57.0	33.0	46.0	7.78	0.38	0.97
HULL.	186,292	114	58	13	17	-	-	-	-	-	-	-	3	4	9	2	16.2	6.3	-	-	-	-	-	-
SUNDERLAND.	125,327	92	36	6	7	-	-	1	-	-	-	1	2	1	2	1	15.0	1.7	58.0	34.0	45.9	7.72	0.24	0.61
NEWCASTLE.	153,269	127	66	13	7	-	8	-	-	-	2	1	1	3	6	1	22.5	3.7	62.0	34.0	44.7	7.06	0.40	1.02
CARDIFF.	97,034	80	37	16	1	-	-	-	-	1	1	-	1	3	4	1	19.9	1.1	-	-	-	-	-	-
EDINBURGH.	250,616	141	70	15	20	-	-	-	1	1	4	-	1	?	11	25	14.6	1.0	60.8	33.5	44.8	7.12	0.14	0.36
GLASGOW.	519,965	342	241	54	31	-	2	11	7	2	11	6	2	?	23	29	24.2	3.4	58.5	33.0	47.4	8.55	0.74	1.88
DUBLIN.	353,082	170	159	24	47	-	-	-	1	1	2	3	1	4	40	19	23.5	1.3	61.6	32.6	47.3	8.50	0.46	1.17

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FORTY-FOURTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2374	2613	2667	2532	2698	2706	2618	2896	2623	2745	2886.7	2695
Males . .	1193	1334	1396	1277	1370	1338	1347	1441	1310	1383	1460.0	1410
Females . .	1181	1279	1271	1255	1328	1368	1271	1455	1313	1362	1426.7	1285
TOTAL Deaths	1583	1403	1447	1386	1501	1513	1645	1502	1440	1503	1627.3	1483
Males . .	811	732	776	726	768	768	849	762	720	789	839.8	743
Females . .	772	671	671	660	733	745	796	740	720	714	787.5	740

* The numbers in this column are the average weekly numbers in the forty-fourth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.
TOTAL Births	2885	2535	2413	2538	2330	2542	2438	2516	2491	2582	2572	2581	2695
TOTAL Deaths	1472	1473	1371	1238	1221	1231	1081	1251	1309	1346	1458	1366	1483
0-20	-	-	870	790	713	619	585	536	490	575	632	630	596
20-40	-	-	144	175	180	163	174	191	170	185	191	181	197
40-60	-	-	201	237	207	231	205	243	184	217	252	225	268
60-80	-	-	212	221	227	183	213	211	186	240	246	244	284
at 80 years & upwds.	-	-	45	50	44	42	44	50	51	34	41	64	70
Deaths of children	<div> <div>Under 1 year</div> <div>1-5</div> <div>5-20</div> </div>												
	555	499	408	362	303	284	260	304	309	319	347	323	334
	232	214	230	192	203	172	149	167	187	231	206	191	228
	83	77	75	65	79	80	81	104	83	82	77	82	79
Deaths from Small-pox	15	5	9	6	9	8	11	7	3	-	-	9	5
" " Measles	49	38	55	46	25	14	15	20	17	28	27	23	41
" " Scarlet Fever	9	12	12	14	15	20	16	14	21	22	18	10	15
" " Diphtheria	13	13	14	16	22	25	18	24	14	23	18	10	16
" " Whooping-cough	44	43	45	30	39	25	26	22	34	29	31	36	29
" " Typhus	3	-	-	-	1	-	-	1	2	-	-	-	-
" " Enteric fever	13	15	14	8	12	9	14	16	12	10	11	8	10
" " Simple Cont ^d fever	1	1	3	-	1	3	3	1	6	-	-	2	1
" " Diarrhœa and Dysentery	222	163	121	83	62	40	49	42	35	27	21	17	8
" " Cholera	5	7	6	3	-	1	1	1	1	1	-	1	-
Deaths from the above-mentioned Diseases	374	297	279	206	186	145	153	148	145	140	126	116	125
" " Dis. of Respiratory System	162	165	201	159	175	152	159	205	231	301	356	358	394
" " Phthisis	134	151	157	147	139	155	150	159	146	161	165	153	188
" " Dis. of Circulatory System	85	110	94	97	90	106	83	84	116	87	130	100	126
Violent Deaths	55	53	52	38	43	49	45	45	62	44	50	43	40
Inquest Cases	98	92	81	76	88	93	80	89	109	82	108	94	93
Deaths in Public Institutions	260	292	302	259	279	288	234	285	285	265	286	291	313
TEMPERATURE OF THE AIR:													
Mean	59.6	58.2	57.6	57.2	56.3	57.7	52.7	49.6	47.6	45.4	45.1	44.0	44.6
Mean of Highest readings	72.5	69.4	68.4	68.1	66.1	66.3	62.5	57.8	59.9	52.1	50.5	49.8	51.0
Mean of Lowest readings	49.9	49.4	49.2	48.6	49.3	51.2	43.8	42.1	36.9	38.5	40.8	38.4	37.5
Humidity of the Air	74	80	75	79	85	86	77	84	84	82	89	84	89
Rain-fall in inches	0.09	0.14	0.61	0.40	1.93	0.86	0.18	0.52	1.09	0.44	0.94	0.80	0.47
Registered Sunshine (in hours)	48.4	19.7	25.7	26.9	21.1	15.4	34.1	16.6	14.4	13.9	5.6	13.3	7.1

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.; F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Bilson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Pillitter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FOURTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 44th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 7th November, 1885.										CAUSES OF DEATH.	Corrected Averages for the 44th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 7th November, 1885.											
		Deaths of Persons of the Ages												Deaths of Persons of the Ages											
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.								
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.						
ALL CAUSES - -	1627.3	1483	334	228	79	197	281	297	67		Diseases of Organs of Special Sense † - -	2.3	2	-	1	-	1	-	-	-					
Small-pox { Vaccinated †	8.5 {	-	-	-	-	-	-	-	-		Diseases of Circulatory System - - -	105.8	123	-	1	12	12	47	48	6					
Unvaccinated		-	-	-	-	-	-	-	-		Croup - - -	14.5	12	1	10	1	-	-	-	-					
No Statement		1	-	-	-	-	1	-	-		Bronchitis - - -	23.6	223	87	39	2	4	20	60	14					
Measles - - -	34.6	41	6	29	6	-	-	-	-		Pneumonia - - -	99.9	110	25	34	5	16	19	10	1					
Scarlet Fever - -	74.4	15	2	9	3	1	-	-	-		Pleurisy - - -	5.2	8	-	1	-	4	3	-	-					
Typhus - - -	2.0	-	-	-	-	-	-	-	-		Other Diseases of Respiratory System - -	31.5	38	7	6	2	3	12	8	-					
Relapsing Fever † -	0.0	-	-	-	-	-	-	-	-		Dentition † - - -	10.3	13	2	13	-	-	-	-	-					
Influenza - - -	0.2	-	-	-	-	-	-	-	-		Quinsy, Sore Throat † -	2.0	1	-	1	-	-	-	-	-					
Whooping-cough - -	27.3	29	12	17	-	-	-	-	-		Enteritis † - - -	8.0	7	3	-	2	-	1	-	1					
Diphtheria - - -	18.6	16	1	10	5	-	-	-	-		Peritonitis - - -	5.3	4	1	1	2	1	-	-	-					
Simple Continued and Ill-defined Fever -	8.9	1	-	-	-	-	-	-	1		Diseases of Liver - - -	30.8	39	3	1	1	6	13	13	2					
Enteric Fever - - -	29.7	10	-	1	2	7	-	-	-		Other Diseases of Digestive System -	26.2	34	4	3	1	6	12	5	3					
Cholera - - -	0.4	-	-	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands † - - -	3.0	8	1	-	-	2	-	-	-					
Diarrhoea, Dysentery	27.6	8	5	-	1	-	2	-	-		Diseases of Urinary System - - -	36.2	41	-	2	1	3	15	19	1					
Remittent Fever † -	0.3	1	-	-	-	-	1	-	-		Diseases of Generative System - - -	6.8	1	-	-	-	-	-	1	-					
Hydrophobia - - -	0.4	1	-	-	1	-	-	-	-		Accidents of Childbirth -	5.0	2	-	-	-	2	-	-	-					
Glanders - - -	0.0	-	-	-	-	-	-	-	-		Diseases of Locomotive System † - - -	8.7	6	-	-	1	2	1	2	-					
Dropsy and Effects of Vaccination † - -	0.7	1	1	-	-	-	-	-	-		Diseases of Integumentary System - -	5.8	2	-	-	-	-	2	-	-					
Venereal Affections	11.0	14	12	-	-	2	-	-	-		VIOLENT DEATHS ‡														
Erysipelas - - -	8.1	7	3	-	-	1	1	1	1		(ACCIDENT.)														
Pyæmia and Septicæmia †	2.3	3	1	1	-	-	1	-	-		Fracture and Contusion	19.2	10	-	1	2	2	1	4	-					
Eutermal Fever - -	8.1	4	-	-	1	3	-	-	-		Gunshot Wound - - -	0.0	-	-	-	-	-	-	-	-					
Other Zymotic Diseases †	2.0	1	-	1	-	-	-	-	-		Cut, Stab - - -	0.3	-	-	-	-	-	-	-	-					
Thrush - - -	3.5	1	1	-	-	-	-	-	-		Burn and Scald - - -	5.1	3	-	2	-	-	1	-	-					
Worms and other Parasitical Diseases - -	0.5	-	-	-	-	-	-	-	-		Poison - - -	1.5	3	-	-	-	-	1	1	-					
Starvation, Want of Breast-milk † - -	1.0	2	1	-	-	1	-	-	-		Drowning - - -	2.9	4	-	1	1	2	-	-	-					
Alcoholism - - -	4.5	2	-	-	-	2	-	-	-		Suffocation - - -	10.4	5	3	-	-	-	2	-	-					
Rheumatic Fever and Rheumatism of Heart	11.4	12	-	1	5	5	1	-	-		Otherwise - - -	3.3	3	1	-	-	-	-	-	-					
Rheumatism - - -	-	2	-	-	-	-	1	1	-		(HOMICIDE.)														
Gout - - -	3.4	2	-	-	-	-	-	2	-		Murder & Manslaughter	2.2	-	-	-	-	-	-	-	-					
Rickets † - - -	1.0	1	-	1	-	-	-	-	-		(SUICIDE.)														
Cancer - - -	45.0	44	-	-	-	5	23	13	1		Gunshot Wound - - -	0.9	2	-	-	-	2	-	-	-					
Typhus Mesenterica	31.1	23	12	8	2	-	1	-	-		Cut, Stab - - -	2.0	2	-	-	-	1	-	1	-					
Tubercular Meningitis	25.0	18	9	7	2	-	-	-	-		Poison - - -	0.8	-	-	-	-	-	-	-	-					
Phthisis - - -	182.5	188	2	4	13	92	65	12	-		Drowning - - -	0.3	-	-	-	-	-	-	-	-					
Scrophula, Tuberculosis	11.2	12	2	4	2	3	1	-	-		Hanging - - -	1.1	3	-	-	-	1	2	-	-					
Other Constitutional Diseases † - -	11.7	10	-	1	-	-	3	6	-		Otherwise - - -	0.7	2	-	-	-	-	2	-	-					
Premature Birth - -	33.1	22	22	-	-	-	-	-	-		(EXECUTION.)														
Atelectasis † - - -	2.3	2	2	-	-	-	-	-	-		Hanging - - -	0.0	-	-	-	-	-	-	-	-					
Congenital Malformations - - -	5.8	6	6	-	-	-	-	-	-		OTHER CAUSES † - -	63.0	61	48	4	-	1	2	4	2					
Old Age - - -	49.3	55	-	-	-	-	29	26	-																
Apoplexy - - -	44.8	39	-	-	-	3	8	23	-																
Epilepsy - - -	6.7	6	-	-	-	2	3	1	-																
Convulsions - - -	45.6	40	34	6	-	-	-	-	-																
Other Diseases of Brain and Nervous System	82.5	62	9	6	3	4	13	19	8																

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased was, or was not, vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 4 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1881.	The DEATHS registered in the Week include															
		Total BIRTHS during the Week.	Total DEATHS during the Week.	Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	3,616,483	2695	1485	334	364	1	41	15	16	29	-	10	1	8	40	93	313
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	66888	41	12	1	4	-	-	-	-	-	-	-	-	-	-	-	1
St. John Paddington H - G.J.	37380	13	7	1	2	-	-	-	1	-	-	-	-	-	-	-	2
Kensington Town Ww - W.M.	120141	74	59	8	27	-	1	-	2	1	-	-	-	-	-	4	82
Brompton H - W.M. & C.	48010	9	15	-	3	-	1	-	-	-	-	-	-	-	-	-	8
St. Peter Hammersmith - W.M.	7599	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.	64340	56	27	5	9	-	-	-	-	-	-	-	-	-	1	2	2
Fulham WwH - W.M. & C.	42600	32	23	8	5	-	-	-	-	-	-	-	-	-	-	-	6
Chelsea South HHH - C.	80396	16	12	3	1	-	-	-	-	-	-	-	-	-	1	1	-
Chelsea North-west WHHH - C.	24925	21	18	2	3	-	1	-	-	-	-	-	-	-	-	-	6
Chelsea North-east - C.	32807	25	14	5	3	-	-	-	-	1	-	-	-	-	-	-	-
Hanover Square H - G.J.	16862	5	6	2	1	-	1	-	-	-	-	-	-	-	-	-	-
May Fair W - G.J.	18491	2	8	-	5	-	-	-	-	-	-	-	-	-	-	-	8
Belgrave WHH - C.	59220	23	19	1	4	-	1	1	2	-	-	-	-	-	1	2	4
St. John Westminster HH - C.	35496	21	14	6	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster H - C.	24679	11	7	-	2	-	-	-	-	-	-	-	-	-	-	-	4
St. James Westminster WH N.R. & G.J.	29941	18	6	1	1	-	-	-	-	-	-	-	-	-	-	-	2
St. Anne Soho HHHHH - N.R.	16608	13	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
Ali Souls Marylebone HHHH - W.M.	26759	27	10	3	2	-	-	-	1	-	-	-	-	-	-	-	3
Cavendish Square HHH - W.M.	14891	1	2	-	-	-	-	1	-	-	-	-	-	-	1	1	-
Rectory Marylebone WH G.J. & W.M.	24809	7	5	-	4	-	1	-	-	-	-	-	-	-	-	-	-
St. Mary Maryleb. HHH G.J. & W.M.	21118	29	9	3	2	-	1	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone H - W.M.	38700	20	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone H - W.M.	39693	18	14	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Hamstead WwHHH - N.R. & W.M.	45432	25	12	3	3	-	-	-	-	-	-	-	-	-	-	-	1
Regent's Park Pancras H - W.M.	39115	19	9	8	3	-	-	-	-	-	-	-	-	-	1	1	-
Tottenham-court WHHHH N.R. & W.M.	27729	9	14	4	4	-	-	-	-	-	-	-	-	-	-	-	8
Gray's Inn Lane HHH - N.R.	30247	20	12	2	2	-	-	-	-	1	-	-	-	-	-	-	1
Somers Town H - N.R.	34369	18	16	4	7	-	-	-	-	-	-	-	-	-	2	2	9
Camden Town WH - N.R.	67487	62	46	12	8	-	8	1	-	1	-	-	1	-	-	-	8
Kentish Town W - N.R.	67487	62	46	12	8	-	8	1	-	1	-	-	1	-	-	-	8
Upper Holloway WwWwH - N.R.	67946	60	25	7	10	-	-	-	2	1	-	-	-	-	2	3	12
Islington South-west HH - N.R.	10774	75	26	6	3	-	1	1	-	2	-	-	-	1	-	1	-
Islington South-east - N.R.	61835	80	23	8	5	-	1	-	-	-	-	-	-	-	-	-	4
Highbury H - N.R.	52048	27	11	2	5	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - N.R.	22781	18	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-
Stamford Hill - E.L.	9277	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1
West Hackney - N.R.	37610	31	14	2	7	-	-	1	1	-	-	-	-	-	-	-	-
Hackney WwWwHL - E.L. & N.R.	76911	60	30	4	15	-	-	1	-	-	-	1	-	-	-	-	9
South Hackney - E.L.	39683	36	11	3	2	-	-	-	-	-	-	-	-	-	1	1	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16481	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - N.R.	14864	16	8	-	1	-	-	-	-	1	-	-	-	-	-	-	2
St. Giles North - N.R.	18887	9	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.	17508	6	5	2	1	-	-	-	-	-	-	-	-	-	-	1	2
St. Mary-le-Strand H - N.R.	7515	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Dances H - N.R.	8559	7	7	-	-	-	1	-	-	-	-	-	-	-	1	-	5
St. George-the-Martyr HHHHHH N.R.	18671	11	15	5	-	-	1	-	-	1	-	-	-	-	-	2	6
St. Andrew Eastern H - N.R.	10706	4	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Salfron Hill H - N.R.	6533	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - N.R.	17516	9	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Amwell Clerkenwell - N.R.	19281	12	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - N.R.	14773	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Goosewell-street - N.R.	17509	17	12	3	4	-	-	-	-	-	-	-	-	-	1	1	-
Old-street H - N.R.	11541	14	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHL - N.R.	18628	20	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Whitecross-street - N.R.	9217	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.	7463	4	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-
St. Botolph H - N.R. & E.L.	11174	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	7193	5	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-
St. Pancrache H - N.R.	5353	2	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Bride W - N.R.	8396	1	4	1	2	-	-	-	-	1	-	-	-	-	-	-	8
Allhallows Barking - N.R.	13666	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - N.R.	5652	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work-house; H—Hospital; L—Lunatic Asylum; &—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, SCARLET FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 7th November, 1885.

		The DEATHS registered in the Week include															
		Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of												
					Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.
REGISTRATION SUB-DISTRICTS.																	
EAST DISTRICTS.																	
Holywell Shoreditch	N.R. & E.L.	7376	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Leonard Shoreditch	HL†	14967	14	7	-	4	-	-	-	-	-	-	-	-	-	-	-
Hoxton New Town	W	29937	21	19	4	8	-	-	1	-	-	-	-	1	1	1	-
Hoxton Old Town	-	28036	22	6	5	-	-	-	-	-	-	-	-	-	-	-	-
Haggerston	WH	46275	28	21	5	5	-	-	-	1	2	-	-	-	-	2	1
Hackney-road	H-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Green, Bethnal Green	WHL†	47332	39	24	2	9	-	-	1	-	-	-	-	1	1	1	-
Church, Bethnal Green	-	29981	28	12	3	1	-	-	2	1	1	-	-	2	2	2	-
Town, Bethnal Green	-	10810	20	4	2	-	-	-	1	-	-	-	-	-	-	-	-
Spitalfields	H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town	W	E.L. & N.R.	22585	13	10	1	1	-	-	-	-	1	-	-	-	-	-
Whitechapel Church	H	E.L. & N.R.	15473	16	15	3	5	-	-	-	-	-	-	-	-	-	-
Goodman's Fields	-	E.L.	17490	14	16	1	3	-	-	-	-	-	-	1	1	10	-
Algate	-	E.L.	9713	3	1	-	-	-	-	-	-	-	-	1	1	13	-
-	N.R. & E.L.	6102	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. George's, North	-	E.L.	38747	25	17	6	1	-	-	1	-	-	-	-	-	-	-
St. John, St. George East	W	E.L.	8410	10	16	4	8	-	-	-	-	-	-	-	-	10	-
Shadwell	H-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ratcliff	H-	E.L. & N.R.	10395	5	9	2	1	-	-	-	-	1	-	-	1	-	-
Limehouse	-	E.L.	16107	9	4	1	1	-	-	-	-	-	-	-	-	-	-
-	-	E.L.	32041	25	5	1	-	-	-	-	1	-	-	-	1	-	-
Mile End Old Town West	-	E.L.	37960	27	7	3	2	-	-	-	-	-	-	-	-	-	-
Mile End Old Town East	WHL	E.L.	67653	57	22	4	6	-	-	1	-	-	-	-	-	6	1
Row	-	E.L.	37074	26	13	4	5	-	-	-	-	-	-	-	-	-	2
Bromley	WHL	-	64359	53	37	6	12	-	-	-	-	-	-	-	-	1	-
Poplar	WHH	E.L.	55077	30	16	5	3	-	-	1	-	-	-	2	3	12	-
SOUTH DISTRICTS.																	
Christchurch Southwark	WH	L. & S.	13663	11	9	2	2	-	1	-	-	-	-	-	1	-	-
St. Saviour Southwark	-	S.	14999	9	9	1	2	-	3	-	-	-	-	-	-	-	-
Kent-road	-	S. & L.	21381	22	6	2	2	-	-	-	-	-	-	1	-	-	-
Borough-road	WH	S. & L.	15963	14	3	-	-	-	1	-	-	-	-	-	-	-	-
London-road	HL	L. & S.	21318	14	3	-	-	-	-	-	-	-	-	-	-	-	-
Trinity Newington	-	S. & L.	26672	23	16	9	2	-	1	-	-	-	-	1	2	-	-
St. Peter Walworth	W	S. & L.	59555	28	19	5	9	-	-	-	-	-	-	-	-	-	1
St. Mary Newington	-	L. & S.	21623	26	8	5	2	-	-	-	-	1	1	1	1	12	-
St. Olave	WH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market	-	S.	11956	7	11	-	2	-	-	-	-	-	-	4	4	11	-
St. Mary Magdalen	W	S. & L.	16300	17	7	3	2	-	-	-	-	-	-	-	1	-	1
St. James Bermondsey	-	S.	15669	15	17	3	8	-	-	-	-	-	-	-	2	9	-
Rotherhithe	W	-	54683	50	18	8	1	-	-	-	2	-	-	-	1	-	1
-	-	S. & K.	36024	35	10	2	5	-	-	-	1	-	-	1	2	13	-
Waterloo-road 1st	H-	L. & S.	15195	8	8	3	1	-	-	-	-	-	-	-	-	-	-
Waterloo-road 2nd	H-	L. & S.	16361	19	7	1	-	-	1	-	-	-	-	-	-	2	-
Lambeth Church 1st	H	L. & S.	19876	21	17	1	2	-	-	-	-	-	-	-	-	-	-
Lambeth Church 2nd	WH	L. & S.	39859	27	26	9	6	-	-	1	1	-	-	2	2	12	-
Kennington 1st	-	S. & L.	45232	30	13	3	2	-	-	-	-	-	-	-	1	11	-
Kennington 2nd	-	S. & L.	33332	19	10	8	3	-	-	1	1	-	-	-	-	-	-
Brixton	WHL	L. & S.	62837	48	19	6	3	-	-	-	-	-	-	-	1	-	-
Norwood	W	L.	15017	13	7	2	-	-	-	-	2	-	-	-	1	1	-
Clapham	H-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea	-	S.	36380	15	10	-	8	-	-	-	-	-	-	-	-	-	-
West Battersea	WHL	S.	54675	51	21	7	3	-	-	2	-	-	-	-	-	-	-
Wandsworth	HL	-	55387	55	52	4	5	-	-	-	-	-	-	-	-	-	-
Fulham	-	S.	28004	23	8	1	1	-	-	1	-	-	-	-	1	1	-
Putney	-	S.	13235	10	4	-	2	-	-	-	-	-	-	-	4	-	-
Streatham	-	L.	25563	28	6	2	1	-	-	-	-	-	-	1	2	-	-
Dulwich	-	L. & S.	5590	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell	WHL	L. & S.	49104	44	28	5	3	-	1	-	-	-	-	-	-	-	1
Peckham	W	S., L. & K.	71089	61	24	6	5	-	-	-	-	-	-	-	4	2	-
St. George Camberwell	-	L. & S.	40610	45	13	7	1	-	-	-	1	1	-	2	1	1	-
St. Paul Deptford	WHL	-	76712	67	27	6	4	-	1	-	-	1	-	-	1	1	2
St. Nicholas Deptford	-	K.	7301	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West	H	-	21972	6	5	1	-	-	-	-	-	-	-	-	-	1	-
Greenwich East	WHH	-	24608	23	13	-	5	-	-	-	-	-	-	-	-	5	2
Eltham	H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee	-	K.	3527	5	2	2	-	-	-	-	-	-	-	-	-	-	-
Lewisham	WH	-	21509	10	5	-	3	-	-	-	-	-	-	-	-	-	-
Sydenham	H	-	15865	15	4	-	1	-	-	-	-	-	-	-	1	-	1
-	-	L.	24076	26	8	2	-	-	-	-	-	-	-	-	-	-	-
Charlton	H-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Dockyard	-	K.	10930	6	4	-	1	-	1	1	-	-	-	-	1	1	-
Woolwich Arsenal	HHH	-	17617	14	7	-	3	-	-	-	1	-	-	-	-	-	-
Plumstead, West	H	-	19448	15	5	1	1	-	-	-	-	-	-	-	1	1	-
Plumstead, East	W	-	14409	10	7	2	1	-	-	-	-	-	-	-	-	1	-
-	-	K.	12241	19	8	4	1	-	-	-	-	1	-	-	-	1	-

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by *:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.	Stepney
Holborn Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum
London City Workhouse in Hackney sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Holborn	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Whitechapel	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 7th November, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														Deaths in Public Institutions.	Uncertified Cases of Death.
						Deaths of		Deaths from													
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Cases of Death.			
LONDON—OUTER RING		370,282	950,178	745	401	73	101	2	12	3	3	4	7	4	8	15	61	6			
80: 1	Carshalton <i>wL</i> - -	12283	21118	8	11	-	5	-	-	-	-	-	-	-	1	1	0	-			
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	5	3	-	2	-	-	-	-	-	-	-	-	-	-	1			
37: 1	Godstone (<i>part of</i>) * -	2754	1235	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
38: 1	Croydon <i>WwH</i> - -	20851	101241	51	54	8	21	-	2	-	-	-	-	-	-	1	16	1			
	Mitcham - -	11697	17932	13	7	3	2	-	-	-	-	1	-	-	-	-	-	-			
39: 1	Wimbledon <i>HHH</i> - -	3220	15950	11	3	1	-	-	1	-	-	-	-	-	-	-	-	-			
2	Kingston <i>WHH</i> - -	8549	36354	27	8	-	3	-	-	-	1	-	-	-	-	-	3	-			
3	Esher (<i>part of</i>) * -	6601	9221	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-			
4	Hampton <i>H</i> - -	4573	13539	2	5	1	3	-	-	-	-	-	-	-	-	-	-	-			
40: 1	Richmond <i>WH</i> - -	2272	21302	10	8	1	1	-	-	1	-	-	-	-	-	-	2	-			
2	Mortlake - -	941	12331	8	5	2	2	-	-	1	-	-	-	-	-	-	-	-			
41: 1	Bromley (<i>pt. of</i>) * <i>HH</i>	15069	31142	29	18	4	3	-	-	-	-	-	-	-	-	-	-	1			
2	Chislehurst(<i>pt. of</i>) * <i>WHH</i>	13665	15065	13	9	2	4	-	-	-	-	-	1	-	-	-	-	-			
42: 1	Bexley <i>H</i> - -	13437	24134	23	8	2	2	-	-	-	-	-	-	-	-	-	-	-			
124: 1	Sunbury <i>w</i> - -	11055	11685	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-			
2	Staines <i>W</i> - -	13277	12089	7	3	-	1	-	-	-	1	-	-	1	-	-	-	-			
125: 1	Hillingdon <i>WH</i> - -	6029	10802	8	4	-	1	-	-	-	-	-	-	-	-	-	3	-			
2	Uxbridge - -	6178	5225	6	2	-	2	-	-	-	-	-	-	-	-	1	-	-			
3	Hayes <i>wHL</i> - -	14587	11523	5	3	-	-	-	-	-	-	-	-	-	-	-	3	-			
126: 1	Isleworth <i>W</i> - -	7008	22727	14	10	1	3	-	-	-	-	-	1	-	-	-	2	-			
2	Twickenham <i>H</i> - -	2477	12479	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-			
3	Brentford <i>HL</i> - -	4345	27649	13	6	1	1	-	-	-	-	-	-	-	-	1	-	-			
4	Chiswick - -	1340	15975	12	9	1	2	-	-	-	1	-	-	-	-	-	-	-			
5	Acton <i>wH</i> - -	6083	22876	16	12	3	3	-	2	-	-	-	-	-	1	1	1	-			
127: 1	Harrow <i>H</i> - -	13809	12796	7	6	1	2	-	1	-	-	-	-	-	-	1	-	-			
2	Edgware <i>H</i> - -	6994	3749	3	5	-	3	-	2	-	-	-	-	-	-	1	-	-			
3	Willesden - -	4383	27453	26	8	2	2	-	-	-	-	-	-	-	-	-	-	-			
4	Hendon <i>W</i> - -	8382	10484	19	5	2	-	-	-	-	-	-	-	-	-	-	-	-			
128: 1	South Mimms - -	15599	6391	8	5	-	4	-	-	-	-	-	-	-	-	-	1	-			
2	Barnet <i>W</i> - -	5433	10092	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
3	Finchley <i>HL</i> - -	4688	17615	14	9	-	1	-	-	-	-	-	-	-	1	1	3	-			
129: 1	Hornsey <i>H</i> - -	3039	37078	26	9	2	-	-	-	-	-	-	-	-	-	-	-	-			
2	Tottenham <i>HHH</i> - -	4642	46456	55	14	3	3	-	1	-	-	-	-	-	-	-	2	-			
3	Edmonton <i>WwH</i> - -	7483	23463	24	13	2	2	-	-	-	3	-	-	-	1	1	2	-			
4	Enfield <i>WH</i> - -	12653	19104	9	9	2	1	-	1	-	1	-	-	-	-	-	3	1			
5	Waltham Abbey - -	11017	5398	4	2	1	-	-	-	-	-	-	-	1	-	-	-	-			
6	Cheshunt - -	8480	7735	3	5	1	1	-	-	-	-	-	-	-	-	-	-	-			
135: 1	Hatfield (<i>part of</i>) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
137: 1	Bushey - -	9331	6821	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
136: 1	Stratford - -	892	38606	23	12	-	4	1	-	-	-	-	-	1	-	-	-	-			
2	West Ham <i>wwwH</i> - -	7351	101063	117	63	19	5	1	2	-	1	3	2	1	1	1	-	3			
3	Leyton <i>WwL</i> - -	4372	32430	36	21	1	5	-	-	1	-	-	3	-	-	-	8	-			
4	Walthamstow <i>wH</i> - -	6520	28869	22	10	3	3	-	-	-	-	-	-	-	1	1	-	-			
137: 1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9633	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-			
139: 1	Romford (<i>part of</i>) * -	6730	3411	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	Ilford - -	8493	7643	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-			
3	Barking Town - -	4127	9203	16	4	1	1	-	-	-	-	-	-	-	-	-	-	-			

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37: 1, the two parishes of Warringham and Farley
 in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1933); 41: 1, the whole of Bromley sub-district,
 except the two parishes of Cudham and Knockholt (pop. 1315); 41: 2, the whole of Chislehurst sub-district, except the parish of Chelsfield
 (pop. 947); 133: 1, only the parish of Northam in Hatfield sub-district; 137: 1, the whole of Chigwell sub-district, except the parish of Theydon
 Bois (pop. 375); 139: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 7th November, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
GREATER LONDON	448,334	5,199,166	18·9	1·6	1884	407	465	3	53	18	24	33	18	12	48	374	
INNER LONDON -	78,052	4,083,928	18·9	1·5	1483	334	364	1	41	15	16	29	11	8	40	313	
OUTER RING -	370,282	1,115,238	18·8	1·9	401	73	101	2	12	3	8	4	7	4	8	61	

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA -	433,219	September 19	-	220	26·4	Fevers 81; cholera 6.
BOMBAY -	773,196	October 6	342	394	24·3	Fevers 99; cholera 4.
MADRAS -	398,777	September 23	308	252	32·8	Fevers 55; diarrhoeal diseases 43.
PARIS -	2,239,928	October 31	1157	883	20·5	Typd. fev. 37; sm.-px. 8; meas. 23; dip. & cp. 25.
GENEVA -	71,453	" 31	32	19	13·9	Typh. and typhd. fev. 1.
BRUSSELS -	436,214	" 24	259	144	17·2	Typh. and typhd. fev. 3; diph. 2; diarr. dis. 15.
AMSTERDAM -	366,812	" 31	261	145	20·5	Diphtheria 4; croup 2
ROTTERDAM -	166,001	" 31	132	63	19·3	Small-pox 1; whooping-cough 2.
THE HAGUE -	134,552	" 31	90	55	21·3	Croup 2.
COPENHAGEN -	180,615	" 27	239	90	16·7	Diphtheria 3; croup 2.
STOCKHOLM -	200,143	" 17	133	72	18·7	Diphtheria and croup 4; diarr. dis. 7.
CHRISTIANIA -	128,000	" 31	90	61	24·8	Scar. fev. 6; diph. and croup 20.
ST. PETERSBURG	928,016	" 24	-	401	22·5	Typhus and typh. fev. 12; diph. 9; diarr. dis. 45.
BERLIN -	1,279,599	" 17	763	529	21·4	Diph. 50; scar. fev. 8; typh. & typhd. fev. 5.
HAMBURG(State)	497,956	" 24	293	251	26·3	Scarlet fever 15; diph. and croup 12; diarr. dis. 25.
DRESDEN -	241,500	" 17	148	91	19·6	Diphtheria and croup 10; scarlet fever 3.
BRESLAU -	295,000	" 24	187	127	22·2	Diph. 2; typh. & typhd. fever 4.
MUNICH -	244,000	" 31	173	131	27·9	Diarrhoeal diseases 17.
VIENNA -	769,889	" 31	530	319	21·5	Small-pox 17; diphtheria 10; scar. fev. 6.
PRAGUE -	272,333	" 31	-	160	30·7	Small-pox 10; scar. fev. 7; diph. and croup 3.
BUDA-PESTH -	429,532	" 17	318	203	24·6	Small-pox 8; measles 4; diarrhoeal diseases 21.
TRIESTE -	150,157	" 17	-	82	28·4	Small-pox 3; diph. and croup 9; diarr. dis. 10.
ROME -	330,430	September 5	200	144	22·7	Small-pox 2; typhd. fev. 4; diarrhoeal diseases 15.
NAPLES -	504,795	-	-	-	-	-
TURIN (10 days)	267,763	October 10	-	-	-	-
VENICE -	145,990	" 17	-	73	26·1	Sm.-pox 7; typhd. fev. 2; diarrhoeal diseases 12.
MADRID -	475,668	-	-	-	-	-
LISBON -	203,681	-	-	-	-	-
ALEXANDRIA -	31,596	-	-	-	-	-
NEW YORK -	1,356,958	October 10	-	553	21·3	Diphtheria 18; whooping-cough 14; diarr. dis. 65.
BROOKLYN -	665,692	" 10	-	248	19·4	Diphtheria 9; croup 14; scarlet fever 4.
PHILADELPHIA -	949,432	" 17	-	339	18·6	Diphtheria 9; scarlet fever 7; typhd. fev. 11.
BALTIMORE -	408,520	" 17	-	144	18·4	Diphtheria 5; typhoid fever 3.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 7th NOVEMBER, 1885.
[Under the Superintendence of the Astronomer Royal.]

Moons.	READINGS OF THERMOMETERS.										DIFFERENCE				WIND.				RAIN.
	Barometer.		Dew Point.		Range in day.		Mean daily value.		In the Water on the surface of the Soil.		Between Dew Point and Air Temperature.		As deduced from Anemometers.		Collected in a glass, whose surface receiving above the ground.				
	High. est.	Low. est.	High. est.	Low. est.	Mean daily value.	Mean daily value.	Mean daily value.	Least. est.	Between surface temperature of the day and mean temperature of the day.	Pressure square foot.	Amount of Departure from Average of Air, 16 years.	General Direction.	A. M.	P. M.		Great. est.	Least. est.	Mean of each day.	
1856.																			
MONTH AND DAY.																			
NOVEMBER.																			
SUN. 1	..	29.782	50.1	35.5	14.6	42.5	37.6	92.0	26.9	46.8	46.1	4.9	10.0	0.0	0.0	0.0	0.0	0.0	
MON. 2	..	29.661	55.8	37.0	18.8	47.4	44.0	94.3	27.3	46.8	46.4	3.4	9.5	0.0	0.0	0.0	0.0	0.0	
TUES. 3	In	29.855	52.4	45.3	7.1	49.7	48.3	62.5	37.8	46.4	45.9	1.4	3.1	0.0	0.0	0.0	0.0	0.0	
WED. 4	..	29.634	52.9	38.5	14.4	44.7	44.7	57.8	31.5	46.6	45.9	0.0	1.8	0.0	0.0	0.0	0.0	0.0	
THURS. 5	..	29.506	47.5	38.7	8.8	43.3	39.4	65.0	30.5	46.8	46.4	3.9	6.5	0.5	0.5	0.0	0.0	0.0	
FRI. 6	New.	30.071	46.1	31.6	14.5	40.2	35.4	56.2	23.3	46.3	45.7	4.8	9.7	0.0	0.0	0.0	0.0	0.0	
SAT. 7	..	30.166	52.0	36.0	16.0	44.1	40.8	62.0	26.5	45.8	45.1	3.3	8.4	0.0	0.0	0.0	0.0	0.0	
MEANS	..	29.861	51.0	37.5	13.5	44.6	41.5	70.0	29.1	46.5	45.9	3.1	7.0	0.1	1.4	0.0	0.0	0.0	
No. of Col.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	

DATE.	NOVEMBER.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	SKY AND ATMOSPHERE.	The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.
SUNDAY	1	m. P. generally	4.5	9.6	Overcast with slight rain in early morning; fine with small amounts of cloud till evening; cloudless but foggy till 11h. P.M.; cloudy afterwards.	Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1883 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily wet point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
MONDAY	2	m. P. generally	2.4	9.5	Cloudy till 9h. A.M.; fine till noon; generally cloudy afterwards.	The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1883.
TUESDAY	3	w. P. throughout	0.0	9.5	Overcast. Showery.	— "lower," than the average.
WEDNESDAY	4	w. P. till 9h. A.M.; s. N. in afternoon; s. P. after 4h. P.M.	0.0	9.4	Overcast with heavy rain till evening; cloudless at night.	The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.
THURSDAY	5	P. generally; v. N. between noon and 1h. P.M.	0.2	9.4	Generally cloudy till afternoon with showers before noon; cloudless at night.	The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; v. weak; m. moderate; s. strong; and v. variable.
FRIDAY	6	s. P. principally	0.0	9.3	Generally cloudy; foggy in morning.	The numbers in column 25, derived from Campbell's Sunshine Instrument, show the aggre- gate duration of bright sunshine on each day.
SATURDAY	7	m. P. generally	0.0	9.2	Slightly foggy in morning; overcast till afternoon; cloudless after 6h. P.M. Fog at night.	The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.
			Sum 7.1	Sum 65.9		The reading of the barometer increased from 29.24 in. at the beginning of the week to 29.97 in. by noon on the 2nd; decreased to 29.41 in. by noon on the 5th; and increased to 30.17 in.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

*Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.*

No. 45. 1885. VOL. XLVL] WEEK ENDING SATURDAY, NOVEMBER 14. [Price 1½d.

*General Register Office, Somerset House,
16th November, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 19·4 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.		Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.
Birkenhead	20·7	17·4	23·5	15·1	Liverpool -	22·4	23·4	24·4	24·6
Birmingham	15·7	14·0	16·3	17·7	London -	18·6	17·5	18·9	19·6
Blackburn -	22·3	16·7	24·6	22·7	Manchester -	22·7	21·8	27·1	22·4
Bolton -	23·2	15·6	28·9	23·2	Newcastle-on-Tyne	22·5	19·8	22·5	18·7
Bradford -	13·6	13·1	16·3	15·6	Norwich -	11·4	9·7	20·6	16·6
Brighton -	20·5	23·7	13·6	16·8	Nottingham -	14·8	17·0	20·0	12·3
Bristol -	17·5	18·7	20·3	19·1	Oldham -	18·6	21·5	26·4	23·1
Cardiff -	21·0	21·0	19·9	22·6	Plymouth -	21·3	24·0	26·1	20·6
Derby -	15·1	19·8	16·9	20·9	Portsmouth -	15·9	15·1	20·1	20·1
Halifax -	18·2	14·8	13·5	16·9	Preston -	19·8	20·3	33·3	26·5
Huddersfield	13·7	23·9	17·9	16·7	Salford -	19·2	21·2	18·1	18·7
Hull -	14·0	15·7	16·2	14·8	Sheffield -	18·1	17·1	19·6	17·9
Leeds -	17·4	18·6	18·6	15·8	Sunderland -	17·1	14·2	15·0	18·7
Leicester -	14·9	17·6	15·7	13·4	Wolverhampton -	18·4	17·8	20·4	25·0

The highest annual death-rates from measles, measured by last week's mortality, were 1·1 in Liverpool, and 1·8 in Brighton; from scarlet fever, 1·5 in Leicester; from whooping-cough, 1·4 in Brighton; and from "fever," 0·8 in Leicester, 1·4 in Bolton, and 2·0 in Newcastle-upon-Tyne. Of the 38 deaths from diphtheria, 26 occurred in London, 2 in Liverpool, and 2 in Cardiff. Small-pox caused 3 deaths in London and its outer ring (exclusive of 2 in the Metropolitan Asylum Hospital Ship "Atlas" moored off Dartford), 3 in Liverpool, and one in Bristol.

LONDON.

In LONDON 2534 BIRTHS and 1531 DEATHS were registered. Allowing for increase of population, the births were 269, and the deaths 170, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·5 and 18·9 in the two preceding weeks, further rose last week to 19·6. During the first six weeks of the current quarter the death-rate averaged 18·1, and was 2·0 below the mean rate in the corresponding periods of the nine years 1876-84.

The 1531 deaths included 1 from small-pox, 51 from measles, 19 from scarlet fever, 26 from diphtheria, 39 from whooping-cough, 12 from enteric fever, 10 from diarrhoea and dysentery, and not one from typhus, from any ill-defined form of continued fever, or from cholera; thus, 158 deaths were referred to these diseases, being 79 below the corrected average weekly number.

One death from *small-pox* was registered in London last week, against 4 and 1 in the two preceding weeks. The deaths from small-pox of 2 London residents were, however, registered in the Metropolitan Asylum Hospital Ship "Atlas",

moored off Dartford and outside Registration London. Of the total 3 fatal cases belonging to London, one (admitted from Westminster) occurred in the Highgate Small-pox Hospital; and of the 2 in the Metropolitan Asylum Hospitals, one belonged to Mile End Old Town, and one to Lewisham, sanitary areas. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 88 and 90 on the two preceding Saturdays, had declined to 79 at the end of last week; the admissions, which had been 11, 14, and 21 in the three previous weeks, declined again last week to 11. The Highgate Small-pox Hospital contained 7 patients on Saturday last, no case having been admitted during the week.

The fatal cases of *measles*, which had been 23 and 41 in the two preceding weeks, further rose last week to 51, and exceeded the corrected weekly average by 7; 15 belonged to Pancras, 4 to Clerkenwell, 4 to St. George's Southwark, and 4 to East Battersea, in the Wandsworth sanitary area. The 19 deaths from *scarlet fever* showed a further increase upon the low numbers in the two preceding weeks, but were 54 below the corrected average; 2 belonged to Islington, 2 to Bethnal Green, and 3 (including 2 at 56, Quaker Street) to Whitechapel. The Metropolitan Asylum Hospitals contained 274 scarlet fever patients on Saturday last, 15 having been admitted during the week. The deaths referred to *diphtheria*, which had been but 10 and 16 in the two preceding weeks, further rose last week to 26, and exceeded the corrected average by 10; 3 belonged to Marylebone, and 3 to Islington. The 39 fatal cases of *whooping-cough* showed an increase of 10 upon the number in the previous week, and exceeded the corrected average by 11; 19 belonged to South London, including 4 to Lambeth, 4 to Wandsworth, 4 to Camberwell, and 4 to Greenwich. The 10 deaths attributed to *diarrhoea* and *dysentery*, included 6 of infants under one year of age, and were 13 below the corrected average.

The deaths referred to *enteric fever*, which had been but 8 and 10 in the two previous weeks, further rose to 12 last week, but were 17 below the corrected average; 6 belonged to South London, including 2 to Bermondsey, and 3 to Greenwich. The Metropolitan Asylum Hospitals contained 45 cases of enteric fever, and not one of typhus, on Saturday last; 10 cases of enteric fever were admitted during the week.

The deaths of 9 women were referred to puerperal fever, exceeding the corrected average by 2; they included 2 in Marylebone, 2 in Lambeth, and 3 in Camberwell.

The deaths referred to diseases of the respiratory organs, which had increased in the eight preceding weeks from 152 to 394, further rose last week to 418, but were 16 below the corrected weekly average.

The death of a male, aged 24 years, resulted from hydrophobia, raising the number of deaths referred to this cause in London since the beginning of this year to 22.

Different forms of violence caused 52 deaths; 45 were the result of negligence or accident, among which were 17 from fractures and contusions, 7 from burns and scalds, 2 from drowning, and 13 of infants under one year of age from suffocation. The 17 deaths from fractures and contusions were thus returned:—male, aged 3 years, and female 57, run over by cart; male 72, run over by cab; male 3, fell from omnibus; male 38, fell from brougham; male 17, fell from van; males 27 and 30, run over by train; female 5, fell in street; males 60, 79, and females 6, 72, fell down stairs; male 64, fell from ship's mast; males 44, 62, and 69, by fall. An inquest was held in each of these 17 cases, except the last. Five cases of suicide were registered.

GREATER LONDON.

In Greater London 3253 births and 1903 deaths were registered, corresponding to annual rates of 32·6 and 19·6 per 1000 of the population. In the Outer Ring 13 deaths from measles, and 2 from small-pox were registered. The fatal cases of measles included 4 in West Ham and 3 in Acton sub-districts. The 2 deaths from small-pox occurred in Isleworth and Edmonton sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·97 in.; the highest reading was 30·17 in. at the beginning of the week, and the lowest 29·49 in. on Saturday afternoon. The mean temperature of the *air* was 43°·3, and 0°·3 above the average in the corresponding week of the 20 years ending 1868. The mean was below the average on Sunday, Wednesday, and Thursday, but showed an excess on each of the other days of the week. The direction of the *wind* was variable, and the horizontal movement of the *air* averaged 6·8 miles per hour, which was 5·0 below the average in the corresponding week of 16 years. *Rain* fell on four days of the week, to the aggregate amount of 0·29 of an inch. No bright sunshine was registered during the week either at Greenwich or at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY in 28 GREAT TOWNS, during the Week ending 14th November, 1885.

CITIES AND BOROUGHES.	Registered during the Week ending 14th Nov., 1885.		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGHES.							
	1.	2.	3.	Deaths under 1 Year of Age.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Deaths from Inquest Cases.		Deaths in Public Institutions.	Unclassified Causes of Death.	Annual Rate per 1000 corresponding to the Week's Deaths		Mean.		In Inches.	In Centi- meters.			
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.									Highest.	Lowest.			Fahrenheit.		Fahrenheit.	Centigrade.					
28 TOWNS -	8,906,446	5881	3304	789	744	5	85	47	38	69	33	33	121	231	537	69	19.4	1.8	55.0	30.1	43.2	6.22	0.14	0.36	24. Cols.	- 28 TOWNS.
LONDON -	4,088,928	2534	1531	356	368	1	51	19	26	39	12	10	52	110	323	9	19.6	2.0	49.7	30.1	48.3	6.28	0.29	0.74	23.	LONDON.
BRIGHTON -	-	55	37	7	5	-	4	-	1	1	-	2	1	1	6	-	16.8	3.6	51.0	37.0	44.0	6.67	0.13	0.33	22.	BRIGHTON.
PORTSMOUTH -	-	97	52	15	17	-	-	-	1	1	-	1	1	1	1	-	20.1	1.5	-	-	-	-	-	-	21.	PORTSMOUTH.
NORWICH -	-	62	29	8	8	-	-	-	1	1	-	1	1	2	2	-	16.6	1.7	47.4	41.8	47.4	8.55	0.09	0.23	20.	NORWICH.
PLYMOUTH -	-	38	30	4	8	-	-	-	1	1	-	-	4	6	12	-	20.6	1.4	55.0	39.2	43.1	6.17	0.05	0.13	19.	PLYMOUTH.
BRISTOL -	-	144	80	16	17	1	1	-	1	3	6	1	1	3	6	1	25.0	0.7	50.6	33.9	41.5	5.28	0.15	0.38	18.	BRISTOL.
WOLVERHAMPTON	-	57	38	11	12	-	-	-	1	1	1	1	1	1	1	-	17.7	0.9	-	-	-	-	-	-	17.	WOLVERHAMPTON.
BIRMINGHAM -	-	306	145	44	32	-	1	2	-	3	1	-	11	17	25	2	17.7	0.9	-	-	-	-	-	-	16.	BIRMINGHAM.
LEICESTER -	-	93	35	8	10	-	-	4	1	-	2	-	4	5	1	1	13.4	2.7	-	-	43.2	6.22	0.12	0.30	15.	LEICESTER.
NOTTINGHAM -	-	144	50	15	12	-	3	-	-	-	1	3	4	5	1	1	12.3	1.7	50.2	38.9	-	-	-	-	14.	NOTTINGHAM.
DERBY -	-	89,691	62	36	5	-	1	-	-	-	2	-	-	6	5	-	20.9	1.7	-	-	-	-	-	-	13.	DERBY.
BIRKENHEAD -	-	81	27	3	5	-	1	-	1	1	-	-	-	1	1	-	15.1	1.1	-	-	42.4	5.78	-	-	12.	BIRKENHEAD.
LIVERPOOL -	-	413	273	61	31	3	12	4	2	8	2	5	14	15	46	15	24.6	3.2	49.1	30.6	-	-	-	-	11.	LIVERPOOL.
BOLTON -	-	64	49	7	19	-	-	-	-	1	3	-	2	4	4	-	23.2	1.9	47.9	34.8	40.7	4.83	0.10	0.25	10.	BOLTON.
MANCHESTER -	-	266	145	29	30	-	4	3	-	1	1	1	5	14	34	4	22.4	1.4	-	-	-	-	-	-	9.	MANCHESTER.
SALFORD -	-	164	73	20	8	-	2	-	1	3	1	2	3	3	7	7	18.7	2.3	-	-	-	-	-	-	8.	SALFORD.
OLDHAM -	-	82	56	22	15	-	1	1	-	1	1	-	2	3	5	4	23.1	1.7	-	-	-	-	-	-	7.	OLDHAM.
BLACKBURN -	-	92	49	15	7	-	-	-	-	1	-	-	3	3	3	-	22.7	0.5	-	-	-	-	-	-	6.	BLACKBURN.
PRESTON -	-	65	51	9	13	-	-	-	-	1	-	2	-	1	2	1	26.5	2.1	52.0	38.0	43.5	6.45	0.05	0.13	5.	PRESTON.
HUDDESFIELD -	-	87,827	47	28	8	12	-	-	-	1	-	1	2	2	2	1	16.7	0.6	-	-	-	-	-	-	4.	HUDDESFIELD.
HALIFAX -	-	77,378	43	25	3	6	-	-	-	1	1	1	-	-	1	1	16.9	2.0	-	-	-	-	-	-	3.	HALIFAX.
BRADFORD -	-	126	64	15	15	-	2	3	1	-	-	1	-	6	4	3	15.6	1.7	52.0	38.0	43.4	6.33	0.04	0.10	2.	BRADFORD.
LEEDS -	-	333,139	234	101	26	21	-	2	-	1	-	1	3	8	9	3	15.8	0.6	54.0	40.0	45.0	7.22	0.01	0.03	1.	LEEDS.
SHEFFIELD -	-	305,716	210	105	26	23	-	1	-	2	1	-	1	3	6	5	17.9	1.0	52.0	35.0	41.8	5.45	0.16	0.41	0.	SHEFFIELD.
HULL -	-	186,292	123	53	14	19	-	-	1	1	-	2	2	2	5	2	14.8	0.8	51.0	35.0	42.8	6.00	0.28	0.66	0.	HULL.
SUNDERLAND -	-	125,827	87	45	12	4	-	1	1	1	-	-	5	5	6	5	18.7	2.1	50.0	38.0	43.0	6.11	0.49	1.24	0.	SUNDERLAND.
NEWCASTLE -	-	153,909	113	55	11	13	-	1	1	1	6	-	2	2	5	10	18.7	2.7	51.0	36.0	42.8	6.00	0.06	0.15	0.	NEWCASTLE.
CARDIFF -	-	97,034	79	42	11	9	-	-	2	-	-	-	2	2	5	1	22.6	1.1	-	-	-	-	-	-	0.	CARDIFF.
EDINBURGH -	-	133	82	24	20	-	-	-	2	1	3	3	2	2	2	2	17.1	1.2	57.6	35.1	44.0	6.67	0.13	0.33	0.	EDINBURGH.
GLASGOW -	-	345	243	53	31	-	1	9	2	9	1	5	6	9	30	32	24.4	2.7	52.5	30.5	43.1	6.17	0.14	0.36	0.	GLASGOW.
DUBLIN -	-	211	201	33	43	-	-	7	-	9	8	5	6	5	55	31	29.7	4.3	54.6	31.5	43.5	6.39	0.04	0.10	0.	DUBLIN.

Births and Deaths registered last Week.

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FORTY-FIFTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2449	2510	2432	2607	2721	2538	2738	2709	2497	2502	2802.8	2534
Males . .	1251	1268	1256	1339	1395	1299	1404	1319	1269	1317	1430.3	1295
Females . .	1198	1242	1176	1268	1326	1239	1334	1390	1228	1185	1372.5	1239
TOTAL Deaths	1567	1635	1448	1590	1524	1636	1636	1493	1556	1516	1701.2	1531
Males . .	782	817	758	790	785	802	860	784	805	826	873.3	807
Females . .	785	818	690	800	739	834	776	709	751	690	827.9	724

* The numbers in this column are the average weekly numbers in the forty-fifth week of the ten years 1875-84, raised by 0.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	
TOTAL Births	2535	2413	2538	2330	2542	2438	2516	2491	2582	2572	2581	2695	2534	
TOTAL Deaths	1473	1371	1238	1221	1231	1081	1251	1309	1346	1458	1366	1483	1531	
0-20	790	713	619	585	536	490	575	579	632	630	596	641	707	
20-40	175	180	163	174	191	170	185	191	181	206	179	197	188	
40-60	237	207	231	205	243	184	217	252	225	268	257	281	268	
60-80	221	227	183	213	211	186	240	246	244	284	268	297	298	
at 80 years & upwds.	50	44	42	44	50	51	34	41	64	70	66	67	70	
Deaths of children	Under 1 year	499	408	362	303	284	260	304	309	319	347	323	334	356
	1-5	214	230	192	203	172	149	167	187	231	206	191	228	260
	5-20	77	75	65	79	80	81	104	83	82	77	82	79	91
Deaths from Small-pox	5	9	6	9	8	11	7	3	-	-	9	5	3	
" " Measles	38	55	46	25	14	15	20	17	28	27	23	41	51	
" " Scarlet Fever	12	12	14	15	20	16	14	21	22	18	10	15	19	
" " Diphtheria	13	14	16	22	25	18	24	14	23	18	10	16	26	
" " Whooping-cough	43	45	30	39	25	26	22	34	29	31	36	29	39	
" " Typhus	-	-	-	1	-	-	1	2	-	-	-	-	-	
" " Enteric fever	15	14	8	12	9	14	16	12	10	11	8	10	12	
" " Simple Cont'd fever	1	3	-	1	3	3	1	6	-	-	2	1	-	
" " Diarrhoea and Dysentery	163	121	83	62	40	49	42	35	27	21	17	8	10	
" " Cholera	7	6	3	-	1	1	1	1	1	-	1	-	-	
Deaths from the above-mentioned Diseases	297	279	206	186	145	153	148	145	140	126	116	125	160	
" " Dis. of Respiratory System	165	201	159	175	152	159	205	231	301	356	358	394	418	
" " Phthisis	151	157	147	139	155	150	159	146	161	165	158	188	152	
" " Dis. of Circulatory System	110	94	97	90	106	83	84	116	87	130	100	126	110	
Violent Deaths	53	52	38	48	49	45	45	62	44	50	43	40	52	
Inquest Cases	92	81	76	88	93	80	89	109	82	108	94	93	110	
Deaths in Public Institutions	292	302	259	279	288	234	285	285	265	286	291	313	323	
TEMPERATURE OF THE AIR:														
Mean	58.2	57.6	57.2	56.3	57.7	52.7	49.6	47.6	45.4	45.1	44.0	44.6	43.3	
Mean of Highest readings	69.4	68.4	68.1	66.1	66.3	62.5	57.8	59.9	52.1	50.5	49.8	51.0	46.1	
Mean of Lowest readings	49.4	49.2	48.6	49.3	51.2	43.8	42.1	36.9	38.5	40.8	38.4	37.5	39.8	
Humidity of the Air	80	75	79	85	86	77	84	84	82	89	84	89	95	
Rain-fall in inches	0.14	0.61	0.40	1.93	0.86	0.18	0.52	1.09	0.44	0.94	0.80	0.47	0.29	
Registered Sunshine (in hours)	19.7	25.7	26.9	21.1	15.4	34.1	16.6	14.4	13.9	5.6	13.3	7.1	0.0	

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quirton, jun., Esq., Norwich; R. Gann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarlton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filler, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Penk, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FIFTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 45th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 14th November, 1885.										Corrected Averages for the 45th Weeks of the 10 years 1875-84.	CAUSES OF DEATH.	Corrected Averages for the 45th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 14th November, 1885.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Deaths of Persons of the Ages													Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.				20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
			0-1.	1-5.	5-20.						0-1.								1-5.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
ALL CAUSES	1701.2	1531	356	260	91	188	268	298	70																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has or has not been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 2 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

		The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of		Deaths from												Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.	Inquest Cases.			
LONDON		3,816,483	2534	1581	356	368	1	51	19	26	39	-	12	-	10	52	110	323	9	
WEST DISTRICTS		669,688	394	237	52	59	-	6	2	7	6	-	3	-	2	3	7	64	1	
NORTH DISTRICTS		905,947	539	354	76	97	1	19	2	6	6	-	2	-	2	12	30	66	1	
CENTRAL DISTRICTS		282,238	189	122	24	26	-	5	-	2	2	-	-	-	1	5	9	27	1	
EAST DISTRICTS		692,738	586	287	75	69	-	4	11	3	6	-	1	-	1	14	32	81	1	
SOUTH DISTRICTS		1,265,927	926	531	129	117	-	17	4	8	19	-	6	-	4	18	32	85	5	
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		66888	48	31	17	3	-	-	-	2	1	-	-	-	-	-	-	3	6	
St. John Paddington H - G.J.		37380	12	10	-	3	-	-	-	-	-	-	1	-	-	-	1	16	-	
Kensington Town WH - W.M.		120141	48	44	8	15	-	-	-	2	2	-	1	-	1	-	-	3	-	
Brompton H - W.M. & C.		49010	17	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Peter Hammersmith - W.M.		7599	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.		64340	52	16	3	7	-	2	-	1	1	-	-	-	-	-	1	-	-	
Fulham WH - W.M. & C.		42900	56	19	5	5	-	-	-	1	-	-	-	-	-	-	5	-	-	
Chelsea South HHH - C.		80896	19	10	1	3	-	-	-	-	1	-	-	-	-	-	1	-	-	
Chelsea North-west WHHHH - C.		24925	13	22	2	6	-	1	-	1	-	-	-	-	-	-	1	8	-	
Chelsea North-east - C.		32807	38	12	5	2	-	1	1	-	-	-	-	-	-	-	1	-	-	
Hanover Square H - G.J.		16862	10	5	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
May Fair W - G.J.		18491	1	8	-	8	-	-	-	-	-	-	-	-	-	-	-	3	-	
Belgrave WHH - C.		59220	26	19	3	6	-	-	1	-	1	-	-	-	1	1	1	5	1	
St. John Westminster HH - C.		35496	18	9	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Margaret Westminster H - C.		24679	10	10	2	1	-	-	-	-	-	-	-	-	-	1	-	5	-	
St. James Westminster WH N.R. & G.J.		29941	14	6	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-	
St. Anne Soho HHHHH - N.R.		16608	10	3	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	
NORTH DISTRICTS.																				
Ali Souls Marylebone HHHH - W.M.		26759	12	12	2	3	-	-	-	-	-	-	-	-	-	-	1	2	-	
Cavendish Square HHH - W.M.		14881	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-	
Rectory Marylebone WH G.J. & W.M.		24809	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Marylebone HHH G.J. & W.M.		21118	17	10	2	2	-	-	-	1	-	-	-	-	-	-	-	4	-	
Christchurch Marylebone H - W.M.		38700	23	10	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	
St. John Marylebone H - W.M.		33693	15	16	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead WWHH - N.R. & W.M.		45452	25	15	-	5	-	2	1	-	-	-	-	-	-	2	2	2	-	
Regent's Park Paneras H - W.M.		39115	23	10	3	5	-	-	-	-	-	-	-	-	-	1	2	-	-	
Tottenham-court WHHHH N.R. & W.M.		27729	7	19	5	6	-	-	1	-	-	-	-	-	-	-	2	12	-	
Gray's Inn Lane HHH - N.R.		30247	26	15	5	4	-	-	-	1	-	-	-	-	-	1	5	1	-	
Somers Town H - N.R.		34369	29	15	3	7	-	5	-	-	-	-	-	-	-	1	4	1	-	
Camden Town WH - N.R.		17311	8	15	9	5	-	10	-	-	-	-	-	-	-	1	2	6	-	
Kentish Town W - N.R.		87487	46	39	8	12	-	1	-	-	1	-	-	-	-	1	2	9	-	
Upper Holloway WWHWH - N.R.		67946	47	38	8	8	12	1	1	1	1	-	-	-	1	1	4	15	-	
Islington South-west HH - N.R.		100676	59	33	4	5	-	1	1	1	-	-	-	-	-	2	3	-	-	
Islington South-east - N.R.		61305	33	10	4	3	-	-	-	-	-	-	1	-	-	-	2	-	-	
Highbury H - N.R.		52048	31	17	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	
Stoke Newington H - N.R.		22781	16	15	6	6	-	-	-	1	-	-	-	-	-	-	-	-	-	
Stamford Hill - E.L.		3277	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
West Hackney - N.R.		37610	26	11	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hackney WWHHLL - E.L. & N.R.		73911	51	32	7	10	-	-	-	-	1	-	-	-	1	-	1	12	1	
South Hackney - E.L.		39883	25	13	2	4	-	-	-	-	-	-	-	-	-	1	1	-	-	
CENTRAL DISTRICTS.																				
St. George Bloomsbury - N.R.		16681	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - N.R.		14864	12	13	1	7	-	-	-	-	-	-	-	-	-	-	-	3	-	
St. Giles North - N.R.		18837	8	7	2	1	-	-	-	-	-	2	-	-	-	-	-	-	-	
St. Martin-in-the-Fields HH N.R. & C.		17508	3	10	-	1	-	1	-	-	-	-	-	-	-	1	1	4	-	
St. Mary-le-Strand H - N.R.		7515	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	
St. Clement Danes H - N.R.		8559	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
St. George-the-Martyr HHHHHH N.R.		18671	9	9	2	1	-	-	-	1	-	-	-	-	-	-	1	3	-	
St. Andrew Eastern W - N.R.		10706	5	6	2	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
Saffron Hill H - N.R.		6533	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - N.R.		17516	7	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Arnwell Clerkenwell - N.R.		19281	12	8	-	-	-	3	-	-	-	-	-	-	-	-	2	-	-	
Pentonville - N.R.		14773	12	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Goswell-street - N.R.		17505	12	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Old-street H - N.R.		11541	7	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
City-road HHL - N.R.		18628	27	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Whitecross-street - N.R.		9217	4	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Finsbury - N.R.		7463	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
St. Botolph H - N.R. & E.L.		11174	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - N.R.		7193	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - N.R.		5558	1	9	2	1	-	-	-	-	-	-	-	-	-	-	4	4	9	
St. Bride W - N.R.		8396	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Allhallows Barking - N.R.		13666	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - N.R.		6652	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein; namely: *W*—Work-house; *H*—Hospital; *L*—Lunatic Asylum; *W*—A Workhouse Establishment receiving inmates from other Districts than that in which it stands see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—*G.J.* signifies Grand Junction Company; *W.M.* West Middlesex; *C.* Chelsea; *S.* Southwark and Vauxhall; *L.* Lambeth; *N.R.* New River; *E.L.* East London; and *K.* the Kent Company.

FEVER, DYPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 14th November, 1885.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total DEATHS during the Week.	Deaths from													
				Deaths of													
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	
																Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																	
Holywell Shoreditch	N.R. & E.L.	7376	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Leonard Shoreditch	HL†	14967	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Hoxton New Town	W	29937	18	18	3	7	-	2	-	-	-	-	-	-	-	1	9
Hoxton Old Town	-	28036	20	7	1	-	-	-	-	-	-	1	-	-	1	1	-
Haggerston	WH	46275	35	19	2	7	-	1	1	1	-	-	-	-	2	4	-
Hackney-road	H	29738	15	10	5	2	-	-	-	-	-	-	-	-	-	-	-
Green, Bethnal Green	WHL†	47632	41	25	6	3	-	-	-	1	-	-	-	-	1	3	-
Church, Bethnal Green	-	29981	31	9	3	11	-	2	-	-	-	-	-	-	1	14	-
Town, Bethnal Green	-	18810	22	7	2	2	-	2	-	1	-	-	-	-	1	2	-
City Fields	H	22585	17	9	2	1	-	3	-	-	-	-	-	-	-	2	-
Mile End New Town	W	15478	12	6	1	2	-	-	-	-	-	-	-	-	-	-	-
Whitechapel Church	H	17490	15	23	1	5	-	1	-	1	1	-	-	-	3	3	4
Goodman's Fields	-	9713	1	-	-	-	-	-	-	-	-	-	-	-	-	26	-
Aldgate	-	6102	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North	-	38747	35	24	6	6	-	1	-	1	-	-	-	-	-	2	-
St. John, St. George East	W	8410	5	9	3	4	-	-	-	-	-	-	-	-	-	-	-
Shadwell	H	16995	8	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Ratcliff	-	16107	11	4	1	-	-	-	-	-	-	-	-	-	1	1	-
Limchouse	-	32041	17	8	3	1	-	1	-	-	-	-	-	-	1	-	1
Mile End Old Town West	-	37660	28	12	6	2	-	1	1	1	-	-	-	-	-	-	-
Mile End Old Town East	W & H	67653	67	25	11	4	-	-	-	-	-	-	-	-	2	6	2
Bow	-	37074	23	5	3	2	-	-	-	-	-	-	-	-	-	-	-
Bromley	W & H	64869	52	37	10	10	-	1	-	-	-	-	-	-	-	-	-
Poplar	W & H	56077	45	16	7	2	-	1	-	-	-	-	-	1	2	6	12
SOUTH DISTRICTS.																	
Christchurch Southwark	WH	12663	11	3	4	3	-	1	-	-	-	-	-	-	-	2	1
St. Saviour Southwark	-	14460	13	4	1	1	-	2	-	-	-	-	-	-	-	-	-
Kent-road	-	21381	12	12	1	2	-	-	-	-	-	-	-	1	-	-	-
Borough-road	WH	16953	13	10	1	3	-	2	-	1	-	-	-	-	-	1	-
London-road	HL	21315	16	6	1	-	-	-	-	-	-	-	-	-	1	1	-
Trinity Newington	-	26672	18	7	2	1	-	-	-	1	-	-	-	-	2	2	-
St. Peter Walworth	W	59555	19	22	5	6	-	1	1	-	-	-	-	1	-	-	-
St. Mary Newington	-	51633	13	2	-	1	-	-	-	-	-	-	-	-	-	7	-
St. Olave	WH	11956	10	19	2	3	-	-	1	-	-	-	-	-	3	4	16
Leather Market	-	16800	17	6	1	-	-	1	-	-	-	-	-	-	-	-	-
St. Mary Magdalen	W	12669	11	11	-	7	-	-	-	-	-	-	-	-	-	2	6
St. James Bermondsey	-	54683	16	25	8	6	-	-	1	-	-	-	-	-	1	1	-
Rotherhithe	W	36024	19	12	-	5	-	-	-	-	-	-	-	-	2	2	2
Waterloo-road 1st	H	15195	18	7	2	2	-	1	-	-	-	-	-	-	-	-	-
Waterloo-road 2nd	H	16361	16	6	1	1	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st	H	19876	11	13	1	3	-	-	1	1	-	-	-	-	-	2	10
Lambeth Church 2nd	WW	39859	32	21	4	5	-	-	1	-	-	-	-	-	-	2	7
Kennington 1st	-	45232	27	21	4	5	-	1	-	-	-	1	-	-	-	-	-
Kennington 2nd	-	35332	17	9	2	1	-	-	-	1	-	-	-	-	-	-	-
Brixton	W	62887	25	23	9	3	-	-	-	1	-	-	-	-	1	2	-
Norwood	W	15617	16	7	1	1	-	-	1	-	-	-	-	-	-	-	-
Clapham	H	36350	16	8	2	2	-	-	1	1	-	-	-	-	-	-	-
East Battersea	-	54675	51	23	7	4	-	4	-	1	1	-	-	-	-	1	1
West Battersea	W	51587	54	27	10	5	-	-	1	-	1	-	-	-	-	-	5
Wandsworth	HL	28004	27	11	2	-	-	-	-	-	-	-	-	-	-	-	2
Fulney	-	15255	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Streatham	-	28553	25	12	4	4	-	-	-	1	-	-	-	-	-	-	-
Dulwich	-	5590	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell	W & L	59104	50	25	10	8	-	-	-	-	-	-	-	1	-	1	11
Peckham	W	71189	46	26	3	7	-	-	-	1	2	-	-	-	-	-	1
St. George Camberwell	-	50610	44	20	13	3	-	-	-	2	-	-	-	1	-	1	-
St. Paul Deptford	W	76712	55	38	12	9	-	1	-	3	-	2	-	-	-	2	1
St. Nicholas Deptford	-	7501	4	6	-	2	-	-	-	-	-	-	-	-	-	1	-
Greenwich West	H	21972	9	6	-	2	-	-	-	-	-	-	-	-	-	-	1
Greenwich East	WHH	24608	15	19	-	6	-	2	-	1	1	-	-	-	1	3	9
Eltham	H	4897	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee	-	21559	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham	WH	19865	19	7	3	2	-	-	-	-	-	-	-	-	-	3	-
Sydenham	H	24076	15	4	1	1	-	-	-	-	-	-	-	-	1	1	1
Charlton	H	16920	7	7	1	1	-	-	-	-	-	-	-	-	-	-	2
Woolwich Dockyard	-	17617	19	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal	HHH	19448	9	5	3	1	-	-	-	-	-	-	-	-	-	1	-
Plumstead, West	H	14009	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, East	W	14241	19	3	-	2	-	-	-	-	-	-	-	-	2	2	1

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Marylebone Infirmary in Kensington Town sub-district.
 Central London Sick Asylum in Tottenham Court-road sub-district.
 Holborn Infirmary in Upper Holloway sub-district.
 London City Workhouse, Hackney sub-district.
 Holborn " Hoxton New Town sub-district.
 Whitechapel " Mile End Old Town Eastern sub-dist.

London City Workhouse in Mile End Old Town Eastern sub-dist. and Bromley sub-district.
 Stepney " Bromley sub-district.
 Poplar & Stepney Sick Asylum " Bromley sub-district.
 Westminster Union Industrial School in West Battersea sub-district.
 Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 14th November, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING		370,282	950,178	719	372	91	94	2	13	4	6	6	4	7	14	27	32	11	
30:1	Carshalton <i>wL</i> - -	12238	21118	13	5	3	1	-	-	-	-	-	-	-	1	1	-	-	
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	5	11	-	-	-	-	1	-	-	-	-	-	-	-	2	
37:1	Godstone (<i>part of</i>) * -	2754	1235	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon <i>WwH</i> - -	20851	101241	64	29	6	6	-	-	-	-	-	-	-	1	2	4	-	
	Mitcham - -	11697	17932	12	6	1	3	-	1	-	-	-	-	-	-	-	-	-	
39:1	Wimbledon <i>HHH</i> - -	3220	15950	12	3	-	1	-	-	-	-	1	-	-	-	-	-	-	
2	Kingston <i>WHH</i> - -	8549	36354	23	13	3	4	-	-	1	-	-	-	-	-	-	2	-	
3	Esher (<i>part of</i>) * -	6601	9221	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	
4	Hampton <i>H</i> - -	4573	13539	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
40:1	Richmond <i>WH</i> - -	2272	21302	9	6	1	-	-	-	1	1	-	-	-	1	1	1	-	
2	Mortlake - -	941	12331	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	19	7	2	2	-	-	-	-	-	-	-	-	-	-	1	
2	Chislehurst(<i>pt. of</i>) * <i>WHH</i>	13665	15065	13	8	-	3	-	-	-	-	-	-	-	-	1	2	-	
42:1	Bexley <i>H</i> - -	13437	24134	14	10	2	2	-	-	-	-	-	-	-	-	1	-	2	
124:1	Sunbury <i>w</i> - -	11055	11635	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Staines <i>W</i> - -	13277	12089	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
125:1	Hillingdon <i>WH</i> - -	6029	10892	3	3	-	3	-	-	-	-	-	-	-	-	-	2	-	
2	Uxbridge - -	6178	5225	4	5	-	3	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>wHL</i> - -	14587	11523	6	3	-	1	-	-	-	-	-	-	-	-	1	2	-	
126:1	Isleworth <i>W</i> - -	7008	22727	6	9	1	3	1	-	-	-	-	-	-	-	-	4	-	
2	Twickenham <i>H</i> - -	2477	12479	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
3	Brentford <i>HL</i> - -	4345	27649	31	4	1	1	-	-	-	-	-	-	-	1	1	-	-	
4	Chiswick - -	1240	15975	10	8	1	2	-	-	-	-	-	-	-	-	1	-	-	
5	Acton <i>wH</i> - -	6083	22876	16	16	3	5	-	3	-	-	-	1	-	-	1	1	-	
127:1	Harrow <i>H</i> - -	13809	12796	11	4	1	-	-	1	-	-	-	-	-	-	1	-	-	
2	Edgware <i>H</i> - -	6994	3749	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - -	4383	27453	31	7	3	2	-	-	-	-	-	-	1	2	2	-	-	
4	Hendon <i>W</i> - -	8332	10484	6	9	1	2	-	1	-	-	-	-	1	1	1	1	-	
128:1	South Mimms - -	15599	6391	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet <i>W</i> - -	5433	10092	4	3	1	1	-	-	-	-	-	-	-	-	-	-	1	
3	Finchley <i>HL</i> - -	4683	17615	7	15	2	2	-	-	-	-	-	-	1	1	1	4	-	
129:1	Hornsey <i>H</i> - -	3039	37078	24	9	2	2	-	-	-	1	1	-	-	-	-	-	-	
2	Tottenham <i>HH</i> - -	4642	46456	47	29	8	7	-	2	-	2	-	-	2	3	4	2	-	
3	Edmonton <i>WwW</i> - -	7483	23463	29	10	2	8	1	-	-	-	-	-	-	-	1	4	-	
4	Enfield <i>WH</i> - -	12653	19104	28	5	3	-	-	-	-	-	-	-	1	1	1	-	-	
5	Waltham Abbey - -	11017	5363	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - -	8480	7735	5	2	-	1	-	1	-	-	-	-	-	-	-	-	-	
135:1	Hatfield (<i>part of</i>) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - -	9331	6621	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
138:1	Stratford - -	882	38606	40	21	3	6	-	-	-	-	2	1	-	1	2	-	1	
2	West Ham <i>wWwH</i> - -	7351	101053	100	59	22	6	-	4	-	-	1	2	1	-	1	-	3	
3	Leyton <i>WwL</i> - -	4372	32430	29	19	6	4	-	-	-	-	-	-	-	-	-	3	-	
4	Walthamstow <i>wH</i> - -	6520	28869	31	11	5	1	-	-	-	2	-	-	-	-	-	-	1	
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	8	4	1	-	-	-	1	-	-	-	-	-	1	-	-	
139:1	Romford (<i>part of</i>) * -	6730	3411	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - -	8493	7645	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town - -	4127	9203	5	5	2	2	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—
 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Hareley (pop. 1265); 37:1, the two parishes of Warlingham and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1083); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1818); 41:2, the whole of Chislehurst sub-district, except the parish of Chislefield (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Boles (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 14th November, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 69 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.	Deaths in Public Institutions.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,199,166	19.1	2.0	1903	447	462	3	64	23	32	45	16	17	66	355		
INNER LONDON -	78,052	4,083,928	19.6	2.0	1531	356	368	1	51	19	23	39	12	10	52	323		
OUTER RING -	370,282	1,115,238	17.4	2.0	372	91	94	2	13	4	6	6	4	7	14	32		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700'522 square miles, which is equivalent to the area of a circle having a radius of 14'933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA	433,219	September 26	-	-	-	-
BOMBAY	773,196	October 13	278	368	22.7	Cholera 2; fevers 96.
MADRAS	398,777	" 2	313	248	32.3	Fevers 57; cholera 1.
PARIS	2,239,928	November 7	1159	921	21.4	Typhoid fever 27; diph. & croup 36; measles 26. Diphtheria and croup 3.
GENEVA	71,453	" 7	22	20	21.2	Small-pox 1; diph. 2.
BRUSSELS	436,214	October 31	261	144	17.2	Scarlet fever 5; diphtheria and croup 7.
AMSTERDAM	306,812	November 7	253	157	22.2	Small-pox 1.
ROTTERDAM	166,001	" 7	95	64	19.6	-
THE HAGUE	134,552	" 7	107	43	16.6	-
COPENHAGEN	280,315	" 3	201	71	13.2	Diphtheria 3; croup 2.
STOCKHOLM	200,143	October 24	118	78	20.3	Diphtheria 4.
CHRISTIANIA	128,000	November 7	82	51	20.7	Scarlet fever 7; diphtheria and croup 12.
ST. PETERSBURG	923,016	October 31	-	431	24.2	Typhoid fever 8; scarlet fever 19.
BERLIN	1,279,599	" 24	780	517	20.8	Diphtheria 41; scarlet fever 9.
HAMBURG (State)	407,956	" 31	336	223	23.4	Sc. fev. 8; tp. & tpd. fev. 8; diph. and croup 15.
DRESDEN	241,500	" 24	149	94	20.2	Measles 5; diphtheria and croup 4.
BRESLAU	295,000	" 31	226	143	25.0	Diphtheria 6; whooping-cough 5.
MUNICH	244,000	November 7	150	123	26.2	Small-pox 1; diphtheria and croup 6.
VIENNA	769,889	" 7	503	333	22.5	Small-pox 12; diarrhoeal diseases 34.
PRAGUE	272,333	" 7	-	142	27.2	Small-pox 5; scarlet fever 6.
BUDA-PESTH	429,532	October 24	279	189	22.9	Small-pox 8; diph. and croup 10.
TRIESTE	150,157	" 24	-	65	22.5	Diphtheria and croup 7.
ROME	380,430	September 12	191	150	23.7	Small-pox 2.
NAPLES	504,795	-	-	-	-	-
TURIN (10 days)	267,763	October 10	189	140	19.1	Scarlet fever 4; typhoid fever 2.
VENICE	145,990	" 24	71	85	30.4	Sm.-pox 10; typhd. fev. 2.
MADRID	475,668	-	-	-	-	-
LISBON	203,681	-	-	-	-	-
ALEXANDRIA	231,196	-	-	-	-	-
NEW YORK	1,356,958	October 17	-	531	20.4	Diph. 24; typh. & typhd. fever 15.
BROOKLYN	665,602	" 17	-	251	19.7	Scarlet fever 6; typhoid fever 7; diph. 11.
PHILADELPHIA	949,432	" 24	-	310	17.0	Diphtheria 7; typhoid fever 14.
BALTIMORE	408,520	" 24	-	149	19.0	Typhd. fev. 7; diph. 8.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 14th NOVEMBER, 1885.
[Under the Superintendence of the Astronomer Royal.]

READINGS OF THERMOMETERS.										DIFFERENCE				WIND.				RAIN.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
MOON.		MEAN.		Dew Point.		In the Water.		Between Dew Point and Air Temperature.		Between mean temperature of the day and night.		As deduced from Anemometers.		Degree of humidity, complete saturation being sent by 100.		Miles.		Inches.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Phases of Moon.		Mean daily value.		Range in day.		Lowest.		Mean daily value.		Least.		General Direction.		Presure on square foot.		Amount of Horizontal Movement of surface of ground, each way, 15 years.		Miles.		Inches.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
High. est.		Low. est.		High. est.		Low. est.		Mean daily value.		Least.		A. M.		P. M.		Great. est.		Least.		Miles.		Inches.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
NOVEMBER.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
SUN. 8		30.147		45.5		30.1		15.4		40.5		38.7		51.5		23.8		44.9		44.9		1.8		4.5		0.0		ENE.		NE. & ENE.		0.1		0.0		0.0		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
MON. 9		30.111		45.4		42.8		2.6		44.1		41.9		47.3		42.0		45.2		44.9		2.2		3.7		0.0		0.0		ENE.		ENE.		0.5		0.0		0.0		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
TUES. 10		30.125		47.0		42.8		4.2		44.8		44.6		49.1		42.0		45.0		44.7		0.2		1.2		0.0		0.0		NE. & ENE.		ENE. & E.		1.0		0.0		0.0		0.0		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
WED. 11		30.085		44.2		41.1		3.1		42.6		42.2		47.2		41.1		45.6		44.9		0.4		1.3		0.0		0.0		E. & NE.		NE. & E.		0.8		0.0		0.0		0.0		0.0		0.0		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
THURS. 12		29.997		43.2		41.1		2.1		42.0		39.8		45.0		40.8		44.9		44.9		2.2		3.5		1.3		0.0		ESE. & SSE.		SSE. & SSW.		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	

SKY AND ATMOSPHERE.

DATE.	ELECTRICITY.	REGISTERED SUNSHINE.	SUN ABOVE HORIZON.	SKY AND ATMOSPHERE.
NOVEMBER.	(For explanation of symbols, see Note.)	in hours.	in hours.	
SUNDAY	8 s. P. in morning; v. P. afterwards.	0.0	9.2	Foggy in morning; overcast afterwards. Occasional misty rain in afternoon and evening.
MONDAY	9 v. P. throughout	0.0	9.1	Overcast. Occasional misty rain.
TUESDAY	10 v. P. throughout	0.0	9.1	Overcast. Occasional rain.
WEDNESDAY	11 v. P. throughout	0.0	9.0	Overcast. Occasional thin rain.
THURSDAY	12 v. P. till afternoon; m. P. afterwards.	0.0	9.0	Overcast. Gloomy in afternoon, with a little misty rain.
FRIDAY	13 v. P. in morning; m. P. afterwards.	0.0	8.9	Overcast with slight exceptions. A little misty rain fell in morning.
SATURDAY	14 m. P. generally till 2h. P.M.; w. N. till 5h. P.M.; v. P. afterwards.	0.0	8.9	Overcast with frequent rain till 8h. P.M.; cloudless for a brief period at 9h. P.M.; cloudy afterwards.
		Sum	68.2	

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1883 for the thermometers. With the corrected mean reading of the dry bulb thermometer, forming the mean daily value (column 8). The mean daily dew point and degree of saturation are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1868.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface; and are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 30.17 in. at the beginning of the week to 30.10 in. by 3h. P.M. on the 9th; increased to 30.14 in. by noon on the 10th; decreased to 29.49 in. by 3h. P.M. on the 14th; and was 29.54 in. at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 2, EAST HARDING ST., FETTER LANE, E.C.

No. 46. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, NOVEMBER 21. [Price 1½d.

General Register Office, Somerset House,
23rd November, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 19·8 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.		Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.
Birkenhead	17·4	23·5	15·1	18·5	Liverpool -	23·4	24·4	24·6	21·5
Birmingham	14·0	16·3	17·7	17·2	London -	17·5	18·9	19·6	19·9
Blackburn -	16·7	24·6	22·7	19·9	Manchester -	21·8	27·1	22·4	24·7
Bolton -	15·6	28·9	23·2	25·1	Newcastle-on-Tyne -	19·8	22·5	18·7	19·1
Bradford -	13·1	16·3	15·6	11·2	Norwich -	9·7	20·6	16·6	17·2
Brighton -	23·7	13·6	16·8	17·3	Nottingham -	17·0	20·0	12·3	20·7
Bristol -	18·7	20·3	19·1	19·1	Oldham -	21·5	26·4	23·1	17·3
Cardiff -	21·0	19·9	22·6	18·3	Plymouth -	24·0	26·1	20·6	13·7
Derby -	19·8	16·9	20·9	27·9	Portsmouth -	15·1	20·1	20·1	21·7
Halifax -	14·8	13·5	16·9	19·6	Preston -	20·3	33·3	26·5	24·4
Huddersfield	23·9	17·9	16·7	23·9	Salford -	21·2	18·1	18·7	18·7
Hull -	15·7	16·2	14·8	13·7	Sheffield -	17·1	19·6	17·9	18·8
Leeds -	18·6	18·6	15·8	21·9	Sunderland -	14·2	15·0	18·7	18·7
Leicester -	17·6	15·7	13·4	19·2	Wolverhampton -	17·8	20·4	25·0	23·7

The highest annual death-rates from measles, measured by last week's mortality, were 1·3 in Salford, 1·4 in Bolton, and 1·8 in Liverpool; from whooping-cough, 1·4 in Plymouth, and 1·9 in Bolton; from scarlet fever, 1·1 in Cardiff, and 1·9 in Leeds; and from "fever," 1·1 in Birkenhead, and 1·2 in Portsmouth. Of the 32 deaths from diphtheria, 20 occurred in London, 2 in Birmingham, and 2 in Preston. Small-pox caused 4 deaths in London and its outer ring (exclusive of 1 in the Metropolitan Asylum Hospital Ship "Atlas" moored off Dartford), 1 in Liverpool, and 1 in Manchester.

LONDON.

In LONDON 2682 BIRTHS and 1557 DEATHS were registered. Allowing for increase of population, the births were 91, and the deaths 175, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·5, 18·9, and 19·6 in the three preceding weeks, further rose last week to 19·9. During the first seven weeks of the current quarter the death-rate averaged 18·3, and was 2·1 below the mean rate in the corresponding periods of the nine years 1876-84.

The 1557 deaths included 1 from small-pox, 44 from measles, 11 from scarlet fever, 20 from diphtheria, 42 from whooping-cough, 24 from enteric fever, 3 from ill-defined forms of continued fever, 13 from diarrhoea and dysentery, 1 from cholera, and not one from typhus; thus, 159 deaths were referred to these diseases, being 83 below the corrected average weekly number.

One death from *small-pox* was registered in London last week, corresponding with the number in each of the two preceding weeks. The death from small-pox of a London resident was, however, registered in the Metropolitan Asylum Hospital

Ship "Atlas", moored off Dartford and outside Registration London. The fatal case registered in London occurred in the Highgate Small-pox Hospital, to which it had been admitted from Epsom; the fatal case in the Hospital Ship "Atlas" belonged to Islington. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 90 and 79 on the two preceding Saturdays, had further declined to 74 at the end of last week; the admissions, which had been 21 and 11 in the two previous weeks, were again 11 last week. The Highgate Small-pox Hospital contained 7 patients on Saturday last, 2 cases having been admitted during the week.

The fatal cases of *measles*, which had been 23, 41, and 51 in the three preceding weeks, declined again last week to 44, and were 4 below the corrected weekly average; 10 belonged to Pancras, 4 to St. Saviour, Southwark, and 5 to Battersea, in the Wandsworth sanitary area. The deaths from *scarlet fever* declined to 11, from 15 and 19 in the two previous weeks, and were 60 below the corrected average; 2 belonged to Shoreditch, and 2 to Stepney. The Metropolitan Asylum Hospitals contained 287 scarlet fever patients on Saturday last, 38 having been admitted during the week, against 15 in the previous week. The deaths referred to *diphtheria*, which had been 10, 16, and 26 in the three preceding weeks, declined again to 20 last week, but were 4 above the corrected average; 2 belonged to Chelsea, 2 to Marylebone, 2 to Pancras, and 5 to Islington. The 42 fatal cases of *whooping-cough* showed a further increase upon recent weekly numbers, and exceeded the corrected average by 6; 4 belonged to Islington, 6 to Shoreditch, 5 to Bermondsey, and 5 to Camberwell. The 13 deaths attributed to *diarrhæa* and *dysentery* showed an increase upon the low numbers in the two preceding weeks, but were 9 below the corrected average; they included 9 of infants under one year of age. The death of a female, aged 23 years, in Hampstead, was referred to "British cholera from indigestion, 1 day."

The deaths referred to *enteric fever*, which had been 8, 10, and 12 in the three preceding weeks, further rose last week to 24, which, although 4 below the corrected average, exceeded the number returned in any previous week of this year; 2 belonged to Paddington, 2 to Fulham, 3 to Islington, 2 to Stepney, 2 to St. George's, Southwark, and 2 to Wandsworth. Two deaths in Islington, and one in Poplar, were indefinitely referred to "continued fever." The Metropolitan Asylum Hospitals contained 48 cases of enteric fever, and not one of typhus, on Saturday last; 4 cases of enteric fever were admitted during the week.

The deaths of 9 women were referred to puerperal fever, exceeding the corrected average by 3.

The deaths referred to diseases of the respiratory organs, which had increased in the nine preceding weeks from 152 to 418, further rose last week to 454, and exceeded the corrected weekly average by 12.

Different forms of violence caused 44 deaths; 39 were the result of negligence or accident, among which were 17 from fractures and contusions, 7 from burns and scalds, 3 from drowning, and 8 of infants under one year of age from suffocation. The 17 deaths from fractures and contusions were thus returned:—male, aged 52 years, run over by van; female 47, run over by cab; male 63, jammed between tram-cars; male 48, thrown from cab; female 6, run over; males 34, 35, and 54, run over on railway; male 23, fell from engine; female 65, fell in street; male 72, fell against kerb; male 82, fell in yard; female 4 months, fell from bed; male 38, fell down steps; male 49, and female 4, by fall; male 51, by fracture. An inquest was held in each of these 17 cases. Five cases of suicide were registered.

GREATER LONDON.

In Greater London 3501 births and 1950 deaths were registered, corresponding to annual rates of 35.1 and 19.6 per 1000 of the population. In the Outer Ring 12 deaths from measles, 6 from diphtheria, and 3 from small-pox, were registered. All the 3 fatal cases of small-pox and 4 of measles occurred in West Ham sub-district. Two deaths from diphtheria were returned in Croydon.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29.84 in.; the highest reading was 30.22 in. on Monday morning, and the lowest 29.38 in. at the end of the week. The mean temperature of the *air* was 38°.1, and 3°.4 below the average in the corresponding week of the 20 years ending 1868. The mean showed a slight excess on Friday, but was below the average on each of the other days of the week. The general direction of the *wind* was E., and the horizontal movement of the air averaged 12.2 miles per hour, which was 0.2 below the average in the corresponding week of 16 years. *Rain* fell on two days of the week, to the aggregate amount of 0.02 of an inch. The duration of registered bright sunshine in the week was 23.2 hours, against 21.8 hours at Glynde Place, Lewes.

CITIES AND BOROUGH.	Registered during the Week ending 21st Nov., 1885.		Deaths of		Deaths from								Causes of Death.				Annual Rate per 100, correcting for the Week's Deaths				TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.													
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	Mean.		23.	24.	Cols.															
																					Small-pox.	Measles.				Scarlet Fever.		Diphtheria.	Whooping- cough.	Typhoid.	Violence.	Infect. Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.	From All Causes.	From Diseases 6-12.	Fahrenheit.		In Inches.	In Centi- meters.
																																					Highest.	Lowest.		
The DEATHS registered in the Week include																																								
POPULATION estimated at the middle of the Year 1885.		BIRTHS.		DEATHS.		Infants under 1 Year of Age.		Persons aged 60 Years and upwards.																																
28 TOWNS.	8,606,446	5783	3379	858	753	3	86	39	32	79	55	37	98	191	568	83	19-8	1-9	52-0	23-0	37-4	3-00	0-07	0-18	-	28 TOWNS.														
LONDON.	4,083,928	2682	1657	367	358	1	44	11	-	42	27	13	44	89	326	18	19-9	2-0	46-0	28-1	38-1	3-39	0-02	0-05	-	LONDON.														
BRIGHTON.	114,672	65	38	8	10	-	1	-	-	-	1	1	3	7	7	-	17-3	0-9	49-0	31-0	38-3	3-50	0-00	0-00	-	BRIGHTON.														
PORTSMOUTH.	134,659	106	56	11	17	-	-	-	-	-	1	1	3	3	7	-	21-7	1-9	-	-	-	-	-	-	-	PORTSMOUTH.														
NORWICH.	91,215	53	30	4	4	-	-	-	-	-	1	-	2	2	4	-	17-2	0-6	-	-	-	-	-	-	-	NORWICH.														
PLYMOUTH.	76,045	42	20	4	7	-	-	-	-	2	-	-	-	-	1	-	13-7	1-4	52-0	34-5	42-6	5-90	0-11	0-28	-	PLYMOUTH.														
BRISTOL.	218,169	121	80	24	27	-	-	1	-	-	-	3	2	5	16	1	19-1	1-0	46-0	25-0	35-1	1-73	0-16	0-41	-	BRISTOL.														
WOLVERHAMPTON.	79,185	45	36	9	9	-	-	-	1	-	1	1	3	5	7	1	23-7	2-0	44-0	23-0	33-8	1-01	0-05	0-13	-	WOLVERHAMPTON.														
BIRMINGHAM.	427,769	272	141	39	39	-	1	-	2	2	3	5	9	12	17	3	17-2	1-6	-	-	-	-	-	-	-	BIRMINGHAM.														
LEICESTER.	136,147	84	50	18	12	-	-	1	-	1	-	1	-	4	5	1	19-2	1-1	-	-	-	-	-	-	-	LEICESTER.														
NOTTINGHAM.	211,424	150	84	15	22	-	2	1	1	2	3	2	2	12	12	-	20-7	2-7	46-7	25-3	37-5	3-06	0-10	0-25	-	NOTTINGHAM.														
DERBY.	89,691	50	48	14	12	-	1	-	-	1	-	-	-	2	5	1	27-9	1-7	-	-	-	-	-	-	-	DERBY.														
BIRKENHEAD.	93,693	49	33	5	6	-	2	-	-	1	2	1	-	1	1	-	18-5	3-4	-	-	-	-	-	-	-	BIRKENHEAD.														
LIVERPOOL.	579,724	371	239	68	40	1	20	2	1	10	2	2	12	12	41	17	21-5	3-4	43-8	30-0	37-3	2-95	0-01	0-03	-	LIVERPOOL.														
BOLTON.	110,055	70	53	18	9	-	3	-	-	4	-	-	1	2	3	1	25-1	3-3	42-7	27-5	36-2	2-33	0-01	0-03	-	BOLTON.														
MANCHESTER.	337,342	233	160	41	28	1	2	1	-	-	-	-	4	12	35	6	24-7	0-6	-	-	-	-	-	-	-	MANCHESTER.														
SALFORD.	204,075	133	73	18	12	-	5	2	-	4	2	1	-	-	8	5	18-7	3-6	-	-	-	-	-	-	-	SALFORD.														
OLDHAM.	128,300	76	42	9	6	-	2	-	1	-	-	1	-	-	6	2	17-3	2-5	-	-	-	-	-	-	-	OLDHAM.														
BLACKBURN.	112,674	79	43	8	8	-	-	-	-	-	2	-	1	2	4	-	19-9	0-9	-	-	-	-	-	-	-	BLACKBURN.														
PRESTON.	100,406	89	47	17	8	-	-	-	1	1	-	1	-	1	8	-	24-4	2-6	45-0	30-0	37-4	3-00	0-07	0-18	-	PRESTON.														
HUDDESFIELD.	87,327	36	40	9	14	-	-	-	-	-	1	-	1	1	5	-	23-9	0-6	-	-	-	-	-	-	-	HUDDESFIELD.														
HALEFAX.	77,378	56	29	5	6	-	-	-	1	-	-	-	1	1	2	3	19-6	1-3	-	-	-	-	-	-	-	HALEFAX.														
BRADFORD.	214,431	111	46	15	7	-	1	3	1	-	-	1	2	4	4	2	11-2	1-5	43-2	26-2	37-1	2-84	0-17	0-43	-	BRADFORD.														
LEEDS.	333,139	212	140	33	29	-	-	12	-	2	3	-	4	10	18	7	21-9	2-7	46-0	27-0	37-8	3-23	0-15	0-46	-	LEEDS.														
SHEFFIELD.	305,716	244	110	36	21	-	-	-	1	3	1	2	4	8	12	8	18-8	1-2	44-0	23-0	35-8	2-12	0-00	0-00	-	SHEFFIELD.														
HULL.	186,292	118	49	19	12	-	-	-	1	1	1	1	1	4	2	3	13-7	0-6	45-0	26-0	37-8	3-23	0-01	0-03	-	HULL.														
SUNDERLAND.	125,327	78	45	16	8	-	1	1	-	-	-	-	1	1	5	-	18-7	0-8	-	-	-	-	-	-	-	SUNDERLAND.														
NEWCASTLE.	153,209	87	56	13	10	-	1	-	1	-	1	-	2	6	4	2	19-1	1-0	50-0	27-0	38-4	3-55	0-14	0-36	-	NEWCASTLE.														
CARDIFF.	97,094	71	34	15	8	-	-	2	-	2	-	-	-	2	3	2	18-3	2-2	-	-	-	-	-	-	-	CARDIFF.														
EDINBURGH.	250,616	135	98	22	21	-	-	-	2	2	2	4	4	?	17	29	20-4	2-1	42-8	19-8	33-6	0-90	0-08	0-20	-	EDINBURGH.														
GLASGOW.	519,965	385	267	64	38	1	1	11	4	9	5	6	10	?	41	47	26-8	3-2	44-5	15-5	32-0	0-00	0-04	0-10	-	GLASGOW.														
DUBLIN.	353,082	177	205	36	56	-	2	4	1	5	2	2	8	6	59	29	30-3	2-8	50-3	24-3	41-2	5-11	0-06	0-15	-	DUBLIN.														

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FORTY-SIXTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2462	2649	2666	2448	2544	2343	2623	2503	2633	2558	2772·9	2682
Males . .	1222	1927	1874	1232	1274	1239	1330	1262	1360	1321	1411·1	1381
Females . .	1940	1822	1292	1216	1270	1104	1293	1241	1273	1237	1361·8	1301
TOTAL Deaths	1603	1886	1435	1665	1609	1489	1434	1571	1681	1507	1731·7	1557
Males . .	825	948	725	845	826	742	683	812	882	817	883·9	765
Females . .	778	938	710	820	783	747	751	759	799	690	847·8	792

* The numbers in this column are the average weekly numbers in the forty-sixth week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.
TOTAL Births - -	2413	2538	2330	2542	2438	2516	2491	2582	2572	2581	2695	2534	2682
TOTAL Deaths - -	1371	1238	1221	1231	1081	1251	1309	1346	1458	1366	1483	1531	1557
0-20 - -	713	619	585	536	490	575	579	632	630	596	641	707	708
20-40 - -	180	163	174	191	170	185	191	181	206	179	197	188	203
40-60 - -	207	231	205	243	184	217	252	225	268	257	281	268	288
60-80 - -	227	183	213	211	186	240	246	244	284	263	297	298	289
at 80 years & upwds.	44	42	44	50	51	34	41	64	70	66	67	70	69
Deaths of children { Under 1 year -	408	362	303	284	260	304	309	319	347	323	334	356	367
{ 1-5 - -	230	192	203	172	149	167	187	231	206	191	228	260	254
{ 5-20 - -	75	65	79	80	81	104	83	82	77	82	79	91	87
Deaths from Small-pox* -	9	6	9	8	11	7	3	-	-	9	5	3	2
" " Measles - -	55	46	25	14	15	20	17	28	27	23	41	51	44
" " Scarlet Fever - -	12	14	15	20	16	14	21	22	18	10	15	19	11
" " Diphtheria - -	14	16	22	25	18	24	14	23	18	10	16	26	20
" " Whooping-cough - -	45	30	39	25	26	22	34	29	31	36	29	39	42
" " Typhus - -	-	-	1	-	-	1	2	-	-	-	-	-	-
" " Enteric fever - -	14	8	12	9	14	16	12	10	11	8	10	12	24
" " Simple Contag. fever -	3	-	1	3	3	1	6	-	-	2	1	-	3
" " Diarrhoea and Dysentery - }	121	88	62	40	49	42	35	27	21	17	8	10	13
" " Cholera - -	6	3	-	1	1	1	1	1	-	1	-	-	1
Deaths from the above-mentioned Diseases* }	279	206	186	145	153	148	145	140	126	116	125	160	160
" " Dis. of Respiratory System }	201	159	175	152	159	205	231	301	356	358	394	418	454
" " Phthisis - -	157	147	139	155	150	159	146	161	165	158	188	152	158
" " Dis. of Circulatory System }	94	97	90	106	83	84	116	87	130	100	126	110	105
Violent Deaths - -	52	38	48	49	45	45	62	44	50	43	40	52	44
Inquest Cases - -	81	76	88	93	80	89	109	82	108	94	93	110	89
Deaths in Public Institutions	302	259	279	288	234	285	285	265	286	291	313	323	326
TEMPERATURE OF THE AIR:													
Mean - -	57·6	57·2	56·3	57·7	52·7	49·6	47·6	45·4	45·1	44·0	44·6	43·3	38·1
Mean of Highest readings -	68·4	68·1	66·1	66·3	62·5	57·8	59·9	52·1	50·5	49·8	51·0	46·1	43·3
Mean of Lowest readings -	49·2	48·6	49·3	51·2	43·8	42·1	36·9	38·5	40·8	38·4	37·5	39·8	32·0
Humidity of the Air - -	75	79	85	86	77	84	84	82	89	84	89	95	82
Rain-fall in inches - -	0·61	0·40	1·93	0·86	0·18	0·52	1·09	0·44	0·94	0·80	0·47	0·29	0·02
Registered Sunshine (in hours)	25·7	26·9	21·1	15·4	34·1	16·6	14·4	13·9	5·6	13·3	7·1	0·0	23·2

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.; F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; F. Simpson, Esq., Wrothesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filbiter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-SIXTH Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 46th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 21st November, 1885.								Corrected Averages for the 46th Weeks of the 10 years 1875-84.	CAUSES OF DEATH.		Corrected Averages for the 46th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 21st November, 1885.								Corrected Averages for the 46th Weeks of the 10 years 1875-84.	CAUSES OF DEATH.		Corrected Averages for the 46th Weeks of the 10 years 1875-84.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
			Deaths of Persons of the Ages												Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.					ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.					ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			0-1.	1-5.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.043 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 1 death of a London resident from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.
					Deaths of Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Deaths from													
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.			
LONDON		3,816,483	2682	1557	367	358	1	44	11	20	42	-	24	3	13	44	89	326	12	
WEST DISTRICTS		669,693	404	276	49	68	-	9	1	3	4	-	5	-	3	7	12	68	3	
NORTH DISTRICTS		905,947	604	374	90	89	1	15	2	10	8	-	8	2	2	8	24	65	3	
CENTRAL DISTRICTS		282,288	182	123	31	24	-	4	-	-	2	-	-	-	1	5	7	30	-	
EAST DISTRICTS		692,738	557	300	79	58	-	-	5	3	10	-	4	1	2	12	16	84	5	
SOUTH DISTRICTS		1,265,927	935	484	118	119	-	16	3	4	18	-	5	-	5	12	30	79	7	
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		69888	45	26	6	7	-	1	-	-	1	1	-	1	-	-	4	5	4	
St. John Paddington H - G.J.		37380	10	18	2	6	-	-	-	-	1	1	-	1	-	-	-	14	2	
Kensington Town WH - W.M.		120141	56	42	12	12	-	-	-	-	-	1	-	1	-	-	-	4	-	
Brompton H - W.M. & C.		43010	18	14	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Peter Hammersmith - W.M.		7599	3	3	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.		64340	57	29	8	6	-	1	-	-	-	-	-	-	-	-	1	3	-	
Fulham WH - W.M. & C.		42906	45	20	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea South HHH - C.		30896	17	8	1	2	-	-	-	1	-	-	-	-	-	1	1	12	-	
Chelsea North-west WHHHH - C.		24925	39	19	2	7	-	-	-	1	1	-	-	-	-	-	-	-	-	
Chelsea North-east - C.		32807	21	10	6	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
Hanover Square H - G.J.		16862	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
May Fair W - G.J.		13491	5	14	2	5	-	1	-	-	-	-	-	-	-	1	1	6	1	
Belgrave WHH - C.		59220	24	16	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	
St. John Westminster HH - C.		35496	28	20	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Margaret Westminster H - C.		24679	10	10	2	1	-	1	-	-	-	-	1	-	-	-	-	3	-	
St. James Westminster WH N.R. & G.J.		29941	12	0	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Anne Soho HHHHH - N.R.		16608	10	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.		26769	11	10	1	3	-	-	-	-	-	-	-	-	-	-	1	4	-	
Cavendish Square HHH - W.M.		14881	4	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Rectory Marylebone WH G.J. & W.M.		24809	11	14	5	3	-	-	-	-	-	-	-	-	-	-	-	3	-	
St. Mary Marylebone HHH G.J. & W.M.		21118	22	5	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-	
Christchurch Marylebone H - W.M.		33700	27	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone H - W.M.		33633	20	17	3	-	-	-	-	1	-	-	1	-	-	2	3	-	-	
Hampstead WHHHH - N.R. & W.M.		45452	34	14	4	5	-	1	-	-	-	-	-	-	-	-	1	-	-	
Regent's Park Pancras H - W.M.		39115	19	12	4	2	-	-	-	-	1	-	-	-	-	1	2	-	-	
Tottenham-court WHHHH N.R. & W.M.		27729	9	17	4	3	-	-	-	-	-	-	-	-	-	1	2	10	-	
Gray's Inn Lane HHH - N.R.		30247	31	14	1	4	-	2	-	2	-	-	-	-	-	1	3	6	-	
Somers Town H - N.R.		34869	31	17	1	5	-	-	-	-	-	-	1	-	-	1	2	-	-	
Camden Town WH - N.R.		17811	18	10	3	8	-	-	-	4	-	-	-	-	-	1	1	11	-	
Kentish Town W - N.R.		87487	73	30	6	3	-	4	1	-	-	-	-	-	-	-	3	1	1	
Upper Holloway WHWHH - N.R.		67946	46	41	8	7	1	1	-	2	-	2	-	-	-	-	1	15	-	
Islington South-west HH - N.R.		100076	71	32	14	4	-	2	-	-	2	-	2	-	1	1	-	-	-	
Islington South-east - N.R.		61895	40	27	13	4	-	-	-	1	2	1	1	1	1	-	3	-	-	
Highbury H - N.R.		52048	27	26	1	4	-	-	-	-	1	1	-	-	-	1	-	-	-	
Stoke Newington H - N.R.		22781	18	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stamford Hill - E.L.		8277	26	14	6	3	-	-	-	-	-	-	-	-	-	-	1	-	-	
West Hackney - N.R.		87610	49	31	8	13	-	-	-	-	-	2	-	-	-	-	-	13	-	
Hackney WHWHHL - E.L. & N.R.		76911	18	9	2	3	-	-	-	-	-	-	-	1	-	-	1	-	-	
South Hackney - E.L.		39683	19	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																				
St. George Bloomsbury - N.R.		16681	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - N.R.		14864	9	8	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
St. Giles North - N.R.		13837	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields HH N.R. & C.		17508	14	14	3	4	-	1	-	-	-	-	-	-	-	1	1	6	-	
St. Mary-le-Strand H - N.R.		7515	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	5	-	
St. Clement Danes H - N.R.		8569	8	6	1	2	-	-	-	-	-	-	-	1	-	1	-	-	-	
St. George-the-Martyr HHHHHH N.R.		18671	25	10	1	1	-	-	-	-	1	-	-	-	-	-	-	3	4	
St. Andrew Eastern W - N.R.		10706	4	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Saffron Hill H - N.R.		6583	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - N.R.		17516	25	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - N.R.		19281	15	7	2	2	-	-	-	-	-	-	-	-	-	1	2	-	-	
Pentonville - N.R.		14773	7	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Goswell-street - N.R.		17506	21	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Old-street H - N.R.		11541	9	6	5	1	-	-	-	-	-	-	-	-	-	1	1	1	-	
City-road HHL - N.R.		13428	18	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whitecross-street - N.R.		9217	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finsbury - N.E.		7463	8	4	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	
St. Botolph H - N.R. & E.L.		11174	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - N.R.		7193	5	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - N.R.		5398	3	9	-	2	-	-	-	-	-	-	-	-	-	1	1	7	-	
St. Bride W - N.R.		8396	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Allhallows Barking - N.R.		13666	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - N.R.		5652	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work-house; H—Hospital; L—Lunatic Asylum; W—A Workhouse Establishment receiving inmates from other Districts than that in which it stands see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

FEVER, DYPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
Saturday, the 21st November, 1885.

[illegible]

The following WORKHOUSE Establishments receive aid from other Districts than the one in which they stand, and are indicated in the above Table by an *—

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Finsbury sub-district.
Central London Sick Asylum, in Tottenham Court-road sub-district.	Deputies " Brimley sub-district.
Holborn Infirmary " Upper Holloway sub-district.	
London City Workhouse " Hackney sub-district.	Popley & Stepney Sick Asylum " Westminster Union Industrial School in West Battersea sub-district.
Holborn " " Hoxton New Town sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Whitechapel " " Mile End Old Town Eastern sub-dist.	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS AND DEATHS registered during the Week ending Saturday, 21st November, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING		370,282	950,178	819	393	97	89	3	12	5	6	3	4	2	14	27	51	5
30:1	Carshalton <i>wL</i> - -	12223	21112	13	12	2	2	-	-	-	-	-	-	-	-	-	6	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	4	3	-	1	-	-	-	-	-	-	-	1	1	2	-
37:1	Godstone (<i>part of</i>) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon <i>WwH</i> - -	20851	101241	74	27	3	7	-	-	-	2	-	-	-	-	-	7	-
	Mitcham - -	11697	17932	14	5	-	2	-	1	-	-	-	-	-	1	1	-	-
39:1	Wimbledon <i>HHH</i> -	3220	15350	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston <i>WHH</i> - -	8549	36354	21	15	3	5	-	-	-	-	-	-	-	-	-	5	-
3	Esher (<i>part of</i>) * -	6601	9221	15	3	1	1	-	-	-	-	-	-	-	-	-	1	-
4	Hampton <i>H</i> - -	4573	13339	11	9	3	2	-	-	-	-	-	-	-	1	1	1	-
40:1	Richmond <i>WH</i> - -	2272	21302	15	5	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake - -	941	12331	11	5	1	1	-	-	-	-	-	-	-	1	1	-	-
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	32	9	2	1	-	-	-	-	-	-	-	2	2	-	1
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	13605	15065	18	6	-	3	-	-	-	-	-	-	-	1	1	-	-
42:1	Bexley <i>H</i> - -	13437	24134	24	4	2	1	-	-	-	-	-	-	-	-	-	-	-
124:1	Sunbury <i>w</i> - -	11055	11685	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines <i>W</i> - -	13277	12089	9	6	-	3	-	-	-	-	-	-	-	-	1	3	-
125:1	Hillingdon <i>WH</i> - -	6029	10892	13	7	2	1	-	1	-	-	-	-	-	1	1	2	-
2	Uxbridge - -	6178	5225	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes <i>wHL</i> - -	14587	11323	11	5	1	1	-	-	-	-	-	-	-	-	1	1	-
126:1	Isleworth <i>W</i> - -	7008	22727	21	13	4	3	-	-	-	-	-	-	-	-	1	3	-
2	Twickenham <i>H</i> - -	2477	12479	6	4	-	3	-	-	-	-	-	-	-	-	-	-	-
3	Brentford <i>HL</i> - -	4345	27649	14	6	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - -	1240	15675	14	10	2	1	-	1	1	1	-	-	-	-	1	-	-
5	Acton <i>wH</i> - -	6083	22376	19	9	7	1	-	1	-	-	-	-	-	-	-	-	-
127:1	Harrow <i>H</i> - -	13800	12796	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-
2	Edgware <i>H</i> - -	6994	3740	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
3	Willesden - -	4333	27433	24	12	4	3	-	-	-	1	-	1	-	1	3	-	-
4	Hendon <i>W</i> - -	8382	10434	10	6	1	2	-	2	-	-	-	-	-	-	-	1	-
128:1	South Mimms - -	15599	6391	8	1	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Barnet <i>W</i> - -	5433	10092	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Finchley <i>HL</i> - -	4688	17615	10	5	2	3	-	-	-	-	1	-	-	-	-	1	-
129:1	Hornsey <i>H</i> - -	3039	37078	42	15	3	4	-	-	-	-	1	-	-	-	1	2	-
2	Tottenham <i>HH</i> - -	4642	46455	60	34	9	7	-	-	1	-	-	1	1	-	2	1	1
3	Edmonton <i>WwH</i> -	7483	23463	27	18	6	6	-	1	-	-	-	1	-	-	-	6	-
4	Enfield <i>WH</i> - -	12653	19104	7	7	4	1	-	-	-	-	-	-	-	-	-	-	-
5	Waltham Abbey -	11017	5363	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - -	8480	7735	7	3	2	1	-	1	-	-	-	-	-	-	-	-	-
135:1	Hatfield (<i>part of</i>) * -	3306	563	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey - -	9331	6021	3	2	1	1	-	-	-	-	-	-	-	1	1	-	-
136:1	Stratford - -	882	38606	29	9	3	2	-	-	-	-	-	-	-	-	-	-	-
2	West Ham <i>wH</i> - -	7261	101053	119	68	16	4	3	4	2	1	1	1	-	2	3	3	2
3	Leyton <i>WwL</i> - -	4372	32490	39	20	3	7	-	-	-	-	-	-	-	-	1	5	-
4	Walthamstow <i>wH</i> -	6520	23863	29	11	5	2	-	-	-	1	-	-	1	1	1	-	-
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9633	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
139:1	Romford (<i>part of</i>) * -	6730	3411	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
2	Ilford - -	8193	7615	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town - -	4127	9203	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
 30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37: 1, the two parishes of Warmingham and Farley in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41: 1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813); 41: 2, the whole of Chislehurst sub-district, except the parish of Chislefield (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 137: 1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 21st November, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
GREATER LONDON	448,334	5,199,166	19·6	1·9	1950	464	447	4	56	16	26	45	31	15	58	377	
INNER LONDON	78,052	4,083,928	19·9	2·0	1557	367	358	1	44	11	20	42	27	13	44	326	
OUTER RING	370,282	1,115,238	18·4	1·6	393	97	89	3	12	5	6	3	4	2	14	51	

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700,522 square miles, which is equivalent to the area of a circle having a radius of 14,933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA -	433,219	September 26	-	-	-	-
BOMBAY -	773,196	October 20	246	393	24·2	Fevers 109; cholera 4; diarrhoeal dis. 36.
MADRAS -	308,777	" 9	300	259	33·7	Fevers 63; diarrhoeal diseases 40.
PARIS -	2,239,928	November 14	1121	860	20·0	Typh. fev. 14; dip. & cp. 22; meas. 17; sm.-pox 4. Typh. and typhd. fev. 1.
GENEVA -	71,453	" 14	23	29	21·2	
BRUSSELS -	436,214	" 7	212	179	21·3	Typh. and typhd. fev. 6; diph. 5; diarr. dis. 14.
AMSTERDAM -	306,812	" 14	256	155	21·9	Diphtheria and croup 9; scarlet fever 3.
ROTTERDAM -	166,001	" 14	132	69	21·2	Scar. fev. 3; whooping-cough 2.
THE HAGUE -	134,552	" 14	88	53	20·5	Diphtheria 1.
COPENHAGEN -	280,615	" 10	183	115	21·4	Diphtheria and croup 7; measles 2.
STOCKHOLM -	200,143	October 31	116	79	20·5	Scar. fev. 1; diph. and croup 1.
CHRISTIANIA -	128,000	November 14	75	50	20·3	Scarlet fever 4; diphtheria and croup 12.
ST. PETERSBURG	928,016	" 7	-	435	24·5	Tp. & tpd. fv. 8; sc. fv. 15; diphtheria 7.
BERLIN -	1,279,599	October 31	799	516	20·8	Scarlet fev. 17; diph. 53; typ. and typhd. fev. 6.
HAMBURG(State)	497,956	November 7	345	255	26·7	Sc. fv. 12; tp. & tpd. fev. 8; diph. and croup 6.
DRESDEN -	241,500	October 31	145	86	18·5	Scarlet fever 5; diphtheria and croup 7.
BRESLAW -	295,000	November 7	179	155	27·1	Diphtheria 6; whooping-cough 2.
MUNICH -	244,000	" 14	174	117	24·9	Small-pox 2; diph. and croup 3; diarr. dis. 17.
VIENNA -	769,889	" 14	477	380	25·7	Sm.-pox 17; diphtheria 9; diarrhoeal dis. 20.
PRAGUE -	272,333	" 14	-	150	28·7	Small-pox 7; scar. fev. 6; diph. and croup 2.
BUDA-PESTH -	429,532	October 31	205	214	25·9	Sm.-pox 5; typh. & typhd. fever 5; measles 9.
TRIESTE -	150,157	" 31	-	77	26·7	Diphtheria and croup 4; typhoid fever 7.
ROME -	330,430	September 10	-	-	-	-
NAPLES -	504,795	-	-	-	-	-
TURIN (10 days)	267,763	October 20	236	176	24·0	Typhd. fev. 5; scar. fev. 3; diph. and croup 5.
VENICE -	145,990	" 31	74	87	31·1	Sm.-pox 13; typhd. fev. 2; diarrhoeal diseases 8.
MADRID -	475,668	-	-	-	-	-
LISBON -	203,681	-	-	-	-	-
ALEXANDRIA -	531,996	-	-	-	-	-
NEW YORK -	1,356,958	October 24	-	569	21·9	Diph. 18; scar. fev. 5; whooping-cough 10.
BROOKLYN -	665,602	" 24	-	248	19·4	Diphtheria 17; typhoid fever 4; scar. fev. 4.
PHILADELPHIA -	949,432	" 31	-	327	18·0	Diphtheria 14; typhoid fever 10.
BALTIMORE -	408,520	" 31	-	148	18·9	Diphtheria 12; typhoid fever 6.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 21st NOVEMBER, 1885.
[Under the Superintendence of the Astronomer Royal.]

MOON.	Phases of Moon.	READINGS OF THERMOMETERS.										DIFFERENCE				Degree of Humidity, complete saturation being 100.	As deduced from Anemometers.				RAIN.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		METER.		Dry.		Dew Point.	Mean daily value.	Mean daily value.	Lowest on the sun, as self-registering thermometer in shade.	Highest in the water, as at Deptford by Self-registering Thermometers.	In the Water at Deptford by Self-registering Thermometers.		Between Down Point Temperature and Air Temperature.		Between mean temperature of surface of water and mean temperature of air on the same day as an average of 20 years.		General Direction.		Pressure square foot.			Amount of Horizontal ure from each day.		Depart-ure from Average of All days.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		Mean daily reading.	and reduced to 32 deg. Fahr.	High.	Low.						High.	Low.	High.	Low.	Mean daily value.		Least est.	Great-est.	A. M.	P. M.		Great-est.	Mean of 24 Obs.	Sum	Mean	Sum	Mean	Sum	Mean	Sum																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		est.	est.	est.	est.						est.	est.	est.	est.	est.		est.	est.	est.	est.		est.	est.	est.	est.	est.	est.	est.	est.	est.	est.	est.	est.	est.	est.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
NOVEMBER.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

DATE.		ELECTRICITY.		REGISTERED.		Sun above		SKY AND ATMOSPHERE.	
NOVEMBER.		(Faint symbols, see Note.)		in hours.		in hours.			
SUNDAY	15	s. P. generally	5.6	8.8	8.8	8.8	8.8	A fine day; variable amounts of cloud till afternoon; cloudless afterwards. Hoar frost.	
MONDAY	16	s. P. generally	5.8	8.8	8.8	8.8	8.8	A little rain in early morning; cloudless and very fine throughout day.	
TUESDAY	17	s. P. throughout	6.6	8.7	8.7	8.7	8.7	Cloudless and very fine throughout. Hoar frost.	
WEDNESDAY	18	s. P. generally	2.4	8.7	8.7	8.7	8.7	Fine; variable amounts of cloud prevailed generally. Hoar frost.	
THURSDAY	19	v. P. throughout	0.0	8.6	8.6	8.6	8.6	Overcast.	
FRIDAY	20	v. P. in morning; s. P. till 11h. v. N. & v. P. afterwards.	0.0	8.6	8.6	8.6	8.6	Overcast. Slight rain.	
SATURDAY	21	s. P. generally.	2.8	8.5	8.5	8.5	8.5	Fine in morning; cloudy afterwards. Slight showers in afternoon.	
			Sum	23.2	60.7	60.7	60.7		

The height of the cistern of the barometer is considered to be 153 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1868.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 20, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight, from 29.54 in. at the beginning of the week to 30.22 in. by 9h. P.M. on the 18th; decreased to 29.72 in. by 9h. P.M. on the 18th; increased to 29.81 in. by 9h. P.M. on the 19th; and decreased to 29.38 in. by the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 2, EAST HARDING ST., FETTER LANE, E.C.

No. 47. 1885. VOL. XLVL.] WEEK ENDING SATURDAY, NOVEMBER 28. [Price 1½d.

*General Register Office, Somerset House,
30th November, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 21·3 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.		Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.
Birkenhead	23·5	15·1	18·5	17·4	Liverpool -	24·4	24·6	21·5	23·8
Birmingham	16·3	17·7	17·2	21·6	London -	18·9	19·6	19·9	20·6
Blackburn -	24·6	22·7	19·9	18·5	Manchester -	27·1	22·4	24·7	23·0
Bolton -	28·9	23·2	25·1	26·5	Newcastle-on-Tyne	22·5	18·7	19·1	22·8
Bradford -	16·3	15·6	11·2	19·5	Norwich -	20·6	16·6	17·2	22·9
Brighton	13·6	16·8	17·3	28·2	Nottingham	20·0	12·3	20·7	25·7
Bristol	20·3	19·1	19·1	18·2	Oldham -	26·4	23·1	17·3	17·8
Cardiff -	19·9	22·6	18·3	17·7	Plymouth -	26·1	20·6	13·7	26·8
Derby -	16·9	20·9	27·9	28·5	Portsmouth -	20·1	20·1	21·7	23·0
Halifax -	13·5	16·9	19·6	20·2	Preston -	33·3	26·5	24·4	34·3
Huddersfield	17·9	16·7	23·9	26·9	Salford -	18·1	18·7	18·7	24·5
Hull -	16·2	14·8	13·7	16·2	Sheffield -	19·6	17·9	18·8	18·8
Leeds -	18·6	15·8	21·9	18·5	Sunderland -	15·0	18·7	18·7	21·6
Leicester	15·7	13·4	19·2	14·9	Wolverhampton -	20·4	25·0	23·7	21·1

The highest annual death-rates from measles, measured by last week's mortality, were 1·8 in Brighton, in Liverpool, and in Salford, 2·4 in Bolton, and 2·7 in Nottingham; from whooping-cough, 1·6 in Cardiff, 1·7 in Derby, 2·4 in Bolton, and 2·7 in Brighton; from scarlet fever, 1·1 in Leeds and in Birkenhead; and from "fever," 0·8 in Portsmouth and 1·0 in Newcastle-upon-Tyne. Of the 33 deaths from diphtheria, 20 occurred in London, and 2 in Manchester. Small-pox caused but one death in London and its outer ring (exclusive of 1 in the Metropolitan Asylum Hospital Ship "Atlas" moored off Dartford), 1 in Birkenhead, and 2 in Liverpool.

LONDON.

In LONDON 2422 BIRTHS and 1610 DEATHS were registered. Allowing for increase of population, the births were 239, and the deaths 122, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had steadily increased in the four preceding weeks from 17·5 to 19·9, further rose last week to 20·6. During the first eight weeks of the current quarter the death-rate averaged 18·6, and was 2·1 below the mean rate in the corresponding periods of the nine years 1876-84.

The 1610 deaths included 1 from small-pox, 62 from measles, 12 from scarlet fever, 20 from diphtheria, 47 from whooping-cough, 14 from enteric fever, 1 from an undefined form of continued fever, 16 from diarrhoea and dysentery, and not one from typhus or from cholera; thus, 173 deaths were referred to these diseases, being 67 below the corrected average weekly number.

One death from *small-pox* was registered in London last week, corresponding with the number in each of the three preceding weeks. The death from small-pox

of a London resident was also registered in the Metropolitan Asylum Hospital Ship "Atlas", moored off Dartford and outside Registration London, the case having been admitted from Camberwell. The fatal case registered in London belonged to Pancras, and occurred in the Metropolitan Asylum Hospital at Deptford. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had been 90, 79, and 74 on the three preceding Saturdays, had further declined to 73 at the end of last week; the admissions, which had been 11 in each of the two previous weeks, were 12 last week. The Highgate Small-pox Hospital contained 13 patients on Saturday last, 7 cases having been admitted during the week.

The fatal cases of *measles*, which had been 51 and 44 in the two preceding weeks, rose last week to 62, and exceeded the corrected weekly average by 13; 6 belonged to Westminster, 16 to Pancras, 6 to Clerkenwell, and 11 (all of which occurred in Battersea) to Wandsworth sanitary areas. The 12 deaths from *scarlet fever* exceeded the low number in the previous week by one, and were 59 below the corrected average; 2 belonged to Hackney. The Metropolitan Asylum Hospitals contained 281 scarlet fever patients on Saturday last, 20 having been admitted during the week. The 20 deaths referred to *diphtheria* corresponded with the number in the previous week, and exceeded the corrected average by 2; 4 belonged to Islington, 2 to Kensington, 2 to St. George Hanover Square, 2 to Newington, 2 to Bermondsey, and 2 to Camberwell. The 47 fatal cases of *whooping-cough* showed a further increase upon recent weekly numbers, and exceeded the corrected average by 12; 4 belonged to Shoreditch, 4 to Bethnal Green, and 5 to Newington. The 16 deaths attributed to *diarrhoea* showed a further increase upon the numbers in recent weeks, but were one below the corrected average; 9 were of infants under one year of age.

The deaths referred to *enteric fever*, which had been increased in the four previous weeks from 8 to 24, declined again last week to 14, and were 13 below the corrected average; 3 belonged to St. Giles, 2 to Strand, and 2 to Rotherhithe sanitary areas. The death of a child, aged 5 years, at 6, Brill Street, Pancras, was indefinitely referred to "continued fever, 17 days, exhaustion." The Metropolitan Asylum Hospitals contained 50 cases of enteric fever, and not one of typhus, on Saturday last; 8 cases of enteric fever were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had steadily increased in the ten preceding weeks from 152 to 454, further rose last week to 480, and exceeded the corrected average by 16.

The deaths of 2 adults, and that of a child, aged 12 years, were referred to hydrophobia. These raise the number of deaths referred to this cause in London since the beginning of this year to 25, the average annual number in the ten years 1875-84 being 6, and the highest number in any of those years 16 in 1877.

Different forms of violence caused 58 deaths; 50 were the result of negligence or accident, among which were 16 from fractures and contusions, 8 from burns and scalds, 3 from drowning, and 14 of infants under one year of age from suffocation. The 16 deaths from fractures and contusions were thus returned:—males, aged 7, 13, and 43 years, run over by van; male 68, run over by cart; female 54, run over by omnibus; male 46, run over by cab; male 58, fell from cab; male 37, run over on railway; females 61, 87, fell in street; male 45, females 3, 50, fell down stairs or steps; male 30, by fall of sack of meal; male 62, by fall of bale; and female 6, fell while at play. An inquest was held in each of these 16 cases. Six cases of suicide were registered.

GREATER LONDON.

In Greater London 3136 births and 2003 deaths were registered, corresponding to annual rates of 31·5 and 20·1 per 1000 of the population. In the Outer Ring 9 fatal cases of diphtheria, and 9 of whooping-cough, were registered; 4 of diphtheria occurred in Tottenham, and 5 of whooping-cough in West Ham sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·26 in.; the lowest reading was 29·09 in. on Thursday evening, and the highest 29·47 in. on Friday evening and again at the end of the week. The mean temperature of the *air* was 45°·1, and 4°·2 above the average in the corresponding week of the 20 years ending 1868. The mean was below the average on Monday and Tuesday, but showed an excess on each of the other days of the week. The direction of the *wind* was variable, and the horizontal movement of the *air* averaged 14·3 miles per hour, which was 1·9 above the average in the corresponding week of 16 years. *Rain* fell on five days of the week, to the aggregate amount of 1·43 inches. The duration of registered bright sunshine in the week was 1·0 hour, against 3·9 hours at Glyde Place, Lewes.

CITIES AND BOROUGH.	POPULATION estimated. middle of the year 1885.			Registered during the week ending 23rd Nov., 1885.			Deaths of										Deaths from										TEMPERATURE OF THE AIR.										RAINFALL.		CITIES AND BOROUGH.																	
	1.	2.	3.	Infants under 1 year of age.	Persons aged 1 to 60 years and upwards.	Small-pox.	Measles.	Scarlet fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	From All Week's Deaths corresponding to the Cause.				From Diseases in Cols. 6-12.				Fahrenheit.				In Inches.		In Centi- meters.																									
																	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.																			
																																						1 Year of Age.		Persons aged 1 to 60 years and upwards.	Small-pox.	Measles.	Scarlet fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	From All Week's Deaths corresponding to the Cause.	From Diseases in Cols. 6-12.	Fahrenheit.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.							
28 TOWNS.	8,906,446	5285	3633	901	822	4	120	42	33	90	43	40	108	229	579	71	21-3	2-2	57-1	33-1	43-6	6-45	1-70	4-32	- 28 TOWNS.	LONDON.	4,083,928	2422	1610	363	389	1	62	12	20	47	15	16	58	129	326	17	20-6	2-2	57-1	38-4	45-1	7-23	1-43	3-63	LONDON.					
BRIGHTON.	114,672	57	62	11	15	-	4	-	-	6	-	-	-	1	9	1	28-2	4-5	53-0	39-5	46-1	7-84	2-49	6-32	BRIGHTON.	PORTSMOUTH.	134,659	68	67	9	17	-	1	-	-	1	2	-	-	8	2	26-0	1-5	-	-	-	-	-	-	-	-	-	-	PORTSMOUTH.		
NORWICH.	91,215	61	40	11	10	-	-	-	-	1	1	1	-	3	5	1	26-8	0-0	55-8	43-0	49-1	9-50	2-08	6-81	PLYMOUTH.	PLYMOUTH.	76,045	33	39	6	15	-	-	-	-	-	-	-	-	7	1	18-2	0-7	56-0	38-0	45-2	7-33	2-04	5-18	BRISTOL.						
BRISTOL.	218,169	122	76	16	21	-	-	-	-	-	-	-	-	4	8	12	18-2	0-7	56-0	38-0	45-2	7-33	2-04	5-18	BRISTOL.	WOLVERHAMPTON.	79,185	38	32	9	6	-	-	-	-	-	-	-	-	1	1	21-1	1-3	52-2	34-0	40-4	4-66	1-59	4-04	WOLVERHAMPTON.						
BIRMINGHAM.	427,769	247	177	56	38	-	3	-	1	-	2	5	6	10	29	4	21-6	1-3	-	-	-	-	-	-	BIRMINGHAM.	LEICESTER.	136,147	76	39	16	9	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LEICESTER.				
NOTTINGHAM.	211,424	137	104	37	11	-	11	1	1	3	1	3	-	2	1	1	25-7	4-9	53-7	36-1	42-6	5-90	1-41	3-58	NOTTINGHAM.	DERBY.	89,691	48	49	14	11	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DERBY.				
BIRKENHEAD.	93,093	68	31	9	4	1	2	2	1	1	-	-	1	1	5	1	17-4	2-8	-	-	-	-	-	-	BIRKENHEAD.	LIVERPOOL.	579,724	344	264	72	46	2	20	5	1	12	4	2	4	7	43	13	23-8	4-1	54-2	38-2	43-8	6-56	1-36	3-45	LIVERPOOL.					
LIVERPOOL.	579,724	344	264	72	46	2	20	5	1	12	4	2	4	7	43	13	23-8	4-1	54-2	38-2	43-8	6-56	1-36	3-45	LIVERPOOL.	BOLTON.	110,085	73	56	29	7	-	5	-	-	-	-	-	-	7	4	26-5	5-7	52-0	33-1	41-1	5-06	2-09	5-31	BOLTON.						
BOLTON.	110,085	73	56	29	7	-	5	-	-	-	-	-	-	-	-	-	23-0	1-4	-	-	-	-	-	-	BOLTON.	MANCHESTER.	337,342	244	149	37	30	-	-	2	2	1	3	1	4	11	28	-	23-0	1-4	-	-	-	-	-	-	-	-	-	-	MANCHESTER.	
MANCHESTER.	337,342	244	149	37	30	-	-	2	2	1	3	1	4	11	28	-	23-0	1-4	-	-	-	-	-	-	MANCHESTER.	SALFORD.	204,075	123	96	19	19	-	7	2	1	2	3	2	1	16	4	24-5	4-3	-	-	-	-	-	-	-	-	-	-	SALFORD.		
SALFORD.	204,075	123	96	19	19	-	7	2	1	2	3	2	1	1	16	4	24-5	4-3	-	-	-	-	-	-	SALFORD.	OLDHAM.	126,390	90	43	11	7	-	2	-	-	-	-	-	3	4	17-8	1-7	-	-	-	-	-	-	-	-	-	-	OLDHAM.			
OLDHAM.	126,390	90	43	11	7	-	2	-	-	1	-	-	-	2	2	3	4	17-8	1-7	-	-	-	-	-	OLDHAM.	BLACKBURN.	112,574	61	40	10	11	-	1	-	-	-	-	-	3	7	18-5	0-9	-	-	-	-	-	-	-	-	-	-	BLACKBURN.			
BLACKBURN.	112,574	61	40	10	11	-	1	-	-	-	1	-	-	3	7	1	17-4	2-8	-	-	-	-	-	-	BLACKBURN.	PRESTON.	100,406	49	66	22	15	-	1	1	1	-	1	-	4	1	34-3	1-6	52-0	34-0	41-9	5-50	1-20	3-05	PRESTON.							
PRESTON.	100,406	49	66	22	15	-	1	1	1	-	1	-	-	3	7	1	17-4	2-8	-	-	-	-	-	-	PRESTON.	HUDDESFIELD.	87,327	36	45	7	10	-	-	-	-	-	-	-	-	8	2	26-9	1-8	-	-	-	-	-	-	-	-	-	-	HUDDESFIELD.		
HUDDESFIELD.	87,327	36	45	7	10	-	-	-	-	-	1	1	1	1	1	8	2	26-9	1-8	-	-	-	-	-	HUDDESFIELD.	HALIFAX.	77,878	41	30	3	6	-	-	-	-	-	-	-	-	7	3	20-2	0-0	-	-	-	-	-	-	-	-	-	-	HALIFAX.		
HALIFAX.	77,878	41	30	3	6	-	-	-	-	-	-	-	-	-	-	-	20-2	0-0	-	-	-	-	-	-	HALIFAX.	BRADFORD.	214,431	109	80	20	21	-	-	1	-	-	-	-	5	2	19-5	0-5	53-6	36-4	41-6	5-34	1-47	3-73	BRADFORD.							
BRADFORD.	214,431	109	80	20	21	-	-	1	-	-	-	-	1	9	5	2	19-5	0-5	53-6	36-4	41-6	5-34	1-47	3-73	BRADFORD.	LEEDS.	335,139	177	118	27	29	-	1	7	1	-	3	1	5	11	11	18-5	2-0	55-0	38-0	43-3	6-28	1-27	3-23	LEEDS.						
LEEDS.	335,139	177	118	27	29	-	1	7	1	-	3	1	5	11	11	1	18-5	2-0	55-0	38-0	43-3	6-28	1-27	3-23	LEEDS.	SHEFFIELD.	305,716	166	110	30	28	-	-	3	-	-	2	1	-	3	11	6	18-8	1-0	56-0	37-0	43-3	6-28	2-02	5-13	SHEFFIELD.					
SHEFFIELD.	305,716	166	110	30	28	-	-	3	-	-	2	1	-	2	3	11	6	18-8	1-0	56-0	37-0	43-3	6-28	2-02	5-13	SHEFFIELD.	HULL.	186,292	128	58	18	15	-	-	-	-	-	2	2	-	6	1	16-2	0-6	-	-	-	-	-	-	-	-	-	-	-	HULL.
HULL.	186,292	128	58	18	15	-	-	-	-	-	2	-	2	2	6	1	16-2	0-6	-	-	-	-	-	-	HULL.	SUNDERLAND.	125,327	73	52	12	12	-	1	-	-	-	1	-	4	8	7	22-8	2-7	52-0	38-0	44-0	6-67	1-26	3-20	SUNDERLAND.						
SUNDERLAND.	125,327	73	52	12	12	-	1	-	-	-	1	-	1	4	8	7	22-8	2-7	52-0	38-0	44-0	6-67	1-26	3-20	SUNDERLAND.	NEWCASTLE.	153,299	113	67	19	14	-	3	1	1	-	3	1	1	1	3	1	17-7	1-6	-	-	-	-	-	-	-	-	-	-	-	NEWCASTLE.
NEWCASTLE.	153,299	113	67	19	14	-	3	1	1	-	3	-	4	8	7	1	22-8	2-7	52-0	38-0	44-0	6-67	1-26	3-20	NEWCASTLE.	CARDIFF.	97,034	71	53	8	6	-	-	-	-	-	3	-	-	1	3	1	17-7	1-6	-	-	-	-	-	-	-	-	-	-	-	CARDIFF.
CARDIFF.	97,034	71	53	8	6	-	-	-	-	3	-	-	1	1	3	1	17-7	1-6	-	-	-	-	-	-	CARDIFF.	EDINBURGH.	250,616	136	104	20	24	-	-	1	1	-	2	4	3	16	26	21-7	1-7	48-4	36-0	41-1	5-06	0-89	2-26	EDINBURGH.						
EDINBURGH.	250,616	136	104	20	24	-	-	1	1	-	2	4	3	3	16	26	21-7	1-7	48-4	36-0	41-1	5-06	0-89	2-26	EDINBURGH.	GLASGOW.	519,965	264	207	63	44	-	5	3	8	-	3	1	6	38	42	26-8	1-8	50-0	35-0	41-4	5-22	0-98	2-49	GLASGOW.						
GLASGOW.	519,965	264	207	63	44	-	5	3	8	-	3	1	6	38	42	26-8	1-8	50-0	35-0	41-4	5-22	0-98	2-49	GLASGOW.	DUBLIN.	353,082	162	170	30	46	-	-	1	-	-	5	2	2	47	22	25-1	1-5	55-1	36-4	45-4	7-44	1-19	3-02	DUBLIN.							
DUBLIN.	353,082	162	170	30	46	-	-	1	-	-	5	2	2	47	22	25-1	1-5	55-1	36-4	45-4	7-44	1-19	3-02	DUBLIN.																																

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FORTY-SEVENTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84*	1885
TOTAL Births	2303	2367	2398	2530	2374	2432	2401	2709	2482	2409	2661·3	2422
Males . .	1192	1169	1226	1283	1199	1248	1221	1352	1310	1198	1352·0	1243
Females .	1111	1198	1172	1247	1175	1184	1180	1357	1172	1211	1309·3	1179
TOTAL Deaths	1504	1504	1571	1547	1760	1521	1600	1681	1670	1521	1731·5	1610
Males . .	763	761	816	796	889	747	790	865	834	816	880·8	810
Females .	741	743	755	751	871	774	810	816	836	705	850·7	800

* The numbers in this column are the average weekly numbers in the forty-seventh week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—Births, Deaths, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.
TOTAL Births	2538	2330	2542	2438	2516	2491	2582	2572	2581	2695	2534	2682	2422
TOTAL Deaths	1238	1221	1231	1081	1251	1309	1346	1458	1366	1483	1531	1557	1610
0-20	619	585	536	490	575	579	632	630	596	641	707	708	730
20-40	163	174	191	170	185	191	181	206	179	197	188	203	198
40-60	231	205	243	184	217	252	225	268	257	281	268	288	293
60-80	183	213	211	186	240	246	244	284	268	297	298	289	322
at 80 years & upwards.	42	44	50	51	34	41	64	70	66	67	70	69	67
Deaths of children { Under 1 year	362	303	284	260	304	309	319	347	323	334	356	367	363
1-5	192	203	172	149	167	187	231	206	191	228	260	254	266
5-20	65	79	80	81	104	83	82	77	82	79	91	87	101
Deaths from Small-pox*	6	9	8	11	7	3	-	-	9	5	3	2	2
" Measles	46	25	14	15	20	17	28	27	23	41	51	44	62
" Scarlet Fever	14	15	20	16	14	21	22	18	10	15	19	11	12
" Diphtheria	16	22	25	18	24	14	23	18	10	16	26	20	20
" Whooping-cough	30	39	25	26	22	34	29	31	36	29	39	42	47
" Typhus	-	1	-	-	1	2	-	-	-	-	-	-	-
" Enteric fever	8	12	9	14	16	12	10	11	8	10	12	24	14
" Simple Contag. fever	-	1	3	3	1	6	-	-	2	1	-	3	1
" Diarrhœa and Dysentery	88	62	40	49	42	35	27	21	17	8	10	13	16
" Cholera	3	-	1	1	1	1	1	-	1	-	-	1	-
Deaths from the above-mentioned Diseases*	206	186	145	153	148	145	140	126	116	125	160	160	174
" Dis. of Respiratory System	159	175	152	159	205	231	301	356	358	394	418	454	480
" Phthisis	147	139	155	150	159	146	161	165	153	188	152	158	177
" Dis. of Circulatory System	97	90	106	83	84	116	87	130	100	126	110	105	115
Violent Deaths	38	48	49	45	45	62	44	50	43	40	52	44	58
Inquest Cases	76	88	93	80	89	109	82	108	94	93	110	89	129
Deaths in Public Institutions	259	279	288	234	285	285	265	286	291	313	323	326	326
TEMPERATURE OF THE AIR:													
Mean	57·2	56·3	57·7	52·7	49·6	47·6	45·4	45·1	44·0	44·6	43·3	38·1	45·1
Mean of Highest readings	68·1	66·1	66·3	62·5	57·8	59·9	52·1	50·5	49·8	51·0	46·1	43·3	49·3
Mean of Lowest readings	43·6	49·3	51·2	43·8	42·1	36·9	38·5	40·8	38·4	37·5	39·8	32·0	41·3
Humidity of the Air	79	85	86	77	84	84	82	89	84	89	95	82	93
Rain-fall in inches	0·40	1·93	0·86	0·18	0·52	1·09	0·44	0·94	0·80	0·47	0·29	0·02	1·43
Registered Sunshine (in hours)	26·9	21·1	15·4	34·1	16·6	14·4	13·9	5·6	13·3	7·1	0·0	23·2	1·0

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Camm Lippincott, Esq., Bristol; John Merrifield, Esq., L.L.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Bilson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, Esq., F.R.Met.Soc., Sheffield; J. McLandborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filliter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-SEVENTH Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 47th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 28th November, 1885.								CAUSES OF DEATH.	Corrected Averages for the 47th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 28th November, 1885.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			Deaths of Persons of the Ages										Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				0-1.	1-5.	5-20.								0-1.	1-5.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
ALL CAUSES		1731.5	1610	363	266	101	198	293	322	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased was, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 1 death of a London resident from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

		The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON		3,816,483	2422	1610	363	389	1	62	12	20	47	-	14	1	16	53	129	326	17	
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		69839	44	25	8	5	-	-	-	-	2	-	-	-	-	1	1	6	-	
St. John Paddington H - - G.J.		37380	10	18	-	6	-	-	-	-	-	-	-	-	-	2	2	5	-	
Kensington Town WH - - W.M.		120141	57	52	18	11	-	1	-	-	2	-	-	-	3	-	-	21	-	
Brompton H - - W.M. & C.		43010	9	9	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-	
St. Peter Hammersmith - - W.M.		7599	5	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H - W.M. & G.J.		64340	40	20	5	7	-	-	-	-	2	-	-	-	-	-	-	4	-	
Fulham WH - - W.M. & C.		42900	48	22	9	8	-	-	1	-	-	-	-	-	-	-	-	5	-	
Chelsea South HHH - - C.		50356	19	13	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North-west WHHHH - C.		24925	15	20	3	7	-	1	-	-	-	-	-	-	1	2	4	-	-	
Chelsea North-east - - C.		32807	21	14	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hanover Square H - - G.J.		16862	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
May Fair W - - G.J.		18491	2	5	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-	
Belgrave WHH - - C.		59220	23	30	6	10	-	1	-	2	1	-	-	-	-	-	1	9	1	
St. John Westminster HH - C.		33494	18	19	1	4	-	-	-	-	-	-	-	-	-	-	1	1	-	
St. Margaret Westminster H - C.		24670	11	10	3	4	-	-	-	-	1	-	-	-	-	-	-	1	1	
St. James Westminster WH N.R. & G.J.		29941	18	11	1	3	-	-	-	-	1	-	-	-	-	2	3	2	-	
St. Anne Soho HHHHH - - N.R.		16608	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.		26750	9	9	1	2	-	-	-	1	-	-	-	-	-	-	-	6	-	
Cavendish Square HHH - - W.M.		14891	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rectory Marylebone WH G.J. & W.M.		24809	17	11	2	5	-	1	-	-	-	-	-	-	-	-	-	8	-	
St. Mary Maryleb. HHH G.J. & W.M.		21118	14	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone H - W.M.		33700	12	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone H - - W.M.		33633	17	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead WHHHH - N.R. & W.M.		45452	14	13	5	1	-	-	1	-	-	-	-	-	-	1	2	1	-	
Regent's Park Pancras H - - W.M.		39115	11	21	3	6	-	2	-	-	-	-	-	-	1	-	-	-	-	
Tottenham-court WHHHH N.R. & W.M.		27729	20	12	3	2	-	-	-	-	1	-	-	-	-	-	3	8	-	
Gray's Inn Lane HHH - - N.R.		30247	12	15	3	6	-	-	-	-	-	-	-	-	-	-	3	5	-	
Somers Town H - - N.R.		34369	16	20	7	6	-	1	-	-	1	1	-	-	-	-	2	1	-	
Camden Town WH - - N.R.		17311	17	14	2	9	-	2	-	-	-	-	-	-	-	-	2	11	-	
Kentish Town W - - N.R.		87487	47	48	11	8	-	11	-	-	1	-	-	-	-	-	3	7	-	
Upper Holloway WHWHH - - N.R.		67946	61	41	6	13	-	-	-	3	1	-	-	-	-	-	2	6	14	
Islington South-west HH - - N.R.		100376	82	33	11	4	-	-	1	-	2	-	1	-	-	-	1	8	1	
Islington South-east - - N.R.		61895	43	20	6	7	-	-	-	-	-	-	-	-	-	-	-	2	-	
Highbury H - - N.R.		52043	32	16	2	6	-	-	-	-	-	-	-	-	-	-	-	-	2	
Stoke Newington H - - N.R.		22781	11	6	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
Stamford Hill - - E.L.		9277	6	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
West Hackney - - N.R.		37610	18	14	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hackney WHWHHL - - E.L. & N.R.		76911	50	33	10	9	-	-	3	1	2	-	1	-	-	1	1	10	-	
South Hackney - - E.L.		39883	27	10	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																				
St. George Bloomsbury - - N.R.		16681	9	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
St. Giles South WH - - N.R.		14864	19	7	1	1	-	-	1	-	-	-	-	-	-	-	-	2	-	
St. Giles North - - N.R.		13887	4	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields HH N.R. & C.		17508	4	7	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
St. Mary-le-Strand H - - N.R.		7515	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. Clement Dances H - - N.R.		8559	6	9	-	2	-	-	-	2	-	-	3	-	-	1	1	7	-	
St. George-the-Martyr HHHHHH N.R.		18671	8	8	3	-	-	-	-	-	-	-	-	-	-	1	1	2	-	
St. Andrew Eastern W - - N.R.		10706	5	6	-	1	-	-	1	-	-	-	-	-	-	-	-	2	-	
Saffron Hill H - - N.R.		6553	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - - N.R.		17316	9	11	4	5	-	-	-	-	-	-	-	-	1	-	1	-	1	
Amwell Clerkenwell - - N.R.		19281	9	14	4	2	-	-	3	-	-	-	-	-	-	1	1	-	-	
Pentonville - - N.R.		14773	13	5	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	
Goswell-street - - N.R.		17506	8	7	1	1	-	-	2	-	-	-	-	-	-	-	-	1	-	
Old-street H - - N.R.		11541	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
City-road HHL - - N.R.		18623	17	9	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
Whitecross-street - - N.R.		5217	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Finsbury - - N.R.		7463	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - N.R. & E.L.		11774	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - - N.R.		7193	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	
St. Sepulchre H - - N.R.		5353	2	14	-	-	-	-	-	-	-	-	-	-	-	3	3	14	-	
St. Bride W - - N.R.		8396	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Allhallows Barking - - N.R.		13666	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - - N.R.		6652	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Work-house; *H*—Hospital; *L*—Lunatic Asylum; *W*—A Workhouse Establishment receiving inmates from other Districts than that in which it stands see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—*G.J.* signifies Grand Junction Company; *W.M.* West Middlesex; *C.* Chelsea; *S.* Southwark and Vauxhall; *L.* Lambeth; *N.R.* New River; *E.L.* East London; and *K.* the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 28th November, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
					Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
					Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertained Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and
Central London Sick Asylum in Tottenham Court-road sub-district.	St. George's sub-district.
Holborn Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum in Bromley sub-district.
London City Workhouse " Hackney sub-district.	
Holborn " Hoxton New Town sub-district.	
Whitechapel " Mile End Old Town Eastern sub-dist.	
	Westminster Union Industrial School in West Battersea sub-district.
	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hack-
	ney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS AND DEATHS registered during the Week ending Saturday, 28th November, 1885.

The DEATHS registered in the Week include																					
Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.						
LONDON—OUTER RING		370,282	950,178	714	393	114	96	-	5	4	9	9	4	2	11	20	32	6			
80:1	Carshalton <i>wL</i> - -	12228	21118	13	7	3	2	-	-	-	-	-	-	-	1	1	-	-			
2	Epsom (part of) * <i>WH</i>	9971	10710	10	10	-	7	-	-	-	-	-	-	-	1	1	5	-			
37:1	Godstone (part of) * -	2754	1235	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
38:1	Croydon <i>WwH</i> - -	20851	101241	55	20	5	7	-	-	2	-	-	-	-	1	1	4	-			
	Mitcham - -	11697	17932	13	6	2	-	-	-	-	1	-	-	-	-	-	-	-			
39:1	Wimbledon <i>HHH</i> - -	3220	15950	15	6	1	1	-	1	-	-	1	-	-	1	1	1	-			
2	Kingston <i>WHH</i> - -	8549	36354	22	18	3	4	-	1	-	-	-	-	-	1	1	2	-			
3	Esher (part of) * - -	6801	9221	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-			
4	Hampton <i>H</i> - -	4573	13539	5	3	1	2	-	-	-	-	-	-	-	-	-	-	-			
40:1	Richmond <i>WH</i> - -	2272	21302	18	11	2	5	-	-	-	-	-	1	-	-	-	1	-			
2	Mortlake - -	941	12331	8	5	1	3	-	-	-	-	-	-	-	-	-	-	-			
41:1	Bromley (pt. of) * <i>HH</i>	15669	31142	16	13	2	4	-	-	-	-	-	-	-	-	-	-	-			
2	Chislehurst (pt. of) * <i>WHH</i>	13865	15085	5	4	-	2	-	-	-	-	-	-	-	-	-	1	-			
42:1	Bexley <i>H</i> - -	13437	24134	14	3	2	-	-	-	-	-	-	-	1	-	-	-	1			
124:1	Sunbury <i>w</i> - -	11055	11685	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-			
2	Staines <i>W</i> - -	13277	12089	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-			
125:1	Hillingdon <i>WH</i> - -	6029	10802	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	Uxbridge - -	6178	5225	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
3	Hayes <i>wHL</i> - -	14587	11523	8	6	2	1	-	-	-	1	-	-	-	-	-	4	-			
126:1	Isleworth <i>W</i> - -	7008	22727	21	11	2	5	-	-	-	-	-	-	-	-	-	1	-			
2	Twickenham <i>H</i> - -	2477	12479	8	4	-	2	-	-	-	-	-	-	-	-	1	-	-			
3	Brentford <i>HL</i> - -	4345	27649	31	10	-	3	-	-	-	-	-	-	-	-	-	1	-			
4	Chiswick - -	1340	15975	11	2	1	-	-	1	-	-	-	-	-	-	-	-	-			
5	Acton <i>wH</i> - -	6083	22876	15	3	3	1	-	-	-	-	-	-	-	-	-	1	-			
127:1	Harrow <i>H</i> - -	13809	12794	11	4	3	-	-	-	-	-	-	-	-	-	1	-	-			
2	Edgware <i>H</i> - -	6994	3749	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
3	Willesden - -	4383	27453	29	21	13	2	-	-	-	-	-	-	-	1	2	-	-			
4	Hendon <i>W</i> - -	8382	10484	6	4	1	1	-	-	-	-	-	-	-	1	2	-	-			
128:1	South Mimms - -	15599	6391	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-			
2	Barnet <i>W</i> - -	5483	10092	11	5	-	2	-	-	-	-	-	-	-	-	1	-	-			
3	Finchley <i>HL</i> - -	4688	17615	11	11	3	-	-	-	-	-	-	-	-	1	1	4	-			
129:1	Hornsey <i>H</i> - -	3039	37078	24	13	5	2	-	-	-	1	-	-	-	-	1	1	-			
2	Tottenham <i>HH</i> - -	4642	46456	59	33	9	7	-	-	-	4	2	-	-	1	3	-	-			
3	Edmonton <i>WwW</i> - -	7483	23463	28	10	4	5	-	-	-	-	-	-	-	-	-	5	-			
4	Enfield <i>WH</i> - -	12653	19104	20	9	1	7	-	-	-	-	-	-	-	-	1	-	-			
5	Waltham Abbey - -	11017	5398	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
6	Cheshunt - -	8480	7735	6	7	1	2	-	-	-	1	-	-	-	-	-	-	-			
135:1	Hatfield (part of) * -	3806	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
137:1	Bushey - -	9331	6621	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-			
136:1	Stratford - -	882	38606	34	20	6	2	-	-	-	-	1	2	-	1	1	-	-			
2	West Ham <i>wuwW</i> - -	7351	101033	93	61	24	6	-	2	1	-	5	1	1	1	1	-	-			
3	Leyton <i>WwL</i> - -	4372	32480	19	10	5	2	-	-	-	-	-	-	-	-	-	1	-			
4	Walthamstow <i>wH</i> - -	6520	28869	26	12	4	3	-	-	-	1	-	-	-	-	-	-	-			
137:1	Chigwell (part of) * <i>H</i>	11761	9089	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
139:1	Romford (part of) * -	6730	3411	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	Ilford - -	8493	7645	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-			
3	Barking Town - -	4127	9203	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-			

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warlingham and Farle in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813); 41:2, the whole of Chislehurst sub-district, except the parish of Chelsheld (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 28th November, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from													
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.					
GREATER LONDON	448,334	5,199,166	20·1	2·1	2003	477	485	1	67	16	29	56	19	18	69	358					
INNER LONDON -	78,052	4,083,928	20·6	2·2	1610	363	359	1	62	12	20	47	15	16	58	326					
OUTER RING -	370,282	1,115,238	18·4	1·5	393	114	96	-	5	4	9	9	4	2	11	32					

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	October 10	-	216	26·0	Fevers 74; cholera 10.
BOMBAY - -	773,196	" 27	275	406	27·3	Fevers 133; cholera 1.
MADRAS - -	308,777	" 23	316	248	32·3	Fevers 52.
PARIS - - -	2,239,928	November 21	1127	944	21·9	Typh. fev. 15; measles 21; diph. and croup 38.
GENEVA - -	71,453	" 21	25	27	19·7	Small-pox 1; typhus & typhoid fever 2.
BRUSSELS - -	436,214	" 14	230	190	22·6	Scar. fever 3; diph. 4.
AMSTERDAM -	366,812	" 21	299	150	21·2	Scarlet fever 5; measles 3; diphtheria 3.
ROTTERDAM -	166,001	" 21	123	95	29·1	Whooping-cough 3.
THE HAGUE -	134,552	" 21	93	46	17·8	Croup 2; diphtheria 1.
COPENHAGEN -	280,615	" 17	187	113	21·0	Measles 4; diphtheria 4.
STOCKHOLM -	200,143	" 7	139	86	22·3	Whooping-cgh. 3; typh. fever 2.
CHRISTIANIA -	128,000	" 21	80	62	25·2	Scarlet fever 10; diphtheria and croup 14.
ST. PETERSBURG	928,016	" 14	-	434	24·4	Typh. and typhd. fev. 19; scar. fev. 18.
BERLIN - -	1,279,599	" 7	820	551	22·1	Measles 7; scar. fev. 10; diphtheria 46.
HAMBURG(State)	497,956	" 14	329	266	27·9	Scar. fev. 10; typh. & tpd. fev. 11; diph. & croup 14.
DRESDEN - -	241,500	" 7	151	96	20·7	Scar. fever 5; measles 4.
BRESLAU - -	295,000	" 14	186	154	26·9	Diphtheria 4; scarlet fever 2.
MUNICH - -	244,000	" 21	176	110	23·4	Scarlet fever 1; diph. 1.
VIENNA - -	769,889	" 21	521	347	23·4	Small-pox 20; diph. 8.
PRAGUE - -	272,333	" 21	-	166	31·8	Small-pox 8; scar. fev. 5.
BUDA-PESTH -	429,532	" 7	269	214	25·9	Small-pox 8; measles 9; diph. and croup 6.
TRIESTE - -	150,157	" 7	-	83	28·7	Diph. & croup 10; typhd. fever 8; small-pox 1.
ROME - -	330,430	September 19	215	141	22·3	Small-pox 1; malarial fever 19.
NAPLES - -	504,795	-	-	-	-	-
TURIN (11 days)	267,763	October 31	222	190	23·5	Typhoid fever 3; scarlet fever 2.
VENICE - -	145,990	November 7	57	89	31·8	Small-pox 13; typhoid fever 3.
MADRID - -	475,608	-	-	-	-	-
LISBON - -	203,681	-	-	-	-	-
ALEXANDRIA -	331,96	-	-	-	-	-
NEW YORK -	1,350,958	October 31	-	535	20·6	Diphtheria 21; typhoid fever 10.
BROOKLYN -	605,602	" 31	-	239	18·7	Diphtheria 14; typhoid fever 6.
PHILADELPHIA -	949,432	November 7	-	334	18·4	Typhoid fever 9; diphtheria 9.
BALTIMORE -	403,520	" 7	-	141	18·0	Diphtheria 7; typhoid fever 4.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 28th NOVEMBER, 1885.
[Under the Superintendence of the Astronomer Royal.]

MOON.		READINGS OF THERMOMETERS.					DIFFERENCE				WIND.		RAIN.				
		Dew Meter.		Dry.			In the Water.		Between Dew Point						As deduced from Anemometers.		
Phases of Moon.		Mean daily reading	Range in day.	Mean daily value.	Mean daily value.	Therm. in register.	Highest in the shade.	Lowest in the shade.	On the Grass, at 5 ft. from ground.	At 5 ft. from ground.	At 5 ft. from ground.	Between mean temp. of the day and the mean temp. of the same day, being measured on an average of 10 years.	Between mean temp. of the day and the mean temp. of the same day, being measured on an average of 10 years.	Osler's.	Robinson's.	Amount of Departure from Average of Air each day.	
MONTH AND DAY.		Mean daily reading	Range in day.	Mean daily value.	Mean daily value.	Therm. in register.	Highest in the shade.	Lowest in the shade.	On the Grass, at 5 ft. from ground.	At 5 ft. from ground.	At 5 ft. from ground.	Between mean temp. of the day and the mean temp. of the same day, being measured on an average of 10 years.	Between mean temp. of the day and the mean temp. of the same day, being measured on an average of 10 years.	General Direction.	Pressure.	Amount of Departure from Average of Air each day.	
NOVEMBER.		Mean daily reading	Range in day.	Mean daily value.	Mean daily value.	Therm. in register.	Highest in the shade.	Lowest in the shade.	On the Grass, at 5 ft. from ground.	At 5 ft. from ground.	At 5 ft. from ground.	Between mean temp. of the day and the mean temp. of the same day, being measured on an average of 10 years.	Between mean temp. of the day and the mean temp. of the same day, being measured on an average of 10 years.	General Direction.	Pressure.	Amount of Departure from Average of Air each day.	
SUN. 22	Full	29.287	48.0-39.1	8.9	42.9	41.4	64.3	36.5	41.9	40.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MON. 23	..	29.328	43.0-38.4	4.6	40.3	37.1	52.0	30.0	41.9	40.9	3.2	5.9	1.0	0.0	0.0	0.0	0.0
TUES. 24	Greatest Perigee.	29.283	43.3-38.6	4.7	39.4	38.7	54.8	35.1	41.4	41.4	0.7	1.1	0.0	0.0	0.0	0.0	0.0
WED. 25	..	29.171	48.1-39.6	8.5	44.8	44.8	57.0	33.9	40.9	40.9	0.0	0.4	0.0	0.0	0.0	0.0	0.0
THURS. 26	..	29.181	53.4-45.2	8.2	48.6	47.8	53.4	44.1	0.8	2.4	0.0	0.0	0.0	0.0	0.0
FRI. 27	..	29.320	52.2-46.3	5.9	49.2	48.0	76.2	44.0	6.2	9.2	1.6	0.0	0.0	0.0	0.0
SAT. 28	..	29.105	57.1-41.8	15.3	50.6	48.8	63.7	36.0	1.8	3.8	0.0	0.0	0.0	0.0	0.0
MEANS	..	29.264	49.3-41.3	8.0	45.1	43.1	60.2	37.1	41.5	41.0	2.0	3.9	0.4	0.0	0.0	0.0	0.0
NO. of Col.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

DATE.		ELECTRICITY.		REGISTERED		SUN ABOVE		SKY AND ATMOSPHERE.		Fog	
NOVEMBER.		(For explanation of symbols, see Note.)		Sunshine, in hours.		Horizon, in hours.		Generally overcast.		Occasional slight rain.	
SUNDAY	22	w. P. in morning; v. P. afterwards.		0.0		8.5		Generally overcast.		Occasional slight rain.	
MONDAY	23	w. P. in morning; v. P. afterwards.		0.0		8.4		Overcast with slight exceptions in afternoon.		Fog in evening.	
TUESDAY	24	w. P. till 7h. A.M.; v. N. & v. P. afterwards.		0.0		8.4		Overcast.		Frequent rain.	
WEDNESDAY	25	v. N. and v. P.		0.0		8.3		Overcast.		Foggy in morning.	
THURSDAY	26	m. P. in morning; v. P. & v. N. after.		0.0		8.3		Generally overcast.		Frequent rain.	
FRIDAY	27	v. N. & v. P. in morning; m. P. after.		1.0		8.2		Overcast and showery in morning; fine with variable amounts of cloud till night; then cloudy.		Windy. The Biele's comet meteor-stream was seen.	
SATURDAY	28	w. P. and w. N. in morning; v. P. after.		0.0		8.2		Rain in early morning; overcast till afternoon; fine afterwards, and cloudless at night. Strong wind until evening.		Fog in morning.	
Sum		Sum		1.0		53.3		Sum		Sum	

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from Tables.

The average temperature of Glaisher's Hygrometric Tables.

The average temperature of the air is that derived from the photographic records made at Greenwich during the 29 years ending 1868.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 23, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 29.38 in. at the beginning of the week to 29.28 in. by 9h. P.M. on the 22nd; increased to 29.34 in. by 9h. P.M. on the 23rd; decreased to 29.14 in. by 9h. P.M. on the 25th; increased to 29.27 in. by 9h. P.M. on the 26th; decreased to 29.09 in. by 9h. P.M. on the 27th; increased to 29.47 in. by 9h. P.M. on the 28th; decreased to 29.10 in. by 9h. P.M. on the 29th; and was 29.47 in. by the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

*Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.*

No. 48. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, DECEMBER 5. [Price 1½d.

*General Register Office, Somerset House,
7th December, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 20·2 per 1000 of their aggregate population, which is estimated at 8,905,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.		Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.
Birkenhead	15·1	18·5	17·4	11·2	Liverpool -	24·6	21·5	23·8	23·5
Birmingham	17·7	17·2	21·6	16·7	London -	19·6	19·9	20·6	19·7
Blackburn	22·7	19·9	18·5	24·1	Manchester	22·4	24·7	23·0	23·5
Bolton	23·2	25·1	26·5	31·3	Newcastle-on-Tyne	18·7	19·1	22·8	21·5
Bradford	15·6	11·2	19·5	19·5	Norwich	16·6	17·2	22·9	21·7
Brighton	16·8	17·3	28·2	21·4	Nottingham	12·3	20·7	25·7	26·7
Bristol	19·1	19·1	18·2	17·7	Oldham	23·1	17·3	17·8	23·5
Cardiff	22·6	18·3	17·7	23·1	Plymouth	20·6	13·7	26·8	16·5
Derby	20·9	27·9	28·5	23·3	Portsmouth	20·1	21·7	26·0	22·1
Halifax	16·9	19·6	20·2	18·9	Preston	26·5	24·4	34·3	22·9
Huddersfield	16·7	23·9	26·9	16·1	Salford	18·7	18·7	24·5	20·7
Hull -	14·8	13·7	16·2	17·4	Sheffield	17·9	18·8	18·8	15·2
Leeds	15·8	21·9	18·5	19·4	Sunderland	18·7	18·7	21·6	18·3
Leicester	13·4	19·2	14·9	19·5	Wolverhampton	25·0	23·7	21·1	19·1

The highest annual death-rates from measles, measured by last week's mortality, were 1·5 in Salford, 2·0 in Nottingham, and 2·2 in Liverpool; from whooping-cough, 1·7 in Oldham, 1·9 in Portsmouth, and 2·4 in Bolton; from scarlet fever, 1·0 in Bradford, and 1·5 in Leicester; and from "fever," 1·4 in Plymouth. Of the 26 deaths from diphtheria, 16 occurred in London, and 2 in Oldham. Small-pox caused but one death in London and its outer ring, and 3 in Liverpool.

LONDON.

In LONDON 2656 BIRTHS and 1544 DEATHS were registered. Allowing for increase of population, the births were 25, and the deaths 209, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had increased in the five preceding weeks from 17·5 to 20·6, declined again last week to 19·7. During the first nine weeks of the current quarter the death-rate averaged 18·7, and was 2·1 below the mean rate in the corresponding periods of the nine years 1876-84.

The 1544 deaths included 1 from small-pox, 69 from measles, 12 from scarlet fever, 16 from diphtheria, 58 from whooping-cough, 16 from enteric fever, 3 from ill-defined forms of continued fever, 12 from diarrhoea and dysentery, 2 from choleraic diarrhoea, and not one from typhus; thus, 189 deaths were referred to these diseases, being 57 below the corrected average weekly number.

One death from *small-pox* was registered in London last week. The death was of a child, aged 2 years, at 29, Donald Street, Bromley, in Poplar sanitary

area. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the four preceding weeks from 90 to 73, had further fallen to 69 on Saturday last; the admissions, which had been 11 and 12 in the two previous weeks, were 13 last week. The Highgate Small-pox Hospital contained 12 patients on Saturday last, no case having been admitted during the week.

The fatal cases of *measles*, which had been 44 and 62 in the two preceding weeks, further rose last week to 69, and exceeded the corrected weekly average by 12; 20 belonged to Pancras (including 6 in the workhouse), 6 to St. Saviour, Southwark, 4 to St. George's, Southwark, 4 to Bermondsey, 11 to Wandsworth (including 10 in Battersea), and 6 to Greenwich. The 12 deaths from *scarlet fever* corresponded with the number in the previous week, and were 57 below the corrected average; 2 belonged to Islington. The Metropolitan Asylum Hospitals contained 289 scarlet fever patients on Saturday last, 27 having been admitted during the week. The 16 deaths referred to *diphtheria* showed a further decline from the numbers in the three previous weeks, but exceeded the corrected average by 1; 3 belonged to Pancras, 2 to Islington, and 5 to Greenwich. The 58 fatal cases of *whooping-cough* showed a further increase upon the numbers in recent weeks, and exceeded the corrected average by 22; 8 belonged to Pancras, 4 to Islington, 4 to Newington, 6 to Wandsworth, and 5 to Greenwich. The 12 deaths attributed to *diarrhœa* and *dysentery* showed a decline from the numbers in the two previous weeks, and were 3 below the corrected average. The deaths of a male aged 37 years, and of a female infant aged 2 months, were referred to choleraic diarrhœa.

The deaths referred to *enteric fever*, which had been 24 and 14 in the two previous weeks, were 16 last week, and 12 below the corrected weekly average; 2 belonged to Paddington, 3 to Islington, 2 to Bethnal Green, and 2 to Poplar sanitary areas. The 3 deaths referred to undefined forms of continued fever, included those of two children, aged 3 and 8 years, from "continued" and "suppressed" fever. The Metropolitan Asylum Hospitals contained 55 cases of enteric fever, and not one of typhus, on Saturday last; 8 cases of enteric fever were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had steadily increased in the eleven preceding weeks from 152 to 480, declined again last week to 410, and were 69 below the corrected average.

Different forms of violence caused 57 deaths; 46 were the result of negligence or accident, among which were 24 from fractures and contusions, 3 from burns and scalds, 3 from drowning, and 9 of infants under one year of age from suffocation. The 24 deaths from fractures and contusions were thus returned:—male, aged 37 years, fell from cab; male 5, run over by van; male 15, run over by train; male 48, fell from window; male 1, and female 76, fell from chair; male 3, and female 56, fell down stairs; male 45, fell into hold of barge; males 30, and 39, fell from roof; male newly-born, fell at time of birth; female 24, by blow from handle of mangle; males 46, and 69, and female 48, by fall; male 47, by injury from machinery; female 5 months, by blow on head; male 32, knocked down while lowering slates; males 19, 44, 46, 62, and female 8 weeks, by fracture or contusion. An inquest was held in each of these 24 cases except the last. Nine cases of suicide were registered.

GREATER LONDON.

In Greater London 3424 births and 1915 deaths were registered, equal to annual rates of 34·4 and 19·2 per 1000 of the population. In the Outer Ring 11 deaths from whooping-cough, 9 from diphtheria, 7 from "fever," and 7 from measles were registered. The deaths in West Ham district included 9 from whooping-cough, 7 from "fever," 4 from diphtheria, 4 from measles, and 2 from scarlet fever.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·72 in.; the highest reading was 30·16 in. on Tuesday morning, and the lowest 29·20 in. at the end of the week. The mean temperature of the *air* was 44°·8, and 3°·0 above the average in the corresponding week of the 20 years ending 1868. The mean was below the average on Wednesday and Saturday, but showed an excess on each of the other days of the week. The general direction of the *wind* was S.W., and the horizontal movement of the air averaged 17·4 miles per hour, which was 4·8 above the average in the corresponding week of 16 years. *Rain* fell on five days of the week, to the aggregate amount of 1·14 inches. The duration of registered bright sunshine in the week was 4·1 hours, against 7·7 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY IN 28 GREAT TOWNS, during the Week ending 5th December, 1885.

CITIES AND BOROUGHES.	Cols.	POPULATION estimated to the middle of the Year 1885.		Registered during the Week ending 5th Dec., 1885.		The DEATHS registered in the Week include										Annual Rate per 1000, corresponding to the Week's Deaths				TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGHES.	
		1.	2.	3.	4.	5.	Deaths of						Deaths from						From All Causes.	From Diseases in Cols. 6-12.	Mean.		In Inches.	In Centi- meters.			
							Persons aged 1 Year of Age.	60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.			Unclassified Causes of Death.	Highest.			Lowest.		Fahrenheit.
28 TOWNS.	-	8,906,446	5961	3442	815	777	4	123	40	26	111	49	32	119	246	584	74	20-2	2-3	58-2	30-4	43-9	6-60	0-72	1-82	-	28 TOWNS.
LONDON.	-	4,083,928	2656	1544	357	365	1	69	12	16	58	19	12	57	128	316	20	19-7	2-4	58-2	33-5	44-8	7-12	1-14	2-90	LONDON.	
BRIGHTON.	-	114,672	40	47	9	15	-	1	-	-	1	1	-	1	1	6	2	21-4	1-4	53-0	33-0	43-7	6-50	1-11	2-82	BRIGHTON.	
PORTSMOUTH.	-	184,659	80	57	10	17	-	-	-	1	5	1	-	3	3	4	-	22-1	2-7	-	-	-	-	-	-	PORTSMOUTH.	
NORWICH.	-	91,215	44	38	9	12	-	-	-	-	1	1	1	1	3	7	1	21-7	1-7	-	-	-	-	-	-	NORWICH.	
PLYMOUTH.	-	76,045	43	24	4	3	-	1	-	-	-	2	-	-	1	1	-	16-5	2-1	57-0	34-0	48-6	9-23	-	-	PLYMOUTH.	
BRISTOL.	-	218,169	132	74	17	23	-	-	-	-	1	2	-	-	5	7	-	17-7	0-7	57-0	35-0	44-8	7-12	1-88	4-78	BRISTOL.	
WOLVERHAMPTON.	-	79,185	50	29	9	9	-	-	-	1	-	-	-	-	2	6	-	19-1	0-7	55-0	30-4	41-3	5-17	0-60	1-52	WOLVERHAMPTON.	
BIRMINGHAM.	-	427,769	300	137	30	35	-	2	1	-	2	3	-	4	9	22	4	16-7	1-0	-	-	-	-	-	-	BIRMINGHAM.	
LEICESTER.	-	136,147	96	51	13	12	-	-	4	-	1	1	-	1	4	6	2	19-5	2-3	-	-	-	-	-	-	LEICESTER.	
NOTTINGHAM.	-	211,424	185	108	35	19	-	8	2	1	5	2	2	2	1	6	9	26-7	4-9	56-9	35-4	44-6	7-01	0-51	1-30	NOTTINGHAM.	
DERBY.	-	89,691	70	40	13	9	-	-	-	-	1	-	-	1	2	3	5	23-3	1-2	-	-	-	-	-	-	DERBY.	
BIRKENHEAD.	-	53,093	76	20	6	6	-	-	-	-	-	-	-	1	1	1	1	11-2	0-0	-	-	-	-	-	-	BIRKENHEAD.	
LIVERPOOL.	-	579,724	415	261	64	36	3	24	5	1	11	6	7	11	12	54	11	23-5	5-1	56-3	31-2	43-6	6-45	0-46	1-17	LIVERPOOL.	
BOLTON.	-	110,055	79	66	22	7	-	3	-	-	5	1	-	-	1	5	3	31-3	4-3	51-6	32-4	40-8	4-89	1-29	3-28	BOLTON.	
MANCHESTER.	-	337,342	255	152	29	27	-	2	-	-	5	3	1	5	17	28	2	23-5	1-7	-	-	-	-	-	-	MANCHESTER.	
SALFORD.	-	204,075	143	81	23	12	-	6	1	-	5	2	-	3	4	15	2	20-7	3-6	-	-	-	-	-	-	SALFORD.	
OLDHAM.	-	128,300	86	57	13	7	-	3	1	2	4	-	-	1	1	4	3	23-5	4-5	-	-	-	-	-	-	OLDHAM.	
BLACKBURN.	-	112,574	100	52	14	17	-	1	-	-	-	-	-	1	1	7	-	24-1	0-9	-	-	-	-	-	-	BLACKBURN.	
PRESTON.	-	100,405	66	44	9	7	-	-	2	-	-	-	-	1	1	2	1	22-9	1-6	52-0	37-0	43-7	6-50	0-76	1-93	PRESTON.	
HUDDESFIELD.	-	87,327	57	27	11	4	-	-	-	-	-	-	-	-	1	1	3	16-1	0-0	-	-	-	-	-	-	HUDDESFIELD.	
HALIFAX.	-	77,378	40	28	5	8	-	-	-	1	-	-	-	-	-	-	3	18-9	0-7	-	-	-	-	-	-	HALIFAX.	
BRADFORD.	-	214,431	136	80	19	22	-	1	4	-	1	1	1	6	11	11	1	19-5	1-9	54-0	36-4	44-5	6-95	0-48	1-22	BRADFORD.	
LEEDS.	-	333,139	240	124	26	34	-	1	5	-	1	1	1	4	8	14	3	19-4	1-4	57-0	36-0	45-2	7-33	0-29	0-74	LEEDS.	
SHEFFIELD.	-	305,716	186	89	21	15	-	-	-	-	3	-	-	1	2	5	10	15-2	0-9	55-0	34-5	44-1	6-73	0-67	1-70	SHEFFIELD.	
HULL.	-	186,292	138	62	12	18	-	-	1	-	-	1	-	2	2	10	-	17-4	0-8	53-0	32-0	42-9	6-06	0-15	0-38	HULL.	
SUNDERLAND.	-	125,327	77	44	9	12	-	-	-	-	1	-	-	3	6	7	2	18-3	0-4	51-0	36-0	41-9	5-50	0-18	0-46	SUNDERLAND.	
NEWCASTLE.	-	153,269	96	63	18	14	-	-	1	1	-	-	-	5	8	10	7	21-5	1-4	52-0	35-0	43-5	6-39	0-13	0-33	NEWCASTLE.	
CARDIFF.	-	97,034	75	43	8	12	-	-	-	-	1	2	-	2	2	10	1	23-1	2-2	-	-	-	-	-	-	CARDIFF.	
EDINBURGH.	-	250,616	120	113	24	26	-	-	-	-	1	1	3	3	?	15	29	23-5	1-0	51-0	33-4	42-1	5-62	0-54	1-37	EDINBURGH.	
GLASGOW.	-	519,965	378	262	60	31	1	4	2	10	2	2	15	?	?	31	52	26-3	2-1	53-0	27-0	43-0	6-11	0-88	2-24	GLASGOW.	
DUBLIN.	-	353,082	179	167	29	47	-	-	2	1	8	2	5	4	4	45	22	24-7	2-2	59-0	33-7	44-1	6-73	0-31	0-79	DUBLIN.	

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FORTY-EIGHTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2072	2421	2636	2427	2530	2442	2503	2535	2423	2587	2680.5	2656
Males	1049	1246	1343	1235	1320	1256	1280	1315	1239	1327	1375.1	1398
Females	1023	1175	1293	1192	1210	1186	1223	1220	1184	1260	1305.4	1258
TOTAL Deaths	1628	1558	1579	1624	1802	1446	1460	1605	1655	1716	1752.7	1544
Males	806	792	785	813	893	733	734	863	839	864	885.7	815
Females	822	766	794	811	909	713	726	742	816	852	867.0	729

* The numbers in this column are the average weekly numbers in the forty-eighth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.
TOTAL Births	2330	2542	2438	2516	2491	2582	2572	2581	2695	2534	2682	2422	2656
TOTAL Deaths	1221	1231	1081	1251	1309	1346	1458	1366	1483	1531	1557	1610	1544
0-20	585	536	490	575	579	632	630	596	641	707	708	730	731
20-40	174	191	170	185	191	181	206	179	197	188	203	198	183
40-60	205	243	184	217	252	225	268	257	281	268	288	293	265
60-80	213	211	186	240	246	244	284	268	297	298	289	322	296
at 80 years & upwards	44	50	51	34	41	64	70	66	67	70	69	67	69
Deaths of children { Under 1 year	303	284	260	304	309	319	347	323	334	356	367	363	357
{ 1-5	203	172	149	167	187	231	206	191	228	260	254	266	281
{ 5-20	79	80	81	104	83	82	77	82	79	91	87	101	93
Deaths from Small-pox	9	8	11	7	3	-	-	9	5	3	2	2	1
" " Measles	25	14	15	20	17	28	27	23	41	51	44	62	69
" " Scarlet Fever	15	20	16	14	21	22	18	10	15	19	11	12	12
" " Diphtheria	22	25	18	24	14	23	18	10	16	26	20	20	16
" " Whooping-cough	39	25	26	22	34	29	31	36	29	39	42	47	58
" " Typhus	1	-	-	1	2	-	-	-	-	-	-	-	-
" " Enteric fever	12	9	14	16	12	10	11	8	10	12	24	14	16
" " Simple Cont'd fever	1	3	3	1	6	-	-	2	1	-	3	1	3
" " Diarrhœa and Dysentery	62	40	49	42	35	27	21	17	8	10	13	16	12
" " Cholera	-	1	1	1	1	1	-	1	-	-	1	-	2
Deaths from the above-mentioned Diseases*	186	145	153	148	145	140	126	116	125	160	160	174	189
" " Dis. of Respiratory System	175	152	159	205	231	301	356	358	394	418	454	480	410
" " Phthisis	139	155	150	159	146	161	165	158	188	152	158	177	147
" " Dis. of Circulatory System	90	106	83	84	116	87	130	100	126	110	105	115	112
Violent Deaths	48	49	45	45	62	44	50	43	40	52	44	58	57
Inquest Cases	88	93	80	89	109	82	108	94	93	110	89	129	128
Deaths in Public Institutions	279	288	234	285	285	265	286	291	313	323	326	326	316
TEMPERATURE OF THE AIR:													
Mean	56.3	57.7	52.7	49.6	47.6	45.4	45.1	44.0	44.6	43.3	38.1	45.1	44.8
Mean of Highest readings	66.1	66.3	62.5	57.8	59.9	52.1	50.5	49.8	51.0	46.1	43.3	49.3	50.2
Mean of Lowest readings	49.3	51.2	43.8	42.1	36.9	38.5	40.8	38.4	37.5	39.8	32.0	41.3	33.3
Humidity of the Air	85	86	77	84	84	82	89	84	89	95	82	93	90
Rain-fall in inches	1.93	0.86	0.18	0.52	1.09	0.44	0.94	0.80	0.47	0.29	0.02	1.43	1.14
Registered Sunshine (in hours)	21.1	15.4	34.1	16.6	14.4	13.9	5.6	13.3	7.1	0.0	23.2	1.0	4.1

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quirton, jun., Esq., Norwich; R. Ann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrettsley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Pillitter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-EIGHTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 48th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 5th December, 1885.										CAUSES OF DEATH.	Corrected Averages for the 48th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 5th December, 1885.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
ALL CAUSES - -	1752.7	1544	357	281	93	183	265	296	69														
Small-pox { Vaccinated †	20.4 {	-	-	-	-	-	-	-	-	Diseases of Organs of Special Sense † - -	3.3	6	3	-	-	1	2	-	-				
Unvaccinated		-	-	-	-	-	-	-	-	Diseases of Circulatory System - - -	113.7	112	-	-	12	15	34	40	11				
No Statement		1	1	-	-	-	-	-	-	Croup - - -	16.7	15	1	13	1	-	-	-	-				
Measles - - -	56.8	69	11	51	7	-	-	-	-	Bronchitis - - -	294.8	232	81	47	3	2	29	65	24				
Scarlet Fever - -	68.7	12	1	8	2	1	-	-	-	Pneumonia - - -	116.9	103	23	35	6	13	14	13	2				
Typhus - - -	2.3	-	-	-	-	-	-	-	-	Pleurisy - - -	6.8	11	-	1	-	3	2	5	-				
Relapsing Fever † -	0.0	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - -	43.4	23	7	3	2	-	5	7	2				
Influenza - - -	0.2	-	-	-	-	-	-	-	-	Dentition † - - -	10.0	13	11	7	-	-	-	-	-				
Whooping-cough -	35.8	53	18	38	2	-	-	-	-	Quinsy, Sore Throat † -	1.3	-	-	-	-	-	-	-	-				
Diphtheria - - -	15.0	16	-	11	4	1	-	-	-	Enteritis - - -	5.1	-	1	-	-	3	-	-	-				
Simple Continued and Ill-defined Fever -	4.4	3	-	1	1	-	-	1	-	Peritonitis - - -	6.5	8	-	-	2	1	1	4	-				
Enteric Fever - -	23.0	16	-	1	5	7	2	1	-	Diseases of Liver - -	29.1	22	-	-	-	3	10	9	-				
Cholera - - -	0.0	2	1	-	-	1	-	-	-	Other Diseases of Digestive System -	25.5	24	6	1	2	2	4	9	-				
Diarrhoea, Dysentery	14.5	12	3	4	1	1	-	3	-	Diseases of Lymphatic System & of Ductless Glands † - - -	2.0	2	-	-	-	-	1	1	-				
Remittent Fever † -	0.3	-	-	-	-	-	-	-	-	Diseases of Urinary System - - -	34.1	31	-	-	4	4	11	11	1				
Hydrophobia - -	0.0	-	-	-	-	-	-	-	-	Diseases of Generative System - - -	6.6	6	-	-	-	2	1	3	-				
Glanders - - -	0.0	-	-	-	-	-	-	-	-	Accidents of Childbirth -	4.4	4	-	-	-	3	1	-	-				
Cowpox and Effects of Vaccination † - -	0.3	1	1	-	-	-	-	-	-	Diseases of Locomotive System † - - -	7.7	3	-	2	-	-	-	1	-				
Venereal Affections	11.7	12	8	1	-	1	1	1	-	Diseases of Integumentary System - -	6.7	5	2	1	-	-	1	1	-				
Erysipelas - -	9.5	8	1	1	-	2	3	1	-	VIOLENT DEATHS ‡													
Pyæmia and Septicæmia †	2.3	1	-	-	1	-	-	-	-	(ACCIDENT.)													
Puerperal Fever -	6.5	7	-	-	-	6	1	-	-	Fracture and Contusion	22.8	24	3	2	3	5	8	3	-				
Other Zymotic Diseases †	0.1	1	-	-	-	-	-	1	-	Gunshot Wound - -	0.0	-	-	-	-	-	-	-	-				
Thrush - - -	2.6	4	3	1	-	-	-	-	-	Cut, Stab - - -	0.7	2	-	-	-	-	1	1	-				
Worms and other Parasitical Diseases - -	0.2	-	-	-	-	-	-	-	-	Burn and Scald - -	7.1	3	-	3	-	-	-	-	-				
Starvation, Want of Breast-milk † - -	1.0	2	2	-	-	-	-	-	-	Poison - - -	1.5	1	-	-	-	1	-	-	-				
Alcoholism - - -	5.6	2	-	-	-	1	1	-	-	Drowning - - -	4.0	3	-	-	1	2	-	-	-				
Rheumatic Fever and Rheumatism of Heart	14.2 {	0	-	-	3	5	1	-	-	Suffocation - - -	15.7	11	9	-	1	-	1	-	-				
Rheumatism - - -		1	-	-	-	-	1	-	-	Otherwise - - -	2.6	2	1	-	-	1	-	-	-				
Gout - - -	2.8	5	-	-	-	-	-	-	-	(HOMICIDE.)													
Rickets † - - -	4.0	-	-	-	-	-	-	-	-	Murder & Manslaughter	1.7	2	1	-	1	-	-	-	-				
Cancer - - -	46.0	48	-	-	2	5	24	16	1	(SUICIDE.)													
Tabs Mesenterica	23.0	23	14	8	-	-	1	-	-	Gunshot Wound - -	0.3	-	-	-	-	-	-	-	-				
Tubercular Meningitis	24.9	14	2	7	5	-	-	-	-	Cut, Stab - - -	0.7	2	-	-	-	-	1	1	-				
Phthisis - - -	175.2	147	3	4	11	67	54	8	-	Poison - - -	0.8	2	-	-	-	2	-	-	-				
Scrofula, Tuberculosis	15.4	11	2	4	2	3	-	-	-	Drowning - - -	1.4	1	-	-	-	1	-	-	-				
Other Constitutional Diseases † - -	6.7	11	-	-	-	2	7	1	1	Hanging - - -	1.3	2	-	-	1	-	-	-	-				
Premature Birth -	34.2	36	36	-	-	-	-	-	-	Otherwise - - -	0.5	2	-	-	-	2	-	-	-				
Atelectasis † - -	3.3	2	2	-	-	-	-	-	-	(EXECUTION.)													
Concital Malformations - -	8.0	8	8	-	-	-	-	-	-	Hanging - - -	0.0	-	-	-	-	-	-	-	-				
Old Age - - -	57.5	41	-	-	-	-	1	22	18	OTHER CAUSES † - -	59.3	65	42	3	2	2	6	7	3				
Apoplexy - - -	50.9	52	-	-	2	5	11	29	5														
Epilepsy - - -	6.3	1	-	-	-	-	-	-	-														
Convulsions - - -	49.6	45	36	9	-	-	-	-	-														
Other Diseases of Brain and Nervous System	83.8	85	14	13	4	8	17	28	1														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.048 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1883-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

		The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of		Deaths from												Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.				
LONDON		3,816,483	2656	1544	357	365	1	69	12	16	58	-	16	3	12	57	123	316	20	
WEST DISTRICTS		669,683	399	237	50	57	-	5	1	-	4	-	2	1	2	9	22	49	2	
NORTH DISTRICTS		908,947	578	369	76	99	-	25	3	5	17	-	5	1	1	14	33	72	-	
CENTRAL DISTRICTS		382,288	166	115	19	28	-	3	1	1	4	-	1	-	1	7	11	35	1	
EAST DISTRICTS		99,738	523	280	72	68	1	7	3	2	9	-	5	-	2	18	23	77	5	
SOUTH DISTRICTS		1,265,927	1000	543	140	113	-	35	4	8	24	-	8	1	6	14	34	83	12	
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		69888	46	30	6	7	-	-	-	-	-	-	2	-	-	1	3	4	-	
St. John Paddington H - - G.J.		37380	15	9	3	3	-	-	-	-	-	-	-	-	-	1	1	3	-	
Kensington Town Ww - - W.M.		120141	79	39	7	9	-	-	-	-	-	-	-	-	-	2	4	3	-	
Brompton H - - W.M. & C.		48010	13	9	2	1	-	-	-	-	-	-	-	-	-	1	1	2	-	
St. Peter Hammersmith - - W.M.		7899	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.		64340	52	25	8	6	-	-	-	-	-	-	-	-	1	1	5	-	-	
Fulham WwH - - W.M. & C.		42900	33	22	7	3	-	-	-	-	1	-	-	1	-	2	3	2	-	
Chelsea South HHH - - C.		30896	19	16	2	4	-	-	-	-	1	-	-	-	1	1	3	5	-	
Chelsea North-west WHHHH - C.		24925	21	20	4	4	-	1	1	-	-	-	-	-	1	1	1	6	-	
Chelsea North-east - - C.		32807	21	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hanover Square H - - G.J.		16862	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
May Fair W - - G.J.		13491	5	9	1	5	-	-	-	-	-	-	-	-	-	-	-	8	-	
Belgrave WHH - - C.		62220	24	26	1	8	-	1	-	-	-	-	-	-	-	1	1	10	-	
St. John Westminster HH - - C.		35496	23	12	3	2	-	2	-	-	1	-	-	-	-	-	-	1	-	
St. Margaret Westminster H - C.		24679	12	7	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	
St. James Westminster WH N.R. & G.J.		29941	16	10	-	5	-	-	-	-	-	-	-	-	-	-	-	2	-	
St. Anne Soho HHHHH - - N.R.		16608	13	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.		26750	14	14	1	4	-	1	-	-	-	-	-	-	-	-	-	5	-	
Cavendish Square HHH - - W.M.		14881	5	8	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	
Rectory Marylebone WH G.J. & W.M.		24809	9	9	1	3	-	1	-	-	-	-	-	-	-	1	2	-	-	
St. Mary Marylebone HHH G.J. & W.M.		21118	26	9	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	
Christchurch Marylebone H - W.M.		38700	17	10	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
St. John Marylebone H - W.M.		33638	16	11	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead WwHHH - N.R. & W.M.		45452	18	14	4	-	1	-	-	-	-	-	-	-	-	1	1	-	-	
Regent's Park Panacea H - - W.M.		39115	20	9	2	3	-	-	-	-	2	-	-	-	-	1	4	-	-	
Tottenham-court WHHHH N.R. & W.M.		27729	13	20	4	6	-	-	-	2	-	-	-	-	-	-	1	12	-	
Gray's Inn Lane HHH - - N.R.		30247	15	11	2	1	-	1	-	1	-	-	-	-	-	2	2	6	-	
Somers Town H - - N.R.		34369	22	9	3	1	-	2	-	-	-	-	-	-	-	2	2	1	-	
Camden Town WH - - N.R.		17311	13	24	15	12	-	7	-	-	-	-	-	-	-	3	4	18	-	
Kentish Town W - - N.R.		87487	60	36	10	14	-	10	1	-	6	-	-	-	-	1	2	8	-	
Upper Holloway WwWwH - - N.R.		67946	40	36	3	13	-	1	-	2	2	-	-	-	-	-	3	14	-	
Islington South-west HH - - N.R.		100976	40	42	8	9	-	-	2	-	2	-	-	-	-	2	6	1	-	
Islington South-east - - N.R.		61825	40	15	-	8	-	-	-	-	-	-	3	-	-	-	1	-	-	
Highbury H - - N.R.		52048	24	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H - - N.R.		22781	23	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stamford Hill - - E.L.		9277	22	14	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
West Hackney - - N.R.		27610	49	20	6	7	-	1	-	-	-	-	1	-	-	1	2	7	-	
Hackney WwWwHL - - E.L. & N.R.		76911	26	11	4	1	-	-	-	-	1	-	-	1	-	-	2	-	-	
South Hackney - - E.L.		39883	26	11	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
CENTRAL DISTRICTS.																				
St. George Bloomsbury - - N.R.		16681	10	7	1	2	-	-	1	1	-	-	-	-	-	1	1	-	-	
St. Giles South Ww - - N.R.		14864	10	11	1	1	-	-	-	-	-	-	-	-	-	1	1	6	-	
St. Giles North - - N.R.		13837	5	9	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields HH N.R. & C.		17508	7	3	-	2	-	-	1	-	-	-	-	-	-	1	1	6	-	
St. Mary-le-Strand H - - N.R.		7515	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Clement Dances H - - N.R.		8559	4	7	-	2	-	-	-	-	-	-	-	-	-	2	2	5	-	
St. George-the-Martyr HHHHHH N.R.		18671	9	6	-	2	-	-	-	-	-	-	-	-	-	-	-	1	3	
St. Andrew Eastern W - - N.R.		10706	10	6	4	1	-	-	-	-	-	-	-	-	-	-	1	2	-	
Saffron Hill H - - N.R.		6538	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - - N.R.		17516	16	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - - N.R.		19281	11	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pentonville - - N.R.		14773	9	8	7	3	-	-	-	-	1	-	-	1	-	-	-	-	-	
Goswell-street - - N.R.		17506	14	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Old-street H - - N.R.		11541	8	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
City-road HHL - - N.R.		18628	20	6	-	2	-	-	-	-	1	-	-	-	-	-	1	-	-	
Whitecross-street - - N.R.		9217	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finsbury - - N.R.		7463	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - N.R. & E.L.		11174	1	5	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-	
Cripplegate - - N.R.		7193	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - - N.R.		6593	1	14	1	2	-	-	-	-	-	-	1	-	-	1	1	13	-	
St. Bride W - - N.R.		8596	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Albion Barking - - N.R.		13666	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Broad Street H - - N.R.		4652	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Work-house; H—Hospital; L—Lunatic Asylum; W—A Workhouse Establishment receiving inmates from other Districts than that in which it stands see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT
Saturday, the 5th December, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
					Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by †:

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.	Stepney " " Bromley sub-district.
Holborn Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum " "
Lisson Clay Workhouse " " " " "	Westminster Union Industrial School in West Battersea sub-district.
Holborn " " " " "	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Whitechapel " " " " "	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 5th December, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														Deaths in Public Institutions.	Un- certified Causes of Death.
						Deaths of		Deaths from													
								Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.					
LONDON—OUTER RING		370,282	950,178	768	371	100	108	-	7	4	11	11	8	4	8	14	42	6			
80:1	Carshalton <i>wL</i> - -	12228	21118	9	18	-	4	-	-	-	-	-	-	-	-	-	9	-			
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	6	4	1	-	-	-	-	-	1	-	-	-	-	-	1			
37:1	Godstone (<i>part of</i>) * -	2754	1235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
38:1	Croydon <i>WwH</i> - -	20851	101241	65	27	7	7	-	-	-	2	-	-	1	-	-	6	-			
	Mitcham - -	11697	17932	14	3	2	1	-	-	-	-	-	-	-	-	-	-	-			
39:1	Wimbledon <i>HHH</i> - -	3220	15950	14	6	-	3	-	-	-	-	-	-	-	-	-	-	-			
2	Kingston <i>WHH</i> - -	8549	36351	23	11	4	1	-	-	-	-	-	-	-	-	-	-	-			
3	Esher (<i>part of</i>) * - -	6801	9221	9	2	1	-	-	-	-	-	-	-	-	-	1	-	-			
4	Hampton <i>H</i> - -	4573	13339	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
40:1	Richmond <i>WH</i> - -	2272	21302	8	5	1	2	-	-	-	-	-	-	-	1	1	-	-			
2	Mortlake - -	941	12331	15	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	18	11	5	3	-	-	-	-	-	-	-	-	-	-	1			
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	13665	15065	23	4	-	3	-	-	-	-	-	-	-	-	-	1	-			
42:1	Bexley <i>H</i> - -	13437	24134	18	5	1	2	-	-	-	-	-	-	-	-	-	-	-			
124:1	Sunbury <i>w</i> - -	11055	11685	10	7	3	2	-	-	-	-	-	-	-	-	-	-	-			
2	Staines <i>W</i> - -	13277	12089	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-			
125:1	Hillingdon <i>WH</i> - -	6029	10802	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-			
2	Uxbridge - -	6178	5225	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
3	Hayes <i>wHL</i> - -	14587	11523	5	6	-	1	-	-	-	-	-	-	-	-	-	4	-			
126:1	Isleworth <i>W</i> - -	7008	22727	9	9	4	2	-	-	-	-	-	-	-	-	-	2	-			
2	Twickenham <i>H</i> - -	2477	12479	9	4	1	2	-	-	-	-	-	-	-	1	1	1	-			
3	Brentford <i>HL</i> - -	4345	27649	11	10	4	4	-	-	-	-	-	-	1	-	2	-	1			
4	Chiswick - -	1340	15675	14	8	2	3	-	1	-	-	-	-	1	-	-	-	-			
5	Acton <i>wH</i> - -	6083	22576	14	6	2	2	-	1	1	1	-	-	-	-	-	-	-			
127:1	Harrow <i>H</i> - -	13809	12796	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
2	Edgware <i>H</i> - -	6904	3749	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3	Willesden - -	4383	27453	35	14	5	4	-	-	-	-	-	-	-	2	3	-	-			
4	Hendon <i>W</i> - -	8382	10484	9	7	2	1	-	1	-	-	-	-	-	-	1	2	-			
128:1	South Mimms - -	15599	6391	3	3	-	1	-	-	-	-	1	-	-	-	-	-	-			
2	Barnet <i>W</i> - -	5433	10092	4	4	-	3	-	-	1	-	-	-	-	-	-	-	-			
3	Finchley <i>HL</i> - -	4688	17615	9	7	-	2	-	-	-	-	-	-	1	-	-	4	-			
129:1	Hornsey <i>H</i> - -	3039	37078	34	12	3	4	-	-	-	1	-	-	-	-	-	-	-			
2	Tottenham <i>HH</i> - -	4642	46456	63	31	12	7	-	-	-	2	-	1	-	-	-	1	-			
3	Edmonton <i>WwH</i> - -	7483	23463	22	13	1	8	-	-	-	-	-	-	-	2	3	6	-			
4	Enfield <i>WH</i> - -	12653	19104	11	7	2	2	-	-	-	1	-	-	-	-	-	-	-			
5	Waltham Abbey - -	11017	5368	3	3	-	1	-	-	-	-	-	-	-	1	1	-	-			
6	Cheshunt - -	8480	7735	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
135:1	Hatfield (<i>part of</i>) * -	3806	583	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
137:1	Bushey - -	9331	6021	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-			
136:1	Stratford - -	832	38606	39	14	4	3	-	-	-	-	2	1	-	-	-	-	-			
2	West Ham <i>wvwwH</i> - -	7351	101053	110	51	13	7	-	3	1	-	6	4	-	1	1	-	2			
3	Leyton <i>WwL</i> - -	4372	32430	26	18	4	9	-	-	-	-	1	1	-	-	-	6	-			
4	Walthamstow <i>wH</i> - -	6520	28869	27	13	7	4	-	-	1	4	-	-	-	-	-	-	-			
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9689	6	5	1	-	-	1	-	-	-	1	-	-	-	-	-			
139:1	Romford (<i>part of</i>) * -	6730	3411	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
2	Ilford - -	8493	7645	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-			
3	Barking Town - -	4127	9203	15	4	3	-	-	-	-	-	-	-	-	-	-	-	-			

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:— 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37:1, the two parishes of Warlingham and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1933); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813); 41:2, the whole of Chislehurst sub-district, except the parish of Chislefield (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 5th December, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from												Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
GREATER LONDON	448,334	5,199,166	19.2	2.3	1915	457	473	1	76	16	27	69	27	16	65	358				
INNER LONDON -	78,052	4,083,928	19.7	2.4	1544	357	365	1	69	12	16	58	19	12	57	316				
OUTER RING -	370,282	1,115,238	17.4	2.1	371	100	108	-	7	4	11	11	8	4	8	42				

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700.522 square miles, which is equivalent to the area of a circle having a radius of 14.933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA -	433,219	October 17	-	198	23.8	Cholera 4; fevers 66; diarrhoeal dis. 30.
BOMBAY -	773,196	November 3	294	355	23.9	Fevers 95; diarrhoeal diseases 22.
MADRAS -	398,777	October 30	268	258	33.6	Fevers 57; diarrhoeal diseases 53.
PARIS -	2,239,928	November 28	1214	1035	24.0	Tpd. fev. 30; dip. & cp. 45; meas. 19; inf. diarr. 62.
GENEVA -	71,453	" 28	31	29	21.2	-
BRUSSELS -	436,214	" 21	272	167	19.9	Diphtheria 3; croup 4; diarrhoeal dis. 16.
AMSTERDAM -	366,812	" 28	286	186	26.3	Diphtheria 5; croup 6; scarlet fever 3.
ROTTERDAM -	166,001	" 28	114	94	28.8	Typhus and typh. fev. 1.
THE HAGUE -	134,552	" 28	92	59	22.8	Typhus and typh. fev. 1; whooping-cough 2.
COPENHAGEN -	280,615	" 24	250	124	23.1	Croup 3; typhoid fev. 1; diarrhoeal diseases 7.
STOCKHOLM -	200,143	" 14	150	87	22.6	Diphtheria and croup 4; diarrhoeal diseases 10.
CHRISTIANIA -	128,000	" 28	75	35	14.2	Diphtheria and croup 7; scarlet fever 1.
ST. PETERSBURG	928,016	" 21	-	430	24.2	Tp. & tpd. fv. 15; sc. fv. 15; diph. 7; diarr. dis. 52.
BERLIN -	1,279,599	" 14	820	542	22.3	Scar. fev. 13; diph. and croup 33; measles 6.
HAMBURG (State)	497,956	" 21	328	279	29.2	Sc. fv. 10; ty. & tpd. fev. 13; dip. & cp. 11; diarr. dis. 28.
DRESDEN -	241,500	" 14	139	95	20.5	Diphtheria and croup 11; scarlet fever 3.
BRESLAU -	295,000	" 21	191	139	24.3	Diphtheria 8; whooping-cough 3.
MUNICH -	244,000	" 28	141	125	26.6	Sm.-pox 2; typh. & typh. fev. 3; diarr. dis. 15.
VIENNA -	769,889	" 28	524	345	23.3	Sm.-px. 21; dip. 5; typh. & tpd. fev. 3; diarr. dis. 22.
PRAGUE -	272,333	" 28	-	158	30.3	Small-pox 13; scarlet fever 4.
BUDA-PESTH -	429,532	" 14	298	223	27.0	Small-pox 4; measles 7; scarlet fever 4.
TRIESTE -	150,157	" 14	-	76	26.3	Diph. & croup 5; typhd. fever 9.
ROME -	330,430	September 26	188	171	27.0	Sm.-pox 2; typhd. fev. 6; diarrhoeal diseases 23.
NAPLES -	504,795	-	-	-	-	-
TURIN (10 days)	297,763	November 10	203	162	22.1	Scar. fev. 4; typh. fev. 5; diphtheria 3; croup 3.
VENICE -	145,990	" 14	73	82	29.3	Small-pox 11; typhoid fev. 4; diarr. dis. 10.
MADRID -	475,668	-	-	-	-	-
LISBON -	203,681	-	-	-	-	-
ALEXANDRIA -	231,196	-	-	-	-	-
NEW YORK -	1,356,958	November 7	-	504	19.4	Diphtheria 27; scarlet fev. 6; diarr. dis. 14.
BROOKLYN -	665,602	" 7	-	248	19.4	Diphtheria 13; croup 7; typhoid fever 6.
PHILADELPHIA -	949,432	" 14	-	-	-	-
BALTIMORE -	408,520	" 14	-	122	15.6	Diphtheria 9; typhoid fever 2.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 5th DECEMBER, 1885.

[Under the Superintendence of the Astronomer Royal.]

1885. MONTH AND DAY.	MOON. Phases of Moon.	READINGS OF THERMOMETERS.										DIFFERENCE				WIND.				RAIN.	
		METER.		Dew Point.		Lowest.		Highest.		In the Water.		Between Dew Point.		Between mean tem-		Degree of hu-		As deduced from Anemometers.		Collected in a	
		Mean daily reading.		Mean daily value.		on the sun, as ascertained by self-registering thermometer.		Mean daily value.		of the Thames at Deptford by Self-registering Thermometers.		Air Temperature.		mean tem-		midity, complete saturation.		Oiler's.		Gauge reading from surface of ground.	
		High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.	High- est.	Low- est.
NOVEMBER.																					
SUN. 29	Last Qr.	57.1	38.7	57.1	38.7	57.1	38.7	57.1	38.7	57.1	38.7	57.1	38.7	57.1	38.7	57.1	38.7	57.1	38.7	57.1	38.7
MON. 30	In Equator	58.2	42.5	58.2	42.5	58.2	42.5	58.2	42.5	58.2	42.5	58.2	42.5	58.2	42.5	58.2	42.5	58.2	42.5	58.2	42.5
DECEMBER.																					
TUES. 1	..	50.56	37.5	50.56	37.5	50.56	37.5	50.56	37.5	50.56	37.5	50.56	37.5	50.56	37.5	50.56	37.5	50.56	37.5	50.56	37.5
WED. 2	..	50.04	33.5	50.04	33.5	50.04	33.5	50.04	33.5	50.04	33.5	50.04	33.5	50.04	33.5	50.04	33.5	50.04	33.5	50.04	33.5
THURS. 3	..	49.84	33.5	49.84	33.5	49.84	33.5	49.84	33.5	49.84	33.5	49.84	33.5	49.84	33.5	49.84	33.5	49.84	33.5	49.84	33.5
FRI. 4	..	49.50	37.7	49.50	37.7	49.50	37.7	49.50	37.7	49.50	37.7	49.50	37.7	49.50	37.7	49.50	37.7	49.50	37.7	49.50	37.7
SAT. 5	..	49.47	41.9	49.47	41.9	49.47	41.9	49.47	41.9	49.47	41.9	49.47	41.9	49.47	41.9	49.47	41.9	49.47	41.9	49.47	41.9
MEANS	..	50.2	38.3	50.2	38.3	50.2	38.3	50.2	38.3	50.2	38.3	50.2	38.3	50.2	38.3	50.2	38.3	50.2	38.3	50.2	38.3
No. of Col.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23

SKY AND ATMOSPHERE.

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1885 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1885.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer increased generally from 29.47 in. at the beginning of the week to 30.16 in. by 9h. P.M. on the 1st of December; decreased to 29.45 in. by 9h. A.M. on the 4th; increased to 29.62 in. by 9h. A.M. on the 5th; and decreased to 29.41 in. by the end of the week.

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.							Sum above horizon, in hours.	
		0-0	0-0	0-0	0-0	0-0	0-0	0-0	Sum	Sum
NOVEMBER.										
SUNDAY 29	w. P. generally	0-0	0-0	0-0	0-0	0-0	0-0	0-0	8.2	8.2
MONDAY 30	w. P. in morning; v. P. afterwards.	0-0	0-0	0-0	0-0	0-0	0-0	0-0	8.1	8.1
DECEMBER.										
TUESDAY 1	m. P. throughout	0-0	0-0	0-0	0-0	0-0	0-0	0-0	8.1	8.1
WEDNESDAY 2	s. P. generally	0-0	0-0	0-0	0-0	0-0	0-0	0-0	8.1	8.1
THURSDAY 3	m. P. generally	0-0	0-0	0-0	0-0	0-0	0-0	0-0	8.0	8.0
FRIDAY 4	w. P. till 3h. A.M.; s. P. till 5h. N. till 5h. P.M.; m. P. afterwards.	0-0	0-0	0-0	0-0	0-0	0-0	0-0	8.0	8.0
SATURDAY 5	m. P. till 6h. P.M.; v. N. generally afterwards.	0-0	0-0	0-0	0-0	0-0	0-0	0-0	8.0	8.0
MEANS		0-0	0-0	0-0	0-0	0-0	0-0	0-0	8.0	8.0
No. of Col.	3	4	5	6	7	8	9	10	11	12

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 49. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, DECEMBER 12. [Price 1½d.

*General Register Office, Somerset House,
14th December, 1885.*

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 20·3 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.		Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.
Birkenhead	18·5	17·4	11·2	20·7	Liverpool -	21·5	23·8	23·5	24·6
Birmingham	17·2	21·6	16·7	19·6	London -	19·9	20·6	19·7	18·8
Blackburn -	19·9	18·5	24·1	22·3	Manchester -	24·7	23·0	23·5	24·1
Bolton -	25·1	26·5	31·3	31·8	Newcastle-on-Tyne	19·1	22·8	21·5	23·5
Bradford -	11·2	19·5	19·5	15·3	Norwich -	17·2	22·9	21·7	18·9
Brighton -	17·3	28·2	21·4	15·9	Nottingham	20·7	25·7	26·7	22·7
Bristol -	19·1	18·2	17·7	18·7	Oldham -	17·3	17·8	23·5	25·2
Cardiff -	18·3	17·7	23·1	22·0	Plymouth -	13·7	26·8	16·5	27·5
Derby -	27·9	28·5	23·3	20·9	Portsmouth -	21·7	26·0	22·1	20·1
Halifax -	19·6	20·2	18·9	18·9	Preston -	24·4	34·3	22·9	21·3
Huddersfield	23·9	26·9	16·1	22·1	Salford -	18·7	24·5	20·7	21·0
Hull -	13·7	16·2	17·4	20·7	Sheffield -	18·8	18·8	15·2	22·5
Leeds -	21·9	18·5	19·4	21·6	Sunderland -	18·7	21·6	18·3	17·5
Leicester -	19·2	14·9	19·5	16·9	Wolverhampton -	23·7	21·1	19·1	19·8

The highest annual death-rates from measles, measured by last week's mortality, were 2·5 in Nottingham, 2·6 in Salford, and 2·9 in Oldham; from whooping-cough, 1·9 in Portsmouth, and 2·8 in Bolton; from scarlet fever, 1·1 in Leeds, and 2·1 in Plymouth; and from "fever," 0·7 in Newcastle-upon-Tyne, and 1·7 in Norwich. Of the 29 deaths from diphtheria in the twenty-eight towns, 20 occurred in London, and 5 in Liverpool. Small-pox caused 5 deaths in London and its outer ring of suburban districts (exclusive of 2 in the Metropolitan Asylum Hospital Ship "Atlas" moored off Dartford), 2 in Liverpool, and 2 in Bristol.

LONDON.

In LONDON 2504 BIRTHS and 1474 DEATHS were registered. Allowing for increase of population, the births were 158, and the deaths 351, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·6 and 19·7 in the two preceding weeks, further declined last week to 18·8. During the first ten weeks of the current quarter the death-rate averaged 18·8, and was 2·3 below the mean rate in the corresponding periods of the nine years 1876-84.

The 1474 deaths included 1 from small-pox, 57 from measles, 14 from scarlet fever, 20 from diphtheria, 58 from whooping-cough, 7 from enteric fever, 1 from an undefined form of continued fever, 16 from diarrhoea and dysentery, and not one from typhus or cholera; thus, 174 deaths were referred to these diseases, being 71 below the corrected average weekly number.

One death from *small-pox* was registered in London last week, in addition to 2 deaths of London residents from the same cause in the Hospital Ship "Atlas",

moored off Dartford and outside Registration London. Of these 3 fatal cases, one was of a child, aged 4 years, at Swinbrook Road, Kensington; the cause of death in this case was certified as "variola? 1 week, meningitis, 1 day," and from local inquiry the Medical Officer of Health inclines to the belief that the child was suffering from chicken-pox and not small-pox. The 2 hospital cases belonged to Islington and Greenwich. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the five preceding weeks from 90 to 69, further fell to 56 on Saturday last; the admissions were 6 last week, against 11, 12, and 13 in the three previous weeks. The Highgate Small-pox Hospital contained 12 patients on Saturday last, one case having been admitted during the week.

The fatal cases of *measles*, which had been 62 and 69 in the two previous weeks, declined to 57 last week, but were 2 above the corrected average; 11 belonged to Pancras, 9 to Lambeth, 8 to Wandsworth, 4 to St. Saviour's, Southwark, and 4 to Greenwich. The 14 deaths from *scarlet fever* showed a further slight increase upon the low numbers in recent weeks, but were 49 below the corrected average; 2 belonged to Poplar, 2 to Camberwell, and 2 to Greenwich sanitary areas. The Metropolitan Asylum Hospitals contained 286 scarlet fever patients on Saturday last, 21 having been admitted during the week. The 20 deaths referred to *diphtheria* showed an increase of 4 upon the number in the previous week, and exceeded the corrected average by 3; 2 belonged to Pancras, 2 to Islington, 2 to Hackney, 3 to Lambeth, and 2 to Greenwich. The 58 fatal cases of *whooping-cough* corresponded with the number in the previous week, and exceeded the corrected average by 11; 5 belonged to Pancras, 6 to Camberwell, and 4 to Greenwich. The 16 deaths attributed to *diarrhœa* and *dysentery* showed an increase upon the number in the previous week, but corresponded with the corrected average; 6 were of infants under one year of age.

The deaths referred to *enteric fever*, which had been 24, 14, and 16 in the preceding three weeks, further declined last week to 7, and were 17 below the corrected average; 2 belonged to the North, 3 to the East, and 2 to the South groups of registration districts. The death of a child, aged 3 years, at Cambridge Cottages, Woolwich, was indefinitely referred to "continued fever." The Metropolitan Asylum Hospitals contained 51 cases of enteric fever, and not one of typhus, on Saturday last; 3 cases of enteric fever were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 454, 480 and 410 in the three preceding weeks, were 413 last week, and 72 below the corrected average.

Different forms of violence caused 45 deaths; 41 were the result of negligence or accident, among which were 24 from fractures and contusions, 5 from burns and scalds, 2 from drowning, 4 from poison, and 6 of infants under one year of age from suffocation. The 24 deaths from fractures and contusions were thus returned:—male, aged 8 years, run over by van; female 70, run over by cab; male 31, run over; male 44, fell from waggon; male 60 (intoxicated), fell from cab; male 53, knocked down by horse; male 43, run over on railway; male 2, females 28, 77, fell down stairs; male 87, fell on floor; male 1 month, fell from window; male 38, fell from scaffold; male 57, fell from ladder; female 3 months, fell from bed; female 70, fell against chair; male 40, fell into machinery; males 43, 50, by fall of stone; females 28, 45, 63, by fall; male 54, by breaking of grindstone; and female 2 months, by fracture. An inquest was held in each of these 24 cases. Two cases of suicide were registered.

GREATER LONDON.

In Greater London 3292 births and 1857 deaths were registered, corresponding to annual rates of 33·0 and 18·6 per 1000 of the population. In the Outer Ring 17 deaths from whooping-cough, 14 from measles, 11 from diphtheria, and 4 from small-pox were registered. Of the 4 fatal cases of small-pox, 2 occurred in West Ham, 1 in Leyton, and 1 in Wimbledon sub-districts. The mortality from the principal zymotic diseases in West Ham district was again excessive.

On pages 505-6 will be found Dr. Frankland's report upon the quality of the waters supplied to the Metropolis by the various water companies during November. The Thames waters sent out by each of the five companies drawing their supply from that source contained a larger proportion of organic matter than in any previous month of the last three years; this result being due to the flooded condition of the river. All the samples of Thames water were clear and bright, except

that of the Grand Junction Company, which was slightly turbid. The Lea water delivered by the New River and East London Companies also showed marked increase of organic impurity. The deep-well waters supplied by the Kent and Colne Valley Companies, and by the Tottenham Local Board, were of their usual excellent quality for drinking. The Colne Valley Company's water had been softened with lime, and thus rendered suitable for all domestic purposes.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·98 in.; the highest reading was 30·32 in. on Friday morning, and the lowest 29·20 in. at the beginning of the week. The mean temperature of the *air* was 32°·7, and 10°·0 below the average in the corresponding week of the 20 years ending 1868. The mean was considerably below the average on each day of the week; the coldest day was Friday, when the mean fell to 28°·0, and showed a deficiency of 14°·5. The direction of the *wind* was variable, and the horizontal movement of the air averaged 11·0 miles per hour, which was 1·7 below the average in the corresponding week of 16 years. *Rain* or melted snow was measured on three days of the week, to the aggregate amount of 0·06 of an inch. The duration of registered bright sunshine in the week was 8·5 hours, against 22·7 hours at Glyde Place, Lewes.

THE REGISTRAR GENERAL has to acknowledge the courtesy of the LONDON WATER COMPANIES who have furnished him with the average daily quantity of Water supplied during the month of NOVEMBER 1885; according to their returns 151,740,609 gallons or 689,427 cubic metres of water (equal to about as many *tuns* by measure, *tons* by weight,) were supplied daily; or 216 gallons (98·1 decalitres), rather less than a *ton* by weight, to each house, and 27·7 gallons (12·6 decalitres) to each person, against 27·8 gallons during November 1884.

COMPANIES.	Number of Houses, &c. supplied in		Average daily Supply of Water in Gallons.	
	NOVEMBER. 1884.	NOVEMBER. 1885.	NOVEMBER. 1884.	NOVEMBER. 1885.
TOTAL SUPPLY	682,353	702,930	147,894,005	151,740,609
From Thames	330,746	339,213	75,291,107	75,989,799
From Lea and from other Sources	351,607	363,717	72,602,898	75,750,810
THAMES.				
Chelsea	33,195	33,812	9,838,630	9,278,100
West Middlesex	65,459	67,011	13,027,600	13,645,969
Southwark and Vauxhall	103,097	105,208	22,207,906	22,033,482
Grand Junction	49,902	51,456	14,549,171	15,214,643
Lambeth	79,093	81,726	15,667,800	15,817,600
LEA AND OTHER SOURCES.				
New River	142,886	145,953	27,279,000	28,476,000
East London	146,109	152,550	35,417,008	36,406,730
Kent	62,613	65,214	9,906,890	10,868,08

Note.—The Return for November 1885, as compared with that for the corresponding month of 1884, shows an increase of 20,577 houses, and of 3,846,604 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING NOVEMBER.

Grove House, Penbridge Square, W.
11th December, 1885.

SIR, I HAVE to report to you in the following Table the results of the chemical analyses of the waters supplied to the inner, and portions also of the outer, circle of the Metropolis during the month of November.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity contained in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Colne Valley 0·6, Kent 0·6, Tottenham 1·0, New River 3·9, East London 4·4, Chelsea 4·5, Southwark 5·4, Lambeth 5·7, West Middlesex 6·5, Grand Junction 7·1.

The Thames water sent out by the Chelsea, West Middlesex, Southwark, Grand Junction, and Lambeth Companies contained a larger proportion of organic matter than in any month during the last three years, the Chelsea being the least and the Grand Junction water the most highly impregnated.

This sudden change in the quality of the supply is due to the prolonged floods which have prevailed in the river. The water of the Grand Junction Company alone was slightly turbid, the remaining samples being clear and bright.

The water drawn from the Lea and delivered by the New River and East London Companies also exhibited a marked increase in organic matter the proportion being, however, less than in any of the Thames waters. Both waters were clear and bright on delivery.

The deep-well water furnished by the Kent and Colne Valley Companies, and by the Tottenham Local Board of Health was of its usual excellent quality for drinking, and the Colne Valley Company, by softening their supply before delivery thereby rendered it also well fitted for all domestic purposes.

Seen through a stratum two feet deep, the waters presented the following appearances:—Kent, Colne Valley, and Tottenham, clear and colourless; New River, clear, and very pale yellow; East London, Chelsea, West Middlesex, Southwark, and Lambeth, clear and pale yellow; Grand Junction, yellow and slightly turbid.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that town “exhibited an increase of organic matter upon that of the three preceding samples; it was rather more turbid than usual.”

Dr. Mills, F.R.S., of Anderson's College, Glasgow, reports that the water supplied to that city from Loch Katrine was “light brown in colour and contained a little suspended matter.”

The Registrar General, &c. &c.

I am, &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	COMPANIES OR LOCAL AUTHORITIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Mat- ter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.	November 13th,	6								
	Chelsea - - -	{ Cab Rank, Horseguards, Whitehall. }	7.5	27.64	.216	.049	0	.199	.248	1.9	18.3
	West Middlesex - -	{ November 13th, Cab Rank, Portland-road. }	8.0	30.04	.323	.063	0	.256	.319	1.9	19.1
	Southwark - - -	{ November 13th, Cab Rank, Bricklayers Arms, Old Kent-road. }	8.1	30.04	.278	.042	0	.234	.276	1.9	19.4
	Grand Junction - -	{ November 13th, Cab Rank, Uxbridge-rd., near Marble Arch. }	8.0	31.14	.363	.054	0	.246	.300	1.8	20.3
	Lambeth - - -	{ November 13th, Cab Rank, St. George's- road, Southwark. }	8.0	27.80	.259	.080	0	.178	.255	1.8	18.0
	LEA.	November 13th,									
Outer Circle.	New River - - -	{ Cab Rank, Tottenham Court-road. }	7.4	31.84	.183	.050	0	.285	.335	1.8	21.2
	East London - - -	{ November 13th, Fire Brigade Station, Commercial-road, E. }	7.5	35.24	.218	.040	0	.322	.362	2.0	22.4
	DEEP WELLS.	November 25th,									
	Kent - - -	{ Greenwich Police Station, Blackheath-road. }	12.0	42.70	.030	.007	0	.421	.428	2.5	30.0
	{ Colne Valley - - -	{ November 18th, Bushey. }	—	12.00	.023	.006	0	.315	.321	1.7	3.6
	{ Tottenham - - -	{ November 23rd, Tottenham. }	—	38.20	.043	.015	.060	0	.064	2.4	21.5
	Corporation of Birming- ham* - - -	{ November 2nd, 104, Newhall-street. }	8.9	29.86	.093	.049	.001	.176	.226	1.9	18.0
	Corporation of Glasgow†.	{ November 16th, Loch Katrine Water. }	6.8	2.90	.171	.019	.000	.005	.024	.7	1.0
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, Medical Officer of Health and Analyst to the Borough.

† Analysed by Dr. E. J. Mills, F.R.S., of Anderson's College, Glasgow.

The numbers in columns 4–11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 13th November at the Horseguards cab-rank, had a temperature of 7°·5 C.; 100,000 lbs. of it contained 27.64 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained .216 lb. of carbon and .049 lb. of nitrogen. The above quantity of water also contained no ammonia, and .199 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was .248 lb. The above weight of water also contained 1.9 lbs. of chlorine; and 18.3 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY IN 28 GREAT TOWNS, during the Week ending 12th December, 1885.

CITIES AND BOROUGHES.	Registered during the Week ending 12th Dec., 1885.			Deaths of Persons aged 1 Year or under 1 Year of Age.		Deaths from										Annual Rate per 1000, corresponding to the Week's Deaths in Cols. 6-12.				TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGHES.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	From All Causes.	From Diseases in Cols. 6-12.	Highest.	Lowest.	Fahrenheit.	Centigrade.	Mean.	In Inches.	In Cent.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
BIRTHS.		DEATHS.		Infants under 1 Year of Age.		Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Whooping Cough.		Fever.		Diarrhoea.		Violence.		Inquest Cases.		Deaths in Public Institutions.		Unclassified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Cols.	89,064,446	5554	3464	843	793	5	109	42	29	111	32	24	127	236	552	79	20.3	2.1	19.2	18.9	31.9	0.06	0.23	0.58	24.	23.	22.	21.	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
28 TOWNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FORTY-NINTH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2432	2410	2435	2576	2470	2461	2380	2520	2346	2385	2662.4	2504
Males	1235	1247	1266	1294	1230	1271	1200	1310	1237	1232	1365.5	1257
Females	1197	1163	1169	1282	1240	1190	1180	1210	1109	1153	1296.9	1247
TOTAL Deaths	1856	1446	1547	2016	1888	1398	1521	1669	1628	1764	1824.7	1474
Males	960	733	811	982	992	744	784	818	819	817	922.6	741
Females	896	713	736	1034	896	654	737	851	809	947	902.1	733

* The numbers in this column are the average weekly numbers in the forty-ninth week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.
TOTAL Births	2542	2438	2516	2491	2582	2572	2581	2695	2534	2682	2422	2656	2504
TOTAL Deaths	1231	1081	1251	1309	1346	1458	1366	1483	1531	1557	1610	1544	1474
0—20	586	490	575	579	632	630	596	641	707	708	730	731	726
20—40	191	170	185	191	181	206	179	197	188	203	193	183	171
40—60	243	184	217	252	225	268	257	281	268	288	293	265	240
60—80	211	186	240	246	244	284	268	297	298	289	322	296	279
at 80 years & upwds.	50	51	34	41	64	70	66	67	70	69	67	69	58
Deaths of children { Under 1 year	284	260	304	309	319	347	323	334	356	367	363	357	351
{ 1—5	172	149	167	187	231	206	191	228	260	254	266	281	277
{ 5—20	80	81	104	83	82	77	82	79	91	87	101	93	93
Deaths from Small-pox	8	11	7	3	—	—	9	5	3	2	2	1	3
" Measles	14	15	20	17	28	27	23	41	51	44	62	69	57
" Scarlet Fever	20	16	14	21	22	18	10	15	19	11	12	12	14
" Diphtheria	25	18	24	14	23	18	10	16	26	20	20	16	20
" Whooping-cough	25	26	22	34	29	31	36	29	39	42	47	58	58
" Typhus	—	—	1	2	—	—	—	—	—	—	—	—	—
" Enteric fever	9	14	16	12	10	11	8	10	12	24	14	16	7
" Simple Cont ^d fever	3	3	1	6	—	—	2	1	—	3	1	3	1
" Diarrhoea and Dysentery	40	49	42	35	27	21	17	8	10	13	16	12	16
" Cholera	1	1	1	1	1	—	1	—	—	1	—	2	—
Deaths from the above-mentioned Diseases*	145	153	148	145	140	126	116	125	160	160	174	189	176
" Dis. of Respiratory System	152	159	205	231	301	356	358	394	418	454	480	410	413
" Phthisis	155	150	159	146	161	165	158	188	152	158	177	147	156
" Dis. of Circulatory System	106	88	84	116	87	130	100	126	110	105	115	112	103
Violent Deaths	49	45	45	62	44	50	43	40	52	44	58	57	44
Inquest Cases	93	80	89	109	82	103	94	93	110	89	129	128	95
Deaths in Public Institutions	288	234	285	285	265	286	291	313	323	326	326	316	313
TEMPERATURE OF THE AIR:													
Mean	57.7	52.7	49.6	47.6	45.4	45.1	44.0	44.6	43.3	38.1	45.1	44.8	32.7
Mean of Highest readings	66.3	62.5	57.8	59.9	52.1	50.5	49.8	51.0	46.1	43.3	49.3	50.2	36.3
Mean of Lowest readings	51.2	43.8	42.1	36.9	38.5	40.8	38.4	37.5	39.8	32.0	41.3	33.3	27.8
Humidity of the Air	86	77	84	84	82	89	84	89	95	82	83	90	77
Rain-fall in inches	0.86	0.18	0.52	1.09	0.44	0.94	0.80	0.47	0.29	0.02	1.43	1.14	0.06
Registered Sunshine (in hours)	15.4	34.1	16.6	14.4	13.9	5.6	13.3	7.1	0.0	23.2	1.0	4.1	8.5

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quirton, jun., Esq., Norwich; R. Cam Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrottesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Pillitter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-NINTH Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 49th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 12th December, 1885.										CAUSES OF DEATH.	Corrected Averages for the 49th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 12th December, 1885.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
ALL CAUSES	1824.7	1474	351	277	98	171	240	270	58		Diseases of Organs of Special Sense †	2.3	3	2	-	-	-	-	1	-			
Small-pox { Vaccinated †	17.7 {	-	-	-	-	-	-	-	-		Diseases of Circulatory System	120.1	103	3	1	15	14	30	36	4			
Unvaccinated		-	-	-	-	-	-	-	-														
No Statement		1	-	1	-	-	-	-	-	-													
Measles	55.3	57	6	46	5	-	-	-	-		Croup	17.3	10	2	3	5	-	-	-	-			
Scarlet Fever	62.5	14	-	12	2	-	-	-	-		Bronchitis	303.0	264	77	46	3	4	42	78	14			
Typhus	2.0	-	-	-	-	-	-	-	-		Pneumonia	110.1	100	27	33	9	11	11	8	1			
Relapsing Fever †	0.0	-	-	-	-	-	-	-	-		Pleurisy	4.7	2	-	-	1	1	-	-	-			
Induenza	0.2	-	-	-	-	-	-	-	-		Other Diseases of Respiratory System	49.5	37	7	9	2	3	8	5	3			
Whooping-cough	47.0	58	22	35	1	-	-	-	-		Dentition †	12.0	12	5	7	-	-	-	-	-			
Diphtheria	16.9	20	2	12	5	-	1	-	-		Quinsy, Sore Throat †	2.3	2	-	1	1	-	-	-	-			
Simple Continued and Ill-defined Fever	3.6	1	-	1	-	-	-	-	-		Enteritis	6.9	6	-	1	3	-	1	1	-			
Enteric Fever	23.6	7	-	1	1	3	2	-	-		Peritonitis	7.1	9	-	-	1	3	1	4	-			
Cholera	0.3	-	-	-	-	-	-	-	-		Diseases of Liver	31.7	27	6	1	1	5	7	7	-			
Diarrhoea, Dysentery	16.0	16	6	2	-	1	2	5	-		Other Diseases of Digestive System	31.3	21	3	3	-	2	5	6	2			
Remittent Fever †	0.0	-	-	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands †	2.0	1	-	-	-	1	-	-				
Hydrophobia	0.4	-	-	-	-	-	-	-	-		Diseases of Urinary System	37.6	31	-	-	2	6	12	10	1			
Glanders	0.0	-	-	-	-	-	-	-	-		Diseases of Generative System	5.3	7	1	-	-	3	1	2	-			
Cowpox and Effects of Vaccination †	0.3	-	-	-	-	-	-	-	-		Accidents of Childbirth	6.4	3	-	-	-	2	1	-	-			
Venereal Affections	11.0	10	7	1	-	-	1	1	-		Diseases of Locomotive System †	11.0	8	-	-	3	-	3	2	-			
Erysipelas	9.8	11	2	-	-	2	2	4	1		Diseases of Integumentary System	7.6	5	2	-	-	-	1	1	1			
Pyæmia and Septicæmia †	4.0	-	-	-	-	-	-	-	-		VIOLENT DEATHS §												
Puerperal Fever	8.1	4	-	-	1	3	-	-	-		(ACCIDENT.)												
Other Zymotic Diseases †	0.7	1	-	-	1	-	-	-	-		Fracture and Contusion	19.3	24	3	1	1	4	9	5	1			
Thrush	3.0	2	2	-	-	-	-	-	-		Gunshot Wound	0.3	-	-	-	-	-	-	-	-			
Worms and other Parasitical Diseases	0.3	-	-	-	-	-	-	-	-		Cut, Stab	0.8	-	-	-	-	-	-	-	-			
Starvation, Want of Breast-milk †	1.3	-	-	-	-	-	-	-	-		Burn and Scald	7.1	5	-	3	2	-	-	-	-			
Alcoholism	3.3	3	-	-	-	2	1	-	-		Poison	1.1	4	-	-	1	1	2	-	-			
Rheumatic Fever and Rheumatism of Heart	11.3 {	7	-	-	4	2	1	-	-		Drowning	46.5	2	-	-	-	-	-	-	-			
Rheumatism		2	-	-	-	-	2	-	-		Suffocation	14.4	6	-	-	-	-	-	-	-			
Gout		5	-	-	-	-	-	5	-		Otherwise	3.5	-	-	-	-	-	-	-	-			
Bickets †	3.8	4	1	2	-	-	1	-	-		(HOMICIDE.)												
Cancer	46.8	45	-	-	-	8	17	19	1		Murder & Manslaughter	1.5	1	-	-	1	-	-	-	-			
Tabes Mesenterica	22.4	14	8	6	-	-	-	-	-		(SUICIDE.)												
Tubercular Meningitis	23.7	24	5	13	6	-	-	-	-		Gunshot Wound	0.4	-	-	-	-	-	-	-	-			
Phthisis	170.8	156	2	5	12	71	55	11	-		Cut, Stab	1.4	1	-	-	-	-	-	-	-			
Scrophula, Tuberculosis	14.4	16	4	4	4	3	-	1	-		Poison	0.8	1	-	-	-	1	-	-	-			
Other Constitutional Diseases †	8.0	5	1	-	-	1	1	2	-		Drowning	0.7	-	-	-	-	-	-	-	-			
Premature Birth	34.2	41	41	-	-	-	-	-	-		Hanging	0.9	-	-	-	-	-	-	-	-			
Atelectasis †	3.3	3	3	-	-	-	-	-	-		Otherwise	0.4	-	-	-	-	-	-	-	-			
Constitutional Malformations	6.8	8	6	2	-	-	-	-	-		(EXECUTION.)												
Old Age	58.8	46	-	-	-	-	24	22	-		Hanging	0.0	1	-	-	-	1	-	-	-			
Apoplexy	50.3	32	-	2	-	4	7	16	3		OTHER CAUSES †	58.0	56	47	3	1	-	2	3	-			
Epilepsy	7.2	1	-	1	-	-	-	-	-														
Convulsions	47.0	43	35	8	-	-	-	-	-														
Other Diseases of Brain and Nervous System	89.6	65	7	12	4	9	8	21	4														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.04 per cent. for increase of population.
† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.
‡ These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When no medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."
¶ Exclusive of 2 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.
					Deaths of		Deaths from													
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.			
LONDON		3,816,483	2504	1474	351	337	1	57	14	20	58	-	7	1	16	45	95	313	15	
WEST DISTRICTS		669,633	364	241	52	69	1	6	-	1	6	-	-	-	3	8	17	73	2	
NORTH DISTRICTS		905,947	566	309	64	79	-	14	2	7	14	-	2	-	3	11	20	64	1	
CENTRAL DISTRICTS		282,238	155	112	26	22	-	6	1	1	4	-	1	-	1	6	10	29	-	
EAST DISTRICTS		62,738	524	280	83	57	-	-	6	2	12	-	2	-	5	8	19	62	3	
SOUTH DISTRICTS		1,265,927	895	532	126	110	-	31	5	9	22	-	2	1	4	12	29	85	9	
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		69888	36	27	7	8	-	-	-	-	-	-	-	-	-	-	1	7	-	
St. John Paddington H - G.J.		37320	9	8	-	2	-	1	-	-	-	-	-	-	-	2	2	22	-	
Kensington Town WH - W.M.		130141	50	49	7	2	1	-	-	-	1	-	-	-	1	1	1	2	-	
Brompton H - W.M. & C.		48010	16	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Peter Hammersmith - W.M.		7599	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. Paul Hammersmith H W.M. & G.J.		6434	33	21	4	5	-	-	-	-	-	-	-	-	-	-	-	2	-	
Fulham WH - W.M. & C.		4290	33	18	8	3	1	-	-	-	-	-	-	-	-	1	3	-	-	
Chelsea South HHH - C.		30396	16	13	3	3	-	1	-	-	-	-	-	-	1	1	1	18	-	
Chelsea North-west WHHHH - C.		24925	20	25	6	9	-	-	-	-	2	-	-	-	1	1	-	-	-	
Chelsea North-east - C.		32807	33	11	4	2	-	-	-	1	-	-	-	-	-	-	1	-	1	
Hanover Square H - G.J.		16862	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	5	-	
May Fair W - G.J.		13461	6	5	-	3	-	-	-	-	-	-	-	-	-	2	3	9	1	
Belgrave WHH - C.		59220	21	17	2	3	-	-	-	-	1	-	-	-	-	-	1	2	-	
St. John Westminster HH - C.		35498	20	17	7	2	-	1	-	-	-	-	-	-	-	-	-	2	-	
St. Margaret Westminster H - C.		24679	8	11	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Westminster WH N.R. & G.J.		29941	12	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
St. Anne Soho HHHHH - N.R.		16608	7	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.		26750	10	13	2	2	-	-	-	-	1	-	-	-	-	1	1	7	-	
Cavendish Square HHH - W.M.		14881	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rectory Marylebone WH G.J. & W.M.		24809	18	4	1	1	-	-	-	-	-	-	-	-	-	1	-	1	2	
St. Mary Marylebone HHH G.J. & W.M.		21118	24	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone H - W.M.		33700	19	10	1	6	-	-	-	-	1	-	-	-	-	-	-	-	1	
St. John Marylebone H - W.M.		33633	12	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead WHHHH - N.R. & W.M.		45452	29	15	4	3	-	1	1	-	1	-	-	-	-	-	-	4	-	
Regent's Park Paneras H - W.M.		39115	23	17	6	6	-	1	-	-	-	-	-	-	1	1	2	-	-	
Tottenham-court WHHHH N.R. & W.M.		27229	14	28	3	6	-	-	-	1	-	-	-	-	-	5	5	3	-	
Gray's Inn Lane HHH - N.R.		30247	17	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Somers Town H - N.R.		34369	20	16	5	-	-	-	-	1	1	-	-	-	-	-	-	6	-	
Camden Town WH - N.R.		17311	14	9	2	3	-	2	-	-	-	-	-	-	-	1	1	4	-	
Kentish Town W - N.R.		87487	43	32	7	5	8	-	-	-	4	-	-	-	-	-	-	-	-	
Upper Holloway WHWHH - N.R.		67946	46	28	6	11	-	-	1	-	-	-	-	-	-	-	2	14	-	
Islington South-west HH - N.R.		100976	93	25	6	4	-	-	-	1	2	-	1	-	-	-	-	-	-	
Islington South-east - N.R.		61825	23	14	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-	
Highbury H - N.R.		52048	26	14	2	4	-	1	-	-	1	-	-	-	-	-	-	-	-	
Stoke Newington H - N.R.		22781	14	6	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	
Stamford Hill - N.R.		5277	12	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
West Hackney - N.R.		37610	29	8	3	2	-	-	-	-	-	-	-	-	-	-	2	6	-	
Hackney WHWHH - E.L. & N.R.		76911	48	25	3	8	-	-	-	1	3	-	-	-	-	-	1	-	-	
South Hackney - E.L.		39883	22	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																				
St. George Bloomsbury - N.R.		16651	4	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-	
St. Giles South WH - N.R.		14864	10	14	4	5	-	-	-	-	2	-	-	-	-	-	-	-	-	
St. Giles North - N.R.		13837	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields HH N.R. & C.		17508	6	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary-le-Strand H - N.R.		7515	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	
St. Clement Danes H - N.R.		3559	2	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George-the-Martyr HHHHHH N.R.		13671	10	9	3	2	1	-	-	-	-	-	-	-	-	-	-	4	-	
St. Andrew Eastern W - N.R.		10706	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Safron Hill H - N.R.		6533	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - N.R.		17516	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - N.R.		19281	15	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pentonville - N.R.		14773	8	7	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	
Goswell-street - N.R.		11541	15	6	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-	
Old-street H - N.R.		11541	15	6	4	1	1	-	3	-	-	-	-	-	-	-	1	1	-	
City-road HHL - N.R.		18628	30	7	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	
Whitecross-street - N.R.		7463	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finsbury - N.R.		11174	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - N.R. & E.L.		7193	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - N.R.		5353	1	12	-	2	-	1	-	1	-	-	1	-	-	5	6	11	-	
St. Sepulchre H - N.R.		8396	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Bride W - N.R.		13666	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Allhallows Barking - N.R.		5652	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - N.R.																				

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *W*—A Workhouse Establishment receiving inmates from other Districts than that in which it stands see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—*G.J.* signifies Grand Junction Company; *W.M.* West Middlesex; *C.* Chelsea; *S.* Southwark and Vauxhall; *L.* Lambeth; *N.R.* New River; *E.L.* East London; and *K.* the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 12th December, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include													Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
					Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
					Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhœa.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in Mile End Old Town Eastern sub dist. and Bromley sub-district.
General London Sick Asylum, in Tottenham Court-road sub-district.	Stepney Poplar & Stepney Sick Asylum " "
London City Asylum in Upper Holloway sub-district.	Westminster Union Industrial School in West Battersea sub-district.
London City Workhouse " Hackney sub-district.	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Holborn " " Hoxton New Town Eastern sub-district.	
Whitechapel " " Mile End Old Town Eastern sub-district.	

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA ; POPULATION ; BIRTHS and DEATHS registered during the Week ending Saturday, 12th December, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Deaths of		Deaths from														
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
LONDON—OUTER RING						370,282	950,178	788	383	94	87	4	14	1	11	17	3	1	16	27	39	5
30 : 1	Carshalton <i>wL</i> - -	12223	21118	13	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	4	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
37 : 1	Godstone (<i>part of</i>) * -	2754	1235	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon <i>WwH</i> - -	20851	101241	62	27	9	7	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1
	Mitcham - -	11697	17982	10	10	4	2	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-
39 : 1	Wimbledon <i>HHH</i> - -	3220	15950	18	8	1	-	1	-	-	-	-	-	-	1	-	-	-	-	1	2	-
2	Kingston <i>WHH</i> - -	8549	36354	21	15	1	7	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-
3	Esher (<i>part of</i>) * -	6601	9221	5	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton <i>H</i> - -	4573	13539	9	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond <i>WH</i> - -	2272	21302	22	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake - -	941	12331	5	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
41 : 1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	31	7	2	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	13665	15065	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
42 : 1	Bexley <i>H</i> - -	13437	24134	17	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
124 : 1	Sunbury <i>w</i> - -	11055	11685	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Staines <i>W</i> - -	13277	12089	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon <i>WH</i> - -	6029	10802	7	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-
2	Uxbridge - -	6178	5225	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes <i>wHL</i> - -	14587	11523	5	8	2	2	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-
126 : 1	Isleworth <i>W</i> - -	7908	22727	11	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
2	Twickenham <i>H</i> - -	2477	12479	9	6	-	2	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-
3	Brentford <i>HL</i> - -	4345	27849	23	5	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4	Chiswick - -	1340	15975	13	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
5	Acton <i>wH</i> - -	6083	22376	16	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
127 : 1	Harrow <i>H</i> - -	13809	12796	14	5	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>H</i> - -	6994	3749	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden - -	4383	37453	29	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hendon <i>W</i> - -	8382	10484	10	11	1	2	-	-	-	-	-	-	-	-	2	-	-	-	-	3	-
128 : 1	South Mimms - -	15599	6591	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet <i>W</i> - -	5433	10092	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Finchley <i>HL</i> - -	4688	17615	18	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
129 : 1	Hornsey <i>H</i> - -	3039	37073	20	14	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Tottenham <i>HH</i> - -	4642	46456	53	28	3	5	-	-	-	-	-	-	-	4	-	1	-	2	4	-	-
3	Edmonton <i>WwW</i> - -	7483	23463	21	10	3	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
4	Enfield <i>WH</i> - -	12653	19104	26	13	6	1	-	-	-	-	-	-	-	1	4	-	-	1	2	-	1
5	Waltham Abbey - -	11017	5368	3	4	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - -	8480	7735	4	5	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield (<i>part of</i>) * -	3206	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey - -	9831	6221	4	5	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
138 : 1	Stratford - -	892	38906	38	16	3	1	-	-	2	-	-	1	1	-	-	-	-	1	1	-	-
2	West Ham <i>wWwH</i> - -	7351	101032	90	51	16	3	2	5	1	1	6	-	-	-	-	-	-	-	-	2	1
3	Leyton <i>WwL</i> - -	4572	32430	45	23	5	4	1	-	-	-	-	-	-	2	1	-	-	1	1	6	2
4	Walthamstow <i>wH</i> - -	5520	26869	28	7	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
137 : 1	Chigwell (<i>part of</i>) * <i>H</i>	11781	9639	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139 : 1	Romford (<i>part of</i>) * -	6730	3411	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - -	8493	7645	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town - -	4127	9203	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30 : 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265) ; 37 : 1, the two parishes of Waringham and Farley in Godstone sub-district ; 39 : 3, the whole of Esher sub-district, except the parish of Esher (pop. 1933) ; 41 : 1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813) ; 41 : 2, the whole of Chislehurst sub-district, except the parish of Chislefield (pop. 947) ; 135 : 1, only the parish of Northaw in Hatfield sub-district ; 137 : 1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 375) ; 139 : 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 12th December, 1885.

THE GREATER LONDON.		Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															
				From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.			
							Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.						
GREATER LONDON	448,334	5,199,166	18.6	2.3	1857	445	424	5	71	15	31	75	11	17	61	352						
INNER LONDON -	78,052	4,083,928	18.8	2.2	1474	351	337	1	57	14	20	58	8	16	45	313						
OUTER RING -	370,282	1,115,238	17.9	2.4	383	94	87	4	14	1	11	17	3	1	16	39						

NOTE.—The area of Greater London is 1,000,000 acres.

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700,522 square miles, which is equivalent to the area of a circle having a radius of 14,933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA -	433,219	October 24	-	209	25.1	Cholera 8; fevers 76.
BOMBAY -	773,196	November 10	297	365	24.5	Fevers 103.
MADRAS -	398,777	" 6	-	-	-	-
PARIS -	2,239,928	December 5	1147	951	22.1	Typhoid fever 39; diph. & croup 32; measles 19.
GENEVA -	71,453	" 5	35	18	13.1	-
BRUSSELS -	436,214	November 28	233	193	23.0	Diphtheria 3; croup 7.
AMSTERDAM -	366,812	December 5	268	175	24.8	Measles 8; croup 6; diphtheria 3.
ROTTERDAM -	166,001	" 5	103	81	24.8	Scarlet fever 2.
THE HAGUE -	134,552	" 5	101	55	21.3	Whooping-cough 1.
COPENHAGEN -	280,615	" 1	235	97	18.1	Diphtheria 2; croup 3.
STOCKHOLM -	200,143	November 21	135	77	20.0	Whooping-cough 2; diphtheria and croup 2.
CHRISTIANIA -	128,000	December 5	80	62	25.2	Diphtheria and croup 15; scarlet fever 4.
ST. PETERSBURG	928,016	November 28	-	482	27.1	Typh. and typhd. fev. 10; scar. fev. 19.
BERLIN -	1,279,599	" 21	860	543	21.8	Diphtheria 36; scarlet fever 9.
HAMBURG (State)	497,956	" 28	339	267	28.0	Scarlet fever 14; diphtheria and croup 12.
DRESDEN -	241,500	" 21	165	110	23.7	Diphtheria and croup 11; scarlet fever 5.
BRESLAU -	295,000	" 28	205	115	20.1	Diphtheria 3.
MUNICH -	244,000	December 5	161	117	24.9	Typhoid fever 3; diphtheria and croup 3.
VIENNA -	769,889	" 5	479	354	23.9	Sm.-pox 18; scar. fev. 7; diphtheria 9.
PRAGUE -	272,333	" 5	-	181	34.7	Small-pox 14; diph. and croup 8; scar. fev. 7.
BUDA-PESTH -	429,532	November 21	271	203	24.6	Diphtheria and croup 8; small-pox 10.
TRIESTE -	150,157	" 21	-	88	30.5	Small-pox 1; diph. and croup 3; typhd. fev. 6.
ROME -	380,430	October 3	194	149	23.5	Malarial fever 17; small-pox 1; typhd. fev. 4.
NAPLES -	504,795	-	-	-	-	-
TURIN (10 days)	267,763	November 20	-	-	-	-
VENICE -	145,990	" 21	74	79	28.2	Small-pox 21; typhoid fever 2.
MADRID -	475,668	-	-	-	-	-
LISBON -	203,681	-	-	-	-	-
ALEXANDRIA -	331,496	-	-	-	-	-
NEW YORK -	1,356,958	November 14	-	562	21.6	Diphtheria 28; small-pox 1; typhd. fever 7.
BROOKLYN -	665,602	" 14	-	258	20.2	Typhoid fever 9; diphtheria 21.
PHILADELPHIA -	949,452	" 21	-	292	16.0	Diphtheria 13; typhoid fever 11.
BALTIMORE -	408,520	" 21	-	135	17.2	Typh. fev. 2; diph. 6.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 12th DECEMBER, 1885.
[Under the Superintendence of the Astronomer Royal.]

[Under the Superintendence of the Post-Office Inspector.]

1885.		MOON.		METER.		READINGS OF THERMOMETERS.		DIFFERENCE		WIND.		RAINS.														
MONTH AND DAY.	Phases of Moon.	in.	Mean daily reading (corrected to 32° Fahr.).	High. est.	Low. est.	Range in day.	Mean daily value.	Dew Point.	Highest in the sun, as shown by thermometer.	Lowest in the shade, as shown by thermometer.	In the Water (shown by Self-registering Thermometer).	Between Dew Point and Temperature.	Degree of humidity, complete saturation, on the same day, on an average of 30 years.	As deduced from Anemometers.	General Direction.	P. M.	Great- est.	Least.	Mean of 24 Obs.	Amount of Deposition, Horizontal movement, Average of each day.	Robinson's.	Inches.				
DECEMBER.																										
SUN.	6	New.	29-405	40-5	34-8	5-7	37-4	35-7	49-1	31-2	43-8	42-9	0-3	5-3	93	NE. & NNE.	NE. & ENE.	2-0	0-0	0-2	252	0-01				
MON.	7	Greatest Dec.	29-707	39-6	33-2	6-4	36-7	31-1	45-1	28-9	43-3	41-4	2-8	6-1	80	ENE.	ESE. & ENE.	3-3	0-0	0-5	335	0-04				
TUES.	8	..	29-941	34-8	27-0	7-8	30-6	24-0	48-1	23-0	41-4	39-7	6-6	9-9	75	NE. & NNE.	NNE.	5-2	0-0	1-1	372	0-00				
WED.	9	..	30-115	35-3	25-2	10-1	31-3	20-9	48-1	21-3	39-9	37-9	10-4	13-2	64	N. & NNW.	NNW. & WSW.	6-2	0-0	0-5	322	0-01				
THURS.	10	Apogee.	30-223	33-0	27-5	5-5	30-4	24-4	51-3	22-1	38-5	36-4	6-0	7-1	77	N. & NNW.	N. & NNW.	7-7	0-0	1-1	299	0-00				
FRI.	11	..	30-296	32-9	23-3	9-6	28-0	19-8	39-0	18-8	37-4	35-4	8-7	11-2	68	W. & WSW.	N. & WSW.	0-4	0-0	0-0	91	0-00				
SAT.	12	..	30-150	38-0	23-8	14-2	34-2	29-5	40-8	21-1	36-3	34-9	4-7	6-0	83	SW. & WSW.	WSW.	0-9	0-0	0-1	179	0-00				
MEANS.	..		29-977	36-3	27-8	8-5	32-7	26-4	45-9	23-8	40-1	38-4	6-2	8-2	77	Variable.		Sum 1850	Sum 0-06				
No. of Col.	8		4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27

DATE.		ELECTRICITY.		Registered Sunshine, in hours.		Sun above Horizon, in hours.		SKY AND ATMOSPHERE.	
DECEMBER.		(For explanation of symbols, see Note.)		in hours.		in hours.			
SUNDAY	6	w. P. till 3h. A.M.; s. P. afterwards.	0-0	8-0	0-0	8-0	0-0	Generally cloudy. Slight rain in early morning and again at night.	
MONDAY	7	v. N. between 1h. A.M. and 3h. A.M.; v. P. afterwards.	0-0	7-9	0-0	7-9	0-0	Generally cloudy. Rain fell in early morning.	
TUESDAY	8	v. P. in morning; s. P. afterwards.	3-1	7-9	3-1	7-9	3-1	Very fine. Cloudless with slight exceptions throughout. Hoar frost.	
WEDNESDAY	9	s. P. till 3h. P.M.; w. P. afterwards.	1-3	7-9	1-3	7-9	1-3	Hoar frost in morning; fine with small amounts of cloud till afternoon; overcast with slight snow at night.	
THURSDAY	10	w. P. in morning; s. P. afterwards.	4-1	7-9	4-1	7-9	4-1	Cloudy in morning; generally cloudless and fine afterwards.	
FRIDAY	11	s. P. in morning; v. P. generally afterwards.	0-0	7-8	0-0	7-8	0-0	Foggy in morning; variable amounts of cloud during day; foggy at night.	
SATURDAY	12	s. P. throughout.	0-0	7-8	0-0	7-8	0-0	Generally cloudy. Slight fog in morning.	
No. of Col.			Sum 8-5	Sum 55-2	Sum 8-5	Sum 55-2	Sum 30		

The height of the cistern of the barometer is considered to be 153 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily wet point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometer by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1888.

In reading the 17th and 24th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Office Market at Dapford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; i. very remarkable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer increased from 29-20 in. at the beginning of the week to 30-21 in. by 9h. A.M. on the 9th; decreased to 29-95 in. by 9h. P.M. on the same day; increased to 30-32 in. by 9h. A.M. on the 11th; and decreased to 30-12 in. by the end of the week.

The height of the cistern of the barometer is considered to be 150 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the observations of the barometer, the dry bulb thermometer, and the wet bulb thermometer are corrected into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1885 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1868.

— "Lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; a. v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer increased from 29-20 in. at the beginning of the week to 30-21 in. by 9h. A.M. on the 9th; decreased to 29-46 in. by 9h. P.M. on the same day; increased to 30-32 in. by 9h. A.M. on the 11th; and decreased to 30-12 in. by the end of the week.

The height of the cistern of the barometer is considered to be 150 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the observations of the barometer, the dry bulb thermometer, and the wet bulb thermometer are corrected into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1885 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1868.

— "Lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; a. v. variable.

The numbers in column 29, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer increased from 29-20 in. at the beginning of the week to 30-21 in. by 9h. A.M. on the 9th; decreased to 29-46 in. by 9h. P.M. on the same day; increased to 30-32 in. by 9h. A.M. on the 11th; and decreased to 30-12 in. by the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

*Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.*

No. 50. 1885. Vol. XLVI.] WEEK ENDING SATURDAY, DECEMBER 19. [Price 1½d.]

General Register Office, Somerset House,
21st December, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 23·0 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.		Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.
Birkenhead	17·4	11·2	20·7	18·5	Liverpool -	23·8	23·5	24·6	26·8
Birmingham	21·6	16·7	19·6	22·7	London -	20·6	19·7	18·8	22·0
Blackburn -	18·5	24·1	22·3	16·7	Manchester -	23·0	23·5	24·1	26·5
Bolton -	26·5	31·3	31·8	30·3	Newcastle-on-Tyne	22·8	21·5	23·5	23·8
Bradford -	19·5	19·5	15·3	18·5	Norwich -	22·9	21·7	18·9	18·9
Brighton -	28·2	21·4	15·9	16·4	Nottingham -	25·7	26·7	22·7	33·8
Bristol -	18·2	17·7	18·7	19·6	Oldham -	17·8	23·5	25·2	28·9
Cardiff -	17·7	23·1	22·0	21·5	Plymouth -	26·8	16·5	27·5	41·2
Derby -	28·5	23·3	20·9	23·3	Portsmouth -	26·0	22·1	20·1	26·3
Halifax -	20·2	18·9	18·9	23·6	Preston -	34·3	22·9	21·3	24·9
Huddersfield	26·9	16·1	22·1	18·5	Salford -	24·5	20·7	21·0	22·2
Hull -	16·2	17·4	20·7	20·7	Sheffield -	18·8	15·2	22·5	23·2
Leeds -	18·5	19·4	21·6	23·8	Sunderland	21·6	18·3	17·5	18·7
Leicester -	14·9	19·5	16·9	21·5	Wolverhampton -	21·1	19·1	19·8	19·1

The highest annual death-rates from measles, measured by last week's mortality, were 2·5 in Oldham, 5·2 in Nottingham, and 5·5 in Plymouth; from whooping-cough, 1·8 in Brighton, and 4·3 in Bolton; from scarlet fever, 2·1 in Sunderland, and 2·3 in Leicester; and from "fever," 1·1 in Birmingham and in Manchester. Of the 30 deaths from diphtheria in the twenty-eight towns, 21 occurred in London, 2 in Brighton, and 2 in Leicester. No death from small-pox was registered last week in London and its outer ring of suburban districts, or in any of the twenty-seven provincial towns.

LONDON.

In LONDON 2671 BIRTHS and 1725 DEATHS were registered. Allowing for increase of population, the births were 75, and the deaths 139, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·6, 19·7, and 18·8 in the three preceding weeks, rose last week to 22·0, and exceeded the rate in any week since the beginning of August. During the first eleven weeks of the current quarter the death-rate averaged 19·0, and was 2·3 below the mean rate in the corresponding periods of the nine years 1876-84.

The 1725 deaths included 58 from measles, 10 from scarlet fever, 21 from diphtheria, 72 from whooping-cough, 17 from enteric fever, 1 from an undefined form of continued fever, 6 from diarrhoea and dysentery, and not one from small-pox, from typhus or from cholera; thus, 185 deaths were referred to these diseases, being 76 below the corrected average weekly number.

No death from *small-pox* was registered in London, the corrected average weekly number being 26. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the six preceding weeks from 90 to 56, further fell to 50 on Saturday last; the small-pox cases admitted to these hospitals, which had been 13 and 6 in the two previous weeks, rose again last week to 13. The Highgate Small-pox Hospital contained 8 patients on Saturday last, no new case having been admitted during the week.

The fatal cases of *measles*, which had been 69 and 57 in the two previous weeks, were 58 last week, and 6 below the corrected average; 15 belonged to Pancras, 12 to Lambeth, and 7 (including 6 in Battersea) to Wandsworth sanitary areas. The 10 deaths from *scarlet fever* showed a decline from recent weekly numbers, and were 54 below the corrected average; 2 belonged to Poplar, and 2 to Rotherhithe. The Metropolitan Asylum Hospitals contained 285 scarlet fever patients on Saturday last, 28 having been admitted during the week. The 21 deaths from *diphtheria* showed a further slight increase upon recent weekly numbers, and exceeded the corrected average by 6; 6 belonged to Islington, 2 (at 9, York Hill) to Clerkenwell, 2 to Bethnal Green, 2 to Lambeth, 2 to Camberwell, and 2 to Greenwich. The fatal cases of *whooping-cough*, which had increased from 29 to 58 in the six preceding weeks, further rose last week to 72, and exceeded the corrected average by 21; 6 belonged to Chelsea, 7 to Islington, 5 to Lambeth, and 5 to Camberwell. The 6 deaths attributed to *diarrhoea* and *dysentery* showed a marked decline from the numbers in recent weeks, and were 8 below the corrected average.

The deaths referred to *enteric fever*, which had declined from 24 to 7 in the preceding four weeks, rose again last week to 17, but were 5 below the corrected average; 4 belonged to Pancras, 2 to Hackney, 2 to Mile End Old Town, and 2 (at 26, Lebanon Street) to Newington. The death of a child, aged 6 months (admitted from 37, Penton Place, Clerkenwell), in the Royal Free Hospital, was referred to "acute specific febrile disorder." The Metropolitan Asylum Hospitals contained 47 cases of enteric fever, and not one of typhus, on Saturday last; 2 cases of enteric fever were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 410 and 413 in the two preceding weeks, rose to 503 last week, but were 29 below the corrected average.

Different forms of violence caused 65 deaths; 52 were the result of negligence or accident, among which were 18 from fractures and contusions, 7 from burns and scalds, 3 from poison (including one of a Chinaman from opium smoking), and 19 of infants under one year of age from suffocation. The 18 deaths from fractures and contusions were thus returned:—female, aged 60 years, run over by van; males 4, and 38, run over by cart; male 43 (intoxicated), fell from van; male 30, knocked down by horse; male 37, and female 63, run over on railway; females 31, and 67, fell down stairs; male 58, fell from ladder; female 6, fell on pavement; female 17, fell from window; male 76, and female 68, fell in road; male 50, fell into ship's hold; male 54, and female 59, by fall; male 40, by fracture. An inquest was held in each of these 18 cases. Eleven cases of suicide were registered, the corrected average being but 5.

GREATER LONDON.

In Greater London 3437 births and 2163 deaths were registered, corresponding to annual rates of 34·5 and 21·7 per 1000 of the population. In the Outer Ring 25 deaths from whooping-cough, and 15 from diphtheria, were registered. The fatal cases of whooping-cough included 11 in West Ham and 3 in Croydon sub-districts; and those of diphtheria, 8 in Tottenham sub-district.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 30·23 in.; the highest reading was 30·33 in. on Thursday evening, and the lowest 30·00 in. at the end of the week. The mean temperature of the *air* was 42°·4, and 1°·6 above the average in the corresponding week of the 20 years ending 1868. The mean was slightly below the average on Sunday, Wednesday, and Saturday, but showed an excess on each of the other days of the week. The direction of the *wind* was variable, and the horizontal movement of the air averaged 8·8 miles per hour, which was 4·1 below the average in the corresponding week of 16 years. *Rain* fell on two days of the week, to the aggregate amount of 0·04 of an inch. The duration of registered bright sunshine in the week was 7·0 hours, against 6·0 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY IN 28 GREAT TOWNS, during the Week ending 19th December, 1885.

CITIES AND BOROUGHES.	Col.	POPULATION estimated to the middle of the Year 1885.			Registered during the Week ending 19th Dec., 1885.		Deaths of		Deaths from										TEMPERATURE OF THE AIR.				RAINFALL.		Cols.		
		1.	2.	3.	4.	Persons aged 60 Years and upwards.	Deaths in										Annual Rate per 1000, corresponding to the Week's Deaths		Mean.		In Inches.	In Centi- meters.					
							Infants under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.	From All Causes.	From C-12. Diseases in Col. 6-12.			Fahrenh.	Centigrade.			
																										19.	20.
28 TOWNS -	-	8,606,446	5835	3918	855	978	-	140	43	30	124	49	33	148	300	680	87	23-0	2-5	56-0	29-6	42-6	5-90	0-06	0-15	-	28 TOWNS.
LONDON -	-	4,083,928	2671	1725	339	402	58	10	21	72	18	6	65	152	388	15	15	22-0	2-4	50-2	32-9	42-4	5-78	0-04	0-10	-	LONDON.
BRIGHTON -	-	114,672	58	36	7	10	-	-	2	4	-	-	1	1	3	8	1	16-4	2-7	48-5	31-5	41-6	5-34	0-05	0-13	-	BRIGHTON.
FORTSMOUTH -	-	134,659	89	68	14	24	-	-	-	1	1	-	-	-	8	1	1	26-3	0-8	-	-	-	-	-	-	-	FORTSMOUTH.
NORWICH -	-	91,215	50	33	9	10	-	-	-	1	1	-	-	-	6	1	1	18-9	1-7	-	-	-	-	-	-	-	NORWICH.
PLYMOUTH -	-	76,045	39	60	8	14	8	-	-	1	1	-	1	13	14	2	2	41-2	6-2	52-0	33-8	45-3	7-39	0-04	0-10	-	PLYMOUTH.
BRISTOL -	-	218,169	114	82	19	27	1	-	1	-	-	-	2	3	9	10	1	19-6	1-2	49-5	32-0	41-8	5-45	0-18	0-46	-	BRISTOL.
WOLVERHAMPTON -	-	79,185	51	29	7	5	-	-	-	1	-	-	1	-	-	5	1	13-1	1-3	50-0	29-6	40-0	4-44	0-04	0-10	-	WOLVERHAMPTON.
BIRMINGHAM -	-	427,769	280	186	34	52	11	2	-	3	9	1	5	14	24	4	4	22-7	3-2	-	-	-	-	-	-	-	BIRMINGHAM.
LEICESTER -	-	136,147	78	56	17	10	-	6	2	1	-	-	1	7	4	1	1	21-5	3-4	-	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM -	-	211,424	153	137	40	31	-	21	1	-	-	-	1	2	5	14	4	33-8	5-7	53-6	32-7	41-5	5-28	0-10	0-25	-	NOTTINGHAM.
DERBY -	-	89,691	71	40	11	13	-	-	1	1	-	-	-	1	5	1	2	23-3	1-2	-	-	-	-	-	-	-	DERBY.
BIRKENHEAD -	-	93,093	56	33	6	7	-	2	-	-	3	4	16	17	72	9	2	20-8	3-9	52-0	35-0	43-8	6-56	0-06	0-15	-	BIRKENHEAD.
LIVERPOOL -	-	579,724	392	208	64	50	21	2	-	18	3	-	4	16	17	72	9	30-3	4-7	50-4	33-5	41-0	5-00	0-07	0-18	-	LIVERPOOL.
BOLTON -	-	110,085	74	64	19	9	-	-	1	9	-	-	2	4	3	4	3	30-3	4-7	50-4	33-5	41-0	5-00	0-07	0-18	-	BOLTON.
MANCHESTER -	-	337,342	237	171	37	28	2	1	1	4	7	4	7	20	34	3	3	26-5	2-9	-	-	-	-	-	-	-	MANCHESTER.
SALEFORD -	-	204,075	151	87	16	16	4	-	-	2	2	3	3	7	5	23-2	2-8	23-2	2-8	-	-	-	-	-	-	-	SALEFORD.
OLDHAM -	-	126,390	80	70	19	12	-	6	-	2	-	-	1	3	3	8	6	28-9	3-7	-	-	-	-	-	-	-	OLDHAM.
BLACKBURN -	-	112,574	84	36	13	7	-	-	-	2	1	-	1	1	-	2	2	16-7	1-9	-	-	-	-	-	-	-	BLACKBURN.
PRESTON -	-	100,406	66	48	12	13	-	-	-	-	1	1	1	1	7	5	1	24-9	1-0	48-0	35-0	42-6	5-90	0-11	0-28	-	PRESTON.
HUDDESFIELD -	-	87,327	38	31	6	14	-	-	-	-	-	-	3	3	2	1	1	18-5	0-6	-	-	-	-	-	-	-	HUDDESFIELD.
HALEFAX -	-	77,378	42	35	3	17	-	-	-	2	-	-	-	1	3	2	2	23-6	1-3	-	-	-	-	-	-	-	HALEFAX.
BRADFORD -	-	214,431	109	76	15	19	-	5	3	-	1	1	1	2	5	11	1	18-5	2-4	48-8	36-8	43-2	6-22	0-00	0-00	-	BRADFORD.
LEEDS -	-	333,139	222	152	39	44	-	6	-	-	1	2	5	6	18	7	23-8	1-4	54-0	37-0	43-9	6-61	0-00	0-00	-	LEEDS.	
SHEFFIELD -	-	305,716	221	136	35	36	-	2	-	2	1	1	1	4	6	23	7	23-2	1-0	-	-	-	-	-	-	-	SHEFFIELD.
HULL -	-	186,292	122	74	31	15	-	2	-	1	1	1	1	3	3	10	5	20-7	1-4	-	-	-	-	-	-	-	HULL.
SUNDERLAND -	-	125,927	94	45	7	14	-	5	1	1	1	-	1	1	1	7	3	18-7	3-3	-	-	-	-	-	-	-	SUNDERLAND.
NEWCASTLE -	-	163,299	115	70	14	15	-	3	1	1	-	-	1	3	6	5	4	23-8	1-7	53-0	38-0	44-0	6-67	0-07	0-18	-	NEWCASTLE.
CARDIFF -	-	97,084	78	40	14	4	-	-	-	1	-	-	-	3	3	4	2	21-5	0-5	-	-	-	-	-	-	-	CARDIFF.
EDINBURGH -	-	250,616	148	112	26	33	-	1	1	1	3	1	1	3	20	25	23-3	1-5	55-0	31-0	45-7	7-61	0-05	0-13	-	EDINBURGH.	
GLASGOW -	-	519,965	339	258	48	40	2	1	9	2	5	2	6	7	30	36	25-9	2-7	54-0	34-0	45-4	7-44	0-23	0-58	-	GLASGOW.	
DUBLIN -	-	353,982	201	233	45	62	-	3	-	15	7	3	8	9	65	35	34-4	4-1	59-5	36-0	47-3	8-50	0-05	0-13	-	DUBLIN.	

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FIFTIETH Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2539	2546	2542	2397	2476	2480	2480	2569	2540	2614	2746·1	2671
Males	1289	1295	1293	1263	1270	1268	1283	1320	1257	1319	1402·0	1390
Females	1250	1251	1249	1134	1206	1212	1197	1249	1283	1295	1344·1	1281
TOTAL Deaths	1894	1443	1613	1698	2132	1377	1636	1996	1722	1638	1863·5	1725
Males	976	750	800	877	1060	709	819	982	833	786	936·9	868
Females	858	693	813	821	1072	668	817	1014	889	852	926·6	857

* The numbers in this column are the average weekly numbers in the fiftieth week of the ten years 1875-84, raised by 9·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.
TOTAL Births	2438	2516	2491	2582	2572	2581	2695	2534	2682	2422	2656	2504	2671
TOTAL Deaths	1081	1251	1309	1346	1458	1366	1483	1531	1557	1610	1544	1474	1725
0—20	490	575	579	632	630	596	641	707	708	730	731	726	742
20—40	170	185	191	181	206	179	197	188	203	198	183	171	221
40—60	184	217	252	225	268	257	281	268	288	293	265	240	300
60—80	186	240	246	244	284	268	297	298	289	322	296	279	377
at 80 years & upwds.	51	34	41	64	70	66	67	70	69	67	69	58	85
Deaths of children													
Under 1 year	260	304	309	319	347	323	334	356	367	363	357	351	339
1—5	149	167	187	231	206	191	228	260	254	266	281	277	318
5—20	81	104	83	82	77	82	79	91	87	101	93	98	85
Deaths from Small-pox*	11	7	3	—	—	9	5	3	2	2	1	3	—
" Measles	15	20	17	28	27	23	41	51	44	62	69	57	58
" Scarlet Fever	16	14	21	22	18	10	15	19	11	12	12	14	10
" Diphtheria	18	24	14	23	18	10	16	26	20	20	16	20	21
" Whooping-cough	26	22	34	29	31	36	29	39	42	47	58	58	72
" Typhus	—	1	2	—	—	—	—	—	—	—	—	—	—
" Enteric fever	14	16	12	10	11	8	10	12	24	14	16	7	17
" Simple Cont ^d fever	3	1	6	—	—	2	1	—	3	1	3	1	1
" Diarrhœa and Dysentery	49	42	35	27	21	17	8	10	13	16	12	16	6
" Cholera	1	1	1	1	—	1	—	—	1	—	2	—	—
Deaths from the above- mentioned Diseases*	153	148	145	140	126	116	125	160	160	174	189	176	185
" Dis. of Respira- tory System	159	205	231	301	356	358	394	418	454	480	410	413	503
" Phthisis	150	159	146	161	165	158	188	152	158	177	147	156	169
" Dis. of Circula- tory System	83	84	116	87	130	100	126	110	105	115	112	103	132
Violent Deaths	45	45	62	44	50	43	40	52	44	58	57	44	65
Inquest Cases	80	89	109	82	108	94	93	110	89	129	128	95	152
Deaths in Public Institutions	234	285	285	265	286	291	313	323	326	326	316	313	388
TEMPERATURE OF THE AIR:													
Mean	52·7	49·6	47·6	45·4	45·1	44·0	44·6	43·3	38·1	45·1	44·8	32·7	42·4
Mean of Highest readings	62·5	57·8	59·9	52·1	50·5	49·8	51·0	46·1	43·3	49·3	50·2	36·3	46·1
Mean of Lowest readings	43·8	42·1	36·9	38·5	40·8	38·4	37·5	39·8	32·0	41·3	38·3	27·8	38·0
Humidity of the Air	77	84	84	82	89	84	89	95	82	93	90	77	91
Rain-fall in inches	0·18	0·52	1·09	0·44	0·94	0·80	0·47	0·29	0·02	1·43	1·14	0·06	0·04
Registered Sunshine (in hours)	34·1	16·6	14·4	13·9	5·6	13·3	7·1	0·0	23·2	1·0	4·1	8·5	7·0

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; F. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbott, Esq., F.G.S., F.R.Met.Soc.; Nottingham; J. Harman, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereith, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filler, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, LL.D., A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

Deaths from different Causes.

519

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTIETH Week of the Year 1885.

CAUSES OF DEATH.		Corrected Averages for the 50th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 19th December, 1885.										CAUSES OF DEATH.		Corrected Averages for the 50th Weeks of the 10 years 1875-84.	In the Week ending Saturday, 19th December, 1885.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
			Deaths of Persons of the Ages													Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.				20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				0-1.	1-5.	5-20.						0-1.								1-5.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
ALL CAUSES - -		1863·5	1725	339	318	85	221	300	377	85																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 0·046 per cent. for increase of population.
† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.
‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased was, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

520 *Population, Total Births and Deaths, and Deaths from some Zymotic and other Causes.*
TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

		The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON		3,816,483	2671	1725	339	462	-	53	10	21	72	-	17	1	6	65	152	358	15	
WEST DISTRICTS		669,683	386	291	49	78	-	10	3	3	10	-	1	-	-	9	26	81	-	
NORTH DISTRICTS		905,947	627	380	68	115	-	18	2	6	15	-	7	1	-	14	40	82	2	
CENTRAL DISTRICTS		282,288	150	129	27	25	-	5	-	3	5	-	1	-	1	7	14	28	-	
EAST DISTRICTS		692,738	545	348	77	98	-	2	1	2	15	-	4	-	2	18	40	105	3	
SOUTH DISTRICTS		1,265,927	953	577	118	146	-	23	4	7	27	-	4	-	3	17	32	92	9	
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		69888	42	25	2	9	-	-	-	-	1	-	-	-	-	-	-	-	-	
St. John Paddington H - G.J.		37380	12	16	1	1	-	-	-	-	1	-	-	-	-	4	3	6	5	
Kensington Town WH - W.M.		12041	78	61	9	16	-	-	1	-	1	-	-	-	-	-	3	30	-	
Brompton H - W.M. & C.		43019	16	10	2	3	-	-	-	-	2	-	-	-	-	-	-	2	-	
St. Peter Hammersmith - W.M.		7519	6	3	-	1	-	-	-	1	-	-	-	-	-	1	4	1	-	
St. Paul Hammersmith H W.M. & G.J.		43430	56	22	5	7	-	2	-	-	-	-	-	-	-	1	3	4	-	
Fulham WHH - W.M. & C.		42900	39	18	5	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea South HHH - C.		80396	21	10	4	1	-	-	1	-	1	-	-	-	-	-	1	3	-	
Chelsea North-west WHHHH - C.		24225	12	22	4	5	-	1	-	-	3	-	-	-	-	-	-	4	-	
Chelsea North-east - C.		32807	24	13	5	-	-	-	-	1	2	-	-	-	-	-	-	-	-	
Hanover Square H - G.J.		16862	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
May Fair W - G.J.		13491	1	14	-	11	-	-	-	-	-	-	-	-	-	-	-	12	-	
Belgrave WHH - C.		59220	33	25	3	6	-	1	-	1	-	-	-	-	-	2	2	9	1	
St. John Westminster HH - C.		35496	19	19	3	4	-	3	1	-	-	-	-	-	-	-	1	1	-	
St. Margaret Westminster H - C.		24679	11	10	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. James Westminster WH N.R. & G.J.		29941	11	10	1	2	-	-	-	-	-	-	1	-	-	1	2	2	-	
St. Anne Soho HHHHH - N.R.		16608	11	9	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																				
All Souls Marylebone HHHH - W.M.		26759	13	10	1	3	-	1	-	-	-	-	-	-	-	-	-	3	-	
Cavendish Square HHH - W.M.		14881	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rectory Marylebone WHH G.J. & W.M.		24809	10	10	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. Mary Marylebone HHH G.J. & W.M.		21118	25	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone H - W.M.		33700	26	16	4	4	-	-	-	-	-	-	-	-	-	1	3	-	-	
St. John Marylebone H - W.M.		33633	15	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead WHHHH - N.R. & W.M.		45462	23	11	1	2	-	-	-	-	1	-	1	-	-	1	1	1	-	
Regent's Park Paneras H - W.M.		39115	25	16	4	6	-	-	-	-	3	-	-	-	-	-	1	2	-	
Tottenham-court WHHHH N.R. & W.M.		27729	11	17	5	6	-	-	-	-	-	-	-	-	-	-	1	5	-	
Gray's Inn Lane HHH - N.R.		39247	11	17	4	3	-	-	-	-	-	-	1	1	-	2	2	5	-	
Somers Town H - N.R.		84369	27	20	3	6	-	2	-	-	1	-	1	-	1	1	3	1	-	
Camden Town WH - N.R.		17811	16	18	2	8	-	4	-	-	-	-	-	-	-	-	4	11	-	
Kentish Town W - N.R.		87487	69	45	8	8	-	9	-	-	-	-	1	-	-	-	-	-	-	
Upper Holloway WHWHH - N.R.		67946	64	53	11	16	-	-	1	3	3	-	-	-	-	-	6	21	-	
Islington South-west HH - N.R.		100976	69	36	5	8	-	1	-	2	2	-	-	-	-	2	4	4	-	
Islington South-east - N.R.		61895	38	15	3	6	-	-	-	-	1	-	-	-	-	1	2	-	1	
Highbury H - N.R.		52048	21	12	4	5	-	-	-	-	-	-	-	-	-	-	2	-	-	
Stoke Newington H - N.R.		22781	29	13	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stamford Hill - E.L.		9277	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
West Hackney - N.R.		37610	53	30	2	11	-	-	1	-	2	-	3	-	-	1	2	15	-	
Hackney WHWHHL - E.L. & N.R.		76911	30	7	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-	
South Hackney - E.L.		39883	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																				
St. George Bloomsbury - N.R.		16681	1	8	2	1	-	-	-	-	-	-	-	-	-	1	1	2	-	
St. Giles South WH - N.R.		14864	5	4	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
St. Giles North - N.R.		18837	5	9	-	1	-	-	-	-	1	-	-	-	-	-	-	5	-	
St. Martin-in-the-Fields HH N.R. & C.		17608	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary-le-Strand H - N.R.		7515	4	6	2	1	-	1	-	-	-	-	-	-	-	-	-	4	-	
St. Clement Danes H - N.R.		8559	8	13	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. George-the-Martyr HHHHHH N.R.		18671	5	3	-	2	-	-	-	-	-	-	-	-	-	1	1	5	-	
St. Andrew Eastern - N.R.		10706	5	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	
Saffron Hill H - N.R.		6533	17	11	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - N.R.		17516	16	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - N.R.		19281	9	12	3	2	-	1	-	1	-	-	-	-	-	-	-	-	-	
Pentonville - N.R.		14773	18	7	2	2	-	-	-	-	2	-	-	-	1	-	2	-	-	
Goswell-street - N.R.		17505	9	6	2	2	-	-	-	-	-	-	-	-	-	-	1	2	-	
Old-street H - N.R.		11541	1	6	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
City-road HHH - N.R.		18623	1	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whitcross-street - N.R.		9217	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finabury - N.R.		7463	2	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - N.R. & E.L.		11174	4	5	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
Cripplegate - N.R.		7183	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - N.R.		5335	1	11	1	2	-	-	-	1	1	-	-	-	-	-	-	10	-	
St. Bride W - N.R.		8396	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Allhallows Barking - N.R.		13666	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - N.R.		6652	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Work-house; *H*—Hospital; *L*—Lunatic Asylum; *W*—Workhouse Establishment receiving inmates from other Districts than that in which it stands see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—*G.J.* signifies Grand Junction Company; *W.M.* West Middlesex; *C.* Chelsea; *S.* Southwark and Vauxhall; *L.* Lambeth; *N.R.* New River; *E.L.* East London; and *K.* the Kent Company.

FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 19th December, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include													
					Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
EAST DISTRICTS.																		
Holywell Shoreditch	N.R. & E.L.	7376	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Leonard Shoreditch	HL† - N.R.	14967	12	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Horton New Town	W - N.R.	29937	30	19	3	7	-	-	-	-	-	-	-	-	-	-	-	-
Horton Old Town	- N.R.	28036	20	11	6	3	-	-	-	-	-	-	-	-	-	-	-	-
Jaggerston	WH - N.R. & E.L.	46275	55	27	7	6	-	-	-	-	-	-	-	-	-	-	-	-
Hackney-road	H - E.L.	29738	24	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Green, Bethnal Green	WHL† - E.L.	47932	32	24	4	6	-	-	-	-	-	-	-	-	-	-	-	-
Church, Bethnal Green	- E.L.	29981	24	17	7	3	-	-	-	-	-	-	-	-	-	-	-	-
Town, Bethnal Green	- E.L.	19810	15	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Spitalfields	H - E.L. & N.R.	22585	8	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town	W - E.L.	15473	22	14	5	2	-	-	-	-	-	-	-	-	-	-	-	-
Whitechapel Church	H - E.L. & N.R.	17490	11	24	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Woodman's Fields	- E.L.	3713	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alldgate	- N.R. & E.L.	6102	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North	- E.L.	38747	20	12	1	3	-	-	-	-	-	-	-	-	-	-	-	-
St. John, St. George East	W - E.L.	8410	9	14	1	8	-	-	-	-	-	-	-	-	-	-	-	-
Hadwell	H - E.L. & N.R.	14995	3	11	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Latolf	- E.L.	16107	14	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Timehouse	- E.L.	32041	40	12	6	2	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town West	- E.L.	37960	30	12	1	6	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town East	W & H - E.L.	67663	40	29	7	9	-	-	-	-	-	-	-	-	-	-	-	-
Low	- E.L.	37074	19	17	3	6	-	-	-	-	-	-	-	-	-	-	-	-
Bromley W & H	- E.L.	64559	60	32	10	18	-	-	-	-	-	-	-	-	-	-	-	-
Poplar	W & H - E.L.	53077	42	19	6	3	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH DISTRICTS.																		
Christchurch Southwark	WH L. & S.	18063	15	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark	- S.	14999	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ent-road	- S. & L.	21881	23	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-
orough-road	WH - S. & L.	15963	14	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ondon-road	HL - L. & S.	21318	15	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Trinity Newington	- S. & L.	26672	15	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth	W - S. & L.	59555	54	46	5	13	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Newington	- L. & S.	21623	13	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave	WH - S.	11956	5	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-
leather Market	- S. & L.	16300	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Magdalen	W - S.	15669	9	9	2	6	-	-	-	-	-	-	-	-	-	-	-	-
St. James Bermondsey	- S.	54683	39	19	3	5	-	-	-	-	-	-	-	-	-	-	-	-
Otherthe	W - S. & K.	36024	30	17	1	6	-	-	-	-	-	-	-	-	-	-	-	-
Waterloo-road 1st	H - L. & S.	15195	9	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterloo-road 2nd	H - L. & S.	16321	14	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ambeth Church 1st	H - L. & S.	19876	11	19	6	2	-	-	-	-	-	-	-	-	-	-	-	-
ambeth Church 2nd	WW - L. & S.	39859	45	29	5	10	-	-	-	-	-	-	-	-	-	-	-	-
ennington 1st	- S. & L.	45232	31	21	3	4	-	-	-	-	-	-	-	-	-	-	-	-
ennington 2nd	- S. & L.	35382	19	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-
rixton W	- L. & S.	62887	36	27	6	10	-	-	-	-	-	-	-	-	-	-	-	-
orwood	W - L.	15017	21	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
apham	H - S.	26330	16	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
est Battersea	- S.	54675	51	25	4	3	-	-	-	-	-	-	-	-	-	-	-	-
est Battersea	W - S.	55287	27	32	6	4	-	-	-	-	-	-	-	-	-	-	-	-
andsworth	HL - S.	28004	26	12	6	1	-	-	-	-	-	-	-	-	-	-	-	-
atney	- S.	13235	8	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
restham	- L.	25593	31	11	4	5	-	-	-	-	-	-	-	-	-	-	-	-
ulwich	- L. & S.	5590	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
amberwell	WL† L. & S.	59104	45	19	6	14	-	-	-	-	-	-	-	-	-	-	-	-
ekham	W - S., L., & K.	71089	54	23	8	6	-	-	-	-	-	-	-	-	-	-	-	-
George Camberwell	- L. & S.	60810	49	18	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Paul Deptford	W - K.	76732	62	27	7	5	-	-	-	-	-	-	-	-	-	-	-	-
Nicholas Deptford	- K.	7901	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
reenwich West	H - K.	21972	14	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
reenwich East	WHH - K.	24608	22	14	1	5	-	-	-	-	-	-	-	-	-	-	-	-
atham	H - K.	5827	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
e	- K.	21559	9	8	2	5	-	-	-	-	-	-	-	-	-	-	-	-
wisham	WH - K.	19865	10	10	1	4	-	-	-	-	-	-	-	-	-	-	-	-
denham	H - L.	26076	17	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
arlton	H - K.	10930	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
olwich Dockyard	- K.	17617	14	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
olwich Arsenal	HHH - K.	19148	19	12	6	1	-	-	-	-	-	-	-	-	-	-	-	-
instead, West	H - K.	14049	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
instead, East	W - K.	19241	18	11	2	4	-	-	-	-	-	-	-	-	-	-	-	-

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the Table by :-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and
Central London Sick Asylum in Tottenham Court-road sub-district.	Bromley sub-district.
Holborn Infirmary in Upper Holloway sub-district.	Stepney
London City Workhouse Hackney sub-district.	Poplar & Stepney Sick Asylum
Holborn	Westminster Union Industrial School in West Battersea sub-district.
Whitechapel	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 19th December, 1885.

Regis- tration District and Sub- district Num- bers.		REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
							Deaths of		Deaths from											
							Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes	
LONDON—OUTER RING			370,282	950,178	766	438	118	121	-	7	3	15	25	5	7	15	26	41	9	
30:1	Carshalton <i>wL</i> - -	12238	21118	8	14	2	4	-	-	-	-	-	-	-	-	-	-	8	-	
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	6	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	
37:1	Godstone (<i>part of</i>) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon <i>WwH</i> - -	20851	101241	69	37	9	12	-	-	-	-	3	-	-	1	1	2	3	-	
	Mitcham - -	11697	17932	20	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	
39:1	Wimbledon <i>HHH</i> - -	3220	15950	17	5	2	1	-	-	-	-	-	-	-	-	1	1	-	-	
2	Kingston <i>WHH</i> - -	8549	36354	16	30	2	7	-	-	-	-	-	-	-	-	-	2	5	-	
3	Esher (<i>part of</i>) * -	6601	9221	8	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
4	Hampton <i>H</i> - -	4573	13539	8	9	3	2	-	-	-	-	1	1	-	1	1	-	-	-	
40:1	Richmond <i>WH</i> - -	2272	21302	11	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	Mortlake - -	941	12331	10	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-	
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	16669	31142	29	9	2	4	-	-	-	1	-	-	-	-	-	-	-	-	
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	13065	15065	4	7	2	-	-	-	-	-	-	-	-	-	1	1	2	-	
42:1	Bexley <i>H</i> - -	13437	24134	15	15	3	7	-	-	-	-	-	-	-	-	1	1	-	-	
124:1	Sunbury <i>w</i> - -	11055	11685	6	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	
2	Staines <i>W</i> - -	13277	12089	15	6	1	4	-	-	-	-	-	-	-	-	-	1	2	-	
125:1	Hillingdon <i>WH</i> - -	6029	10802	4	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
2	Uxbridge - -	6178	5225	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>wHL</i> - -	14587	11523	11	7	2	1	-	-	-	-	-	-	-	-	-	-	3	-	
126:1	Isleworth <i>W</i> - -	7008	22727	11	8	2	3	-	-	-	-	-	-	-	-	1	1	2	-	
2	Twickenham <i>H</i> - -	2477	12479	6	8	3	1	-	-	-	-	2	-	1	-	-	-	-	-	
3	Brentford <i>HL</i> - -	4845	27649	9	6	3	1	-	-	-	1	1	-	-	-	-	-	-	-	
4	Chiswick - -	1340	15975	17	4	1	1	-	-	1	-	-	1	-	-	-	-	-	-	
5	Acton <i>wH</i> - -	6083	22876	19	8	1	3	-	-	-	-	-	-	-	-	1	1	1	-	
127:1	Harrow <i>H</i> - -	13809	12796	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware <i>H</i> - -	6994	3749	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden - -	4383	27453	20	13	5	2	-	-	-	-	-	-	-	-	-	1	-	-	
4	Hendon <i>W</i> - -	8332	10484	14	4	1	3	-	1	-	-	-	-	-	-	1	2	-	-	
128:1	South Mimms - -	15599	6391	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet <i>W</i> - -	5433	10092	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Uxbridge <i>HL</i> - -	4683	17615	17	12	4	1	-	-	-	1	1	-	-	-	-	-	3	-	
129:1	Hornsey <i>H</i> - -	3039	37078	28	10	4	2	-	-	-	1	-	-	-	-	1	2	-	-	
2	Tottenham <i>HH</i> - -	4642	46456	54	28	3	7	-	1	-	8	-	-	-	-	-	2	1	-	
3	Edmonton <i>Wwv</i> - -	7483	23463	25	22	4	10	-	-	-	-	1	-	-	1	1	1	6	1	
4	Enfield <i>WH</i> - -	12653	19104	9	8	3	3	-	-	-	-	2	-	-	1	1	1	-	1	
5	Waltham Abbey - -	11017	5368	2	4	-	2	-	2	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt - -	8480	7735	3	6	1	3	-	-	-	-	-	-	-	-	1	1	-	-	
135:1	Hatfield (<i>part of</i>) * -	3306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey - -	9331	6621	2	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
138:1	Stratford - -	832	38606	36	12	8	1	-	-	-	-	1	1	-	-	-	-	-	-	
2	West Ham <i>wvwwH</i> - -	7351	101058	121	66	16	4	-	2	1	1	11	1	1	-	2	-	-	3	
3	Leyton <i>WwL</i> - -	4372	32430	27	25	13	7	-	1	-	-	1	-	1	-	-	-	4	4	
4	Walthamstow <i>wH</i> - -	6520	26869	30	19	5	10	-	-	-	1	-	-	-	1	1	1	-	-	
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9639	8	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
139:1	Romford (<i>part of</i>) * -	6730	3411	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford - -	3438	7045	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town - -	4127	9203	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1235); 37:1, the two parishes of Warrington and Farley in Godstone sub-district: 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1933); 41:1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813); 41:2, the whole of Chislehurst sub-district, except the parish of Chislehurst Bois (pop. 875); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 19th December, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
GREATER LONDON	448,334	5,199,166	21·7	2·5	2163	457	583	-	65	13	36	97	23	13	80	429	
INNER LONDON -	78,052	4,083,928	22·0	2·4	1725	339	462	-	58	10	21	72	18	6	65	388	
OUTER RING -	370,282	1,115,238	20·5	2·9	438	118	121	-	7	3	15	25	5	7	15	41	

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA - -	433,219	October 31	-	213	25·6	Fevors 58; diarrhoeal diseases 34; cholera 9.
BOMBAY - -	773,196	November 17	342	400	26·9	Fevors 122; diarrhoeal diseases 22.
MADRAS - -	398,777	" 6	-	-	-	-
PARIS - -	2,239,928	December 12	1137	920	21·4	Tpd. fev. 23; dip. & cp. 35; meas. 22; sm.-pox 6.
GENEVA - -	71,453	" 12	33	21	15·3	-
BRUSSELS - -	436,214	" 5	256	166	19·8	Typhus and typh. fev. 5; diphtheria 1; croup 6.
AMSTERDAM - -	366,812	" 12	254	155	21·9	Croup 6; diphtheria 3.
ROTTERDAM - -	166,001	" 12	131	70	21·5	Croup 2.
THE HAGUE - -	134,552	" 12	87	52	20·1	-
COPENHAGEN - -	280,615	" 8	203	93	17·3	Croup 4; scar. fever 1.
STOCKHOLM - -	200,143	November 28	132	74	19·2	Scarlet fever 2; diphtheria and croup 2.
CHRISTIANIA - -	128,000	December 12	66	45	18·3	Scarlet fever 4; diphtheria and croup 10.
ST. PETERSBURG	928,016	" 5	-	457	25·7	Typh. and typhd. fev. 17; sc. fev. 27; diarr. dis. 42.
BERLIN - -	1,279,599	November 28	806	537	21·5	Diphtheria 46; meas. 14; scarlet fever 12.
HAMBURG (State)	497,956	December 5	398	259	27·1	Diph. & croup 13; typh. & tpd. fev. 11; sc. fev. 12.
DRESDEN - -	241,500	November 28	143	98	21·1	Diphtheria and croup 8; measles 5.
BRISLAU - -	285,000	December 5	186	134	23·4	Diph. 4; typh. & typhd. fev. 2; diarr. dis. 8.
MUNICH - -	244,000	" 12	156	131	27·9	Diphtheria and croup 7; typ. and typhd. fev. 2.
VIENNA - -	769,889	" 12	548	376	25·	Sm.-pox 17; diphtheria 9; measles 7.
PRAGUE - -	272,333	" 12	-	146	28·0	Sm.-pox 2; scar. fev. 3; diph. and croup 2.
BUDA-PESTH - -	429,532	November 28	306	237	31·1	Small-pox 11; measles 17; diph. and croup 4.
TRIESTE - -	150,157	" 28	-	90	31·2	Small-pox 3; diph. and croup 6; typhd. fev. 6.
ROME - -	330,430	October 10	202	159	25·1	Small-pox 1; typhd. fev. 6; diphtheria 2.
NAPLES - -	504,795	-	-	-	-	-
TURIN (10 days)	267,763	November 20	226	155	21·1	Typhoid fever 9; scarlet fever 5.
VENICE - -	145,990	" 28	60	102	36·5	Small-pox 12; typhoid fever 3; diarr. dis. 9.
MADRID - -	475,668	-	-	-	-	-
LISBON - -	203,681	-	-	-	-	-
ALEXANDRIA - -	231,596	-	-	-	-	-
NEW YORK - -	1,356,958	November 21	-	557	21·4	Small-pox 3; diph. 26; scarlet fever 6.
BROOKLYN - -	665,602	" 21	-	243	19·1	Scarlet fev. 9; diph. 15; croup 16; typhd. fev. 12.
PHILADELPHIA - -	949,432	" 28	-	326	17·9	Diphtheria 8; croup 19; typ. fev. 10; scar. fev. 5.
BALTIMORE - -	408,520	" 28	-	121	15·5	Diphtheria 6; croup 6; typhoid fever 2.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 51. 1885. VOL. XLVI.] WEEK ENDING SATURDAY, DECEMBER 26. [Price 1½d.

General Register Office, Somerset House,
28th December, 1885.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 19·3 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.		Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.
Birkenhead	11·2	20·7	18·5	26·3	Liverpool -	23·5	24·6	26·8	22·4
Birmingham	16·7	19·6	22·7	17·3	London -	19·7	18·8	22·0	18·0
Blackburn -	24·1	22·3	16·7	23·6	Manchester -	23·5	24·1	26·5	21·7
Bolton -	31·3	31·8	30·3	28·4	Newcastle-on-Tyne	21·5	23·5	23·8	22·1
Bradford -	19·5	15·3	18·5	18·7	Norwich -	21·7	18·9	18·9	16·0
Brighton -	21·4	15·9	16·4	13·6	Nottingham -	26·7	22·7	33·8	24·7
Bristol -	17·7	18·7	19·6	18·2	Oldham -	23·5	25·2	28·9	21·9
Cardiff -	23·1	22·0	21·5	25·8	Plymouth -	16·5	27·5	41·2	19·2
Derby -	23·3	20·9	23·3	21·5	Portsmouth -	22·1	20·1	26·3	19·0
Halifax -	18·9	18·9	23·6	16·2	Preston -	22·9	21·3	24·9	24·4
Huddersfield	16·1	22·1	18·5	17·3	Salford -	20·7	21·0	22·2	20·5
Hull -	17·4	20·7	20·7	15·1	Sheffield -	15·2	22·5	23·2	22·0
Leeds -	19·4	21·6	23·8	19·3	Sunderland -	18·3	17·5	18·7	20·8
Leicester -	19·5	16·9	21·5	14·2	Wolverhampton -	19·1	19·8	19·1	18·4

The highest annual death-rates from measles, measured by last week's mortality, were 1·7 in Birmingham, and 2·7 in Nottingham; from whooping-cough, 1·4 in Brighton, and 5·7 in Bolton; from scarlet fever, 1·1 in Leicester, 1·2 in Sunderland, and 1·6 in Preston; and from "fever," 1·0 in Salford. Of the 24 deaths from diphtheria in the twenty-eight towns, 14 occurred in London, 2 in Liverpool, and 2 in Salford. Small-pox caused 3 deaths in Liverpool and 1 in Bristol, but no death from this disease was registered in London and its outer ring, or in any of the twenty-five other provincial towns.

LONDON.

In LONDON 1965 BIRTHS and 1408 DEATHS were registered. Allowing for increase of population, the births were 724, and the deaths 476, below the average numbers in the corresponding weeks of the last ten years; much of this apparent decline was probably due to delay in registration owing to Christmas Day and the Bank Holiday falling on the last two days of the week. The annual death-rate per 1000 from all causes, which had been 18·8 and 22·0 in the two preceding weeks, declined again last week to 18·0. During the first twelve weeks of the current quarter the death-rate averaged 19·0, and was 2·5 below the mean rate in the corresponding periods of the nine years 1876-84.

The 1408 deaths included 70 from measles, 18 from scarlet fever, 14 from diphtheria, 78 from whooping-cough, 11 from enteric fever, 13 from diarrhoea and dysentery, and not one from small-pox, typhus, ill-defined forms of fever, or from cholera; thus, 204 deaths were referred to these diseases, being 58 below the corrected average weekly number.

No death from *small-pox* was registered in London; the death of a London resident from this cause was, however, recorded in the Metropolitan Asylum Hospital Ship "Atlas" moored in the Thames off Dartford, the case having been admitted from Camberwell. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the seven preceding weeks from 90 to 50, had further fallen to 48 on Saturday last; the small-pox cases admitted to these hospitals, which had been 6 and 13 in the two previous weeks, fell again to 9 last week. The Highgate Small-pox Hospital contained 7 patients on Saturday last, one case having been admitted during the week.

The fatal cases of *measles*, which had been 69, 57, and 58 in the three preceding weeks, rose again last week to 70, and exceeded the corrected weekly average by 9; 16 belonged to Pancras, 13 (including 11 in Battersea, in addition to 2 fatal cases of German measles) to Wandsworth, and 6 to Camberwell sanitary areas. The 18 deaths from *scarlet fever* showed an increase upon the low numbers in recent weeks, but were 39 below the corrected average; 2 belonged to Marylebone, 3 to Islington, 2 to Bethnal Green, 5 to Mile End Old Town, and 2 to Poplar. The Metropolitan Asylum Hospitals contained 282 scarlet fever patients on Saturday last, 23 having been admitted during the week. The 14 deaths from *diphtheria* showed a considerable decline from recent weekly numbers, and were 2 below the corrected average; 3 belonged to Newington, 2 to Lambeth, and 2 to Greenwich. The fatal cases of *whooping-cough*, which had increased in the seven previous weeks from 29 to 72, further rose to 78 last week, and exceeded the corrected average by 18; 6 belonged to Chelsea, 9 to Islington, 6 to Mile End Old Town, 7 to Wandsworth, and 6 to Camberwell. The 13 deaths attributed to *diarrhœa* and *dysentery* showed a considerable increase upon the number in the previous week, but were 2 below the corrected average.

The deaths referred to *enteric fever*, which had been 7 and 17 in the two preceding weeks, declined again to 11 last week, and were 12 below the corrected average; 3 belonged to Hackney. The Metropolitan Asylum Hospitals contained 50 cases of enteric fever, and not one of typhus, on Saturday last; 5 cases of enteric fever were admitted during the week.

The deaths referred to diseases of the respiratory organs, which had been 410, 413, and 503 in the three preceding weeks, declined to 383 last week, and were 154 below the corrected average.

The death of a male, aged 28 years, on 15th December, in St. Mary's Hospital (admitted from Acton), was referred to "Hydrophobia, 6 weeks after the bite of a rabid dog."

Different forms of violence caused 44 deaths; 36 were the result of negligence or accident, among which were 14 from fractures and contusions, 2 from burns and scalds, 1 from drowning, 1 from poison, and 16 of infants under one year of age from suffocation. The 14 deaths from fractures and contusions were thus returned:—male, aged 65 years, run over by cart; male 28, thrown from cart; male 56, run over on railway; male 8, and females 65 and 72, fell in street; male 46, and female 79, fell down stairs; male 47, fell through skylight; male 28, fell from scaffold; male 2, fell from chair; female newly born, fell at birth; male 57, by fall; female 44, by fall of tea chest. An inquest was held in each of these 14 cases. Five cases of suicide were registered.

GREATER LONDON.

In Greater London 2464 births and 1763 deaths were registered, corresponding to annual rates of 24·7 and 17·7 per 1000 of the population. In the Outer Ring 17 deaths from whooping-cough, 9 from diphtheria, and 7 from measles were registered. The deaths in West Ham sub-district included 11 from whooping-cough and 4 from measles. The 9 fatal cases of diphtheria included 4 in Tottenham and 2 in Kingston sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 30·17 in.; the highest reading was 30·39 in. on Wednesday at noon, and the lowest 29·94 in. on Monday afternoon. The mean temperature of the *air* was 39°·3, and 0°·1 below the average in the corresponding week of the 20 years ending 1868. The mean showed an excess on Sunday, Monday, Tuesday, and Saturday, but was below the average on each of the other days of the week. The direction of the *wind* was variable, and the horizontal movement of the air averaged 5·9 miles per hour, which was 6·7 below the average in the corresponding week of 16 years. *Rain* fell on two days of the week, to the aggregate amount of 0·02 of an inch. The duration of registered bright sunshine in the week was 1·2 hours, against 7·8 hours at Glynde Place, Lewes.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the Year 1885.	Registered during the Week ending 26th Dec, 1885.		Deaths of		Deaths from								Causes of Death.				TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.			
		1.	2.	3.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typh.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate corresponding to the Week of Deaths		Mean.		In Inches.			In Centi- meters.		
																		From All Causes.	From Diseases in Cols. 6-12.	Highest.	Lowest.	Fahrenheit.	Centigrade.				
28 TOWNS.	8,606,446	4543	3289		749	767	4	122	55	24	126	30	34	115	228	512	85	19.3	2.3	51.4	24.6	39.5	4.17	0.13	0.33	28 TOWNS.	
LONDON.	4,083,928	1085	1408		316	334	-	70	18	14	78	11	13	44	104	281	15	18.0	2.6	48.2	26.7	39.3	4.06	0.02	0.05	LONDON.	
BRIGHTON.	114,872	41	30		5	12	-	-	-	-	3	-	1	-	-	3	-	13.6	1.8	47.5	28.5	39.4	4.11	0.05	0.13	BRIGHTON.	
PORTSMOUTH.	184,659	55	49		11	14	-	-	-	-	2	1	-	2	3	4	2	19.0	1.5	-	-	-	-	-	-	PORTSMOUTH.	
NORWICH.	91,215	40	28		7	9	-	-	-	-	-	1	-	1	4	4	1	16.0	0.6	-	-	-	-	-	-	NORWICH.	
PLYMOUTH.	76,045	31	28		4	11	-	1	1	1	-	-	-	-	1	4	3	19.2	2.1	51.4	29.3	41.3	5.17	0.32	0.81	PLYMOUTH.	
BRISTOL.	218,169	89	76		10	21	1	1	1	1	1	1	1	4	6	14	1	18.2	1.2	48.5	28.0	39.4	4.11	0.08	0.20	BRISTOL.	
WOLVERHAMPTON.	79,185	39	28		9	9	-	-	-	-	-	-	-	-	1	1	1	18.4	0.0	46.0	24.6	37.3	2.95	0.10	0.25	WOLVERHAMPTON.	
BIRMINGHAM.	427,769	193	142		33	32	-	14	1	1	-	1	2	12	15	21	6	17.3	2.3	-	-	-	-	-	-	BIRMINGHAM.	
LEICESTER.	136,147	76	37		12	6	-	-	3	1	-	-	-	2	3	5	1	14.2	1.5	-	-	-	-	-	-	LEICESTER.	
NOTTINGHAM.	211,424	134	100		35	16	-	11	2	-	-	-	3	2	6	7	2	24.7	3.9	47.4	28.6	39.3	4.06	0.08	0.20	NOTTINGHAM.	
DERBY.	89,691	43	37		7	6	-	2	1	-	-	-	-	2	5	2	2	21.5	2.3	-	-	-	-	-	-	DERBY.	
BIRKENHEAD.	93,083	34	47		8	14	-	1	1	1	2	1	1	1	2	5	8	1	26.3	2.8	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL.	579,724	288	249		39	57	3	11	5	2	11	2	1	6	8	44	13	22.4	3.2	47.6	31.9	41.2	5.11	0.26	0.06	LIVERPOOL.	
BOLTON.	110,085	67	60		16	7	-	1	1	-	12	-	-	2	2	4	1	28.4	6.6	45.7	26.6	38.2	3.44	0.46	1.17	BOLTON.	
MANCHESTER.	337,342	220	140		32	28	-	2	5	1	-	-	2	4	10	28	4	21.7	1.5	-	-	-	-	-	-	MANCHESTER.	
SALFORD.	204,075	110	80		16	19	-	3	-	2	2	4	2	4	6	12	2	20.5	3.3	-	-	-	-	-	-	SALFORD.	
OLDHAM.	123,390	84	53		14	15	-	3	-	-	-	1	1	1	2	2	7	21.9	1.7	-	-	-	-	-	-	OLDHAM.	
BLACKBURN.	112,374	64	51		10	12	-	-	-	-	-	-	-	-	1	2	6	1	23.6	0.5	-	-	-	-	-</		

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FIFTY-FIRST Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2050	2491	2478	2578	2594	2059	2467	2728	2579	2631	2688.5	1965
Males . .	1042	1321	1256	1323	1291	1024	1223	1456	1307	1329	1370.9	1057
Females .	1008	1170	1222	1255	1303	1035	1244	1272	1272	1302	1317.6	908
TOTAL Deaths	1603	1456	1761	2133	2204	1242	1655	2019	1609	1595	1884.0	1408
Males . .	797	753	926	1041	1080	635	793	995	823	823	945.5	720
Females .	806	703	835	1092	1124	607	862	1024	781	772	938.5	688

* The numbers in this column are the average weekly numbers in the fifty-first week of the ten years 1875-84, raised by 9.046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

			Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	
TOTAL Births	-	-	2516	2491	2582	2572	2581	2695	2534	2682	2422	2656	2504	2671	1965	
TOTAL Deaths	-	-	1251	1309	1346	1458	1366	1483	1531	1557	1610	1544	1474	1725	1408	
0—20	-	-	575	579	632	630	596	641	707	708	730	731	726	742	690	
20—40	-	-	185	191	181	206	179	197	188	203	198	183	171	221	166	
40—60	-	-	217	252	225	268	257	281	268	288	293	265	240	300	218	
60—80	-	-	240	246	244	284	268	297	298	289	322	296	279	377	276	
at 80 years & upwds.			34	41	64	70	66	67	70	69	67	69	58	85	58	
Deaths of children	{	Under 1 year	-	304	309	319	347	323	334	356	367	363	357	351	339	316
		1—5	-	167	187	231	206	191	228	260	254	266	281	277	318	302
		5—20	-	104	83	82	77	82	79	91	87	101	93	98	85	72
Deaths from Small-pox *	-		7	3	-	-	9	5	3	2	2	1	3	-	1	
" " Measles	-		20	17	28	27	23	41	51	44	62	69	57	58	70	
" " Scarlet Fever	-		14	21	22	18	10	15	19	11	12	12	14	10	18	
" " Diphtheria	-		24	14	23	18	10	16	26	20	20	16	20	21	14	
" " Whooping-cough	-		22	34	29	31	36	29	39	42	47	58	58	72	78	
" " Typhus	-		1	2	-	-	-	-	-	-	-	-	-	-	-	
" " Enteric fever	-		16	12	10	11	8	10	12	24	14	16	7	17	11	
" " Simple Cont'd fever	-		1	6	-	-	2	1	-	3	1	3	1	1	-	
" " Diarrhoea and Dysentery	-		42	35	27	21	17	8	10	13	16	12	16	6	13	
" " Cholera	-		1	1	1	-	1	-	-	1	-	2	-	-	-	
Deaths from the above-mentioned Diseases*	}		148	145	140	126	116	125	160	160	174	189	176	185	205	
" " Dis. of Respiratory System	}		205	231	301	356	358	394	418	454	480	410	413	503	384	
" " Phthisis	-		159	146	161	165	158	188	152	158	177	147	156	169	130	
" " Dis. of Circulatory System	}		84	116	87	130	100	126	110	105	115	112	103	132	115	
Violent Deaths	-		45	62	44	50	43	40	52	44	58	57	44	65	44	
Inquest Cases	-		89	109	82	108	94	93	110	89	129	128	95	152	104	
Deaths in Public Institutions			285	285	265	286	291	313	323	326	326	316	313	388	281	
TEMPERATURE OF THE AIR:																
Mean	-		49.6	47.6	45.4	45.1	44.0	44.6	43.3	38.1	45.1	44.8	32.7	42.4	39.3	
Mean of Highest readings	-		57.8	59.9	52.1	50.5	49.8	51.0	46.1	43.3	49.3	50.2	36.3	46.1	43.3	
Mean of Lowest readings	-		42.1	36.9	38.5	40.8	38.4	37.5	39.8	32.0	41.3	38.3	27.8	38.0	34.8	
Humidity of the Air	-		84	84	82	89	84	89	95	82	93	90	77	91	92	
Rain-fall in inches	-		0.52	1.09	0.44	0.94	0.80	0.47	0.29	0.02	1.43	1.14	0.06	0.04	0.02	
Registered Sunshine (in hours)			16.6	14.4	13.9	5.6	13.3	7.1	0.0	23.2	1.0	4.1	8.5	7.0	1.2	

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quinton, jun., Esq., Norwich; R. Cann Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrothessley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbotton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filiter, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTY-FIRST Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 51st Weeks of the 10 years 1875-84.	In the Week ending Saturday, 26th December, 1885.								Corrected Averages for the 51st Weeks of the 10 years 1875-84.	CAUSES OF DEATH.	Corrected Averages for the 51st Weeks of the 10 years 1875-84.	In the Week ending Saturday, 26th December, 1885.													
		Deaths of Persons of the Ages											Deaths of Persons of the Ages													
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.				ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
		0-1.	1-5.	5-20.								0-1.	1-5.	5-20.												
ALL CAUSES - -	1884*0	1408	316	302	72	166	218	276	58	Diseases of Organs of Special Sense † - -	3*3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { Vaccinated †	24*0	-	-	-	-	-	-	-	-	Diseases of Circulatory System - -	114*9	115	2	-	8	17	39	44	5	-	-	-	-	-	-	-
Unvaccinated		-	-	-	-	-	-	-	-	Croup - - - -	16*5	13	3	9	1	-	-	-	-	-	-	-	-	-	-	-
No Statement		-	-	-	-	-	-	-	-	Bronchitis - - -	344*1	253	69	55	2	5	35	73	14	-	-	-	-	-	-	-
Measles - - - -	61*0	70	13	51	6	-	-	-	-	Pneumonia - - -	119*4	79	16	28	7	7	11	10	-	-	-	-	-	-	-	-
Scarlet Fever - -	56*6	18	1	14	2	1	-	-	-	Pleurisy - - - -	6*0	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Typhus - - - -	2*4	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - -	50*9	37	10	12	1	-	3	11	-	-	-	-	-	-	-	-
Relapsing Fever †	0*0	-	-	-	-	-	-	-	-	Dentition † - - -	15*7	17	8	9	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	0*0	-	-	-	-	-	-	-	-	Quinsy, Sore Throat †	2*0	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	60*3	78	24	53	1	-	-	-	-	Enteritis † - - -	7*3	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Diphtheria - - -	16*1	14	-	8	6	-	-	-	-	Peritonitis - - -	7*6	10	1	1	1	4	-	3	-	-	-	-	-	-	-	-
Simple Continued and Ill-defined Fever -	3*3	-	-	-	-	-	-	-	-	Diseases of Liver -	26*3	15	2	-	-	2	3	7	1	-	-	-	-	-	-	-
Enteric Fever - -	23*0	11	-	3	2	2	4	-	-	Other Diseases of Digestive System -	29*5	20	3	1	3	1	4	6	2	-	-	-	-	-	-	-
Cholera - - - -	0*1	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands † - - -	1*0	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
Diarrhoea, Dysentery	14*9	13	4	2	-	1	1	1	4	Diseases of Urinary System - - -	40*1	22	2	2	1	4	7	6	-	-	-	-	-	-	-	-
Remittent Fever †	1*0	1	-	1	-	-	-	-	-	Diseases of Generative System - - -	5*8	7	-	-	-	2	-	5	-	-	-	-	-	-	-	-
Hydrophobia - -	0*1	1	-	-	-	1	-	-	-	Accidents of Childbirth -	4*6	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Glanders - - -	0*1	-	-	-	-	-	-	-	-	Diseases of Locomotive System † - - -	10*3	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination † - -	0*0	-	-	-	-	-	-	-	-	Diseases of Integumentary System - - -	9*5	6	1	-	-	1	1	3	-	-	-	-	-	-	-	-
Veneral Affections	10*6	10	4	-	-	3	2	1	-	VIOLENT DEATHS.‡																
Erysipelas - - -	8*2	8	1	-	1	1	-	-	-	(ACCIDENT.)																
Pyæmia and Septicæmia †	4*7	1	-	-	-	-	1	-	-	Fracture and Contusion	19*5	14	1	1	1	2	5	4	-	-	-	-	-	-	-	-
Puerperal Fever -	7*4	3	-	-	-	2	1	-	-	Gunshot Wound -	0*1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Diseases †	0*7	3	2	1	-	-	-	-	-	Cut, Stab - - -	0*3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrush - - - -	3*2	-	-	-	-	-	-	-	-	Burn and Scald - -	8*1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases -	0*8	-	-	-	-	-	-	-	-	Poison - - - -	1*6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk † - -	3*0	3	2	-	-	1	-	-	-	Drowning - - - -	19*4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Alcoholism - - -	3*5	2	-	-	-	-	2	-	-	Suffocation - - -	16*4	17	16	-	1	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever and Rheumatism of Heart	12*1	10	1	-	3	6	-	-	-	Otherwise - - - -	2*6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism - - -		4	-	-	-	-	1	3	-	(HOMICIDE.)																
Gout - - - -		3*5	2	-	-	-	-	1	1	-	Murder & Manslaughter	0*9	3	2	-	-	1	-	-	-	-	-	-	-	-	-
Rickets † - - -	5*0	4	2	2	-	-	-	-	-	(SUICIDE.)																
Cancer - - - -	48*9	46	-	1	1	4	22	13	5	Gunshot Wound -	0*3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Tabes Mesenterica	25*3	13	8	3	-	2	-	-	-	Cut, Stab - - -	2*3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercular Meningitis	28*2	16	8	3	-	-	-	-	-	Poison - - - -	1*6	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Phthisis - - - -	177*3	130	2	4	9	64	47	4	-	Drowning - - - -	1*0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula, Tuberculosis	13*3	16	3	5	4	3	1	-	-	Hanging - - - -	1*3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases † - -	10*3	10	-	-	-	4	2	2	2	Otherwise - - - -	0*3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Birth -	30*6	30	30	-	-	-	-	-	-	(EXECUTION.)																
Atelectasis † - -	2*0	2	2	-	-	-	-	-	-	Hanging - - - -	0*3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Malformations - - -	6*5	3	3	-	-	-	-	-	-	OTHER CAUSES † - -	60*7	40	30	-	-	2	1	0	1	-	-	-	-	-	-	-
Old Age - - - -	62*2	35	-	-	-	-	18	17	-																	
Apoplexy - - - -	47*8	31	-	1	-	5	5	20	-																	
Epilepsy - - - -	7*2	5	-	-	2	1	1	-	1																	
Convulsions - - -	56*0	38	28	10	-	-	-	-	-																	
Other Diseases of Brain and Nervous System	88*6	92	10	15	7	8	13	33	6																	

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9*046 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1882-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 1 death of a London resident from small-pox registered in the Metropolitan Asylum Ship "Atlas" situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																										
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of														Deaths from					Deaths in Public Institutions.		Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.									
LONDON		3,816,483	1965	1408	316	334	-	70	18	14	78	-	11	-	13	44	104	251								
WEST DISTRICTS		668,683	809	280	54	64	-	12	-	1	9	-	1	-	3	7	19	62								
NORTH DISTRICTS		905,947	458	315	68	90	-	23	8	-	14	-	4	-	2	13	32	51								
CENTRAL DISTRICTS		382,288	126	99	16	21	-	2	-	2	6	-	1	-	3	7	12	32								
EAST DISTRICTS		92,738	356	273	70	47	-	-	10	3	16	-	2	-	3	9	20	75								
SOUTH DISTRICTS		1,265,927	716	491	108	112	-	33	-	8	33	-	3	-	2	8	21	61								
WEST DISTRICTS.																										
St. Mary Paddington WHH G.J. & W.M.		69888	46	36	11	13	-	2	-	-	1	-	-	-	-	2	8	7								
St. John Paddington H - G.J.		37380	8	8	1	3	-	-	-	-	1	-	-	-	-	-	1	5								
Kensington Town Ww - W.M.		120141	40	44	15	18	-	-	-	-	-	-	-	-	-	2	6	15								
Brompton H - W.M. & C.		48010	16	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-								
St. Peter Hammersmith - W.M.		7359	8	6	7	-	-	2	-	-	-	-	-	-	-	1	1	6								
St. Paul Hammersmith H W.M. & G.J.		64840	41	23	8	4	-	-	-	-	-	-	-	-	-	-	1	-								
Fulham WwH - W.M. & C.		42900	41	15	3	4	-	-	-	-	-	-	-	-	-	-	-	-								
Chelsea South HHH - C.		80896	16	10	2	3	-	1	-	-	2	-	-	-	3	-	1	11								
Chelsea North-west WHHHH - C.		24925	18	19	3	7	-	-	-	1	3	-	-	-	-	-	2	-								
Chelsea North-east - C.		32807	19	14	8	-	-	1	-	-	-	-	-	-	-	-	1	-								
Hanover Square H - G.J.		16862	8	5	1	1	-	-	-	-	1	-	-	-	-	-	-	5								
May Fair W - G.J.		13491	5	7	2	5	-	3	-	-	-	-	-	-	-	-	-	4								
Belgrave WHH - C.		53290	21	15	3	2	-	-	1	-	-	-	1	-	-	1	2	-								
St. John Westminster HH - C.		35496	15	13	3	2	-	1	-	-	-	-	-	-	-	1	1	1								
St. Margaret Westminster H - C.		24679	6	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-								
St. James Westminster WH N.R. & G.J.		29941	9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	5								
St. Anne Soho HHHH - N.R.		16608	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
NORTH DISTRICTS.																										
All Souls Marylebone HHHH - W.M.		26769	5	7	1	1	-	-	-	-	-	-	-	-	-	-	-	4								
Cavendish Square HHH - W.M.		14881	2	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-								
Rectory Marylebone WH G.J. & W.M.		24800	6	3	1	1	-	-	-	1	-	-	-	-	-	-	1	-								
St. Mary Marylebone HHH G.J. & W.M.		21118	26	6	1	1	-	-	-	-	-	-	-	-	-	4	6	-								
Christchurch Marylebone H - W.M.		38700	16	13	7	1	-	1	-	-	-	-	-	-	-	1	-	1								
St. John Marylebone H - W.M.		33638	18	17	3	7	-	-	1	-	-	-	-	-	-	-	-	-								
Hampstead WwHHH - N.R. & W.M.		45452	18	12	1	4	-	-	-	-	-	-	-	-	-	1	1	-								
Regent's Park Pancras H - W.M.		39115	26	3	1	1	-	1	-	-	-	-	-	-	-	1	2	10								
Tottenham-court WHHHH N.R. & W.M.		27729	7	15	5	1	-	-	-	-	-	-	-	-	-	1	1	-								
Gray's Inn Lane HHH - N.R.		30247	12	3	1	1	-	-	-	-	-	-	-	-	-	1	1	-								
Somers Town H - N.R.		34389	11	11	2	2	-	3	-	-	-	-	-	-	1	2	4	9								
Camden Town WH - N.R.		17811	11	13	2	6	-	1	-	-	-	-	-	-	1	2	4	3								
Kentish Town W - N.R.		87487	39	40	5	7	-	11	-	-	4	-	-	-	-	-	-	-								
Upper Holloway WwWwH - N.R.		67946	40	35	4	10	-	3	-	-	-	-	-	-	-	-	-	11								
Islington South-west HH - N.R.		100976	61	28	8	5	-	1	-	4	-	-	-	-	-	1	1	-								
Islington South-east - N.R.		61895	28	19	5	8	-	1	-	-	-	-	-	-	-	-	-	-								
Highbury H - N.R.		52048	23	15	4	5	-	1	1	-	-	-	-	-	-	2	-	-								
Stoke Newington H - N.R.		22781	14	7	1	2	-	-	-	-	-	-	1	-	-	-	-	-								
Stamford Hill - E.L.		9277	5	4	3	-	-	-	-	-	-	-	-	-	-	1	1	-								
West Hackney - N.R.		37610	20	15	1	12	-	-	-	-	-	-	2	-	-	1	1	12								
Hackney WwWwHL - E.L. & N.R.		78911	55	36	11	8	-	-	-	-	1	-	1	-	-	-	-	1								
South Hackney - E.L.		39883	20	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-								
CENTRAL DISTRICTS.																										
St. George Bloomsbury - N.R.		16681	7	4	-	-	-	1	-	-	-	-	-	-	2	-	-	11								
St. Giles South WH - N.R.		14864	11	16	3	1	-	-	-	-	1	-	-	-	-	-	-	-								
St. Giles North - N.R.		18837	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-								
St. Martin-in-the-Fields HH N.R. & C.		17508	8	10	2	2	-	-	-	2	-	-	-	-	-	1	3	1								
St. Mary-le-Strand H - N.R.		7515	3	-	-	-	-	-	-	-	-	-	-	-	-	3	3	7								
St. Clement Danes H - N.R.		8559	3	9	1	-	-	1	-	1	-	-	-	-	-	-	-	-								
St. George-the-Martyr HHHHHH N.R.		18671	5	9	2	2	-	-	-	-	1	-	-	-	-	1	1	5								
St. Andrew Eastern W - N.R.		10706	7	3	1	1	-	1	-	-	-	-	-	-	-	1	1	1								
Saffron Hill H - N.R.		6533	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
St. James Clerkenwell - N.R.		17516	13	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-								
Amwell Clerkenwell - N.R.		19281	12	7	1	2	-	-	-	-	-	-	-	-	-	-	-	1								
Pentonville - N.R.		14773	3	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-								
Goswell-street - N.R.		17505	14	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-								
Old-street H - N.R.		11541	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1								
City-road HHL - N.R.		18623	15	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-								
Whitecross-street - N.R.		9217	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Finsbury - N.R.		7463	1	1	1	2	-	-	-	-	-	-	-	-	-	1	-	-								
St. Botolph H - N.R. & E.L.		11174	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-								
Cripplegate - N.R.		7193	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
St. Sepulchre H - N.R.		5353	3	-	-	-	-	1	-	1	-	-	1	-	-	1	2	7								
St. Bride W - N.R.		8396	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Albion-lane Barking - N.R.		13666	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-								
Broad Street H - N.R.		5852	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

NOTE.—The Italic letters placed against the name of the sub-districts denote Public Institutions situated therein, namely: *W*—Work-house; *H*—Hospital; *L*—Lunatic Asylum; *w*—A Workhouse Establishment receiving inmates from other Districts than that in which it stands; see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts: *G.J.* signifies Grand Junction Company; *W.M.* West Middlesex; *C.* Chelsea; *S.* Southwark and Vauxhall; *L.* Lambeth; *N.R.* New River; *E.L.* East London; and *K.* the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 26th December, 1885.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1881.	Total Deaths during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include												
					Deaths of		Deaths from										
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhœa.	Violence.	Inquest Cases.
																	Deaths in Public Institutions.
																	Unrecorded Causes of Death.
EAST DISTRICTS.																	
Holywell Shoreditch	N.R. & E.L.	7376	7	3	1	-	-	-	-	-	-	-	-	-	1	1	-
St. Leonard Shoreditch	HL†	14967	18	12	1	2	-	1	-	-	-	-	1	-	-	-	7
Hoxton New Town	W	29937	18	12	4	6	-	-	-	1	-	-	-	-	1	1	0
Hoxton Old Town	-	26036	20	5	2	1	-	-	-	-	-	-	-	-	-	-	-
Haggerston	WH	46375	58	19	6	2	-	-	-	-	-	-	-	-	1	-	4
Hackney-road	H	29738	19	5	1	-	-	-	-	-	-	-	-	-	-	-	-
Green, Bethnal Green	WHL†	47932	28	22	3	8	-	1	-	-	1	-	-	-	-	-	8
Church, Bethnal Green	-	29981	22	12	7	-	-	-	-	-	4	-	-	-	1	-	-
Town, Bethnal Green	-	19310	15	8	3	-	-	-	-	-	-	-	1	-	1	2	-
Spitalfields	H	22686	5	3	1	2	-	-	-	-	-	-	-	-	-	3	-
Mile End New Town	W	15473	5	11	2	1	-	-	-	-	-	-	-	-	-	-	7
Whitechapel	H	17430	6	16	1	-	-	-	-	-	-	-	-	1	2	2	14
Goodman's Fields	-	9713	3	3	1	-	-	1	-	-	-	-	-	-	-	1	-
Aldgate	-	6102	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North	-	38747	14	8	4	1	-	-	-	1	-	-	-	-	1	1	-
St. John, St. George East	W	8410	2	9	1	4	-	-	-	1	-	-	-	-	1	1	7
Shadwell	H	16895	7	7	-	1	-	-	1	-	-	-	-	-	-	-	-
Ratcliff	-	16107	8	8	2	1	-	-	-	1	-	-	-	-	-	1	4
Limehouse	-	32011	15	6	2	-	-	-	-	-	-	-	-	-	-	2	-
Mile End Old Town West	-	37960	16	18	7	1	-	-	-	2	-	-	-	-	-	-	2
Mile End Old Town East	WHLH-E.L.	67663	29	28	8	5	-	5	-	4	-	-	-	-	1	2	4
Bow	-	37074	14	7	1	-	-	-	-	-	-	-	-	-	-	-	-
Bromley	WHLH	64359	39	37	8	9	-	1	-	-	-	-	-	-	1	14	-
Poplar	WHLH	52077	17	18	4	2	-	1	1	2	-	-	-	-	1	2	-
SOUTH DISTRICTS.																	
Christchurch Southwark	WH	12663	9	11	1	5	-	3	-	-	1	-	-	-	-	-	3
St. Saviour Southwark	-	14989	3	6	2	1	-	1	-	-	-	-	-	-	-	-	-
Kent-road	-	21381	9	9	6	-	-	-	-	1	-	-	-	-	-	3	1
Borough-road	WH	16963	5	5	-	-	-	2	-	-	-	-	-	-	-	-	-
London-road	HL	21318	12	7	2	-	-	-	-	-	-	-	-	-	-	2	-
Trinity Newington	-	26672	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth	W	59655	34	39	8	7	-	1	-	2	5	-	-	-	-	-	9
St. Mary Newington	-	41623	13	7	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave	WH	11956	-	18	2	5	-	1	-	1	1	-	-	-	2	4	10
Leather Market	-	16300	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-
St. Mary Magdalen	W	16669	12	8	-	4	-	-	-	-	-	-	-	-	1	2	-
St. James Bermondsey	-	54683	27	17	7	-	-	1	-	-	1	-	-	-	-	2	-
Rotherhithe	W	50224	22	12	5	2	-	2	-	-	-	-	-	-	-	4	-
Waterloo-road 1st	H	15195	14	4	2	1	-	1	-	-	-	-	-	-	-	-	-
Waterloo-road 2nd	H	16321	16	6	1	1	-	-	-	-	1	-	-	-	-	-	-
Lambeth Church 1st	H	19876	7	16	4	1	-	-	-	1	2	-	-	-	-	-	6
Lambeth Church 2nd	WHL	38859	26	19	5	7	-	-	-	1	1	-	1	-	-	1	7
Kennington 1st	-	46322	17	11	1	2	-	1	-	1	-	-	-	-	-	1	-
Kennington 2nd	-	35382	10	2	-	9	-	-	-	-	-	-	-	-	-	-	-
Brixton	WHL	62839	32	21	6	9	-	1	-	-	1	-	-	1	-	1	1
Norwood	W	19017	7	7	3	3	-	-	-	-	-	-	-	-	-	-	-
Clapham	H	26350	14	8	2	-	-	1	-	-	1	-	-	-	-	-	-
East Battersea	-	54675	49	19	8	3	-	8	-	-	-	-	-	-	-	-	1
West Battersea	WHL	55387	39	20	6	4	-	3	-	-	4	-	-	-	-	-	3
Wandsworth	HL	28004	14	11	2	5	-	1	-	-	-	-	-	-	-	-	1
Putney	-	13235	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham	-	26553	12	11	4	2	-	-	-	-	2	-	1	-	-	-	1
Dulwich	-	5590	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell	WHL	49104	44	22	2	7	-	-	-	-	-	1	-	-	-	-	5
Peckham	W	71689	36	24	5	3	-	-	-	-	3	-	-	-	-	1	-
St. George Camberwell	-	10610	41	32	9	3	-	5	-	-	-	-	-	-	-	1	1
St. Paul Deptford	WHL	76732	55	38	6	8	-	1	-	-	4	-	-	-	2	2	1
St. Nicholas Deptford	-	7901	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West	H	21972	11	7	-	6	-	-	-	-	-	-	-	-	-	-	1
Greenwich East	WHL	24608	18	16	2	2	-	-	-	2	1	-	-	-	1	1	5
Eltham	H	8227	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Lee	-	21559	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham	WH	19865	18	7	2	2	-	-	-	-	-	-	-	-	-	-	1
Sydenham	H	20076	8	6	-	2	-	-	-	-	-	-	-	-	-	-	-
Charlton	H	10630	5	4	-	2	-	-	-	-	-	-	-	-	1	1	2
Woolwich Dockyard	-	17617	7	2	1	-	-	-	-	1	-	-	-	-	-	1	-
Woolwich Arsenal	HHH	19448	9	7	-	2	-	-	-	-	-	-	-	-	-	1	-
Plumstead, West	H	14009	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Plumstead, East	W	19241	15	4	-	1	-	-	-	-	-	-	-	-	-	-	2

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by :-

Marylebone Infirmary in Kensington Town sub-district.	London City Workhouse in { Mile End Old Town Eastern sub-dist. and Bromley sub-district.
Central London Sick Asylum in Tottenham Court-road sub-district.	Stepney
Holborn Infirmary in Upper Holloway sub-district.	Poplar & Stepney Sick Asylum
London City Workhouse. Hackney sub-district.	Westminster Union Industrial School in West Battersea sub-district.
Holborn	Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hackney, Brixton, and St. Paul, Deptford sub-districts.
Whitechapel	

† Private, Lunatic Asylums in which papers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 26th December, 1885.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enu- me- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON.—OUTER RING		370,282	950,178	499	355	82	99	-	7	2	9	17	4	5	7	14	41	11
80:1	Carshalton <i>wL</i> - -	12228	21118	8	12	1	3	-	-	-	-	-	-	-	-	-	9	-
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37:1	Godstone (<i>part of</i>) * -	2754	1235	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon <i>WwH</i> - -	20851	101241	46	35	6	10	-	-	-	1	1	-	1	-	1	2	1
	Mitcham - -	11097	17982	7	4	1	1	-	-	-	-	-	-	-	1	1	-	-
39:1	Wimbledon <i>HHH</i> - -	3220	15950	8	8	3	-	-	-	-	-	-	-	-	1	1	-	-
2	Kingston <i>WHH</i> - -	8549	36354	16	15	3	6	-	-	-	2	-	-	-	-	2	1	1
3	Esher (<i>part of</i>) * - -	6601	9221	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Hampton <i>H</i> - -	4573	13539	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
40:1	Richmond <i>WH</i> - -	2272	21302	2	7	3	-	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake - -	941	12331	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
41:1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	20	6	-	4	-	-	-	-	-	-	-	-	-	-	1
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	13665	15065	11	4	2	2	-	-	-	-	-	-	-	-	-	-	-
42:1	Bexley <i>H</i> - -	13437	24134	4	12	2	4	-	-	-	-	-	-	-	1	1	1	-
124:1	Sunbury <i>w</i> - -	11055	11685	8	4	1	-	-	-	-	-	-	1	-	-	-	-	-
2	Staines <i>W</i> - -	13277	12089	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-
125:1	Hillingdon <i>WH</i> - -	6029	10802	4	5	1	3	-	-	-	-	-	-	-	-	1	3	-
2	Uxbridge - -	6178	5225	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes <i>wHL</i> - -	14587	11523	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
126:1	Isleworth <i>W</i> - -	7008	22727	10	9	2	4	-	-	-	-	-	1	-	-	-	1	-
2	Twickenham <i>H</i> - -	2477	12479	3	6	3	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford <i>HL</i> - -	4345	27649	10	9	3	5	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - -	1340	15975	7	4	2	1	-	-	-	-	-	-	-	-	1	-	-
5	Acton <i>wH</i> - -	6083	22376	21	7	3	2	-	-	-	-	-	-	-	-	-	-	2
127:1	Harrow <i>H</i> - -	13809	12796	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>H</i> - -	6094	3749	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-
3	Willesden - -	4383	27453	21	6	-	2	-	-	-	1	-	-	-	-	1	-	-
4	Hendon <i>W</i> - -	8382	10484	5	5	1	3	-	-	-	-	1	-	-	-	-	1	-
128:1	South Mimms - -	15599	6391	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
2	Barnet <i>W</i> - -	5483	10092	3	3	1	1	-	-	-	-	-	-	-	1	1	-	-
3	Finchley <i>HL</i> - -	4683	17615	7	12	1	3	-	-	-	1	-	-	-	-	-	9	-
129:1	Hornsey <i>H</i> - -	3039	37078	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Tottenham <i>HH</i> - -	4642	46456	31	14	3	3	-	1	-	4	-	-	-	2	3	-	-
3	Edmonton <i>WwW</i> - -	7483	23465	9	11	-	6	-	-	-	-	-	-	-	-	-	8	-
4	Enfield <i>WH</i> - -	12653	19104	19	11	2	2	-	1	-	-	1	-	-	-	-	-	-
5	Waltham Abbey - -	11017	5398	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt - -	8490	7735	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-
135:1	Hatfield (<i>part of</i>) * -	3806	583	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey - -	9331	6021	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-
136:1	Stratford - -	882	38006	20	17	4	-	-	-	-	-	3	-	-	-	-	-	-
2	West Ham <i>wvwH</i> - -	7351	101053	72	55	20	9	-	4	-	-	11	-	-	-	-	-	4
3	Leyton <i>WwL</i> - -	4372	32430	29	30	6	9	-	-	-	-	-	-	1	-	-	5	1
4	Walthamstow <i>wH</i> - -	6520	28869	26	14	3	3	-	-	-	-	-	1	2	-	-	-	-
137:1	Chigwell (<i>part of</i>) * <i>H</i>	11761	9669	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-
139:1	Romford (<i>part of</i>) * -	6730	3411	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - -	8493	7645	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town - -	4127	9203	10	3	-	-	-	-	-	-	-	1	-	1	1	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow:—
 30:2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1235); 37:1, the two parishes of Warringham and Farley in Godstone sub-district; 39:3, the whole of Esher sub-district, except the parish of Esher (pop. 1993); 41:1, the whole of Bromley sub-district, except the two parishes of Cuiham and Knockholt (pop. 1815); 41:2, the whole of Chislehurst sub-district, except the parish of Chelsfield (pop. 947); 135:1, only the parish of Northaw in Hatfield sub-district; 137:1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 139:1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 26th December, 1885.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
						Deaths of		Deaths from									
			From All Causes.	From Diseases in Cols. 8-14.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Deaths in Public Institutions.	
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON		448,334	5,199,166	17·7	2·5	1763	398	433	-	77	20	23	95	15	18	51	322
INNER LONDON		78,052	4,083,928	18·0	2·6	1408	316	334	-	70	18	14	78	11	13	44	281
OUTER RING		370,282	1,115,238	16·6	2·1	355	82	99	-	7	2	9	17	4	5	7	41

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700·522 square miles, which is equivalent to the area of a circle having a radius of 14·933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA	433,219	November 7	-	232	27·9	Fevers 87; cholera 10; diarrhoeal diseases 30.
BOMBAY	773,196	" 24	355	355	23·9	Fevers 109; diarrhoeal diseases 31.
MADRAS	398,777	" 6	306	297	38·6	Fevers 85; diarrhoeal diseases 55.
PARIS	2,239,928	December 19	1149	1012	23·5	Tpd. fev. 18; meas. 16; dip. & cp. 45; inf. diarr. 60.
GENEVA	71,453	" 19	21	26	19·0	Infantile diarrhoea 4.
BRUSSELS	436,214	" 12	252	159	18·9	Typhus and typh. fev. 2; diphtheria 2; croup 6.
AMSTERDAM	366,812	" 19	290	191	27·0	Measles 18; diph. 3; croup 9.
ROTTERDAM	166,001	" 19	147	78	23·9	Scarlet fever 3.
THE HAGUE	134,552	" 19	110	68	26·3	Diphtheria 2; croup 3.
COPENHAGEN	280,615	" 15	219	130	24·2	Diphtheria 4; scarlet fever 3.
STOCKHOLM	200,143	" 5	125	88	22·9	Scar. fev. 3; diarrhoeal diseases 9.
CHRISTIANIA	128,000	" 19	86	52	21·1	Scarlet fever 7; diphtheria and croup 16.
ST. PETERSBURG	928,016	" 12	-	490	27·5	Tp. & tpd. fv. 18; sc. fv. 22; diph. 9; diarr. dis. 62.
BERLIN	1,279,599	" 5	783	529	21·2	Diph. 35; crp. 3; meas. 9; typ. and typh. fev. 4.
HAMBURG (State)	497,956	" 12	347	302	31·6	Sc. fv. 6; ty. & tyd. fev. 7; diph. and croup 16.
DRESDEN	241,500	" 5	152	103	22·2	Measles 6; diphtheria and croup 7.
BRESLAU	295,000	" 12	168	149	26·1	Diphtheria 5; typhus and typhoid fever 2.
MUNICH	244,000	" 19	-	-	-	-
VIENNA	769,889	" 19	478	368	24·9	Small-pox 11; measles 10; diphtheria 6.
PRAGUE	272,333	" 19	-	150	30·5	Sm.-pox 1; scar. fev. 8; diph. and croup 4.
BUDA-PESTH	429,532	" 5	283	223	30·0	Small-pox 4; measles 17; diph. and croup 12.
TRIESTE	150,157	" 5	-	-	-	-
ROME	330,430	October 17	171	159	25·1	Small-pox 2; typh. fev. 4; sc. fev. 2; diarr. dis. 16.
NAPLES	504,795	-	-	-	-	-
TURIN (10 days)	267,763	November 30	219	169	23·1	Small-pox 2; scar. fev. 7; typh. fev. 6; diph. 4.
VENICE	145,990	December 5	65	90	32·2	Small-pox 13; diph. and croup 3; typh. fev. 5.
MADRID	475,668	-	-	-	-	-
LISBON	203,681	-	-	-	-	-
ALEXANDRIA	131,596	-	-	-	-	-
NEW YORK	1,356,958	November 28	-	566	21·8	Scarlet fev. 8; diph. 25; whooping-cough 7.
BROOKLYN	665,602	" 28	-	242	19·0	Scarlet fever 13; diph. 16; croup 7; typh. fev. 8.
PHILADELPHIA	949,432	December 5	-	327	18·0	Diphtheria 17; croup 15; typhoid fever 15.
BALTIMORE	408,520	" 5	-	137	17·5	Diphtheria 6; croup 7; typhoid fever 2.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 26th DECEMBER, 1885.

[Under the Superintendence of the Astronomer Royal.]

MOON.		READINGS OF THERMOMETERS.										DIFFERENCE				WIND.				RAIN.					
Phases of Moon.		Dry.		Mean		Dew Point.	Highest in shade, as registered by thermometer with bulb blackened and placed on the Grass.	Lowest in shade, as registered by thermometer with bulb in vacuum.		In the Water at day's surface, as registered by thermometer.		Between Dew Point and Air Temperature.		Between mean temperature of the day and mean temperature of the same day, as registered by 100, of 20 years.		Degrees of Humidity, complete Saturation being represented on an average by 100.		As deduced from Anemometers.		Robinson's.		Collected in a gauge, or received on surface of air is 5 in. above the ground.			
		High-est.	Low-est.	Range in day.	Mean daily value.			Hi.	Lo.	Ref-er-ence.	Mean daily value.	Great-est.	Least.					General Direction.	Pres-ure square foot.	Amount of Movement of Air of each day.	Horizontal Average of Air of each day.	Miles.	Inches.		
DECEMBER.																									
SUN. 20	..	29-966	37-9	8-1	43-4	40-6	46-7	37-3	40-0	39-9	2-8	4-2	3-6	90	S.	SSW. & S.	0-7	0-0	142	167	0-00	0-0			
MON. 21	Full	29-954	41-8	6-4	45-6	44-3	55-8	38-8	40-9	39-9	1-3	2-7	6-0	95	SSE. & S.	WSW. S. & NNE.	0-3	0-0	136	171	0-00	0-0			
TUES. 22	Greatest	30-150	45-8	99-8	6-0	43-4	41-0	46-5	35-4	41-9	40-1	2-4	3-8	91	NNE. & N.	NNE. & N.	4-1	0-0	158	147	0-01	0-0			
WED. 23	Perigee.	30-378	42-5	31-6	10-9	35-5	32-7	44-3	27-6	41-9	40-9	2-8	5-0	89	NNE.	N.	3-0	0-0	226	77	0-00	0-0			
THURS. 24	..	30-294	39-4	28-0	11-4	32-8	28-8	56-6	20-9	42-4	40-9	4-0	8-0	85	N. & NNE.	ENE. SE. & SW.	0-0	0-0	83	218	0-00	0-0			
FRI. 25	..	30-179	39-8	26-7	13-1	34-7	34-4	39-9	23-2	40-9	39-7	0-3	1-9	99	SW. & WSW.	WSW.	0-4	0-0	178	122	0-01	2-0			
SAT. 26	..	30-246	41-2	37-7	3-5	39-8	37-7	42-8	35-7	41-3	40-9	2-1	3-0	92	WSW. & NNE.	NNE. N. & Calm.	0-2	0-0	71	229	0-00	0-0			
MEANS	..	30-167	43-3	34-8	8-5	39-3	37-1	47-5	31-3	41-3	40-3	2-2	4-1	92	Variable.	Sum 994	Sum 1131	25	0-3			
No. of Col.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27

SKY AND ATMOSPHERE.

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sum above Horizon, in hours.
SUNDAY	m. P. generally	0-0	7-7
MONDAY	m. P. in morning; v. P. afterwards.	0-0	7-7
TUESDAY	v. P. throughout	0-0	7-7
WEDNESDAY	v. P. in morning; s. P. afterwards.	0-0	7-7
THURSDAY	s. P. throughout	1-2	7-7
FRIDAY	s. P. generally	0-0	7-7
SATURDAY	m. P. in morning; s. P. afterwards.	0-0	7-8
		Sum 1-2	Sum 54-0

The height of the cistern of the barometer is considered to be 133 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the reading of the maximum and minimum thermometers, forming the mean daily value (column 8). The mean daily dew point and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the photographic records made at Greenwich during the 20 years ending 1888.

In reading the 17th and 25th columns it will be borne in mind that + is read "higher," and - "lower," than the average.

The thermometers in the water of the Thames are suspended at a depth of two feet below the surface, at the end of one of the jetties of the Foreign Cattle Market at Deptford, and their readings are registered by the Clerk of the Market, under instructions from the Corporation of London.

The record of Electricity is derived from Thomson's self-registering Instrument. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 23, derived from Campbell's Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 30-90 in. at the beginning of the week to 29-94 in. by 3h. P.M. on the 21st; increased to 30-33 in. by noon on the 23rd; decreased to 30-14 in. by 3h. P.M. on the 25th; and increased to 30-33 in. by the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN TWENTY-SEVEN OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 52. 1885. Vol. XLVI.] WEEK ENDING SATURDAY, JANUARY 2. [Price 1½d.

General Register Office, Somerset House,
4th January, 1886.

TWENTY-EIGHT GREAT TOWNS.

The deaths registered last week in TWENTY-EIGHT GREAT TOWNS of England and Wales corresponded to an annual rate of 25·5 per 1000 of their aggregate population, which is estimated at 8,906,446 persons in the middle of this year. The deaths registered in each of the four past weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.		Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.
Birkenhead	20·7	18·5	26·3	23·0	Liverpool -	24·6	26·8	22·4	27·9
Birmingham	19·6	22·7	17·3	24·2	London -	18·8	22·0	18·0	26·5
Blackburn -	22·3	16·7	23·6	26·9	Manchester -	24·1	26·5	21·7	29·5
Bolton -	31·8	30·3	28·4	27·5	Newcastle-on-Tyne	23·5	23·8	22·1	23·5
Bradford -	15·3	18·5	18·7	21·7	Norwich -	18·9	18·9	16·0	22·9
Brighton -	15·9	16·4	13·6	17·7	Nottingham -	22·7	33·8	24·7	36·8
Bristol -	18·7	19·6	18·2	22·2	Oldham -	25·2	28·9	21·9	25·2
Cardiff -	22·0	21·5	25·8	21·5	Plymouth -	27·5	41·2	19·2	26·8
Derby -	20·9	23·3	21·5	19·8	Portsmouth -	20·1	26·3	19·0	26·7
Halifax -	18·9	23·6	16·2	31·7	Preston -	21·3	24·9	24·4	28·1
Huddersfield	22·1	18·5	17·3	26·3	Salford -	21·0	22·2	20·5	27·9
Hull -	20·7	20·7	15·1	16·0	Sheffield -	22·5	23·2	22·0	18·4
Leeds -	21·6	23·8	19·3	23·3	Sunderland -	17·5	18·7	20·8	19·6
Leicester -	16·9	21·5	14·2	21·5	Wolverhampton -	19·8	19·1	18·4	26·4

The highest annual death-rates from measles, measured by last week's mortality, were 1·9 in Bolton, 3·9 in Nottingham, and 4·8 in Plymouth; from whooping-cough, 1·6 in Cardiff, and 2·4 in Bolton; from scarlet fever, 1·5 in Leicester, and 2·2 in Birkenhead; and from "fever," 1·0 in Preston, and 1·2 in Portsmouth. Of the 41 deaths from diphtheria in the twenty-eight towns, 25 occurred in London, 3 in Birmingham, 2 in Nottingham, 2 in Liverpool, and 3 in Salford. Small-pox caused 1 death in London and its outer ring (exclusive of 5 of London residents in the Hospital Ship "Atlas" moored in the Thames off Dartford), 2 in Liverpool, and 1 in Bristol.

LONDON.

In LONDON 2996 BIRTHS and 2071 DEATHS were registered. Allowing for increase of population, the births were 757, and the deaths 195, above the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·8, 22·0, and 18·0 in the three preceding weeks, rose last week to 26·5; much, however, of this apparent rise was simply due to deferred registration from the previous week, the last two days of which were Christmas Day and the Bank Holiday. During the thirteen weeks of last quarter the death-rate averaged only 19·5; it was 2·2 below the mean rate in the corresponding periods of the nine years 1876-84, and was lower than in the last quarter of any of those years.

The 2071 deaths included 1 from small-pox, 94 from measles, 9 from scarlet fever, 25 from diphtheria, 116 from whooping-cough, 17 from enteric fever, 3 from ill-defined forms of continued fever, 17 from diarrhoea and dysentery, and not one from typhus or from cholera; thus, 282 deaths were referred to these diseases, being 24 above the corrected average weekly number.

One death from *small-pox* was registered in London last week, in addition to 5 deaths of London residents from the same cause in the Hospital Ship "Atlas", moored in the Thames outside Registration London. Of these 6 fatal cases, 3 belonged to Camberwell, one to Westminster, one to Stepney, and one to Poplar sanitary areas. The number of small-pox patients in the Metropolitan Asylum Hospitals, which had declined in the seven preceding weeks from 90 to 48, further fell last week to 41; the admissions to these hospitals were 2 last week, against 13 and 9 in the two previous weeks. The Highgate Small-pox Hospital contained 7 patients on Saturday last, no case having been admitted during the week.

The fatal cases of *measles*, which had been 57, 58, and 70 in the three previous weeks, further rose last week to 94, and exceeded the corrected weekly average by 33; 20 belonged to Pancras, 11 to Lambeth, 10 to Wandsworth, and 6 to Greenwich sanitary areas. The 9 deaths from *scarlet fever* showed a decline from the numbers in recent weeks, and were 44 below the corrected average. The Metropolitan Asylum Hospitals contained 261 scarlet fever patients on Saturday last, 18 having been admitted during the week. The deaths referred to *diphtheria*, which had been 21 and 14 in the two previous weeks, rose to 25 last week, and exceeded the corrected average by 8; 2 belonged to Fulham, 6 to Islington, (including 2 at 12, Tufnell Park Road), 2 to Newington, and 5 to Greenwich. The fatal cases of *whooping-cough*, which had increased in the eight preceding weeks from 29 to 78, further rose last week to 116, and exceeded the corrected average by 49; 7 belonged to Pancras, 11 to Islington, 13 to Bethnal Green, 7 to Poplar, 7 to Newington, and 8 to Lambeth. The 17 deaths attributed to *diarrhœa* and *dysentery* showed a further increase upon recent weekly numbers, and exceeded the corrected average by 2.

The deaths referred to *enteric fever*, which had been 7, 17, and 11 in the three preceding weeks, rose again to 17 last week, but were one below the corrected average; 2 belonged to Hackney, 2 to Wandsworth, and 2 to Camberwell. The deaths of two children, aged 10 and 14 years, were indefinitely referred to "continued fever." The Metropolitan Asylum Hospitals contained 54 cases of enteric fever, and not one of typhus, on Saturday last; 8 cases of enteric fever were admitted during the week.

The death of a child, aged 11 years, in Bartholomew's Hospital, on 27th December, resulted from hydrophobia. The deaths referred to this cause in London during 1885 were 27, the average annual number in the ten years 1875-84 being 6, and the highest number in any of those years 16 in 1877.

The deaths referred to diseases of the respiratory organs, which had been 413, 503, and 384 in the three preceding weeks, rose last week to 610, and exceeded the corrected average by 94.

Different forms of violence caused 73 deaths; 64 were the result of negligence or accident, among which were 17 from fractures and contusions, 11 from burns and scalds, 2 from drowning, and 26 of infants under one year of age from suffocation. The 17 deaths from fractures and contusions were thus returned:—males, aged 58 and 67 years, run over by cart; male 26, female 76, run over by van; male 77, run over by dray; male 25, run over on railway; male 58, fell from platform at railway station; males 27, 34, 52, and female 73, fell down stairs; male 32, fell from window; male 38, fell into cellar; female 77, fell in room; male 43, fell from gallery; male 57, by fall; and male 82, by fracture. An inquest was held in each of these 17 cases except the last. Nine cases of suicide were registered.

GREATER LONDON.

In Greater London 3853 births and 2593 deaths were registered, corresponding to annual rates of 38·5 and 26·0 per 1000 of the population. In the Outer Ring 28 deaths from whooping-cough, 14 from diphtheria, and 10 from measles were registered. The fatal cases of whooping-cough included 16 in West Ham sub-district; and the 14 of diphtheria, 7 in Tottenham, 2 in Hornsey, and 2 in Bushey sub-districts.

METEOROLOGY.

At the Royal Observatory, Greenwich, the mean reading of the *barometer* last week was 29·87 in.; the highest reading was 30·37 in. on Sunday morning, and the lowest 29·58 in. on Monday evening. The mean temperature of the *air* was 40°·5, and 2°·0 above the average in the corresponding week of the 20 years ending 1868. The mean was below the average on Sunday, Tuesday, and Wednesday, but showed an excess on each of the other days of the week. The general direction of the *wind* was W.S.W., and the horizontal movement of the air averaged 16·0 miles per hour, which was 3·3 above the average in the corresponding week of 16 years. *Rain* fell on four days of the week, to the aggregate amount of 0·53 of an inch. The duration of registered bright sunshine in the week was 1·4 hours, against 7·6 hours at Glynde Place, Lewes.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY IN 28 GREAT TOWNS, during the Week ending 2nd January, 1886.

CITIES AND BOROUGHES.	POPULATION estimated to the middle of the Year 1886.		Registered during the Week ending 2nd Jan., 1886.		The DEATHS registered in the Week include												TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGHES.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	1.	2.	3.	4.	5.	Deaths from								Inquest Cases.				From All Causes.	From Diseases in Cols. 6-12.	Mean.		In Inches.	In Centi- meters.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.	Unclassified Causes of Death.	High.	Low.			Fahrenheit.	Centigrade.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

TABLE 2. LONDON.—Births and Deaths Registered LAST WEEK, and in the FIFTY-SECOND Weeks of Ten previous Years.

	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	Corrected Weekly Average in 10 Years 1875-84.*	1885
TOTAL Births	2494	1978	1831	1762	1749	2519	2386	2131	1847	1832	2238·6	2996
Males . .	1247	984	958	879	918	1294	1193	1080	945	941	1138·9	1503
Females .	1247	994	873	883	831	1225	1188	1051	902	891	1099·7	1488
TOTAL Deaths	1782	1510	1757	1900	1878	1648	2079	1719	1503	1430	1876·3	2071
Males . .	848	776	915	933	935	841	1013	838	772	700	934·7	957
Females .	934	734	842	967	943	807	1066	881	731	730	941·6	1114

* The numbers in this column are the average weekly numbers in the fifty-second week of the ten years 1875-84, raised by 0·046 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.
TOTAL Births - -	2491	2582	2572	2581	2695	2534	2682	2422	2656	2504	2671	1965	2996
TOTAL Deaths - -	1309	1346	1458	1366	1483	1531	1557	1610	1544	1474	1725	1408	2071
0-20 - -	579	632	630	596	641	707	708	730	731	726	742	690	906
20-40 - -	191	181	206	179	197	188	203	198	183	171	221	166	235
40-60 - -	252	225	268	257	281	268	288	293	265	240	300	218	362
60-80 - -	246	244	284	268	297	298	289	322	296	279	377	276	479
at 80 years & upwds.	41	64	70	66	67	70	69	67	69	58	85	58	89
Deaths of children { Under 1 year -	309	319	347	323	334	356	367	363	357	351	339	316	410
{ 1-5 - -	187	231	206	191	228	260	254	266	281	277	318	302	330
{ 5-20 - -	83	82	77	82	79	91	87	101	93	98	85	72	116
Deaths from Small-pox* -	3	-	-	9	5	3	2	2	1	3	-	1	6
" " Measles - -	17	28	27	23	41	51	44	62	69	57	53	70	94
" " Scarlet Fever - -	21	22	18	10	15	19	11	12	12	14	10	18	9
" " Diphtheria - -	14	23	18	10	16	26	20	20	16	20	21	14	25
" " Whooping-cough - -	34	29	31	36	29	39	42	47	58	58	72	78	116
" " Typhus - -	2	-	-	-	-	-	-	-	-	-	-	-	-
" " Enteric fever - -	12	10	11	8	10	12	24	14	16	7	17	11	17
" " Simple Cont'd fever - -	6	-	-	2	1	-	3	1	3	1	1	-	3
" " Diarrhoea and Dysentery - -	35	27	21	17	8	10	13	16	12	16	6	13	17
" " Cholera - -	1	1	-	1	-	-	1	-	2	-	-	-	-
Deaths from the above-mentioned Diseases* }	145	140	126	116	125	160	160	174	189	176	185	205	287
" " Dis. of Respiratory System }	231	301	356	358	394	418	454	480	410	413	503	384	610
" " Phthisis - -	146	161	165	153	188	152	158	177	147	156	169	130	192
" " Dis. of Circulatory System }	116	87	130	100	126	110	105	115	112	103	132	115	183
Violent Deaths - -	62	44	50	43	40	52	44	58	57	44	65	44	79
Inquest Cases - -	109	82	103	94	93	110	89	129	128	95	132	104	163
Deaths in Public Institutions	285	265	286	291	313	323	326	326	316	313	388	281	367
TEMPERATURE OF THE AIR:													
Mean - -	47·6	45·4	45·1	44·0	44·6	43·3	38·1	45·1	44·8	32·7	42·4	39·3	40·5
Mean of Highest readings -	59·9	52·1	50·5	49·8	51·0	46·1	43·3	49·3	50·2	36·3	46·1	43·3	44·9
Mean of Lowest readings -	36·9	38·5	40·8	38·4	37·5	39·8	32·0	41·3	33·3	27·8	38·0	34·8	35·5
Humidity of the Air - -	84	82	89	84	89	95	82	93	90	77	91	92	89
Rain-fall in inches - -	1·09	0·44	0·94	0·80	0·47	0·29	0·02	1·43	1·14	0·06	0·04	0·02	0·53
Registered Sunshine (in hours)	14·4	13·9	5·6	13·3	7·1	0·0	23·2	1·0	4·1	8·5	7·0	1·2	1·4

* Including those from small-pox of London residents occurring in the Metropolitan Asylum Hospitals situated outside Registration London.

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.,—F. E. Sawyer, Esq., F.S.A., F.R.Met.Soc., Brighton; John Quirton, jun., Esq., Norwich; E. Camm Lippincott, Esq., Bristol; John Merrifield, Esq., LL.D., Plymouth; E. Simpson, Esq., Wrotesley, Wolverhampton; D. Smith, Esq., F.R.A.S., F.R.Met.Soc., Birmingham; H. Billson, Esq., F.R.Met.Soc., Leicester; M. O. Tarbutton, Esq., F.G.S., F.R.Met.Soc., Nottingham; J. Hartnup, Esq., F.R.A.S., Liverpool; The Rev. T. Mackereth, F.R.A.S., F.R.Met.Soc., Sharples, Bolton; H. O. Pilkington, Esq., M.R.C.S., Preston; D. Doncaster, Esq., F.R.Met.Soc., Sheffield; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Ed. Filsher, Esq., F.G.S., F.R.Met.Soc., Leeds; Mr. E. Peak, Hull; A. E. Harris, Esq., L.R.C.P., F.R.G.S., Medical Officer of Health, Sunderland; and Wm. Lyall, Esq., Newcastle-on-Tyne.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTY-SECOND Week of the Year 1885.

CAUSES OF DEATH.	Corrected Averages for the 52nd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 2nd January, 1886.										CAUSES OF DEATH.	Corrected Averages for the 52nd Weeks of the 10 years 1875-84.	In the Week ending Saturday, 2nd January, 1886.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
ALL CAUSES - - -	1876.3	2071	410	380	116	235	362	479	89		*	1.3	4	-	-	3	1	-	-				
Small-pox { Vaccinated †	22.2	-	-	-	-	-	-	-	-	Diseases of Organs of Special Sense † - -	1.3	4	-	-	3	1	-	-	-				
Unvaccinated		-	-	-	-	-	-	-	-	Diseases of Circulatory System - - -	122.8	183	-	2	12	24	58	89	7				
No Statement		1	-	-	-	1	-	-	-	Croup - - -	14.6	22	1	18	3	-	-	-	-				
Measles - - -	61.0	94	20	66	8	-	-	-	-	Bronchitis - - -	334.8	395	74	63	1	4	62	162	39				
Scarlet Fever - -	52.8	9	1	5	3	-	-	-	-	Pneumonia - - -	109.0	121	24	41	4	15	19	16	2				
Typhus - - -	2.1	-	-	-	-	-	-	-	-	Pleurisy - - -	5.9	6	-	1	-	2	1	2	-				
Relapsing Fever † -	0.0	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - -	53.5	63	7	11	2	4	19	18	2				
Influenza - - -	0.1	-	-	-	-	-	-	-	-	Dentition † - - -	13.7	10	5	5	-	-	-	-	-				
Whooping-cough -	66.5	116	39	71	6	-	-	-	-	Quinsy, Sore Throat † -	2.7	4	1	1	1	-	-	1	-				
Diphtheria - - -	16.6	25	3	13	8	-	1	-	-	Enteritis - - -	5.9	8	1	-	1	-	5	-	1				
Simple Continued and Ill-defined Fever -	3.4	3	1	-	2	-	-	-	-	Peritonitis - - -	8.6	5	-	-	1	2	2	-	-				
Enteric Fever - -	19.3	17	-	2	6	6	5	-	-	Diseases of Liver - -	31.3	33	2	1	1	4	13	7	-				
Cholera - - -	0.2	-	-	-	-	-	-	-	-	Other Diseases of Digestive System -	33.4	45	12	3	-	6	12	10	2				
Diarrhoea, Dysentery	15.3	17	5	7	-	1	1	3	-	Diseases of Lymphatic System & of Ductless Glands † - - -	1.0	4	-	-	1	-	1	2	-				
Remittent Fever † -	0.0	-	-	-	-	-	-	-	-	Diseases of Urinary System - - -	38.6	45	-	-	2	12	15	15	1				
Hydrophobia - -	0.0	1	-	-	1	-	-	-	-	Diseases of Generative System - - -	6.6	6	-	-	-	2	4	-	-				
Glanders - - -	0.0	-	-	-	-	-	-	-	-	Accidents of Childbirth -	5.2	4	-	-	1	3	-	-	-				
Cowpox and Effects of Vaccination † - -	0.3	-	-	-	-	-	-	-	-	Diseases of Locomotive System † - - -	7.3	4	-	1	2	-	-	1	-				
Veneral Affections	10.9	15	11	-	-	2	-	2	-	Diseases of Integumentary System - -	7.7	6	1	-	1	-	-	3	1				
Erysipelas - - -	7.9	10	2	-	1	-	4	3	-	VIOLENT DEATHS ‡													
Pæmia and Septicæmia †	2.7	5	-	-	2	1	-	2	-	(ACCIDENT.)													
Puerperal Fever -	6.3	5	-	-	4	1	-	-	-	Fracture and Contusion	17.2	17	-	-	-	6	5	5	1				
Other Zymotic Diseases †	0.8	1	1	-	-	-	-	-	-	Gunshot Wound - -	0.3	-	-	-	-	-	-	-	-				
Thrush - - -	2.5	1	1	-	-	-	-	-	-	Cut, Stab - - -	0.5	-	-	-	-	-	-	-	-				
Worms and other Parasitical Diseases - -	0.3	-	-	-	-	-	-	-	-	Burn and Scald - -	10.3	11	-	5	1	-	1	3	1				
Starvation, Want of Breast-milk † - -	1.3	2	2	-	-	-	-	-	-	Poison - - -	1.3	1	-	-	1	-	-	-	-				
Alcoholism - - -	5.0	2	-	-	-	-	1	1	-	Drowning - - -	4.8	2	-	-	-	1	-	-	-				
Rheumatic Fever and Rheumatism of Heart	12.6	13	-	-	3	6	2	2	-	Suffocation - - -	19.6	29	26	-	1	-	2	-	-				
Rheumatism - - -		2	-	-	-	1	1	-	-	Otherwise - - -	3.9	4	1	-	1	-	1	-	-				
Gout - - -	3.3	3	-	-	-	-	-	3	-	(HOMICIDE.)													
Rickets † - - -	2.0	2	1	1	-	-	-	-	-	Murder & Manslaughter	1.0	-	-	-	-	-	-	-	-				
Cancer - - -	44.2	61	-	-	1	3	30	26	1	(SUICIDE.)													
Tubercular Meningitis	22.1	21	12	5	4	-	-	-	-	Gunshot Wound - -	0.4	1	-	-	-	-	1	-	-				
Phthisis - - -	28.9	20	8	10	2	-	-	-	-	Cut, Stab - - -	1.6	1	-	-	-	-	1	-	-				
Scrofula, Tuberculosis	179.3	192	2	4	19	105	53	10	-	Poison - - -	1.4	3	-	-	-	-	3	-	-				
Other Constitutional Diseases † - -	8.7	11	-	1	-	1	3	6	-	Drowning - - -	1.2	2	-	-	-	1	1	-	-				
Premature Birth - -	33.4	28	28	-	-	-	-	-	-	Hanging - - -	0.9	2	-	-	-	1	-	1	-				
Atelectasis † - - -	1.3	4	4	-	-	-	-	-	-	Otherwise - - -	0.4	-	-	-	-	-	-	-	-				
Conceit Malformations -	6.3	4	4	-	-	-	-	-	-	(EXECUTION.)													
Old Age - - -	64.3	58	-	-	-	-	26	32	-	Hanging - - -	0.0	-	-	-	-	-	-	-	-				
Apoplexy - - -	51.1	42	-	-	1	2	14	22	3	OTHER CAUSES † - -	62.3	65	47	7	1	2	1	5	-				
Epilepsy - - -	8.3	9	-	-	2	4	1	3	-														
Convulsions - - -	51.8	53	49	0	-	-	-	-	-														
Other Diseases of Brain and Nervous System	93.9	94	11	15	6	6	15	36	5														

* The numbers in this column are the average weekly Deaths for the ten years 1875-84, raised by 9.047 per cent. for increase of population.

† As the ten years average could not be correctly ascertained, the average for the three years 1883-4 has been inserted.

‡ Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

§ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

|| Exclusive of 5 deaths of London residents from small-pox registered in the Metropolitan Asylum Hospitals situated outside Registration London.

TABLE 5. LONDON.—POPULATION, BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

		The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON		3,316,483	2996	2071	410	568	1	94	9	25	116	-	17	3	17	73	163	367	28
WEST DISTRICTS		668,633	443	370	60	108	-	14	1	3	9	-	2	-	3	22	40	83	1
NORTH DISTRICTS		905,947	666	429	83	127	-	31	2	9	22	-	4	-	2	11	36	51	3
CENTRAL DISTRICTS		282,238	189	147	22	32	-	7	2	1	7	-	2	1	1	6	9	38	3
EAST DISTRICTS		927,733	576	382	96	95	-	3	3	1	37	-	3	1	3	18	41	86	2
SOUTH DISTRICTS		1,265,927	1122	743	149	206	1	39	1	11	41	-	6	1	8	16	37	103	19
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.		69888	55	25	6	7	-	1	-	-	1	-	-	-	-	2	3	2	-
St. John Paddington H - - G.J.		37330	10	11	-	5	-	-	-	-	-	-	-	-	-	2	1	5	-
Kensington Town WH - - W.M.		120141	89	74	19	25	-	-	-	-	2	-	1	-	-	4	6	19	-
Brompton H - - W.M. & C.		43019	21	21	3	4	-	1	-	-	-	-	-	-	-	1	3	6	-
St. Peter Hammersmith - - W.M.		7510	9	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.		43430	49	86	6	11	-	2	-	-	-	-	-	-	2	4	6	3	-
Fulham WHH - - W.M. & C.		42940	41	34	9	8	-	2	-	-	3	-	-	-	-	1	5	4	-
Chelsea South HHH - - C.		30398	17	15	-	6	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North-west WHHHH - - C.		24925	16	23	1	5	-	-	-	-	-	-	-	-	-	-	-	15	-
Chelsea North-east - - C.		32807	48	17	4	3	-	-	-	-	1	-	-	-	-	-	1	-	-
Hanover Square H - - G.J.		16862	9	6	2	1	-	1	-	-	-	-	-	-	-	2	2	-	-
May Fair W - - G.J.		13491	4	13	-	10	-	-	-	-	-	-	-	-	-	-	-	11	-
Belgrave WHH - - C.		59220	38	37	3	11	-	1	1	2	-	-	-	-	-	3	5	13	-
St. John Westminster HH - - C.		35496	26	21	2	3	-	4	-	-	-	-	1	-	1	1	1	1	1
St. Margaret Westminster H - - C.		24679	7	14	2	3	-	-	-	1	-	-	-	-	-	1	4	4	-
St. James Westminster WH N.R. & G.J.		29941	9	14	1	4	-	-	-	-	-	-	-	-	-	1	2	2	-
St. Anne Soho HHHHH - - N.R.		16608	5	6	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																			
All Souls Marylebone HHHH - W.M.		28759	19	10	2	-	-	3	-	1	1	-	-	-	-	1	1	3	-
Cavendish Square HHH - W.M.		14581	13	7	1	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Rectory Marylebone WH G.J. & W.M.		24809	18	10	2	1	-	1	-	-	-	-	-	-	-	-	1	1	-
St. Mary Marylebone HHH G.J. & W.M.		21118	22	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H - W.M.		33700	22	13	-	4	-	-	-	-	-	-	-	-	-	-	2	-	-
St. John Marylebone H - W.M.		33633	18	11	2	5	-	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead WHHHH - N.R. & W.M.		45452	35	19	3	8	-	3	-	-	-	-	1	-	-	1	1	3	-
Regent's Park Paneras H - W.M.		39115	28	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Tottenham-court WHHHH N.R. & W.M.		27729	12	24	4	6	-	-	-	1	2	-	-	-	-	1	3	8	-
Gray's Inn Lane HHH - N.R.		30247	16	12	4	3	-	1	1	-	-	-	-	-	-	1	2	2	-
Somers Town H - N.R.		34369	21	18	6	1	-	5	-	-	-	-	-	-	-	1	2	-	-
Camden Town WH - N.R.		17311	33	17	1	10	-	2	-	-	1	-	-	-	-	2	7	-	-
Kentish Town W - N.R.		87487	67	58	7	19	-	12	-	-	4	-	-	-	-	3	5	-	-
Upper Holloway WWHHH - N.R.		67916	58	36	10	9	-	2	-	4	5	-	-	-	-	1	3	7	-
Islington South-west HH - N.R.		100976	78	54	14	12	-	-	-	1	2	-	-	-	-	1	5	1	1
Islington South-east - N.R.		61825	44	32	7	11	-	2	-	-	-	-	-	-	-	3	5	-	-
Highbury H - N.R.		52048	37	22	5	7	-	-	-	1	4	-	-	-	-	-	2	1	-
Stoke Newington H - N.R.		22731	29	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - E.L.		3277	84	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney - N.R.		37610	45	39	5	14	-	-	-	-	-	-	-	-	-	1	-	-	-
Hackney WWHH - E.L. & N.R.		70911	29	17	2	5	-	-	-	1	1	-	1	-	1	-	-	12	1
South Hackney - E.L.		39883	40	17	2	5	-	-	-	-	-	-	1	-	-	1	2	-	-
CENTRAL DISTRICTS.																			
St. George Bloomsbury - N.R.		16381	6	8	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - N.R.		14864	12	16	2	6	-	-	-	-	-	1	-	-	1	1	2	9	-
St. Giles North - N.R.		18897	7	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.		17508	6	6	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Mary-le-Strand H - N.R.		7515	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes H - N.R.		8559	8	5	1	1	-	1	-	-	-	-	-	-	-	-	-	2	-
St. George-the-Martyr HHHHHH N.R.		18671	12	11	2	1	-	-	-	-	1	-	-	-	-	1	1	3	-
St. Andrew Eastern W - N.R.		10706	4	7	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Saffron Hill H - N.R.		6533	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkwell - N.R.		17516	18	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Arncliffe Clerkwell - N.R.		15281	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - N.R.		14773	11	6	3	2	-	-	1	-	1	-	-	-	-	-	-	-	-
Goswell-street - N.R.		17506	16	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Old-street H - N.R.		11541	19	6	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-
City-road HHL - N.R.		18628	15	10	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Whitecross-street - N.R.		9217	6	4	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-
Finsbury - N.R.		7463	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
St. Botolph H - N.R. & E.L.		11174	5	7	1	2	-	-	-	-	2	-	-	-	-	-	-	-	1
Cripplegate - N.R.		7193	5	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - N.R.		6358	2	22	-	2	-	-	-	1	-	-	-	-	-	3	4	20	-
St. Bride W - N.R.		8396	2	6	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Allhallows Barking - N.R.		13666	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - N.R.		6632	2	3	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; w—A Workhouse Institution receiving inmates from other Districts than that in which it stands see note at the foot of next page. The Roman capitals signify the Water Companies which supply the different sub-districts:—G.J. signifies Grand Junction Company; W.M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. New River; E.L. East London; and K. the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, MEASLES, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, the 2nd January, 1886.

REGISTRATION SUB-DISTRICTS.		Enu-merated Popu-lation, 1881.	Total Births during the Week.	Total Deaths during the Week.	The DEATHS registered in the Week include												
					Deaths of												
					Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas or Typhoid Fever.	Simple continued Fever.	Diarrhoea.	Violence.	Inquest Cases.
																	Deaths in Public Institutions.
																	Uncertified Causes of Death.
EAST DISTRICTS.																	
Holywell Shoreditch	N.R. & E.L.	7376	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Leonard Shoreditch	HL†	4967	12	4	-	1	-	-	-	-	-	-	-	-	-	1	-
Hoxton New Town	-	24987	18	17	3	9	-	-	-	-	-	-	-	-	-	-	1
Hoxton Old Town	-	28036	14	8	2	-	-	-	-	-	1	-	-	-	-	-	9
Haggerston	WH	46275	53	35	6	16	-	-	-	-	1	1	-	-	-	1	13
Hackney-road	H	29738	20	18	6	3	-	-	-	-	-	-	-	-	-	-	-
Green, Bethnal Green	WHL†	47932	43	33	8	8	-	1	1	-	5	-	-	-	2	3	1
Church, Bethnal Green	-	29881	16	20	6	6	-	-	-	1	3	-	-	-	-	14	-
Town, Bethnal Green	-	18810	12	8	3	2	-	-	-	-	4	-	-	-	1	1	-
Spitalfields	H	22585	20	6	2	1	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town	W	15473	20	8	1	5	-	-	-	-	-	-	-	-	-	-	3
Whitechapel Church	H	17490	18	30	4	4	-	-	-	-	-	-	-	-	6	1	3
Goodman's Fields	-	9713	5	2	-	1	-	-	-	-	-	-	-	-	-	-	21
Aldgate	-	6102	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North	-	38747	32	13	4	-	-	-	-	2	-	-	-	-	1	1	-
St. John, St. George East	W	5410	5	6	1	2	-	-	-	1	-	-	-	-	-	-	3
Shadwell	H	10395	14	8	5	-	-	-	-	-	3	-	-	-	-	-	-
Ratcliff	-	16107	9	7	2	2	-	-	-	1	-	1	-	-	-	-	2
Limehouse	-	32011	42	23	6	3	-	-	-	1	-	-	-	-	3	5	-
Mile End Old Town West	-	37960	30	15	4	5	-	-	-	4	-	-	-	-	-	2	-
Mile End Old Town East	WHL†	67653	42	27	8	3	-	-	1	-	-	1	-	-	-	1	1
Bow	-	37074	30	10	1	1	-	-	-	-	-	-	1	-	-	-	-
Bromley	WHL†	64539	77	30	13	15	-	2	1	-	-	-	-	-	-	4	16
Poplar	WHH	55077	37	30	10	7	-	-	-	5	-	-	1	1	3	6	1
SOUTH DISTRICTS.																	
Christchurch Southwark	WH	13663	8	15	1	7	-	2	-	1	-	-	-	-	-	1	3
St. Saviour Southwark	-	14569	15	7	3	-	-	1	-	-	-	-	-	-	-	-	-
Kent-road	-	21381	16	20	3	2	-	1	-	-	-	-	-	1	-	1	-
Borough-road	WH	14963	15	11	2	-	-	-	-	-	1	-	-	-	-	3	-
London-road	HL	21313	10	14	3	3	-	3	-	-	1	-	-	-	1	-	-
Trinity Newington	-	26672	28	14	2	1	-	-	-	-	4	-	-	-	-	-	-
St. Peter Walworth	W	39555	66	52	8	18	-	2	-	1	3	-	-	-	-	-	2
St. Mary Newington	-	41623	22	9	2	-	-	-	-	-	-	-	-	-	-	11	1
St. Olave	WH	11956	4	24	2	4	-	-	2	2	-	-	-	-	1	2	19
Leather Market	-	14300	20	11	4	2	-	-	-	-	-	-	-	-	-	-	-
St. Mary Magdalen	W	15669	11	20	-	10	-	-	-	2	-	-	1	-	-	1	-
St. James Bermondsey	-	54683	48	28	5	11	-	-	-	-	-	-	-	-	1	2	10
Rotherhithe	W	36024	31	25	7	4	-	-	-	-	2	-	-	-	-	2	1
Waterloo-road 1st	H	15195	15	9	3	1	-	2	-	-	-	-	-	-	-	-	-
Waterloo-road 2nd	H	16321	25	8	2	-	-	1	-	-	-	-	-	-	-	-	3
Lambeth Church 1st	H	19876	17	15	2	2	-	-	-	-	1	-	-	-	-	-	-
Lambeth Church 2nd	WH	39859	41	27	8	6	-	2	-	-	3	-	-	-	2	2	10
Kennington 1st	-	45232	39	24	5	6	-	-	-	-	-	-	1	-	-	1	10
Kennington 2nd	-	35332	21	11	1	6	-	-	-	-	-	-	-	-	-	-	-
Brixton	WHL	65857	41	23	6	9	-	3	-	-	-	-	-	-	-	1	-
Norwood	W	15017	22	6	5	-	-	-	-	-	1	-	-	-	-	-	1
Clapham	H	36380	27	11	-	4	-	1	-	-	-	-	1	-	-	-	-
East Battersea	-	54655	43	25	5	1	-	5	-	-	-	-	1	-	-	-	-
West Battersea	WHL	55887	52	25	5	9	-	-	-	1	-	-	-	1	3	3	-
Wandsworth	HL	28004	27	23	4	10	-	-	-	2	-	-	1	1	-	1	6
Fulham	-	13235	8	6	2	-	-	-	-	1	-	-	-	-	1	3	5
Streatham	-	25553	26	12	3	6	-	-	-	1	-	-	-	-	-	-	-
Dulwich	-	5590	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell	WHL†	19104	61	34	2	14	-	-	-	1	1	-	-	-	-	1	12
Peckham	W	71489	59	47	12	10	-	-	-	-	-	-	1	-	-	-	-
St. George Camberwell	-	50610	47	33	10	7	-	2	-	-	4	-	1	-	-	-	3
St. Paul Deptford	WHL	76732	67	38	7	10	1	4	1	1	4	-	-	-	2	-	3
St. Nicholas Deptford	-	7501	8	9	1	1	-	2	-	-	-	-	-	-	-	-	-
Greenwich West	H	21972	19	12	1	7	-	-	-	1	1	-	-	-	-	-	1
Greenwich East	WHH	24608	28	18	1	6	-	-	3	1	-	1	-	-	-	5	1
Eltham	H	5527	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Lee	-	21559	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham	WH	19865	18	10	1	6	-	-	-	-	-	-	-	-	-	-	-
Sydenham	H	26076	16	10	2	1	-	-	-	1	-	1	-	-	1	1	2
Charlton	H	10830	11	4	2	1	-	-	-	-	-	-	-	-	-	-	-
Woolwich Dockyard	-	17617	21	11	2	1	-	-	-	-	-	-	-	-	1	1	-
Woolwich Arsenal	HHH	19148	20	12	1	4	-	-	-	1	-	-	-	-	-	-	-
P Plumstead, West	H	14069	12	4	1	2	-	-	-	-	-	-	-	-	1	3	-
P Plumstead, East	W	19241	18	20	5	5	-	-	-	-	-	-	-	-	1	1	3

The following WORKHOUSE Establishments receive inmates from other Districts than the one in which they stand, and are indicated in the above Table by w:-

- Marylebone Infirmary in Kensington Town sub-district.
- General London Sick Asylum in Tottenham Court-road sub-district.
- Holborn Infirmary in Upper Holloway sub-district.
- London City Workhouse in Hackney sub-district.
- Holborn " in Hoxton New Town sub-district.
- Whitechapel " in Mile End Old Town Eastern sub-dist.
- London City Workhouse in Mile End Old Town Eastern sub dist. and Stepney
- Poplar & Stepney Sick Asylum in Bromley sub-district.
- Westminster Union Industrial School in West Battersea sub-district.
- Metropolitan Asylum District Hospitals in Fulham, Hampstead, Hockney, Brixton, and St. Paul, Deptford sub-districts.

† Private Lunatic Asylums in which paupers are received.

TABLE 6.—LONDON.—OUTER RING.—AREA; POPULATION; BIRTHS AND DEATHS registered during the Week ending Saturday, 2nd January, 1886.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres, includ- ing Tidal Water and Fore- shore.	Enume- rated Popu- lation, 1881.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include															
						Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.						
LONDON—OUTER RING		370,282	950,178	857	522	114	133	-	10	3	14	28	4	4	9	21	48	8			
30: 1	Carshalton <i>wL</i> - -	12228	21118	9	11	1	6	-	-	-	-	-	-	-	-	-	6	-			
2	Epsom (<i>part of</i>) * <i>WH</i>	9971	10710	5	6	-	3	-	-	-	-	-	-	-	-	-	-	-			
37: 1	Godstone (<i>part of</i>) * -	2754	1235	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
38: 1	Croydon <i>WHH</i> - -	20851	101241	64	46	8	15	-	1	-	-	3	-	-	1	2	7	1			
	Mitcham - -	11697	17932	12	3	1	1	-	-	-	-	1	-	-	-	-	-	-			
39: 1	Wimbledon <i>HHH</i> - -	3220	15950	11	5	1	2	-	-	-	-	-	-	-	-	-	-	-			
2	Kingston <i>WHH</i> - -	8549	36354	25	12	3	6	-	-	-	-	-	-	-	1	1	1	-			
3	Esher (<i>part of</i>) * -	6601	9221	6	3	1	1	-	-	-	-	1	1	-	-	-	-	-			
4	Hampton <i>H</i> - -	4573	13539	7	10	4	-	-	-	-	-	-	-	-	-	-	-	-			
40: 1	Richmond <i>WH</i> - -	2272	21302	13	8	1	4	-	-	-	1	-	-	-	-	-	2	-			
2	Mortlake - -	941	12331	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
41: 1	Bromley (<i>pt. of</i>) * <i>HH</i>	15669	31142	29	25	3	9	-	1	-	-	-	-	-	-	-	-	1			
2	Chislehurst (<i>pt. of</i>) * <i>WHH</i>	13665	15065	10	6	2	4	-	-	-	-	-	-	-	-	-	-	-			
42: 1	Bexley <i>H</i> - -	13437	24134	15	6	-	3	-	-	-	-	-	-	-	1	1	-	1			
124: 1	Sunbury <i>w</i> - -	11055	11685	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	Staines <i>W</i> - -	13277	12089	10	5	3	-	-	-	-	-	-	-	-	-	-	-	-			
125: 1	Hillingdon <i>WH</i> - -	6029	10802	16	5	-	-	-	-	-	-	-	-	-	-	-	2	-			
2	Uxbridge - -	6178	5225	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
3	Hayes <i>wHL</i> - -	14587	11523	7	15	-	4	-	-	-	1	-	-	-	-	-	9	-			
126: 1	Isleworth <i>W</i> - -	7008	22727	15	15	2	4	-	-	-	-	-	-	-	-	-	4	-			
2	Twickenham <i>H</i> - -	2477	12479	14	5	4	-	-	-	-	-	-	-	-	1	1	-	-			
3	Brentford <i>HL</i> - -	4345	27649	13	11	2	3	-	-	-	-	-	-	1	1	1	-	-			
4	Chiswick - -	1340	15675	17	6	4	1	-	-	-	-	-	-	-	-	2	-	-			
5	Acton <i>wH</i> - -	6083	22876	18	11	5	4	-	-	-	-	-	-	-	-	1	-	-			
127: 1	Harrow <i>H</i> - -	13809	12796	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-			
2	Edgware <i>H</i> - -	6994	3749	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-			
3	Willesden - -	4383	27453	40	17	3	3	-	-	-	-	1	-	-	-	1	-	-			
4	Hendon <i>W</i> - -	8332	10484	8	4	1	1	-	1	1	-	-	-	-	-	-	1	-			
128: 1	South Mimms - -	15599	6391	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-			
2	Barnet <i>W</i> - -	5433	10692	13	8	2	2	-	-	-	-	-	1	-	-	-	3	-			
3	Finsbury <i>HL</i> - -	4688	17615	14	12	-	3	-	-	-	-	-	-	-	-	-	6	-			
129: 1	Hornsey <i>H</i> - -	3039	37078	29	24	4	5	-	-	-	2	-	-	1	-	3	-	-			
2	Tottenham <i>HHH</i> - -	4642	46456	62	29	5	4	-	-	1	7	-	-	-	1	3	1	-			
3	Edmonton <i>WwW</i> - -	7483	23463	27	7	2	2	-	-	-	-	-	-	-	-	-	1	-			
4	Enfield <i>WH</i> - -	12653	19104	12	14	4	4	-	1	-	-	1	-	-	1	1	-	-			
5	Waltham Abbey - -	11017	5363	6	7	1	2	-	3	-	-	-	-	-	-	-	-	-			
6	Cheshunt - -	8480	7735	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
125: 1	Hatfield (<i>part of</i>) * -	3306	583	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
137: 1	Bushey - -	9331	6621	9	3	-	1	-	-	-	2	-	-	-	-	-	-	-			
186: 1	Stratford - -	882	36006	41	28	10	4	-	2	-	-	2	-	-	-	1	-	-			
2	West Ham <i>wvwW</i> - -	7351	101033	116	84	20	8	-	1	1	-	16	3	1	1	1	-	-			
3	Leyton <i>WwL</i> - -	4372	32430	23	24	3	10	-	-	-	-	1	-	-	-	-	5	-			
4	Walthamstow <i>wH</i> - -	6520	22869	35	15	8	1	-	-	-	-	2	-	1	1	1	-	-			
187: 1	Chigwell (<i>part of</i>) * <i>H</i>	11761	2632	-	7	2	3	-	-	-	-	-	-	-	-	1	-	-			
189: 1	Romford (<i>part of</i>) * -	6739	3411	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	Ilford - -	8493	7645	22	6	1	2	-	-	-	-	-	-	-	-	-	-	-			
3	Barking Town - -	4127	9203	13	5	1	1	-	-	-	-	-	-	-	-	-	-	-			

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, the whole of Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1265); 37: 1, the two parishes of Warrington and Earle in Godstone sub-district; 39: 3, the whole of Esher sub-district, except the parish of Esher (pop. 1903); 41: 1, the whole of Bromley sub-district, except the two parishes of Cudham and Knockholt (pop. 1813); 41: 2, the whole of Chislehurst sub-district, except the parish of Chislehurst (pop. 947); 135: 1, only the parish of Northaw in Hatfield sub-district; 137: 1, the whole of Chigwell sub-district, except the parish of Theydon Bois (pop. 875); 189: 1, only the parish of Dagenham in Romford sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 2nd January, 1886.

THE GREATER LONDON.	Area in Acres, including tidal water and foreshore.	Estimated Population, 1885.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Deaths in Public Institutions.	
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	448,334	5,199,166	26.0	3.5	2593	524	701	1	104	12	39	144	24	21	82	415		
INNER LONDON -	78,052	4,083,928	26.5	3.6	2071	410	568	1	94	9	25	116	20	17	73	367		
OUTER RING -	370,282	1,115,238	24.4	2.9	522	114	133	-	10	3	14	28	4	4	9	48		

NOTE.—The area of Greater London is 448,334 acres; of which 4,892 acres are tidal water and foreshore. This area is equal to 700,522 square miles, which is equivalent to the area of a circle having a radius of 14,933 miles.

TABLE 8.—BIRTHS and DEATHS, and Rate of MORTALITY in 33 FOREIGN CITIES, having an estimated Aggregate Population of 16,277,127 Persons.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM EPIDEMIC DISEASES.
CALCUTTA -	433,219	November 14	-	236	28.4	Fevers 76; cholera 14.
BOMBAY -	773,196	December 1	-	396	26.6	Fevers 126; cholera 1.
MADRAS -	398,777	November 13	313	292	38.0	Fevers 77.
PARIS -	2,239,928	December 26	1203	1027	23.8	Typhoid fever 37; diph. & croup 47; measles 13.
GENEVA -	71,453	" 26	35	29	21.2	Typh. and typhd. fev. 2.
BRUSSELS -	436,214	" 19	270	150	17.9	Croup 3.
AMSTERDAM -	366,812	" 26	230	168	23.8	Measles 11; croup 5; diphtheria 3.
ROTTERDAM -	166,001	" 26	139	88	27.0	Measles 3; whooping-cough 2.
THE HAGUE -	134,552	" 26	80	47	18.1	Croup 2.
COPENHAGEN -	280,615	" 22	231	94	17.5	Scarlet fever 2; diphtheria 3.
STOCKHOLM -	200,143	" 12	146	78	20.3	Scarlet fever 4; diphtheria 3.
CHRISTIANIA -	128,000	" 26	75	44	17.9	Diphtheria and croup 12; scarlet fever 5.
ST. PETERSBURG	928,016	" 19	-	485	27.3	Scar. fev. 16; sm.-pox 4; typ. and typh. fev. 11.
BERLIN -	1,279,599	" 12	828	529	21.2	Diphtheria 33; meas. 16; scarlet fever 7.
HAMBURG(State)	497,956	" 19	339	308	32.2	Scar. fev. 11; typ. & typh. fev. 8; diph. & croup 14.
DRESDEN -	241,500	" 12	168	128	27.6	Measles 11; diphtheria and croup 9.
BEESLAU -	295,000	" 19	185	159	27.8	Diphtheria 10.
MUNICH -	244,000	" 19	171	123	26.2	Diphtheria and croup 4.
VIENNA -	769,889	" 26	556	410	27.7	Small-pox 18; diph. 17.
PRAGUE -	272,333	" 26	-	176	33.7	Sm.-pox 4; scar. fev. 7; diph. and croup 6.
BUDA-PESTH -	429,532	" 12	283	230	27.8	Small-pox 13; diph. 4; measles 21.
TRIESTE -	150,157	" 19	-	102	35.3	Typhus and typh. fev. 3.
ROME -	330,430	October 24	183	165	26.1	Sm.-pox 3; mal. fev. 10.
NAPLES -	504,795	" 31	166	152	24.0	Small-pox 3; typh. fev. 4.
TURIN (10 days)	267,763	December 10	218	129	17.6	Typhd. fev. 8; diph. 3; croup 6.
VENICE -	145,990	" 12	78	100	35.7	Small-pox 14; diph. and croup 5.
MADRID -	475,668	-	-	-	-	-
LISBON -	203,681	-	-	-	-	-
ALEXANDRIA -	314,96	-	-	-	-	-
NEW YORK -	1,356,958	December 5	-	580	22.3	Diphtheria 42; scarlet fever 9.
BROOKLYN -	665,602	" 5	-	245	19.2	Scarlet fever 14; diphtheria 14.
PHILADELPHIA -	940,432	" 12	-	311	17.1	Diphtheria 9; typhoid fever 5.
BALTIMORE -	408,520	" 12	-	132	16.9	Diphtheria 11; typhoid fever 2.

Under the Superintendence of the Astronomer Royal.]

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sun above Sunshine, in hours.	Horizon, in hours.	SKY AND ATMOSPHERE.
DECEMBER.				
SUNDAY 27	m. P. in morning; a. P. afterwards.	0.0	7.8	Cloudy and foggy till afternoon; partially cloudy till evening; cloudless at night.
MONDAY 28	w. P. generally till 8h. a.m.; v. N. till 3h. p.m.; w. P. after- wards.	0.0	7.8	Generally cloudy. Occasional showers. Windy.
TUESDAY 29	m. P. till 6h. p.m.; v. P. and v. N. till 7h. p.m.; m. P. after- wards.	1.2	7.8	Fine till evening; cloudy with snow and rain between 6h. and 7h. p.m.; cloudless at night.
WEDNESDAY 30	w. P. generally till 7h. p.m.; m. N. after- wards.	0.0	7.8	Fine in morning; overcast afterwards. Steady rain at night.
THURSDAY 31	w. P. and v. N. wards.	0.0	7.8	Overcast.
JANUARY 1	w. P. generally	0.0	7.9	Generally overcast till evening; variable at night. Rain in the afternoon.
FRIDAY 2	w. P. in morning; v. P. afterwards.	0.2	7.9	Cloudless generally at night.